



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



2 45 0417 8010

LANE
MEDICAL LIBRARY
LEVI COOPER LANE FUND

—PRESENTED TO—

The New York Academy of Medicine.

By

The Society of the New York Hospital,

March, 1898.



1

2

1

1

S U P P L E M E N T

TO THE

THIRTY-FIFTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND.

Presented to both Houses of Parliament by Command of Her Majesty.



LONDON:

PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.
FOR HER MAJESTY'S STATIONERY OFFICE,

[C.—1165,—I.] Price 4s. 4d,

1875,

Y&A&B&C&D&E

CONTENTS

	PAGES
INTRODUCTION	iii-iv
1. POSSIBILITIES AND DIFFICULTIES OF EXTENDING HUMAN LIFE .	v-viii
2. PROBABLE DECREASE OF MORTALITY	viii-ix
3. INCREASE OF POPULATION IN GEOMETRICAL PROGRESSION AND ITS EFFECTS ON HEALTH AND MORTALITY	ix
4. INCREASE AND DECREASE OF POPULATION	ix-xii
5. RELATION BETWEEN DEATH-RATES AND BIRTH-RATES	xii-xiv
6. INSTANCES OF EFFECTS OF INDUSTRIAL ENTERPRISE ON DEATH AND BIRTH RATES	xiv-xv
7. THE PRINCIPLE OF POPULATION	xv-xviii
8. PROGRESS OF MANKIND IN HEALTH	xix-xx
9. CONSTITUENT ELEMENTS OF THE POPULATION	xx
10. THE MORTALITY OF MALES AND FEMALES AT THE SEVERAL PERIODS OF LIFE	xxi-xxii
11. EFFECTS OF DENSITY OF POPULATION ON HEALTH	xxiii-xxv
12. MORTALITY OF PERSONS OF DIFFERENT AGES AS A SANITARY TEST	xxv
13. DISTRICTS GROUPED IN THE ORDER OF DENSITY	xxv
14. OF WHAT CAUSES PEOPLE DIE OFF AT DIFFERENT AGES	xxv-xxvii
15. MARCH OF AN ENGLISH GENERATION THROUGH LIFE	xxviii-xxxiii
16. FUTURE DANGERS AT SEVERAL STAGES OF LIFE	xxxiii-xxxiv
17. THE RELATIVE NUMBER OF DEATHS FROM DIFFERENT CAUSES	xxxiv
18. THE RATES OF MORTALITY AT DIFFERENT AGES BY DIFFERENT CAUSES	xxxiv-xxxv
19. THE LAW OF MORTALITY AND OF ATTACKS OF DISEASE	xxxv-xxxvi
20. AGES AT DEATH BY PARTICULAR DISEASES	xxxvi-xxxvii
21. EFFECT OF THE EXTINCTION OF ANY SINGLE DISEASE ON THE DURATION OF LIFE	xxxviii-xli
22. ECONOMIC EFFECT OF DEATHS BY DIFFERENT DISEASES	xli-xliii
23. HYGIENIC TOPOGRAPHY	xliii
(a.) London	xliii-xlv
(b.) South Eastern Division	xlvi
(c.) South Midland Division	xlvi
(d.) Eastern Division	xlvi-xlvii
(e.) South Western Division	xlvii
(f.) West Midland Division	xlvii-xlix
(g.) North Midland Division	xlix
(h.) North Western Division	xlix-l
(j.) York Division	l-li
(k.) Northern Division	li
(l.) Welsh Division	li-lii

CONTENTS.

	PAGES
24. HEALTH OF MEN ENGAGED IN VARIOUS OCCUPATIONS . . .	lii-lviii
CONCLUSIONS AND PRACTICAL APPLICATIONS :	
<i>Natural Lifetime</i> , physical causes of its termination . . .	lviii
<i>Hygienic Factors</i> :	
Air, Water, Drinks (Temperance), Non-alcoholic Drinks, Food, Heat and Cold, Exercise	lviii
Excreta, Cleanliness (Baths), Sewers	lxiii
Zymotic Diseases, Vaccination	lxv
Enthetic Diseases ("Contagious Diseases")	lxvii
Childbirth, Local Diseases	lxx
Cities (Sites, Ground Rents, Municipal Organization)	lxxi
Cremation, Inhumation (Burial in Churchyards, Ceme- teries)	lxxii
Health Insurance, Medicine (Medical Profession, Here- ditary Disease, Improvements of Race)	lxxvii
TABLES:— •	
PRELIMINARY	lxxxiii-clxxxv
Density of Population and Annual Mortality of Persons at All Ages in the Three Decennials 1861-70, 1871-80, and 1881-90, in the REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS OF ENGLAND; Inmates and Deaths in certain PUBLIC INSTITUTIONS	clxxxvii-cxxii
Average Annual Rate of Mortality of Males and Females from All Causes at Different Ages, in the 10 Years 1861-70, in the REGISTRATION DIVISIONS and DISTRICTS of ENGLAND	ccxiii-cxxli
Mean Population, 1861-71, and Deaths from Different Causes of Males and Females at Different Ages in the 10 Years 1861-70 in ENGLAND and WALES and in the REGISTRATION DIVISIONS and DISTRICTS	1-445
Deaths of Males at Different Ages from 5 Years and upwards of Different Occupations in ENGLAND and in each of the 12 REGISTRATION DIVISIONS, registered in the Year 1871	447-504
Deaths of Males at Different Ages from 5 Years and upwards of Different Occupations in EIGHTY TOWN DISTRICTS, registered in the Year 1871	505-514
INDEX OF DISTRICTS	515-518
INDEX OF CERTAIN TOWNS	519
ALPHABETICAL INDEX	521-539

LETTER

TO

The REGISTRAR-GENERAL on the MORTALITY in the REGISTRATION DISTRICTS of ENGLAND during the YEARS 1861-70 ; by WILLIAM FARR, Esq., M.D., F.R.S., D.C.L.

*General Register Office, Somerset House,
5th February 1875.*

SIR,

How the people of England live is one of the most important questions that can be considered ; and how—of what causes, and at what ages—they die is scarcely of less account ; for it is the complement of the primary question teaching men how to live a longer, healthier, and happier life. Armed with this golden bough, we may enter the gloomy kingdom of the dead, whither have gone in twenty years nine thousand thousand English children, fathers, mothers, sisters, brothers, daughters, sons :

*Matres atque viri, defunctaque corpora vita
Magnanimum heroum, pueri innuptæque puellæ
Impositique rogis juvenes ante ora parentum :**

each having left memories not easily forgotten ; and many having biographies full of complicated incidents. Here, fortunately for this inquiry, they appear divested of all colour, form, character, passion, and the infinite individualities of life : by abstraction they are reduced to mere units undergoing changes as purely physical as the setting stars of astronomy or the decomposing atoms of chemistry ; and as in those sciences so in this, the analysis of the elementary facts observed in their various relations to time and place will shed new light on the more complicated phenomena of national life.

The vital units to be specially dealt with are persons living and persons dying in the ten years 1861-70, only distinguishing them into units representing males and females of different ages and occupations, losing life year after year by various causes, in about 627 districts extending from the borders of Scotland to the English Channel and from the Irish Sea to the German Ocean. The deaths in the several classes have to be compared with the population enumerated at three decennial censuses, in corresponding groups.

The long series of Tables offers a retrospect extending over the ten years, and is in continuation of a series embracing the previous ten years, with which it is compared.

The primary object is to determine what the death-toll† is at the several ages, and what the causes of the loss of life are, under different circumstances. The importance of this determination will become ap-

* Mothers and men, and bodies there with all the life outworn
Of great-souled heroes ; many a boy and never-wedded maid,
And youths before their fathers' eyes upon the death-bale laid :

Morris.

† This compound of Saxon words appears to be preferable to "death-rate" or "death-tax;" it is equivalent to "rate of mortality."
34846.

parent by enumerating some of the relations the mortality bears to other orders of facts. There is a relation betwixt death and sickness; and to every death from every cause there is an average number of attacks of sickness, and a specific number of persons incapacitated for work. Death is the extinction of pain. There is a relation betwixt death, health, and energy of body and mind. There is a relation betwixt death, birth, and marriage. There is a relation betwixt death and national primacy: numbers turn the tide in the struggle of populations, and the most mortal die out. There is a relation betwixt the forms of death and moral excellence or infamy; men destroy themselves directly or their fellows under the most varied mental conditions; they may die by indulgence in excesses, by idleness, or by improvidence. Death is met especially in primeval races not only in conflicts with each other, but in conflicts with other races of animals—directly with great carnivorous quadrupeds or creeping poisonous serpents, and indirectly with four-footed animals, winged birds, and multitudinous insects, blighting or consuming food. Death is also wrought by low but organised parasites in the body. It is still more frequently the result of elementary molecules (zymads) which, though of no recognised form, evidently thrive, propagate, die in the bodies of men, disintegrating or devitalizing their tissues.

There is finally a relation betwixt death and the mean lifetime of man; if a life passing through a given time is represented by a line, death is the point of termination as birth is the point of origin. And a generation of men born together is represented by an indefinite number of such lines of life. The natural lifetime of man is a century; that age under ordinary conditions is, as the Etruscans remarked, attained by at least *one* in every considerable generation, and they made it their *sæculum*; as in that time are passed through all the phases of childhood, youth, manhood, maturity, and monumental age.* The mean lifetime in the healthiest districts of England—and in the healthiest ranks—is 49 years; and we have no evidence that under the most favourable conditions it exceeds 50 years. Actually individual life varies in duration from a second to a century. And the relation to be shown here is between the dying by different causes and the living at every stage of the march of a generation through time. The mean lifetime of a generation may be the same, and yet the several lifetimes of the individuals of which it is composed may vary infinitely; under the actual laws of mortality, great numbers die in infancy, few in adolescence, more in manhood, and, after infancy, the greatest number by the English Table at the age of *seventy-three*, the numbers born having fallen in the proportion of ten born alive to two then surviving. It is evident that an entire revolution in the life of the human race would follow if every person born lived the average lifetime of fifty years, or if half the deaths happened in infancy and the other half at the end of 100 years or at any very advanced age. What we observe actually is that in certain conditions the mean lifetime sinks to half its standard length; and that this is the result of the high mortality in the first five years, of the reduced mortality in adolescence, and of the increasing mortality in manhood up to the ultimate term of life; few old people surviving and few dying therefore after four score years, especially in such unfavourable conditions as exist in Liverpool.†

Under the existing state of things, of the constituent lives of every generation a certain number dies at every age of causes to be investigated under two heads:—direct and organical, including diseases and injuries; and remote and indirect, namely, the causes of those diseases and injuries. Before entering upon the investigation two preliminary questions have to be discussed.

* See Census Report of 1851, Vol. I., p. xv.

† See Registrar-General's Fifth Report, pp. 35-6.

1. *Possibilities and Difficulties of extending Human Life.*

The laws of life are of the highest possible interest, even if the knowledge of those laws gave men no more power over the course of human existence than the meteorologist wields over the storms of the atmosphere, or the astronomer over the revolutions of the heavens. But all human laws proceed on the belief that the lives of individuals and of communities can, within certain limits, be regulated for good or for evil; and as latterly this has been questioned, it becomes necessary to discuss the problem—can lifetime be prolonged by a knowledge of the causes that cut it short, or by any means within a nation's power?

To live long is a natural aspiration and in the early years of the marvellous science of chemistry the alchemists sought with as much ardour as they sought the philosopher's stone for an *elixir vitæ* to confer on man perpetual prime; they promised him, by its discovery, immortality upon earth. The possibility of this seems to have been an ancient belief, for in one of the oldest legends man had been told that he should not die—that he should live for ever. And it had in it some grounds, or it could never have led the first Bacon, Descartes, Franklin, and Condorcet to intimate that human life might be prolonged indefinitely.*

* The views of Roger Bacon are expressed in the *Epistola de Secretis operibus Artis et Naturæ, et de Nullitate Magiæ*; and it is only fair to that great man to give his views as they are published by the Master of the Rolls among the previously unpublished works.

Title of the chapter: "Cap. VII. De retardatione accidentium senectutis, et de prolongatione vitæ humanæ."

"Et possibilitas prolongationis vitæ probatur per hoc, quod homo est naturaliter immortalis, et potens non mori, atque etiam post peccatum potuit vivere circiter mille annos; et deinceps paulatim abbreviata est vitæ longitudo. Ergo oportet quod hujusmodi abbreviatio sit accidentalis; quare poterit in toto vel in parte reparari. Sed si nos volumus causam accidentalem hujus corruptionis investigare, inveniemus quod non est a cælo, neque ab alio, quam a defectu regiminis sanitatis. Nam in hoc quod patres corrupti sunt, generant filios corruptæ complexionis et compositionis; et filii ex eadem causa se corrumpunt; et sic devenit corruptio a patribus in filios, donec invalescat continue abbreviatio vitæ, sicut est die ista. Non tamen propter hoc sequitur quod abbreviabitur semper in minus, quia terminus in specie humana positus est, ut in pluribus vivant homines lxxx annis, 'sed amplior est eorum labor et dolor.' Remedium vero esset contra corruptionem propriam cujuslibet, si quilibet exerceat regimen completum sanitatis a juventute; quod consistit in his quæ sunt cibus, potus, somnus, vigilia, motus, quies, evacuatio, constrictio, aër, passio animi. Nam si quis hoc regimen conservaret, a nativitate, viveret quantum natura assumpta a parentibus permetteret, et duceretur ad ultimum terminum istius naturæ lapsæ ab originali justitia; quem tamen præterire non posset; quia hoc regimen non habet remedium contra corruptionem antiquam parentum. Sed impossibile est, quod homo sic regatur in omni mediocritate istorum, sicut exigit regimen sanitatis; et ideo oportet, quod abbreviatio vitæ contingat ex hac causa, non solum ex corruptione parentum. Ars vero medicinæ determinat hoc regimen sufficienter. Sed nec dives, nec pauper, nec sapiens, nec insipiens, nec ipsi medici quantumcunque periti, possunt hoc regimen in se, nec in aliis perficere, ut patet cuilibet. Sed natura non deficit in necessariis, nec ars completa; immo valet insurgere et irrumpere contra accidentales passionem, ut in parte vel in toto deleantur. Et a principio, quum incepit ætas hominum declinare, facile fuisset remedium; sed nunc, a sex millibus annorum et amplius, difficile est remedium apponi. Sapientes tamen moti considerationibus antedictis, nisi sciunt vias excogitare, non solum contra defectum proprii regiminis cujuslibet, sed contra corruptionem parentum; non quia reducat homo ad vitam Adæ, vel Arthippii propter corruptionem tam invalescentem; sed ut in centenarium annorum, vel plures, vita prolongetur ultra communem ætatem hominum nunc viventium; quatenus passionem senectutis retardentur, et cum prohiberi non possint, mitigentur; usquequo ultra æstimationem humanam vita prolongetur utiliter; semper tamen citra ultimum terminum naturæ. Nam ultimus est terminus, qui in primis hominibus positus est post peccatum; et alius terminus est cuilibet ex propria et parentum corruptione. Ultra istos ambos non contingit transire, sed bene terminum propriæ corruptionis; nec tamen usque ad terminum primum, credo quod aliquis, quantumcunque sapiens his temporibus, posset attingere; licet possibilitas sit, et aptitudo naturæ humanæ ad illum terminum secundum quod fuit in primis hominibus.

"Nec mirum quum aptitudo ista se extendit ad immortalitatem, sicut fuit ante peccatum, et erit post resurrectionem. Sed si tu dicas quod nec Aristoteles, nec Plato, nec

The forces, as well as the constituents of the body, are in truth indestructible ; but they are fugitive, and are perpetually passing out of the men of existing generations into other forms : the flame of consciousness shines in one life only for a while. But the alchemists were right when they saw virtues in minerals and trees to prolong as well as to shorten life ; to check disease and to set the body free ; for if mercury, arsenic, antimony, iron, potash, soda, magnesia, phosphorus, chlorine, iodine, sulphur, in their various salts and acids ; if strychnia, quinine, opium, chloroform, æther, ipecacuanha, camphor, and alcohol ; will kill, they will also cure in the hands of the skilful. Surgery too has its great triumphs. Therapeutics is not a delusion, the Healer is a reality. But no drug can do more than prolong life for a time ; the man raised from the grave dies in the end. Life can be lengthened by regimen—by dietetics, which Celsus says engaged in his day the most eminent professors of medicine in Rome, because it is the most potent and philosophical,* dealing in regimen of mind and body, and medicinally controlling aliment, air, sleep, and exercise. The influence of the external world of air, water, soil, and climate on health and length of life was placed beyond doubt by the great treatise of Hippocrates. And Moses had before inculcated the exclusion of the sick by zymotic diseases from the Congregation. In these latter days science has gone further, and shown under what conditions the lifetime is long or short ; and the science of life, yet only in its infancy, will make further progress, and solve many problems hitherto held to be insoluble, when hygiene is cultivated in all the medical schools. The genius of agriculture, of engineering, of industry, and of commerce is growing every year, and handling new power in new machines, is supplying new means of existence, and banishing fatal impurities.

Descent is easy, and onward motion over a level road is not difficult ; but every step upwards to a higher state encounters obstacles ; and so it is in the improvements of the human race. Of this a few examples are instructive :—small-pox is a fatal disease, and after it had been learnt that a milder type could be induced artificially, fatal to few of the inoculated, the practice was introduced in London, and was publicly performed in the years 1746–63 on 3434 persons at the small-pox hospital ; only 60 of whom it is said died of the disease.† The mortality varied in different places, but it was nowhere considerable. What appeared so well fitted to justify Lady Mary Wortley Montague's exultation when she learnt in Turkey that "ingrafting" rendered small-pox harmless ? "I am patriot enough," she wrote in 1718, "to take pains to bring this useful invention into fashion in England." But it was found after it was brought that the deaths from small-pox in London, compared with the deaths from all other causes, and also the absolute mortality, increased considerably when inoculation

Ypocras, nec Galienus, ad hujus vitæ prolongationem venerunt ; respondeo tibi, quod nec ad multas veritates mediocres, quæ postea scitæ sunt per alios studiosos ; et ideo hæc maxima potuerunt ignorare, quanquam ad hæc laboraverunt. Sed nimis se in aliis occupaverunt, et citius perducti sunt ad senectutem, consumentes vitam in peioribus et vulgatis, quamvis vias ad hæc secreta perceperunt. Scimus enim quod Aristoteles dicit in Prædicamentis, quod quadratura circuli scibilis est, et sic fatetur se et omnes ignorasse usque ad tempus suum. Sed nos scimus his diebus quod scitur hæc veritas, et ideo longe magis potuit Aristoteles ulteriora naturæ secreta ignorare. Multa etiam modo ignorant sapientes quæ vulgus studentium sciet in temporibus futuris. Unde hæc objectio vana est per omnem modum.—*Fr. R. Bacon opera quædam hactenus inedita*. Vol. I., p. 540–2.

* "In tres partes medicina deducta est : et una esset, quæ victu ; altera, quæ medicamentis ; tertia, quæ manu mederetur. Ejus autem, quæ victu morbos curat, longe clarissimi auctores etiam, etiam altius quædam agitare conati, rerum quoque naturæ sibi cognitionem vindicarunt ; tanquam sine ea, trunca et debilis medicina esset." (Celsus, *De Medicina*, Lib. I.)

† Duvillard cites Dr. Jurin, who prepared a table showing that out of 447 inoculated with effect 9 died ; Dr. Monro inoculated 5554 persons, of whom 72 died ; Dr. Gregory set down the mortality at 3 in 1000. By natural small-pox the mortality per 1000 attacked ranges from 150 to 300. See pages 112–114.

became common. Large numbers of children and adults remained unprotected, and inoculation kept the *variolads* alive in an artificial nursery. Inoculation is now made illegal. Again, hospitals were opened to receive people attacked by this dreadful disease, and to afford them the advantages of watchful attendance and skilful advice. This was carried out in London; but the mortality of the patients in the hospital was double the mortality by the disease outside.* Here was another apparent failure. But vaccination was a great advance on inoculation; the danger of the operation was quite inconsiderable, and cowpox, unlike small-pox, never scattered abroad the seeds of disease. In 1771-80 small-pox in London was the cause of 100 in every 1000 deaths, in 1831-5 of 27, in 1861-70 of 11, and in the absolute mortality by this disease there was a large reduction.† In the last two decennials, 1851-70, the mortality per 100,000 by small-pox remained stationary in London at 28. In all England the mortality per 100,000 by small-pox declined from 22 to 16, or to the extent of 6; but population growing denser the mortality by scarlet fever rose from 88 to 97, thus increasing 9, or one and a half times as much as the mortality by small-pox decreased. The mortality by measles, diphtheria, and whooping-cough also increased. Vaccination diminished the chances of taking small-pox, and though it did not afford absolute security, it reduced the danger of its attacks. But, density of population increasing, other zymotic principles appeared to find in its absence freer scope for their destructive operations. In quenching the flames at one point the good work is begun but it is not ended.‡ Can zymotic diseases of all kinds never be quenched?

Out of pity for poor children Foundling hospitals were erected, but the babies nearly all perished, and a greater number than ever were abandoned. Had these hospitals succeeded the race of child-abandoning men must have been multiplied.

Another example is offered by the drainage of towns. In London the fatal refuse which had been retained in the houses was conveyed by water into the drains and into the Thames; and this was an advance on the previous state of things; but the sewers were charged with impurities; they put houses by their effluvia in communication with each other, and poured zymotic elements into the waters which were distributed by companies to the houses of both the wealthy and the indigent. And even at the present hour the sewage is pumped into the Thames, which it pollutes and obstructs, instead of being distributed over the land to which it belongs. The same difficulty in disposing of sewage is encountered in all English towns.

In the early ages the English population was scattered in slight dwellings over woods, meads, and undrained marshland, where they suffered from agues, rheumatisms, and famine fevers; as the people multiplied they assembled in cities and partook of a few of the advantages of civilization; but the increase of density brought new dangers, and, as the proximity of houses exposed towns to conflagrations, it laid their inhabitants open to devastating maladies, and to destructive pestilences. The people flocked in numbers to London in the reigns of Henry VIII., of Elizabeth, and of James, and the sweating sickness and fevers and the oriental plague decimated the population. The Restoration brought country families to the metropolis, and the plague made its ever-memorable swoop. The manufactures, the mines, and the great works that create subsistence for thousands collect workmen in towns as ill-provided with sanitary appliances as ill-organised camps; and thus Lancashire, Yorkshire, Durham,

* The mortality in the Small-pox Hospital was at the rate of 25 per cent. in 1746-63, for 1634 of 6456 patients died. For later returns see Letter to the Registrar General in Appendix to 34th Report.

† See Article on Vital Statistics, in M'Culloch's Account of the British Empire, Vol. II., pp. 610-13.

‡ See Appendices to Registrar-General's Reports.

South Wales, are still in a high degree insalubrious. Until the Legislature, led by Lord Shaftesbury, intervened, the lives of young children and mothers were barbarously sacrificed in the factories and mines. Here is seen again the success with which evil poisons the healing springs of industry.

The low wages of large numbers of artisans in towns deprived them of the means of healthy life; latterly wages have risen, and they had the command of those means to a larger extent, but unfortunately the consumption of spirits, and other stimulants absorbed their wages to the no small detriment of health. To sweep out the dusty and close workshops they are apt to be made draughty, so difficult is it to improve the health of artisans.

In the last twenty years the towns of England have increased from five hundred and eighty to nine hundred and thirty-eight; their population from nine to fourteen millions; and the health of the whole population of the country has remained stationary.

Breeders reject weakly animals from their stock, and thus achieve success. By the care now taken of the humblest member of the human race the weakly, it is said, survive; they marry and propagate, and thus, as some contend, the proportion of inferior organizations is raised. The imbecile, the drunkard, the lunatic, the criminal, the idle, and all tainted natures were once allowed to perish in fields, asylums, or gaols, if they were not directly put to death, but these classes and their offspring now figure in large numbers in the population.

2. *Probable Decrease of Mortality.*

Such are samples of the many obstacles to the sanitary progress of a nation, and it is evident that at present they can only be overcome in part; but there is no ground for despair. There has been progress. The mean lifetime of sovereigns and peers is prolonged; it was in past ages much shorter than the lifetime of the unhealthy labourers in the cities of to-day.* The mortality of the city of London was at the rate of 80 per 1000 in the latter half of the seventeenth century, 50 in the eighteenth, against 24 in the present day. The mortality in the liberties of the city of London within and without the walls was in the four plague years 1593, 1625, 1636, 1665, at the rate of 24, 31, 13, and 43 per cent. In the city alone 90,472 persons died of plague in the four epidemics, and 55,604 of other diseases. The enumerated population of the city was 130,178 in 1631.† In the cholera epidemic year of 1849 the mortality from all causes in the metropolis was only 3 per cent. And in the last two epidemics there was a further decline. Thus it is as certain that the high mortality can be reduced by hygienic appliances down to a certain limit as it is that human life can be sacrificed.

The analysis of the causes of the mortality renders it still further certain that the actual mortality of the country can be reduced. Many of the destroyers are visible, and can be controlled by individuals, by companies, and by corporate bodies, such as explosions in coal mines, drowning in crazy ships, railway collisions, poisonings, impurities of water, pernicious dirt, floating dusts, zymotic contagions, crowdings in lodgings, mismanagements of children, neglects of the sick, and abandonments of the helpless or of the aged poor.

Furthermore, including the London district of Hampstead, there are fifty-four large tracts of England and Wales which actually experience a mortality at the rate of only seventeen per 1000—less by *five* than the average mortality per 1000 of the whole country, less by *ten* than in nine

* See McCulloch's account of the British Empire. Vol. II, pp. 552-3.

† *Ibid.*, p. 602 and pp. 612-13.

districts, and less by *twenty-two* than the mortality reigning for ten years in Liverpool. Now the healthy districts have a sulubrious soil, and supply the inhabitants with waters generally free from organic impurities. The people are by no means wealthy; the great mass of them are labourers and workpeople on low wages, whose families get few luxuries, and very rarely taste animal food. Their cottages are clean, but are sometimes crowded, and impurities abound; the sanitary short-comings are palpable.

It will not, therefore, be pitching the standard of health too high to assert that any excess of mortality in English districts over *17 annual deaths* to every 1000 living is an excess not due to the mortality incident to human nature, but to foreign causes to be repelled, and by hygienic expedients conquered.

It is right to state that the real is greater than the apparent mortality of these districts; they are increasing, and contain an undue proportion of population at the younger healthiest ages, so that a correction for this makes the mortality *20* instead of *17*. That is the rate of their stationary mortality if the population were stationary, if births equalled deaths, and there were no migration.*

The mean annual deaths at the rate of 22·4 in the ten years 1861-70 were 479,450 in England; and had the rate of mortality been 17 the annual deaths would not have exceeded 363,617; so the overplus due to the operation of causes existing, but less destructive in the healthier districts was 115,833. The hope of saving any number of these 115,833 lives annually by hygienic measures is enough to fire the ambition of every good man who believes in human progress.

3. *Increase of Population in GEOMETRICAL PROGRESSION and its effects on Health and Mortality.*

But here an objection has been started:—the natural increase of population, instead of proceeding at the actual rate of about 1·3, would, it is said, be in the end 1·8 per cent. annually; it would go on indefinitely, and would double the population every 39 years; at the natural rate actually prevailing, upon this hypothesis the population will double itself in 55 years. This question has, therefore, to be discussed.

4. *Increase and Decrease of Population.*

Mr. Malthus calculated that the unrestrained principle of population would fill not only the earth with men, but people all the planets of all the suns that shine in the visible universe.† And latterly the President of the Health Officers of London, finding that the proportion of children that die under five years of age is more than 40 per cent. of the total deaths in England and Wales, remarks:‡—"If this were not so, the increase of population would be prodigious; for it is the means whereby the annual excess of births over deaths is kept down to the reasonable proportion of 12·8 per 1000 of the population. If it reached to 18 per

* The mean lifetime was 49, and the annual rate of mortality per 1000 was 20·4.

† Malthus had the following passage in one edition of his *Political Economy*: "If any person will take the trouble to make the calculation, he will see that, if the necessities of life could be obtained without limit, and the number of people could be doubled every 25 years, the population which might have been produced from a single pair since the Christian era would have been sufficient, not only to fill the earth quite full of people, so that four should stand upon every square yard, but to fill all the planets of our solar system in the same way, and not only them, but all the planets revolving round the stars which are visible to the naked eye, supposing each of them to be a sun, and to have as many planets belonging to it as our sun has." [Quotation from Malthus' "*Principles of Political Economy*," p. 227, in Godwin's "*Population*," p. 484. I do not find the passage in the second edition of the "*Principles*"]

‡ *On the Estimation of Sanitary Condition.* By H. Letheby, M.B., pp. 20-21.

"1000 * * the population would be doubled in rather less than 40 years. Consider for a moment the consequences of this. * * In 40 years the population of England and Wales would be over 45,000,000 * * in 120 years * * it would be near 182,000,000. * * This sort of thing could never last; for in about 240 years the population of England and Wales, unless it was exported in huge masses, would reach to rather more than 1550 millions, and it would be as thickly placed over the whole country as it is in London at the present moment." At the rate here called "reasonable," the population by the hypothesis would double itself every $54\frac{1}{2}$ years, so that the time in which the dreaded catastrophe would overwhelm this nation could only be deferred 87 years by the continued Herodian sacrifice. On a par with this is Dr. Price's illustration of the power of compound interest: "One penny put out at our Saviour's birth to five per cent. compound interest would in the year 1791, have increased to a greater sum than would be contained in three hundred millions of earths, all solid gold." †

There is evidently something singularly seductive in these applications of the abstract doctrine of series in geometrical progression to actual facts: even Justice Blackstone is led by geometrical progression to make the following statement:—

"The doctrine of lineal consanguinity is sufficiently plain and obvious; but it is at the first view astonishing to consider the number of lineal ancestors which every man has, within no very great number of degrees; and so many different bloods is a man said to contain in his veins, as he hath lineal ancestors. Of these he hath two in the first ascending degree, his own parents; he hath four in the second, the parents of his father and the parents of his mother; he hath eight in the third, the parents of his two grandfathers and two grandmothers; and by the same rule of progression, he hath an hundred and twenty-eight in the seventh; a thousand and twenty-four in the tenth; and at the twentieth degree, or the distance of twenty generations, every man hath above a million of ancestors, as common arithmetic will demonstrate." This is further explained in the note. "This will seem surprising to those who are unacquainted with the increasing power of progressive numbers; but is palpably evident from the following table of a geometrical progression, in which the first term is 2, and the denominator also 2; or, to speak more intelligibly, it is evident, for that each of us has two ancestors in the first degree; the number of whom is doubled at every remove, because each of our ancestors has also two immediate ancestors of his own.

Lineal Degrees.	Number of Ancestors.	Lineal Degrees.	Number of Ancestors.
1	2	11	2,048
2	4	12	4,096
3	8	13	8,192
4	16	14	16,384
5	32	15	32,768
6	64	16	65,536
7	128	17	131,072
8	256	18	262,144
9	512	19	524,288
10	1,024	20	1,048,576

"A shorter method of finding the number of ancestors at any even degree is by squaring the number of ancestors at half that number of degrees.† Thus 16 (the number of ancestors at four degrees) is the square of 4, the number of ancestors at two; 256 is the square of 16; 65536 of 256; and the number of ancestors at 40 degrees would be the square of 1,048,576, or upwards of a million millions." [Chitty's Blackstone's Commentaries, 21st Edition, Vol. 2., pp. 203-204.]

Mr. Malthus argues that population, if unrestrained, will double itself every twenty-five years §; but let it be assumed that the doubling period is lower, or equal to $33\frac{1}{3}$ years—that is the mean interval between two generations—according to the common reckoning, then, beginning at one

† Price's Observations on Reversionary Payments, vol. 1. p. 314.

‡ Let a = first term, n the number of terms, and r the rate; then evidently $ar^n r^n = ar^n$.

§ Which implies an annual rate of increase of 2.81 per cent.

end of the series, a pair in 40 such periods (1333 years) will yield more than a million millions of descendants; and beginning at the other end and proceeding backwards, according to Mr. Justice Blackstone each descendant has more than a million millions of ancestors! Geometrical progression, like Ariosto's Ippogrif, is evidently a difficult horse to ride, and sometimes lands people in strange conclusions:

Poggia l'angel, nè può Ruggier frenarlo :
Di sotto rimaner vede ogni cima
Ed abbassarsi in guisa, che non scorge
Dove è piano il terren nè dove sorge.*

Orlando Furioso, Canto IV., 349.

The fallacy that deceives Blackstone in the latter case is the want of continuity in the law of the series; a man has, it is true, four ancestors in the second degree, because the marriage of brother and sister is prohibited and there is a fusion of four bloods; but as the marriage of first, second, and every order of cousins is permitted under this law, no more than four ancestors are indispensable to the fortieth man in descent; without the prohibition the whole of the human race might evidently be traced up to two ancestors—and two bloods. The mind is led on through the first step, as Blackstone was, to the inference that because a man has a father and a mother, and 2 grandfathers and 2 grandmothers—he must have 8 great grandfathers and great grandmothers, and so on; which is not necessary, and if pursued far enough becomes improbable, absurd, impossible.

The hypothesis of increase of population in geometrical progression had been advanced before,† but Malthus in his practical applications of it brought it home to the public mind, and led to further researches, and to exciting controversies. Godwin—a man of genius—whose work on Political Justice had suggested the controversial essay of Malthus in 1798, answered it in his *Enquiry concerning Population*, and Sadler collected a great many facts in his work.‡ The facts at the disposal of the respective writers were numerous, but they were incomplete, and in England the statistical facts we now possess respecting the conjugal condition of the men and women living at the several ages were then entirely absent, as the information in the early censuses was meagre. All that is further wanted now in the English Birth Schedule to clear up this vital question conclusively is the entry of the ages of the mother and father at the birth of their children, and the order of the births.§ Instead of discussing the principle of population and the hypothesis of increase in geometrical progression—which its authors have reduced to absurdity—I propose to state enough of what is known to prove that a reduction in the rate of mortality can be attended by none but the most salutary effects to the nation.

Population is sustained when the births equal the deaths in the same time; when the deaths exceed the births population declines, and when the births exceed the deaths population increases. Migration is here left out of account. The balance is affected by the changes in each of two variables; thus, if the population of England was stationary the deaths would be at the rate of 2·447 per cent., the births 2·447 also; the difference is zero: but the population increases, as we have seen, so the

* Thus translated, but not happily, by W. Stewart Rose:

“The griffin soars, nor can Rogero stay
The flying courser; while, beneath his ken,
Each peak and promontory sinks in guise,
That he discerns not flat from mountain-rise.”

† Voltaire, after giving it as his opinion that the population of Europe had tripled since the time of Charlemagne, adds with his incisive common sense: “J’ai dit triplé, et c’est beaucoup; car on ne propage en progression géométrique. Tous les calculs qu’on a faits sur cette prétendue multiplication sont des chimères absurdes.” *Dict. Philosophique, Art. Population.*

‡ Godwin on *Population*, 1820. Sadler on *Law of Population*, 2 Vols., 1830.

§ Done in the *Registers of our Australian Colonies.*

deaths are at the rate of 2·242, and the births not only equal but surpass the deaths in every 100 of population by 1·264, which is therefore the natural increase. The mean lifetime in England is 41 years. Should it become as long as it is in the healthiest districts it will be 49 years; and instead of 1 death and 1 birth to 41 living there will be 1 death and 1 birth to 49 living, the latter implying an annual rate of 2·041. An increase of the years men live involves a decrease of the annual mortality, but not necessarily any increase of population; for the birth-rate may fall to an equivalent extent.

The death-rate of a population is under control, but not to the same extent as the birth-rate, which depends on voluntary marriage and fertility, which have hitherto been marvellously regulated so as to meet generally the demand for men. Thus, England has an increasing industry and a vast colonial empire to people, so the births are numerous. In France the death-rate in the ten years was 2·36, differing a little (0·12 in excess) from that of England; but the birth-rate was only 2·63 in France* instead of 3·51 as it was in England. France had no colonial demand for population, and so the population was not depressed by a high death-rate but by a low birth-rate. The increase of population was only 0·27 per cent. per annum.

Many species of animals have, as the geological records of the world show, perished; and man could never have survived the perils of his early historic, to say nothing of his prehistoric, life had his race not been endowed with a reserve of reproductive force sufficient to repair the recurrent wastes of famines, wars, and plagues. At the present hour in England half of the women of the child-bearing ages are unmarried; and though the annual births maintain an actual excess over the deaths, they are kept down to half their possible number. A flow of prosperity in the country is immediately followed and marked by the launch of a whole fleet of marriages. The ruin of an industry or the depression of a trade implies a stagnation of marriages.† There are thousands of couples always on the look-out, ready to embark as the prospects brighten.

It has been observed that after the ravages of plagues the births increase,‡ so the aching voids are filled up as regards mere numbers. Under ordinary conditions an increased death-rate is attended by an increased birth-rate, so as either to maintain the population stationary or increasing, according to the exigencies of the case. This is only possible within certain limits, for an excessive death-rate is attended with such waste that it cannot be overtaken by the births; the population declines, or is only sustained by immigration. We have the means of establishing this law by English observations.

5. *Relation between Death-rates and Birth-rates.*

Arranging the districts of England in the order of their mortality, it is found that the annual mortality in the various groups ranges from the rate of 15 to 39 per 1000; the birth-rate from 29 to 40 per 1000; and it is seen that, in the next Table, as the death-rate increases, the birth-rate increases, so that in all the districts with a mortality under 25 per 1000 the natural increase of population is very constant. The mortality increases with the density of the population; and thus every additional death is met by an additional birth.

* See Registrar General's 35th Report, p. cxxi.

† See Registrar General's 35th Report, p. ix.

‡ The London bills of mortality showed 64,544 christenings in the ten years, 1651-60, before the Great Plague; and in the ten years 1661-70, including the year of the Great Plague, 106,755 births. Collection of yearly Bills of Mortality, Obs. of Corbyn Morris, p. 80. See also Süssmilch's observations quoted by Malthus on Population, Vol. 2, p. 178, 5th edition.

ENGLAND AND WALES. — Density of Population; Annual Death-rate; Annual Birth-rate; Annual Excess of Births over Deaths; and the Annual Increase of Population per 1000 Persons living in SEVEN GROUPS of DISTRICTS arranged in the ORDER of MORTALITY.

Number of Districts.	Range of Mortality: Rates per 1000 Persons.	Persons to a Square Mile.	1861-70.			
			To 1000 PERSONS LIVING.			
			Average Annual Deaths.	Average Annual Births.	Average Annual Excess of Births over Deaths.	Average Annual Increase of Population in middle of period.
ENGLAND & WALES } 619	15-39	367	22·4	35·1	12·6	12·4
54	15-17	171	16·7*	30·1*	13·4	15·8
349	18-20	195	19·2	32·2	13·0	8·8
142	21-23	447	22·0	35·6	13·6	16·2
56	24-26	2,185	25·1	38·1	13·0	15·3
16	27-30	6,871	27·8	39·1	11·3	8·9
1	32	12,172	32·5	37·3	4·8	3·2
1	39	65,834	38·6	37·6	-1·0	-12·3

The Table may be read thus:—In 54 districts where the rates of mortality range from 18 to 20 per 1000 there were 195 persons to each square mile of area; the average annual death-rate in these districts was 19·2, the birth-rate 32·2; the average annual excess of births over deaths was 13·0, and the actual average annual increase of enumerated population was 8·8 per 1000 persons living.

* These rates are obtained by dividing the aggregate deaths and births in the districts having an average annual mortality among persons ranging from 15 to 17 by the aggregate population of those districts ($\frac{D}{P}$). Each group is treated in the same manner.

In the first stage of the scale, that is in the 54 healthy districts, the death-rate is 16·7, the birth-rate 30·1; in the second stage the death-rate is 19·2, the birth-rate 32·2; in the third stage the death-rate is 22·0, the birth-rate 35·6; in the fourth stage the death-rate is 25·1, the birth-rate is 38·1. The natural increase of population in each of these four stages ranges from 13·0 to 13·6, or is severally 13·4, 13·0, 13·6, 13·0. When the mortality reaches the *fifth stage* the death-rate is 27·8, the birth-rate 39·1; and after that point, while the death-rate increases to 32·5 in Manchester and 38·6 in Liverpool, the birth-rate recedes at last exhausted to 37·3 and 37·6; children enough are no longer forthcoming, and there is a decrease of indigenous population, which if it should go on might end in a decrease of population in geometrical progression.

Should the deaths in the districts where the mortality is 22·0 per 1000 be reduced by sanitary measures to the same level as in the districts where the mortality is 19·2, the births might be reduced in the same or a greater degree, namely from 35·6 to 32·2; and should the death-rate be brought down to 16·7, the birth-rate might be reduced, as in the healthiest districts, to 30·1; the deaths falling 5·3, the births actually fell 5·5 per 1000, as shown in the table. The fall of the birth-rate is observed in the existing circumstances of this country; it maintains an uniform increase in districts under different laws of mortality, but it is not a necessary consequence of a reduced death-rate, and if, in the opinion of the parties concerned, their prospects are good, they marry and procreate children at the same rate as before; in that case the population increases faster; whereas in a depressed condition the births fall off until the population becomes stationary, or declines.

Thus there is no inevitable connection between the gradual reduction of the mortality of the whole kingdom to the rate of 17 per 1000 and the more rapid increase of population; because the birth-rate may of itself fall to the level of that now prevailing in the healthiest districts and leave the increase of population as it was. Statesmen are not then, by alarming cries of increase of population in a faster geometrical progression, to be deterred from the noblest work in which they can engage; for it is certain that population as it improves in England will not increase faster than the requirements of industry in all its forms at home or the new openings of colonial enterprise abroad.

6. *Instances of the effects of Industrial Enterprise on Death and Birth Rates.*

Such is the general law governing the facts hitherto observed in England over a long series of years. It will be interesting now to give a few illustrative cases of the changes in the marriage, birth, and death rates (1.) where a new industrial enterprise has been suddenly developed, and (2.) where a branch of industry is declining. As instances of the former, take the districts of Ulverston, Guisbrough, and Stockton; of the latter St. Austell and Redruth in Cornwall, where the works and the population decline.

Ulverston contains Barrow-on-Furness. It owes the increase to a cause thus referred to in the Quarterly Return of the Registrar-General:—*

"The mortality often augments with the increased prosperity of a district; and this is curiously illustrated by Ulverston, a romantic district extending from Morecambe Bay to Lake Windermere. Ulverston, in the ten years, 1841–50, was one of the healthiest districts of England; the mortality did not exceed 18 in 1000. A change took place, and in the ten years 1851–60 the mortality rose to 20 in 1000. The deaths in the June quarter of 1864 were considerably above the average of previous years, caused, say, the registrar of Dalton, 'in part by the increase of the population, and in part by 'the prevalence of scarlatina and measles.' He adds: 'but there is no distress; work 'is plentiful, wages good, and provisions cheap. Labourers are earning 3s. 6d. a day; 'artisans 4s. 3d. and upwards.'

"The population of many of the townships and parishes of the Ulverston district, at the feet of its fells, and round the shores of its meres, is stationary, and in some instances has declined; it is an old iron district, which had seen its works decay when coal came into use for smelting, but of late a pure hæmatite ore has been discovered in the carboniferous limestone of Dalton-in-Furness, for which there is a great demand. The population of the parish rose from 4683 to 9152 in the interval of the two last censuses, and, with the parishes in its vicinity, gave the increase which raised the population of Ulverston district from 30,556 in 1851 to 35,738 in 1861.

"The mortality of the district of Ulverston, exclusive of Dalton, in the two last quarters, was at the rate of 26 and 23 in 1000; while that of Dalton was at the rate of 42 and 31; and it is in this sub-district that the spectacle is presented of 'work plentiful, wages good, provisions cheap,' and 'the prevalence of destructive epidemics.' This coincidence is reproduced over and over again. And it must not be supposed on that account that work, good wages, and cheap provisions are in themselves bad things; for they are as salutary as they are attractive to the masses of mankind. But our industrial armies are cut down by the camp diseases which are generated by the inadequate house accommodation, and by the want of sanitary arrangements, which are never carried out in the neighbourhood of new works. Impure water, impure air, their own exhalations, kill men, women, and children on the spot, and breed the leaven which devastates the towns and valleys in the vicinity. For the sins of a parish are often visited on its neighbours in thousands round. Thus South Wales has been rendered prosperous by the mines, and unhealthy by the negligence of the people. The mining population appears to be even less careful of life than the manufacturing population."

The increase of population went on; for the excess of births exceeded the excess of deaths.

This timely warning was not lost on the energetic authorities of Barrow-on-Furness; and though the mortality in the three decennials

* Quarterly Return No. 62, for second quarter of 1864.

that ended in 1870 increased and was 18, 20, 21, it has gone no further; sanitary measures have been undertaken and are still proceeding. The marriage-rate and the birth-rate, evoked to a higher pitch by the prosperity of the place, rose more rapidly than the death-rate. In cases of this kind of rapid concentration of population the high birth-rate is not the cause of the high death-rate; the first is caused by the prosperity, the second by the defective sanitary provisions. All the rates had been low in the first healthiest decenniad, quite in conformity with the general law.

Guisbrough and Stockton, including Middlesborough, exhibit a similar series of phenomena; the population became thicker and the mortality increased; the marriages and births also increased.

With a declining copper and tin industry in St. Austell and in Redruth, Cornwall, the mortality slightly declined; but to nothing like the same extent as the marriage and the birth-rates.

Increasing Populations, OWING TO RAPID DEVELOPMENT OF INDUSTRY.

REGISTRATION DISTRICTS.	YEARS.	PERSONS LIVING at the Censuses of 1861 and 1871.	AVERAGE ANNUAL NUMBER OF			RATES PER 1000 LIVING.		
			Deaths.	Persons married.	Births.	Deaths.	Persons married.	Births.
ULVERSTON (incl. Barrow-in-Furness) - -	1860-1-2	35,738	751	485	1313	21·0	13·6	36·7
	1870-1-2	55,083	1150	958	2259	20·9	17·4	41·0
GUISBROUGH (incl. part of Middlesborough) - -	1860-1-2	22,128	449	294	913	20·3	13·3	41·2
	1870-1-2	39,016	963	687	1764	24·8	17·6	45·2
STOCKTON (include part of Middlesborough) - -	1860-1-2	57,099	1331	1056	2488	23·3	18·5	43·6
	1870-1-2	99,705	2565	1994	4501	25·7	20·0	45·1
Decreasing Populations, OWING TO DECLINE OF MINING ENTERPRISE.								
ST. AUSTELL - {	1860-1-2	33,797	673	573	1230	19·9	17·0	36·4
	1870-1-2	31,194	605	437	1007	19·4	14·0	32·3
REDRUTH (include Camborne) - {	1860-1-2	57,173	1301	1041	2059	22·8	18·2	36·0
	1870-1-2	53,503	1193	890	1734	22·3	16·4	32·4

The general law deduced from the preceding Table and these illustrative exceptional instances of sudden increase and decrease of population enable us to understand how much of the "principle of population" so forcibly proclaimed by Malthus is true, and how much of it is erroneous.

7. The Principle of Population.

It is true that all plants and animals have the power of multiplication; and man in conformity with that law has the power of doubling his numbers every twenty-five years under favourable conditions, and within definite limits of space and time, the limit being soon attained without the exercise of skill and industry in supplying his wants; but his struggles for the means of living, as a race, were greater at first when his numbers were fewer than they are now in England. The numbers of mankind never actually increase as the numbers in the geometrical series 1, 2, 4, 8, 16, 32, 64, 128, 256, 512 . . . indefinitely; and subsistence never increases as the numbers in the arithmetical series 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 . . . indefinitely. But the population of a country may increase in geometrical progression for a certain number of years, and so may its subsistence, understanding by that all that supplies men's wants. Mr. Malthus found when he wrote that the population of the United States had been said

for a century and a half to double itself every 25 years; and now it is known by the Census that the population, after the year 1790, increased very regularly at the rate of 3 per cent. annually for the seventy years ending with 1860; at that rate population doubles itself in $23\frac{1}{3}$ years. The increase, however, was not "by procreation only," but partly by excess of births and partly by immigration of blacks from Africa, of whites from Europe. Population increased in geometrical progression at a certain rate, but subsistence also increased in geometrical progression at a faster rate; so that the pressure of population on subsistence grew less and not greater. In the last ten years productive labour slackened and the flow of population ebbed; during the civil war English emigrants returned to England; there was loss of life in the field, and although for lack of a national system of registration it cannot be set forth in figures, the marriage and birth-rates must have declined, for the population increased, not 3 per cent., but 2 per cent. annually between the two Censuses of 1860-70. Yet the produce increased, the wheat from 173 to 288 million bushels; the value of all live stock from 218 to 305 millions of pounds sterling.

The increase of produce from 1850 to 1860 may be inferred from two orders of facts. The number of farms rose from 14 to 20 hundred thousand, while the area of improved land from 113 grew to 163 million acres; and the value of live stock rose from 109 to 218 millions of pounds. Population only increased in those ten years from 23 to 31 millions.*

And in the earlier years, though not recorded, the produce increased undoubtedly as nearly in geometrical progression as the population counted at each census; and if the early censuses prove that population increases, the recent censuses prove that subsistence increases in geometrical progression. Had Malthus had before him the returns of produce as well as population in America, he could scarcely have fallen into the error of laying it down, that while population increases in a geometrical, subsistence increases in an arithmetical progression.

There is a limit to the increase of both people and produce; but the tendency now is as men endowed with skill, weapons, tools, and marvellous machines are diffused over the world, to create subsistence faster than population.

In the first edition of his work† Malthus lays it down that (1) "population cannot increase without the means of subsistence," that (2) "population does invariably increase where there are the means of subsistence;" and (3) "that the superior power of population cannot be checked without producing misery or vice."‡ Shrinking from the explicit expression evidently implied by his argument that "the superior power of population cannot be checked without producing misery or vice," he left out of account the fact that at the prolific age a large proportion of the women of every civilized population is unmarried and virtuous; this being only partially recognized in the subsequent editions under the phrase "moral restraint." Instead of simply stating that the population is kept down by any causes that diminish the births and increase the deaths, he uses in the last edition the vague phrase, "the checks which repress the superior power of population, and keep its effects on a level with the means of subsistence, are all resolvable into moral restraint, vice, and misery."§

The theory is as misleading in practice as it is defective in statement, and, as expressed, erroneous in fact. It assumes that the restraint of

* See Journal of Statistical Society, Vol. xxxviii, pp. 74-6, and United States Census.

† There is a copy of the first edition (1798) in the library of the Statistical Society. It was published in 1798, the year after he was made a fellow of Jesus College, Cambridge, and when he was 32 years of age.

‡ *P.* 37.
§ 6th edition, Vol. I., p. 24.

population is the corner-stone of policy. Had this principle been accepted by the people, the population of the kingdom instead of amounting to thirty-two millions would have remained, as it was at the beginning of the century, sixteen millions. England, in the presence of the great continental states, would have been now a second-rate power; her dependencies must have been lost; her colonies have remained unpeopled; her industry crippled for want of hands; her commerce limited for want of ships. The legal insurance of the people by the land against death by starvation, the efforts to stem the tide of epidemics, the science of healing, hygienic improvement of every kind, must have languished under the cold shadow of this doctrine; and in its name the endeavour to save the lives of children by sanitary measures is even now denounced, as either futile or mischievous. And logically it leads to the policy of depopulation; for if increase causes misery, decrease, by parity of reasoning, causes happiness; this principle of population being the fewer the happier. It is a policy that diminishes the numbers of the wise and the good, but has no effect on the masses. Families under this policy die out. Classes, distinguished for any virtue, that accept the restraint under vows, provide for its extinction. The hermits and saints, that forewent "wedded love," and children, at the same time that they provided for their own eternal bliss provided for the extinction of sanctity on earth; while our universities offered by fellowships, forfeited on marriage, one of which Malthus had just acquired at Jesus College, a premium on protracted celibacy, they discouraged the multiplication of their ablest men.* The economists, the misers, the philosophers, in the same way eliminate prudence, acquisitiveness, and science from the ranks of their race.† They are like flowers all bloom. Low pay makes the officers of the army and navy perforce Malthusians, and discourages the propagation of prowess. Few aristocracies are self-sustaining; and if there is a natural tendency in wealth to accumulate by intermarriage, that may lead to its dispersion.

The state of nations in the present day, and the history of past ages, prove that the maintenance of equilibrium between subsistence and population is a complicated question. It has been left hitherto to the sense of both sexes. Malthus had the merit of contending that it admitted of scientific investigation; that its problems should be sought in the statistics of nations in every stage of civilization; that it entered into the national policy, inasmuch as it was a matter that concerned, in the highest degree, not only particular individuals, but the whole community, the State. Reduce the constituent roll of a nation too low, and it cannot struggle with success against other forms of life in nature; it cannot hold its own in the face of other powers; it can undertake no great concerted operations; solitary minds in remote dwellings are not quickened by

* In 1797. See Memoir in Principles of Political Economy, 2nd edition, p. xxxv.

† The following is characteristic. D'Alembert had learnt that Lagrange, the Newton of France, had just married a relation; and thus wrote to Berlin: †

"J'apprends, lui écrit-il le 21 Septembre 1767, j'apprends que vous avez fait ce qu'entre nous philosophes nous appelons le *saut périlleux* . . . Un grand mathématicien doit, avant toutes choses, savoir calculer son bonheur. Je ne doute donc pas qu'après avoir fait ce calcul, vous n'ayez trouvé pour solution le *mariage*."

Lagrange répond de cette étrange manière: "Je ne sais si j'ai bien ou mal calculé, ou, plutôt, je crois n'avoir pas calculé du tout; car j'aurais peut-être fait comme *Leibnitz* qui, à force de réfléchir, ne put jamais se déterminer. Je vous avouerai que je n'ai jamais eu du goût pour le mariage . . . mais les circonstances m'ont décidé . . . à engager une de mes parentes . . . à venir prendre soin de moi et de tout ce qui me regarde. Si je ne vous en ai pas fait part, c'est qu'il m'a paru que la chose était si indifférente d'elle-même, qu'elle ne valait pas la peine de vous en entretenir."

¹ Œuvres de Condorcet, publiées par A. Condorcet O'Connor, et M. F. Arago; vol. I., p. xevi. The beauty, grace, and wit of Madam Condorcet extorted forgiveness even from the mother of the Duc de la Rochefoucauld, a most implacable foe of the marriage of the learned; on his marriage she went so far as to say to the Secretary of the Academy, *We forgive you*: Nous vous pardonnons.

collision with other minds; the quantity of life is lessened on the earth,* and the chances diminished of the rise of men of genius, to whom the world owes progress in the sciences, discoveries in the useful arts, and triumphs in fine art and literature.

Ill effects of too many people willing to work can for centuries only be felt when they are blindly crowded in particular spots, when their labour is not organized, when their acquisitions are insecure, when their dwellings are dens, and when the supply of subsistence is not rendered continuous, and within due limits equal, by storage, by commerce, by skilful distribution, and by wise laws: then zymotic disease is spread, periodic famines are fatal, and the wretched people are on inadequate diet starved.

The evils of indiscriminate intermarriage of imperfect natures accumulate. Errors on either side of excess or defect are punished as inexorably by the law of population as they are by the law of gravitation. If tribes of men will not breed domestic animals, or cultivate the soil, nothing can sustain them by the side of civilized races. If men and women will not work they may not eat. If classes of men drink alcohol to excess; if they consume impure water; if they herd in rookeries; and if they lead idle, criminal, vagabond lives; they perish. Nature is implacable; the degradation of the human race is made difficult; it is stopped by death. The best races in the end have the best chance of living from generation to generation. And against the severity of the life struggle have to be set the excitements of the battle, the energy it calls forth, and the perpetual selection of finer varieties of the race for survival. England through its centuries of history owes some of its greatness to this principle; it has been led by it step after step up to heights of glory.

The struggle is a consequence, science teaches, of the evolution of the living matter of the earth into higher forms; and that evolution is not yet at an end.

Mr. Darwin applies the doctrine of Malthus "to the whole vegetable and animal kingdom"; and recognizing "the struggle for existence amongst all organic beings throughout the world which inevitably follows from the high geometrical ratio of their increase," he makes it the basis of a vast generalisation.† After discussing the question he thus concludes, "all that we can do is to keep steadily in mind that each organic being is striving to increase in a geometrical ratio; that each at some period of its life, during some season of the year, during each generation or at intervals, has to struggle for life and to suffer great destruction. When we reflect on this struggle we may console ourselves with the full belief that the war of nature is not incessant, that no fear is felt, that death is generally prompt, and that the vigorous, the healthy, and the happy survive and multiply."

This struggle reigns over the whole animal kingdom; nor is man, as is too well known, an exception; but Mr. Darwin modifies the principle which ascribes the great check of population to "misery." Reason too gives man certain prerogatives; for as we have seen it controls fertility, thus adjusting in time and place the results to the infinite varieties of the openings in life, and further, in his humanity man has a protection against the casualties and misfortunes which overwhelm inferior species. The human family, the clan, the town, the tribe, the nation all acknowledge even now the claims of children, of the sick, of the ~~ded~~, and of the infirm, to help in time of trouble. Few men refuse wounds of their fellow men.

calculation which he describes in one of his Essays on Political it would be difficult to verify, asserts, in opposition to "some mountains of Ireland were as weighty as all the bodies that had beginning of the world to the year 1680." Be this as it may, the ~~see~~ alive at one time does not exceed 60 million tons; for only ~~race~~ of the earth exists in the highest form of life.
1st edition, Introduction, p. 4, p. 67, and p. 82.

8. *Progress of Mankind in Health.*

Turgot, Price, Priestly, Godwin, had written on the perfectibility of man, but Condorcet put this doctrine forward with new force in the remarkable work he wrote while he was under the ban of proscription in the last bloody days of the French Revolution.* Any Secretary of the French Academy of Sciences is not only distinguished by eminence in one branch of learning, but by a general acquaintance with the whole circle of the sciences; in writing on human perfectibility, Condorcet, therefore, did not write in ignorance. He knew the greatness of the conception; and had sounded all its depths. His argument is an induction drawn from the progress of nations through nine historical epochs in science, art, literature, and civilisation; and from the gradual rise to heights higher and higher, as well as from the intrinsic energy of their animating principle, he predicts in the last chapter not only an indefinite development of the sciences, of the arts, and of institutions, but of man himself in all his faculties. He foresees new discoveries in all the sciences, and in the arts, reacting on each other; improvements in the theory and practice of life; completing the faculties by placing more powerful instruments at their disposal; and by their own development. All classes by education, by free trade, by cheap law, by simpler manners, will be raised to a higher level; the classes dependent on labour, and men having a little capital, by insurance, and by co-operation, will enjoy advantages now only possessed by great capitalists. Progress will be accelerated by new methods in the sciences; by new notations; by the application of calculation to all branches of human affairs; and by simplifications of processes in the arts. Teaching both the sciences and the arts will be facilitated; men and women will alike cultivate the fields of nature. At present not a fiftieth part of the people endowed with talents obtain the education required for their development.

What Condorcet in 1794 sketched of the progress of the arts and sciences has already been fulfilled. The sketch was a prophecy. But he is equally confident that as plants and animals have been developed, so man, already richly endowed, is susceptible of organic perfectibility. The English and French are as much in advance of the Saxons and Franks as the cattle and horses of to-day are ahead of theirs. The senses will grow finer, the forces more vigorous, the intellectual faculties inconceivably superior to what is seen in the present average of the race; man may be indeed a "little lower than the angels." Who can doubt, he asks, that the progress of *conservative medicine*,† the use of healthy aliment and lodging, a regimen which will develop energy by exercise without wasting it by excesses; the removal of the most potent causes of degradation, abject poverty and superfluous wealth; will prolong the lifetime of men, insure more constant health, and more robust constitutions. It is clear that conservative medicine, rendered more efficacious by reason and social institutions, must in the long run banish transmissible and contagious diseases, as well as maladies due to climate, diet, occupation; nay, the hope of relief may be extended to all other diseases whose remote causes may probably be recognised. Now, is it absurd to assume that this perfectibility of man will go on indefinitely through endless ages? So argued Condorcet. Malthus, to confute his doctrine, advanced the principle of population under which mankind multiplies, he contends, so fast in geometrical, while subsistence increases

* *Esquisse d'un Tableau Historique des Progrès de l'Esprit Humain.* Ouvrage Posthume de Condorcet; 3rd edition, 1797. Condorcet, born 17th September 1743, died on 8th April 1794. In early life he co-operated with Turgot; and was for many years the Perpetual Secretary of the French Academy of Sciences. He wrote in favour of free trade and against the slave trade when prohibition and slavery were recognised institutions.

† *Médecine conservatrice* is the expression of Corvisart; it will bear transplantation into English. He uses also the term *médecine préservatrice*. Either is better than "preventive medicine."

in arithmetical progression, that the numbers are necessarily kept down by "misery." This principle of population—the "wedded love" that Milton hailed—is the inexhaustible source of human wretchedness! The irony is terrible.

Condorcet, one of the eminent band of mathematicians then existing in France, would have smiled at the hypothesis that men increased in geometrical and subsistence in arithmetical progression, when it happens that the plants and animals on which men feed can all increase or decrease in geometrical progression at faster rates than man. The law is the same. He anticipated the objection from an indefinite increase, and suggested how it may be overcome.*

Mr. Darwin, accepting the law of the increase of animals in geometrical progression, instead of viewing it as a reason for an eternal stand-still of misery, traces to the consequent struggle for existence, and the survival of the fittest, the progressive development of creation from its lowest to its highest forms. He contends that living matter in the past was perfectible; and this is an argument for the indefinite perfectibility of men through future ages.

The great source of the misery of mankind is not their numbers, but their imperfections, and the want of control over the conditions in which they live. Without embarrassing ourselves with the difficulties the vast theories of life present, there is a definite task before us—to determine, from observation, the sources of health, and the direct causes of death in the two sexes at different ages and under different conditions. The exact determination of evils is the first step towards their remedies.

9. *Constituent Elements of the Population.*

The deaths in the ten years amounted to 55 hourly on an average, or to nine deaths every ten minutes;† but it is not so much with these deaths in themselves that the inquiry is concerned as with the numbers living at every moment of the decenniad. Upon the state of the twenty-one millions living the mortality depends; out of them the minutely death flows. Now the population increased; and this increase, which is a continuation of the process that has been going on for a century at variable rates, has produced large alterations in the proportions of the 21,389,245 living at different ages. This must be so. There were 7,636,233 births in the ten years 1861–70, of which the children under the age of ten enumerated at the beginning of 1871 were the survivors. But at the same census 507,522 persons of the age of 70–80 existed; and they were the survivors of the children born in the ten years 1791–1800, which, it is pretty certain, did not exceed 2,988,439 in number. Had the children born then been as many as in 1861–70, the living at 70–80 would have been raised in that proportion to 1,296,850. And so of other ages. The nature of the altered proportions will be seen in the Tables 68–71 at a glance. Now similar but not the same alterations in the proportions have taken place in every district of the kingdom. How can this difficulty in instituting just comparisons be obviated?‡

As the mortality—and the fatal diseases—vary with age it is evident that the population and the deaths must be divided into a certain number of corresponding groups in order to determine the mortality and the fatal diseases of each group; we can then proceed to compare the rates of mortality and of disease in the several districts of the country. This has been done. In the Tables the mortality of males and females is shown in seventeen groups of ages.

* Condorcet, *Esquisse*, pp. 362–4.

† The hourly births were 86; or 14 every ten minutes.

‡ See an instructive paper on "The Value of Death-rates; by Mr. Noel A. Humphrys."—*Journal of Statistical Society*, vol. xxxvii.

10. The MORTALITY OF MALES and FEMALES at the SEVERAL PERIODS OF LIFE.

The vitality is measured either by the years of life out of which *one* death occurs, or by the death out of a *unit* of lifetime. Thus in England, according to the life table, 1 in 41 living dies annually. The death out of a unit of lifetime is $\cdot 02447$. As this implies that 2 \cdot 447 die in a year out of 100 living, the mortality is said to be 2 \cdot 447 per cent. annually; or, to speak in round numbers, 24 in 1000. Make the numbers living constantly sustained 1000, then if 24 die in a year the mean interval between each death is 15 days; and if a death occur out of the 1000 every 24 days the rate of mortality will be retarded, as it is in inverse proportion to the interval between each death. The faster people die in a city the greater is its mortality. Thus any two of three variables being fixed the vitality is measured by the variation of the third.

For the *rate of mortality*—expressed briefly by the *mortality*—involves three elements—time, numbers living, numbers dying; the time being fixed at a year, and the living through that time at 1—which may be called a year of life—the rate of mortality is a fraction, easily convertible into a whole number by multiplying this fraction into 1000, or any greater number. Here the rate at different ages is expressed as the mortality of the living at those ages. Thus, taking the boys of England (1861–70) under five years of age in one group, it is found that the mortality was at the rate of 7 \cdot 316 per cent. per annum; then boys of the age of 5 and under 10 die at the lower rate of \cdot 815*; and boys of 10–15 as they enter puberty die at the still lower rate of \cdot 446. In the next five years of age the mortality of youth rises; and at 20–25 the mortality is \cdot 845, nearly the same as that of boys 15 years younger; through manhood the mortality rises slowly up to 3 \cdot 300 at the age 55–65; and as age advances still more until at 85 and upwards it is at the rate of 31 \cdot 357. The mortality of females goes through a similar cycle; descending to a minimum at the first great change of formative energy in puberty, and then ascending with age until subsiding life is converted into the other forces of nature. The law implies first an increasing and then a continually decreasing power of sustaining vitality.

But the law varies with the conditions of existence; and though these conditions vary infinitely—some being favourable and others unfavourable to life—there are large masses of the population, whole regions and cities, where the results of all the agencies in operation differ widely.

Take for example the group of 51 districts called Healthy for the sake of distinction, and here it is found that the annual mortality per cent. of boys under five years of age was 4 \cdot 246, of girls 3 \cdot 501. Turn to the district of Liverpool†: the mortality of boys was 14 \cdot 475, of girls 13 \cdot 429. Here it is evident that some pregnant exceptional causes of death are in operation in this second city of England. What are these causes? Do they admit of removal? If they do admit of removal, is this destruction of life to be allowed to go on indefinitely? It is found that of 10,000 children born alive in Liverpool 5396 live five years; a number that in the healthy districts could be provided by 6544 annual births. This procreation of children to perish so soon—the sufferings of the little victims—the sorrows and expenses of their parents—are as deplorable as they are wasteful. In Liverpool the death of children is so frequent and dreadful that a special

* By a mere change of the place of the decimal point to the right this may of course be read as 8 \cdot 15 per 1000.

† The Borough of Liverpool extends over a part of West Derby. The District is co-extensive with the parish.

system of insurance has been devised to provide them with coffins and burial ceremonies. The mother when she looks at her baby is asked to think of its death, and to provide by insurance not for its clothes but for its shroud and other ceremonies. There are cases where a wretched parent has insured the life of her baby, and realised money by the transaction; but there is no statistical evidence to show that this is a systematic trade; rather the reverse; all that is certain is that the children are bred in such unfavourable and unnatural conditions that they perish in excessive numbers. The extent to which the several causes contribute to their destruction requires further investigation; but enough is known to justify the belief that such causes may be to a considerable extent removed.

Then the sacrifice of the lives of men at the most productive ages, from 35 to 55, is almost equally great; the deaths out of the same numbers living are as *three* in the Liverpool district to every *one* in the natural state of the working population of extensive districts of the kingdom.

The thousands of families of the Liverpool district are of various grades, and live in very different sanitary conditions; some may be as healthy as groups of families anywhere else, and others may suffer to the extremest extent; but the general result is seen in the Table, which may for the moment represent the unhealthy classes, as the other Table represents the healthy classes, of the nation. Every great city has in it a bit of Liverpool. Between the extremes of mortality, high and low, lies a series of intermediate rates, and the aggregate of the whole mass is expressed in the rates for all England.

Table 50 exhibits the rates of mortality of males and females respectively, at 12 groups of ages, in London contrasted with the rates at the same groups of ages in 51 Healthy districts, in all England, in the district of Manchester, and in the district of Liverpool. Arranged in the order of mortality at all ages, as in the Table, it will be noted that London ranks next to all England, Manchester following, and Liverpool standing last with the high rate of 4·097 deaths per cent. of males and 3·636 of females.

If we take 15 great town districts in different parts of the kingdom—including Manchester—and compare the rates of mortality at different ages with the mortality at the same ages of the 17 great town districts, including, besides the 15 districts preceding, Liverpool and London, the rates will be found to differ but little, and that is through London being included in the 17 towns which contain on the average of the ten years 1861–71 no less than 4,981,258 inhabitants, or nearly a fourth of the population of England and Wales. The rates very fairly represent the death-tax which the great city populations of England now pay.

The causes that make the rates of mortality vary may be considered under two heads—

- (1.) Causes inherent in the population itself, such, for example, as *sex* and *age*.
- (2.) Causes outside the population, such as air, water, food, clothing, dwellings, or such groups of causes as are involved in residence, and relation of the several parts to each other in time and space.

Mere inspection of the Tables 49, 50, 51, establishes under the first head two things; (a) that the mortality of males everywhere exceeds the mortality of females at nearly all ages; (b) that the mortality is at a minimum at the age 10–15; and increases in two directions, as we approach birth, and as we recede to lengthening age.

Under the second head it is established by the facts that the mortality in all the great towns is high at nearly all ages; and also that the rates of mortality of the populations in mass under all the local conditions vary generally in the same direction as the mortality at their several periods of life. In fact the causes of insalubrity affect people of all ages; but it will be shown hereafter that their effects differ in degree at different ages.

11. *Effects of Density of Population on Health.*

The term town implies municipal government and industrial organization. But it will be convenient to discard for the moment every other consideration except the density of the population. This is shown by dividing the population by the square miles of area on which they are living. This has been done; and there is found to be a general relation between the mortality and the density of the population. Thus, in the healthy districts, during 1861-70 there were 166 persons to a square mile; in all England 367; in Liverpool 65,823. And this implies that the mean proximity of person to person in the three groups was 147, 99, and 7 yards; the proximity being as the square root of the density.*

The density of population as usually calculated assumes that the numbers are distributed evenly over the area; but this is scarcely ever the case; for the English towns and districts include open spaces unbuilt on, which conduce to the free aeration of the place, but in very different degrees. In some districts the greater part of the population is crowded on a portion, while the rest is thinly scattered over the remainder of their area. Thus the density of the population of London is expressed by 25,671 persons to a square mile; but the density of the Central districts is 107,729; of Westminster 153,976. In one sub-district of Westminster, Berwick Street, the density is 278,587, while in Hampstead it is 7315. The proximity in London is 11.8 yards; and of the densest sub-district of London (Berwick Street) 3.6 yards. The Manchester district besides the dense parts contains much open country. Upon the other hand, Liverpool, Birmingham, and Bristol districts comprise the densest parts of the towns of those names; the towns being more extensive. The local divisions of the kingdom have grown up; they are multiplied unnecessarily; they are so conflicting and the names are so confusing that it is difficult to use them without creating misapprehension. We may hope to see a remedy some day applied to this state of things. In the meantime the readers of the Registrar General's Reports will bear in mind, that *districts* conterminous with unions are referred to unless the contrary is stated.

In the years 1861-70 the population of an average district was 34,555; the annual births 1212; the deaths 775; the excess of births 437.

To investigate more exactly the relation between density of population and the mortality, which we know increases in some proportion to density, the districts have been grouped in the order of the mortality at all ages. The groups are eighteen; commencing with a mortality at 15, and ascending to 39.

The area, population, births, deaths, and mortality of each group have been determined; and are shown in the Tables. The irregularities that are encountered in dealing with single districts are in part effaced; and the general result is that in all the large groups the density and the mortality follow the same order.

In the Appendix to the Fifth Report I endeavoured to show that within certain limits there was a definite relation between density of population and mortality. And it was found that the mortality of districts did not increase as their density, but as the 6th root of their density. Thus the female mortality of St. James, Westminster, district was .02145; its density was 145,059 persons to a square mile; the density of St. George Hanover-square being 39,018. What was the mortality? By calculation from the density it should have been .0172, and it was .0171.† The

* $p = \text{proximity in yards} = \frac{\sqrt{2}}{\sqrt{3}} \times \frac{1760}{\sqrt{D}}$ if D = population to a square mile.

† See Registrar General's Fifth Report, Appendix, pp. 420-424. The constitution of the above two districts has since been changed.

same relation existed between the mortality and the density of population in other districts of London.

A larger basis is now supplied by the facts of ten years recorded in all the districts of England and Wales. They have been arranged in the Tables; and with this result, that in every group the mortality increases with the density, but happily not in the direct proportion of the density. London has been excluded in the following calculations. Thus in the 345 districts with a mortality of 19·2 the density was 186 persons to a square mile; in the 9 districts with a density of 4499 what was the mortality? In the first place it was not expressed by the proportion $186 : 4499 :: 19\cdot2 : x$ but by this proportion nearly

$$(186)^{10} : (4499)^{10} :: 19\cdot2 : x = 28\cdot1$$

Table 48 shows in a comparative view the actual and the calculated mortality.

The districts being grouped in the order of the mortality the density of population is always found to increase with the mortality, but more rapidly. The greater the proximity of man to man the greater is the mortality. To show how far the effect of the causes of mortality varies in dense and open districts at different ages in the two sexes the following Tables have been framed. The 593 districts are arranged in seven groups; under which the mortality of males and females is given at 12 ages. Only the London districts have been excluded, and that on account of the difficulty of distributing the deaths at different ages in hospitals over the districts to which they properly belong.

The mortality per 1000 *under* the age of *five years* is in the seven groups—

	No. of group	-	-	I.	II.	III.	IV.	V.	VI.	VII.
For females	-	-	-	34	44	58	76	89	106 and	134
„ males	-	-	-	41	51	68	88	101	118 and	145
Excessive mortality of males	-	-	-	7	7	10	12	12	12	11
Mean of males and females	-	-	-	38	48	63	82	95	112	140

It will be noticed that the groups are numbered in the order of their density, No. I. being the least dense and No. VII. the most dense.

After examining the mortality at the various ages in the seven groups of different densities, this general law may be deduced from the facts. As the mortality of males and females increases at all ages with the density of population, so it increases at every group of ages, but in very different proportions; most in early childhood (0-5); least at the two quinquennial ages 15-20 and 20-25, when immigrants enter towns; another maximum being attained at the ages 45-65, immediately after reproduction ceases. At the ages of 65 and upwards the effect of density in increasing the mortality diminishes. The effect is not considerable at any age after 35 in the 345 districts (group II), having a density of 186 persons to a square mile; there the chief effect is produced in childhood.

In the 137 districts, having a density of 379, the effect of density after the age of 15 remains nearly uniform, and increases the mortality by about one-fifth part.

In the 47 districts, having a density of 1718, the mortality is doubled in childhood; and is raised by about a half at the ages 45-65.

London, though with a density of 25,671 persons to a square mile, follows for childhood the same law as the 47 districts; the mortality is doubled; then at the ages 45-65 it is still higher than in the 47 districts, for the mortality being increased by nearly three-fourths approaches the mortality of the 9 districts. But London presents this exceptional fact; the mortality at the ages 15-20 and 20-25 is below the mortality in the healthiest districts. The cause of this will be discussed hereafter.

The Table 52 shows, in a comparative view, how differently the various causes of mortality operate at different ages in the eight groups of districts. This is mainly due to the varying powers of resistance.

The exposure of children, of men and women in the prime of life, and of old people to causes of death, varies in different circumstances; but it is evident, after every allowance has been made, that the power of resisting the noxious influences at work in the thickest peopled districts is greatest at puberty, least in childhood and in manhood.

The Table 53 shows this more clearly; for it shows at each age out of what numbers living there are 100 deaths in the healthy districts; and then in other columns how many die in the seven other groups of districts out of the same numbers living. Thus to 10,050 persons living of the age of 35-45 only 100 die annually in the healthy districts; and 104, 121, 132, 162, 214, and 272 in six other groups of districts. In London the deaths out of the same numbers are 151.

The Table 54 shows that the female children with a lower absolute mortality than males under five years of age suffer relatively in every group more than males in the denser districts. At 5-10 the mortality of males is but slightly in excess and at all other ages the males are the greatest sufferers from the unsanitary conditions. Their occupations come into play.

12. *Mortality of Persons of different Ages as a Sanitary Test.*

In judging of the effect of destructive agents in particular districts it is well to take into account the mortality at the several ages in the two sexes. The occupations of men have a certain influence on their mortality. This is the case for instance with miners, with publicans, and with men in some dusty occupations. The influence is not felt in the case of young children, and the occupations of women vary less than those of men; but young children are differently fed or nursed in different parts of the country, and women in service who work and are well fed interfere with the female mortality, so that it is the safer course not to depend on any one age or sex, but to take the mortality at all the several ages of both sexes into account. Then the displacements of deaths by removal of the sick to hospitals or workhouses can also be taken into account by the local inquirers.

13. *Districts grouped in the Order of Density.*

In a previous paragraph the districts were grouped according to the order of their mortality; it may be interesting now to group them in the order of the density of population. This being done it is found, as has been shown, that on instituting a comparison between the two arrangements, the groups of districts of highest mortality are the densest, but that the least dense districts have not always the lowest rates of mortality. Nor should this be expected. For the maximum of advantages in country districts being once attained further isolation is a disadvantage. The insalubrity of marshes and forests can only be subdued by numbers; and the country parts thinly peopled must have been much less salubrious in ancient than in modern times. The notes following Table 55 will throw light on the peculiarities of some of the least populous districts.

14. *Of what Causes people die off at different Ages.*

The English Life Table shows how many of a million children born are males, and how many are females; how many of each sex will probably survive year by year until after the age of 100 years the last life is extinguished; how many die in each year of age; and the mean after-lifetime at every age.

The English Life Table is constructed on the numbers enumerated at 12 periods of life in the two censuses of 1841 and 1851; and the deaths registered at the corresponding ages in the 17 years 1838-54*; since those dates two more censuses having been taken, and the deaths registered and abstracted at the several ages down to 1872, I thought that it might be desirable to construct a new Life Table on the basis of the more extended experience. But the mortality at the several ages having been calculated for each of the 34 years 1838-71, the mean of the rates was found to agree so closely with the mean rates on which the Life Table was based that a new construction became unnecessary. The law of mortality had fluctuated from year to year, but had as yet remained constant; so that the persistence of the force of death as it affects different ages is beyond doubt.

Annual Mortality PER CENT. of Males and Females in England and Wales.

AGES.	MALES.		FEMALES.		AGES.
	1838-54. (17 Years.)	1838-71. (34 Years.)	1838-54. (17 Years.)	1838-71. (34 Years.)	
ALL AGES	2.33	2.33	2.17	2.15	ALL AGES.
0—	7.25	7.26	6.23	6.27	0—
5—	.92	.87	.91	.85	5—
10—	.52	.49	.54	.50	10—
15—	.82	.78	.85	.80	15—
25—	1.00	.99	1.06	1.01	25—
35—	1.28	1.30	1.27	1.23	35—
45—	1.85	1.85	1.59	1.56	45—
55—	3.18	3.20	2.82	2.80	55—
65—	6.69	6.71	6.00	5.89	65—
75—	14.76	14.71	13.44	13.43	75—
85—	30.14	30.55	27.92	27.95	85—
95 & upwards	44.03	44.11	43.22	43.04	95 & upwards.

Note.—The Table may be read thus:—Of males of the age 25 and under 35 the rate of mortality per cent. was 1.00 in 17 years 1838-54; and .99 in 34 years 1838-71, and so for other ages. The rates of mortality for 1838-54 are taken from the English Life Table, p. xx; the rates for 1838-71 are the arithmetical means of the several rates for each of the 34 years, as shown in Tables 21-4, pp. lxxx-iii. of the Registrar General's 34th Annual Report.

The Life Table thus gives out of 1,000,000 liveborn children the deaths at each year of age. To determine all the diseases of which they die at each year of age involves an amount of labour beyond our command, if the whole of the distinguishable diseases recorded are taken into account. To reduce the arithmetical labour within an available compass, I have selected certain diseases of which the diagnosis is most certain. The other diseases are thrown into *groups*: the first *group* of all the class of zymotic diseases of the first order not separately dealt with; the second *group* of all except the distinguished maladies. And the several local diseases are grouped according to the affected organs. Suicide and other violent deaths are given in two lines.

The construction of the Tables 7-15 may be thus described. A separate set of Tables was formed for males and females, and the numbers dying at each period of life were taken from the Life Table. The deaths are numerous at first, and the numbers in each of the first five years of age are distinguished; then the numbers dying in the quinquennials 5 to 10, 10 to 15, 15 to 20, 20 to 25; and finally the numbers dying in the decennials 25 to 35, 35 to 45, and so on to the end of life.

* See Life Table, pp. xviii-xix; Longman, 1864.

From the returns of deaths in 1861-70 by different causes in the same divisions of age, the proportions of males per 1,000,000 dying of each of the 25 diseases or groups of diseases at each division of life were determined. For the deaths according to age and sex in the preceding 10 years 1851-60 the same process was repeated; and from the mean of the results of the two decennials the final Table was derived, which served to distribute the deaths of the males of the Life Table proportionally.*

Thus to take an example, in the years 1861-70 the deaths of males at ages 25-35 were 147,734; the deaths of males by small-pox 2037, by fever 10,513; so the proportion to 1,000,000 deaths at those ages was for small-pox 13,788, for fever 71,162. The corresponding proportions in 1851-60 were for small-pox 12,473, for fever 70,266; the mean for the twenty years was for small-pox 13,130, for fever 70,714. Now, by the Life Table the total deaths of males at ages 25-35 are 30,592; so the numbers due to small-pox are 402, to fever 2163; which accordingly find their places in the Table. The other groups of causes were treated in the same way. From the separate Tables of males and females the Tables of persons of both sexes were framed by addition.

Knowing the deaths from each disease at each age period, the sum of all deaths from the same disease at and after each age are obtained by successive additions. Thus Table 12 was constructed from Table 7.

The Table to be complete should give the deaths from each cause in each year of age; but that series is long, and as it can be obtained by interpolation, I reserve it for a subsequent process.

It will be observed by the Table 12 that out of 1,000,000 children 114,417 will die of phthisis. Assume for a moment that at any age the survivors of the 114,417 may be picked out at that age and thrown into a class apart, then a table of the consumptive could be constructed showing their chances of dying at each age, as well as the premium to pay for an insurance on their lives.

Practically it is not possible to select out of a number of persons taken indiscriminately the numbers that will die of consumption; but it is considered possible by taking ancestral descent, temperament, and premonitory symptoms—such as hæmoptysis—into account, to select a class apart, having what is technically called a consumptive tendency, and whose mortality would approximate to that of the persons actually dying of consumption.

And a Life Table of the class dying of consumption can be formed by summing up the deaths by consumption in the Life Table, as in the subjoined example, which might be completed by interpolation.

Numbers to die of Consumption at and after each AGE out of 1,000,000 Children born.

AGE <i>x</i> .	TO DIE.	AGE <i>x</i> .	TO DIE.
0	114,417	35	54,290
5	109,948	45	31,886
10	107,809	55	15,418
15	104,283	65	4,973
20	95,209	75	679
25	81,424	85	52

* See Table 6.

15. *March of an ENGLISH GENERATION through LIFE.*

It is possible, by means of Tables so constructed, to follow any large number of people through the whole of their ages, and to point out the casualties under which they will probably succumb.

Age 1-5. The first thing to observe is, that the fatality children encounter is primarily due to the changes in themselves. Thus 1,000,000 children just born are alive, but some of them have been born prematurely; they are feeble; they are unfinished; the molecules and fibres of brain, muscle, bone are loosely strung together; the heart and the blood, on which life depends, have undergone a complete revolution; the lungs are only just called into play. The baby is helpless; for his food and all his wants he depends on others. It is not surprising then that a certain number of infants should die; but in England the actual deaths in the first year of age are 149,493, including premature births, deaths by debility and atrophy; diseases of the nervous system 30/37, and of the respiratory organs 21,993. To convulsions, diarrhoea, pneumonia, bronchitis, chiefly their deaths are ascribed; little is positively known; and this implies little more than that the brain and spinal marrow, nerves, muscles, lungs, and bowels fail to execute their functions with the exact rhythm of life. The first two are said by pathologists to be often rather symptoms of diseases unknown than diseases in themselves. The total dying by miasmatic diseases is 31,266; but it is quite possible that several of the children dying of convulsions die in the early stages of some unrevealed zymotic disease, whose symptoms have not had time for development. Convulsion is a frequent precursor in children of measles, whooping-cough, scarlet fever, fever; indeed Dr. C. B. Radcliffe well remarks "in the fevers of infancy and early childhood, especially in the "exanthematous forms of these disorders, convulsion not unfrequently "takes the place occupied by rigor in the fevers of youth and riper years."* Many of the cases of pneumonia may also in like manner be whooping-coughs and other latent zymotic diseases. In the second year of life pneumonia, bronchitis, and convulsions are still the prevalent, and most fatal diseases; many also die then of measles, whooping-cough, scarlatina, and diarrhoea. Scarlet fever asserts its supremacy in the second, third, fourth, and fifth years of age. Whooping-cough is at its maximum in the first year, measles in the second, scarlatina in the third and fourth years. Thus these diseases take up their attacks on life in succession and follow it onwards.

The deaths from all causes under the age of five years are 263,182. The number ascribed to infanticide is very few; but the deaths by suffocation (overlying, &c.) are more numerous; and so are the deaths directly referred to the "want of breast-milk." The total deaths by burns, injuries, drowning, and all other kinds of violence are 5175.

By a physiological law 511,745 boys are born in England to 488,255 girls; and by another law 141,387 boys and 121,795 girls die in the first five years of life; so that at the end of five years the original disparity in the numbers of the two sexes is so much reduced that at the age of five years the boys only slightly exceed the girls in number. The greater mortality of boys is due to difference of organisation, for the external conditions are substantially the same in which boys and girls are placed.

Great as is the influence of organisation itself, the difference of external circumstances and sanitary condition exercise a very real influence on life, disease, and death in childhood.

Thus, even in the Healthy districts of the country, out of 1,000,000 born, 175,410 children die in the first five years of life; but in Liverpool

* A system of Medicine by Reynolds, vol. 2, p. 593. Article on Diseases of Spinal Cord.

District, which serves to represent the most unfavourable sanitary conditions, out of the same number born, 460,370, nearly half the number born, die in the five years following their birth. This is 284,960 in excess of the deaths in the Healthy Districts.

OUT of 1,000,000 Children Born alive (1) in the Healthy Districts, (2) in All England, and (3) in the DISTRICT of Liverpool, the Numbers dying under Five Years of Age by NINETEEN GROUPS of Causes.

	HEALTHY DISTRICTS.	ENGLAND.	LIVERPOOL DISTRICT.
DEATHS FROM ALL CAUSES - -	175,410	263,182	460,370
TOTAL ZYMOTIC DISEASES - -	49,761	87,069	171,009
Small-pox - - - - -	602	3,331	5,175
Measles - - - - -	5,257	11,507	25,514
Scarlatina - - - - -	11,373	17,959	26,518
Diphtheria - - - - -	4,184	2,425	3,396
Whooping-cough - - - - -	9,680	14,424	32,551
Typhus (with Enteric and Common Fever) - - - - -	2,907	5,401	9,297
Diarrhoea and Dysentery - - -	9,354	20,344	51,911
Cholera - - - - -	399	1,129	4,255
Other Zymotic Diseases - - -	6,135	10,579	12,063
Cancer - - - - -	110	71	62
Scrofula and Tubercles - - -	5,335	8,115	11,694
Phthisis - - - - -	2,656	4,469	5,116
Hydrocephalus - - - - -	6,004	9,206	14,972
Diseases of the Brain - - -	22,092	40,065	49,840
Diseases of the Heart, and Dropsy -	1,304	1,507	2,038
Diseases of the Lungs - - -	27,384	41,476	79,893
Diseases of the Stomach and Liver -	4,431	4,778	4,874
Violent Deaths - - - - -	4,232	5,175	17,107
OTHER CAUSES - - - - -	50,401	61,131	103,765

The above Table shows how many children die from the several groups of causes (1) in the healthy districts, (2) in all England, and (3) in the Liverpool District. There is a greater increase in Liverpool from small-pox and measles than from scarlet fever; and diphtheria was more fatal in the healthy districts than in all England. Diarrhoea and cholera were greatly aggravated in the other districts of England; so were whooping-cough, and typhus, under which were registered typhus, typhoid, infantile remittent, and relapsing fever. The diseases of the lungs are more fatal to children in Liverpool than diseases of the brain.

The children of Norway fare better than the children of sunny Italy; to which it may well be still an *officina gentium*. Out of 100 children born alive the deaths in the first five years of life are in Norway 17, Denmark 20, Sweden 20, England 26, Belgium 27, France 29, Prussia 32, Holland 33, Austria 36, Spain 36, Russia 38, Italy 39. Russia is almost as fatal to her children as Italy.

In a paper* read before the Statistical Society the methods of determining the rates of mortality were described, and I collected information as to the treatment and management of children in Scotland, Norway,

* Mortality of Children in the Principal States of Europe, in the Journal of Statistical Society, vol. xxix., pp. 1-35.

Sweden, France, and Austria. The subject was taken up in England by the Obstetrical Society, who published an able report, based on returns, on the birth and treatment of English children.* I have not yet received papers from Russia or Italy.

The mortality of infants evidently depends, to some extent, on the midwifery of a country; on the way the children are fed by the mothers; on the water; and on the cleanliness observed, as well as the other sanitary conditions.

Age 5-10. Our young travellers now enter on their sixth year of life. They have left great numbers on the way. And nearly every one of the 736,818 survivors has been attacked by one disease or another; some by several diseases in succession. There is one fact in their favour: the majority of the zymotic diseases rarely recur. Each renders the body insusceptible of injury from diseases of its own kind, though not from other diseases. Medicine † is still without any accurate determination of the numbers attacked to every death, but it is evident from the deaths that some hundreds of thousands of the survivors have had whooping-cough, measles, scarlet fever. Taking advantage of the non-recurrent law, Jenner, by his immortal discovery, substituted small-pox modified and mild for natural small-pox; and it is probable that the greater part of all the children at the age of five are vaccinated, or have had small-pox.

So the total deaths in the five years following are 34,309; 8743 of them from scarlatina, the principal plague of this age, 1364 from diphtheria, 4036 from fever: more than half of the deaths in this young age, are from miasmatic disease, in all 19,256. The brain and lung diseases levy also a certain tribute.

Age 10-15. But 702,509 survive and enter on this age, which culminates in puberty; and 684,563 pass through it into the next at the age of 15; for the deaths are fewer than at any other age. They amount to 17,946, of which 1901 are by scarlatina, 2842 by fever, 3526 by phthisis, these last two diseases already standing as the most deadly; in this period the change in girls is greater than the change in boys, and rather more of them die.

Age 15-20. Now the mortality increases especially among women, of whom 5263 die of consumption (phthisis), and 244 of childbirth, for at this age a few young girls marry with some risk to their lives. The tight ligatures that are so often and so unwisely placed round the waist interfere with respiration; and may, with their in-door life, favour the development of phthisis. The deaths of males by consumption are 3811, by fever 1368: the deaths from both diseases being fewer than the deaths of females from the same causes. The violent deaths of 1387 males, against 193 females, go a long way towards redressing the inequality.

Melancholy suicide appears now among the causes of death; indeed 14 such deaths appear before the age of 15, but the numbers in this age amount to 94, of whom 46 are males, 48 are females. Insanity looms on the horizon, and there is an excess of fatal brain affections over affections either of the heart or lungs.

Age 20-25. At this age large numbers marry. The deaths are 28,705, of which nearly half, or no less than 13,785, are by phthisis. Fever is associated with it, as the great prevailing zymotic disease; the reign of the other zymoses of the young is almost over. The brain, heart, and lung begin again to suffer, and of their diseases more die. 1100 women die in childbirth.

* Republished in the Appendix to the Registrar General's 34th Report, pp. 225-9.

† It is to be regretted that many of the writers in a recent system of medicine have followed the advice of M. Louis; they have not counted, and the student gains in the numerical method.

If it is the age of love it is also the age of war, of dangerous work, and of crime: the violent deaths, exclusive of suicides, are 1677, without reckoning any death in foreign war.

Age 25-35. Of the million, 634,045 attain the age of 25, and 571,993 live to the age of 35. The period extends over double the time hitherto handled. It is the athletic, the poetic age: it is the prime of life: two thirds of the women are married; and now at its close is the mean of the period (33-34) when husbands become fathers, wives become mothers, the new generation is put forth. The deaths are separations; they leave widows and fatherless children behind. Of the 62,052 that die, 30,592 are men, 31,460 women; 2992 of the men, and only 309 of the women die by violence, suicide excepted; but 2901 women die in childbirth.

Consumption is the most fatal disease of the age; it is the cause of 27,134 deaths; women suffering more than men. Fever is fatal to fewer lives than it was earlier; but it is by far the most fatal of the zymotic diseases, and slays its 4197.

The local diseases of lungs, heart, and brain grow intenser in this period.

We may now look back to the fate of a generation exposed to unfavourable conditions; such, for instance, as prevailed in the Liverpool District. There, of a million born, less than half, only 434,497, live to the age of 25; then 74,153 die in the ten years, leaving 360,344 alive at the age of 35. No less than 10,657 die of fever, 333 of suicide, 4850 of other violent deaths. The local diseases are exceedingly fatal; 1938 mothers die in childbirth.

In happier sanitary conditions 727,552 live to the age of 25, and 667,940 survive the age of 35. Only 3116 die of fever, 396 of suicide, and 2819 of other violent deaths.

Age 35-45. The losses are of 69,078 lives; 35,142 men, 33,936 women. The athletic age is now over; but the combined faculties of muscular and nervous energy are at their height. Women have borne more than half of their children, now they bear the rest. It is the age of fathers and mothers; criminality declines. Many of the structures now give way. Phthisis still predominates; fever snatches still its many victims; and the brain, heart, lungs, and bowels become more and more the seats of destructive disease. 564 persons commit suicide; 3280 die violent deaths, 2907 of them men, and 373 women; 2516 mothers die in childbirth.

While the deaths by fever are 3777 out of 571,993 attaining this age in England; 14,322 people die of it in the Liverpool District out of 360,344. The lung diseases in the two sets of conditions are fatal to 7452 and 13,967 lives.

In the healthy districts the deaths by fever are 2702, by diseases of the lungs 5261.

Age 45-55. This age is the middle arch of life: *nel mezzo del cammin di nostra vita*,* for the million are reduced to half a million lives, a few months after the age of 45. They have produced the succeeding generation. The age of fertility is now nearly over in women; but a few lingerers bear children, and in the act 160 die. The deaths by all causes are 81,800; by fever 3749; diarrhoea, dysentery, and cholera 1944; by phthisis 16,468; by lung diseases 13,203, heart diseases and dropsy 10,041, brain diseases 9313, bowel and liver diseases 7917. The centres of life are sources of death. At this age, in their wretchedness, and in their weakness, 599 men, 204 women, in all 803, appeal rashly to the "arbitrator of despair, just death." 2876 men, 478 women, in all 3354 persons, die violent deaths.

Cancer, a formidable and dread disease that began to be fatal before, now destroys 4583 lives, 1140 men, 3443 women.

* Dante: *Divina Comedia*, Inferno, Canto 1.

In unfavourable sanitary conditions out of a million lives in Liverpool, only 275,193 attain the age of 45, and 90,969 die in the following ten years; 12,504 of fever, 13,274 of phthisis, 24,417 of pulmonary diseases, 420 of suicide, and 4314 of other violent deaths.

In the Healthy districts of the country 606,019 attain the age of 45, and 71,938 die in the ten years following; 2306 by fever, 13,745 by phthisis, 10,012 by brain diseases, 10,451 by heart diseases and dropsy, 8234 by pulmonary diseases, 1022 by suicide, and 3030 by other violent deaths.

Age 55 and upwards. To the age of 55, near the middle of the possible lifetime of humanity in its present state, 421,115 attain; and from this point of time it is possible to look ahead, and discover the particular rocks, foes, collisions, tempests to be encountered, to be dreaded, or to be weathered by the fleet on its way to the utmost butt of existence, "the very seamark of its journey's end."

One thing to remark is, that the rate, the degree of danger, which has hitherto increased slowly, now increases at so much faster a pace, that although the number of lives grows less, the number of deaths increases in every one of the next 20 years, and is afterwards sustained for 10 years longer, until at last in the distance the living all sink into the elements from which they came.

Few will die of the non-recurrent zymotic diseases; some 29,803 in all will die of fever, diarrhoea, cholera, rheumatism, and other zymotic diseases; cancer will carry off almost as many as phthisis; the greatest mortality, however, will be experienced from diseases of the lungs; then will follow in their wake of destruction brain affections, apoplexies, paralysies; heart and artery diseases, often the remote cause of the other maladies, bowel and liver diseases, kidney diseases; many will still die violent deaths as they are less able to resist injuries than younger lives. Gout and intemperance will reap their later harvest; so will mortification, atrophy, debility, and the infirmities of old age: then comes the end.

Of 100 women living of the age of 55 and upwards, it is worthy of note that 11 are spinsters, 43 widows, and 46 wives; of 100 men 9 are bachelors, 24 widowers, 67 husbands. We now pass to the particular decennials of life.

Age 55-65. The number of males and females surviving becomes equal at the age of 53, but at and after 55 the women exceed the men in number, as their mortality-rate is lower ever after the age of 39. While 421,115 of both sexes enter this stage of life, 309,029 live on to the next; 112,086 die; only 9795 of fever, diarrhoea, dysentery, cholera, rheumatism, and other zymotic diseases. Cancer kills 5998 persons, 4035 of these women; consumption 10,445: the diseases most to be dreaded, and guarded against, especially by men, are affections of the lungs, and heart, of which 23,659 and 17,081 persons die: diseases of the brain are fatal to 15,678, of the stomach, intestines, and liver are fatal to 11,400. The vigour of life is somewhat subsiding; family cares perhaps accumulate, ambition is disappointed, and the mind sometimes gives way organically: the tendency to suicide is greatest at this age, and the greatest number of lives, 826, come to that melancholy close in this period. But 3155 are killed by violent deaths of various kinds; 2560 men, 595 women.

Age 65-75. 309,029 enter this age, and 161,124 leave it alive: 67 years is near the mean date at which their children give birth to their grand-children; the third generation. The 147,905 dying in this period succumb to the same classes of disease as were fatal in the previous decenniad; and still more succumb to lesions of the brain and heart, and lungs: the kidneys give way, but are never so fatal as affections of the higher organs. 11,256 of the deaths are from fever, diarrhoea, cholera, rheumatism, and other diseases of the miasmatic order; 9789 from five constitutional diseases; 92,391 from diseases of brain, heart, lungs, and other local

organs ; 3064 from violence, and there remain 31,405 referable in great part to a new head in the developmental class, *old age*.

The year of age 72 is that in which the greatest number of *men* die ; and which may have led the psalmist to say, the days of the years of our life are three score years and ten ; but these are "days passed away in thy wrath," in violation of the divine laws, and therefore are not necessarily the limit of healthy existence where the laws of life are observed.

Age 75-85. The numbers that enter this decenniad are 161,124, and the numbers that leave it alive are 38,565. More than half the numbers living have been married and are widowed. The 122,559 that die of recognised diseases at this age die chiefly of lung, brain, heart, and other local diseases ; against such dangers they have to guard themselves. The number of such deaths is 51,838 ; then some 7229 persons die of miasmatic diseases ; 131 of suicide, 1691 of violence. The cold weather is their great foe. But there remain 58,905 dying chiefly of atrophy, debility, and *old age*.

Age 85—to the end. The 38,565 aged pilgrims are no longer what they were ; their strength is fading away, and they succumb to slight injuries, to cold, heat, want, or attacks which in their early years would have been shaken off : only 2153 live to the age of 95 ; and 223 to 100 ; finally by this Table at the age of 108 one solitary life dies.

Of what causes do they all die ? Diseases grow again as obscure as they were in infancy ; zymotic diseases, constitutional diseases scarcely appear ; the diseases of the lungs and brain are the most conspicuous among the local diseases ; 509 die of violent deaths, including suicides. These causes account for the end of 10,659, leaving 27,906 that die chiefly of *old age*—of what has been called natural death.

Majendie pointed out to me at Saltpetrière, the hospital for old people in Paris, that the deaths apparently from no cause, were often the result of pneumonia, or consolidation of the lungs, which in the absence of the ordinary symptoms could be detected before death by dulness of the chest on percussion. Hippocrates had noted that the symptoms of diseases grew obscure in advanced age. And this must be so. The symptoms of disease—including pain itself—require strength for their manifestation ; without it reaction is scarcely appreciable ; and many diseases in the old as well as in the young are so insidious as to escape detection. But upon the other hand many deaths due to debility are ascribed to specific diseases. And beyond doubt thousands do die of old age ; thousands of the generation, like the patriarchs of old, fall asleep. As the body with all its parts is undergoing continual renewal, it grows, gets consciousness, develops strength for years, and then all its powers insensibly decline, until the daily alternations from wakefulness to sleep of which life is made up cease ; and it is all sleep ; the life exhales in the arms of friends, or alone in the night like a light goes out. This last end is the natural death to which, as Bacon says, it is the office of the physician, of the state physician we say, to conduct the nation. "For it is no small felicity which Augustus Cæsar was wont to wish to himself, that same *Euthanasia* ; and which " was specially noted in the death of Antoninus Pius, whose death was " after the fashion and semblance of a kindly and pleasant sleep."*

Such and so various are the settings of Forty million, eight hundred and fifty-eight thousand, one hundred and eighty-four years of English life.†

16. *Future DANGERS at several STAGES of LIFE.*

A series of Tables shows of what causes people die *after* twelve stages of life. And they answer such questions as follow :

* *Bacon's Advancement of Learning.* Book ii. x, 7.

† *Soles occidere et redire possint.* Philosophy does not accept the poet's sequel, as our substance, as well as its animating force, is as imperishable as the Sun's.

Of what cause is a child just born most likely to die? Of some local disease in the present state of England, for of 1,000,000 born 424,480 will die of specific diseases of parts of the body; the breath organs standing first in the list of fatality. The miasmatic diseases will carry off about 175,619; fever, diarrhoea, scarlatina standing foremost among the destroyers. After them come whooping-cough and measles. Small-pox will be fatal to 6,521.

At the age of 15 the zymotic diseases, having already destroyed 112,910 children, have only 62,709 victims left. Of 684,563 living to the age, phthisis will carry off 104,283 lives, and nearly half of them in the next 20 years: it is the single disease most to be apprehended. In these years also 4245 will probably die of childbirth.

At the age 35 lives are most frequently insured: the 571,993 here remaining will die chiefly of lung, brain, heart, bowel, urinary, and other local diseases: of consumption; of cancer; of fever, diarrhoea, cholera; and of violent deaths. Of women 2676 remain to die of childbirth.

The numbers to die after every successive 10 years are given, and the deaths for intermediate years can easily be interpolated. Thus the probability at any age of dying before, at, or after any future age can be conveniently determined from the Table by a few mathematical formulas, with which it is not necessary to embarrass the general reader, as to him it is believed the Tables as they stand will be perfectly intelligible. (See Tables 7-15.)

It is very instructive to compare the facts of the Table for all England with those for the Healthy districts and for Liverpool (Tables 16-30).

For example, by the Table of Healthy districts of 1,000,000 children born, 667,940 live to the age of 35, and 12,233 of them afterwards die of fever: by the Liverpool Table out of the same number born only 360,344 live to the age of 35; of these 39,932 afterwards die of fever (typhus, typhoid, and typhina), and as many as 14,322 die before attaining the age of 45.

17. *The relative number of Deaths from different Causes.*

The degree in which the causes of death operate at different ages is shown by the series of Tables 4-6: showing to 1,000,000 deaths at each age, the proportional numbers by different causes. There are three sets of Tables, two for the males and the females in each of the two decennials 1851-60 and 1861-70; and one for the 20 years 1851-70. The changes in the two periods can here be studied. It will be noticed that in the third, fourth, and fifth years of childhood, scarlatina is the most dangerous of all diseases; it causes more than a fourth part of all the deaths in the fifth year: next to it stands disease of lungs.

Turning to the age 20-25, nearly half the deaths are by consumption; and the same disease maintains its ascendancy with little diminution up to the age 35.

18. *The Rates of Mortality at different Ages by different Causes.*

The rates of mortality have generally in this volume, in continuation of the previous one, been expressed in per-centages with three decimals; and it has been found that the rate per 1000, that is the deaths to 1000 living, through a year is convenient, where the mortality has to be expressed from all causes without decimals. But neither the rate per 100 nor the rate per 1000 is suitable to the expression of the rate of mortality by causes differing so much in intensity as those to be dealt with; hence to secure clearness and avoid decimals altogether, the important Tables (2-3) show the deaths to a million living at each age-period by the different causes.

In the procession of a generation through life the deaths were given in *different periods out of diminishing numbers living*; the deaths from all

causes being taken as a basis, it was easy to show in the previous set of Tables the proportional number from the several causes. It remains to show in a Table the rates of mortality by different causes, in the different sections of the population divided by sex and age, in the two decennial periods.

It will be noticed that the mortality of the first three quinquennials of age declines rapidly; for males from 73,162 at the age 0-5, to 4460 at the age 10-15; and then it increases to 6161 at age 15-20, to 19,165 at age 45-55, and so on to the end. Being in juxtaposition the rates of mortality from the diverse causes in both sexes can be readily compared.

Thus at the age 25-35 the rate of mortality from phthisis was in the two decennials among males 4034 and 4092; among females 4575 and 4378, this sex being the greatest sufferer from consumption at the period of life when in the same decennials the rates from metria and childbirth were 886 and 921.

19. *The Law of Mortality and of Attacks of Disease.*

The rate of mortality, as it has been said already, declines as age advances from birth to puberty, and then increases according to certain determinable laws. The mortality decreases to the age of puberty; and then increases somewhat slowly to between 50 and 60. From the age 55 to the end the mortality increases at such a rate that it is doubled for females every 8·24 years in the healthy districts, and every 8·95 years in England and Wales. At the ages 20-50 the mortality of females increases one sixth part for every 10 years of age in the healthy districts, and so would not be doubled at that rate in less than 47 years. In England the mortality of females (20-50) increases nearly one fourth part every 10 years of age; the mortality of males (20-40) increases somewhat faster, and from 40 to 50 the increase is intermediate between that of the previous age and the future, which may be called the final age increase rate.

It may now be shown that there is a certain relation between the number of deaths by any disease and the number of attacks by that disease. Some diseases are fatal to nearly every one they attack, and so they can occur but once in a lifetime: such are hydrophobia, glanders, cancer, tetanus, tabes mesenterica, phthisis, hydrocephalus, softening of brain, some heart diseases, aneurism of aorta, angina pectoris, ascites, ileus, perforation of intestine, ischuria, Bright's disease, Addison's disease, diabetes, ovarian dropsy (without operation), cyanosis, fractures of base of skull, wounds of vital parts; extensive burns; poisoning by high doses of prussic acid, strychnia, and other poisons, solid, liquid, and gaseous; submersion under water for a few minutes; suffocation. Every death here represents one case of disease or injury. As medicine affords alleviation but cannot cure, their prevention is the great end to be aimed at.

Apoplexy and paralysis are fatal generally after two or three attacks.

Then there are two other great *classes* of diseases; (a) one is fatal to a certain number of the attacked, and (b) the other causes inconvenience, but is not fatal.

Of the first class, certain diseases, as a general rule, attack a patient only once, and that in early life; such are small-pox, measles, scarlet fever, whooping-cough, enteric fever. The deaths imply a number of attacks varying with age: thus it has been shown that the mortality was such in the London Small-pox Hospital, that there was 1 death to 2·44 cases in children under 5 years of age; 1 in 2·93 at the ages 20-30; and in the two next decennials 1 in 2·15 and 1 in 1·71.* According to a report of

* McCulloch's Account of the British Empire, vol. 2. Article, Vital Statistics, p. 594.
31846.

the Committee of the Metropolitan Asylum District, 1872, the mortality from small-pox after the age of five was half as high, but increased in the three decennials of age 20-50; it increased at the same rate, the deaths being 1 in 5·98, 1 in 4·22, and 1 in 3·40 among the vaccinated and unvaccinated taken indiscriminately; the mortality of the unvaccinated being much higher than the mortality of the vaccinated. So the mortality from cases of fever has been shown to increase with age.

When the cases to one death at the respective ages have been determined, the attacks from each disease can be calculated from the deaths by that disease in the expanded Life Table (pp. xciv-v).

The mortality of the cases of cholera in London, 1854, was such, that to one death there were only 2 cases; but the death-rate ranged with age from 1 in 1·36 to 1 in 2·86.* Then the contemporaneous epidemic of diarrhœa was not by a thirtieth part so fatal; there was, taking all ages, one death in 61 cases: in children under 5 one death in 17 cases; in adults of 35-45 only one death in 199 cases; the mortality in old age increasing rapidly. By applying the proper factors the attacks of cholera or diarrhœa are calculated from the deaths.

There is a peculiar class of the sometimes fatal diseases that are recurrent; such are intermittent fever, remittent fever, neuralgia, rheumatism, gout, epilepsy, asthma; one attack far from precluding, facilitates another apparently, so that one death may represent several attacks by the same disease of the same person.

Among the diseases to which the deaths give little or no clue, because they are rarely or ever fatal, may be reckoned chicken-pox, cow-pox, febricula, mumps, gonorrhœa, primary syphilis, epistaxis, varicose veins, nævus, toothache, tonsillitis, dyspepsia, worms, hæmorrhoids, gastrodynia, hydrocele, orchitis, paramenia, flat feet, obesity, corns, skin diseases of various kinds, slight wounds and injuries.

A vast amount of incapacity in the army arises from these causes; and the necessity of recording the cases of diseases, both fatal and not fatal, is evident. But it is to be borne in mind that a death is a much more evident thing than attacks of disease varying indefinitely in intensity. The death returns are the basis of all sanitary statistics.

20. *Ages at Death by particular Diseases.*

All the deaths referred to premature birth, and the greater part of the deaths from convulsions, teething, atrophy, and debility occur in the first year of life. Upon the other hand many diseases, such as cancer, apoplexy, paralysis, and many organic diseases are fatal chiefly to people of advanced ages. Others, such as phthisis, fever, and childbirth are most fatal in the middle period of life. The proportional number of the deaths from these several diseases is altered in an increasing population such as that of England; where the proportion of deaths from diseases affecting the young as those above named, for example, is overstated. The true proportions are shown in the Life Table. Thus the proportions in 1000 deaths in the 20 years 1851-70 were by whooping-cough 23·145, by measles 19·134, by scarlatina and diphtheria 48·247; whereas by the Life Table the same diseases for the same period are more correctly given as 15·161; 12·865; 34·966.

The mean ages at death by these diseases were 1·8, 2·7, 5·8 years; and the excess over the numbers of the Life Table is due to the excess

* Report of General Board of Health, Committee of Medical Council on Cholera Epidemic of 1854.

of children of these ages in the increasing population of England. Here are some instances :—

Mean Age at Death of Persons dying from certain Causes, 1848-72 ; also the Deaths from those Causes to 1,000,000 Deaths from All Causes, 1851-70.

CAUSE OF DEATH.	MEAN AGE at DEATH, 1848-72.	DEATHS to 1,000,000 DEATHS from ALL CAUSES at ALL AGES, deduced from	
		Life Table.	Registered Deaths.
Whooping-cough . . .	1·8	15,161	23,145
Measles	2·7	12,865	19,134
Scarlatina and Diphtheria .	5·8	34,966	48,247
Small-pox	11·9	6,521	8,535
Typhus	26·0	38,107	40,170
Childbirth and Metris . .	31·7	6,921	7,364

Mean Age at Death of Persons dying from certain Causes, 1848-72 ; and Annual Deaths, to 1,000,000 Living, from those Causes, by ENGLISH LIFE TABLE, compared with the Mortality, as deduced from a comparison of the Population with the Deaths registered, from the same Causes in Vicennial 1851-70.

CAUSE OF DEATH.	MEAN AGE at DEATH, 1848-72.	ANNUAL RATE of MORTALITY to 1,000,000 LIVING of ALL AGES, deduced from	
		Life Table.	Registered Deaths.
Whooping-cough	1·8	371	521
Measles	2·7	315	437
Scarlatina and Diphtheria .	5·8	856	1046
Small-pox	11·9	160	204
Typhus	26·0	983	918
Childbirth and Metris . .	31·7	169	168

The deaths by causes such as childbirth occurring in the middle of life, are not deranged ; but the proportion of people dying of the diseases of old age is understated.

The births in the United Kingdom now exceed a million a year ; and our Life Table shows that a constant number of a million births will, without any increase of births, maintain a population of 40,858,184, if there be no emigration. The actual population of the United Kingdom in 1871 was 31,545,741. The defect is in the adult and advanced ages.

The Annual Report of the Registrar General shows the deaths from each disease to 1,000,000 living of all ages ; and as there is an excess of children in the actual population, the mortality deduced from the deaths and the population of all ages by small-pox, scarlatina, measles, whooping-cough, and all the fatal diseases of the young are overstated ; the mortality by fever and childbirth are undisturbed as they occur at ages near the mean age of the living population. The constitution of the population has to be taken into account in comparing the deaths by small-pox in England with the deaths from the same disease in Sweden, France, or countries where the population is nearly stationary.

21. EFFECT OF THE EXTINCTION OF ANY SINGLE DISEASE ON THE DURATION OF LIFE.

Whoever has lost a friend, a brother, a son by any disease will feel that its extinction would be a boon to mankind no figures can express. Something, however, can be calculated, and that is the effect of the suppression of any disease on the duration of life. Some diseases are fatal to infants, some to youths, some to men in the flower of life, some to fruit-laden patriarchs; and while the three kinds of loss differ in degree, and differ in their economic effects, they differ also in their effects on the mean lifetime.

The mean lifetime, it will be borne in mind, is found from a Life Table, which shows how many of a given number born live through each year of age, and what is the sum of the number of years they live; the sum of these years divided by the lives is their mean lifetime. Thus by the English Life Table 1000 persons live in the aggregate 40,858 years; and their mean lifetime is 40.858, nearly 41 years. Of their number 503 live to the age of 45; and after that age they live 11,771 years, so their mean *after lifetime* at 45 is 23.4 years. This is often called the *expectation of life*. The given age *plus* the mean after lifetime is the mean age at which they die.

And it is evident that in judging of the effects of the suppression of a single disease, three cases have to be considered: (1) The whole of the lives will die of the other diseases in no greater proportion than before; (2) those other diseases, such as scarlet fever and measles, will grow so much more fatal, as to make up by the loss on this head for the gain on the other, say small-pox; (3) the gain by the supercession of one disease will exceed the loss by the increment of others; or the reverse; so as to result in a partial gain, or a partial loss.

It will be convenient to consider first the cases to be, by hypothesis, of the first class; where, as for instance, when men are saved from a violent death they live as long as other people, and the rest of the community remain as they were. Then if the diseases suppressed are such as are fatal in the first year of life, for example, such as the debility and atrophy from premature birth or other causes, convulsions, bronchitis, pleurisy, pneumonia, and diarrhoea fatal soon after birth; then instead of 149,493 dying in the first year, 101,147* of that number will live through the year unless they are carried off by other diseases. Assume for a moment that this will result in an addition to the years lived by the million born, of the years lived by 100,000 average lives saved, then the mean lifetime will become instead of 40.9 years, that number of years augmented by a tenth more or 45.0 years.

Now take any other disease in the end fatal to one tenth of the living at the age of 55, and assume that by some expedient, medical art can prevent any death from it after that age, and what will be the effect on the after lifetime? It will evidently only add the years that a number of persons of that age and upwards live when they are subject to no attacks of the suppressed malady. No effect is produced in early life, and no addition is made in this case to the years lived in manhood up to the age of 55, so the expectation at birth is extended, but not greatly; whereas the full effect is felt by the men of the age of 55 and upwards. They have an enemy the less to encounter through the whole of their career to come.

There is a certain number of diseases that medical art hopes, for various reasons, to prevent. Such are small-pox, measles, scarlet fever, diphtheria, whooping-cough: some of these, if not of recent origin, were not recognized by the ancients.

* See Tables 10 and 33-34.

Small-pox is apparently referred to by Gregory of Tours (565-8); and it is believed to have entered Europe through Arabia. The great Rhazes, who died in the year 923, was physician to a hospital in Bagdad; and he first described measles and scarlet fever under distinct names, as Sprengel shows, although the fact that he did so had been overlooked. Avicenna places scarlet fever as a distinct disease between small-pox and measles. Whooping-cough first appeared in France in 1414; and Mezerai says it cost the life of every person it attacked. Something very like syphilis had been known before; but true syphilis broke out in the summer of 1493 almost simultaneously in every part of Europe.* Leprosy at the same time declined. Diphtheria is apparently of recent birth. No doubt the origin of these diseases, and of others of the kind, is involved in as much obscurity as the origin of species; for they are also propagated in men by low species of organic life. What is certain is that they do not exist in every community; and that when they are introduced among a virgin population they attack great numbers, as in the instance of the small-pox among the Red Indians, the measles in the Fiji Islands quite recently. The exclusion of the zymotic elements, if it be complete, therefore saves free people from invasion.

But these diseases, as a general rule, attack the same person only once in his life; and the great discovery that small-pox, for some reason or other, when induced by art, assumes a milder form, led to the practice of inoculation in the East, from which it reached England. But this inoculated small-pox was sometimes fatal; and it spread the disease by infection, not in the modified, but in the pristine fatal form. To Jenner and to England belongs the immortal honour of guarding mankind against small-pox by cow-pox, which is neither fatal nor infectious.

No sooner had inoculation been introduced, than Daniel Bernoulli (1760), with very imperfect data, undertook the solution of the problem † now in hand: D'Alembert immediately attacked the hypotheses and the arguments of Bernoulli in favour of inoculation: the controversy showed the mathematical difficulties of the problem to be much greater than was suspected. The whole question was discussed by Duvillard in a work still classical in vital statistics, in which he endeavours to supply the defective data by the resources of the higher analysis. He came to the conclusion that vaccination would add 3·5 years to the existing mean lifetime.‡

As the mortality from all causes collectively, and from different causes, at the several ages, is known in England, I propose to show here how far the mortality is reduced by deducting from the general mortality the mortality from phthisis, from cancer, and from all miasmatic diseases. And then three Tables will show the number of survivors out of a million births, in the absence of the deaths from these three classes of causes. Precisely the same method is applicable to any other class of diseases.

Diseases such as scarlet fever, that are exceedingly infectious, and that attack the same life only once, will have attacked nearly every one attaining the age of 35, and will leave afterwards very few susceptible. Thus very

* Sprengel's *Histoire de la Médecine*, Ed. Littré, vols. 2, 3. See pages in Index. Rhazes on Small-pox and Measles, translated from the original Arabic by W. A. Greenhill, M.D., 1858. This work of Dr. Greenhill well sustains the reputation of English medical learning. Singularly enough Rhazes himself says that the "excellent Galen" refers to "small-pox" four several times in his work; but Dr. Greenhill makes it probable that Rhazes was misled by an erroneous translation of the Greek term, pp. 141-2.

† *Analyse et Tableaux de l'Influence de la Petite Vérole*, par E. E. Duvillard. Paris, 1806.

‡ Duvillard's Table, derived from what he calls the Law of Mortality (in France) in the natural state, makes the mean lifetime 28·763; whereas it would be 32·256 if no one died of small-pox. See page 143, where he states that the cessation of small-pox would raise the population from 28,763,192 to 32,255,775.

few die at later ages of scarlet fever or measles, and scarcely any of whooping-cough. These diseases have no sensible effect on the expectation of life after young people are of age.

The labour of constructing and graduating Life Tables being considerable, I have, to illustrate this question, employed the short method I introduced in the Appendix to the Registrar-General's Fifth Annual Report. It is sufficiently exact for the purpose in hand.

The male mortality is used as given in the Table 59, for the years 1861-70. The subjoined extract shows the rates of mortality inclusive, and exclusive of the mortality by zymotic diseases, by phthisis, and by cancer.

The result is that if none of the males died of any *zymotic disease*—Order I.—the duration of life would be raised, should they remain subject to the existing rates of mortality from all other diseases.

Of the 510,622 boys born, no less than 411,350 will live to the age of 5; 403,871 to the age of 10; 343,674 to the age of 35; the mean after lifetime at birth would be raised from 39·68 to 46·77.

Applying the same method to the effect of the suppression of *phthisis*, which produces its maximum effect later, the mean after lifetime at birth is raised to 42·96, at 35 to 30·77.

The suppression of *cancer* would raise the mean after lifetime at birth to 39·88; at the age 35 to 29·01; at the age 55 to 16·25.

The same method will show the effect of the suppression of any other disease.

Small-pox is the only disease which can practically be superseded to a great extent by a disease itself not mortal. But the opponents of vaccination contend, that so far from leaving other diseases as they were, it increases their rates of mortality. Of course, as more live more are attacked by other diseases; but this proves nothing, so long as the lives saved from small-pox only die from other diseases in the same proportion as the rest left before small-pox reigned. There can be no doubt that cow-pox is a variety of small-pox, and is induced by transmitting small-pox lymph through the cow. Small-pox, if not fatal, does not exempt any one from measles or scarlet fever. To contend that small-pox in its severe form, if it do not kill the patient, renders him less, while the milder form renders him more, susceptible of other diseases, derives no support from analogy.

Efforts should be made to reduce all the contagious recurrent diseases to a minimum, by placing the whole population in as favourable a sanitary condition as possible, so that these diseases may be taken, as they are then, in the mildest form. The effect of favourable sanitary conditions is seen in the healthy districts, from which neither measles nor scarlet fever are excluded. They are both less fatal.

THE Life Table Deaths to 1,000,000 Children born alive are—

	In HEALTHY DISTRICTS.	In ENGLAND.	In LIVERPOOL.
By Small-pox - - -	2,359	6,521	8,141
„ Measles - - - -	6,912	12,865	26,973
„ Scarlatina - - -	21,403	30,021	38,302
„ Whooping-cough - -	10,234	15,161	34,021
„ Typhus (including Enteric and Common Fever) - }	28,146	38,107	76,563

If every child is attacked by scarlatina at some time of life, then there are 1,000,000 cases, and by the English Life Table 30,021 deaths: so the mortality of the cases is 3 per cent. The mortality of cases is at the rate of 2 per cent. in the healthy districts; 4 per cent. in Liverpool. This is the minimum mortality of cases, for thousands die young of other diseases before they can be attacked by scarlatina. By measles, whooping-cough, and fevers (typhus, typhoid, and typhina) the variation of mortality is still greater in healthy and unhealthy conditions.

Dr. Watt showed that while the sanitary conditions of Glasgow were deplorably defective, the exclusion of small-pox had not the effect of reducing the general mortality; as in those years the fatality of other diseases increased.* And further observations tend to show that healthy sanitary condition as to food, drink, and cleanliness of person, house, and city, stands first in importance; after it, but subordinately, come quarantine, vaccination, and other preventives, as means of subduing mortality; for the mere exclusion of one out of many diseases appears to be taken advantage of by those other diseases, just as the extirpation of one weed makes way for other kinds of weeds in a foul garden.

The effect on the lifetime of extinguishing each separate disease in England may be determined by the same method, from the two great Tables (33-34), one giving the deaths of males, the other of females, from every cause of death distinguished in the tabular returns for 25 years (1848-1872).

The effect of the subtraction of the early fatal zymotic diseases, and of phthisis, fatal in middle life, is to leave greater numbers alive at the advanced ages,—greater numbers therefore to die of the diseases attendant on advancing age. As fatal consumption is developed later in life than scarlatina,† so cancer sets in after consumption: thus we find that of a million born in the healthy districts, 21,403 die of scarlet fever, 108,481 of consumption, and 27,495 of cancer; whereas out of the same number in Liverpool, 38,302 die of scarlet fever, 96,676 of phthisis, and 9992 of cancer. In Liverpool, and in the unhealthy districts, the children do not live to encounter the diseases of old age. As men die everywhere, the great difference consists in this—that in one set of circumstances a small part, in another a large part, of the secular cycle of life is accomplished.

22. ECONOMIC EFFECT OF DEATHS BY DIFFERENT DISEASES.

Life has a pecuniary value. In its production and education a certain amount of capital is sunk for a longer or shorter time; and that capital, with its interest, as a general rule, reappears in the wages of the labourer, the pay of the officer, and the income of the professional man. At first it is all expenditure, and a certain necessary expenditure goes on to the end to keep life in being, even when its economic results are negative.

The value of any class of lives is determined by valuing first at birth, or at any age, the cost of future maintenance; and then the value of the future earnings. Thus proceeding, I found the value of a Norfolk agricultural labourer to be 246*l.* at the age of 25: the child is by this method worth only 5*l.* at birth, 56*l.* at the age of 5; 117*l.* at the age of 10; the youth 192*l.* at the age of 15; the young man 234*l.* at the age of 20; the man

* See Registrar-General's 30th Annual Report, Appendix, p. 213, and Treatise on Chin-cough, by Robert Watt, M.D. (1813), pp. 375-9.

† Phthisis and scarlatina are synonyms of consumption and scarlet fever. Scarlatina was used in the Office Tables until the year 1869, when scarlet fever was substituted for it.

246*l.* at the age of 25, and 241*l.* at the age of 30, when the value goes on declining to 138*l.* at the age of 55, and only 1*l.* at the age of 70; the cost of maintenance afterwards exceeding the earnings, the value becomes negative; at 80 the value of the cost of maintenance exceeds the value of the earnings by 41*l.** These values may be compared with the former cost of slaves in Rome, in the United States, and in the West Indies.

The amount of capital sunk in the education of professional men is not only greater, but it is probably at greater risk, and it has to remain longer under investment before it is returned. The maximum value of such a man is attained later in life, probably 40; and in the highest orders of the church, law, and politics, where experience and great weight of character are requisite, the life still increases in value at higher ages.

This valuation of life differs from that of the mother, to whom her helpless child is inestimably precious, and from that of the son, ready, in his filial piety, to sacrifice his life for his father; but it agrees well with the popular appreciation of value expressed by grief at the national losses of conspicuous characters. This is always greatest in the case of deaths at the ages when life is most precious. The Princess Charlotte and the Prince Consort are instances in our Royal family: Sir Philip Sidney, Wolfe, and Nelson among warriors who died young: Keats, Shelley, and Byron among poets: Pitt and Fox, Canning and Peel, among statesmen before their prime of life had past. The deaths of Alexander, Cæsar, and Napoleon shocked the more because they were struck down in their meridian. The poets true to nature make their heroes men in their prime: Achilles, Hector, and Æneas are only surrounded by Priam and Astyanax, by Anchises and Ascanius. Hamlet, Romeo and Juliet, Othello, Macbeth, and Antigone, in the full bloom of their power, excite the highest tragic interest; because their death is the destruction of the greatest accumulated life; and the sensation of their fall is like that when the lofty oak is struck by lightning. In the great Christian tragedy itself the mother is on Calvary, but the Son is the godlike sacrifice on the Cross.

The causes that destroy the greatest number of lives in their prime—and are therefore first in importance—are fever, consumption, violence; plagues, cholera, and war, where they prevail. Small-pox, too, where there is no vaccination, is fatal to large numbers of grown-up people. Many Englishmen are drowned at sea; and this will be considered hereafter, for it is only one example of the deaths of men resulting from their pursuits, not only in the army and navy, but in civil life.

The greatest occupation of women, as on that the continuance of the human race depends, is at the prime of life,—childbirth, childbreeding; up to that time all their force accumulates; and its loss then is a great calamity, not only to themselves, but to families. According to the Table (9.) of a million children born, 488,255 of them girls, 6921 will die of childbirth. They die at the average age of 32. If this generation exactly reproduces its own numbers, it gives birth to a million children, neither more nor less; but it does more than this, for the births in that case would be 144 to 1 death from childbirth, whereas the facts show that the mortality in childbirth is in the proportion of 1 mother to 211† children born alive. Consequently the 6921 deaths of mothers imply that this generation represented in the Table gave birth to 1,458,190 children to

* See paper on Income Tax, by W. Farr, in Journal of Statistical Society, 1853. The return of wages was procured and carefully compiled by Sir John Kay Shuttleworth. It was from the best class of labourers in Norfolk.—Journal, vol. xvi. p. 43. Wages have since risen, and so has the cost of subsistence.

† The exact proportions are 144·488, and 210·691; the latter being deduced from 13,971,746 births, and 66,314 deaths of mothers by childbirth and metria in 20 years, 1851–70.

constitute the generation to follow. The increase of numbers thus deduced is 4.58 per cent. in 32 years, or 1.18 per cent. annually.

If English women only bore children enough to keep the population stationary, the tabular deaths by childbirth would be 4746 instead of 6921; so 2175 devoted mothers die of what some might call overwork; but it is work by which new nations are founded. And happily it is work the dangers of which can be incalculably diminished by medical art.

Enough has been established to prove the supreme importance of making renewed efforts to save the most precious of precious lives from fever, consumption, cholera, violence in all its forms, and childbirth.

23. *Hygienic Topography.*

The variation in the mortality, and in its causes, due to differences in the body itself at different stages of development have been discussed; the extreme limits of variation under different sanitary conditions have been pointed out; and the relation between health and the density of population under ordinary existing sanitary conditions has been determined.

There remain other conditions, the influence of which on the health of a community is unquestionable: such are (1) the physical well-being of the people as to dwellings, food, drink in excess or defect, (2) firing, (3) cleanliness and clothing, (4) sewage and drainage, (5) rivers, geological formation, and elevation of soil. The facts in this volume will assist inquirers in investigating such influences. I propose to notice here briefly the districts under the eleven Divisions, which present any remarkable deviations from the average standard of health and vitality, either in the way of defect or excess.

DIVISION I. : LONDON.—London consisted formerly of 37 districts; the districts are now 28. This city, the greatest, the most populous, the wealthiest in the world, is situated on both sides of the Thames; an embanked river, up which the sea sends its tidal waters in ebb and flow twice daily to Teddington lock. The banks once covered with mud, are clothed with magnificent granite terraces, which match the fine many-arched bridges. The Southwark side, still unembanked, is low, for on an average the houses in the last ten years were on ground only 6 feet above Trinity high-water mark, but it ranged in the sub-districts from three feet below Trinity high-water mark in St. George Camberwell, to 128 above that mark in Norwood, 167 in Eltham, and 188 in Sydenham. Ascending from the central city, and from the Thames on the north side, the streets climb the undulating hills to Hampstead and Highgate; at the west end, from the low Westminster, Chelsea, Fulham, and Hammersmith, the land rises to Paddington, Hanover-square, St. James Westminster, and Marylebone. The east end descends from Shoreditch, Bethnal Green, and Whitechapel to the low parts of St. George-in-the-East, Stepney, Poplar, and Bow which is bounded by the tributary Lee. The mean elevation above Trinity high-water mark; of the South districts is 6 feet, of the East districts 26 feet, of the West districts 28 feet, of the Central districts 49 feet, of the North districts 135 feet. The mean elevation of London is 39 feet. The area is 122 square miles; in 1851, 1861, 1871 the population to a square mile was respectively 19,363, 22,984, and 26,674. The annual rateable value of property in 1871 was nearly 20,000,000*l.*, on an average 48*l.* an inhabited house, 6*l.* 3*s.* a head. Like the population it has been continually increasing since 1851, and probably at a faster rate. The water supply is taken from the Thames, the Lea, and wells; the average supply for domestic purposes by eight companies to each house of 7.8 inhabitants is nearly six metric tons a week.

The most important sanitary work of London is the new system of sewerage which was adopted after repeated inquiries by the ablest engineers, and has been carried out under the rule of the Metropolitan Board of

Works by Mr Joseph Bazalgette,* who in 1855 reported the whole of the main drainage as completed with the exception of the low level sewer on the north side of the Thames. That was only partially completed at the end of 1875.

This eminent engineer says, that London, with all its defects, "even prior to the introduction of the improved system, was probably the 'best drained city of the present age'" (p. 4). Up to the year 1815, it was penal to discharge sewage or other offensive matters into the sewers; cesspools were regarded as the proper receptacles for house drainage, and sewers as the legitimate channels for carrying off the surface waters only. Afterwards it became permissive, and in the year 1847 the first Act was obtained making it "compulsory to drain houses into sewers." London derived a large portion of its water from the Thames, into which the sewage was poured. And the great fatality of the subsequent epidemics of cholera in 1848-9 and 1853-4, stimulated the action of the new Metropolitan Board, created in 1856. "Acting on the indications afforded by 'the Registrar-General's return, the Commissioners of Sewers endeavoured to afford an outlet into a good sewer for every infected locality;" but they speedily found a limit put to their operations by the "carelessness and cupidity of preceding generations." p. 8.

The system thus organized had the effect of carrying the sewage of the metropolitan area low enough down the river to prevent its return beyond London Bridge; so the river will eventually become pure. It is only in times of flood that the waters of the sewers are discharged into the upper river. What is wanted to complete this magnificent work, is the distribution of a large portion of the sewage over well drained land far below London, or on the waste by the sea as was once projected.

The metropolitan police, wisely organized by Sir Robert Peel's Act in 1829, contributes essentially to maintain the safety of life in London.

In the absence of an adequate administrative governing body, as London was supplied by companies with water as the demand arose, so it was supplied also with gas; and still pays an enormous tax on these two commodities, with which it would have been supplied at cost price had it enjoyed the full advantages of an enlightened municipal government.

Some disturbances of the rates of mortality arise in London from migration. There is a continual influx and efflux of population. People born in the country come to London; London children emigrate; some men who have acquired wealth retreat as years come on. Multitudes of natives live and die in London. Patients labouring under mortal diseases are sent from the country to the London hospitals, where they die; and this affects the mortality of males especially, at the ages 15-35 to some extent, but this is counteracted by the excessive immigration at those ages of lives good above the average, and by the return home probably of a certain number of unmarried women labouring under consumption, a disease of one or two years' duration.

Twice as many males as females die in hospitals; one cause of the excess being the great number of violent deaths among males.

The mortality at all ages was at the rate of 25 per 1000 in 1841-50, and 24 in the two subsequent decades. The mortality of children under five years of age is higher than it is in the other divisions except the North-western, including Lancashire and Cheshire; but it is much lower than the mortality experienced by children in many other large towns.

The mortality of women in London at the ages 45 and upwards exceeds the mortality of the women in the other divisions except the North-western; and consequently exceeds the mortality of the women of England generally.

* Metropolitan System of Drainage and the Interception of the Sewage from the Thames. By J. W. Bazalgette, M. Inst. C.E. Minutes of proceedings of the Institution of Civil Engineers, vol. xxiv. sess. 1864-5.

But what is especially remarkable in London is the high mortality of men of all the ages after 25. The mortality at the ages 35 to 45 is 1.346 per cent. in all England; in the Eastern counties it is 1.035; in the North Midland counties .993; but in London it is 1.714. At 45-55 the mortality in all England is 1.916, in London 2.568. It is only in the North-western counties that the mortality of the men of London is approached. The mortality of women in London is increased to nothing like the same extent.

The excessive mortality of London men is due to phthisis and pulmonary disease, as will be seen in the Table 76. Thus at the age 45-55, the mortality per 1000 living, by phthisis is 3.860 in all England, 6.380 in London; by lung diseases 3.500 in all England, 4.843 in London; by phthisis and lung diseases together 7.360 in all England, 11.223 in London.

These numbers are not sensibly deranged by the deaths of strangers in the London hospitals.*

This subject requires full investigation. What is it that is so fatal to the working men of the Metropolis? Is it the smoke they breathe? It is well established that dusty particles in the air interfere with respiration. They shut up and irritate the small bronchial tubes. Women breathe the smoky air as well as men, and yet they do not suffer to the same extent. Is it the dust of the workshops and streets, or the crowding? That has no doubt its influence. But will it account for the whole of the excessive mortality? Not only the roughs, but the intelligent artisans of London do not wash the whole of the body daily, and their skin has its millions of pores blocked up or poisoned by sweat and dirt for a week together. The effete perspiration is noxious: is it not one cause of the premature loss of lives so precious to their families and to their country?

The mortality of men at the same ages in Sheffield has been so great that their disease has acquired the name of "grinder's rot." And it deserves notice that in Sheffield and other manufacturing smoky towns, the excessive mortality of men exceeds that of London at the same ages.

Men are more intemperate than women; but I am not aware that the intemperance of the men of London is greater than the intemperance of men in other places where the mortality is not so high. And pulmonary disease is not that form in which death approaches the intemperate. Women are cleaner than men for various reasons; and the skin of the wife is less exposed to contract impurities than the husband perspiring at hard work amidst impurities.

The violent deaths of men at the working ages is high in London, but not higher than it is in all England.

The mortality of the various districts of London differs; it ranges from 16 in Hampstead, 19 in St. George Hanover-square, 19 in Lewisham, and 19 in Wandsworth, to 27 in Westminster and Bethnal Green; to 28 in Holborn and Stepney, 29 in St. Giles, and 30 in Whitechapel and St. George-in-the-East. All the latter districts contain "rookeries." These numbers are corrected for the disturbing deaths in hospitals. No correction for this derangement has yet been made of the mortality at the several ages in the various districts.

Lewisham affords a striking instance of the effect of increase of density: the mortality was at the rate of 17 per 1000 in 1841-50; it rose to 18 in the next decade; and to 19 in the last; the density increased during the three terms, and in the last was tripled. Thus it is that unless the sanitary improvements of a district keep pace with the increase of its population the mortality inevitably increases.

* The part of the mortality of males occurring in the London Hospitals during the years 1851-60, was at the four ages .245; .303; .365; .384; and while it is known that a certain number of the patients were brought in from the country, the proportions of deaths of strangers could not have exceeded a fifth part; or .049; .061; .073; .077. The proportions in the next decade underwent little, if any, change. The greater part of the lunatics of London are in Colney Hatch and Hanwell asylums outside its limits.

DIVISION II. SOUTH-EASTERN DIVISION : *Surrey and Kent (extra-metropolitan Districts), Sussex, Hampshire, Berkshire.*—This division lies south of the Thames, surrounds the Medway, and stretches down to the sea. It has an outer broken ring of marsh land and clay by the embanked Thames, the Medway, in parts of Sheppey, Thanet, Romney, and Southampton: a wider broken ring of chalk rising into downs; and within the chalk green sand surrounding the Central Weald of Kent and Sussex, where the Andredes forest once spread its gloom, and once supplied the iron workers, the manufacturers, with fuel. It is the healthiest division in the country; but the districts vary in salubrity. The mortality is as low as 16 and 17 in a thousand on the high open chalk downs, the green sand, and the gravel; as high as 23 in thinly-peopled marshy Hoo, 23 in Southampton, and 24 in Canterbury. The mean density is 1·99 acres to a person; less than that of all England; the mortality in the first ten years was 20, in the last 19;* or three degrees below England.

III. SOUTH MIDLAND DIVISION : *Middlesex (extra-metropolitan), Hertford, Buckingham, Oxford, Northampton, Huntingdon, Bedford, Cambridge.*—The London clay extends some distance from the Thames, this is followed by the oblique chalk chain of Chiltern hills, and green sand enclosing gale; oolite upper, middle, and lower, notably its Oxford clay and ironstone; then round the west is the fen region, including the Isle of Ely. The chief waters flow into the Thames, and by the Ouse and Nen into the Wash. The Bedford Level and other levels have drained and reclaimed the fen land. The small counties are agricultural. But the straw plait and the lace, both domestic manufactures, of which Bedfordshire is the centre, employ a large number of hands. Northamptonshire is a great seat of shoe manufacture, and iron ore has been recently worked in the county. Marriages of both boys and girls under age are very common. The mean mortality of the division was in the first decade (1841–50) 21, in the last 20, annual deaths to 1000 living. Uxbridge and Barnet contain the two great Middlesex lunatic asylums; excluding Colney Hatch, the mortality of Barnet was 17; Staines was 18, Hendon including Harrow 18, Ware 18, Royston 18, Hatfield 18, Eton 18, Henley 18. In nearly all the other districts the mortality is 20 and upwards; in Aylesbury 21, Bedford 20, Oxford 22, Cambridge 22, Northampton 24. In Ely the mortality was 23 in the first, 20 in the last decade: in North Wiltford, Whittlesey, and Wisbech the mortalities fell from 27, 25, and 25 to 20, 21, and 20 in 20 years. The density of this division was much less than that of England. There were 2·69 acres to a person in the first, 2·53 in the second, and 2·34 in the last decade; the mortality was 21 in the first, 20 in the second and third decades; or 2 below England.

IV. EASTERN DIVISION : *Essex, Suffolk, and Norfolk.*—Chalk, London clay, and crag are the prevailing features of the geology of these three agricultural and maritime counties, lying north-east of London, to which they send many inhabitants. The flat land with an eastern aspect is swept by the east winds. Agriculture occupies nearly the whole of the inhabitants, except the fishermen on the coast. The education of the men is lower than that of the women. The proportion of children born out of wedlock is low in Essex, high in Norfolk. There are few towns. Norwich, which still retains some of its beautiful manufactures, is the only city of any magnitude. The population, with its Scandinavian infusion, is less dense than any other English division, except the northern. There were 2·98 acres to a person in the first, 2·72 in the third decade.

The mean mortality in the counties was 20 in the first, and 20 in the last decade; 2 degrees below that of England. It was 21 in the second decade. In the last, Billericay in Essex showed the low mortality of 17, Epping,

* Per 1000 per annum is understood, unless the contrary is expressed.

Ongar, Orsett, Lexden 18; Thingoe, Plomesgate, and Mutford (including Lowestoft) in Suffolk 18; and Loddon in Norfolk 18. The mortality was as high as 20 in West Ham in Essex, but actually a suburb of East London; 22 in Colchester, 22 in Ipswich, 22 in King's Lynn, 23 in Bury St. Edmunds, 24 in Yarmouth, 24 in Norwich.

V. SOUTH-WESTERN DIVISION: *Wilts, Dorset, Devon, Cornwall, Somerset*.—This Division, like a fine long promontory, stretches out from Salisbury Plain between the Bristol and the English Channels to the Scilly Isles, where it encounters the Atlantic waters, which suffuse and fertilize its surface with rains.

The sea, chalk, new red sandstone, old red sandstone, the Devonian formation and granite, interspersed with mineral veins, give a distinct character to its industries. The population is chiefly agricultural in Dorset,—the densest purely agricultural county in England,—and in Wiltshire, where sheep wander over the plains. The vast pastoral leafy Devon round Exmoor and Dartmoor ends in the mining region which culminates in Cornwall, where tin and copper are worked. Somerset is marshy along the coast and round the Parret and up to Ilchester, Glastonbury, and Wells: then limestone, coal measures, and new red sandstone are commingled north of the Mendip Hills as Bristol is approached. The Avon is navigable for large vessels up to Bristol. Cheddar cheese is produced near Axbridge. Exeter, Plymouth, and Bath are the only cities of magnitude in the Division. The population, partly Celtic in the West, is less dense than in any English Division except the Eastern and Northern. It has varied little in the thirty years: for in the first decade there were 2.82 acres, in the last 2.68 to a person. The annual rate of mortality through each of the three periods was 20; 2 degrees below the English standard.

In Wilts the mortality in the 10 years, 1861–70, was 18 in Highworth, Malmesbury, Calne, Warminster, Amesbury, Wilton, and Tisbury. In Melksham and in Alderbury the mortality was 22. Salisbury presents a remarkable example of the good effect of sanitary measures: its mortality was at the rate of 28 in the first, 24 in the second, and 20 in the third decade. In Dorset the mortality is low; 17 in Wareham, and in Weymouth (including Melcombe Regis); 18 in Sturminster, Blandford, and Wimborne; in Poole and in Bridport, districts including small towns, the mortality was 21. In Devonshire the mortality is 17 in Okehampton, 18 in South Molton, in Barnstaple (including Ilfracombe and Lynton) and in Holsworthy. The mortality of Newton Abbot (including Dawlish, Torquay, and East and West Teignmouth) was 18 in the second, 20 in the third decade, the proportion of town population having greatly increased without corresponding sanitary arrangements. So in Totnes (including Dartmouth, Brixham, and Paignton), the mortality rose from 19 to 20. In Plymouth, the great naval station, the mortality in the three decades was 25, 24, and 23; in East Stonehouse (including part of Devonport and the Royal Naval Hospital) 29, 27, 27. The mortality of females as shown in the Age Table, p. ccxxvii, is low in East Stonehouse, hence it is probable that the excess of mortality is due to the importation of sick sailors. The mortality of Exeter appears to remain stationary at the high figure of 25. In Cornwall the mortality is at the rate of 18 in Camelford, Launceston, and Bodmin; it reaches the higher figure of 21 to 23 in St. Germans, Truro, Falmouth, Redruth, and Penzance, including a large mining population. In Somersetshire the mortality was 17 in the district of Dulverton, 18 in Williton and Wellington, and 19 in Axbridge (including Weston-super-Mare), and in nine other districts. The mortality of Bath was at the rate of 24 in the first decade, but has been reduced to 22 in the last 20 years.

VI. WEST MIDLAND DIVISION: *Gloucester, Hereford, Salop, Stafford, Worcester, Warwick*.—This Division is on the Severn and the coun-

watered by the Wye and the Stratford Avon. It lies between Wales and the Eastern counties in the broad middle of the widest part of the island. The Thames and the Trent have in it their sources. The Bristol, Forest of Dean, Staffordshire, and Shropshire coalfields give it, in conjunction with the ironstone, a central manufacturing population, of which Birmingham and the Black country are the centres, surrounded by the agricultural population of the fields and rich pastures of the other counties. The Black mountain divides Herefordshire from Wales; the Cotswold Hills in the south, Malvern and the primeval hills of Shropshire rise from the midst of the old red sandstone of Herefordshire, and the new, far and wide-spread red sandstone of several of the counties. Herefordshire is a purely agricultural county; famous for its stock; apples and hops abound. The great town districts are Bristol and Birmingham, with the several county towns. Few minors marry in Salop or Hereford, while in Stafford their proportions are excessive. In Gloucester education is in advance of the country generally; in the other counties it is much below the standard. Staffordshire is the most benighted county. More than 40 per cent. of the women married—the mothers of the children to be—sign the marriage register with marks. There is a considerable excess of children born out of wedlock in Salop and Hereford; where few minors marry. In the first decade the density of the division was 1.91 acres, in the third 1.50 to a person. The mortality was at the rate of 22 in the three decades; the density having continually increased. The mortality was higher in Staffordshire and Warwickshire; lower in Gloucestershire, Herefordshire, Shropshire, and Worcestershire than the average of all England. The mortality was at the rate of 17 in Thornbury and Wheatenhurst; 18 in Cirencester, Northleach, and Winchcomb; 19 to 21 in the other districts of Gloucestershire. In the Bristol district the mortality is still excessively high; it was 29 in the first and remained 29 in the last decade. In Cheltenham the mortality has declined from 20 to 19, at which it has stood for twenty years.

In Ledbury the mortality was 17, in Weobly 18, in the four other districts of Herefordshire it ranged from 19 in Bromyard to 21 in Hereford.

The mortality was 17 in Atcham district surrounding Shrewsbury, 18 in the thinly-peopled Clun, Church Stretton, Cleobury Mortimer, Bridgnorth, Market Drayton, and Newport. It was 22 in Madeley, and 22 in Wellington, both mining districts, and 25 in Shrewsbury. This county town is not so healthy as it might be made on its beautiful site by sanitary arrangements, but this high mortality has to be corrected for the excess of deaths in the county infirmary. The mortality in the other Salop districts ranges from 19 to 21.

In Staffordshire the mortality (1861-70) is nowhere so low as 17; in Penkridge it is 18. In the pottery districts of Newcastle-under-Lyme, Wolstanton, and Stoke-upon-Trent it is 22, 25, and 26. The mortality of these districts has decreased; it was 26, 26, and 27 in the first decade. The mortality of Wolverhampton was 24, Walsall 24, West Bromwich 22, and 25 in Dudley. Wolverhampton is an example of improving health, declining mortality; it was 27, 28, and 24 in the three decades. Walsall and Dudley exhibit no improvement in the 30 years.

In King's Norton district,—the west end of Birmingham,—the mortality was as low as 17; so was it in Pershore, Martley, and Upton-on-Severn; in Tenbury and Evesham the mortality was at the rate of 18; in Stourbridge, including Halesowen, it was 24, 23, and 22; in Worcester district 24, 23, and 25 in the three decades. The mortality of the other districts of Worcestershire ranged from 19 to 21.

The Birmingham district heads Warwickshire with a high mortality; it was 26 in the first decade, and 27 in the last two decades. The Queen of the metal industry of England is thus evilly beset with destructive forces, *which we may hope she will by her own skill and energy vanquish.* The

place is not naturally unhealthy. But the people want pure water, air purged of impurities, and a well drained soil. The districts of Nuneaton and of Foleshill experience a mortality of 23. Coventry exhibits a reduced mortality; the rate has fallen from 27 to 25, and finally to 21. It illustrates the effect of enlightened sanitary administration. Solihull which did lose 18 per 1000 in the first two decades lost only 16 in the last.

The mines interfere with the water-supply and drainage of some parts, and the houses and towns of rising industries are often run up on speculation with no arrangements for cleanliness; so the people suffer as armies did formerly in dirty camps.

VII. NORTH MIDLAND DIVISION: *Leicester, Rutland, Lincoln, Nottingham, Derby*.—From the Peakland and over the watershed of the west this Division descends through the alluvial land interspersed with a network of drains to the shores between the Wash and the Humber. The division sends streams to the Avon, the Mersey, and the Ouse, but its great artery is the fair and fast-flowing Trent, with the Welland and the Witham wandering about Lincoln down to the Wash. Red sandstone, coal measures, lias, oolite, and chalk diversify the land, which is rich in agricultural produce, especially over the drained Fenland. The Leicester breed of sheep is well known, and so are the horses of Lincoln. Derby, Nottingham, and Leicester are large populous old manufacturing towns; they are seats of hosiery, machine lace, and silk manufactures. The country varies in density, but generally it is one of the less populous areas, and except in Nottingham, Radford, and Basford, which form one agglomeration, and Derby, Belper, Leicester, and Chesterfield, there are few dense districts in the division, which is largely impregnated with the Danish stock of people, and was the centre of the popular hero Robin Hood's exploits. Billiesdon is one of the most thinly-peopled districts, and its mortality was low, but in the latter decade it was found that the Registrar had neglected his duty, and he was dismissed. The rate of mortality was about 16; in the well-known Melton Mowbray, in Market Bosworth, Market Harborough, and Lutterworth the mortality was 19; in Loughborough it was 23; in Leicester, where the population is very dense, it was 26. In the other districts of Leicestershire the mortality ranged from 20 to 22. In Sleaford, Horncastle, and Spilsby in Lincolnshire the mortality was at the rate of 18; in Lincoln and in Glanford Brigg 20, in Gainsborough 21, in all the other districts 19. In agricultural Rutland the mortality was 18 in Uppingham, 20 in Oakham. Southwell and East Retford in Nottingham had a rate of mortality equal to 19; in Mansfield the mortality rose in the three decades from 20 to 21 and to 22. The mortality declined in the Nottingham district from 26 and 27 to 24. In Derby and Shardlow the mortality declined from 24 and 20 to 23 and 19. In Chesterfield, including the Claycross and Staveley collieries, the mortality rose from 21 to 22. In both Bakewell (including Matlock) and Chapel-en-le-Frith (Buxton), the mortality rose from 20 in the second to 21 in the third decade.

VIII. NORTH-WESTERN DIVISION: *Chester, Lancaster*.—The Division stretches from the pennine range that divides it from Yorkshire to the coast round the Dee that descends from the mountains of Wales, the Mersey, the Ribble, the Wye, the Arne, and Morecambe Bay. Millstone grit, red sandstone, coal measures, clays, and peat-mosses are covered with people and pasture land. It is traversed by canals and many railways; and saw the first railway opened. The great port of Liverpool puts this population with the stored-up force of ages in direct communication with America and the rest of the World. It has wealth, and now it asks for health. The thickly-peopled towns make it, after London, the densest of all the divisions. It is more than three times as dense as the rest of *England*. *The women married are below the average standard of educa-*

tion ; and there is some excess of early marriages. In the three decades there were .88, .74, and .63 acres to a person ; and the mortality was at the rate of 27, 26, and 26. So we are cheered but not satisfied with a slight improvement ; enough to stimulate every energetic and enlightened authority to renewed exertions. In Cheshire the mortality is at the rate of 19 in Altrincham, 20 in Nantwich, and 23 in Birkenhead ; and in no district, except Wirral (18), lower. In the districts of Runcorn, Northwich, with its vast saltworks, and Congleton, the mortality is 23, 22, and 22 ; in Stockport and Macclesfield, where the cotton and silk manufactories employ thousands of hands, the mortality is 25 and 23 ; in Macclesfield the decline from 26 to 25 and 23 implies improvement in the three decades. In Lancashire the majority of the districts have a mortality exceeding the mortality of England. In Garstang the mortality is 18, in Clitheroe 20, and in Lancaster 20. Liverpool and West Derby, Manchester, and Salford, are at the head of a mournful cohort of unhealthy districts which call aloud for Healers.

Lancashire has to contend with difficulties in its mines, its manufactures in-doors, the dust, dirt, and smoke of the air, the impure waters, and the middens, and the crowded populations of its towns. The men suffer severely at the working age ; and though the women do not die at the same rate, the mortality of women and of children exceeds that of any other division in the kingdom.

IX. YORKSHIRE.—This great county is a Registration Division, and its statistical convenience as regards area and population, entitles it to serve as a model. It slopes from the chain of hills that divides it from Lancashire down to the East coast, and the vast vales watered by the Ouse and its tributaries are its fertile centres ; alluvial soils, fertile meadows, chalk wolds, moors, oolite, red sandstone, limestone, and great coal and iron formations, rivers and seas, furnish a field for the older and varied industries of this county. The education of the women in the West Riding is backward ; more than a third of the married sign the register with marks. The men of the West Riding are at the average ; the men and women of the North and East Ridings are above the average standards. In the West Riding there is a great excess of early marriages. The inhabitants are as sagacious as they are industrious ; but hitherto absorbed in their wonderful productions they have neglected their health. The mortality of the West Riding is increasing. It was at the rate of 23 in the first decade, 24 in the second decade, and 25 in the third decade. This deplorable sanitary declension of Yorkshire is one cause why the mortality of England shows no more signs of sanitary improvement. The density, it should be added, of the prospering manufacturing districts of Yorkshire has gone on increasing ; in the first decade there were 2.17 acres, in the last 1.68 to a person in the county. The mortality of men at the working ages is higher than it is in many divisions ; but it does not exceed the mortality of England. The mortality of women at the ages 20-45 is higher than it is in many divisions, but it is little higher than it is in all England.

In Sedburgh the mortality was at the rate of 16, in Settle 18, in Hemsworth 19, but in the other districts of the West Riding the mortality ranged from 20 in Ripon, to 25 in Bradford, 29 in Sheffield, 30 in Leeds. The mortality is stationary in Leeds, or rather it descended from 30 in the first, to 28 in the second decade, and rose again to 30 in the third decade. In Sheffield the density and the mortality of its population have gone on steadily increasing ; the rate of mortality in the three decades was 27, 28, and 29.

In the York District the mortality is at the rate of 23 ; in Hull District 26, Sculcoates, including part of the borough, 23. Hull drank sewage water in the first decade ; and the mortality from cholera, then epidemic, was appalling. The mortality was 31 ; it descended to 25 in the second decade ; and in the last rose again to 26. In the North Riding, Richmond,

Leyburn, and Easingwold, the mortality was at the rate of 18. In Scarborough District, including the town, the mortality rose from 21 to 22, in Whitby from 20 in the second to 23 in the third decade. Guisborough, containing part of Middlesborough, was one of the healthiest districts in the kingdom; its mortality was at the rate of 16; the rate is now 22, no adequate provision having been made for the people attracted by the works carried on with so much activity and intelligence.

X. NORTHERN DIVISION.—*Durham, Northumberland, Cumberland, and Westmorland.** This Division stretches to the Irish Sea from the German Ocean, into which the Tees, the Tyne, and the Tweed, flowing from the dividing mountains, pour their waters. Red sandstone, slaty rocks, coal-field, ironstone, minerals, iron and chemical works, and shipbuilding are now attracting thousands of workmen to the north. The population has recently increased faster there than in any other division. The lofty mountains, the fair lakes fed by abundant rainfalls, distinguish the west as much as the coal and iron industry and their ports distinguish the counties on the eastern coast. The population is dense on the east side, scattered on the north; so that the low average density gives an imperfect representation of the actual effective density. In education the three northern counties excel the average of the country. There is here as in Scotland also an excess of illegitimate births. Durham, like the other mining counties, is distinguished by the inferior education and the early marriages of the women; nearly all the children are born in wedlock. The mortality is at the rate of 23; in the first decade it was 22. In the four counties there is this gradation in the rate of mortality: Durham 23, Northumberland 23, Cumberland 22, Westmorland 18. Descending to districts: Teesdale (including Barnard Castle) is the only one in Durham with a mortality so low as 19; in Stockton (including part of Middlesborough) the mortality is at the rate of 23; Auckland, Houghton-le-Spring, Chester-le-Street, Sunderland, and South Shields 24; Gateshead 25. We enter Northumberland, over the Tyne, with a rising mortality of 28 in flourishing Newcastle, 24 in Tynemouth. The mortality is at the low rate of 17 in Haltwhistle, Gledale 15, Rothbury 16. Bellingham is losing its pre-eminence, and Belford is threatened. In Cumberland, Bootle, Brampton, Longtown, and Penrith are the first in the order of salubrity; but their mortality is higher than it was in previous decades. Carlisle is denser and less healthy than it was ten years ago. The mortality is still low in Westmorland; it is 16 in the East Ward, 18 in the West Ward, and 19 in Kendal.

WELSH DIVISION.—*Monmouthshire, six counties of South Wales, six counties of North Wales.* The population is chiefly of the ancient British stock, and still Cambrian in manners and at heart, has now interfused in the mining districts large numbers of men and women from the bordering sixth division, and from the fifth division from which it is divided by the Bristol Channel. Besides the rapid streams that flow down from its mountains to the western coast and to the south, its waters are collected in the Dee, the Severn, and the Wye. The old red sandstone extends from Monmouthshire to Brecknock; coal formations fill the greater part of Glamorgan, and are found again in Flint and Denbigh. The Silurian and the Cambrian systems predominate in the other counties. Ironworks, copper-smelting, and tin-plating are carried on largely in South Wales. The flannel manufacture has given Welsh flannel a name; the cattle, sheep, and ponies are a conspicuous part of the stock of the small farmers whose industry covers the several counties. The population is condensed in the mining and manufacturing counties; over the hills the cottages are thinly scattered. The want of practice in speaking English is an obstacle to the

* See a description of the Physical Features of this and the other Divisions in the preliminary Report of the Census, 1871.
34546.

education of the people ; hence two-fifths of the women and more than a fourth of the men sign the marriage register with marks. The marriage of minors is common in Monmouthshire, uncommon in North Wales, and the illegitimate births, as happens elsewhere, are in inverse proportion.

There are on an average 3·79 acres to a person, and the mortality of the principality is at the rate of 21 in 1000. It was 20 in the first decade, and rose to 21 in the second decade.

In Chepstow the mortality is at the rate of 19, in Monmouth 20, in Abergavenny 21, in Newport 21. The mortality in Newport has rapidly declined in the three decades from 24 to 22 and 21. The mortality is 24 in Bedwelty.

In Bridgend the mortality is at the rate of 20, Gower 20, Cardiff 21, Pontypridd 23. In Merthyr Tydfil the rate was 28 and 29 in the first two decades ; it is now 25. The improvement is due to sanitary measures which have only to be completed to reduce the loss of life to a still lower figure. The mortality is at the rate of 16 in Tregaron, 17 in Lampeter, 18 in Newcastle-in-Emlyn in Cardiganshire, 18 in Rhayader. In the other districts of South Wales it ranges from 19 to 23 in Crickhowell.

In North Wales the mortality is at the rate of 18 in Bala in Merioneth, and Pwllheli ; in the other districts of North Wales the mortality ranges from 19 in Llanrwst and 20 in Conway (including Llandudno) to 24 in Wrexham (including Ruabon). It is to be regretted that Anglesea is getting more fatal to its inhabitants than it was ; the mortality in the three decades was 17, 19, and 21. Sanitary arrangements appear to have been in abeyance in Anglesea, although it has in it Holyhead.

24. HEALTH of MEN engaged in various Occupations.

Small principalities and republics have alike contributed their quota to art, science, and literature ; and among them Modena under the house of Este deserves mention. There, on the northern slope of the Apennines, Fallopius first saw the light ; and Bernard Ramazzini, born in 1633 at Carpi, has made Modena for ever memorable by his *De Morbis Artificum Diatriba*. In the University he was the Professor of the theory of medicine from the year 1678, the date of its foundation by the Duke Francis II., and in Modena during his practice to the end of the century, when he was called away to take a chair in Padua, he collected the observations on the diseases of men engaged in the arts and professions. And that city may be well held in the same regard as the cities that the "starry Galileo" made so famous by his observations, for though the observations were made in workshops and not in celestial space, their immediate result was the relief of the incidental sufferings of the men to whom the world owes much of its progress and many of its enjoyments.

Ramazzini created a new art, the art of preserving the health of the men who are engaged in the arts of life. In his work he refers the abundant and varied crop of diseases from which artisans suffer to two distinct heads : the noxious materials in which they work, and to the violent disorderly movements of the body, as well as its incongruous attitudes, acting on the structure of the vital machine.

He commences with the miner and passes in review all the workers in metals ; describes the diseases arising from working in mines, from quicksilver, antimony, lead, copper, tin, arsenic, iron ; all those maladies that afflict the *vir metallicus*, to use the characteristic designation of Hippocrates. He then takes the workers in materials of vegetable origin, and devotes a special chapter to the agriculturist. His chapters on wet nurses and midwives are highly curious. He surveys nearly the whole field of human activity in an Italian city.

In his chapter on soldiers (*milites*) he treats of the diseases of armies in the field, not, as he says, from personal experience, but from report. But

he had in some Brunswick physicians excellent informants who had been engaged in the last Hungarian war, and he sets the causes of camp fevers, dysenteries, and other maladies in the clearest light. Sir John Pringle in his classical work developed and established the true doctrines of military hygiene, so that our subsequent losses due to its disregard were quite inexcusable.

The chapters on the health of the learned and the scientific professions are elaborated with great care. And leaving the homes of workmen Ramazzini wrote a special treatise on the health of vestal virgins, a name by which he designates nuns, who, he says, excelled the vestal virgins of old, whose vows were for thirty years. A second treatise *De Principum valetudine tuenda* is full of instruction, and deserves to be read, not only by all princes, but by all persons of wealth and rank. He pleads with them the cause of their own as eloquently as if he were pleading for his own life.

Ramazzini was in possession of all the ancient learning, and he everywhere refers with reverence to Hippocrates as the *Divine Preceptor*. He is equally well versed in the most recent discoveries of that age. No one has expounded more clearly the immense importance in all medical reasoning of Harvey's immortal discovery of the circulation of the blood.

What is most defective is due to the imperfection of the chemistry of his day, and to the absence of exact observations on the mortality of men in the different professions.

Thackrah wrote an excellent work on the effects of various occupations on health. It is the result of conscientious study; and if not marked by the learning and eloquence of Ramazzini is characterised by sound professional sense. French and German writers have contributed much information on this subject; but nearly all of the previous writers employed methods which could render no precise results, except in cases where the influences they dealt with were very powerful. The effects of compensating circumstances in a trade could not be weighed; and they were more impressed by the sickness than the mortality of the workmen in any particular business.

The mean age at death of people in different businesses often furnishes very erroneous indications, as it is affected as much by the ages at which people enter and leave, and by the increase or decrease of employment, as by the salubrity or insalubrity of any particular profession. The only way in which the mortality, and the duration of life, of miners, tailors, farmers, labourers, or any other class of men can be accurately determined is to determine the ratio of deaths at each age to the living during a certain time—in fact to apply the same method to each class as is applied to determine the mortality and the mean life-time of all classes in a town, in a district, or in the whole kingdom.

The materials for such an inquiry extending over all the recognised trades of the men of England were in part supplied ten years ago in the Supplement to the Registrar-General's 25th Annual Report; and it has now been deemed right to publish as a sequel the deaths in 1871 in the same classes at ten different ages in England and Wales, in each of its divisions and in eighty town districts.

This series will serve as a good basis to the inquiry into a subject next to none in importance in an industrial country. The inquiry must embrace at least the various questions of which an outline is given in the Census Report of 1861 (pp. 29-30). It well deserves the attention of the Health Officers. Every help may be expected from the intelligent artisans of the country, who have, in the Reports of the Odd Fellows Society, shown their appreciation of it by giving the rates of sickness and mortality in different trades. The late Mr. Neison and his son have ably discussed the materials derived from the various friendly societies, and with their observations those here published may be usefully compared. They throw light on each other.

As an illustration of the uses to be made of the facts relating to occupations two sets of tables have been calculated, the one of sixteen groups

constituted so as to embrace well-defined occupations or groups of allied and easily confounded occupations. The results are sufficiently remarkable.

The high mortality of those two important classes the publicans and butchers is unfortunately still maintained. It may be well if the many persons of intelligence and influence amongst them would inquire into its causes.

In the Appendix to the Report of the Commission on Mines over which Lord Kinnaird presided I have given life tables for miners, and tables showing the deaths of miners from different causes, which may assist those who are engaged in investigating other occupations, as the same methods are applicable to all.

In Tables 25-26 the results deducible from the returns for the learned and other professions are given; which are instructive, but have to be read with care, as the numbers are not large and are for one year.

By adding these results of 1871 to those for the two years 1860 and 1861,* a large basis of facts is obtained; and sufficient to enable us to determine the relative mortality of men of various ages in all the leading, numerous, and well-defined professions. The clerical work in the reduction of these census and registration tables is very great, and nothing analogous to it has yet been undertaken in any other country. The results fully justify the expenditure in the collection and analysis of the facts, which are now submitted to the hygienic student. They will repay his careful study of the mortality in its relations to the circumstances of every occupation.

The degree of confidence to be attached to the rates depends to some extent on the numbers of deaths which on that account are here given in the same Table.†

I can only call attention here to some of the more remarkable results.

The *publicans* and *butchers* it will be recollected according to the previous returns experienced high rates of mortality. As they still maintain a high position it has been thought expedient to commence the analysis by dividing them into groups; the first group following their occupation in London, the second group the corresponding occupation in the rest of the country.

In the annexed Table the mortality of butchers and publicans is shown in comparison with the mortality of males of all classes.

Annual Mortality per Cent. among Butchers and Publicans in the Years 1860, 1861, and 1871 at different Periods of AGE in London and in England exclusive of LONDON; also among Males of All Classes at the same periods of LIFE during the Ten Years 1861-70.

AGES.	LONDON.			ENGLAND exclusive of LONDON.		
	All Males, 1861-70.	Butchers, 1860, 61, 71.	Publicans, 1860, 61, 71.	All Males, 1861-70.	Butchers, 1860, 61, 71.	Publicans, 1860, 61, 71.
15-25 - -	·703	·492	·696	·727	·383	1·003
25-35 - -	1·096	1·050	1·642	·972	·996	1·407
35-45 - -	1·714	2·060	2·324	1·281	1·609	1·981
45-55 - -	2·568	2·704	3·760	1·812	2·157	2·797
55-65 - -	4·385	4·582	5·487	3·154	3·624	4·228
65-75 - -	8·283	9·062	10·383	6·489	8·121	7·068
75 and upwards	18·451	24·424	32·092	16·283	19·731	21·034

The mortality of butchers' boys and potboys is lower in London than the mortality at the same ages (15-25) of all classes.

* See the facts as to deaths published in supplement to Registrar General's 25th Report. For the numbers living see pages xl-lvi. Vol. II. of Census Report 1861, and pages xxxv-xliii. Vol. III. of Census Report 1871.

† See pages cixxi-iv.

The mortality of London butchers exceeds that of country butchers, and would no doubt be still lower if their cattle were slaughtered at public abattoirs and not in private slaughter-houses.

Young publicans (15-25) die at a faster rate in the country than in town; at all ages after 25 the mortality of London butchers is excessive; it is beyond not only the mortality of all other classes in London, but beyond the mortality of the butchers of the rest of the country.

Fishmongers experience full as high a mortality as butchers.

The numerous, useful, and as a body respectable men who supply the community with drinks, food, and entertainment in inns, are shown to suffer more from fatal diseases than the members of almost any other known class. They might themselves institute a strict inquiry into its causes. But there can be little doubt that the deaths will be found to be due to delirium tremens and the many diseases induced or aggravated by excessive drinking. It seems to be well established that drinking small doses of alcoholic liquors, not only spirits the most fatal of all the poisons, but wine and beer at frequent intervals without food, is invariably prejudicial. When this is carried on from morning till late hours in the night few stomachs—few brains can stand it. The habit of indulgence is a slow suicide. The many deaths of publicans appear to prove this. Other trades indulge in the publicans' practice to some extent, and to that extent share the same fate. The dangerous trades are made doubly dangerous by excesses.

The clergy of the Established Church, protestant ministers, Catholic priests, and barristers all experience low rates of mortality from ages 25 to 45. The clergy lead a comfortable, temperate, domestic, moral life, in healthy parsonages, and their lives are good in the insurance sense. The young curate compared with the young doctor has less cares.

The mortality of Catholic priests after the age of 55 is high; perhaps the effects of celibacy are then felt.

Solicitors experience the full average mortality after the age of 35; the legal work is hard.

Physicians and surgeons from youth up to the age of 45 experience a mortality much above the average; after that age they do not approach the priesthood in health, but differ little from the average. Many young practitioners have hard struggles to encounter. They are in contact with the sick; are exposed to zymotic disease, and their rest is disturbed. In states of depression deadly poisons are at hand. There is an excess of practitioners in cities. Country practitioners have to visit their patients in all weathers, at all hours. The causes from which the medical men suffer demand careful study.

Chemists and druggists are younger than medical men, because pharmacy is a separate business, and is of more recent growth. Their mortality like that of medical men, is high and above the average, especially in the younger ages. Manufacturers of chemicals, dyes, and colors also experience a mortality above the average.

Commercial clerks experience an exceptionally high rate of mortality. The rooms in which they work are generally close and ill-ventilated. They often stoop at their desks. They require Sir John Lubbock's holidays.

The railway service taken collectively experience a high rate of mortality, somewhat higher than medical men at advanced ages.

Coachmen (not domestic servants) and cabmen experience nearly the same high mortality as the railway service from the age of 20 to 35; after 35 the mortality is in still greater excess; the causes are probably drink, exposure to the weather, and violent deaths. The mortality of horse-keepers and grooms is, without hard exercise, nearly as high at the ages of 25 and upwards as the mortality of coachmen.

Veterinary surgeons and farriers of the age of 25 and upwards experience a very high rate of mortality; higher than physicians and surgeons.

Gamekeepers offer an example of the healthiness of out-door life; their mortality is very low. The exercise of genuine sport is no doubt as salutary to the amateur sportsman as it is to the professional descendant of the hunters of old.

Publishers and booksellers fare well in health and life; they are generally masters in better circumstances than their confederates, bookbinders and printers, including masters and men, who often work in badly ventilated rooms, and die at a rate of mortality exceeding the average.

Tool, file, and sawmakers have among them the grinders who suffer so much from sharp particles of stone and steel inhaled into the lungs; their mortality is still high, and at the ages 45 to 65 excessive. The mortality of needle manufacturers at 35-45 is excessively high.

Coachmakers of all branches working in wood, iron, binding, and paint, up to the age of 45, experience a low rate of mortality; afterwards the mortality exceeds the average. They live in towns.

Wheelwrights working chiefly in wood, and scattered all over the kingdom are healthy; their mortality is low at all ages.

To carpenters, joiners, sawyers, and workers in wood generally the same observation may be extended; their mortality is low; their occupation is healthy.

The mortality of the blacksmiths, also scattered over the country, and working in heat and iron, is higher than that of the wheelwright and carpenter.

The carver and gilder suffers less than he did. But both he and the plumber and glazier require further protection against the metallic poisons. The mortality is high among them from age 35; but at the age of 45-55 it approaches 50 per cent. higher; at 55-65 it is near the ordinary mortality of men.

The wool, silk, cotton manufacturing population no longer experience an exceptionally high mortality. Lord Shaftesbury and his enlightened colleagues must be gratified, if not entirely satisfied, with the success that has crowned their life-long labours. And it is creditable to the millowners to find the men and boys in their employ suffering less than many other people in towns.

The people working in wool are the healthiest; at all the young ages their mortality is the lowest; at 45 and upwards the cotton workers suffer much more than the workers in wool and silk.

The mercers and drapers are not so healthy a class as could be desired; their mortality is above the average, especially is this the case from 25 to 45. Perhaps much of their in-door work is better suited to women than to young men.

The hairdressers, barbers, and wig-makers, the English Figaros, living chiefly in cities, experience, according to these returns, high rates of mortality at all ages; and so do hatters.

Shoemakers at all ages, except 20-25 and at advanced ages, experience a rate of mortality below the average.

Tailors on the contrary die at rates much above the average. For their health and for shoemakers, both classes counting more than 300,000 men, much remains to be done.

Bakers experience a mortality very little above the average, and that is chiefly at advancing ages.

Grocers at all ages after 35 experience a low rate of mortality.

The tobacconists, snuff, and tobacco manufacturers suffer very much at all the younger ages; indicating clearly enough how prejudicial smoking is to young men.

They present a strong contrast at the corresponding ages to tanners and curriers who are healthy up to 45, and then show signs of suffering.

The earthenware manufacture is one of the unhealthiest trades in the country. At the age of joining it is low; but the mortality after the age of 35 approaches double the average; it is excessively high; it exceeds the

mortality of publicans. What can be done to save the men dying so fast in the potteries and engaged in one of our most useful manufactures?

Among the glass manufacturers the mortality is higher at 25-35 than among the earthenware manufacturers; but much lower afterwards.

The men engaged in copper manufactures from 20 and upwards experience a mortality somewhat above the average; at 55-75 their death-rate is heavy—much heavier than it is among the workers in brass and in iron.

The men in the iron manufactures do not die at the average rates under 45; after that age the average is exceeded.

Working in wood on the whole is comparatively cool compared with working in iron; the loss by perspiration is excessive among such men as puddlers, and they require a great deal of drink, which should contain little or no alcohol.

Taken in the aggregate the metal worker—the metallic man in all England does not experience the average rate of mortality under 45, after that age the table turns against him and his losses grow heavier and heavier every year.

Miners in the aggregate experience a heavier rate of mortality, largely from violent death, than metal workers; and the mortality of both classes greatly exceeds that of the agricultural labourer.

Independently of the influence of the material and of the work itself on health, the place in which men work exercises so great an influence that it has to be taken into account in judging of the salubrity of their occupations.

Man is naturally an open air animal; he is made to work, and the sky is his native covering. So after taking everything into account, the hunter, the sportsman, and the husbandman in a cultivated land are at present the healthiest of all workmen. All would no doubt be the better if the higher parts of the brain had their due share of activity; and this though not often the case now, we may hope will come.

The farmers and agricultural labourers are at present among the healthiest classes of the population classified according to occupation. The young farmer for some reason or other suffers a higher mortality than the labourer; but at 35 and upwards the British farmer enjoys comforts which are beyond the reach of the labourer. It is probable that in no country the agricultural population is healthier than in England. Ramazzini thus writes of the agriculturist in Italy:

O fortunatos nimium, sua si bona noruit agricolas.

So it might perhaps have been, he says, with that pristine race of mortals who cultivated the paternal acres with their own oxen, but it is not so in this age with our husbandmen, who struggle on another man's land (*alieno fundo*) with perpetual toils and extreme poverty. Then he enumerates their diseases,* pleurisies, peripneumonias, ardent fevers, fluxes, and other maladies to which they are particularly liable "at least," he adds, "in Italy," and especially in the region of the Po. Carelessness is one cause of their ill-health; for before the cowhouses, pigsties, and dwellings, which may indeed be called Augean stables, they heap up ordure to dung the fields, and keep it there "for a nosegay all summer†;" whence it cannot but be that fetid exhalations arise continually and pollute the air. In no men does the blood undergo greater changes in a short time from exposure to the weather and work. Galen denounces the air of gardens for a similar reason *ob stercorationem et arborum parvos halitus*. Ramazzini notes that the country people do not bear bleeding even in pleurisies. The reapers in the *Ager Romanus* every year fill the hospitals

* *De morbis artificum*, cap. xxxviii.

† Such is Dr. James's translation of "*per totam æstatem pro delitiis*." He is not often so happy, when not literal.

and it is uncertain whether the scythe of death or the lancet of the surgeon is the more fatal.

The English farmer is in a very different plight ; his blood is not poor and he is not ill fed. The weather it is true troubles his mind, but against its severities he is well sheltered. His capital not being sunk in the purchase of land he has more to expend on stock, implements, labour, and fertilizing materials. His profits are greater. No doubt the dirt which feeds zymotic disease germs, cattle and human alike, still pollutes the farmyards, and the farm ponds ; but foot-and-mouth disease, peripneumonias, and cattle-plague will in the end teach the intelligent farmer that in his management of all live stock cleanliness is next to godliness.

The mortality of the English farmer is not now high ; but it may by care be reduced to a lower figure. To what is the high mortality of the young farmer of 15-25 due ? Farmers' sons appear to be healthy. The labourer experiences a higher rate of mortality than the farmer at all ages after 35.

CONCLUSIONS.

(1.) Much of the misery of mankind admitting of removal is due to untimely death and its shadow sickness, another name for suffering, and depressed, disordered vitality.

(2.) By the laws of life no man can be certain that he shall continue in existence a single year, much less any definite number of years ; but with an average constitution he may justly expect his days to be long in the land if he keep the divine commandments brought down and proclaimed by science. The complete cycle of physiological life is a *hundred years* ; and the *mean lifetime*—the expectation of life at birth—under favourable conditions is at present *fifty years*. So in such a population stationary the mean annual rate of mortality is 20 per 1000 ; and in an increasing population, with an excess of young lives, may be 17 or 16 or less per 1000. Such rates have been attained, and rates lower still are not unattainable.

(3.) Life and death involve many variables, but they are subject to laws as explicit as the combination and the separation of atoms—the continuance and discontinuance of motion ; the one or the other never involving extinction, but conversion of matter and force. Death is a necessary sequence of certain causes.

(4.) Loss of blood, asphyxia, starvation, concussion, crushing, fracture, poisons, lightning, fire, frost kill men instantly or slowly. And the dangers from all these causes can be obviated to a large extent by skilful precautions, sometimes simple, sometimes elaborate, on the part of individuals and communities, their co-operation being often indispensable ; by the cultivation of peace, charity, temperance ; by mothers nursing children, and by better care so that they may be neither overlaid nor burnt ; by industry in acquiring the means of living ; by insurance against starvation ; by the regulation of rail, water, road traffic ; by the ventilation of mines, shops, churches, theatres, and houses ; by restricting the use of poisons, by lightning conductors, by fire-proof dresses and dwellings ; by water at high pressure in every street.

(5.) AIR is well called vital : breath and life are confounded. Always impure in marshes and cities, air is salubrious when it is fresh and moving. Air charged with inorganic impurities, sometimes with gas such as hydrochloric acid, sometimes with solid particles as grit and steel and smoke, irritates the air-tubes and inflames the small cells of the lungs. The gaseous impurities can be condensed, the dusty particles assented by mechanical contrivances, the steel particles arrested by *magnetic shields*, the black smoke burnt.

(6.) Flour and vegetable dusts inhaled with air are hurtful but less noxious than mineral dusts: millers suffer much less than steel grinders, and their diseases come on chiefly after the age of fifty-five, when their bronchi are loaded with phlegm. The dusts in flour mills, cotton mills, shops are not easily, but should be, removed by mechanism; they are always noxious, as is evident in itself and is demonstrated by their effects on the work people.

(7.) Some *organic matters undergoing putridity in exhalations* or entering the system by inoculation poison the blood. Hence a probable cause of the high mortality of butchers, poulterers, and fishmongers. Surgeons and veterinary surgeons suffer from dissection wounds. Undertakers in full work are not healthy men. Dead animal matter appears to communicate its cadaveric changes to the living. Animal food taken in excess has its dangers to be avoided, for unquickened by digestion it is as unsafe in as out of the body.

Diseased meat is now sent to market in considerable quantities; the evil can only be obviated by public slaughter-houses, which would take away the impurities from the butcher's dwelling, and be the means of saving thousands of animals from the agonies they now suffer at the hands of the unskilful. The kind-hearted people who are so sensitive to the pain of experiments performed by physiologists on a few animals, to the infinite advantage of mankind, would do well to direct their efforts to the suppression of the cruelties of slaughtermen.

(8.) WATER is the first necessary of life; and is probably at its best when quite pure and aerated; but it has not been proved that taken in its ordinary state of hardness or slight mineral impregnation it is pernicious. Soft water is the most suitable for ablution of person, clothes, house; so it is for cooking. When the sewage of infected towns is poured into rivers the waters carry the ova of parasites, and the germs—the zymads—of some zymotic diseases—notably of cholera, and enteric fever. The storage and filtration of such river waters get rid of certain impurities; but better water is obtained from undefiled mountain streams and from deep wells. The hard chalk waters require softening by Clark's process as it is practised at Canterbury and other places, by such ingenious engineering contrivances as have been devised by Mr. Homersham. This process no doubt carries to the bottom, with the chalk, organic matters. The want of pure water is often felt in various parts of the country, and the storage of the flood waters as well as the drainage of marshes is a matter of national concern to which private possession should be no obstacle. The waters of marshes, of shallow wells, and of stagnant ponds, often polluted, if used at all, should be boiled beforehand.

DRINKS—*Cider, Ale, Beer, Porter, Wine, Spirits*. The fumes of fermented liquors, if concentrated, intoxicate men; and Ramazzini, nearly two centuries ago, noticed that in Modena, fruitful in vines, the people engaged for months together in the distilleries became lethargic, wrinkled, meagre, melancholy, giddy,—*veternosi, vieti, macilenti, tristes, vertiginosi*. The classes in England who deal in spirituous liquors die off, as we have seen, at accelerated rates. And the connoisseur famous for his cellar it is to be feared sometimes succumbs to the slow seduction of favourite vintages. But intoxication is now, except in dipsomaniacs, rare among the middle and higher classes. Still some workmen in certain trades and in some parts drink to excess and are the victims of intemperance. 20,121 deaths were directly ascribed in 25 years to delirium tremens and intemperance, and this is only a small portion of the deaths due to alcoholism. It is not the criminal classes,—not the wretched alone,—but even some skilful artisans that get drunk every week or oftener on spirits and drinks sometimes pure and sometimes drugged. This crime is committed in public houses, which under the circumstances are directly regu-

lated by law; but the law does not satisfy a zealous school of social reformers, who, for the protection of drunkards, propose to suppress public houses and beershops altogether. This cannot be done, and is not desirable. It must be left to the people themselves to determine whether they will take their ease in inns and clubs with companions, or drink and eat at home with their families and friends. With the progress of sanitary education the best hopes may be entertained of the future; then the artisan will be as sober as the gentleman has become in this age. The drinks of civilised men contain stimulants; and those here referred to contain alcohol. Except distilled spirits these liquors are the products of fermentation arrested at certain stages. They are parts of the fruits of the earth in solution, enter the blood readily, and with other food are a substantial part of diet. Fresh light ale is an excellent English beverage; it suits workmen in this climate as well as the various pure light old wines agree with men whose brains expend more force than their muscles. By the moderate use of such juices as Ramazzini says *mense et convivio hilarantur*—wine in glasses not often filled makes “glad the heart of man.” All beverages have to be regulated according to climate, weather, and temperament; in the cold of winter and in high latitudes wines are salutary; in the tropics and in summer their very charms in excess are Circean dangers. They fasten like vultures on the liver. The great pending experiment of total abstinence by thousands of all classes seems to show already that men can live in health without alcoholic liquors; but whether their lives are better or worse, or will become better or worse, as age creeps on, than the lives of their fellow mortals the insurance offices will find out. Abstainers deserve to be watched attentively by the physiological student.

The dipsomaniac is a lunatic *sui generis*, and has to be treated with humanity and rational restraint.

As drunkenness is a crime, and the father of crimes, it deserves stamping, in the interests of human life, with the infamy of crime; so its penalties should be made to attach to the drunkard and to the abetting house that supplied him with intoxicating drink. This is in the interest of respectable houses. The majority of the publicans and the greater part certainly of the wine merchants are temperate, and as the mortality of the whole trade is high the mortality of the intemperate among them must be excessive. Death by delirium tremens is a low kind of suicide, and nobody is more interested in the suppression of mad drunkenness than the respectable members of the trade. The remedy is very much in their own hands. Any loss of revenue by a maximum duty on raw spirits, often foul with fusel oil, will be a gain to the health of the nation. Future generations will share in the gain.

NON-ALCOHOLIC DRINKS AND VAPOURS: *Tea, Coffee, Cocoa, Tobacco, Opium.* No deaths are ascribed in the registers to excesses in any of these articles, and there is reason to believe that the three beverages afford salutary subsidiary diets. In excess tea shakes and saps the nervous system. Drunk by women, largely without food, it is certainly prejudicial. Opium taken habitually, solid or in smoke or in solution, is in the end fatal. The Chinese are now the chief opium smokers, and it is to be regretted that Englishmen have aught to do with the supply of the drug. Tobacco smoked sparingly is beneficial to some, in excess injurious to all. It is poisonous to some of the people who work in it, and boys and young people smoke nought but evil through the pipe.

FOOD: *Flesh, Milk, Bread, Fruits, and other Animal and Vegetable Products.*—The people of England are probably as well fed as any people in Europe; and when it is considered that, to use a Chinese term, there were more than twenty million mouths to be satisfied several times every day during the ten years with great varieties of food, won with much

labour in the fields here, or imported thousands of miles from abroad, this must appear no easy task. Among them were helpless infants by thousands, sick men, infirm women, imbeciles, vagrants, men out of work, aged patriarchs past work, as well as the robust, industrious, intelligent millions; and it is evident that as the food has to be provided by every family every day it cannot under all circumstances be supplied in the quantities or the proportions required. The lamp of life goes out without oil, and men perish by famine, or, as Ugolino did, by sheer hunger. The absence of the due amount of vegetable and animal matter induces also several diseases which are returned as the proximate causes of death. Infants require their mothers' milk, thousands die for want of it. This may be supplied in many cases, in others substitutes may be found. Fruits, salads, and potatoes contain the several vegetable acids which are an indispensable part of diet; in its absence after the potato failure in 1847 the population in many places became scorbutic. The potato, fruit, and winter vegetables now save the population from the scorbutic degeneration which formerly led to the excessive fatality of zymotic diseases. Deaths from scurvy sometimes still occur at sea in the merchant service. But the deaths from scurvy and purpura together on land do not exceed 360 annually. This acid diet demands attention. Its absence lends fatality to certain diseases. The deaths now ascribed in all England directly to privation are at the rate of three every fortnight, seventy-seven annually, the gentler sex dying of starvation in smaller numbers than men. Without the institution of poor relief—imperfect it may be, but still admirable and English—the deaths from starvation would amidst all the chances of life, badness of seasons, the fluctuations of trade, amount to thousands a year.

On wheat, rye, oats, rice, or potatoes, with vegetables, salt, and a few adjuncts, whole tribes of men live and flourish; but they cannot do a full amount of work without animal food, which should therefore be provided whenever it can be obtained in moderate quantities. By some at feasts and at the tables of the affluent too much is eaten; hence, though their numbers are fewer, the deaths of the wealthy and their servants ascribed to gout greatly exceed the deaths of the poor by starvation. The deaths by gout are nearly six weekly,—two hundred and ninety-nine annually.* All these deaths are not due to actual excesses in food, but to untoward combinations; some are due to wine or ale, and others to hereditary taint. But stomach, liver, kidney diseases are all swollen by—are all latently the result of—excesses of the table. Obesity in excess is a disease. The remedy is in temperance.

Food consists of carbon and nitrogen, the first abounding in vegetables, the second formed in plants but accumulated in animals, in combination with oxygen, hydrogen, sulphur, phosphorus, potassium, sodium, iron, and other bodies. Starch, sugar, and butter are types of the carbonaceous—vermicelli, lean mutton, white of egg, of nitrogenous food. These elements are consumed in the body in proportions varying with the work. Thus Dr. Playfair† estimated the amount of carbon consumed daily by a man in perfect quietude at seven ounces, active and in full health 12 ounces, in hard work at 14 ounces; the nitrogenous food varies still more among the various classes. Chemists agree that there is a very direct relation between the muscular work, the heat, and the carbon consumed. About the relation between work done and the nitrogenous food transformed into urea chemists are not agreed. But experience has shown that at hard work horses and men require oats or meat, that is nitrogenous food, in large quantities. This nitrogen, which with carbon in gun cotton, gunpowder, and nitro-glycerine develops such explosive forces, is also the

* The deaths ascribed to gout were 7,467 in the 25 years 1848-72.

† *The Food of Man in relation to Useful Work*, by Lyon Playfair, C.B., LL.D., F.R.S.

factor in the production of vital force ; but food burns to produce force and heat in variable proportions according to the demands of the organisms in various climates.

HEAT AND COLD.—In the tempered climate of England a few men in summer die of sunstroke, and a few stray wanderers in winter nights are frozen to death ; but the numbers of such deaths are inconsiderable. Upon the other hand large numbers of both sexes and of all ages die of diseases induced by extreme heat or extreme cold, the heat diseases specially affecting the digestive, the cold diseases the respiratory, organs ; the deaths by diarrhoea and bronchitis, prevalent types here, bearing a constant relation to the higher and lower temperatures of summer and winter. Cold exhausts the sufferers from chronic disease. Clothing and firing are the natural protection against cold, which is most intense and most fatal in the night when the fires go out. Much may be done by economy of fuel now sent into the atmosphere in smoke. In India alcohol cannot be endured, and the soldier's head, instead of being cropped, requires the protection at least of his hair. The back of the neck, over which the hair should hang, is immediately over that key of life the *medulla oblongata* and the top of the spinal marrow. This in winter requires the protection of the hair against cold as much as the throat. The original reasons for cropping the soldier's or sailor's hair short should no longer exist.

Children suffer much from radiant sun heat against which they should be protected : the fatality of cold follows this law—when the temperature falls below the freezing point of water the mortality at all ages rises above the average, and if the degrees be expressed by 1 in 1000 at the age 20, it becomes 2 at the age 29, 4 at 38, 8 at 47, 16 at 56, so doubling every 9 years. This must be taken into account by men and women as they advance in years ; warmer clothing, fires, exercise, and more food are wanted in winter than in summer weather, in old than in young blood.

By **EXERCISE** is generally understood muscular effort of some kind ; it may be labour, it may be speaking, it may be sport, it may be of a few, it may be of all, the voluntary muscles ; it is always action, and in the scientific sense always work. The muscles contract under the influence of currents from the nerves, so that exercise implies action of the nervous centres ; but the brain, spinal marrow, and nerves have besides special conscious functions of their own. Exercise of the muscles is one thing, exercise of the brain another, as different as motion and thought. Both kinds of exercise affect health and life. Death is rarely if ever ascribed in the registers to the strain of muscular effort, while it is at times ascribed to mental shocks and disorders ; but the athletic state, the result of training, was held by the ancients best acquainted with athletes to be dangerous. It implies an unusual tension of brain, heart, lungs, and digestive organs as well as muscles, and a main point to which much is sacrificed is the reduction of the bulk of the abdominal organs so as to give the breathing, by which oxygen enters, the freest possible play. On ascending hills the breathing grows quick, as every one finds, to take in more air ; the heart beats faster to circulate that air and the blood through the nerves and muscles. The food of working men as well as animals bears, in the long run, a strict relation to the quantity of work of every kind they perform ; and this work by the ingenuity of mechanical science can be measured, and expressed in weights lifted through space, the scientific unit being a kilogram lifted a metre high ; thus Dr. Playfair estimates the average work of a man at 105,605 * metre-kilograms, which is nearly equivalent

* Food and Useful Work, p. 12.

to the work expended in lifting 106 metric tons one metre high ; 340 tons one foot high. Such a full day's work is equivalent to a daily walk of 20 miles. The soldier in war carrying 60 lbs. 14 miles a day does nearly the same amount of work. The London policeman walks 16 to 20 miles in 8½ hours. Twenty miles a day with rest on Sundays is a full day's work for a postman ; with more he breaks down. Many men overwork themselves ; and many children are overworked with the worst effects on their future life ; some women too are overworked in pregnancy and underfed. Domestic servants are healthy because they work and are well fed ; they have to subsist on lower diet when they marry and have children. Some women of the higher classes do not take exercise enough, even in England, where women have more out-door exercise even up to hunting than women on the continent. Girls at school through want of out-door play are less healthy than boys.

The brain—the organ of the intellect and the feelings—requires exercise as well as the body ; and its adequate exercise preserves the play of health. It may be overworked, and it requires a special diet, with adequate supplies of the albuminates, and fats, and phosphates.

Chemical force from reaction between the organism and food and oxygen yields by transformation heat as well as cerebral and motive force. There is thus a strict relation between exercise, heat, and the products of chemical action—between the evolution of carbonic acid, urea, and animal heat.

To avoid waste of food and of digestive force and to maintain health the quantities of the various kinds of food, consisting of nitrogen and carbon, of flesh, fat, sugar, starch, and salts, have to be adjusted to the different kinds of work. This can only be definitively learnt by experience. Hippocrates justly insists on immediate attention to the first symptoms of excess or of defect in food or in work, both excesses incompatible with health.

Food and work are undoubtedly important factors in determining the lifetime of different professions, of various artificers, and of laborers. The Tables here appended will assist the student. In judging of the amount of work, its kind, its continuance, its intermittances have to be taken into account. Thus Rankine reckons that a man can do three times as much work by pulling horizontally as he can by hammering. Haughton, measuring by urea, finds that high mental and mechanical work demands a better quality of food than routine labor.*

It will be instructive to study the food, drink, and work, and health of the clergyman and barrister ; of the watchmaker, tailor, weaver, shoemaker, hairdresser ; sawyer, carpenter, blacksmith ; of the laborer who works out of doors ; and of the cabman who drives about in the open air in all weathers.

Diseases are produced by the excessive exercise of particular muscles ; thus the fingers of the nailer and of the scribe become paralysed ; the clerk's chest is pinched by low desk work ; some literary men overwork their brains into dementia ; the stooping laborer sinks into crooked vacuity. Nearly all these evils admit of alleviation, or under rational treatment of prevention. Sitting, standing, stooping have all to be varied. Ramazzini reminds his *statarii artifices* that the fatigue of standing is due to the continued tension of the same muscles, whereas nature delights in alternating intermittent action ; they might experience some relief, he tells them, by various expedients, such even as by standing by turns on one leg, as they see birds stand, in conformity with the principles of his mathematical friend Borelli.

EXCRETA.—Meat and drink are converted by the body and brain at work into carbonic acid and organic exhalations which escape by the skin and

* Playfair, *Food and Work*, pp. 4-5.

lungs ; into urea, and into feces ; these are all poisons to man, and by an eternal ordination of nature have to re-enter life after purification in the atmosphere and the soil.

In a dense population they do not go away of themselves ; as the acquisition of food costs money so does the removal of its refuse. The sweat left on the healthy brow breeds disease ; the body must therefore be washed, or its distillations infect the blood. The leprosy of the middle ages was aggravated, if not caused, by the dirt of the mediæval world. Breath charged with carbonic acid, vapor, and exhalations caused the madness and deaths in the Black Hole of Calcutta ; and breath pollutes the air in crowded rooms, churches, theatres, cities. Nature herself in the sense of smell expresses her abhorrence of cesspools, privies, and foul sewers. All these excretions in disease become doubly infectious ; they contain zymotic matter.

The removal of refuse then demands as much care as the acquisition of food ; and however costly it may prove, this removal is a necessary part of the economy of every family—every community.

The *breath* is swept clean away by ventilation, if due space and adequate mechanism are employed.

Soap it has been well said is a civiliser. Ramazzini, who was a real lover of workmen, begs them to make themselves clean. "The public baths of ancient Rome," he says, "were of the utmost use to artisans engaged in dirty work ;" who could at the same time wash away sordid impurities and refresh the wearied body. "Admirable as the public baths" were, they are now obsolete ; so I recommend ablution of their bodies at home, that they may appear in public with a clean skin and clean clothes, "at least on Sundays and festival days. It is wonderful to see how much the animal spirits are cheered by cleanliness and purity."*

This precept is enforced by the grievously high mortality of workmen in cities, which cannot be accounted for without referring to sordid skins as one of its main causes. They have often hitherto been without sufficient water even in London ; but that want will soon be supplied, and it will be possible for them to wash at home and be clean from the leprosy of dirt. Colliers in the north wash themselves all over daily on returning from work.† Baths and washhouses should exist in every district. The shower or sponge bath, requiring less water than the ordinary bath, may be used every day. Great employers in factories might by some cleverly contrived mechanism enable great numbers of their heated workmen to wash away the sweat and dirt of the day in shower baths with *warm* water as the most cleansing, and easily administered to great numbers at once.

Sewers now carry away the chief fluid and solid excretions and refuse of houses in towns. The fittings of closets, the detachment of sinks, the ventilation and the outfall of sewers offer the great sanitary problems of the day. The mixed system of sewage irrigation on suitable land under skilful management, with the discharge only of superfluous water into such rivers as the Thames below London, is actually the most practical course. Definite prohibition of the sewage pollution of the Thames and other rivers by towns above the intakes of the water supply is indispensable ; the sewage must all pass through the disinfecting land or artificial filters before its flow into the water-supplying streams.

* The reason Ramazzini alleges for the disuse of the public baths of Rome, so useful in preventing and curing disease, is curious. "Sed quoniam Christiana Religio animorum potius, quam corporum sanitati intenta, passa est paulatim obsolescere balnearum usum ; tam salutari præsidio in omnibus penè morbis, nostrorum temporum destituta est Ars Medica." Such considerations happily do not hinder the English clergy from attaching due regard to their own health, and to the health of their flocks.

† Mr. W. Lisle, Superintendent Registrar of the Durham district, confirms this statement.

ZYMOTIC DISEASES.—In small-pox certain matters are produced which, inserted on a point under the skin, multiply themselves, and infect the whole body, which reproduces a crop of the same kind. The infecting matter of small-pox floats in the air, and enters the body with the breath; it multiplies itself, whatever may be the channel of entry, in the same way; and the new matter will produce the same changes in any number of other men. Each infection induces diseases of its kind. All men are not susceptible; the specific germs (zymads) will not live in their bodies; this is notably the case with those who have already undergone infection. In cholera and in enteric fever (typhus) the germs from the intestines, in England, enter the system through the intestinal tract. In hydrophobia and syphilis, the germs only enter the blood by inoculation. Zymotic diseases prevail endemically, epidemically, pandemically; but follow certain laws of increase and decrease in their evolutions. Other diseases, like ague and famine fever, and some dietic diseases are grouped for convenience in the same class.

Leavens it has been long observed are capable of reproducing themselves in a suitable medium; and from this analogy the zymotic class of diseases is named.

The seeds of these diseases enter the body by inoculation, by contact, by ingestion, and by inhalation. Many of the diseases are contagious and infectious.

The inoculation diseases, such as hydrophobia and dissection wounds, are arrested by removing or destroying their germs before they enter the blood and tissues around the wound. The skin infections by contact can often be removed by ablution, even if there be epidermic abrasions.

When the cholera matter has entered the intestinal tract by water, or other means, it induces diarrhoea, which can generally be arrested by sulphuric acid drinks and other remedies. In cholera epidemics the people are so unaccustomed to this peculiar affection that they neglect it; and experience proves that house to house visitation by competent persons is indispensably necessary to secure the treatment of the disease in its first stage, when medical treatment is most efficacious. Perhaps enteric fever and dysentery might also be arrested before the infection fastens on the mucous membrane; but the experiment has not been tried. In both diseases there is a prodrome of a few days; and when there is enteric or dysenteric diarrhoea it may in time be identified, and treated by the skilful physician. There are also other signs premonitory. Whenever the patient has taken impure water prophylactic treatment should undoubtedly be tried.

The air, which Professor Tyndal shows in his elegant experiments carries dust, carries in it also the zymotic particles (zymads) of small-pox, scarlet fever, diphtheria, measles, whooping-cough, typhus, and plague in the atmosphere that surrounds the sick: in other cases it carries the widely diffused elements that induce influenza, marsh fevers, neuralgia, and rheumatism. These zymads are attacked in many ways: (1) by the free admission of fresh air (ozone) into the chambers of the sick; (2) by the various disinfectants—such as camphor, carbolic acid, permanganate of potash (ozone), chlorine, sulphurous acid; (3) by the isolation of the sick during the infectious period in separate rooms or separate dwellings; (4) by the chemical destruction of the excreta; (5) Pasteur showed by many experiments that organic germs which set up fermentations are arrested by their aspiration through cotton wool, and by analogy some persons might be disposed to try the effect of breathing through cotton wool when they enter sick chambers.

VACCINATION.—Every child should be vaccinated at the proper moment with pure lymph.

Some of the zymotic diseases occur as a general rule only once in a life. *I say as a general rule, because every known disease, when not fatal, does*

occur occasionally more than once in the same person ; thus of 10,000 persons that have had small-pox, or scarlet fever, or measles, one or more may under given circumstances experience a second attack.* The mild as well as the severe forms possess the protective power ; and advantage was taken of this principle in inoculation. Vaccination the world owes to Jenner. This is the position of an ordinary child after vaccination ; he is as a general rule protected against an attack of small-pox, while in the possible event of his defence failing, his life is still guarded against the worst types of the foul malady. The danger a child incurs from vaccination is quite inconsiderable, when the operation is skilfully and opportunely performed by a surgeon. What is the position of an unprotected child ? He is every year of childhood liable to attack and death by small-pox ; should he fortunately escape through youth, he will probably be assailed in manhood when a family depends on his life. Should he desire to insure his life, the insurance office meets him by asking if he has been vaccinated. If he recover from small-pox the face is disfigured, the eyes sometimes blinded, the ears deafened, or some constitutional disease is awakened ; and any diminution of these risks of mutilation by small-pox is worth purchasing by vaccination.

It is urged that common vaccination does not yield absolute security against death by small-pox ; this is true ; and it is equally true that it reduces the risk to a low figure. It is also true that in several instances the diminution of the mortality by small-pox has been accompanied by a contemporaneous increase of the mortality by other zymotic diseases. If children are allowed to be killed by small-pox they will not die of other causes. But vaccination does not induce any other zymotic disease ; and had small-pox been allowed to rage to this day it must have increased the general mortality. Take by way of illustration several families of children living in the most favorable conditions, and if you introduce scarlet fever it is probable that one or more of them will die. If left unvaccinated, small-pox will be still more fatal under similar circumstances.

If on the other hand many families are ill fed and scorbutic ; if they are dirty, in single rooms ; crowded in a rookery of London, or a wynd in Glasgow ; exposed to all the zymotic influences ; their protection by quarantine, vaccination, or any other measure, against any one malady, might have little or no effect on the mortality. Should these evil influences grow stronger as the population grows denser, the advantages of vaccination will be countervailed.

Vaccination is now enforced by legal penalties, and is administered by public officers.

And singularly enough a small band of well-meaning men, to the great distraction of the untaught, are agitating for the abolition of the compulsory law, and for the abolition of vaccination² itself, not because, as was once contended, it is sinful to thwart nature's laws, but because vaccination is fatal, is ineffectual, and is the means of propagating odious diseases. A lady of distinction loses her child by erysipelas after vaccination, and the cruel loss leaves indelible impressions on her mind.

A clever barrister, in addition to the usual arguments, tells us the army standard is obliged to be lowered ; millions have been expended on sanitary works, but the mortality among children in St. Pancras workhouse last year reached 215 per 1000 ; " the good has been more than swamped by " the medical curse : " " a clergyman in Suffolk says he knows three ladies

* De la Condamine estimated the recurrent cases of small-pox at 1 in 10,000. Louis XV. of France is said to have died of recurrent small-pox in 1774 at the age of 64, after having undergone that disease casually when he was 14 years of age. After careful inquiry into all the recorded facts, Dr. Gregory was convinced that the king never had had small-pox in early life ; the primary attack was varicella. He contends that similar mistakes occur in other cases. See his excellent lectures on Eruptive Fevers, pp. 73-5.

"syphilised, but does not give their names." Mr. G. S. Gibbs, a zealous anti-vaccinationist writes:—"I was vaccinated in 1829, and caught small-pox in 1850, much to my astonishment; but what was the result? I was ill for many weeks, and for many days recovery was despaired of—the horrible disease [small-pox!] had its full course—so that for myself I have no feeling of gratitude to Jenner." To these sad experiences many more may be added; but there are innumerable examples of happy issues, and millions of all nations have reason to call Jenner blessed. We are bound to take all the facts into account where the nation's health is concerned. And the legislature, while sympathising, as everybody must, with cases of accidental hardship, consults in its acts the public good. The Registrar-General never advocated compulsion; as he believed English parents would in the end, with the progress of education and reason, voluntarily place their offspring under the ægis which the discoveries of medical science have provided against small-pox.

The legislature in its acts, be it remembered, did not compel any parent to be vaccinated himself; it only compels him to afford his helpless child, at the public expense, the best protection available against a dangerous disease. The Roman father had by Roman law the child's life at his disposal; but such power was never claimed by English fathers, and never conferred by English laws. The child belongs to the nation; and the parents are bound to provide for its safety.

The Registrar of births is instructed by the Registrar-General to give the father, mother, or custodian of the child notice to have the child vaccinated by the public vaccinator or some other medical practitioner. The penalty is twenty shillings for neglecting to take the child before he is three months old, unless he is in an unfit state, to be vaccinated, or after vaccination to be inspected.*

ENTHETIC DISEASES. *Syphilis* is so injurious to the human race, that to communicate it is to commit a criminal offence; for the disease infects the blood of one and at times of two generations. Against its spread, the chief reliance must be on the enlightened conscience of individuals, but communities can also by throwing open wards of hospitals to willing patients, withdraw many victims from the field; and to shut up ascertained sources of infection in medical retreats is just, humane, and necessary. If this be done, as medical history saw the rise of the worst forms of this evil, it may hope to record their decline.

The discovery of the western world established a connexion between two populations that had been living apart for an indefinite time, and it might have been inferred *a priori* that in conformity with a hygienic law their specific diseases would be interchanged. This happened on one side without doubt, and on the other probably. Europe gave America its variety of small-pox, which proved destructive alike to the populations of Hispaniola (Hayti), Mexico, and North America. In 1492 Columbus discovered the West Indies, visited St. Salvador, Hayti, and Cuba, full of a gentle, fair, poor, naked population. In April 1493 the great navigator returned to Barcelona, and in June 1494 syphilis was raging in that city.†

* See forms of certificate supplied by Registrar-General. On the general question see the able and exhaustive report of J. Simon, F.R.S., in Papers on Vaccination, 1857, and the articles on Small-pox and Vaccination by Mr. Marson and Dr. Seaton in System of Medicine by Reynolds. See also Curschman's article on Small-pox in Ziemssen's Cyclopædia of the Practice of Medicine. The Vaccination laws are criticised in a letter to Lord Lyttelton by T. Baker of the Inner Temple. Mr. G. S. Gibbs, in his letter to the Registrar General on this question: Does vaccination mitigate small-pox? responds in the negative.

† Cyclo. of Medicine. Edited by Ziemssen. Article Syphilis, by Bäumler, Vol. III. pp. 5-19.

The disease prevailed in its most virulent form all over Europe in 1496; and it justly created universal alarm, as it attacked at the source of life all classes of people, sparing neither crowned heads nor cardinals. The army of Charles VIII. carried the disease back with it after the conquest of Naples; and in France it was named the Neapolitan disease; while other countries out of compliment to that gallant nation christened it *Morbus Gallicus*. Fracastorius called it syphilis in his classical poem.* That the epidemic broke out after 1493 admits of no doubt; but the two forms of enthetic disease had long existed, and were contagious in Europe; they both became very prevalent among the profligate after the Crusades. The old disease probably bore the same relation to epidemic syphilis as summer bears to Asiatic cholera. Sprengel† exaggerates the effects of the Crusades on the morality of the male population, as he certainly exaggerates one of its causes, when he says that "*alors on comptait presque généralement sept femmes contre un seul homme*." His authorities are good for asserting that convents were multiplied; and that the manners of the inmates under the control of the church were by no means unexceptionable. He signalizes the religious order of Fontevraud, the *Filles Dieu*, the secular order of *Femmes ambulantes*, who resorted to cities where fairs, diets, and councils were held, and waited upon the clergy under the name of *belles femmes*. The church or the magistrates had the surveillance also of the numerous houses of ill-fame, which down to the days of Luther were, Sprengel asserts, as numerous as the inns of his day. In Southwark the houses under their lord, anciently eighteen in number, were reduced to twelve in the reign of Henry VII. In Provence women chose their own mistress (abbadesso); in Southwark they had a master who held under the bishop of Winchester. The regulations offer the first recorded traces of an attempt in England to suppress the dread disease, even then, before the Spanish importation, called perilous. W. Beckett, a surgeon, in his paper published in the transactions of the Royal Society,‡ says: "I find that, as early as the year 1162 divers constitutions relating to the lordship of Winchester, being also confirmed by the King, were to be kept for ever, according to the old custom that had been time out of mind." No stewardholder to keep, it was enjoined, any diseased woman. The Title of a Book written on vellum about the year 1430, and preserved in the Court of the Bishop of Winchester, "whose palace was situated on the Bankside near the stews," runs thus:—"The Ordinances, Rules, and Customs as well for the salvation of Man's Life, as for to eschew many Mischiefes and Inconveniences that daily be like there for to fall out * * *." Under the article *De his qui custodiunt mulieres habentes nefandam infirmitatem*, the stewardholders had to pay the lord a fine for each offence of 100 shillings. This was the English Institution. The French system existed in Avignon in 1347; in that city *il etait d'usage de faire visiter les filles tous les samedis par un chirurgien*.†

It is difficult now to understand how the church could be mixed up with such an institution; but in the East as religion made the slaughter of

* Fracastorius, 1483-1553, was named by Paul III. physician to the Council of Trent. He predicted that the plague would speedily attack that city, and to the great satisfaction of the Pontiff, induced the Council to go to Bologna in April 1547. He was one of the first in the school of Latin poets that flourished in the age of Leo X. He describes the reigning disease, and commemorates in a typical case the death of a young man that lived on the Oglio near Lago di Isco. Lib. 1. 382-412.

† Histoire de la Médecine, translated by Jourdan, vol. II. pp. 376-378.

‡ Vols. xxx. and xxxi. Transactions of Royal Society. Beckett, by an error which he shared with Sydenham and John Hunter, assumed that the two forms of enthetic disease were identical. He renders it exceedingly probable that many cases of so called leprosy were syphilitic.

animals sacrifice, it made the services of Venus worship;* and the heads of the Roman Catholic Church, as well versed then in all the turns of human passions as physicians are now—despairing of their extinction, took into its own hands in some places their regulation†. It is important even now to note the essential principles of the church regulation: (1) no single woman had to pay more than 14*d.* a week, or to be kept against her will if *she would leave her sin*. That was her protection: (2) The holder was “not to keep open his doors upon holy days,” nor “to keep any woman that hath the perilous infirmity,” as it was called. That was the protection of the public.

After the Reformation the church ceased to exercise any but moral control over the sinful. The bishops following in the steps of Cranmer married.

Medical statistics showed how largely the efficiency of the army and navy, in peace even, is interfered with by the two forms of enthetic disease. And Parliament established special hospitals and police regulations in garrison and seaport towns under the Contagious Diseases Acts. The Acts of 1866-9 were no sooner in full operation than they were opposed, and in 1870 a Royal Commission was appointed to inquire into their administration and operation. The evidence fills a folio volume, and is full of interest. The evidence before the Lords Committee (1868) is of great value. Dr. Graham Balfour gave in returns to the Commission, showing that the mean strength of the army in the United Kingdom during the ten years 1860-9 was 78,276; that 23,707 men were admitted into hospital annually for enthetic disease; while the constant loss of service was 1531 men, equivalent to two and a half regiments. Of 1000 strong 303 were admitted annually for enthetic disease: 20 were constantly in hospital, the sick in hospital from all causes being 48. The returns of deaths by syphilis [in the army are imperfect, as the slow secondary forms will be carried out by invaliding.

It is probable for various reasons that the civil population may not suffer to the same extent as the young unmarried services; but the registered dead from syphilis during 26 years‡ were 31,860; of whom 22,269 were infants under one year of age; 24,253 were under five years of age, only 95 were 5-15. Men and women of all ages after 15 die in increasing numbers. The average annual number down to 1873 of deaths of children under 15 was 936; of adults 289. The registered deaths increased during the whole period; in the year 1873 the deaths by syphilis were 1843; 1499 at ages under 15, 344 at adult ages. Of the adults 166 were men, 178 women. To the men's deaths, 235 deaths in that year by stricture, generally consequent on gonorrhœa, must be added.

The knowledge of secondary syphilitic diseases is more extended than it was; and more cases are distinguished; still in the present day many diseases with syphilitic taint are returned by medical men under local diseases. Sir William Jenner is of opinion that syphilis stands very high among the most fatal diseases that we have in this country; with this Sir James Paget agrees substantially; “it would be very difficult,” he says, “to overstate the damage that syphilis does to the population.”§

The Royal Commission go explicitly against “periodical examination;” which cannot be sustained over these islands; while they would commit offenders to certified hospitals, and retain them until they had recovered,

* See Herodotus, I., 199.

† Goethe's ballad *Der Gott und die Bajadere* is based on the Hindoo Faith. The Church perhaps felt like the God.

Der Göttliche lächelt; et siehet mit Freuden.
Durch tiefes Verderben ein menschliches Herz.

‡ 1848-73.

§ Evidence before Lords Committee, 1868, Q. 1085 and 2642.

or at least for three months. Under this *modified* form the measure should be extended to London, and to all the great towns; where adequate hospital accommodation is provided by the local authorities. If this be done the plague may not be staid; but it will be reduced within narrow limits. And morality, it may be hoped, will be inculcated by higher agencies than enthetic diseases.

*Æneadum Genetrix, hominum divumque voluptas,
Alma Venus **

herself, who sometimes fled to Paphos, could scarcely take offence if her wounded votaries were withdrawn from conflict; nor could Mavors hardly for his sons ask the State to organize a universal armed surveillance over the women of England.

CHILDBIRTH.—This is a physiological function for which nature has provided; but nature is sometimes at fault, and here obstetric art steps in with all its modern resources to aid nature. The problems are of the highest, and their solution sometimes involves the sacrifice of the child for the salvation of the mother's life. Such cases are rare. The midwife is an old English institution; but hygienic as well as obstetric art has advanced so far that to do her duty, she has to go through a regular course of instruction, to which any ordinary woman is equal; and for this facilities must be offered all over the country. Miss Nightingale's Notes on Lying-in Institutions should be consulted; her sketch of a school for midwives and midwifery nurses is quite practical.

In some parishes the delivery of a woman is a domestic event, and only a neighbour or relative is called in: deaths and injuries are at times the result of mismanagement. But many even among the poor population of villages are attended by medical men; from 30 to 90 per cent. are attended by midwives, often ignorant, often incompetent, and unable to deal with any difficulty.† In Wales, Lancashire, Yorkshire, and the Northern Counties, the mortality in childbirth exceeds the average.

The introduction of the midwife or skilful accoucheur by a sort of antinomy, is attended with dangers to be particularly guarded against; a fever attacks puerperal women, and that fever of a most contagious kind. It spreads from bed to bed in lying-in hospitals. It is conveyed by the nurse, the midwife, the accoucheur in private houses, to other women, and kills them. It adheres to the clothes, and retains its fatal activity for many days. Of this fever 1138 mothers died annually in the 25 years 1848-72. Recently in South London a practitioner, up to the time quite successful, attended 7 women; 5 died between June 10th and 19th. He took every precaution, as he assured me, and went away to a watering place, where he lived for a month in one of the best hotels. After his return, the fifth woman he attended died. Washing in disinfectants, and change of dress are properly practised. But there appears to be no absolute safety except in abstinence for a time from midwifery practice; nor can accoucheurs safely attend patients suffering from erysipelas, or scarlet fever, which communicate puerperal diseases as fatal as the fever.‡

In Wales (1873) to 10,000 births, 21 mothers died of puerperal fever, chiefly from infection; 35 died of the other casualties of childbirth, some of them from bad midwifery; in London the corresponding deaths are 28 and 24, the fever being more, the casualties less prevalent.

LOCAL DISEASES.—The body is a confederation of organs; some of which may be out of order for an indefinite time without causing death. The brain,

* Lucretius.

† Report of Committee of the Obstetrical Society of London, 1870. See Trans., vol. xi.; and Registrar General's 34th Report, pp. 225-229.

‡ Report of a remarkable discussion at the Medico-Chirurgical Society, opened by Mr. Spencer Wells, in Medical Journals, 1875.

senses, heart, lungs, stomach, liver, kidneys, limbs, joints, and skin have all their respective infirmities, which demand special hygienic treatment ; their several dangers emerge at different ages, which are designated in the tables.

Some local diseases are more prevalent than others in particular places, and the present series will enable hygienic inquirers to prosecute the studies opened by Mr. Haviland, and illustrated by an interesting series of coloured maps, showing the relative prevalence of heart disease in every District of England and Wales.

CITIES.—The sites of cities have an important influence on their salubrity. Experience has shown that the best foundations are above the seas and rivers at flood level. They should not be in the midst of marshes. Cities want pure water daily, and ready means of getting rid of fluid and solid refuse. Still they must, nearly all of them, be situated conveniently for commercial or manufacturing purposes, otherwise they could not command the necessities and conveniences of life ; and in such cases should the sites be unfavourable their disadvantages may be lessened if not obviated by art. The metropolis, naturally the home of the intellect, the wealth, and the aristocracy of the Empire, has its temples, palaces, and grand public buildings ; and it has besides, out of regard to its own safety and greatness, houses suitable to the families of workmen. It has hospitals for the sick poor ; homes for the infirm ; refuges for the casually unfortunate ; places of reclusion for the insane. But it requires no harbours for criminals ; no rookeries for the wilfully idle, drunken, and degraded. It does not want them ; they infest its pure population with vermin, and zymotic diseases ; it only accepts as fellow citizens the men who consent to abide by its hygienic laws. The other cities of the Empire have all their distinct functions ; and they are all equally bound to provide for their own salubrity.

If they cannot all be such model cities as Dr. Richardson eloquently sketches in his *Hygiea*, they can in many ways approach its essential outlines.

The value of land increases so rapidly in the midst of flourishing cities that families are, by the rise of ground rents, driven out of old haunts. Railways, coaches, and omnibuses enable many of the middle classes to live in the open suburbs, although rents there are high and food is dear ; but workmen are put to many straits, and their families are crowded in old dilapidated houses. The evil is great, and it seriously affects the public health, as the Royal College of Physicians has pointed out. The recent Act will enable the municipalities of large cities to deal with this evil.* It gives them power to take possession of unhealthy property, and to provide for the erection on it of healthy dwellings. The Shaftesbury Estate, the Peabody Trust, and some of the excellent building corporations will contribute by their energy, intelligence, and enterprise to the success of the national undertaking to provide industrious workmen with decent dwellings at first cost.

If young municipalities at home or in the colonies acquire, as the City and Companies of London did, possession of part of the municipal land, they can, as ground landlords, regulate the kind of buildings most suitable to the wants of the population, and at the same time from the rise of ground rents relieve the rates. Should they, in addition, from the first undertake the supply of gas and of water at the rates now charged in London, no other rates would be needed of any kind for sewers, streets, police, elementary education, or science and art schools. The rising rents and the two rates would provide ample funds for public purposes.

West and north of the City land is increasing every year in value. Much of the ground of the metropolis is in large estates belonging to landlords on

* *Artizans Dwellings*, 38 & 39 Vict. c. 36.

whose enlightened patriotism the country can with confidence count. They have the power of doing more in the way of providing healthy dwellings for artisans and men of small means than many municipalities.

In laying out new streets, as well as in opening up old blocks of houses, the importance of depressing density of population within definite limits must be kept constantly in view. The mechanical difficulties of supplying pure air grow insuperable in crowded courts, cellars, and houses. Ornamental parks, planted squares, open playgrounds, and wide streets to catch the sunlight, or to carry the breezes into every quarter, will conduce to the health as well as the beauty of the town. The grand architectural effects of the narrow lofty streets of the Continent are not to be desired; they will be dearly purchased by an unhealthy population.

THE DEAD.—*Embalming, cremation, inhumation; vaults, churchyards, cemeteries, urns.*—Embalming seeks to meet the fond wishes of men who have lost any beloved object; but the attempts to preserve the body perennially after life has fled have hitherto proved failures. Nature forbids it. The mummy of an Egyptian king is a sorry spectacle. Morini's petrified bodies are not pleasant to look at. Cremation has recently been proposed in Italy by Brunetti of Padua, and in England by Sir Henry Thompson, who describes its advantages.* In the case of deaths by plague, small-pox, typhus, scarlet fever, and other zymoses, cremation, no doubt, destroys for ever the germs of disease, and restores the organic elements to the atmosphere. Flame is the last visible state; the ashes are collected in the funeral urn. Burning the body was once common among the Aryan nations. Germans, Tacitus says, burnt their dead,† as the Hindoos do; and the Greek and Roman funerals by fire figure in the poems of Homer and Virgil, who describe them in grand epic pictures. Sylla was burnt, so was Julius Cæsar. Modern science offers methods quite unknown to the ancients for converting the elements of the body, not quite into carbonic acid, water, ammonia (Sir Henry Thompson's, CO₂; HO; NH₃), and white ashes, but into simple elements or inorganic compounds. Sir Henry saw two bodies reduced in a reverberating furnace to pure ashes; one of 47 lbs. weight in twenty-five, another of 140 lbs. weight in fifty minutes. There was no trace of odour. The Siemens' furnace produced a still more rapid reduction. A body of 227 lbs. weight placed in a smooth, almost polished cylinder, heated to upwards of 1100° centigrade, was reduced to invisible gases and 5 lbs. of ashes in fifty-five minutes. Sir Henry had his plan before him, and shows incidentally that cremation, instead of adding to, might diminish by something like a million sterling the annual loss by earth-burial in London alone. It is not necessary to verify his calculations. There is certainly economy in time and land; but the Romans showed how costly cremation might be made. Nero, it was said, spent as much incense on the funeral of Poppæa as Arabia produced in a year.‡ The ultimate result in the cemetery and the crematory is the same: the body is converted into what may be assumed to be the same elements; in the one case by slow decay and filtration through air, earth, and water in 5, 10, or 100 years; in the other in 60 minutes through flame. Religious rites are provided for in the outlines Sir Henry Thompson sketches. But the outlines have to be filled up by the skilful to satisfy the mind. What the plan presumes is, that the body is taken to the Hall of Cremation; that after religious services, either at the house or the church, or the chapel, or the Hall itself, the light car bears it gently away from sight by silent mechanism, in costumes suitable to the child, the woman, the man, and to the taste

* Contemporary Review, 1874, for January, February, March.

† Tacitus, *Germania*, 27. Sir Thomas Brown's *Hydrotaphia*—Urn Burial—in his works.
‡ Pliny, 12; 41.

of the time and the country. In the Italian manner—the best—the maiden's body in white robes, and strewn with fresh flowers, passes off under a veil, or through a cloud of incense amidst music—not into the grave—not to the vault, “to whose foul mouth no healthsome air breathes in,” but through the flames—direct into the Heavens. Two adjuncts to the Hall of Cremation would be of striking advantage. Where it was desired, the body, on its way from the last view of friends, might be passed into a chamber to skilful experts, who could ascertain whether life might by any means be resuscitated; and then, at the wish of the friends, the parts might be inspected without danger to the medical attendant, and with every microscopical and chemical appliance handy. The body could here also, at the instance of a magistrate, be examined by a practised medical jurist. With a preliminary visit to the body, and an official certificate from the appointed medical health officer where no certificate had been given by a medical attendant, secret poisoning would become much more difficult and rarer than it is now with the power of disinterring the dead.

Mr. Holland, Medical Inspector of Burials, who has had great official experience in graveyards, combats Sir Henry Thompson's doctrines in an able article,* and elicits a keen reply. Mr. Holland reminds his readers that cemeteries exist; and contends that the “real danger from a well-situated and well-managed cemetery, large in proportion to the number of its burials, is not greater than from a well-managed railway.” Burial of the dead has more powerful advocates than Mr. Holland;—Centuries of European usage, Custom, and Fashion. In Greece and Rome, slaves and the mass of the people were buried, the bulk of them in pits. Cremation was reserved for the great even among the Germans.† In India, cremation is not the prevailing practice.‡

The English churchyard in the country seems a natural resting-place for the population of all ranks; and in past ages, when interments were rare and graves were not reopened, could have had no sensibly bad effect on health. Green hillocks covered the remains of the labourer and the artisan, marble monuments the rich; the young, the beautiful, the old lay buried in one common earth. That pilgrims should wend to the tombs of Shakespeare in Stratford-on-Avon, Bacon in St. Albans, Byron in Hucknall, Burns in Dumfries, Wordsworth in Grasmere, is as natural as that they should visit the monuments of kings in Westminster Abbey, and of warriors in St. Paul's. Gray threw a halo of poetry over the English churchyard. But on visiting churchyards now in populous villages their charm is found to be fast vanishing; the graves are thick, are often reopened; the stones are ugly and sinking. Nothing can look more sad and desolate in the rain than these dank plots. In such churchyards no Dissenter could desire to rest.

Mr. Walker, Mr. Chadwick, and a Royal Commission, recently drew terrible pictures of the vaults and churchyards of London. The consecrated earth had lost its sanctity in putrid odours. Burial was forbidden in churchyards as a rule; and some of them are now sweet flower-gardens. Cemeteries surround London. Yet even there they are no longer safe, and are every year assuming alarming proportions; they not only pollute the waters, but exhale noxious vapours from the graves.

* Contemporary Review, February 1874.

† Germania, 27. Funerum nulla ambitio: id solum observatur, ut corpora *clarorum virorum* certis lignis cremantur. Struem rogi nec vestibus nec odoribus cumulant: sua cuique arma, quorundam igni et equus adjicitur. Sepulcrum cespes erigit.

‡ In the city of Bombay, 11,591 bodies were buried, 4,143 burnt, and 980 were exposed to the birds in the year 1871.—Report on Sanitary Improvements in India, 1873, page 200.

Mr. Seymour Haden, in three able letters to the *Times*,* has enumerated the defects of the present system of inhumation, and has suggested many manifest improvements, some of which, when the question is understood, will probably be adopted. The body is now kept in the house until putrefaction begins, accelerated by the influence of restless ferments and insects in the air; it is then "screwed up" in a coffin, where its corruption goes on for an indefinite time; and the coffin is buried sometimes in wet clay and sometimes over other coffins in graves opened at intervals under the faces of mourners, standing bare-headed both in the chill colds of winter and in the heats of summer. Thus, if the fatal disease is infectious, the source of infection is retained where it can do harm; in the Irish wake this is especially seen; the mourning coaches are mayhap infected indirectly; the gathering round the grave or vault is perilous in one way to the young, in another to the old; and the products of disease, or the decaying substances of the tissues of the body, find their way, in the end, into the wells, the sewers, the air of populous cities. Passing through loose earth the organic molecules are generally oxidised, but not always. It is not certain that the germs of disease are easily destructible by the re-agents of the earth; but in the ordinary course of things the whole of the body is gradually transmuted. Some of the corporal elements remain as mould, some are dissolved in water, and the rest, by a roundabout way, lose themselves in the atmosphere.

Mr. Haden describes what he saw in 1868 in the burial ground of St. Andrew, Holborn, before its contents had been removed to Ilford to make way for the new viaduct. The bodies buried in the plague-pit, without coffins, had disappeared; those in broken coffins were reduced to "a little ordinary earth, corresponding chiefly to the extraneous matters which had accompanied the interment, and occasionally, not always, a few bones. Nothing more. The body itself had disappeared."† It is not necessary to pursue his description of the ghastly contents, either of intact coffins, lead or wood, in the earth, or in graves lined with brick. The fact to note is, that in contact with the earth the body disappears, Mr. Haden says, in five or at most six years, the time varying necessarily in clay, chalk, and sand. Not to imprison the human elements in "cold obstruction," he suggests the use of a coffin (which he reminds us is from the Greek *κόφινος*, properly translated a twig-basket, or pannier) "of some light permeable material, such as wicker or lattice-work, open at the top, and filled in with any fragrant herbaceous matters that happened to be most readily obtainable. A layer of ferns or mosses for a bed, a bundle of sweet herbs for a pillow, and as much as it would still contain after the body had been gently laid in it of any aromatic or flowering plant for a coverlet—such a covering, in short, as, while it protected the body from the immediate pressure of the earth as effectually as the stoutest oak, would yet not prevent its resolution." He simplifies the preparations for the funeral so as to occupy, soothe, not harass the family; and conveys the body to the cemetery by railway or river forty hours after death to rest ten years in undisturbed dissolution. The mode of burial is worked out in some detail. The number of bodies to be buried annually in Greater London is 90,000, and the number is increasing; so that looking at the state of the existing cemeteries and their exhalations, new cemeteries will be required. Mr. Haden in the lowlands of Essex and Kent sees good sites; "the broad and silent river" to be "our Appian way." If the

* Published separately, by Macmillan, 1875.

† *Earth to Earth*; a plea for a change of system in our burial of the dead; by F. S. Haden, F.R.C.S. See also the works and papers of Mr. Walker, Dr. Waller Lewis, Mr. Chadwick, and a good summary of the researches of Orfila and other French writers in the Dictionary of Hygiene by Tardieu.

English people believed that the soul could not enter paradise until the body was interred they would wish, with Patroclus, for quick burial :

" Hasten my funeral rites, that I may pass
" Through Hades' gates."*

As that is not their belief they have fallen into the habit of retaining the body for various reasons; and this habit is an obstacle at the outset to the new system. It may in time be overcome, as it is already on the continent, in these islands; when friends see that by laying the lifeless corpse in a fresh grave a few hours after death, they often save it from putrefaction; porous earth, *eremacausis*—dry decay—usually converting it slowly into its elements. Against the dread of being buried alive—if buried early—the most timid will be fortified by the assurance of physicians and surgeons so eminent as Burrows, Fergusson, Gull, Jenner, Paget, and Watson, "that the signs of death are as certain after a few hours' suspension of the vital functions as they can be after many days." It would, they add, be a matter of regret if "groundless fears * * * should hinder, for a moment, the adoption of an improvement in our social system, the importance of which cannot be overrated."†

Mr. Haden believes that a thousand acres of land will afford decorous burial to a hundred thousand bodies of all ages every year for ever on the plan he has sketched, the bodies being all dissolved in less time than ten years † after interment in single graves on which the earth covered with fragrant herbs and flowering shrubs presses lightly. This involves necessarily the absence of tombstones over the body for any longer term than ten years, and it is not, therefore, in accordance with existing usage. The grave will not be the monument; which may be lodged in the cemetery or elsewhere; in the church, or in the sacred precincts of any parish, county, or metropolitan *Santa Croce*. This question of no small delicacy is discussed in its various bearings by Goethe, in one of his philosophical romances,‡ where a leading character places the grave-stones along the church, levels the hillocks, and sows the ground with fragrant clovers.

It is worthy of remark that when gravestones originated there was no national registration: and that in the present day, while portraits of great artistic merit can be commanded by the rich, and photography preserves the features of the poor as they lived, the name, age, place, and date of the death of every Englishman are recorded in registers, to be preserved in perpetuity.

Dr. Parkes, the author of the best work on Hygiene in any language, points out all the difficulties of burial in populous cities, and dwells on the dangers of overcharged churchyards and urban cemeteries. He admits the advantages of cremation, but suggests that maritime nations might find it at some time preferable to bury man in the ocean; to let the—

hammock-shroud

Drop in his wide and wandering grave.

This form of burial is already in use. The sea is the too frequent grave of our gallant seamen, of sailors in the merchant service, and of hapless emigrants.

Sir Henry Thompson and Mr. Haden contend that their several systems have great advantages on the side of economy as well as safety. Funerals now cost in the United Kingdom seven or eight millions a year, and while

* Derby. "gloomy" is omitted before "gates" as it is not in the original:

Θάπτε με ὅττι τάχιστα, πόδας Ἀΐδαο πέρησω.

Iliad, xxiii., 71.

† Earth to Earth, pp. 43-4.

‡ Some of the ancients professed to know a stone that consumed the body ("exceptis dentibus") in forty days,—hence the name, sarcophagus (flesh-eater).—Pliny, Nat. Hist., 36; 27. Orfila, an eminent chemist, conducted a series of researches on the decay of bodies in different kinds of earth. He sets down two or three years as an average term.

§ *Elective Affinities*.—*Die Wahlverwandschaften*. Part 2., cap. 1.

much may possibly be saved on either plan in ceremonial and in coffins, it is not likely that the expenditure on monumental art will be reduced in the present age by affluent families. It is, however, to be regretted that persons of narrow means are induced by custom to incur great expense even at a moment when the chief source of income is dried up. Goethe profoundly remarks, that portraits of the dead are their best memorials: and that *they* at times regard us almost reproachfully, as they remind us how much we failed to do for the absent and lost when present and living. Nations as well as families too often dishonour the living and glorify the dead: so anything that detaches from the grave and lifts them above it is laudable. The good men do is their eternal monument: and its survival their highest reward. Service to the living is true devotion to the dead. Diminution of the cost of funerals by new methods can but be a national gain.

To another kind of economy importance is attached by the advocates of cremation. The body, say they, is required; it cannot be spared for an indefinite time. Nature "destines the material elements of my body," an eloquent writer exclaims, "to enter the vegetable world on purpose to supply another animal organism which takes my place. She wants me, and I *must* go. * * * Shall her riches be hid in earth to corrupt, and bear no present fruit; or be utilised without loss of time, value, and interest, for the benefit of starving survivors?"

Now Nature is not quite in such need. The average weight of the body is set down by Sir Henry Thompson at 72 lbs., and taking the population of the world at 1200 millions, and the annual deaths at 40 millions, the yearly amount to be given up by cremation to the earth is 45,893 tons; to the air 1,239,821 tons; to the earth and air 1,285,714 tons.* But this last sum is but a very small fraction of the atmosphere, whose weight, reckoned at 15 lbs. on the square inch, is on a square mile at the sea level 26,882,743 tons: and the superficies of the earth being 196,862,256 square miles, it follows that the weight of the atmosphere is 5,292,197,434 millions of tons: of which 2,116,879 millions of tons consist of carbonic acid. The law of the diffusion of gases is such that every gas is diffused as if no other gas existed; the other gases only retarding the diffusion; so that carbonic acid given off pure from a funeral pyre at any point of the earth flies away in every direction; and equilibrium is so strictly preserved that at nearly every point the proportion carbonic acid bears to the oxygen and nitrogen in the atmosphere is the same, although living as well as dead animals and fires are discharging, and vegetables are absorbing it continually. The carbonic acid, ammonia, and aqueous vapor once thrown by cremation into the atmospheric ocean 50 miles deep, covering the 196,862,256 square miles of the earth's surface† has little chance of ever constituting again any integral part of any Englishman living in these islands. Nor would the mass of oxygen, nitrogen, hydrogen, or carbonic acid supplying the animal kingdom be sensibly reduced if the animals and men in the world were all, as in Egypt, embalmed for a thousand years. The economy of gases is of little weight. The scantier phosphates of bone and brain are retained by both the rival methods; but more organic matter is left in the ground by perfect inhumation than can ever be returned to it after perfect cremation. Inhumation saves up soil.

In comparing the two methods, their cost in ceremonial and monuments may be set down as equal; it may be either great or small; but the indispensable outlay in inhumation and cremation will differ to an extent that experience alone can determine. On the side of the Public Health cremation has the best of it: it destroys the germs of zymotic

* Sir Henry Thompson makes the mean weight of the ashes 2.57 lbs., of the whole body, 72 lbs. Mr. W. Eassie, C.E., in his "Cremation of the Dead," p. 114, says the quantity of the ashes left from a body of average weight is accurately given by Sir Henry Thompson. The ashes of a lady, aged 26, weighed 3.75 lbs.

† Barlow, as deduced from Laplace.

diseases, of offence, and of corruption at once. It is especially suitable to the dead by epidemical diseases. The present abuses of a barbarous burial system must cease. But there is no reason why a well-devised inhumation and perfected cremation should not go on side by side; the one or the other being adopted so as to meet the exigency of each case, creed, place, and climate. Habits change slowly, and if trials are made experience will decide. Neither of the systems when once in use will excite in common minds more repugnance, than nature, desiring her creatures to love life, has thrown over the contemplation of dissolution. Some will prefer a house of rest in the earth; others a home in the sky. It is easily conceivable that a woman of refined mind might choose cremation to escape what she dreads of worms, mould, *eremacausis*, putrefaction, or any kind of profanation.

The question of interment is as the population increases becoming every day more urgent; it is not a mere question of sectarian grievance: it is a prime question of public health. Churchyards infect cities. Burial must be shorn of its dangers. It is vain to attempt to throw all the blame of existing abuses on undertakers. Their occupation is not attractive; it is unhealthy. They do very fairly what they are required to do by families who are swayed by fashion. Nor is it in England a matter of great reproach against the proprietors of cemeteries that they are "trading companies;" that is, companies which advance capital, and offer to perform certain services on certain terms. What would the state of London be without its fourteen cemeteries,* some of which are now full?

The day will probably soon come when the several municipalities and sanitary authorities may, after due inquiry, and on equitable terms, relieve the cemeteries and yards of their office; and lay down such wise regulations as may secure the decorous, safe inhumation, or cremation of the seven hundred thousand bodies that fall victims to death annually in the United Kingdom.

HEALTH INSURANCE.—Sickness is not easily defined. It varies very much in degree; but for practical purposes the line is drawn by Friendly Societies, police, army, navy, and by patients in civil life with sufficient accuracy. Such sickness as confines a member to bed, called *bedfast* sickness, or at home from work, a policeman from duty, a soldier or sailor to hospital, figures as sickness in the respective returns. Enthetic disease is not recognised by the Friendly Societies or the police; but it swells the sickness of the army and navy returns. In civil life men work and take physic when their ailments are slight, whereas in the public service they are sent to hospital. Women oftener return themselves sick than men. The sickness of very young and very old people has not been accurately determined.

But it has been found by experience that in England to *one annual death* in a body of men *two* are on an average constantly suffering from sickness of some severity. There are *two years* of severe sickness on an average to *one death*. In the police and in some Friendly Societies the constantly sick to one annual death are 2·8; in the army (1873) at home 4·2; enthetic disease will account for the difference.

As there are now 700,000 annual deaths in the United Kingdom it may be inferred that there are 1,400,000 constant sufferers from severe sickness; and 2,000,000 sufferers from such sickness as requires medical relief, or throws the members of Friendly Societies on their funds. That would give 100 patients each to 14,000 hospitals and 6,000 dispensaries. The sickness is of every shade from the darkest mortal ailments to the lighter pains and muscular weaknesses, and is so related to the mortality that the deaths and sickness within certain limits rise and fall together; thus, if the constantly

* There are also twenty-one grounds under Burial Boards; twelve with eight of the cemeteries are within, nine with six cemeteries are outside Registration London; and in London itself a few churchyards are still in use.

sick in the population could be reduced from 1,400,000 to 1,350,000, the deaths could be reduced from 700,000 to 650,000; or the annual mortality would be reduced to the desired rate of 17 in 1000. The diminution of human suffering keeps pace with the diminution of the death-rate; so do the inefficiencies of the working population and the claims on the funds of Friendly Societies.

Sickness occurs irregularly through a man's life in attacks as they are called; still under such a law that there is an average amount of sick-time to every death; men are also subject to an average number of attacks during their lifetime under the same sanitary conditions; the liability of adults to attacks of one kind or other being the same at different ages, but the fatality and the duration of the illnesses from those attacks rising with the advance of age according to the same laws.*

It is evident that these Societies are most useful adjuncts in sustaining health; when the head of the family is disabled they supply him with medical attendance and a sum sufficient to meet his most urgent wants. And as there is a law of average sickness while every man's life or health is uncertain, they are indeed *Friendly Societies*, and with good management and proper Tables will confer all the benefits they promise. The ordinary premiums are often inadequate to provide sick-pay—that is really annuities—after the age of 65†; and the societies do not profess to support the members through chronic diseases of more than 12 or 18 months duration. Here the aid of the fortunate steps in to help the artisan and labourer in misfortune. Under the English Poor Law the sick man in need is provided with medical relief and sustenance; every man's life is insured against death by starvation, provided that, if able, he is willing to work. The Societies may properly be strengthened by honorary members.

Unhappily no community can, in our present state, undertake to supply all its members with all they want; and if we express in money the price of drink, food, heat, physic, clothing, lodging, cleansing including sewerage required for the enjoyment of the longest mean lifetime (L) we shall have this equation, putting I for income:

$$\frac{I}{d + f + h + p + c + l + s} = xL$$

where x is a fraction approaching unity as the full cost of the commodities of life approaches the income. Galen justly remarks that there is one hygiene for those who can command all the necessaries of life, another for those whose means are limited. To decide on the comfort to be sacrificed with least loss by the poor is an important life problem for the hygienic student.

The deaths in England in the year 1871 were 514,879; implying 1,029,758 persons constantly sick from diseases of some severity; that is equal to a number sufficient to fill 10,298 hospitals, each containing 100 beds always occupied. And it may be assumed that the numbers are sustained by an annual influx of 12,357,096 patients, ill a month on an average, of whom 11,842,217 recover, 514,879 die.

46,556 persons died in the year in public institutions—in hospitals 13,706, lunatic asylums 4097, workhouses 28,753; and 468,323 died in their own homes or elsewhere. Whether the patient in hospital or home shall recover or die often depends upon the medical attendant.

Under the new and judicious Friendly Societies Act the sickness and mortality returns will no doubt be so organised as to throw much light on the health of different professions as well as on the finance of sickness insurance.‡

* Statistics of British Empire, Vol. II., Article "Vital Statistics," pp. 570-96.

† See Appendix to Registrar General's 12th Report.

‡ *Friendly Societies Act*, 38th & 39th Vict. ch. 60., A.D. 1875.

MEDICINE.—Descartes in his great discourse on the method of scientific discovery refers to medicine in a passage from which this is an extract.

* * * "mais principalement aussi pour la conservation de la santé, laquelle est sans doute le premier bien et le fondement de tous les autres biens de cette vie; car même l'esprit dépend si fort du tempérament et de la disposition des organes du corps, que, s'il est possible de trouver quelque moyen qui rende communément les hommes plus sages et plus habiles qu'ils n'ont été jusques ici, je crois que c'est dans la MEDECINE qu'on doit le chercher. * * * Je m'assure qu'il n'y a personne, même de ceux qui en font profession, qui n'avoue que tout ce qu'on y sait n'est presque rien à comparaison de ce qui reste à y savoir."*

Medicine had great attractions for Bacon, Descartes, Locke, and the great thinkers of the seventeenth century. Its object is to save mankind from the chief evils of life, and to develop the highest faculties of human nature. Nothing stands between it and the truth. It is free to avail itself of the light of every new science; it is not fettered by authority or precedents; it deals with positive facts and laws deducible from facts. Descartes was therefore justified in expecting more good from medicine than from jurisprudence or even theology. And although it is true that medicine has made incalculable progress since Linacre translated Galen's Hygienic Treatise, Harvey discovered the circulation of the blood, Sydenham taught the analysis of disease, and Hunter extended the sphere of physiology over the whole kingdom of nature, it is as true now as when Descartes wrote that what is known in medicine is little in comparison with what remains to be known; and it may be added that what it has done is little in comparison with what it can yet do. In his view medicine comprehends a knowledge of the forces and actions of the bodies that environ us, to be employed as artisans employ their materials, to make men the masters of nature; so that as this knowledge and a knowledge of their causes are acquired medicine might exempt us from an infinity of diseases both of body and mind.

The important influence of medicine on the health of the community is evident from the fact that medical practitioners are consulted in all stages of millions of cases of sickness occurring annually; and that their art is specially devoted to the cure of disease. The public for the greater part consult them and pay them fees in illness, as they consult and pay lawyers in legal difficulties. The clergy are paid on a different plan. So are the physicians and surgeons of the army and navy; who have thus not only attended the sick, but have been consulted on the maintenance of health; and have hence had opportunities of studying professionally hygienic medicine. The salutary effects of such an organisation are seen in the works of Pringle, Jackson, Monro, Blane, Lind, and Parkes. The army and navy medical statistical reports, due to it, are of the first order of importance.

In the years 1829-1830 civil hygiene was at the lowest ebb in England. In the University of Paris, then one of the first medical schools in Europe, the course of hygiene by Andral was attended by more than a thousand students; the lectures in all branches of medicine being open and free to the students of the University, but not compulsory. Villermé, a conscientious and original inquirer, Guerry, and others, founded the *Annales d'Hygiène*. In England hygiene was not taught at a single school. But students to get diplomas were bound to attend other courses and to "walk the hospitals." Hygienic students received no recognition; and if they had, would never have obtained any remuneration for their services, as the public from time immemorial had been in the habit of only paying fees when they were suffering from disease or menaced by death. Apothecaries were paid for their drugs. No town had a medical

* *Discours de la Méthode. Sixième Partie.*

Health officer. The City of London, generally so well provided with a staff of officers, had to be reminded of its deficiency in 1847 by the Registrar-General* before it appointed Mr. Simon.

The first eruption of Asiatic cholera in the years 1831-2 awoke the country to its hygienic deficiencies ; 30,924 deaths by that disease in the principal towns were reported to the Board of Health, and were tabulated by Sir David Barry.† Inquiries by Royal Commissions and by Boards of Health were instituted ; a staff of medical officers was appointed under the new Poor Law ; the Registration Act passed in 1836, and since July 1st, 1837 the causes of death have been published annually, quarterly, or weekly by the Registrar General. The medical colleges and the medical profession gave invaluable aid in supplying medical certificates. Successive Boards of Health were called into existence. And under the recent Sanitary Acts a staff of medical Health officers is created in 1558 jurisdictions, either urban or rural ; a certain number of them more or less under the control of the Local Government Board. The medical officer of the Board, Mr. Simon, and his colleagues have published a series of Reports which will bear comparison with those of any other country.

The Reports of the existing medical officers are of great practical value ; and will become more valuable every day. What is wanted is a staff officer in every county or great city, with clerks to enable him to analyse and publish the results of weekly returns of sickness to be procured from every district ; distinguishing as the army returns do,‡ the new cases, the recoveries, the deaths, reported weekly, and the remaining in the several hospitals, dispensaries, and workhouses : these compiled on a uniform plan when consolidated in the Metropolis would be of national concern. It has been suggested that the returns of sickness should, to save time, be sent to London and there analysed on a uniform system, as the causes of death are. That with the present postal arrangements is quite practicable.

The thing to aim at ultimately is a Return of the cases of sickness in the civil population as complete as is now procured from the army in England. It will be an invaluable contribution to therapeutics as well as to hygiene ; for it will enable the therapist to determine the *duration* and the *fatality* of all forms of disease under the several existing systems of treatment in the various sanitary and social conditions of the people. Illusions will be dispelled ; quackery as completely as astrology suppressed ; a science of therapeutics created ; suffering diminished ; life shielded from many dangers. The national returns of cases, and of causes of death will be an arsenal which the genius of English Healers cannot fail to turn to account.

Therapeutics relies on the diagnosis of disease surgical or medical. And the returns of the causes of death show that diagnosis, though still imperfect, has within 35 years made remarkable progress not only among the foremost physicians and surgeons of the day, but among the body of medical practitioners all over the kingdom who give certificates. Typhus, enteric and relapsing fevers, as well as the diseases of internal organs are discriminated, and not masked under symptoms. There is still room for improvement ; and hope of rapid progress ; for discoveries in the art of healing disease, rapidly reach the extremities of the land through the medical journals, lectures and well written treatises.

If the county and municipal authorities pay such salaries as will command the services of the ablest men in the profession, the expenditure will be amply repaid by the results. For when there is a demand, hygiene will be taught as efficiently as surgery in the schools ; and state medicine will be a branch of medical examination in the universities and colleges.

* See 10th Report, pp. ix-xvii.

† Report on Mortality of Cholera to Registrar General, 1848-9.

‡ See Report on Army Medical Statistics by Lord Herbert, Sir Alexander Tulloch, and Dr. Farr. *Parliamentary Paper*, No. 366, 1861.

With the divisions now existing, it is natural to expect that state medicine—public hygiene—will be advantageously cultivated by men who devote their whole time to its practice.

But there is a private hygiene, a hygiene peculiar to every profession, and to every individual; a hygiene applicable to families, to children, to old men, to women, to men suffering from heart and other organic diseases; to patients attacked by zymotic or acute local diseases. And this hygiene falls entirely within the province of private practice. It is not the least useful part of medical art, and deserves distinct recognition.

It receives recognition in the case of princes. The "King's physician" is an old English institution; he discharged his duties for a salary, wine, and other emoluments.* The series of court physicians contains the names of some eminent men who successfully cultivated hygiene; among them Sir James Clark in recent times deserves especial mention. Ramazzini discusses the duties of the court physician in his elegant treatise—*De Principum valetudine tuenda*. He notes the importance of the health of princes; lays down the qualification and the duties of the physician; insists on his studying the effects of the meteorological elements; spares no admonition; tells the prince that good living and good health seldom go together; and shows how food and drinks, varying with the seasons, tested by experience, should be adapted to every idiosyncrasy. Successive chapters follow under such heads as: What princes should avoid; exercise, hunting, riding, indispensable to princes; moderation in pleasure enjoined; sleep and wakefulness regulated; the secretions watched; nothing is more pernicious to princes than anxiety, and violent passions in which medicine cannot avail much; literary work not recommended to princes; regimen of health in old age; obesity in a prince not only insalubrious but indecorous; gout, stone, and coecal colic to be specially guarded against: the regimen of the prince in camp and in campaigns is the subject of the fourteenth and concluding chapter.

This brief summary is sufficient to show how extensive and useful the duties of a judicious and accomplished court physician might be; and how absurd it would have been to make his pay depend upon the prince's illness. But the same regimen that suits a prince suits a nobleman, suits a knight, suits a merchant, a lawyer, a literary man, who would derive much more benefit from a physician specially engaged as adviser of the family for an annual stipend than from a medical attendant merely resorted to in illness. Service would be greater, pay higher—easier. Consulting practice would remain as it is.

It is already the custom of the proprietors of mines and of other great works to engage medical men to attend their workpeople by the year. This practice is laudable and deserves extension. The Friendly Societies contract for medical attendance, the only fault being that the terms are too low to insure the utmost efficiency. In all such cases the medical attendant should be requested to advise his constituents against any bad habits prejudicial to health.

The people in this country probably get a better supply of medical attendance than the people of any other country. But it is still imperfect. Some die in illnesses without medical aid. And in parts of the country even medical certificates of the cause of death are not given in all cases because the deceased has been seen in his last sickness by no qualified medical practitioner. The Poor Law provides medical relief for paupers. But the classes above them trust to quacks; or do not call in aid for fear of medical bills at a time when the head of the family may be earning nothing; this difficulty would be best met by clubs, or by their paying their medical attendant a certain sum quarterly. In the army there is *one* surgeon to

* History of the Medical Profession and its influence on Public Health in England. *Medical Annual*, 1839.

every 202 men ; in the general population *one* medical practitioner only to every 1276 men, women, and children living.*

Soldiers require more surgeons than civilians ; but the latter have evidently an insufficient medical staff. The addition of Health officers to its numbers is therefore on every ground desirable.

Hygiene as at present taught requires extension, which it can only obtain when its professors are entirely devoted to its practice and study. The new biology will open fresh fields of research and shed on them brighter lights.

The health of an existing generation may no doubt be raised to a high standard by a hygienic regimen, complete as Roger Bacon insists, from infancy.† But a higher hygiene goes further back guided by physiology : it seeks to influence the child unborn in its aquatic life by placing the mother in favourable conditions ; and not resting there, it extends its view to the life of both parents, and to the foundation itself of families—Marriage. Hygiene has something to say to that besides proscribing close consanguinity. Civilisation is to man what domestication is to the inferior animals ; and history and analogy justify us in believing that the highest race admits of development by some of the means that have been found efficacious in the lowest, and by others that scientific biology can invent. The hygienic problem is how to free the English people from hereditary disease ; hereditary consumption, cancer, syphilis, gout ; hereditary insanity, hereditary vagrancy, hereditary criminality : and to develop in the mass the athletic, intellectual, æsthetic, moral, and religious qualities which have already distinguished some of the breed. There is a Divine Image in the future to which the nation must aspire. The first step towards it is to improve the health of the present generation ; and improvement if as persistently pursued, as it is in the cultivation of inferior species,‡ will be felt by their children, and their children's children. A slight development for the better, in each generation implies progress in a geometrical progression ; which yields results in an indefinite time, that if suddenly manifested would appear miraculous.

The vast tabular work that follows, condensed from ten times the number of tables, of five times the size, has been carefully compiled by the Statistical Department. I have to thank Mr. F. J. Williams for his ever ready assistance. I beg to bring under your special notice the valuable work Mr. Lewis did in preparing the Tables, pp. clxxxvii–ccxii, for the press before he was made an inspector. Mr. Mundy has very carefully revised the figures in this letter, and calculated many of the Tables. Mr. G. Rendle, M.R.C.S., by his medical knowledge, and by his great accuracy, has rendered me valuable aid.

I have the honour to be,

Sir,

Your very obedient servant,

WILLIAM FARR.

To

The Registrar General.

* The Army List of 1875 contains—exclusive of medical officers on half pay—the names of 1 director general, 11 surgeons general, 33 deputy surgeons general, 447 surgeons major, and 442 surgeons (including 3 apothecaries), in all 934 medical officers ; the strength of the army officers and men at home and abroad was 188,379 in 1873.

† At the Census of 1871 the physicians and surgeons enumerated were 14,684, assistants and medical students over 20 years of age 3116, making in the aggregate 17,800 ; the population enumerated was 22,712,266. The proportion of medical men to population has declined since 1851, when it was 9·7 per 10,000 living, to 8·3 in 1861, and to 7·8 in 1871. In the Army the proportion of medical men is 49 to 10,000.

‡ See note on page v.

§ For a philosophical review of all that has been done by the domestication of Animals and Plants, see Mr. Darwin's work on that subject—perhaps his greatest.

PRELIMINARY TABLES.

TABLE 1.—Mean Population, 1861-71, and Deaths

CAUSES OF DEATH.	ALL AGES.	AGES OF PERSONS.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	
Mean Population, 1861-71 - - -	21,389,245	640,306	568,516	575,071	556,306	545,830	2,886,029	2,525,206	2.3
TOTAL DEATHS -	4,794,500	1,155,182	405,586	195,972	125,678	88,882	1,971,300	200,820	10
1. Small-pox - -	34786	8229	8598	2923	2373	1758	18881	3655	
2. Measles - -	94099	17526	35490	18608	9626	5286	86536	6115	
3. Scarlatina - -	207867	12973	29404	33971	81639	25475	133462	55095	1
4. Diphtheria - -	39454	3720	5166	4615	4629	4020	22150	9925	
5. Whooping-cough -	112800	46454	84520	15709	7909	4084	108676	3842	
6. Typhus - - -	189285	5252	7619	8449	7716	6986	36022	23323	1
7. Diarrhoea and Dysentery - - -	207256	122026	33071	6647	2304	1244	165292	2195	
8. Cholera - - -	22945	3764	1593	883	619	573	7432	1848	
9. Other Zymotic Dis.	110310	15340	14689	12077	9550	6424	58080	9145	
10. Cancer - - -	82820	37	49	84	120	87	377	190	
11. Scrofula and Tabes -	93529	34201	19081	7054	3100	1995	65431	6169	
12. Phthisis - - -	529425	10271	8416	4407	2633	2219	27946	11461	1
13. Hydrocephalus -	74152	27147	19905	8537	4872	3416	63877	7346	
14. Diseases of Brain -	595747	222843	38309	16333	9425	6086	292996	14353	
15. Diseases of Heart, and Dropsy -	288447	4699	2201	1496	1231	1164	10791	5591	
16. Diseases of Lungs -	719601	175335	86570	32083	15741	9030	318759	13925	
17. Diseases of Stomach and Liver -	209744	24565	4324	2366	1578	1383	34216	4987	
18. Diseases of Kidneys	63754	556	634	579	571	465	2805	1685	
19. Diseases of Generative Organs -	12506	51	38	21	14	7	131	12	
20. Diseases of Joints -	17658	488	440	353	334	317	1932	1966	
21. Diseases of Skin -	12832	3990	760	326	162	137	5375	277	
22. Childbirth & Metria	85254	—	—	—	—	—	—	—	
23. Suicide - - -	14009	—	—	—	—	—	—	1	
24. Other Violent Deaths	149831	15929	6959	6127	4998	3996	38009	11557	1
25. Other Causes -	876389	399786	52750	12324	4534	2730	472124	6157	

NOTE.—This Table is formed from the facts relating to Males and Females separately, in the 10 years 1861-70, see p. for the 25 years 1868-72 in Tables 22-24, w.

Causes of Death in Ten Years.

lxx

ENGLAND and WALES during the 10 Years 1861-70.

AGES OF PERSONS.									CAUSES OF DEATH.
15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1,066,527	1,917,126	3,148,257	2,464,912	1,867,566	1,255,549	711,564	256,062	35,649	{ Mean Population, 1861-71.
131,474	157,054	308,063	313,589	323,135	380,172	444,390	357,988	105,231	TOTAL DEATHS.
1759	2602	3197	1803	920	452	185	56	8	1. Small-pox.
226	164	208	121	45	18	7	3	1	2. Measles.
3142	1787	1913	691	258	110	41	17	1	3. Scarlatina.
1218	733	833	523	404	325	187	66	8	4. Diphtheria.
43	13	13	13	5	6	5	—	—	5. Whooping-cough.
17471	14758	21128	18431	15726	13241	9243	3486	393	6. Typhus.
693	1044	2690	2871	3524	6121	10166	9540	2414	{ 7. Diarrhoea and Dysentery.
551	790	2189	2469	2425	2157	1566	603	81	8. Cholera.
3013	2370	4480	4883	5382	6823	7518	4493	819	9. Other Zymotic Dis.
378	576	3609	11040	19691	22296	16918	6655	914	10. Cancer.
3724	2821	3656	2406	2003	1634	987	247	20	11. Scrofula and Tabes.
54543	75291	133574	99270	62357	33351	11404	1469	104	12. Phthisis.
432	162	147	78	42	28	19	4	—	13. Hydrocephalus.
7832	8114	19612	27807	37790	54323	71662	46595	7268	14. Diseases of Brain.
6717	7063	20367	29861	40727	58696	66441	32485	3613	{ 15. Diseases of Heart and Dropsy.
6391	8611	22976	34875	54060	84080	100128	60192	10864	16. Diseases of Lungs.
4805	5809	15125	22425	30666	37879	34263	13993	1670	{ 17. Diseases of Stomach and Liver.
1675	2273	6142	7921	8991	11025	12309	6762	932	18. Diseases of Kidneys.
185	483	1688	2616	3034	2320	1494	452	49	{ 19. Diseases of Generative Organs.
1816	1329	1894	1667	1705	1628	1259	455	46	20. Diseases of Joints.
275	346	676	736	973	1288	1518	901	169	21. Diseases of Skin.
1669	6396	15248	11361	577	—	—	—	—	22. Childbirth and Metri-
594	851	1953	2610	3167	2827	1490	393	39	23. Suicide.
9683	9557	16459	15348	13615	11170	7896	5043	1433	24. Other Violent Deaths.
2639	3111	8286	11763	15048	28374	87684	164078	74385	25. Other Causes.

The number of Deaths of Males and Females respectively from the several Diseases classed under the above 25 heads are in Years of Life for that period are shown.

TABLE 2.—Average Annual Number of Deaths of Males by different Causes at certain Age

CAUSES OF DEATH.	MALES.—PROPORTIONAL NUM.													
	ALL AGES.		0-5		5-10		10-15		15-20		20-25		25-30	
	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.
All Causes	23,048	23,000	72,433	73,102	8,510	8,148	4,881	4,400	0,689	0,161	8,820	8,453	9,574	9
1. Small-pox	242	182	1047	661	271	150	70	26	105	91	174	181	119	1
2. Measles	426	459	2847	3067	282	230	32	26	11	9	8	7	5	5
3. Scarlatina	909	1011	4311	4745	1085	2218	461	408	146	149	67	80	39	39
4. Diphtheria	106	177	431	757	228	338	85	107	59	58	21	35	11	11
5. Whooping-cough	400	467	3246	3304	133	123	6	5	1	1	1	4	1	1
6. Typhus	907	806	1401	1239	937	881	687	622	838	767	850	823	673	673
7. Diarrhoea and Dysentery	1135	1032	5025	6100	233	84	111	33	113	33	180	49	241	49
8. Cholera	113	113	277	277	70	70	41	41	28	28	41	41	41	41
9. Other Zymotic Diseases	924	800	3512	2124	463	378	179	142	204	157	207	132	324	324
10. Cancer	185	244	21	13	10	8	8	8	10	20	27	27	63	63
11. Scrofula and Tubercles	451	481	2046	2429	313	278	230	218	228	191	212	168	100	100
12. Phthisis	2379	2467	1839	990	525	431	763	605	2397	2184	4055	3984	4034	4034
13. Hydrocephalus	464	412	2915	2578	306	320	105	93	31	20	12	8	7	7
14. Dis. of Brain	2008	2072	12169	11390	607	507	361	355	397	371	440	412	638	638
15. Dis. of Heart and Dropsy	1180	1311	426	509	240	233	211	252	322	312	347	315	514	514
16. Dis. of Lungs	3322	3604	11206	12019	285	533	221	199	335	315	545	523	772	772
17. Dis. of Stomach and Liver	1007	904	1470	1371	238	203	219	192	206	238	326	280	464	464
18. Dis. of Kidneys	317	420	66	117	47	85	47	65	77	100	105	137	174	174
19. Dis. of Generative Organs	4	6	5	5	1	1	1	1	1	1	2	2	2	2
20. Dis. of Joints	78	95	50	72	71	95	102	91	102	80	80	80	61	61
21. Dis. of Skin	52	61	164	199	12	13	10	15	13	17	14	19	14	14
22. Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23. Suicide	1101	99	-	-	-	-	-	-	28	28	49	49	99	99
24. Other Violent Deaths	1076	1451	1476	643	600	769	753	863	839	949	957	957	957	957
25. Other Causes	4191	4253	16379	17753	291	215	162	118	174	115	267	165	320	320

TABLE 3.—Average Annual Number of Deaths of Females by different Causes at certain Age

CAUSES OF DEATH.	FEMALES.—PROPORTIONAL NUM.													
	ALL AGES.		0-5		5-10		10-15		15-20		20-25		25-30	
	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.
All Causes	21,323	21,282	62,744	63,430	8,418	7,756	5,056	4,484	7,385	6,622	8,530	7,958	9,925	9
1. Small-pox	202	145	1021	618	213	140	76	56	81	60	91	95	66	66
2. Measles	598	422	2740	2929	294	254	44	32	15	13	10	10	8	8
3. Scarlatina	845	931	4071	4503	1048	2147	528	534	154	157	79	105	49	49
4. Diphtheria	112	191	430	778	280	448	124	166	44	61	19	41	15	15
5. Whooping-cough	345	568	4003	4139	215	182	14	11	2	5	4	1	1	1
6. Typhus	909	875	1434	1268	1077	966	878	798	1026	911	781	722	627	627
7. Diarrhoea and Dysentery	1027	909	4899	5353	224	90	101	29	109	34	171	59	271	59
8. Cholera	101	101	237	237	71	71	33	33	26	26	41	41	41	41
9. Other Zymotic Diseases	745	473	3165	1901	473	346	179	150	170	136	172	116	204	204
10. Cancer	434	528	23	13	9	7	9	8	18	17	30	53	141	141
11. Scrofula and Tubercles	560	590	1773	2105	233	211	211	173	189	171	132	129	120	120
12. Phthisis	2774	2483	1261	947	629	476	1222	1015	3515	3110	4289	3066	4575	4575
13. Hydrocephalus	334	285	2162	1847	331	256	98	85	30	22	8	8	6	6
14. Dis. of Brain	2403	2513	9479	8910	528	510	350	318	408	391	454	406	532	532
15. Dis. of Heart and Dropsy	1311	1385	356	319	215	200	272	267	352	341	390	300	605	605
16. Dis. of Lungs	5733	5052	9499	10074	607	550	240	220	342	306	413	383	783	783
17. Dis. of Stomach and Liver	1002	964	1121	997	245	190	194	152	207	229	406	324	670	670
18. Dis. of Kidneys	116	182	38	78	21	48	50	44	43	63	60	109	100	100
19. Dis. of Generative Organs	104	109	7	4	3	3	2	3	15	17	40	46	14	14
20. Dis. of Joints	58	70	53	62	53	61	62	71	61	75	39	52	44	44
21. Dis. of Skin	47	56	157	174	9	9	8	11	8	9	8	18	12	12
22. Childbirth and Metris	320	321	-	-	-	-	-	-	144	161	612	623	186	186
23. Suicide	383	344	1138	427	315	161	131	150	117	125	57	57	127	127
24. Other Violent Deaths	1076	1451	1476	643	600	769	753	863	839	949	957	957	957	957
25. Other Causes	4063	3919	13885	14939	289	212	171	124	196	142	208	160	326	326

Causes of Death in Twenty Years.

Lxxxvii

100 Males Living of those Ages, in England in the Two Decennials 1851-60 and 1861-70.

1,000 AT EACH AGE.											CAUSES OF DEATH.	
15	45-55		55-65		65-75		75-85		85 and upwards.			
1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.		
3,464	17,956	19,165	30,855	32,995	65,382	60,689	146,671	146,576	310,983	313,570	-	All Causes.
98	53	68	31	48	27	58	19	59	30	26	1.	Small-pox.
4	2	2	1	1	1	1	1	1	-	7	2.	Measles.
23	20	16	15	8	10	5	8	8	-	7	3.	Scarlatina.
29	9	22	11	30	14	33	20	52	50	29	4.	Diphtheria.
1	3	4	4	1	1	1	-	-	-	-	5	Whooping-cough.
796	779	904	1043	1159	1263	1469	1741	1509	1471	1371	6.	Typhus.
105	492	153	938	493	2230	1451	4927	3856	7691	7047	7.	Diarrhoea and Dysentery.
99	714	341	1081	613	1941	1176	3329	1932	4601	174	8.	Cholera.
238	422	359	501	1298	1594	1877	1734	2291	1869	2956	9.	Other Zymotic Diseases.
97	126	107	143	140	185	137	122	93	91	73	10.	Cancer.
4165	3800	3899	3333	5297	5089	5024	577	693	549	342	11.	Scrofula and Tuberc.
3	7	2	8	2	8	3	12	2	-	-	12.	Phthisis.
1342	1900	2244	4067	4635	9831	10048	17088	19612	19785	22258	13.	Hydrocephalus.
1253	1898	2187	4150	4581	8714	9220	12109	12992	10617	11474	14.	Dis. of Brain.
1722	2092	3500	6616	7537	13106	15183	21088	25194	25008	24223	15.	Dis. of Heart, and Dropsy.
911	1664	1709	2632	2668	4857	4335	5240	7337	4375	4691	16.	Dis. of Lungs.
408	471	658	937	1279	2153	2997	4265	5040	4298	5709	17.	Dis. of Stomach and Liver.
8	7	10	11	16	19	31	27	38	38	58	18.	Dis. of Kidneys.
76	79	90	113	150	165	202	112	210	91	153	19.	Dis. of Generative Organs.
29	43	57	85	111	202	233	497	572	511	590	20.	Dis. of Joints.
-	-	-	-	-	-	-	-	-	-	-	21.	Dis. of Skin.
163	262	262	1613	575	357	357	256	256	291	291	22.	Childbirth and Metris.
1141	1360	1292	1512	1512	1810	1659	2218	2967	3270	3945	23.	Suicide.
578	889	949	2889	2171	1002	1235	7081	6151	22505	216479	24.	Other Violent Deaths.
											25.	Other Causes.

100 Females Living of those Ages, in England in the Two Decennials 1851-60 and 1861-70.

1,000 AT EACH AGE.											CAUSES OF DEATH.	
15	45-55		55-65		65-75		75-85		85 and upwards.			
1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.		
12,034	15,198	15,555	27,007	27,773	58,656	58,797	131,938	131,427	289,558	285,642	-	All Causes.
59	23	32	11	25	10	15	9	16	20	14	1.	Small-pox.
6	2	3	2	1	1	1	2	1	-	-	2.	Measles.
31	19	12	14	10	11	6	9	6	-	-	3.	Scarlatina.
22	10	22	5	22	11	21	12	10	15	18	4.	Diphtheria.
3	4	1	4	3	3	1	2	-	-	-	5.	Whooping-cough.
707	647	785	808	1,279	1,279	1,172	1,635	1,244	1,273	972	6.	Typhus.
127	473	184	921	983	2,157	1,410	4,673	3,623	7,324	6,799	7.	Diarrhoea and Dysentery.
101	114	114	153	153	203	203	219	219	220	220	8.	Cholera.
161	281	239	681	479	1,540	953	2,693	1,611	1,985	2,020	9.	Other Zymotic Diseases.
173	1,278	1,558	1,851	2,299	2,951	2,410	2,633	2,611	2,259	2,713	10.	Cancer.
94	168	108	156	121	146	123	114	99	69	46	11.	Scrofula and Tuberc.
5,000	3,120	2,850	2,983	2,805	1,635	1,259	751	475	471	290	12.	Phthisis.
3	5	2	3	2	7	2	8	1	-	-	13.	Hydrocephalus.
999	1,081	1,816	3,818	4,015	8,865	9,514	15,023	17,073	16,420	10,216	14.	Dis. of Brain.
1,191	2,461	2,175	4,578	4,762	8,916	9,451	11,551	12,141	9,517	997	15.	Dis. of Heart, and Dropsy.
1,150	2,822	2,227	5,027	5,875	11,016	13,111	17,618	22,166	21,796	28,121	16.	Dis. of Lungs.
960	1,698	1,580	1,867	2,679	4,622	4,712	4,958	5,559	5,711	4,981	17.	Dis. of Stomach and Liver.
215	212	316	517	508	485	723	470	735	165	671	18.	Dis. of Kidneys.
197	299	305	310	341	355	361	256	287	178	197	19.	Dis. of Generative Organs.
60	62	84	92	111	121	155	101	152	81	114	20.	Dis. of Joints.
31	51	47	75	91	191	193	149	150	491	492	21.	Dis. of Skin.
888	71	60	-	-	-	-	-	-	-	-	22.	Childbirth and Metris.
52	83	83	281	281	83	83	79	79	50	50	23.	Suicide.
139	274	200	515	515	718	631	1,834	1,892	4,064	4,212	24.	Other Violent Deaths.
83	777	671	2,548	2,913	11,140	12,139	70,129	65,543	217,977	205,749	25.	Other Causes.

TABLE 4.—England, 1851-60.—Number of Deaths from different Causes.

CAUSES OF DEATH.	AGES OF MALES.							
	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox	9774	16084	24021	28779	31001	14446	31800	148
2. Measles	13670	80409	88374	74200	50497	39307	30733	68
3. Scarletina	11252	69607	184153	223376	247683	59511	233318	94
4. Diphtheria	1031	7042	12280	19186	24455	5948	20746	174
5. Whooping-cough	33174	71544	63815	51639	38547	44813	15646	12
6. Typhus	5761	22247	45029	63282	77063	19337	110104	1408
7. Diarrhoea and Dysentery	87046	75087	36702	22154	16776	72873	13935	104
8. Cholera	3173	5310	7780	9893	11233	4790	13468	124
9. Other Zymotic Diseases	30563	44369	72063	88244	83006	46489	54570	362
10. Cancer	184	250	642	813	870	202	1131	16
11. Scrofula and Tubercles	23373	42164	50405	27436	24579	28524	36634	511
12. Phthisis	12544	27414	27950	24857	28556	18345	61718	1863
13. Hydrocephalus	27704	67505	56885	47258	45861	40237	46516	214
14. Diseases of Brain	223349	80683	80184	71797	68803	168010	71570	740
15. Diseases of Heart, and Dropsy	4131	6130	8900	11289	14464	8475	28174	404
16. Diseases of Lungs	146561	207823	187698	124302	100355	155047	66759	453
17. Diseases of Stomach and Liver	23400	13401	15968	10377	20528	20291	30256	446
18. Diseases of Kidneys	377	883	1776	2880	3703	907	5497	97
19. Diseases of Generative Organs	70	74	46	18	—	68	63	1
20. Diseases of Joints	316	826	1569	2138	3250	774	8293	190
21. Diseases of Skin	2921	1680	1294	724	1193	2258	1459	20
22. Childbirth and Metria	—	—	—	—	—	—	—	—
23. Suicide	—	—	—	—	—	—	—	9
24. Other Violent Deaths	10884	19023	40140	51516	63176	20034	75546	1568
25. Other Causes	318760	132274	64228	37842	32383	228921	34401	331
AGES OF FEMALES.								
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox	11201	17119	24502	30004	31200	16277	28021	146
2. Measles	14440	81365	90823	77200	60350	43810	34256	87
3. Scarletina	11207	68308	150043	214063	240100	64889	237324	1048
4. Diphtheria	1798	6615	12001	21780	28012	6858	33279	246
5. Whooping-cough	45000	95140	92419	75962	50838	68805	25539	21
6. Typhus	6015	23009	47511	69316	87766	22859	127097	1736
7. Diarrhoea and Dysentery	90411	70825	36880	19038	16408	73482	13634	104
8. Cholera	3209	4734	6363	8585	9770	4597	12040	91
9. Other Zymotic Diseases	43119	42016	69849	80598	81318	50449	53870	363
10. Cancer	200	282	787	800	820	308	1005	17
11. Scrofula and Tubercles	23806	40422	32402	23710	22772	28264	30080	425
12. Phthisis	13075	27707	20256	20513	32089	20419	73601	2554
13. Hydrocephalus	24132	51141	43348	42943	42511	34450	30280	191
14. Diseases of Brain	208702	80286	77080	68941	65134	151070	60247	704
15. Diseases of Heart, and Dropsy	4481	5519	7334	8709	11636	5681	25528	538
16. Diseases of Lungs	137218	202307	162465	129041	101976	151398	72055	471
17. Diseases of Stomach and Liver	10810	13482	13883	17311	19888	17908	29146	363
18. Diseases of Kidneys	273	663	940	1604	1685	607	2845	60
19. Diseases of Generative Organs	50	108	185	106	25	104	32	1
20. Diseases of Joints	448	827	1272	1939	2784	845	6237	121
21. Diseases of Skin	3225	1851	1020	1287	920	2502	1127	18
22. Childbirth and Metria	—	—	—	—	—	—	—	—
23. Suicide	—	—	—	—	—	—	—	1
24. Other Violent Deaths	12109	15160	28123	38607	46116	18142	50002	317
25. Other Causes	384928	130042	65025	39823	34605	221257	34280	330

Causes of Death in Ten Years.

lxxxix

TEN AGES to 1,000,000 Deaths at the same AGES from All Causes.

AGES OF MALES.								CAUSES OF DEATH.
20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
19674	12473	5503	2924	1090	408	128	98	1. Small-pox.
862	493	276	120	31	16	7	—	2. Measles.
7566	4073	2417	1111	483	150	54	—	3. Scarlatina.
2381	1147	923	490	365	220	135	98	4. Diphtheria.
82	77	7	14	12	21	—	—	5. Whooping-cough.
96265	70266	31960	43373	33801	23923	11864	4744	6. Typhus.
10168	11149	11561	15177	20663	28582	30716	23694	7. Diarrhoea and Dysentery.
9947	15721	14016	12225	9415	5550	2879	1106	8. Cholera.
23451	33794	41525	39767	35145	29715	22632	14845	9. Other Zymotic Diseases.
3065	6337	13978	23597	30172	23016	11823	5907	10. Cancer.
24011	16731	9205	7009	4026	2834	834	295	11. Scrofula and Tubes.
459228	421301	320869	213310	108018	36509	6659	1770	12. Phthisis.
1382	789	567	387	200	123	81	—	13. Hydrocephalus.
49788	60055	94544	110803	132784	150484	116501	63806	14. Diseases of Brain.
39253	53720	80312	103720	133937	133373	84603	34238	15. Diseases of Heart, and Dropsy.
61677	80599	122123	172207	214414	205340	143777	82584	16. Diseases of Lungs.
36900	48500	71272	92089	98277	74040	33763	14108	17. Diseases of Stomach and Liver.
11917	18186	23369	26221	30370	37343	29075	13862	18. Diseases of Kidneys.
246	169	313	408	347	284	182	123	19. Diseases of Generative Organs.
9057	6321	4938	4415	3666	2522	960	293	20. Diseases of Joints.
1601	1478	1805	2833	2768	3007	2778	1647	21. Diseases of Skin.
—	—	—	—	—	—	—	—	22. Childbirth and Metria.
6199	8885	11823	13441	11030	4981	1715	516	23. Suicide.
100044	95493	80476	62789	41257	22726	13613	10028	24. Other Violent Deaths.
23738	27113	36269	49510	66839	21443	483207	726146	25. Other Causes.

AGES OF FEMALES.

1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
10698	6849	3071	1529	524	174	64	68	1. Small-pox.
1172	749	312	158	65	10	17	—	2. Measles.
9240	4820	2370	1220	537	185	64	—	3. Scarlatina.
2178	1503	980	666	334	199	87	51	4. Diphtheria.
51	67	36	24	13	5	12	—	5. Whooping-cough.
91507	63132	49128	42600	32865	21814	10685	4393	6. Typhus.
10141	13921	15175	17726	24171	30768	31869	24257	7. Diarrhoea and Dysentery.
9860	13354	15466	13392	10115	6012	2931	1277	8. Cholera.
20115	20568	22923	25010	25290	26411	19820	12726	9. Other Zymotic Diseases.
3465	11164	48737	81107	68597	49085	17519	7802	10. Cancer.
13529	12114	8764	7132	5035	2496	850	238	11. Scrofula and Tubes.
502758	461025	343750	205261	88251	27867	5614	1635	12. Phthisis.
981	640	370	317	203	119	58	—	13. Hydrocephalus.
50894	53614	71775	110637	141359	151818	111852	56844	14. Diseases of Brain.
45760	69719	92019	135828	168784	152063	85835	32280	15. Diseases of Heart, and Dropsy.
48397	58070	88326	135694	186139	187799	131371	75275	16. Diseases of Lungs.
47581	57389	77170	105780	109862	79032	36904	12827	17. Diseases of Stomach and Liver.
8400	10982	12460	13970	11738	8262	3408	1261	18. Diseases of Kidneys.
5401	9849	17158	19105	11470	5377	1902	545	19. Diseases of Generative Organs.
4548	4416	4647	4059	3424	2055	752	280	20. Diseases of Joints.
955	1254	1786	2021	2769	3255	2376	1397	21. Diseases of Skin.
71799	89502	74440	4959	—	—	—	—	22. Childbirth and Metria.
3618	3553	4066	5507	3136	1481	376	187	23. Suicide.
11045	9235	10454	12505	10902	10763	13425	13849	24. Other Violent Deaths.
24218	29071	36437	51033	94327	241060	522110	752796	25. Other Causes.

TABLE 5.—England, 1861-70.—Number of Deaths from different Cause

CAUSES OF DEATH.	AGES OF MALES.							
	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox	6708	8535	14633	18690	19909	9031	18590	1
2. Measles	14822	87870	94011	74327	57004	41925	28232	
3. Scarlatina	10993	73407	174867	257220	289622	64861	272230	10
4. Diphtheria	3501	12614	22222	35210	40244	10350	41478	2
5. Whooping-cough	54885	73139	60671	50535	36634	46389	15045	
6. Typhus	4484	18110	41008	60183	72977	10816	108096	13
7. Diarrhoea and Dysentery	103218	79621	37866	18626	14685	83379	16318	
8. Cholera	3220	3997	4076	5215	6479	5792	9288	
9. Other Zymotic Diseases	13058	37695	63181	78043	74816	29628	46428	3
10. Cancer	28	105	440	941	964	176	902	
11. Scrofula and Tubercles	20512	47734	37202	25387	23272	33203	34136	4
12. Phthisis	8548	20547	22404	20180	23586	13527	52925	13
13. Hydrocephalus	25215	56015	48018	42721	41970	35240	40029	2
14. Diseases of Brain	199142	97076	81894	75323	71430	155677	73299	7
15. Diseases of Heart, and Dropsy	3948	5386	8240	10340	14340	5448	28641	5
16. Diseases of Lungs	156212	215813	163110	122508	98312	164188	67834	4
17. Diseases of Stomach and Liver	23028	10867	13267	12550	15313	18775	23208	4
18. Diseases of Kidneys	524	1685	3579	5581	6614	1593	10455	1
19. Diseases of Generative Organs	59	57	82	112	112	66	58	
20. Diseases of Joints	415	1130	1978	2034	3610	985	11593	2
21. Diseases of Skin	3405	1867	1499	1196	1569	2716	1537	
22. Childbirth and Metris	—	—	—	—	—	—	—	
23. Suicide	—	—	—	—	—	—	—	
24. Other Violent Deaths	12990	18771	36603	47585	55804	20178	73669	16
25. Other Causes	342485	129159	61491	34285	30005	212657	30119	2
AGES OF FEMALES.								
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox	7646	9441	15198	19073	19648	10211	18091	1
2. Measles	15611	87114	95805	78818	61293	46182	32777	
3. Scarlatina	11529	71581	171823	246296	283588	70092	276575	11
4. Diphtheria	3110	12868	24819	38447	50250	12262	57758	3
5. Whooping-cough	46913	97826	93669	75275	55331	65248	23420	
6. Typhus	4625	19502	44531	62602	84261	19960	124578	17
7. Diarrhoea and Dysentery	108671	83575	33970	18041	13362	84504	11572	
8. Cholera	3306	3854	4034	4637	6414	3744	9113	
9. Other Zymotic Diseases	13557	34647	60066	73941	69717	29966	44004	3
10. Cancer	37	137	409	909	994	200	898	
11. Scrofula and Tubercles	29077	40315	24695	23948	21613	33179	27154	3
12. Phthisis	9323	20966	22572	21709	20356	14929	61422	23
13. Hydrocephalus	21344	41709	38199	34827	34870	29120	32061	1
14. Diseases of Brain	185069	91669	81790	74465	65494	140474	69555	7
15. Diseases of Heart, and Dropsy	4219	5470	7027	9243	11834	5504	27001	6
16. Diseases of Lungs	146210	210929	161316	127888	104903	158819	70922	4
17. Diseases of Stomach and Liver	19048	10442	10877	12562	15809	15716	21440	3
18. Diseases of Kidneys	428	1434	2329	3510	3839	1226	6225	
19. Diseases of Generative Organs	26	132	133	111	45	67	61	
20. Diseases of Joints	432	1037	1624	2342	3523	971	7898	1
21. Diseases of Skin	3515	1881	1828	1582	1513	2730	1214	
22. Childbirth and Metris	—	—	—	—	—	—	—	
23. Suicide	—	—	—	—	—	—	10	
24. Other Violent Deaths	11794	15445	25012	31984	34034	18243	40635	2
Other Causes	350001	132076	64284	37860	31360	235842	31226	2

We may be read thus:—Of 1,000,000 deaths of males aged 25 and under 35, on an average of the Ten Years 1861-70

Causes of Death in Ten Years.

xc

TEEN AGES to 1,000,000 Deaths at the same AGES from All Causes.

AGES OF MALES.									CAUSES OF DEATH.
5—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
0,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
4828	21386	13788	7293	3555	1449	573	199	116	1. Small-pox.
1526	849	599	301	104	45	9	6	23	2. Measles.
4125	9411	4799	1697	808	231	77	54	23	3. Scarlatina.
9893	4113	2464	1497	1137	916	487	223	93	4. Diphtheria.
175	52	27	56	23	20	14	—	—	5. Whooping-cough.
7779	97335	71162	58887	47140	35113	22632	16292	4883	6. Typhus.
5388	5849	7283	7821	10082	14333	21755	26170	22473	7. Diarrhoea and Dysentery.
4529	4811	6742	7364	7526	5764	3603	1745	557	8. Cholera.
5524	15635	16394	17708	17775	18585	17638	13181	8353	9. Other Zymotic Diseases.
3179	3212	6140	15260	28129	36607	28142	15631	7121	10. Cancer.
1007	19872	12908	7220	5590	4250	2352	638	232	11. Scrofula and Tabes.
5144	459467	413520	309348	201416	99337	30344	4761	1099	12. Phthisis.
3210	1905	521	257	110	70	50	12	—	13. Hydrocephalus.
10234	52343	71087	90639	117110	141377	164170	138900	70066	14. Diseases of Brain.
10619	40788	67168	91592	114092	138932	138389	89634	36527	15. Diseases of Heart, and Dropsy.
11191	61822	80839	127867	182625	229941	227606	171887	109140	16. Diseases of Lungs.
10620	33137	45399	67641	89169	92674	74003	36547	14959	17. Diseases of Stomach and Liver.
16195	16164	24003	30119	34333	38760	43441	34386	18205	18. Diseases of Kidneys.
175	274	339	582	531	473	464	259	185	19. Diseases of Generative Organs.
10608	10471	7191	5654	5159	4552	3690	1433	487	20. Diseases of Joints.
2813	2193	1909	2142	2984	3975	3544	2549	1878	21. Diseases of Skin.
—	—	—	—	—	—	—	—	—	22. Childbirth and Metria.
4450	6072	9348	12129	13696	11377	5345	1745	649	23. Suicide.
14709	115251	100146	84986	67431	45896	24875	14102	11689	24. Other Violent Deaths.
18579	19532	30494	42638	49553	74883	187967	441755	690863	25. Other Causes.

AGES OF FEMALES.

0,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
12049	11981	7235	4146	2029	904	263	120	48	1. Small-pox.
1896	1231	920	474	180	50	22	10	—	2. Measles.
21030	15248	7510	2729	787	353	197	42	—	3. Scarlatina.
9146	5195	2925	1845	1381	788	356	151	61	4. Diphtheria.
467	112	56	26	7	11	9	—	—	5. Whooping-cough.
37572	90762	66298	54658	59433	84518	19593	9257	3284	6. Typhus.
5164	7407	10067	10540	11858	17380	23974	27064	23264	7. Diarrhoea and Dysentery.
3880	5204	7441	8402	7480	5575	3446	1632	918	8. Cholera.
20524	14553	12836	13454	15301	17248	16213	12065	7261	9. Other Zymotic Diseases.
2597	4191	16853	55903	98871	82869	47788	21153	9563	10. Cancer.
25863	16144	10900	8112	6926	4851	2093	735	161	11. Scrofula and Tabes.
40060	488360	452089	324945	183215	74340	21989	3531	918	12. Phthisis.
3335	1056	437	240	153	77	36	10	—	13. Hydrocephalus.
58962	51017	56821	77294	116761	144559	158410	127004	67749	14. Diseases of Brain.
31222	48954	65141	98092	139849	171453	160306	92570	32812	15. Diseases of Heart, and Dropsy.
46242	48171	68270	93939	140578	211540	222086	164894	99144	16. Diseases of Lungs.
34645	40652	52594	75527	101540	107270	80134	41280	16502	17. Diseases of Stomach and Liver.
9569	12463	16192	20215	26209	18301	12290	5468	2967	18. Diseases of Kidneys.
2534	5742	10216	16235	13631	12274	6198	2132	699	19. Diseases of Generative Organs.
11247	6550	5270	3665	5412	3987	2640	1131	403	20. Diseases of Joints.
1459	2212	2457	2590	3043	3402	3291	2437	1417	21. Diseases of Skin.
24345	74190	95104	74825	3850	—	—	—	—	22. Childbirth and Metria.
4580	3949	3564	4773	5392	5145	4403	537	177	23. Suicide.
17607	10974	10379	11541	12885	11542	19811	14974	14557	24. Other Violent Deaths.
21445	29071	23583	31879	43140	74392	206461	472391	718331	25. Other Causes.

from small-pox, 71,162 from typhus, 413,520 from phthisis, 86,859 from diseases of the lungs, and so on for the other &c

TABLE 6.—ENGLAND, 1851-70.—Mean Number of Deaths from different

This TABLE is deduced from Tables 4. and 5. by taking the means

CAUSES OF DEATH.	AGES OF MALES.							
	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox - - - - -	8241	12214	19327	23734	25500	11740	25095	1849
2. Measles - - - - -	14246	84139	91193	74234	58581	40516	29482	618
3. Scarlatina - - - - -	11123	71037	165510	240298	269033	62196	252774	9971
4. Diphtheria - - - - -	2616	9828	17281	27198	32349	8149	34112	2068
5. Whooping-cough - - - - -	34029	72842	65248	51087	37591	45601	13345	128
6. Typhus - - - - -	5123	20179	43364	61735	75035	18070	109100	14005
7. Diarrhoea and Dysentery - - - - -	95132	77334	35284	26390	15790	78126	12136	881
8. Cholera - - - - -	3196	4653	6382	7554	8856	4291	11878	1073
9. Other Zymotic Diseases - - - - -	26311	41032	67624	83144	78912	38739	50399	5423
10. Cancer - - - - -	91	180	545	877	917	234	1061	173
11. Scrofula and Tubercles - - - - -	26342	44049	36894	26111	23925	30963	35410	5004
12. Phthisis - - - - -	16566	23081	25177	22523	26071	15936	57322	14004
13. Hydrocephalus - - - - -	26460	61760	52902	44990	45416	37739	43273	2117
14. Diseases of Brain - - - - -	211263	93590	82539	73900	70062	161844	72335	7467
15. Diseases of Heart, and Dropsy - - - - -	4050	5738	8570	10819	14406	5661	28408	5297
16. Diseases of Lungs - - - - -	151380	211818	160399	125450	95334	100068	68296	4492
17. Diseases of Stomach and Liver - - - - -	23259	12179	14617	14463	17920	19533	27732	4398
18. Diseases of Kidneys - - - - -	451	1284	2677	4230	5158	1259	7976	1213
19. Diseases of Generative Organs - - - - -	69	65	64	65	56	67	60	14
20. Diseases of Joints - - - - -	505	978	1773	2536	3433	879	9940	2007
21. Diseases of Skin - - - - -	3113	1776	1896	960	1381	2487	1498	271
22. Childbirth and Metris - - - - -	—	—	—	—	—	—	—	—
23. Suicide - - - - -	—	—	—	—	—	—	—	94
24. Other Violent Deaths - - - - -	11039	18807	38379	40551	59490	29106	74608	16267
25. Other Causes - - - - -	330627	180217	62860	36063	31224	235789	32260	2974
AGES OF FEMALES.								
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox - - - - -	9423	13280	19850	24538	25424	13244	23461	1369
2. Measles - - - - -	15029	81240	93350	78057	60926	44906	33517	792
3. Scarlatina - - - - -	11413	69920	161233	236630	261894	67940	256950	11178
4. Diphtheria - - - - -	2458	9741	18905	30118	39581	9560	45519	3074
5. Whooping-cough - - - - -	45091	96483	93644	75619	57585	64527	24479	261
6. Typhus - - - - -	5320	21255	40021	65959	80009	21410	126288	17577
7. Diarrhoea and Dysentery - - - - -	99541	81700	35425	18089	14855	78938	12753	837
8. Cholera - - - - -	3257	4294	5198	6611	8092	4170	10879	857
9. Other Zymotic Diseases - - - - -	28338	38352	64058	77270	75517	40208	49237	3434
10. Cancer - - - - -	123	209	598	934	907	288	996	172
11. Scrofula and Tubercles - - - - -	26022	43569	33603	23829	22192	30722	28007	4043
12. Phthisis - - - - -	11640	24337	23914	24111	29673	17674	67512	24131
13. Hydrocephalus - - - - -	22738	46425	41774	39885	38091	31785	36121	1925
14. Diseases of Brain - - - - -	196880	88968	79435	71723	65314	145772	67901	7079
15. Diseases of Heart, and Dropsy - - - - -	4350	5494	7180	8976	11734	5592	26264	5887
16. Diseases of Lungs - - - - -	141714	206618	163391	128765	103440	155109	71480	4825
17. Diseases of Stomach and Liver - - - - -	19429	11962	13380	14696	17848	16792	26793	3917
18. Diseases of Kidneys - - - - -	350	1049	1639	2557	2852	916	4535	791
19. Diseases of Generative Organs - - - - -	42	165	159	108	35	85	40	33
20. Diseases of Joints - - - - -	440	932	1448	2160	3133	909	7067	1346
21. Diseases of Skin - - - - -	3370	1866	1724	1354	1216	2620	1170	19
22. Childbirth and Metris - - - - -	—	—	—	—	—	—	—	—
23. Suicide - - - - -	—	—	—	—	—	—	—	—
24. Other Violent Deaths - - - - -	13452	15302	27017	35296	40775	18193	45664	200
25. Other Causes - - - - -	337765	134059	64655	38695	32367	228330	32111	200

Causes of Death in Twenty Years.

xciii

DEATHS AT SIXTEEN AGES TO 1,000,000 DEATHS AT THE SAME AGES FROM ALL CAUSES.
 SEVERAL NUMBERS FOR THE TWO DECENNIADS 1851-60 AND 1861-70.

AGES OF MALES.									CAUSES OF DEATH.
15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
00,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
15285	20330	13130	6400	3239	1269	490	163	107	1. Small-pox.
1579	855	416	288	112	38	12	6	11	2. Measles.
12946	8490	4436	2057	959	357	113	54	11	3. Scarlatina.
7619	3247	1805	1211	818	610	353	179	95	4. Diphtheria.
169	67	52	31	18	16	17	—	—	5. Whooping-cough.
18056	96800	70714	55424	45257	34457	22978	11078	4563	6. Typhus.
6588	8157	9506	9091	12630	17948	25169	28443	23084	7. Diarrhoea and Dysentery.
6828	7395	10231	10690	9876	7604	4579	2312	831	8. Cholera.
2906	19553	25094	29616	23771	26865	23677	17907	11690	9. Other Zymotic Diseases.
2795	3135	6338	14619	25818	33389	25579	13727	6709	10. Cancer.
12511	21942	14820	8212	6289	4438	2503	736	263	11. Scrofula and Tabes.
2788	459348	417456	315109	207363	103978	35457	5710	1430	12. Phthisis.
3907	1193	630	412	248	105	86	46	—	13. Hydrocephalus.
9812	51066	68871	97092	113957	137081	157327	125151	67386	14. Diseases of Brain.
10579	40021	60444	85952	109066	130335	135884	86619	35383	15. Diseases of Heart, and Dropsy.
10670	61750	83729	124998	177416	222178	216521	157832	95862	16. Diseases of Lungs.
12906	35019	40959	69457	96920	95476	71022	36158	14534	17. Diseases of Stomach and Liver.
13870	14040	21095	26744	39277	34565	40494	31731	16034	18. Diseases of Kidneys.
112	260	254	447	469	410	374	220	154	19. Diseases of Generative Organs.
13081	9764	6711	5296	4787	4109	2776	1201	391	20. Diseases of Joints.
2362	1897	1693	1973	2683	3071	3320	2659	1763	21. Diseases of Skin.
—	—	—	—	—	—	—	—	—	22. Childbirth and Metria.
4238	6735	9116	11976	13534	11203	5163	1730	582	23. Suicide.
19523	107098	97815	82731	65110	43547	23801	13857	10859	24. Other Violent Deaths.
2247	21635	28804	39574	49523	80861	201215	462481	708238	25. Other Causes.

AGES OF FEMALES.									CAUSES OF DEATH.
00,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	
11496	11335	7042	3608	1778	714	218	92	58	1. Small-pox.
1931	1201	859	393	169	67	16	13	—	2. Measles.
22271	11249	6165	2649	1003	445	146	53	—	3. Scarlatina.
7238	3686	2214	1112	1023	561	273	119	57	4. Diphtheria.
394	81	61	31	15	12	7	6	—	5. Whooping-cough.
15238	91135	64670	53893	46517	33602	20703	9071	3839	6. Typhus.
6407	8774	11994	12857	14792	20775	27371	29467	23761	7. Diarrhoea and Dysentery.
5509	7534	10398	11934	10436	7845	4729	2281	1097	8. Cholera.
11759	17334	16702	18139	20291	21269	21312	15913	9994	9. Other Zymotic Diseases.
2529	3783	15509	52320	91489	75703	43937	19336	8683	10. Cancer.
15806	15837	11512	8453	7029	4693	2294	792	199	11. Scrofula and Tabes.
12549	500562	456557	333898	194238	81296	24474	4574	1276	12. Phthisis.
3732	1018	538	305	235	140	77	34	—	13. Hydrocephalus.
17115	50956	55218	74535	113699	142955	155114	119428	62297	14. Diseases of Brain.
10621	47357	62630	95506	137839	170119	156290	80203	32546	15. Diseases of Heart, and Dropsy.
16245	48284	60970	90128	142636	198840	205393	148133	87210	16. Diseases of Lungs.
18108	44117	54947	76349	103660	108566	80063	39007	14665	17. Diseases of Stomach and Liver.
7713	10476	13587	16338	17135	15019	10276	4483	1814	18. Diseases of Kidneys.
2281	5571	10032	16776	19968	11872	5787	2017	602	19. Diseases of Generative Organs.
9753	5549	4843	4806	4750	3705	2347	941	346	20. Diseases of Joints.
1268	1583	1855	2173	2532	3085	3273	2436	1407	21. Diseases of Skin.
11907	75645	92203	74133	4254	—	—	—	—	22. Childbirth and Metria.
4344	3779	3560	4219	5420	3125	1442	456	182	23. Suicide.
7335	11009	9807	10087	12695	11167	10787	13760	14403	24. Other Violent Deaths.
2081	22145	25927	34168	47097	84345	223781	497405	735561	25. Other Causes.

TABLE 8.—Table of Mortality, derived from the **ENGLISH LIFE TABLE**, showing of what
The TABLE shows also, according to the English Life Table, the Annual Births being 511,745; the
Male Population

AGES	ALL AGES.	0— (See Table 11.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	511,745	141,887	17,327	8,741	10,632	14,166
TOTAL ZYMOTIC DISEASES—Order 1.	89,192	44,294	9,354	2,930	2,319	2,339
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	3,592	1,691	435	118	163	291
2. Measles	6,509	5,983	511	54	17	12
3. Scarlatina	15,187	9,258	4,390	872	345	120
4. Diphtheria	2,315	1,204	591	181	81	46
5. Whooping-cough	6,777	6,491	266	11	2	1
6. Typhus	19,115	2,673	1,891	1,234	1,368	1,371
7. Diarrhoea and Dysentery	17,554	10,889	210	77	70	116
8. Cholera	3,150	616	197	94	73	105
9. Other Zymotic Diseases—Order 1. .	15,023	5,589	873	299	299	277
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	6,794	35	18	15	30	45
11. Scrofula and Tabes	7,602	4,370	614	438	347	311
12. Phthisis	56,856	2,294	993	1,277	3,811	6,507
13. Hydrocephalus	6,443	5,396	750	185	42	17
LOCAL DISEASES.						
14. Diseases of the Brain	64,762	22,580	1,253	652	639	723
15. Diseases of the Heart, and Dropsy .	36,400	816	492	463	528	567
16. Diseases of the Lungs	80,578	22,587	1,183	393	541	875
17. Diseases of the Stomach and Liver .	25,955	2,743	461	384	420	406
18. Diseases of the Kidneys	10,906	185	138	106	148	199
19. Diseases of the Generative Organs .	130	10	1	1	1	4
20. Diseases of the Joints	1,912	129	172	183	161	138
21. Diseases of the Skin	1,306	348	26	24	25	27
22. CHILDBIRTH AND METRIA . .	—	—	—	—	—	—
VIOLENT DEATHS.						
23. Suicide	2,606	—	—	8	46	95
24. Other Violent Deaths	22,659	2,921	1,293	1,422	1,337	1,517
25. OTHER CAUSES	97,554	32,690	559	200	238	306

Deaths by several Causes.

xcvii

Diseases and at what Ages 511,745 Boys BORN ALIVE may be expected to die.
Annual Deaths 511,745; the Deaths at the respective Ages and of the respective Causes out of a
of 20,426,138.

25—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
20,502	26,142	44,169	53,785	74,977	58,900	16,877	DEATHS FROM ALL CAUSES.
4,140	4,056	4,491	5,344	5,802	3,542	682	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
403	225	143	75	37	10	2	1. Small-pox.
14	10	5	2	1	—	—	2. Measles.
136	72	42	21	8	3	—	3. Scarlatina.
55	43	36	38	27	11	2	4. Diphtheria.
2	1	1	1	1	—	—	5. Whooping-cough.
2,163	1,948	1,999	2,028	1,723	652	77	6. Typhus.
287	340	553	1,055	1,837	1,675	390	7. Diarrhoea and Dysentery.
313	376	436	447	343	136	14	8. Cholera.
798	1,041	1,271	1,579	1,775	1,055	197	9. Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DISEASES.
194	514	1,140	1,963	1,918	809	113	10. Cancer.
453	239	278	261	194	43	4	11. Scrofula and Tabes.
12,771	11,073	9,139	6,112	2,509	336	24	12. Phthisis.
19	14	11	10	6	3	—	13. Hydrocephalus.
							LOCAL DISEASES.
2,107	3,412	5,034	8,058	11,796	7,371	1,137	14. Diseases of the Brain.
1,849	3,020	4,854	8,014	10,188	5,102	597	15. Diseases of the Heart, & Dropsy.
2,561	4,393	7,836	13,061	16,234	9,296	1,018	16. Diseases of the Lungs.
1,436	2,441	4,016	5,613	5,550	2,130	245	17. Diseases of the Stomach & Liver.
645	940	1,337	2,032	3,036	1,869	271	18. Diseases of the Kidneys.
8	16	21	24	23	13	3	19. Diseases of the Generat. Organs.
205	186	211	241	208	71	7	20. Diseases of the Joints.
52	69	110	180	240	157	30	21. Diseases of the Skin.
—	—	—	—	—	—	—	22. CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
279	421	599	659	387	102	10	23. Suicide.
2,902	2,907	2,876	2,560	1,785	816	183	24. Other Violent Deaths.
881	1,391	2,187	4,763	15,087	27,240	11,953	25. OTHER CAUSES.

TABLE 9.—Table of Mortality, derived from the ENGLISH LIFE TABLE, showing of what The TABLE shows also, according to the English Life Table, the Annual Births being 488,255 ; the Female Population

AGES . . .	ALL AGES.	0— (See Table 11.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	488,255	121,795	16,982	9,205	11,131	14,539
TOTAL ZYMOTIC DISEASES—Order 1.	86,427	42,805	9,902	3,625	2,399	2,215
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	2,020	1,040	308	126	128	165
2. Measles	6,356	5,024	569	73	22	17
3. Scarlatina	14,864	8,701	4,363	1,029	248	163
4. Diphtheria	2,630	1,821	778	283	84	54
5. Whooping-cough	8,334	7,033	416	24	4	1
6. Typhus	18,002	2,728	2,145	1,618	1,539	1,325
7. Diarrhoea and Dysentery	16,812	9,455	217	77	71	123
8. Cholera	3,005	513	185	79	61	110
9. Other Zymotic Diseases—Order 1. .	12,455	4,900	836	316	242	253
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	14,517	36	17	16	28	55
11. Scrofula and Tabes	6,504	3,745	486	373	286	230
12. Phthisis	57,561	2,185	1,146	2,240	5,203	7,278
13. Hydrocephalus	4,809	3,010	613	177	42	15
LOCAL DISEASES.						
14. Diseases of the Brain	57,097	17,485	1,153	651	636	741
15. Diseases of the Heart, and Dropsy .	40,170	991	446	512	552	698
16. Diseases of the Lungs	69,067	18,889	1,314	444	515	702
17. Diseases of the Stomach and Liver .	26,512	2,035	455	333	424	641
18. Diseases of the Kidneys	4,004	116	77	73	86	122
19. Diseases of the Generative Organs .	2,932	10	1	5	25	81
20. Diseases of the Joints	1,483	114	120	129	100	81
21. Diseases of the Skin	1,206	315	20	18	14	23
22. CHILDBIRTH AND METRIA . . .	6,921	—	—	—	244	1,100
VIOLENT DEATHS.						
23. Suicide	873	—	—	6	48	55
24. Other Violent Deaths	7,303	2,254	776	291	193	160
25. OTHER CAUSES	100,809	27,205	556	283	267	322

Deaths by several Causes.

ases and at what Ages 488,255 Girls BORN ALIVE may be expected to die.
 Annual Deaths 488,255 ; the Deaths at the respective Ages and of the respective Causes out of a
 10,432,046.

25—	35—	45—	55—	65—	75—	85 and upwards.	AGES.
1,460	33,936	37,631	53,301	72,928	63,659	21,688	DEATHS FROM ALL CAUSES.
3,778	3,500	3,610	4,551	5,454	3,687	841	TOTAL ZYMOTIC DIS.—Ord
							ZYMOTIC DISEASES—Order 1.
222	122	67	38	16	6	1	1. Small-pox.
27	13	6	3	1	1	—	2. Measles.
194	96	38	24	11	3	—	3. Scarlatina.
70	48	38	30	20	8	1	4. Diphtheria.
2	1	1	1	1	—	—	5. Whooping-cough.
2,054	1,829	1,750	1,796	1,510	635	63	6. Typhus.
377	436	557	1,107	1,906	1,876	515	7. Diarrhoea and Dysentery.
327	405	393	418	345	145	24	8. Cholera.
525	616	760	1,134	1,554	1,613	217	9. Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS
488	1,776	3,443	4,035	3,204	1,231	188	10. Cancer.
362	287	264	250	167	50	4	11. Scrofula and Tuberc.
14,363	11,331	7,309	4,333	1,785	291	28	12. Phthisis.
17	10	9	8	6	2	—	13. Hydrocephalus.
							LOCAL DISEASES.
1,737	2,529	4,279	7,020	11,312	7,693	1,351	14. Diseases of the Brain.
1,980	3,241	5,187	9,067	11,391	5,679	706	15. Diseases of the Heart, & Dropsy.
1,918	3,059	5,367	10,598	14,979	9,430	1,892	16. Diseases of the Lungs.
1,729	2,591	3,901	5,787	5,839	2,489	318	17. Diseases of the Stomach & Liver.
427	555	645	800	749	285	39	18. Diseases of the Kidneys.
316	509	729	633	422	128	13	19. Diseases of the Generat. Organs.
152	163	179	197	171	60	8	20. Diseases of the Joints.
58	74	95	104	239	155	31	21. Diseases of the Skin.
2,901	2,516	160	—	—	—	—	22. CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
112	143	204	167	105	29	4	23. Suicide.
309	373	478	505	787	875	312	24. Other Violent Deaths.
813	1,159	1,772	4,496	16,318	31,665	15,953	25. OTHER CAUSES.

*English Life Table.—Children:***TABLE 10.—Table showing out of 1,000,000 LIVEBORN CHILDREN what Numbers die of the different Diseases in the first Five Years of Life.**

(This Table is a development of Column 2. of Table 7. It shows the deaths at each year of age under 5.)

CHILDREN OF BOTH SEXES.						
AGES	Total under 5 Years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES . .	263,182	140,403	53,090	23,238	18,456	13,315
TOTAL ZYMOTIC DISEASES—Order 1.	87,099	31,266	21,777	14,811	11,050	8,195
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	3,331	1,310	683	553	446	339
2. Measles	11,507	2,181	4,520	2,606	1,406	796
3. Scarlatina	17,969	1,682	3,784	4,614	4,346	3,533
4. Diphtheria	2,425	381	526	511	529	478
5. Whooping-cough	14,424	5,874	4,515	2,223	1,170	633
6. Typhus	5,401	779	1,111	1,261	1,179	1,071
7. Diarrhoea and Dysentery	20,344	14,511	4,266	999	364	204
8. Cholera	1,120	481	240	164	131	113
9. Other Zymotic Diseases—Order 1. .	10,579	4,067	2,132	1,872	1,480	1,023
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	71	16	10	16	17	13
11. Scrofula and Tubercles	8,115	3,976	2,372	997	463	307
12. Phthisis	4,469	1,650	1,297	721	430	371
13. Hydrocephalus	9,296	3,710	2,915	1,338	773	560
LOCAL DISEASES.						
14. Diseases of the Brain	40,065	30,637	4,897	2,267	1,342	903
15. Diseases of the Heart, and Dropsy .	1,507	625	302	233	183	174
16. Diseases of the Lungs	41,476	21,966	11,234	4,571	2,327	1,349
17. Diseases of the Stomach and Liver .	4,778	3,225	646	396	271	236
18. Diseases of the Kidneys	301	61	62	61	63	54
19. Diseases of the Generative Organs .	20	9	6	3	2	—
20. Diseases of the Joints	243	60	51	45	43	44
21. Diseases of the Skin	603	483	98	44	21	17
22. CHILDBIRTH AND METRIA	—	—	—	—	—	—
VIOLENT DEATHS.						
23. Suicide	—	—	—	—	—	—
24. Other Violent Deaths	5,175	1,884	920	925	782	664
25. OTHER CAUSES	59,904	40,890	7,091	1,900	989	423

Deaths by several Causes.

ci

LE 11.—Table showing out of 511,745 MALE CHILDREN, and of 488,255 FEMALE CHILDREN, BORN ALIVE, the Numbers of Male and Female Children respectively who die of the different Diseases in the first Five Years of Life.

(This Table is a development of Column 2. of Tables 8 and 9.)

SEX	MALES.						FEMALES.					
AGES	Total under 5 years.	0—	1—	2—	3—	4—5	Total under 5 years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES	141,387	83,719	27,531	14,215	9,213	6,719	121,795	65,774	26,159	14,023	9,948	6,806
TOTAL SYMPTOMATIC DISEASES—Order 1.	44,304	16,745	10,810	7,367	5,433	4,040	42,905	16,531	10,967	7,544	5,513	4,135
SYMPTOMATIC DISEASES—Order 1.												
small-pox	1,661	690	336	275	219	171	1,640	690	347	278	227	168
measles	5,933	1,193	2,316	1,306	684	394	5,824	938	2,304	1,369	731	498
scarlatina	9,258	931	1,965	2,353	2,214	1,905	8,701	751	1,829	2,261	2,123	1,738
phthisis	1,304	219	371	346	251	217	1,231	163	265	265	278	261
whooping-cough	6,461	2,840	1,991	987	471	253	7,933	3,625	2,224	1,396	699	399
typhus	2,673	429	555	616	539	504	2,723	350	556	645	619	567
typhoid & Dysentery	10,899	7,964	2,129	503	186	106	9,455	6,547	2,137	497	176	96
cholera	616	267	128	91	70	60	513	214	113	73	61	53
Other Symptomatic Dis.—Order 1.	5,599	2,303	1,129	961	766	530	4,990	1,864	1,003	911	714	498
NON-SYMPTOMATIC DISEASES.												
scorbut	35	8	5	8	8	6	36	8	5	8	9	6
scorbut and Tabes	4,370	2,305	1,237	524	343	161	3,745	1,771	1,135	473	220	146
hydrocephalus	2,294	884	660	358	207	175	2,185	766	637	363	223	196
hydrocephalus	5,386	2,215	1,790	752	414	305	3,910	1,405	1,215	596	359	255
LOCAL DISEASES.												
diseases of the Brain	22,530	17,687	2,570	1,173	679	471	17,485	12,950	2,327	1,114	663	451
diseases of the Heart, and Dropsy	816	339	158	122	100	97	691	286	144	101	83	77
diseases of the Lungs	22,537	12,674	5,829	2,290	1,137	667	18,889	9,321	5,405	2,291	1,190	682
diseases of Stomach & Liver	2,743	1,047	335	208	133	120	2,035	1,278	313	188	138	118
diseases of the Kidneys	185	38	35	38	39	35	116	23	27	23	24	19
diseases of Gen. Organs	10	6	2	1	1	—	10	3	4	2	1	—
diseases of the Joints	129	31	27	25	23	23	114	29	24	20	20	21
diseases of the Skin	348	261	49	20	9	9	315	222	49	34	13	8
BIRTH & METRICAL.												
stillbirth & Metrical	—	—	—	—	—	—	—	—	—	—	—	—
VIOLENT DEATHS.												
suicide	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	2,921	999	520	546	456	400	2,254	885	400	379	326	264
OTHER CAUSES	33,699	27,690	3,584	893	332	210	27,205	22,216	3,507	907	357	218

TABLE 12.—Table of Mortality, derived from the ENGLISH LIFE TABLE, showing, out
AT AND AFTERThe Table shows also, according to the English Life Table, the Annual Births being 1,000,000;
12 Ages of 25 Classes of Causes,

AGE <i>x</i>	0	5	10	15	20	25
DEATHS FROM ALL CAUSES at } Age <i>x</i> and upwards . . }	1,000,000	736,818	702,509	684,563	662,760	634,045
TOTAL ZYMOTIC DISEASES—Order 1.	175,619	68,520	69,264	62,709	57,992	53,488
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	6,521	3,190	2,357	2,113	1,822	1,306
2. Measles	12,865	1,358	278	151	112	83
3. Scarlatina	30,021	12,062	3,319	1,418	925	642
4. Diphtheria	4,945	2,520	1,156	692	527	427
5. Whooping-cough	15,161	737	53	20	14	12
6. Typhus	38,107	32,706	23,670	25,828	22,921	20,225
7. Diarrhoea and Dysentery	34,366	14,022	13,505	13,441	13,300	13,066
8. Cholera	6,125	5,026	4,644	4,471	4,357	4,122
9. Other Zymotic Diseases—Order 1.	27,478	16,899	15,190	14,675	14,034	13,505
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	21,311	21,240	21,203	21,174	21,116	21,016
11. Scrofula and Tabes	14,106	5,901	4,901	4,080	3,447	2,906
12. Phthisis	114,417	100,948	107,909	104,283	95,209	81,424
13. Hydrocephalus	11,252	1,956	593	231	147	115
LOCAL DISEASES.						
14. Diseases of the Brain	121,859	81,794	79,388	78,085	76,810	75,346
15. Diseases of the Heart, and Dropsy	76,060	75,153	74,215	73,210	72,130	70,875
16. Diseases of the Lungs	140,585	108,109	103,712	104,875	103,819	102,242
17. Diseases of the Stomach and Liver	52,497	47,719	46,783	46,066	45,222	44,065
18. Diseases of the Kidneys	14,910	14,809	14,394	14,215	13,961	13,630
19. Diseases of the Generative Organs	3,062	3,042	3,040	3,034	3,008	2,923
20. Diseases of the Joints	3,395	3,152	2,880	2,548	2,278	2,059
21. Diseases of the Skin	2,512	1,840	1,803	1,761	1,722	1,672
22. CHILD BIRTH AND METRIA	6,921	6,921	6,921	6,921	6,677	5,577
VIOLENT DEATHS.						
23. Suicide	3,479	3,479	3,479	3,465	3,371	3,221
24. Other Violent Deaths	30,052	24,877	22,808	21,105	19,325	17,848
25. OTHER CAUSES	198,363	138,459	137,344	134,901	136,296	135,668

The Table may be read vertically thus :—Of 1,000,000 Persons dying annually at all ages, 6,521 die of Small-pox, fever, 32,706 die at the age of 5 and above that age, 23,670

Deaths by several Causes.

ciii

of 1,000,000 BORN ALIVE, the NUMBER OF **Persons** DYING of the **various Diseases** **TWELVE AGES.**

the Annual Deaths 1,000,000; the Numbers of Persons dying annually **at and after** each of out of a Population of 40,858,184.

35	45	55	65	75	85	AGE <i>x</i> .
571,995	502,915	421,115	309,029	161,124	38,565	{ DEATHS FROM ALL CAUSES at Age { <i>x</i> and upwards.
45,529	37,904	29,893	20,008	8,752	1,523	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
742	395	185	72	19	3	1. Small-pox.
42	19	8	3	1	—	2. Measles.
312	150	70	25	6	—	3. Scarlatina.
302	211	137	60	22	3	4. Diphtheria.
8	6	4	2	—	—	5. Whooping-cough.
16,028	12,251	8,502	4,680	1,447	160	6. Typhus.
12,392	11,616	10,501	8,339	4,456	905	7. Diarrhoea and Dysentery.
3,482	2,701	1,872	1,007	319	38	8. Cholera.
12,212	10,555	8,524	5,811	2,482	414	9. Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
29,334	18,044	13,461	7,463	2,341	301	10. Cancer.
2,691	1,515	973	462	101	8	11. Scrofula and Tabes.
54,220	31,886	15,418	4,973	679	52	12. Phthisis.
79	55	35	17	5	—	13. Hydrocephalus.
						LOCAL DISEASES.
71,502	65,561	56,248	40,570	17,462	2,488	14. Diseases of the Brain.
67,046	60,785	50,744	33,663	12,084	1,303	15. Diseases of the Heart, and Dropsy.
97,763	90,311	77,108	53,449	22,236	3,510	16. Diseases of the Lungs.
40,920	35,888	27,971	16,571	5,182	563	17. Diseases of the Stomach and Liver.
12,558	11,063	9,081	6,249	2,464	310	18. Diseases of the Kidneys.
2,590	2,014	1,264	607	157	16	19. Diseases of the Generative Organs.
1,702	1,353	963	525	146	15	20. Diseases of the Joints.
1,562	1,419	1,205	861	373	61	21. Diseases of the Skin.
2,676	160	—	—	—	—	22. CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
2,830	2,396	1,463	637	145	14	23. Suicide.
14,547	11,267	7,913	4,758	2,186	495	24. Other Violent Deaths.
139,974	131,424	127,465	118,216	86,811	27,906	25. OTHER CAUSES.

12,865 of Measles, 30,021 of Scarlatina, &c. The Table, read horizontally, shows that of 38,107 Persons who die of at age 10 and upwards, 25,828 at age 15 and upwards, and so on.

**TABLE 13.—Table of Mortality, derived from the ENGLISH LIFE TABLE, showing,
AT AND AFTER**

The TABLE shows also, according to the English Life Table, the Annual Births being 511,745;
12 Ages, of 25 Classes of Causes, out

AGE <i>x</i>	0	5	10	15	20	25
DEATHS FROM ALL CAUSES at } Age <i>x</i> and upwards . . }	511,745	370,288	283,081	244,290	232,908	219,448
TOTAL ZYMOTIC DISEASES—Order 1.	89,192	44,896	35,544	32,614	30,296	27,967
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	3,592	1,901	1,436	1,348	1,185	994
2. Measles	6,509	626	115	61	44	32
3. Scarlatina	15,157	5,809	1,519	647	402	282
4. Diphtheria	2,315	1,111	529	330	258	212
5. Whooping-cough	6,777	296	20	9	7	6
6. Typhus	19,115	16,442	14,551	13,327	11,950	10,586
7. Diarrhoea and Dysentery	17,564	6,065	6,465	6,578	6,306	6,192
8. Cholera	3,150	2,534	2,337	2,243	2,170	2,065
9. Other Zymotic Diseases—Order 1.	15,023	9,484	8,561	8,262	7,963	7,686
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	6,794	6,769	6,741	6,726	6,696	6,651
11. Scrofula and Tubercles	7,602	3,232	2,618	2,180	1,833	1,522
12. Phthisis	56,856	54,572	53,579	52,302	49,491	47,984
13. Hydrocephalus	6,443	1,067	307	122	80	63
LOCAL DISEASES.						
14. Diseases of the Brain	64,762	42,182	40,929	40,277	39,638	38,915
15. Diseases of the Heart, and Dropsy	56,460	35,674	35,182	34,719	34,191	33,624
16. Diseases of the Lungs	80,578	57,991	56,806	56,415	55,874	54,999
17. Diseases of the Stomach and Liver	25,955	23,212	22,731	22,347	21,927	21,451
18. Diseases of the Kidneys	10,906	10,721	10,583	10,477	10,329	10,180
19. Diseases of the Generative Organs	130	120	119	118	117	113
20. Diseases of the Joints	1,912	1,783	1,611	1,428	1,307	1,129
21. Diseases of the Skin	1,306	958	932	908	883	856
22. CHILD BIRTH AND METRIS	—	—	—	—	—	—
VIOLENT DEATHS.						
23. Suicide	2,606	2,606	2,606	2,598	2,552	2,457
24. Other Violent Deaths	22,659	19,758	18,445	17,023	15,636	14,119
25. OTHER CAUSES	97,554	64,855	64,296	64,036	63,798	63,462

Deaths by several Causes.

67

out of 511,745 Boys BORN ALIVE, the NUMBERS DYING of the various Diseases
Twelve Ages.

the Annual Deaths 511,745; the Numbers of Males dying annually at and after each of
of a Male Population of 20,426,188.

25	45	55	65	75	85	- . . . AGE s.
222,222	222,700	222,532	120,754	75,777	12,577	{ DEATHS FROM ALL CAUSES at Age s and upwards.
22,517	12,761	12,579	10,026	4,224	622	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
422	267	124	49	12	2	1. Small-pox.
12	8	3	1	—	—	2. Measles.
146	74	32	11	3	—	3. Scarlatina.
127	114	78	40	12	2	4. Diphtheria.
4	3	2	1	—	—	5. Whooping-cough.
2,425	2,477	4,478	2,422	729	77	6. Typhus.
5,225	5,225	5,007	2,222	2,025	222	7. Diarrhoea and Dysentery.
1,722	1,272	240	422	122	14	8. Cholera.
2,212	2,277	4,222	2,227	1,222	127	9. Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
2,227	2,242	4,222	2,242	222	112	10. Cancer.
1,222	722	222	241	47	4	11. Scrofula and Tabes.
22,222	12,140	2,221	2,222	222	24	12. Phthisis.
44	20	19	2	3	—	13. Hydrocephalus.
						LOCAL DISEASES.
22,222	22,222	22,222	20,224	2,222	1,127	14. Diseases of the Brain.
21,775	22,722	22,221	12,227	2,222	227	15. Diseases of the Heart, and Dropsy.
22,222	42,242	40,222	27,142	10,214	1,212	16. Diseases of the Lungs.
12,222	17,224	12,222	7,222	2,272	242	17. Diseases of the Stomach and Liver.
2,222	2,242	7,222	2,172	2,140	271	18. Diseases of the Kidneys.
122	22	22	44	12	3	19. Diseases of the Generative Organs.
224	722	227	222	72	7	20. Diseases of the Joints.
224	722	212	422	127	20	21. Diseases of the Skin.
—	—	—	—	—	—	22. CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
2,172	1,727	1,122	422	112	10	23. Suicide.
11,127	2,220	2,244	2,724	222	122	24. Other Violent Deaths.
22,211	21,220	22,222	24,220	22,122	11,222	25. OTHER CAUSES.

**TABLE 14.—Table of Mortality, derived from the ENGLISH LIFE TABLE, showing
AT AND AFTER**

The TABLE shows also, according to the English Life Table, the annual Births being 488,255;
12 Ages, of 25 Classes of Causes, out

AGE <i>x</i> - - -	0	5	10	15	20	25
TOTAL DEATHS at Age <i>x</i> and upwards - - - - -	488,255	366,460	349,478	340,273	329,142	314,603
TOTAL ZYMOTIC DISEASES—Order 1.	86,427	43,622	33,720	30,095	27,696	25,481
ZYMOTIC DISEASES—Order 1.						
1. Small-pox - - - - -	2,929	1,289	891	765	637	472
2. Measles - - - - -	6,356	732	163	90	68	51
3. Scarlatina - - - - -	14,864	6,163	1,800	771	523	360
4. Diphtheria - - - - -	2,630	1,409	636	353	209	215
5. Whooping-cough - - - - -	8,384	451	35	11	7	6
6. Typhus - - - - -	18,992	16,264	14,119	12,501	10,962	9,637
7. Diarrhoea and Dysentery - - -	16,812	7,337	7,143	7,063	6,992	6,864
8. Cholera - - - - -	3,005	2,492	2,307	2,228	2,167	2,057
9. Other Zymotic Diseases—Order 1. -	12,455	7,465	6,629	6,313	6,071	5,819
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer - - - - -	14,517	14,481	14,464	14,448	14,420	14,365
11. Scrofula and Tabes - - - - -	6,504	2,759	2,273	1,900	1,614	1,384
12. Phthisis - - - - -	57,661	55,376	54,230	51,981	46,718	39,440
13. Hydrocephalus - - - - -	4,809	899	296	109	67	52
LOCAL DISEASES.						
14. Diseases of the Brain - - - - -	57,097	39,612	38,459	37,808	37,172	36,431
15. Diseases of the Heart, and Dropsy -	40,170	39,479	39,033	38,491	37,939	37,251
16. Diseases of the Lungs - - - - -	69,007	50,118	48,904	48,460	47,945	47,243
17. Diseases of the Stomach and Liver -	26,542	24,507	24,032	23,719	23,295	22,654
18. Diseases of the Kidneys - - - - -	4,004	3,888	3,811	3,738	3,652	3,590
19. Diseases of the Generative Organs -	2,932	2,922	2,921	2,916	2,891	2,810
20. Diseases of the Joints - - - - -	1,483	1,369	1,249	1,120	1,011	930
21. Diseases of the Skin - - - - -	1,206	891	871	853	839	816
22. CHILDBIRTH AND METRUA - - -	6,921	6,921	6,921	6,921	6,677	5,577
VIOLENT DEATHS.						
23. Suicide - - - - -	873	873	873	867	819	764
24. Other Violent Deaths - - - - -	7,393	5,139	4,363	4,082	3,880	3,729
25. OTHER CAUSES - - - - -	100,800	73,604	73,048	72,765	72,498	72,176

Deaths by several Causes.

cvil

out of 488,355 Girls BORN ALIVE, the NUMBERS DYING of the various Diseases
TWELVE AGES.

the annual Deaths 488,355; the numbers of Females dying annually at and after each of
of a Female Population of 20,432,046.

35	45	55	65	75	85	- - - AGEs.
228,148	242,207	211,276	186,275	88,847	21,698	{ TOTAL DEATHS at Age s and upwards.
21,708	18,148	14,533	9,928	4,523	841	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
280	128	61	23	7	1	1. Small-pox.
24	11	5	3	1	—	2. Measles.
108	76	38	14	3	—	3. Scarlatina.
148	97	50	20	9	1	4. Diphtheria.
4	3	2	1	—	—	5. Whooping-cough.
7,908	5,774	4,024	2,328	718	88	6. Typhus.
6,487	6,051	5,494	4,357	2,301	515	7. Diarrhoea and Dysentery.
1,730	1,325	932	514	169	24	8. Cholera.
5,294	4,678	3,918	2,784	1,330	217	9. Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
12,877	12,101	8,658	4,633	1,419	188	10. Cancer.
1,022	735	471	221	54	4	11. Scrofula and Tabes.
28,977	13,746	6,437	2,104	319	28	12. Phthisis.
38	25	16	8	2	—	13. Hydrocephalus.
						LOCAL DISEASES.
34,804	32,163	27,886	20,296	8,954	1,351	14. Diseases of the Brain.
38,271	32,030	26,843	17,776	6,385	706	15. Diseases of the Heart, and Dropsy.
46,325	42,266	36,899	26,301	11,322	1,592	16. Diseases of the Lungs.
20,925	18,334	14,433	8,646	2,807	318	17. Diseases of the Stomach and Liver.
2,973	2,518	1,873	1,073	324	39	18. Diseases of the Kidneys.
2,494	1,923	1,196	563	141	13	19. Diseases of the Generative Organs.
778	613	436	239	68	8	20. Diseases of the Joints.
758	684	589	425	186	31	21. Diseases of the Skin.
2,076	160	—	—	—	—	22. CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
653	509	305	138	33	4	23. Suicide.
3,420	3,047	2,569	1,974	1,187	312	24. Other Violent Deaths.
71,363	70,204	68,432	63,936	47,618	15,953	25. OTHER CAUSES.

TABLE 15.—Table showing out of 1,000,000 CHILDREN BORN ALIVE of BOTH SEXES, of 511,745 Males and Females respectively, dying at and after

SEX	CHILDREN OF BOTH SEXES.						
AGE <i>x</i>	0	1	2	3	4	0	1
DEATHS FROM ALL CAUSES at Age <i>x</i> and upwards	1,000,000	850,507	796,827	768,589	750,133	511,745	498,086
TOTAL ZYMOTIC DISEASES—Order 1. .	175,619	144,353	122,576	107,765	96,715	89,192	73,447
ZYMOTIC DISEASES—Order 1.							
1. Small-pox	6,521	5,211	4,528	3,975	3,529	3,592	2,902
2. Measles	12,965	10,684	6,164	3,559	2,154	6,509	5,216
3. Scarlatina	30,021	23,339	24,555	19,941	15,595	15,157	14,226
4. Diphtheria	4,945	4,564	4,098	3,527	2,908	2,315	2,096
5. Whooping-cough	15,161	9,287	4,772	2,540	1,370	6,777	3,928
6. Typhus	38,107	37,328	36,217	34,956	33,777	19,115	18,696
7. Diarrhoea and Dysentery	34,366	19,855	15,599	14,590	14,226	17,554	9,590
8. Cholera	6,155	5,674	5,434	5,270	5,139	3,150	2,863
9. Other Zymotic Diseases—Order 1. .	27,478	23,411	21,279	19,407	17,927	15,023	12,830
FIVE CONSTITUTIONAL DISEASES.							
10. Cancer	21,311	21,295	21,285	21,269	21,252	6,794	6,796
11. Scrofula and Tubercles	14,106	10,130	7,758	6,761	6,298	7,602	5,397
12. Phthisis	114,417	112,767	111,470	110,749	110,319	56,856	55,972
13. Hydrocephalus	11,262	7,542	4,627	3,289	2,516	6,443	4,228
LOCAL DISEASES.							
14. Diseases of the Brain	121,859	91,222	86,325	84,038	82,696	64,763	47,975
15. Diseases of the Heart, and Dropsy .	76,660	76,035	75,733	75,510	75,327	36,490	36,151
16. Diseases of the Lungs	149,585	127,590	116,356	111,785	109,458	80,578	67,904
17. Diseases of the Stomach and Liver .	52,497	49,273	48,624	46,228	47,957	25,955	24,008
18. Diseases of the Kidneys	14,910	14,849	14,787	14,726	14,663	10,906	10,868
19. Diseases of the Generative Organs .	3,062	3,053	3,047	3,044	3,042	130	124
20. Diseases of the Joints	3,395	3,335	3,284	3,239	3,196	1,912	1,881
21. Diseases of the Skin	2,512	2,029	1,931	1,887	1,866	1,306	1,045
22. CHILDBIRTH AND METRIS	6,921	6,921	6,921	6,921	6,921	—	—
VIOLENT DEATHS.							
23. Suicide	3,479	3,479	3,479	3,479	3,479	2,606	2,606
24. Other Violent Deaths	30,052	28,168	27,248	26,323	25,541	22,659	21,660
25. OTHER CAUSES	196,363	148,467	141,376	139,576	138,887	97,554	69,374

cix

Males.			Females.					SEX.	
2	3	4	0	1	2	3	4	AGE.	
499,565	336,320	377,077	468,953	422,481	396,323	333,299	373,066	{ DEATHS FROM ALL CAUSES at Age 2 and upwards.	
61,387	54,370	46,938	86,437	71,906	60,939	53,395	47,777	TOTAL ZYMOTIC DISEASES—Order 1.	
								ZYMOTIC DISEASES—Order 1.	
2,936	2,951	2,972	2,939	2,909	1,962	1,684	1,457	1. Small-pox.	
2,999	1,704	1,020	6,356	5,363	3,164	1,835	1,124	2. Measles.	
12,271	9,918	7,704	14,864	14,113	12,234	10,623	7,891	3. Scarlatina.	
1,935	1,579	1,328	2,630	2,468	2,212	1,946	1,670	4. Diphtheria.	
1,987	1,019	589	8,284	5,369	2,635	1,530	831	5. Whooping-cough.	
16,121	17,515	16,946	18,992	18,642	18,066	17,441	16,531	6. Typhus.	
7,461	6,969	6,771	16,812	16,965	8,123	7,631	7,455	7. Diarrhoea and Dysentery.	
2,735	2,664	2,594	3,005	2,791	2,679	2,606	2,545	8. Cholera.	
11,691	10,730	9,964	12,465	10,591	9,588	8,677	7,933	9. Other Zymotic Diseases—Order 1.	
								FIVE CONSTITUTIONAL DISEASES.	
6,781	6,773	6,765	14,517	14,509	14,504	14,496	14,487	10. Cancer.	
4,160	3,636	3,393	6,504	4,733	3,596	3,125	2,905	11. Scrofula and Tabes.	
55,512	54,954	54,747	57,561	56,795	56,168	55,795	55,572	12. Phthisis.	
2,528	1,776	1,362	4,809	3,314	2,099	1,513	1,154	13. Hydrocephalus.	
								LOCAL DISEASES.	
44,505	43,332	42,653	57,097	44,147	41,820	40,706	40,043	14. Diseases of the Brain.	
35,963	35,871	35,771	40,170	39,884	39,740	39,689	39,556	15. Diseases of the Heart, and Dropsy.	
62,973	59,795	58,658	69,007	59,686	54,231	51,090	50,800	16. Diseases of the Lungs.	
23,673	23,465	23,332	23,542	23,294	24,061	24,763	24,625	17. Diseases of the Stomach and Liver.	
10,833	10,795	10,756	4,004	3,981	3,954	3,931	3,907	18. Diseases of the Kidneys.	
122	121	120	2,932	2,929	2,925	2,923	2,922	19. Diseases of the Generative Organs.	
1,354	1,829	1,806	1,483	1,454	1,430	1,410	1,390	20. Diseases of the Joints.	
996	976	907	1,206	984	935	911	899	21. Diseases of the Skin.	
—	—	—	6,921	6,921	6,921	6,921	6,921	22. CHILD BIRTH AND METRIA.	
								VIOLENT DEATHS.	
2,806	2,606	2,606	873	873	873	873	873	23. Suicide.	
21,140	20,594	20,153	7,396	6,508	6,108	5,729	5,408	24. Other Violent Deaths.	
66,390	65,397	65,065	160,809	78,593	75,066	74,179	73,822	25. OTHER CAUSES.	

FORMULAS for determining the probability of dying at or after any Age x of any particular Disease specified in Tables 7-15.

[The symbols must be taken here for that which they are defined to mean; and they must not be confounded with the same symbols having a totally different meaning in other investigations, and most particularly in the Life Table.]

Let l_x = the numbers to die at and after age x .

s_x = the numbers to die of small-pox according to Tables 7 to 11 in any 1, 5, or 10 years after age x .

S_x = all the numbers to die of small-pox at and after age x . (See Tables 12-15.)

m_x = the numbers to die of measles according to the same Tables in any 1, 5, or 10 years after age x .

M_x = all the numbers to die of measles at and after age x .

And in like manner symbols might be used for each of the 25 diseases or groups of diseases.

Some of the uses of the Tables may be thus exemplified by figures taken from the Tables:—

(1.) What is the probability that a liveborn child (A) will die of small-pox in the first five years of life?

$$\text{It is } \frac{s_0}{l_0} = \frac{3331}{1000000} = .003331 = \frac{1}{300} \text{ nearly. (See Table 7 or 10.)}$$

(2.) What is the probability that A will die at any age of small-pox?

$$\frac{S_0}{l_0} = \frac{6521}{1000000} = .006521 = \frac{1}{153} \text{ nearly. (See Table 12.)}$$

(3.) What is the probability that a person aged 20 will die of small-pox?

$$\frac{S_{20}}{l_{20}} = \frac{1822}{662750} = .00275 = \frac{1}{364} \text{ nearly. (See Table 12.)}$$

(4.) What is the probability that a person aged 25 will die of phthisis (P)?

$$\frac{P_{25}}{l_{25}} = \frac{81424}{634045} = .12842 = \frac{1}{8} \text{ nearly. (See Table 12.) It is, therefore, nearly 1 chance to 7 that the person will die of that disease, and 7 to 1 that he will die of some other cause.}$$

(5.) What is the probability that a woman aged 20 will die of childbirth (c) before she is 25? (See Table 9.)

$$\frac{c_{20}}{l_{20}} = \frac{1100}{329142} = .00334 = \frac{1}{299} \text{ nearly.}$$

(6.) What is the probability that she will eventually die of childbirth after age 20? (See Table 14.)

$$\frac{C_{20}}{l_{20}} = \frac{6677}{329142} = .02029 = \frac{1}{49} \text{ nearly.}$$

The chances are 48 to 1 that she will not die of childbirth.

(7.) What is the probability that a man aged 20 will die a violent death other than by suicide (= v) before he is 25? (See Table 8.)

$$\frac{v_{20}}{l_{20}} = \frac{1517}{333608} = \cdot 00455 = \frac{1}{220} \text{ nearly.}$$

(8.) What is the probability that he will eventually die a violent death other than by suicide after age 20? (See Table 13.)

$$\frac{V_{20}}{l_{20}} = \frac{15636}{333608} = \cdot 04687 = \frac{1}{21} \text{ nearly.}$$

(9.) Of what specified disease is a man aged 65 most likely to die?

Disease of lungs. (See Table 13.)

Of the 24 classes specified, the diseases of the lungs (L) are the most fatal; of them 27,148 will die out of 150,754 men living at age 65.

$$\frac{L_{65}}{l_{65}} = \frac{27148}{150754} = \cdot 18008 = \frac{1}{6} \text{ nearly.}$$

The probability of dying of brain disease is

$$\frac{20304}{150754} = \cdot 13468 = \frac{1}{7} \text{ nearly.}$$

The probability of dying of heart disease or dropsy is

$$\frac{15887}{150754} = \cdot 10538 = \frac{1}{9} \text{ nearly.}$$

The probability of dying of old age, debility, and other unclassified diseases is

$$\frac{54280}{150754} = \cdot 36006 = \frac{1}{3} \text{ nearly.}$$

The probabilities that a liveborn child will die of any of the 25 diseases or classes of diseases are as follows:—

Small-pox	-	-	-	·006521	Diseases of Brain	-	-	·121859
Measles	-	-	-	·012865	Diseases of Heart & Dropsy	-	-	·076660
Scarlatina	-	-	-	·030021	Diseases of Lungs	-	-	·149585
Diphtheria	-	-	-	·004945	Dis. of Lungs and Phthisis	-	-	·264002
Whooping-cough	-	-	-	·015161	Diseases of Stom. & Liver	-	-	·052497
Typhus	-	-	-	·033107	Diseases of Kidneys	-	-	·014910
Diarrhoea and Dysentery	-	-	-	·034366	Diseases of Gener. Organs	-	-	·003062
Cholera	-	-	-	·006155	Diseases of Joints	-	-	·003395
Other Zymotic Diseases.—	}			·027478	Diseases of Skin	-	-	·002512
Order I.					Childbirth and Metria	-	-	·006921
Cancer	-	-	-	·021311	Suicide	-	-	·003479
Scrofula and Tabes	-	-	-	·014106	Other Violent Deaths	-	-	·030052
Phthisis	-	-	-	·114417	Other Causes	-	-	·198363
Hydrocephalus	-	-	-	·011252				

These probabilities are deduced by simple inspection of Table 12.

The same table shows by inspection what the probability is that a child will die of these causes *after* any specified age; thus, the probability that a liveborn child will die of small-pox after he has attained the age of 20

$$\text{is } \frac{1822}{1000000} = \cdot 001822 = \frac{1}{549} \text{ nearly, whereas the chance that a young}$$

$$\text{person now 20 will die of small-pox is, as shown above, } \frac{1822}{662750} = \cdot 00275$$

$$= \frac{1}{364} \text{ nearly.}$$

TABLE 16.—Table of Mortality, derived from the HEALTHY DISTRICTS LIFE TABLE, showing of

AGES - - -	ALL AGES.	0— (See Table 12.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES - -	1,000,000	175,410	29,341	16,677	22,571	28,449
TOTAL ZYMOTIC DISEASES—Order 1.	124,889	46,761	16,351	6,439	4,809	3,952
ZYMOTIC DISEASES—Order 1.						
Small-pox - - - - -	2,359	602	90	76	121	239
Measles - - - - -	6,912	5,257	1,065	267	143	30
Scarlatina - - - - -	21,403	11,373	6,359	1,699	638	398
Diphtheria - - - - -	10,292	4,184	3,223	1,339	434	208
Whooping-cough - - - -	10,234	9,650	534	32	12	6
Typhus - - - - -	28,146	2,807	2,065	2,299	2,653	2,373
Diarrhoea and Dysentery - -	21,217	9,354	470	59	154	153
Cholera - - - - -	2,244	399	182	60	51	98
Other Zymotic Diseases—Order 1. -	22,082	6,135	1,758	608	603	447
FIVE CONSTITUTIONAL DISEASES.						
Cancer - - - - -	27,495	110	74	27	69	61
Scrofula and Tabes - - - -	12,655	5,335	977	844	847	642
Phthisis - - - - -	106,481	2,656	1,573	2,940	3,872	14,499
Hydrocephalus - - - - -	8,591	6,004	1,353	420	102	36
LOCAL DISEASES.						
Diseases of the Brain - - -	125,473	22,092	1,901	1,333	1,836	1,732
Diseases of the Heart, and Dropsy -	105,410	1,304	791	927	1,041	1,107
Diseases of the Lungs - - -	129,018	27,884	2,258	840	1,212	1,372
Diseases of the Stomach and Liver -	57,079	4,431	901	589	991	973
Diseases of the Kidneys - - -	21,121	310	200	190	247	379
Diseases of the Generative Organs -	3,241	9	6	6	40	40
Diseases of the Joints - - -	3,356	311	169	225	224	191
Diseases of the Skin - - - -	2,959	723	62	96	58	42
CHILDBIRTH AND METRIA - -	7,065	—	—	—	209	1,053
VIOLENT DEATHS.						
Suicide - - - - -	4,467	—	—	32	114	233
Other Violent Deaths - - - -	26,694	4,232	1,619	1,270	1,375	1,462
OTHER CAUSES - - - - -	231,386	40,048	1,046	499	525	606

NOTE.—The numbers dying at the various Ages from All Causes are derived from the preceding Healthy Districts the observed deaths from those diseases in 51 of the Healthiest

Deaths by several Causes.

cxiii

what Diseases and at what Ages 1,000,000 LIVEBORN CHILDREN may be expected to die.

25—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
59,612	61,921	71,998	109,483	177,301	177,332	66,966	DEATHS FROM ALL CAUSES.
5,931	5,161	5,093	7,429	10,309	7,505	2,807	TOTAL ZYMOTIC DIS.—Order 1.
346	243	250	264	55	46	27	ZYMOTIC DISEASES—Order 1.
48	45	8	30	11	—	14	Small-pox.
498	251	117	68	44	—	—	Measles.
302	228	141	136	55	23	14	Scarlatina.
—	—	—	—	—	—	—	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
2,716	2,702	2,306	3,025	2,791	1,366	141	Typhus.
519	471	524	1,104	3,263	3,643	1,508	Diarrhoea and Dysentery.
148	206	233	293	353	173	54	Cholera.
906	1,015	1,456	2,509	3,737	2,352	554	Other Zymotic Dis.—Order 1.
679	2,218	5,024	7,966	7,908	2,552	607	FIVE CONSTITUTIONAL DIS.
1,985	736	766	723	551	173	27	Cancer.
27,920	20,625	13,745	10,121	4,754	749	27	Scrofula and Tabes.
28	22	16	10	—	—	—	Phthisis.
—	—	—	—	—	—	—	Hydrocephalus.
4,160	6,463	10,012	16,701	29,031	24,697	4,925	LOCAL DISEASES.
3,813	6,513	10,451	21,018	34,546	31,172	2,725	Diseases of the Brain.
3,883	5,261	8,234	16,680	30,534	25,389	6,121	Diseases of the Heart, & Dropsy.
2,947	4,003	7,253	12,240	14,553	7,150	1,148	Diseases of the Lungs.
1,126	1,743	2,319	4,001	5,981	3,730	826	Diseases of the Stomach & Liver.
237	576	778	685	647	174	54	Diseases of the Kidneys.
401	353	441	410	431	173	27	Diseases of the Generat. Organs.
99	147	191	410	562	484	85	Diseases of the Joints.
—	—	—	—	—	—	—	Diseases of the Skin.
2,862	2,662	259	—	—	—	—	CHILDBIRTH AND METEUA.
396	532	1,022	1,171	763	207	27	VIOLENT DEATHS.
2,819	2,583	3,030	2,761	2,796	2,088	649	Suicide.
—	—	—	—	—	—	—	Other Violent Deaths.
1,527	2,303	3,362	7,877	34,123	80,009	50,401	OTHER CAUSES.

Life Table; the numbers dying from each of the 25 classes of causes, at different periods of life, are deduced from Districts of England and Wales during the 10 Years 1861-70.

TABLE 17.—Table of Mortality, derived from the HEALTHY DISTRICTS LIFE TABLE,
expected

AGES - - -	ALL AGES.	0— (See Table 20.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES - -	511,240	95,040	14,523	7,470	10,341	13,809
TOTAL ZYMOTIC DISEASES—Order 1.	63,807	25,875	7,737	2,620	2,258	1,944
ZYMOTIC DISEASES—Order 1.						
Small-pox - - - - -	1,514	324	67	30	70	166
Measles - - - - -	3,514	2,774	484	111	64	18
Scarlatina - - - - -	10,779	5,817	3,217	835	367	197
Diphtheria - - - - -	4,478	2,065	1,352	412	169	68
Whooping-cough - - - -	4,828	4,584	212	20	6	6
Typhus - - - - -	14,125	1,411	1,163	885	1,140	1,144
Diarrhoea and Dysentery - -	11,337	5,312	234	30	81	68
Cholera - - - - -	1,135	242	67	25	23	25
Other Zymotic Diseases—Order 1. -	11,897	3,346	941	272	338	253
FIVE CONSTITUTIONAL DISEASES.						
Cancer - - - - -	9,350	57	45	15	29	49
Scrofula and Tubercles - - - -	6,613	2,902	551	427	390	320
Phthisis - - - - -	52,282	1,224	618	975	3,392	6,031
Hydrocephalus - - - - -	4,746	3,537	662	171	29	18
LOCAL DISEASES.						
Diseases of the Brain - - -	66,030	12,604	963	568	786	886
Diseases of the Heart, and Dropsy -	50,475	656	461	452	471	535
Diseases of the Lungs - - -	70,960	15,212	1,130	342	710	849
Diseases of the Stomach and Liver -	23,963	2,000	429	282	460	425
Diseases of the Kidneys - - -	15,382	175	156	80	140	203
Diseases of the Generative Organs -	144	5	—	—	6	—
Diseases of the Joints - - -	1,787	108	83	121	134	142
Diseases of the Skin - - - -	1,560	421	33	50	35	18
CHILDBIRTH AND METRIA - -	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide - - - - -	3,555	—	—	15	58	172
Other Violent Deaths - - - -	20,339	2,302	1,124	1,036	1,245	1,316
OTHER CAUSES - - - - -	115,420	26,942	540	256	194	295

Deaths by several Causes.

CXV

of what Diseases and at what Ages 511,249 Boys BORN ALIVE may be

35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
30,679	37,919	57,982	92,029	88,901	32,796	DEATHS FROM ALL CAUSES.
2,570	2,844	4,116	5,481	4,154	1,126	TOTAL ZYMOTIC DIS.—Order 1.
						ZYMOTIC DISEASES—Order 1.
169	166	176	44	46	14	Small-pox.
15	—	20	—	—	14	Measles.
81	50	29	22	—	—	Scarlatina.
95	41	68	33	12	14	Diphtheria.
—	—	—	—	—	—	Whooping-cough.
1,278	1,252	1,794	1,628	771	101	Typhus.
228	340	527	1,650	2,002	680	Diarrhoea and Dysentery.
117	116	156	188	69	14	Cholera.
587	879	1,346	1,916	1,254	289	Other Zymotic Dis.—Order 1.
						FIVE CONSTITUTIONAL DIS.
448	1,194	2,292	3,178	1,576	289	Cancer.
404	323	351	299	92	14	Scrofula and Tabes.
9,840	7,155	5,968	2,735	472	—	Phthisis.
7	8	—	—	—	—	Hydrocephalus.
						LOCAL DISEASES.
3,583	5,513	8,688	15,206	12,770	2,285	Diseases of the Brain.
3,253	5,107	9,858	16,247	10,193	1,345	Diseases of the Heart, & Dropsy.
3,114	5,215	9,605	16,468	13,173	2,950	Diseases of the Lungs.
2,144	3,465	6,406	7,520	3,325	578	Diseases of the Stomach & Liver.
1,013	1,583	2,672	4,829	3,175	680	Diseases of the Kidneys.
15	17	10	44	12	14	Diseases of the Generat. Organs.
198	182	205	277	92	14	Diseases of the Joints.
51	99	224	321	207	58	Diseases of the Skin.
—	—	—	—	—	—	CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
485	796	917	631	161	14	Suicide.
2,298	2,578	2,321	2,171	955	304	Other Violent Deaths.
1,256	1,840	4,340	17,222	38,634	23,125	OTHER CAUSES.

TABLE 18.—Table of Mortality, derived from the HEALTHY DISTRICTS LIFE TABLE,
expected

AGES . . .	ALL AGES.	0— (See Table 20.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	488,751	80,370	14,819	9,207	12,230	14,840
TOTAL ZYMOTIC DISEASES—Order 1.	61,282	23,886	8,614	3,819	2,551	2,008
ZYMOTIC DISEASES—Order 1.						
Small-pox	845	278	23	46	51	73
Measles	3,398	2,483	581	156	79	13
Scarlatina	10,624	5,556	3,142	864	271	201
Diphtheria	5,814	2,119	1,876	927	285	140
Whooping-cough	5,406	5,066	322	12	6	—
Typhus	14,021	1,306	1,502	1,414	1,512	1,320
Diarrhoea and Dysentery . . .	9,880	4,042	236	29	73	85
Cholera	1,109	157	115	35	28	73
Other Zymotic Diseases—Order 1. .	10,185	2,789	817	330	285	195
FIVE CONSTITUTIONAL DISEASES.						
Cancer	18,145	53	29	12	40	13
Scrofula and Tabes	6,042	2,433	426	417	457	316
Phthisis	56,199	1,432	965	1,965	5,480	7,268
Hydrocephalus	3,845	2,767	601	240	73	18
LOCAL DISEASES.						
Diseases of the Brain	59,443	10,088	938	765	1,050	846
Diseases of the Heart, and Dropsy .	54,935	648	340	475	570	572
Diseases of the Lungs	58,658	12,072	1,128	496	502	522
Diseases of the Stomach and Liver .	28,086	1,831	472	307	531	548
Diseases of the Kidneys	5,739	135	104	110	107	176
Diseases of the Generative Organs .	3,097	4	6	6	34	49
Diseases of the Joints	1,569	143	86	104	90	49
Diseases of the Skin	1,399	302	29	46	23	24
CHILD BIRTH AND METRUA . . .	7,065	—	—	—	209	1,053
VIOLENT DEATHS.						
Suicide	932	—	—	17	56	61
Other Violent Deaths	6,355	1,870	405	174	130	146
OTHER CAUSES	115,960	22,106	506	243	327	371

Deaths by several Causes.

cxvii

g of what Diseases and at what Ages 488,751 Girls BORN ALIVE may be

	35—	45—	55—	65—	75—	85 and upwards.	— . . AGES.
1	31,342	34,019	51,500	84,762	88,261	37,160	DEATHS FROM ALL CAUSES.
9	2,591	2,191	3,313	4,828	3,351	1,181	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
4	74	84	88	11	—	13	Small-pox.
8	30	8	10	11	—	—	Measles.
2	170	67	39	22	—	—	Scarlatina.
3	133	100	68	22	11	—	Diphtheria.
	—	—	—	—	—	—	Whooping-cough.
8	1,424	1,064	1,231	1,163	497	40	Typhus.
4	243	184	577	1,618	1,641	823	Diarrhoea and Dysentery.
10	89	117	137	165	104	40	Cholera.
11	428	577	1,163	1,821	1,098	265	Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS.
11	1,770	3,830	4,974	4,630	1,976	318	Cancer.
11	332	443	371	252	81	13	Scrofula and Tabes.
13	10,785	6,590	4,153	2,019	277	27	Phthisis.
14	15	8	10	—	—	—	Hydrocephalus.
							LOCAL DISEASES.
32	2,870	4,490	8,013	13,825	11,927	2,640	Diseases of the Brain.
06	3,260	5,344	11,160	18,301	10,970	1,580	Diseases of the Heart, & Dropsy.
41	2,147	3,019	7,075	14,066	12,216	3,171	Diseases of the Lungs.
38	1,859	3,788	5,834	7,033	3,825	570	Diseases of the Stomach & Liver.
39	730	736	1,329	1,152	555	146	Diseases of the Kidneys.
16	561	761	655	603	102	40	Diseases of the Generat. Organs.
30	155	259	205	154	81	13	Diseases of the Joints.
56	96	92	186	241	277	27	Diseases of the Skin.
52	2,692	259	—	—	—	—	CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
90	37	226	254	132	40	13	Suicide.
50	295	452	440	625	1,133	345	Other Violent Deaths.
58	1,047	1,522	3,528	16,901	41,375	27,276	OTHER CAUSES.

Healthy Districts Life Table—Children:

TABLE 19.—Table showing out of 1,000,000 LIVING CHILDREN what Numbers die of the different Diseases in the first Five Years of Life.

This Table is a development of Column 2. of Table 14. It shows the deaths at each year of age under 5.

CHILDREN OF BOTH SEXES.						
AGES -	Total under 5 Years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES	175,610	142,364	70,064	13,364	11,064	10,510
TOTAL ZYMOTIC DISEASES—Order 1.	60,741	16,321	10,324	3,345	7,230	6,302
ZYMOTIC DISEASES—Order 1.						
Scarlatina	402	249	30	37	61	97
Meningitis	5,237	294	1,273	1,304	391	497
Scarlatina	11,373	530	2,140	2,439	2,926	2,519
Erythema	4,144	426	734	404	949	1,186
Whooping-cough	9,650	4,644	2,793	1,349	562	372
Typhus	2,497	273	329	420	697	897
Diarrhea and Dysentery	9,354	4,793	1,513	693	311	134
Cholera	309	206	73	31	40	27
Other Zymotic Diseases—Order 1. .	6,135	1,611	1,190	1,240	1,162	974
FIVE CONSTITUTIONAL DISEASES.						
Cancer	119	4	4	25	31	30
Scrophula and Tuberc	5,335	2,792	1,296	733	365	229
Phthisis	2,656	956	778	450	325	247
Hydrocephalus	6,604	2,501	1,887	988	767	461
LOCAL DISEASES.						
Diseases of the Brain	21,692	16,112	3,251	1,691	949	609
Diseases of the Heart, and Dropsy .	1,504	621	214	163	169	137
Diseases of the Lungs	27,854	16,289	6,241	3,010	1,406	936
Diseases of the Stomach and Liver .	4,431	3,037	469	362	313	248
Diseases of the Kidneys	310	69	61	73	51	56
Diseases of the Generative Organs .	9	—	4	—	5	—
Diseases of the Joints	311	60	70	74	36	62
Diseases of the Skin	723	534	75	57	41	16
CHILDBIRTH AND METRIS	—	—	—	—	—	—
VIOLENT DEATHS.						
Homicide	—	—	—	—	—	—
Other Violent Deaths	4,252	1,341	813	835	718	525
OTHER CAUSES	40,048	42,381	3,070	1,511	693	403

Deaths by several Causes.

cxix

10.—Table showing out of 511,249 MALE CHILDREN, and of 488,751 FEMALE CHILDREN, BORN ALIVE, Numbers of Male and Female Children respectively who die of the different Diseases in the first Five Years of Life.

(This Table is a development of Column 2. of Tables 17. and 18.)

SEX	MALES.						FEMALES.					
AGES	Total under 5 years.	0—	1—	2—	3—	4—5	Total under 5 years.	0—	1—	2—	3—	4—5
THESE FROM ALL CAUSES	95,040	57,670	15,910	9,530	6,610	5,320	80,370	45,280	14,140	9,320	6,440	5,190
EXTRINSIC Diseases—Order 1.	25,875	8,841	5,795	4,508	3,557	3,174	23,880	7,480	5,129	4,377	3,682	3,218
INTRINSIC Diseases—Order 1.												
Measles	324	216	23	29	31	26	278	132	17	28	30	71
Scarlet Fever	2,774	535	1,085	640	277	237	2,483	453	888	568	514	260
Diphtheria	5,517	416	1,156	1,435	1,459	1,301	5,556	514	1,004	1,353	1,407	1,218
Erysipelas	2,085	272	388	383	506	516	2,119	154	346	507	443	669
Croup and Whooping Cough	4,584	2,244	1,292	640	219	189	5,066	2,400	1,411	720	343	183
Pneumonia	1,411	204	260	297	329	321	1,396	171	268	323	368	266
Small Pox and Dysentery	5,312	3,928	820	291	157	116	4,042	2,865	693	312	154	18
Cholera	242	127	40	40	5	21	157	79	26	11	35	6
Remotio Diseases, et c.	3,346	899	723	703	574	447	2,789	712	476	546	523	527
CONSTITUTIONAL Diseases.												
Scrofula	57	4	—	6	26	21	53	4	4	22	5	18
Rickets and Tabes	2,902	1,587	693	371	146	105	2,433	1,195	593	302	159	124
Consumption	1,224	403	393	177	146	105	1,132	453	385	273	179	142
Phthisis	3,837	1,481	1,138	537	439	242	2,767	1,020	740	451	328	219
ALL DISEASES.												
Of the Brain	12,604	9,312	1,566	851	496	379	10,088	6,830	1,685	830	463	290
Of the Heart, & Dropsy	656	327	93	74	78	84	648	294	121	89	91	53
Of the Lungs	15,212	9,269	3,329	1,452	694	463	12,672	7,019	2,915	1,558	712	468
Of the Stomach & Liver	2,600	1,811	287	251	151	100	1,831	1,226	182	111	164	148
Of the Kidneys	175	38	44	51	16	26	135	31	17	22	35	30
Of the Generative Organs	5	—	—	—	5	—	4	—	4	—	—	—
Of the Joints	168	38	31	46	21	32	143	31	39	28	15	30
Of the Skin	421	301	49	29	26	16	302	233	26	28	15	—
ERTH & METRIA	—	—	—	—	—	—	—	—	—	—	—	—
INFANT DEATHS.												
Still-born Deaths	2,362	730	432	451	449	306	1,870	611	381	384	260	225
AT BIRTH	26,942	23,528	2,060	726	360	268	22,106	18,853	1,910	785	333	225

Deaths by several Causes.

xxx

out of 1,000,000 BORN ALIVE, the NUMBER of PERSONS DYING at and after

10,000; the Annual Deaths 1,000,000; the Numbers of Persons dying annually at
 at of a Population of 48,996,650.

45	55	65	75	85	- - - AGE <i>x</i>
606,619	584,061	484,599	247,208	69,956	{ DEATHS FROM ALL CAUSES at Age <i>x</i> and upwards.
26,565	27,550	20,121	9,812	2,807	TOTAL ZYMOTIC DISEASES—Order 1.
					ZYMOTIC DISEASES—Order 1.
642	392	128	73	27	Small-pox.
63	55	25	14	14	Measles.
239	112	44	—	—	Scarlatina.
309	228	92	37	14	Diphtheria.
—	—	—	—	—	Whooping-cough.
9,981	7,225	4,200	1,409	141	Typhus.
16,937	9,513	8,400	5,146	1,503	Diarrhoea and Dysentery.
1,106	873	580	227	54	Cholera.
16,008	9,152	6,643	2,906	554	Other Zymotic Diseases—Order 1.
					FIVE ZYMOTIC DISEASES.
24,267	19,233	11,967	4,159	607	Cancer.
2,339	1,473	751	200	27	Scrofula and Tabes.
29,296	15,651	5,530	776	27	Phthisis.
26	10	—	—	—	Hydrocephalus.
					LOCAL DISEASES.
85,206	75,354	58,053	29,622	4,925	Diseases of the Brain.
89,914	79,463	58,445	23,897	2,725	Diseases of the Heart, and Dropsy.
86,968	78,724	62,044	31,510	6,121	Diseases of the Lungs.
42,244	35,091	22,851	8,298	1,143	Diseases of the Stomach and Liver.
16,557	14,538	10,537	4,556	826	Diseases of the Kidneys.
2,518	1,540	875	228	54	Diseases of the Generative Organs.
1,482	1,041	631	200	27	Diseases of the Joints.
1,732	1,541	1,131	569	85	Diseases of the Skin.
269	—	—	—	—	CHILDBIRTH AND METRIA.
					VIOLENT DEATHS.
3,190	2,168	997	234	27	Suicide.
11,294	8,294	5,533	2,737	649	Other Violent Deaths.
175,772	172,410	164,533	130,410	50,401	OTHER CAUSES.

TABLE 22.—Table of Mortality, derived from the HEALTHY DISTRICTS LIFE TABLE,
The TABLE shows also, according to the Healthy Districts Life Table, the Annual Births being
of 12 Ages, of 25 Classes of Causes, out

AGE <i>x</i> . . .	0	5	10	15	20	25
DEATHS FROM ALL CAUSES at } Age <i>x</i> and upwards . }	511,249	416,209	401,687	394,217	383,876	370,067
TOTAL ZYMOTIC DISEASES—Order 1.	63,607	37,782	29,995	27,375	25,117	23,173
ZYMOTIC DISEASES—Order 1.						
Small-pox	1,514	1,190	1,123	1,093	1,023	857
Measles	3,514	740	256	145	81	63
Scarlatina	10,779	4,962	1,745	910	543	346
Diphtheria	4,478	2,413	1,061	649	480	412
Whooping-cough	4,828	244	32	12	6	—
Typhus	14,125	12,714	11,551	10,006	9,526	8,362
Diarrhoea and Dysentery	11,337	6,025	5,791	5,761	5,680	5,512
Cholera	1,135	893	826	801	778	753
Other Zymotic Diseases—Order 1. .	11,897	8,551	7,610	7,338	7,000	6,746
FIVE CONSTITUTIONAL DISEASES.						
Cancer	9,350	9,293	9,248	9,233	9,204	9,155
Scrofula and Tubercles	6,613	3,711	3,160	2,733	2,343	2,017
Phthisis	52,292	51,038	50,440	49,465	48,073	46,412
Hydrocephalus	4,746	909	247	76	47	29
LOCAL DISEASES.						
Diseases of the Brain	60,030	53,426	52,463	51,895	51,109	50,223
Diseases of the Heart, and Dropsy .	50,475	40,819	40,368	48,916	48,445	47,910
Diseases of the Lungs	70,060	55,748	54,618	54,276	53,506	52,717
Diseases of the Stomach and Liver .	28,993	20,593	25,064	25,682	25,222	24,797
Diseases of the Kidneys	15,382	15,207	15,051	14,971	14,831	14,628
Diseases of the Generative Organs .	144	139	139	139	133	133
Diseases of the Joints	1,787	1,619	1,536	1,415	1,281	1,139
Diseases of the Skin	1,560	1,139	1,106	1,056	1,021	1,003
CHILDBIRTH AND METRIA	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide	3,555	3,555	3,555	3,540	3,482	3,510
Other Violent Deaths	20,339	17,077	16,853	15,757	14,512	13,196
OTHER CAUSES	115,426	88,494	87,944	87,698	87,490	87,195

Deaths by several Causes.

cxiii

showing, out of 511,249 Boys BORN ALIVE, the NUMBERS DYING at and after TWELVE AGES. 511,249; the Annual Deaths 511,249; the Numbers of Males dying annually at and after each of a Male Population of 24,827,450.

35	45	55	65	75	85	- - - AGE x.
340,996	310,317	272,398	214,416	121,787	32,796	{ DEATHS FROM ALL CAUSES at Age x and upwards.
20,391	17,721	14,877	10,761	5,280	1,126	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
615	446	280	104	60	14	Small-pox.
49	34	34	14	14	14	Measles.
162	101	51	22	—	—	Scarlatina.
263	168	127	59	20	14	Diphtheria.
—	—	—	—	—	—	Whooping-cough.
6,824	5,540	4,294	2,500	872	101	Typhus.
5,427	5,199	4,859	4,332	2,682	680	Diarrhoea and Dysentery.
660	543	427	271	83	14	Cholera.
6,271	5,684	4,805	3,450	1,543	289	Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
8,977	8,529	7,335	5,043	1,866	289	Cancer.
1,483	1,079	756	405	106	14	Scrofula and Tabes.
26,170	16,330	9,175	3,207	472	—	Phthisis.
15	8	—	—	—	—	Hydrocephalus.
						LOCAL DISEASES.
46,045	44,462	38,940	30,261	15,055	2,385	Diseases of the Brain.
46,003	42,750	37,643	27,785	11,538	1,345	Diseases of the Heart, and Dropsy.
50,525	47,411	42,196	32,501	16,123	2,050	Diseases of the Lungs.
23,438	21,204	17,829	11,423	3,903	578	Diseases of the Stomach and Liver.
13,952	12,939	11,356	8,684	3,853	680	Diseases of the Kidneys.
112	97	80	70	26	14	Diseases of the Generative Organs.
968	770	588	383	106	14	Diseases of the Joints.
960	909	810	586	265	58	Diseases of the Skin.
—	—	—	—	—	—	CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
3,004	2,519	1,723	806	175	14	Suicide.
10,627	8,320	5,751	3,430	1,259	304	Other Violent Deaths.
86,426	85,170	83,830	78,981	61,759	23,125	OTHER CAUSES.

TABLE 23.—Table of Mortality, derived from the HEALTHY DISTRICTS LIFE TABLE, showing,
The TABLE shows also, according to the Healthy Districts Life Table, the annual Births being
each of 12 Ages, of 25 Classes of Causes,

AGE <i>n</i>	0	5	10	15	20	25
TOTAL DEATHS at Age <i>n</i> and upwards }	468,751	408,881	308,568	284,355	372,125	387,498
TOTAL ZYMOTIC DISEASES—Order 1.	61,282	37,206	28,782	24,963	22,412	20,404
ZYMOTIC DISEASES—Order 1.						
Small-pox	845	567	544	408	447	374
Measles	5,398	915	334	178	99	87
Scarlatina	10,624	5,068	1,926	1,062	701	590
Diphtheria	5,814	3,685	1,819	892	627	487
Whooping-cough	5,406	840	18	6	—	—
Typhus	14,021	12,625	11,123	9,709	8,196	6,967
Diarrhoea and Dysentery	9,890	5,838	5,602	5,573	5,500	5,415
Cholera	1,109	962	837	802	774	701
Other Zymotic Diseases—Order 1. .	10,185	7,366	6,579	6,243	5,978	5,783
FIVE CONSTITUTIONAL DISEASES.						
Cancer	18,145	18,092	18,063	18,051	18,011	17,999
Scrofula and Tubercles	6,042	3,000	3,183	2,796	2,309	1,963
Phthisis	56,199	54,767	53,812	51,847	46,267	38,499
Hydrocephalus	3,845	1,078	387	138	65	47
LOCAL DISEASES.						
Diseases of the Brain	59,443	49,355	48,417	47,652	46,902	45,756
Diseases of the Heart, and Dropsy .	54,935	54,287	53,947	53,472	52,902	52,330
Diseases of the Lungs	58,658	45,986	44,358	44,360	43,858	43,335
Diseases of the Stomach and Liver .	28,086	26,255	25,783	25,476	24,945	24,397
Diseases of the Kidneys	5,739	5,604	5,500	5,390	5,283	5,107
Diseases of the Generative Organs .	3,007	3,093	3,087	3,061	3,047	2,998
Diseases of the Joints	1,569	1,426	1,340	1,236	1,146	1,097
Diseases of the Skin	1,899	1,097	1,068	1,022	999	975
CHILDBIRTH AND METRIS . . .	7,065	7,065	7,065	7,065	6,856	5,803
VIOLENT DEATHS.						
Suicide	932	932	932	915	859	798
Other Violent Deaths	6,355	4,485	3,990	3,816	3,698	3,540
OTHER CAUSES	115,960	98,854	93,848	96,105	92,778	92,407

Deaths by several Causes.

CXXV

out of 488,751 Girls BORN ALIVE, the NUMBERS DYING at and after TWELVE AGES. 488,751 ; the annual Deaths 488,751 ; the Numbers of Females dying annually at and after out of a Female Population of 24,169,200.

35	45	55	65	75	85	- - - AGE x.
226,944	205,702	261,683	210,188	125,421	87,160	{ TOTAL DEATHS at Age x and upwards.
17,455	14,864	12,673	9,360	4,532	1,181	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
270	196	113	24	13	13	Small-pox.
59	29	21	11	—	—	Measles.
298	128	61	22	—	—	Scarlatina.
334	201	101	83	11	—	Diphtheria.
—	—	—	—	—	—	Whooping-cough.
5,409	3,985	2,931	1,700	587	40	Typhus.
5,061	4,838	4,654	4,077	2,404	823	Diarrhoea and Dysentery.
632	563	446	309	144	40	Cholera.
5,333	4,924	4,347	3,184	1,863	265	Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
17,408	15,728	11,898	6,924	2,294	318	Cancer.
1,402	1,160	717	346	94	13	Scrofula and Tubercles.
23,851	13,066	6,476	2,323	304	27	Phthisis.
33	18	10	—	—	—	Hydrocephalus.
						LOCAL DISEASES.
43,774	40,004	36,405	28,392	14,567	2,640	Diseases of the Brain.
50,424	47,164	41,820	30,060	12,359	1,380	Diseases of the Heart, and Dropsy.
41,094	39,547	36,528	29,453	15,387	3,171	Diseases of the Lungs.
22,900	21,050	17,202	11,428	4,395	570	Diseases of the Stomach and Liver.
4,648	3,918	3,182	1,853	701	146	Diseases of the Kidneys.
2,782	2,221	1,460	805	262	40	Diseases of the Generative Organs.
867	712	453	248	94	13	Diseases of the Joints.
919	523	731	545	304	27	Diseases of the Skin.
2,951	259	—	—	—	—	CHILDBIRTH AND METRIS.
						VIOLENT DEATHS.
708	671	445	191	59	13	Suicide.
3,290	2,995	2,543	2,103	1,478	345	Other Violent Deaths.
91,649	90,602	80,080	85,552	68,651	27,276	OTHER CAUSES.

TABLE 24.—Outline LIFE TABLE of the HEALTHY DISTRICTS of ENGLAND AND WALES.

AGE <i>x</i>	<i>l_x</i>			<i>d_x</i>		
	PERSONS.	Males.	Females.	PERSONS.	Males.	Females.
0	1,000,000	511,249	488,751	175,410	95,040	80,370
5	824,590	416,209	408,381	29,341	14,522	14,819
10	795,249	401,687	393,562	16,677	7,470	9,207
15	778,572	394,217	384,355	22,571	10,341	12,230
20	756,001	383,876	372,125	28,449	13,809	14,640
25	727,552	370,067	357,485	59,612	29,071	30,541
35	667,940	340,996	326,944	61,921	30,679	31,242
45	606,019	310,317	295,702	71,938	37,919	34,019
55	534,081	272,398	261,683	109,482	57,982	51,500
65	424,599	214,416	210,183	177,391	92,629	84,762
75	247,208	121,787	125,421	177,252	88,991	88,261
85	69,956	32,796	37,160	65,496	30,856	34,640
95	4,460	1,940	2,520	4,440	1,930	2,510
105	20	10	10	20	10	10

Note.—This Life Table is derived from the Healthy Districts Life Table constructed by Dr. Farr and published in 1850 in the "Transactions of the Royal Society," pp. 837-878; the number of children born, and dying at various ages, has been raised to 1,000,000 to render the Table comparable with those of All England, of London, and of *Liv*

TABLE 25.—Outline LIFE TABLE for LIVERPOOL DISTRICT.

AGE <i>x</i>	<i>l_x</i>			<i>d_x</i>		
	PERSONS.	Males.	Females.	PERSONS.	Males.	Females.
0	1,000,000	512,044	487,956	460,370	240,775	219,595
5	539,630	271,269	268,361	41,009	21,444	19,565
10	498,621	249,825	248,796	15,729	8,207	7,522
15	482,892	241,618	241,274	20,124	11,151	8,973
20	462,768	230,467	232,301	28,271	15,817	12,454
25	434,497	214,650	219,847	74,153	38,876	35,277
35	360,344	175,774	184,570	85,151	45,651	39,500
45	275,193	130,123	145,070	90,969	46,090	44,879
55	184,224	84,033	100,191	86,589	42,710	43,879
65	97,635	41,323	56,312	63,480	28,792	34,688
75	34,155	12,531	21,624	28,152	10,757	17,395
85	6,003	1,774	4,229	5,586	1,684	3,902
95	417	90	327	408	89	319
105	9	1	8	9	1	8

The Table may be read thus :—According to the rates of mortality prevailing in the 10 years 1861-70, of a million children born alive, 512,044 males, 487,956 females, 462,768 attain the age of 20; 28,271 die in the following 5 years; and 434,497 survive to the age of 25.

TABLE 26.—Table of Mortality, derived from the preceding LIVERPOOL LIFE TABLE,
expected

AGES . . .	ALL AGES.	0 — (See Table 29.)	5 —	10 —	15 —	20 —
DEATHS FROM ALL CAUSES . .	1,000,000	400,370	41,009	15,729	20,124	28,271
TOTAL ZYMOTIC DISEASES—Order 1.*	284,983	171,009	22,032	6,162	5,609	6,821
ZYMOTIC DISEASES—Order 1.*						
Small-pox	8,141	5,175	901	262	287	583
Measles	28,973	25,514	1,272	71	30	34
Scarlatina	38,302	26,818	9,300	1,403	218	184
Diphtheria	4,416	3,305	540	81	100	61
Whooping-cough	34,021	32,551	1,410	50	10	—
Typhus	76,563	9,297	4,907	2,884	4,162	4,734
Diarrhoea and Dysentery . .	61,446	51,911	900	263	129	273
Cholera	16,489	4,265	1,094	936	436	655
Other Zymotic Diseases—Order 1.*	18,632	12,003	979	212	327	307
FIVE CONSTITUTIONAL DISEASES.						
Cancer	9,992	62	40	10	100	52
Scrofula and Tubercles . . .	15,658	11,094	1,537	644	476	350
Phthisis	96,676	5,116	2,423	2,732	7,027	10,914
Hydrocephalus	16,356	14,972	1,126	191	30	—
LOCAL DISEASES.						
Diseases of the Brain . . .	82,251	49,840	2,154	826	823	998
Diseases of the Heart, and Dropsy .	41,947	2,038	1,478	1,079	1,050	1,372
Diseases of the Lungs . . .	190,066	79,803	3,790	908	1,130	2,220
Diseases of the Stomach and Liver .	27,818	4,874	577	423	565	821
Diseases of the Kidneys . . .	9,744	630	362	182	237	468
Diseases of the Generative Organs .	1,502	21	—	—	10	85
Diseases of the Joints . . .	3,552	617	598	403	376	238
Diseases of the Skin	2,325	717	108	50	120	115
CHILDBIRTH AND METRIA . .	4,127	—	—	—	187	702
VIOLENT DEATHS.						
Suicide	2,009	—	—	20	79	124
Other Violent Deaths . . .	45,184	17,107	2,644	1,434	1,680	2,217
OTHER CAUSES	165,810	101,780	2,135	605	535	764

Deaths by several Causes.

CXXIX

showing of what Diseases and at what Ages 1,000,000 LIVEBORN CHILDREN may be to die.

25—	35—	45—	55—	65—	75—	85 and upwards.	AGES.
74,153	85,151	90,969	86,589	63,480	28,152	0,003	DEATHS FROM ALL CAUSES.
18,337	12,066	17,064	12,737	6,726	2,041	289	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
507	319	85	10	12	—	—	Small-pox.
52	—	—	—	—	—	—	Measles.
234	66	19	—	—	—	—	Scarlatina.
70	27	55	12	53	13	—	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
10,667	14,322	12,504	8,635	3,681	760	30	Typhus.
882	1,200	1,421	1,903	1,550	766	188	Diarrhoea and Dysentery.
2,178	2,301	1,965	1,186	627	192	44	Cholera.
757	831	925	991	803	310	27	Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS.
702	1,792	2,376	2,589	1,437	317	15	Cancer.
349	183	197	153	62	13	—	Scrofula and Tabes.
26,046	21,520	13,274	5,617	1,757	230	15	Phthisis.
17	—	—	20	—	—	—	Hydrocephalus.
							LOCAL DISEASES.
3,126	3,703	5,789	6,757	5,873	1,996	360	Diseases of the Brain.
5,016	7,109	8,020	7,853	5,312	1,535	92	Diseases of the Heart, & Dropsy.
8,267	13,967	24,417	29,218	19,037	6,221	968	Diseases of the Lungs.
2,845	4,316	5,531	4,508	2,545	774	39	Diseases of the Stomach & Liver.
1,370	1,641	1,693	1,594	1,167	364	36	Diseases of the Kidneys.
258	430	400	193	78	27	—	Diseases of the Generat. Organs.
436	236	210	291	75	12	—	Diseases of the Joints.
254	165	271	309	149	40	27	Diseases of the Skin.
1,938	1,227	73	—	—	—	—	CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
333	591	420	278	139	25	—	Suicide.
4,850	4,806	4,314	3,719	1,810	708	95	Other Violent Deaths.
3,009	4,608	6,420	10,751	17,313	13,849	4,041	OTHER CAUSES.

TABLE 27.—Table of Mortality, derived from the preceding LIVERPOOL LIFE TABLE,
expected

AGES . . .	ALL AGES.	0— (See Table 20.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	512,044	240,775	21,444	8,207	11,151	15,817
TOTAL ZYMOTIC DISEASES—Order 1.	143,072	85,468	11,269	2,949	2,927	3,826
ZYMOTIC DISEASES—Order 1.						
Small-pox	4,458	2,615	518	120	139	405
Measles	13,754	12,984	713	20	10	9
Scarlatina	20,132	14,184	5,082	610	60	108
Diphtheria	2,815	1,827	235	40	70	36
Whooping-cough	14,710	14,084	506	30	—	—
Typhus	38,463	4,456	2,307	1,369	2,170	2,566
Diarrhoea and Dysentery . . .	31,045	26,821	489	110	90	171
Cholera	7,805	2,195	801	580	219	342
Other Zymotic Diseases—Order 1. .	9,760	6,302	528	70	169	189
FIVE CONSTITUTIONAL DISEASES.						
Cancer	2,929	21	20	—	70	18
Scrofula and Tabes	8,407	6,020	938	380	279	196
Phthisis	50,295	2,630	1,280	1,289	3,694	5,753
Hydrocephalus	9,877	8,761	626	140	30	—
LOCAL DISEASES.						
Diseases of the Brain	43,002	27,307	1,202	430	438	558
Diseases of the Heart, and Dropsy .	20,392	1,072	850	520	537	729
Diseases of the Lungs	95,501	42,356	1,877	410	657	1,350
Diseases of the Stomach and Liver .	13,074	2,864	332	240	310	423
Diseases of the Kidneys	6,325	442	244	80	129	189
Diseases of the Generative Organs .	77	—	—	—	—	—
Diseases of the Joints	2,099	326	302	200	180	162
Diseases of the Skin	1,238	325	29	20	90	81
CHILDBIRTH AND METRIA . .	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide	1,564	—	—	10	30	90
Other Violent Deaths	30,413	8,954	1,359	1,110	1,503	1,963
OTHER CAUSES	82,870	54,133	1,056	330	250	468

Deaths by several Causes.

CXXXI

showing of what Diseases and at what Ages 512,044 Boys BORN ALIVE may be
to die.

25—	35—	45—	55—	65—	75—	85 and upwards.	• • • AGES.
21,376	44,651	44,690	42,710	23,702	10,757	1,774	DEATHS FROM ALL CAUSES.
7,221	9,922	8,557	6,159	3,275	873	96	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
373	297	54	10	12	—	—	Small-pox.
12	—	—	—	—	—	—	Measles.
79	—	9	—	—	—	—	Scarlatina.
44	18	45	—	—	—	—	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
5,225	7,449	6,219	4,173	1,916	344	—	Typhus.
872	649	725	922	720	223	84	Diarrhoea and Dysentery.
792	1,212	928	527	222	111	—	Cholera.
423	512	517	517	295	125	12	Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS.
125	273	796	921	476	62	—	Cancer.
242	117	145	61	22	—	—	Scrofula and Tabes.
12,212	11,032	7,280	3,322	941	123	—	Phthisis.
—	—	—	20	—	—	—	Hydrocephalus.
							LOCAL DISEASES.
1,626	2,270	2,693	3,312	2,660	922	84	Diseases of the Brain.
2,274	3,963	3,781	3,312	2,220	676	48	Diseases of the Heart, & Dropsy.
4,426	7,178	11,722	14,260	8,204	2,557	325	Diseases of the Lungs.
1,255	2,143	2,674	2,046	1,057	197	24	Diseases of the Stomach & Liver.
826	1,117	1,070	1,074	825	223	36	Diseases of the Kidneys.
—	9	36	20	12	—	—	Diseases of the Generat. Organs.
223	129	127	152	35	12	—	Diseases of the Joints.
124	99	126	122	70	—	12	Diseases of the Skin.
—	—	—	—	—	—	—	CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
272	422	326	242	129	12	—	Suicide.
4,144	4,053	3,227	2,632	1,122	124	26	Other Violent Deaths.
1,247	2,212	3,412	4,922	7,607	4,256	1,106	OTHER CAUSES.

TABLE 28.—Table of Mortality, derived from the preceding LIVERPOOL LIFE TABLE,
expected -

AGES . . .	ALL AGES.	0— (See Table 30.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES . .	487,966	219,596	19,565	7,522	8,973	12,464
TOTAL ZYMOTIC DISEASES—Order 1.	141,911	85,541	10,763	3,213	2,773	2,996
ZYMOTIC DISEASES—Order 1.						
Small-pox	3,683	2,560	383	142	148	178
Measles	12,219	12,530	559	51	20	25
Scarlatina	18,170	12,634	4,378	793	158	76
Diphtheria	2,101	1,568	314	41	30	25
Whooping-cough	19,311	18,467	814	20	10	—
Typhus	38,070	4,841	2,600	1,515	1,992	2,158
Diarrhoea and Dysentery . . .	29,801	25,090	471	153	39	108
Cholera	8,684	2,060	893	356	217	312
Other Zymotic Diseases—Order 1. .	8,872	5,791	451	142	168	112
FIVE CONSTITUTIONAL DISEASES.						
Cancer	7,063	41	20	10	30	34
Scrofula and Tuberc	7,251	5,674	599	264	197	153
Phthisis	46,381	2,480	1,148	1,443	3,333	5,161
Hydrocephalus	6,779	6,211	500	51	—	—
LOCAL DISEASES.						
Diseases of the Brain	38,649	22,443	952	396	385	440
Diseases of the Heart, and Dropsy .	21,555	966	628	559	513	648
Diseases of the Lungs	94,565	37,537	1,913	498	473	890
Diseases of the Stomach and Liver .	14,144	2,010	245	183	246	398
Diseases of the Kidneys	3,419	188	118	102	108	279
Diseases of the Generative Organs .	1,425	21	—	—	10	85
Diseases of the Joints	1,453	291	236	173	187	76
Diseases of the Skin	1,087	392	79	30	30	34
CHILDBIRTH AND METRUA . . .	4,127	—	—	—	187	708
VIOLENT DEATHS.						
Suicide	445	—	—	10	49	25
Other Violent Deaths	14,771	8,153	1,285	315	177	264
OTHER CAUSES	82,931	47,647	1,079	275	276	296

Deaths by several Causes.

cxxxiii

ing of what Diseases and at what Ages 487,956 Girls BORN ALIVE may be
be.

—	35—	45—	55—	65—	75—	85 and upwards.	— . . . AGES.
77	39,800	44,879	46,879	34,888	17,808	4,880	DEATHS FROM ALL CAUSES.
28	9,814	8,807	6,878	3,451	1,168	198	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
29	112	81	—	—	—	—	Small-pox.
34	—	—	—	—	—	—	Measles.
35	68	10	—	—	—	—	Scarlatina.
20	9	10	12	88	18	—	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
28	6,874	6,885	4,463	1,765	416	80	Typhus.
29	588	696	971	830	483	104	Diarrhoea and Dysentery.
28	1,863	997	659	385	81	44	Cholera.
44	318	478	474	408	175	18	Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS.
27	1,414	2,078	1,683	961	265	18	Cancer.
28	68	53	92	30	18	—	Scrofula and Tuberc.
21	10,468	5,994	2,965	816	107	15	Phthisis.
17	—	—	—	—	—	—	Hydrocephalus.
							LOCAL DISEASES.
20	1,453	3,096	3,445	3,213	1,074	293	Diseases of the Brain.
48	3,137	4,239	4,543	3,068	869	44	Diseases of the Heart, & Dropsy.
72	6,789	12,695	14,968	10,733	3,664	653	Diseases of the Lungs.
20	2,173	2,857	2,462	1,468	877	15	Diseases of the Stomach & Liver.
24	384	623	520	342	81	—	Diseases of the Kidneys.
28	421	344	173	66	27	—	Diseases of the Generat. Organs.
21	47	83	139	40	—	—	Diseases of the Joints.
60	66	135	127	79	49	18	Diseases of the Skin.
28	1,227	73	—	—	—	—	CHILDBIRTH AND METRA.
							VIOLENT DEATHS.
60	159	94	35	—	13	—	Suicide.
70	553	967	1,066	672	524	59	Other Violent Deaths.
22	1,789	3,002	5,768	9,706	8,993	2,938	OTHER CAUSES.

TABLE 29.—Table showing out of 1,000,000 LIVEBORN CHILDREN what Numbers die of the different Diseases in the first Five Years of Life.

(This Table is a development of Column 2. of Table 26. It shows the deaths at each year of age under 5.)

CHILDREN OF BOTH SEXES.						
AGES	Total under 5 Years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES . .	460,370	233,004	114,665	55,626	33,963	22,982
TOTAL ZYMOTIC DISEASES—Order 1.	171,009	58,717	51,820	28,218	19,563	12,961
ZYMOTIC DISEASES—Order 1.						
Small-pox	5,175	2,028	1,134	875	663	496
Measles	25,514	5,131	10,186	5,553	3,041	1,595
Scarlatina	26,818	2,586	6,202	6,459	6,727	4,948
Diphtheria	3,266	697	1,145	685	508	399
Whooping-cough	22,551	11,168	10,854	5,627	3,161	1,908
Typhus	9,297	1,404	1,996	2,012	1,800	1,965
Diarrhoea and Dysentery . . .	51,911	51,379	15,480	3,351	1,337	424
Cholera	4,255	1,433	875	843	508	595
Other Zymotic Diseases—Order 1. .	12,093	2,814	3,736	2,813	1,769	961
FIVE CONSTITUTIONAL DISEASES.						
Cancer	62	—	—	10	32	29
Scrofula and Tabes	11,694	4,343	3,965	1,728	936	723
Phthisis	5,116	1,102	1,023	1,138	706	548
Hydrocephalus	14,972	6,263	4,707	2,244	1,064	695
LOCAL DISEASES.						
Diseases of the Brain	40,840	34,921	7,931	3,625	2,052	1,311
Diseases of the Heart, and Dropsy .	2,088	292	521	400	463	368
Diseases of the Lungs	79,893	38,658	23,993	9,947	4,556	2,773
Diseases of the Stomach and Liver .	4,874	3,393	718	252	263	245
Diseases of the Kidneys	630	104	104	127	201	94
Diseases of the Generative Organs .	21	—	10	11	—	—
Diseases of the Joints	617	125	94	106	147	145
Diseases of the Skin	717	393	198	64	42	29
CHILDBIRTH AND METRIA . . .	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide	—	—	—	—	—	—
Other Violent Deaths	17,107	11,238	1,749	1,697	1,338	1,085
OTHER CAUSES	101,780	74,153	17,549	6,059	2,441	1,579

Deaths by several Causes.

- CXXXV

30.—Table showing out of 512,044 MALE CHILDREN, and of 487,956 FEMALE CHILDREN, BORN ALIVE, Numbers of Male and Female Children respectively who die of the different Diseases in the first Five Years of Life.

(This Table is a development of Column 2. of Tables 27 and 28.)

SEX	MALES.						FEMALES.					
AGES	Total under 5 years.	0—	1—	2—	3—	4—5	Total under 5 years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES	240,775	127,548	57,828	27,555	16,564	11,296	219,595	106,158	56,227	28,071	17,220	11,200
ALL SYMPTOMATIC DISEASES—Order 1.	35,403	20,190	25,445	12,773	9,004	6,457	35,341	23,227	26,075	14,446	9,969	6,264
ACUTE DISEASES—Order 1.												
Croup	2,615	1,154	523	390	296	253	2,500	874	611	495	356	294
Whooping Cough	12,984	2,726	5,210	2,719	1,512	817	12,530	2,205	4,946	2,534	1,520	822
Diphtheria	14,184	1,467	2,946	3,330	2,554	2,620	12,634	1,151	2,969	3,129	3,173	2,222
Scarlet Fever	1,227	419	607	358	296	147	1,508	278	538	327	273	188
Measles	14,084	5,149	4,656	2,308	1,195	776	18,467	6,014	6,198	3,219	1,908	1,080
Small Pox	4,456	661	1,036	909	837	933	4,241	833	962	1,043	948	1,000
Epidemic Dysentery	26,821	16,463	7,753	1,686	709	210	25,090	14,916	7,667	1,665	626	214
Cholera	2,195	724	471	405	275	220	2,000	609	404	343	228	316
Symptomatic Diseases for 1.	6,302	1,447	1,946	1,517	910	483	5,701	1,267	1,790	1,220	820	479
CONSTITUTIONAL DISEASES.												
Consumption	21	—	—	—	21	—	41	—	—	10	11	20
Scrofula	6,020	2,528	2,092	811	465	314	5,674	2,005	1,873	917	471	408
Rickets	2,636	650	795	601	317	273	2,480	452	822	537	388	275
Rheumatism	8,761	3,754	2,710	1,254	603	440	6,211	2,508	1,997	990	461	255
CHRONIC DISEASES.												
Of the Brain	27,397	19,871	4,154	1,844	931	597	22,443	15,060	3,777	1,781	1,121	714
Of the Heart, & Dropsy	1,072	189	262	200	243	178	966	103	259	200	220	184
Of the Lungs	42,356	21,381	12,308	4,984	2,126	1,467	37,537	17,271	11,568	4,963	2,430	1,305
Stomach & Liver	2,964	2,108	356	147	127	126	2,010	1,285	362	105	136	122
Of the Kidneys	442	73	63	74	138	94	188	31	41	53	63	—
Generative Organs	—	—	—	—	—	—	21	—	10	11	—	—
Of the Joints	326	84	42	53	53	94	291	41	52	53	94	51
Of the Skin	325	157	115	32	11	10	392	236	83	32	31	10
ERTH & METRUA.	—	—	—	—	—	—	—	—	—	—	—	—
INFANT DEATHS.	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	8,954	5,841	942	875	762	534	8,153	5,397	807	822	576	551
CAUSES	54,133	40,906	8,454	2,908	1,163	702	47,647	33,246	9,095	3,151	1,278	877

**TABLE 31.—Outline LIFE TABLE for LONDON, showing out of 1,000,000
LIVEBORN CHILDREN the Numbers surviving at the various AGES, and the
Numbers dying in the INTERVALS of AGE.**

AGE <i>x</i>	<i>l_x</i>			<i>d_x</i>		
	PERSONS.	Males.	Females.	PERSONS.	Males.	Females.
0	1,000,000	508,892	491,108	305,518	162,428	143,090
5	694,482	346,464	348,018	30,922	15,858	15,064
10	668,560	330,606	332,954	13,642	6,985	6,707
15	649,918	323,671	326,247	19,368	9,283	10,085
20	630,550	314,388	316,162	24,068	12,675	11,393
25	606,482	301,718	304,769	56,723	31,050	25,673
35	549,759	270,663	279,096	76,266	42,635	33,631
45	473,493	228,028	245,465	93,145	51,645	41,500
55	380,348	176,383	203,965	120,616	62,623	57,993
65	259,732	113,760	145,972	135,561	64,094	71,467
75	124,171	49,666	74,505	97,882	40,541	57,341
85	26,289	9,125	17,164	25,020	8,768	16,252
95	1,269	357	912	1,262	356	906
105	7	1	6	7	1	6

TABLE 32.—Outline LIFE TABLE for FIFTEEN GREAT TOWNS,
showing out of 1,000,000 LIVEBORN CHILDREN the **Numbers surviving at**
the various **AGES**, and the **Numbers dying** in the **INTERVALS of AGE**.

[NOTE.—This life table for fifteen great towns is based on facts relating to the following fifteen Registration Districts, viz., Manchester, Salford, Bradford, Birmingham, Sheffield, Leeds, Newcastle-upon-Tyne, Hunslet, Leicester, Gateshead, Bristol, Hull, Exeter, Worcester, and Shrewsbury.]

AGE <i>x</i>	<i>l_x</i>			<i>d_x</i>		
	PERSONS.	Males.	Females.	PERSONS.	Males.	Females.
0	1,000,000	509,337	490,663	345,816	183,774	162,042
5	654,184	325,563	328,621	32,411	16,806	15,605
10	621,773	308,757	313,016	15,894	8,120	7,774
15	605,879	300,637	305,242	21,536	10,905	10,631
20	584,343	289,732	294,611	25,497	13,040	12,457
25	558,846	276,692	282,154	58,697	29,787	28,910
35	500,149	246,905	253,244	73,154	39,059	34,095
45	426,995	207,846	219,149	88,376	47,861	40,515
55	338,619	159,985	178,634	114,244	59,179	55,065
65	224,375	100,806	123,569	125,440	59,830	65,610
75	98,935	40,976	57,959	81,357	34,787	46,570
85	17,578	6,189	11,389	16,849	6,008	10,841
95	729	181	548	724	180	544
105	5	1	4	5	1	4

TABLE 33.—Years of Life, and Deaths of Males from different

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
Years of Life -	244,340,279	7,337,777	6,790,164	6,629,157	6,488,281	6,331,932	33,517,311	29,440,764	26,742,273
Total Deaths -	5,729,280	1,487,039	471,403	227,724	147,179	106,196	2,499,540	240,042	126,481
TOTAL ZYNOTIC DISEASES—Order 1. }	1,224,784	282,804	184,820	116,125	86,678	63,799	734,036	134,509	43,392
CLASS I.									
ORDER 1.									
1. Small-pox - - -	78179	14636	6764	5359	4577	3907	35442	9623	3915
2. Measles - - -	106271	21110	39377	20363	10736	6039	97665	7167	744
3. Scarlatina, including } Diphtheria 1848 to 1856 }	231839	16358	33295	27572	35002	28038	150285	61113	12397
4. Diphtheria, from 1859 -	27645	3091	3795	3147	3261	2784	16078	6577	1991
9. Quinay - - -	4513	638	509	363	298	245	2062	520	239
10. Croup - - -	63754	9673	15205	12939	10400	6997	55304	7941	448
11. Whooping-cough - -	114991	50647	34196	14697	7495	3923	110958	3785	166
6. Typhus - - -	218569	7409	9202	9682	8903	7808	43004	26328	17449
9. Erysipelas - - -	25249	6781	673	315	186	121	8076	439	485
22. Puerperal Fever (Metritis) - - -	—	—	—	—	—	—	—	—	—
9. Carbuncle - - -	3896	44	7	5	7	2	65	6	12
7. Influenza - - -	16539	3566	994	415	258	142	5375	368	196
7. Dysentery - - -	19683	4721	2003	772	462	293	8251	610	267
7. Diarrhoea - - -	226959	137672	35211	7007	2657	1523	184675	2543	954
8. Cholera - - -	56344	5087	2317	2121	1745	1530	13300	4624	2498
9. Ague - - -	2097	00	98	99	75	62	394	199	74
11. Remittent Fever - -	4051	408	515	510	372	248	2113	643	196
11. Rheumatism - - -	27405	60	27	52	100	174	413	1821	2483
11. Other Zymotic Diseases, from 1860 - }	798	293	142	79	54	38	596	72	23
ORDER 2.									
25. Syphilis - - -	15396	11304	685	125	41	12	12167	30	8
11. Stricture of Urethra -	5218	6	—	1	—	3	10	1	7
11. Hydrophobia - - -	299	3	4	5	11	12	35	46	43
11. Glanders, from 1858 -	61	—	—	—	—	—	—	—	1
ORDER 3.									
25. Privation - - -	1120	48	21	15	6	4	94	27	22
11. Want of Breast-milk -	13151	12996	151	4	—	—	13151	—	—
11. Purpura and Scurvy -	4909	858	543	268	160	112	1944	340	224
11. Alcohol { a Del. Trem. } ism - { b Intemp. - }	10448	—	—	—	—	—	—	—	3
5707	—	—	—	—	—	—	—	—	—
ORDER 4.									
25. Thrush - - -	14572	13898	453	82	28	16	14467	16	5
11. Worms, &c., from 1858 -	1134	128	147	212	137	112	736	213	45
CLASS II.									
ORDER 1.									
25. Gout - - -	6029	—	—	—	—	—	—	1	2
15. Dropsy - - -	84197	4176	1995	1454	1120	1006	9751	3193	1742
10. Cancer - - -	53867	146	87	120	130	106	589	263	222
25. Cancerum Oris (Noma) -	1277	211	209	196	182	147	945	187	23
11. Mortification - - -	17503	871	172	80	47	39	1209	88	67
ORDER 2.									
11. Scrofula - - -	39440	5769	3335	1569	997	812	12462	3917	3946
11. Tabes Mesenterica - -	73470	33506	17961	6735	2892	1737	62831	4823	2210
12. Phthisis - - -	618729	16538	11509	5913	3302	2517	40169	14465	18399
13. Hydrocephalus - - -	107002	38951	28949	12155	6737	4899	91681	10953	2755
Multipliers - - -	*004	*136	*147	*151	*155	*158	*030	*034	*087

Note.—A supplementary Table of certain causes of death, included under the heads of this Table, will be found in diseases or groups of diseases they are included.

Causes of Death in Twenty-five Years.

ccxxxix

ages in England and Wales, during the Twenty-five Years 1848-72.

AGES OF MALES.										CAUSES OF DEATH.
	20—	25—	35—	45—	55—	65—	75—	85—	90 & upwards.	
200	21,801,798	33,534,345	27,000,923	21,252,121	14,025,593	7,472,852	2,868,379	325,447	12,127	Years of Life.
200	220,794	262,823	300,606	305,146	440,267	506,281	301,303	90,315	5,210	Total Deaths.
277	34,223	50,775	43,407	40,819	40,823	30,685	23,560	4,114	166	{ TOTAL ZYMOTIC DISEASES—Order 1.
CLASS I.										
ORDER 1.										
204	6854	7036	4060	2123	885	306	95	14	2	Small-pox.
205	153	187	96	43	18	6	3	3	—	Measles.
206	1806	1500	782	401	180	77	36	3	—	{ Scarlatina, including
207	471	519	357	230	241	153	53	6	—	{ Diphth. 1848 to 1858.
208	183	261	244	233	273	205	74	11	—	{ Diphtheria from 1859.
209	9	12	8	5	2	4	3	—	—	Quincy.
21	13	14	10	8	7	—	—	—	—	Croup.
212	18461	24635	20399	17823	15301	11580	4253	455	10	Whooping-cough.
213	673	1580	2156	2706	3306	3113	1841	314	11	Typhus.
214	—	—	—	—	—	—	—	—	—	Erysipelas.
215	44	135	337	661	900	970	514	94	4	{ Puerperal Fever (Meta-
216	215	385	673	909	1406	2157	2873	614	27	tritis).
217	607	1445	1307	1469	1336	1274	1241	189	4	Carbuncle.
218	913	1912	2372	2688	3394	10654	9739	2123	100	Influenza.
219	3763	6700	6085	6678	5514	3611	1378	146	6	Dysentery.
22	130	230	231	231	230	203	84	11	—	Diarrhoea.
221	115	186	150	158	137	139	63	8	1	Cholera.
222	1733	3343	3513	3333	3533	3253	1263	116	1	Ague.
223	12	20	13	16	14	12	5	3	—	Remittent Fever.
{ Other Zymotic Diseases, from 1850.										
ORDER 2.										
211	458	1077	758	434	234	92	24	1	—	Syphilis.
212	66	386	737	990	1054	1176	667	100	5	Stricture of Urethra.
213	25	48	33	17	15	6	2	—	—	Hydrophobia.
214	5	9	15	14	10	3	—	—	—	Glanders, from 1858.
ORDER 3.										
21	20	75	168	217	238	180	54	4	—	Privation.
224	236	383	369	341	361	335	146	16	—	Want of Breast-milk.
219	284	2429	3737	2477	1084	309	57	2	—	Purpura & Scurvy.
220	172	354	1475	1598	1020	434	81	2	—	Alco- (a Del. Trem.
holism. (b Intemp.										
ORDER 4.										
6	2	1	6	5	11	19	20	14	—	Thrush.
10	8	23	34	24	20	13	2	1	—	Worms, &c., from 1853.
CLASS II.										
ORDER 1.										
5	13	84	453	1195	1771	1722	732	63	3	Gout.
513	1330	3347	5407	8597	13978	20375	13130	1780	53	Dropsy.
418	579	2167	5266	10180	15053	13039	5377	687	25	Cancer.
13	4	8	10	24	23	23	16	4	—	Cancrum Oris (Noma).
105	96	233	466	906	2214	4831	5636	1688	66	Mortification.
ORDER 2.										
237	3345	4381	2531	2003	1610	1088	253	25	2	Scrofula.
206	653	602	400	373	313	180	18	1	—	Tuberc Mesenterica.
277	85121	144285	114174	80952	46820	17110	2232	140	5	Phthisis.
684	252	250	179	101	75	45	19	—	—	Hydrocephalus.
21	*047	*023	*036	*047	*071	*134	*375	3*073	82*461	Multipliers.

Annual Reports of the Registrar General. The Diseases in this Table are numbered so as to show under what Life Table series of Tables, Nos. 7 to 15.

TABLE 33. (continued).—Years of Life, and Deaths of Males from different

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
CLASS III.									
ORDER 1.									
14. Cephalitis - - -	53068	9325	6596	4003	2355	2465	26364	7326	3836
" Apoplexy - - -	116166	4019	1685	989	758	554	8014	1671	1089
" Paralysis - - -	116263	105	141	131	141	110	633	372	345
" Insanity - - -	6677	—	1	2	1	6	10	14	15
" Chorea - - -	471	7	4	5	5	10	31	35	37
" Epilepsy - - -	29370	863	449	346	290	270	2306	1128	1477
" Convulsions - -	354170	293935	32911	12064	5718	3120	347098	4515	896
" Brain Disease, &c. -	63969	4600	2166	1144	899	739	9648	2690	1946
ORDER 2.									
15. Pericarditis - - -	7606	140	75	76	62	90	443	643	617
" Aneurism - - -	7653	11	2	7	4	1	25	15	20
" Heart Disease, &c. -	206966	1607	562	391	373	412	3345	3147	4639
ORDER 3.									
16. Laryngitis - - -	18385	4682	3279	1653	1356	1071	12041	1586	315
" Bronchitis - - -	380622	87850	36213	12303	5791	3064	145111	4366	1197
" Pleurisy - - -	13343	534	247	161	163	115	1200	457	354
" Pneumonia - - -	323823	120293	60368	31036	9841	5683	213301	8914	2997
" Asthma - - -	58850	162	70	49	25	26	332	90	99
" Lung Disease, &c. -	52685	9838	3097	1296	692	475	15446	1270	714
ORDER 4.									
17. Gastritis - - -	8560	1068	296	196	131	136	1851	304	160
" Enteritis - - -	42246	14049	2896	1363	746	684	19742	2302	1701
" Peritonitis - - -	15610	1536	325	234	242	261	2596	1357	1271
" Ascites - - -	6009	135	83	83	84	80	465	303	264
" Ulceration of Intestines	10671	896	305	140	75	68	1484	258	254
" Hernia - - -	10734	1033	110	33	18	23	1217	66	64
" Ileus - - -	14762	2444	179	135	130	121	3009	434	373
" Intussusception -	3633	683	72	54	48	46	1103	149	148
" Stricture of Intestines -	2979	76	11	5	6	7	105	14	26
" Fistula - - -	1790	12	2	2	3	2	21	6	19
" Stomach Disease, &c.*	31034	4432	847	515	336	273	6403	740	371
" Pancreas Disease, &c.	167	3	2	—	2	1	8	3	—
" Hepatitis - - -	17870	344	109	95	58	45	655	212	304
" Jaundice - - -	17481	6832	319	309	175	115	7750	230	166
" Liver Disease, &c. -	61329	1349	243	190	115	121	2018	500	454
" Spleen Disease, &c. -	986	46	91	24	10	12	183	35	26
ORDER 5.									
18. Nephritis - - -	5236	148	166	169	177	150	810	411	172
" Ischuria - - -	2905	59	16	20	12	11	118	23	21
" Bright's Dis. (Nephria)	21004	84	176	168	176	160	764	630	467
" Diabetes - - -	9165	10	18	22	15	18	83	133	223
" Calculus - - -	4512	13	42	75	87	74	291	188	106
" Cystitis - - -	6549	48	17	12	18	13	106	60	48
" Kidney Disease, &c. -	41967	312	195	172	161	121	961	508	414
ORDER 6.									
19. Ovarian Dropsy - -	—	—	—	—	—	—	—	—	—
" Uterus Disease, &c. -	1181	97	27	12	8	6	150	12	18
ORDER 7.									
20. Synovitis (Arthritis) -	1172	23	18	14	20	25	100	107	162
" Joint Disease, &c. -	19855	522	436	375	344	332	2009	2317	2450
ORDER 8.									
21. Phlegmont - - -	12435	2600	631	290	185	171	3883	597	902
" Ulcer - - -	3989	687	135	47	17	16	903	42	42
" Skin Disease, &c. -	4099	2480	424	121	51	34	3110	55	27
Multipliers - - -	•004	•136	•147	•151	•155	•158	•090	•084	•037

* Including deaths from Worms (Class I., Order 4.) 1846-57.

TABLE 33. (continued).—Years of Life, and Deaths of Males from different

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
CLASS IV.									
ORDER 1.									
25. Premature Birth - -	166476	166475	1	—	—	—	166476	—	—
" Cyanosis - - -	5717	4927	198	104	60	62	5351	153	72
" Spina Bifida - - -	3723	3533	100	30	10	7	3080	30	6
" Other Malformations -	6185	5847	142	40	21	16	6066	49	24
" Teething - - -	56027	28988	24569	2367	89	6	56019	8	—
ORDER 2.									
25. Paramenia - - -	—	—	—	—	—	—	—	—	—
22. Childbirth - - -	—	—	—	—	—	—	—	—	—
ORDER 3.									
25. Old Age - - -	294463	—	—	—	—	—	—	—	—
ORDER 4.									
25. Atrophy and Debility -	303400	207858	29065	8396	3084	1799	250202	3831	1245
CLASS V.*									
ORDER 1. (ACCIDENT or NEGLIGENCE.)									
24. Fractures & Contusions	126182	737	1221	1234	1126	1191	5593	5893	10841
" Gunshot Wounds	6457	42	28	30	26	30	156	168	450
" Cut, Stab, from 1858 -	1085	14	22	13	20	17	86	77	109
" Burns and Scalds - -	34851	1293	4904	5072	4459	3488	19206	4433	1341
" Poison - - -	4792	1935	232	195	136	100	1698	218	84
" Drowning - - -	53383	463	1608	1821	1211	1225	6353	6630	5817
" Suffocation - - -	19547	9099	547	197	122	81	10046	260	518
" Otherwise - - -	11304	2148	124	136	113	114	2635	512	676
ORDER 3. (HOMICIDE.)									
24. Murder and Man- slaughter, from 1858 }	3542	1268	45	24	21	15	1373	83	104
ORDER 4. (SUICIDE.)									
23. Gunshot Wounds	937	—	—	—	—	—	—	—	—
" Cut, Stab - - -	3189	—	—	—	—	—	—	—	—
" Poison - - -	1110	—	—	—	—	—	—	—	2
" Drowning - - -	2084	—	—	—	—	—	—	—	11
" Hanging - - -	6821	—	—	—	—	—	—	—	56
" Otherwise - - -	1199	—	—	—	—	—	—	—	7
ORDER 5. (EXECUTION.)†									
24. Hanging, from 1858 -	157	—	—	—	—	—	—	—	—
24. Other Violent Deaths } (not classed) - - }	7475	1650	75	60	65	57	1913	279	414
25. Sudden Deaths (Cause } unascertained) - - }	48633	10633	1075	483	313	213	12717	704	501
25. Causes not specified or } ill-defined - - }	79149	38760	4442	2009	1215	814	47240	2347	1397
Multipliers - -	•004	•136	•147	•151	•155	•158	•030	•034	•037

* Previous to 1858, deaths from Violence were not classified under Orders 3, 4, 5, but were all included under the various headings of Order 1, regardless of their being due to Accident, Homicide, Suicide, or Execution.

Causes of Death in Twenty-five Years.

cxlii

Diseases in England and Wales, during the Twenty-five Years 1848-72.

AGES OF MALES.										CAUSES OF DEATH.
15-	20-	25-	30-	35-	40-	45-	50-	55-	60 & upwards.	
—	—	—	—	—	—	—	—	—	—	CLASS IV. ORDER 1. Premature Birth. Cyanosis. Spina Bifida. Other Malformations. Teething. ORDER 2. Parasites. Childbirth. ORDER 3. Old Age. ORDER 4. Atrophy and Debility.
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	CLASS V.* ORDER 1. (Accident or Negligence.) Fractures & Contusions. Gunshot Wounds. Cut, Stab, from 1868. Burns and Scalds. Poison. Drowning. Suffocation. Otherwise.
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	ORDER 2. (HOMICIDE.) Murder and Manslaughter, from 1868. ORDER 4. (SUICIDE.) Gunshot Wounds. Cut, Stab - - - Poison - - - Drowning - - - Hanging - - - Otherwise - - - } from 1868.
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	ORDER 5. (EXECUTION.)† Hanging, from 1868. { Other Violent Deaths (not classed). { Sudden Deaths (Cause unascertained). { Causes not specified or ill-defined.
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	Multipliers.

† According to the "Judicial Statistics," 101 persons were executed during the 10 years 1862-71; these deaths are included with Suffocation.

TABLE 34.—Years of Life, and Deaths of Females from different

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
Years of Life -	256,391,069	7,267,507	6,745,183	6,612,348	6,429,157	6,319,529	33,373,674	29,380,701	26,359,782
Total Deaths -	5,491,444	1,179,377	445,901	226,580	148,009	105,160	2,165,027	239,042	127,199
TOTAL ZYMOTIC DIS- EASES*—Order 1. -	1,242,405	247,424	186,031	121,596	89,862	66,089	711,002	139,846	50,531
CLASS I.									
ORDER 1.									
1. Small-pox - - -	82110	13513	6941	5591	4557	3660	34262	8590	2929
2. Measles - - -	103269	17595	37287	20867	11376	6264	93389	7826	967
3. Scarlatina, including Diphtheria, 1848 to 1858	225808	18359	30844	36278	33871	27283	141635	60187	13937
4. Diphtheria, from 1859 -	31285	2308	3582	3484	3627	3349	16320	8602	3606
9. Quinsy - - -	4099	462	436	314	310	258	1780	622	288
10. Croup - - -	55721	6970	12838	12081	9642	6468	47999	7274	359
11. Whooping-cough - - -	141853	54424	43009	20976	11182	5955	135546	5855	313
6. Typhus - - -	227734	6113	9144	10237	9665	8803	43962	29610	21887
9. Erysipelas - - -	23480	7052	795	441	220	146	8651	404	399
22. Puerperal Fever (Me- tritis) - - -	28459	—	—	—	—	—	—	—	1
9. Carbuncle - - -	1549	46	17	4	4	2	73	7	2
10. Influenza - - -	18298	2790	856	453	282	194	4575	384	203
7. Dysentery - - -	17338	3274	1687	654	355	279	6249	505	198
11. Diarrhoea - - -	212835	114796	35327	7647	2606	1396	101772	2726	948
8. Cholera - - -	56001	4082	2497	1808	1546	1446	11379	4533	2145
9. Ague - - -	1727	39	83	98	81	84	385	236	100
11. Remittent Fever - - -	4372	333	551	565	422	323	2194	800	267
11. Rheumatism - - -	25837	30	28	36	68	154	316	1614	2570
11. Other Zymotic Dis- eases, from 1860 - - -	680	238	139	62	48	25	612	71	12
ORDER 2.									
25. Syphilis - - -	14621	9589	742	177	55	27	10590	35	19
11. Stricture of Urethra† -	25	—	—	—	—	—	—	1	1
11. Hydrophobia - - -	74	1	3	4	3	6	17	18	15
11. Glanders, from 1858 -	1	—	—	—	—	—	—	—	—
ORDER 3.									
25. Privation - - -	861	38	26	12	5	8	80	21	8
11. Want of Breast-milk -	11491	11316	170	5	—	—	11491	—	—
11. Purpura and Scurvy -	4109	687	512	244	138	109	1699	294	189
11. Alcohol - } Del. Trem. ism - } Intemp. -	1399 2568	— —	— —	— —	— —	— —	— —	— —	1
ORDER 4.									
25. Thrush - - -	13323	12320	602	120	57	24	13123	31	8
11. Worms, &c., from 1858 -	1329	80	201	259	188	112	840	279	52
CLASS II.									
ORDER 1.									
25. Gout - - -	1433	—	—	—	—	—	—	1	—
15. Dropsy - - -	117789	3576	1874	1151	887	770	8258	2336	1631
10. Cancer - - -	125483	167	90	131	135	91	614	230	226
25. Cancrum Oris (Noma) -	2388	208	552	492	520	252	1893	327	39
11. Mortification - - -	15088	862	316	158	95	79	1510	90	51
ORDER 2.									
11. Scrophula - - -	31737	4798	3079	1423	972	746	11018	2779	2701
11. Tabes Mesenterica - -	65416	27265	16269	6129	2516	1582	53761	4065	2301
12. Phthisis - - -	674164	14386	11092	6043	3679	3184	38384	16260	30806
13. Hydrocephalus - - -	79781	26406	20719	9567	5866	4150	66705	8893	2593
Multipliers - - -	*004	*138	*148	*151	*156	*158	*030	*034	*038

Note—The diseases in this Table are numbered so as to show under what diseases or
 * In comparing the total of Order 1. of Zymotic Diseases in this Table with the total of the same Order in the preceding
 to the deaths from Puerperal Fever (Metritis) should be deducted from the total given above.

Causes of Death in Twenty-five Years.

cxlv

cases in England and Wales, during the Twenty-five Years 1848-72.

AGES OF FEMALES.										CAUSES OF DEATH.
	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwards.	
427	23,068,226	30,242,812	30,203,378	22,257,094	14,825,680	9,142,730	3,375,087	502,704	25,174	Years of Life.
384	200,505	380,786	366,538	346,003	417,976	523,213	452,166	130,407	10,708	Total Deaths.
108	30,069	64,287	48,781	36,420	38,275	41,087	27,133	5,654	205	TOTAL ZYMOTIC DISEASES*—Order 1.
CLASS I.										
ORDER 1.										
335	3780	4850	2375	1127	554	211	66	11	—	Small-pox.
317	218	309	150	57	21	9	5	1	—	Measles.
770	2208	2418	1016	377	195	95	28	1	1	Scarlatina, including Diphth., 1848 to 1853.
617	566	696	424	282	205	115	44	7	1	Diphtheria, from 1859.
195	147	227	202	185	189	181	71	9	3	Quinsy.
81	13	19	13	5	5	1	2	—	—	Croup.
67	16	21	11	9	8	3	3	—	—	Whooping-cough.
369	18046	24829	19636	16221	14126	10825	4453	556	20	Typhus.
558	790	1670	1845	1988	2329	2608	1836	382	21	Erysipelas.
465	6461	13169	7001	308	4	—	—	—	—	Puerperal Fever (Metritis).
18	29	77	129	214	334	355	255	52	4	Carbuncle.
195	220	485	585	857	1930	4140	3793	888	43	Influenza.
299	434	1146	1163	1338	2001	2381	1426	215	13	Dysentery.
913	1589	3600	3660	3925	6761	12058	11793	3115	175	Diarrhoea.
770	2846	7657	7653	6382	5626	4050	1729	235	11	Cholera.
55	84	161	153	131	140	150	92	12	—	Ague.
197	111	187	147	137	161	151	79	11	—	Remittent Fever.
343	1701	2752	2630	2881	3678	3747	1446	157	3	Rheumatism.
5	10	14	3	15	8	17	12	1	—	Other Zymotic Diseases, from 1860.
ORDER 2.										
286	736	1427	830	437	188	61	10	2	—	Syphilis.
3	2	6	3	2	5	3	7	—	—	Stricture of Urethra.
	—	1	—	4	4	1	1	—	—	Hydrophobia.
										Glanders, from 1858.
ORDER 3.										
12	21	80	127	140	136	118	44	5	—	Privation.
181	187	263	264	296	302	286	123	23	2	Want of Breast-milk.
3	21	274	485	339	177	73	19	7	—	Purpura and Scurvy.
12	58	367	739	709	454	187	39	2	—	Alcoholism. { a Del. Trem. { b Intemp.
ORDER 4.										
6	10	20	21	15	16	34	30	8	1	Thrush.
10	10	37	26	28	18	17	2	—	1	Worms, &c., from 1858.
CLASS II.										
ORDER 1.										
760	2188	6321	9218	13018	21526	20013	18783	2747	100	Gout.
423	747	5929	18068	31408	31653	23109	8836	1241	50	Dropsy.
11	11	18	17	21	30	23	12	5	—	Cancer.
97	120	294	420	649	1514	3621	4732	1819	121	Cancerum Oris (Noma).
										Mortification.
ORDER 2.										
765	2184	3180	2329	1852	1575	1020	309	25	2	Scrofula.
558	875	1129	648	505	374	173	25	1	1	Tabes Mesenterica.
151	98295	174299	120224	66201	34213	18028	2117	176	10	Phthisis.
732	246	253	139	87	66	47	15	—	—	Hydrocephalus.
1	*043	*025	*033	*045	*067	*109	*296	1*989	39*724	<i>Multipliers.</i>

of diseases they are included in the Life Table series of Tables, Nos. 7 to 15.

If the 35 deaths from Stricture of Urethra were recorded during the seven years 1843-54; such cases have since included with "Uterus Disease, &c.," Class III., Order 6.

TABLE 34. (continued).—Years of Life, and Deaths of Females from diffe

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10
CLASS III.									
ORDER 1.									
14. Cephalitis . . .	48327	6809	5480	3611	2820	2006	20616	6308	
" Apoplexy . . .	117811	2917	1292	822	657	522	6210	1248	
" Paralysis . . .	119946	116	155	183	123	105	682	386	
" Insanity . . .	7799	—	2	4	1	1	8	13	
" Chorea . . .	1107	8	6	4	6	15	39	260	
" Epilepsy . . .	30741	541	303	296	252	212	1604	976	
" Convulsions . . .	276864	217276	30457	11989	5882	3220	268324	4637	
" Brain Disease, &c. .	46769	3361	1782	1040	784	655	7602	2156	
ORDER 2.									
15. Pericarditis . . .	7154	97	54	72	74	69	368	687	
" Aneurism . . .	2008	12	5	8	1	2	24	5	
" Heart Disease, &c. .	218734	1327	461	357	340	397	2992	2349	
ORDER 3.									
16. Laryngitis . . .	14223	2779	2396	1655	1471	1003	9303	1545	
" Bronchitis . . .	208961	66906	34161	12670	6939	3539	122915	4688	
" Pleurisy . . .	9703	416	246	152	123	100	1039	575	
" Pneumonia . . .	254678	88091	52197	20978	10654	5893	177813	9083	
" Asthma . . .	46826	113	52	37	22	18	242	65	
" Lung Disease, &c. .	42712	7726	2332	1243	718	443	12962	1217	
ORDER 4.									
17. Gastritis . . .	10431	809	334	189	168	127	1717	361	
" Enteritis . . .	41339	9683	2723	1246	827	688	15477	2216	
" Peritonitis . . .	22294	990	290	225	203	209	1917	1187	
" Ascites . . .	11171	101	78	60	54	48	341	216	
" Ulceration of Intestines	11913	683	287	136	90	66	1262	296	
" Hernia . . .	10122	234	24	6	5	8	277	23	
" Ileus . . .	14199	1305	121	107	100	113	1746	340	
" Intussusception . . .	3206	479	52	31	31	33	628	116	
" Stricture of Intestines	9742	36	2	1	6	—	45	11	
" Fistula . . .	751	2	2	1	3	2	10	1	
" Stomach Disease, &c.*	33413	3308	858	556	397	316	5695	825	
" Pancreas Disease, &c. .	149	1	—	1	1	1	4	—	
" Hepatitis . . .	17589	222	109	81	48	61	521	169	
" Jaundice . . .	16823	3981	238	304	192	141	4866	225	
" Liver Disease, &c. .	54874	870	212	154	98	97	1437	393	
" Spleen Disease, &c. .	874	34	46	23	8	10	121	17	
ORDER 5.									
18. Nephritis . . .	3135	90	125	111	89	81	496	220	
" Ischuria . . .	755	25	5	8	6	10	54	12	
" Bright's Dia. (Nephria)	14529	65	157	111	135	105	573	428	
" Diabetes . . .	4629	11	20	9	13	11	64	106	
" Calculus . . .	524	2	2	2	3	2	11	22	
" Cystitis . . .	1463	16	8	11	7	2	44	23	
" Kidney Disease, &c. .	13573	194	158	122	110	81	635	258	
ORDER 6.									
19. Ovarian Dropsy . . .	5639	—	—	—	—	—	—	—	
" Uterus Disease, &c. .	21416	44	63	33	16	8	159	10	
ORDER 7.									
20. Synovitis (Arthritis) .	752	29	21	21	14	21	106	66	
" Joint Disease, &c. .	18763	508	412	309	313	316	1858	1621	
ORDER 8.									
21. Phlegmont . . .	9859	2353	683	327	183	144	3690	424	
" Ulcer . . .	5075	797	219	92	51	21	1190	42	
" Skin Disease, &c. .	8413	1819	306	112	70	36	2343	51	
Multipliers . . .	•004	•128	•146	•151	•156	•158	•080	•084	•0

* Including deaths from Worms (Class I., Order 4), 1848-57.

Diseases in England and Wales, during the Twenty-five Years 1848-72.

AGES OF FEMALES.										CAUSES OF DEATH.
15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & up- wards.	
CLASS III.										
ORDER 1.										
2805	2053	2812	2024	1513	1051	675	236	86	—	Cephalitis.
1826	2173	5240	8531	15858	24182	29569	18180	2965	109	Apoplexy.
509	684	3076	6009	11089	22403	38399	29625	6122	207	Paralysis.
90	233	764	1100	1391	1614	1559	833	136	8	Insanity.
261	98	51	27	30	32	36	25	2	—	Chorea.
2280	2982	4901	3968	2895	2635	2251	1132	171	2	Epilepsy.
311	290	464	318	220	184	175	127	29	—	Convulsions.
1712	1766	3820	4891	6224	7430	7454	3613	508	20	Brain Disease, &c.
ORDER 2.										
677	494	820	837	705	804	648	233	24	—	Pericarditis.
51	85	330	468	575	841	367	121	12	—	Aneurism.
6836	6585	16683	24045	33000	47190	50841	21359	2011	47	Heart Disease, &c.
ORDER 3.										
220	282	681	628	531	344	280	91	15	2	Laryngitis.
1730	2403	7824	14485	27779	52028	73236	40996	9942	471	Bronchitis.
449	561	1100	1180	1057	1354	1498	675	100	6	Pleurisy.
3781	4283	8528	8760	6588	11202	12070	6508	1123	51	Pneumonia.
154	301	1373	3141	6138	11492	13823	6333	650	28	Asthma.
1200	1616	3448	3951	4076	5018	5096	2611	430	14	Lung Disease, &c.
ORDER 4.										
285	382	912	1037	1273	1652	1698	717	102	6	Gastritis.
1076	1875	3460	3215	3074	3599	3474	1542	180	4	Enteritis.
1704	2351	4276	3255	2009	1971	1699	716	59	3	Peritonitis.
215	289	844	1386	1939	2369	2228	1020	119	3	Ascites.
642	900	1740	1673	1546	1713	1385	462	39	1	Ulceration of Intestines.
35	61	259	896	1755	2561	2782	1280	168	9	Hernia.
389	420	886	1142	1671	2121	2868	1760	292	7	Ileus.
80	111	241	315	411	460	515	203	31	—	Intussusception.
19	62	275	512	711	883	810	357	36	1	Stricture of Intestines.
9	35	130	150	147	115	107	30	1	—	Fistula.
527	809	2088	2900	4289	6243	6439	2931	392	10	Stomach Disease, &c.*
6	6	13	22	36	25	29	6	—	—	Pancreas Disease, &c.
267	433	1439	2523	3440	4230	3296	1019	83	1	Hepatitis.
100	287	871	1106	1600	2445	2682	1891	331	13	Jaundice.
555	962	3720	7469	11423	13979	10848	3530	290	10	Liver Disease, &c.
24	36	125	124	143	125	104	35	4	—	Spleen Disease, &c.
ORDER 5.										
98	149	360	361	371	408	400	143	19	—	Nephritis.
10	22	73	105	110	142	147	57	10	1	Ischuria.
571	805	2209	2351	2415	2337	1631	516	54	1	Bright's Dis. (Nephria).
305	311	803	808	745	713	464	99	10	—	Diabetes.
10	11	38	52	64	115	125	58	7	—	Calculus.
51	69	140	176	174	241	303	184	41	2	Cystitis.
343	690	1565	1857	2052	2413	2268	1004	119	1	Kidney Disease, &c.
ORDER 6.										
78	214	852	1241	1412	1601	604	129	9	1	Ovarian Dropsy.
322	905	2999	4712	5149	3851	2417	761	75	2	Uterus Disease, &c.
ORDER 7.										
44	38	42	68	76	98	88	39	8	—	Synovitis (Arthritis).
1586	1063	1786	1603	1514	1411	1110	397	44	—	Joint Disease, &c.
ORDER 8.										
359	480	1011	879	686	774	747	362	53	2	Phlegmon.†
26	67	165	251	461	779	1145	798	131	3	Ulcer.
41	41	89	112	144	186	210	138	32	2	Skin Disease, &c.
*041	*043	*025	*033	*045	*067	*109	*296	1*980	39*724	Multipliers.

† Including deaths from "Abscess" during the 10 years 1848-57.

TABLE 32. (continued).—Years of Life, and Deaths of Females from diffe

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10
CLASS IV.									
ORDER 1.									
25. Premature Birth - -	129675	129671	4	—	—	—	129675	—	—
“ Cyanosis - - -	4148	3496	192	95	60	49	3891	96	—
“ Spina Bifida - - -	4629	4396	140	23	13	12	4584	27	—
“ Other Malformations -	4099	3787	138	48	20	14	4007	21	—
“ Teething - - -	47968	22549	22836	2454	105	13	47957	11	—
ORDER 2.									
25. Paramenia - - -	2371	—	—	—	—	—	—	—	—
23. Childbirth - - -	55649	—	—	—	—	—	—	—	—
ORDER 3.									
25. Old Age - - -	391170	—	—	—	—	—	—	—	—
ORDER 4.									
25. Atrophy and Debility -	285734	172397	28719	8416	3219	1819	214570	3765	—
CLASS V.*									
ORDER 1. (ACCIDENT OR NEGLIGENCE.)									
24. Fractures & Contusions	21861	622	997	909	631	532	3691	1515	—
“ Gunshot Wounds - -	1172	38	17	20	14	9	98	50	—
“ Cut, Stab, from 1858 -	288	10	12	11	8	7	48	26	—
“ Burns and Scalds - -	33034	1264	3891	3744	3072	3077	15648	7627	—
“ Poison - - -	3442	802	165	138	93	53	1251	151	—
“ Drowning - - -	11109	404	1073	1034	516	312	3399	1056	—
“ Suffocation - - -	11243	8371	406	151	91	74	9083	145	—
“ Otherwise - - -	3901	1767	120	100	76	66	2129	170	—
ORDER 3. (HOMICIDE.)									
24. Murder and Man- slaughter, from 1858 }	2378	1314	44	28	21	22	1429	57	—
ORDER 4. (SUICIDE.)									
25. Gunshot Wounds - -	12	—	—	—	—	—	—	—	—
“ Cut, Stab - - -	890	—	—	—	—	—	—	—	—
“ Poison - - -	900	—	—	—	—	—	—	—	—
“ Drowning - - -	1816	—	—	—	—	—	—	—	1
“ Hanging - - -	1865	—	—	—	—	—	—	—	—
“ Otherwise - - -	463	—	—	—	—	—	—	—	—
ORDER 5. (EXECUTION.)†									
24. Hanging, from 1858 -	8	—	—	—	—	—	—	—	—
24. Other Violent Deaths (not classed) - - }	2096	1298	57	47	41	35	1478	121	—
—									
25. Sudden Deaths (Cause unascertained) - - }	34057	9430	921	394	278	189	11212	630	—
25. Causes not specified or ill-defined - - - }	73439	31156	4454	1952	1256	805	39623	2296	—
Multipliers - - -	•004	•138	•148	•151	•156	•158	•030	•034	—

* Previous to 1858, deaths from Violence were not classified under the Orders 3, 4, 5, but were all included under various headings of Order 1, regardless of their being due to Accident, Homicide, Suicide, or Execution.

cxliix

AGES OF FEMALES.										CAUSES OF DEATH.
20—	25—	35—	45—	55—	65—	75—	85—	95 & upwards.		
14	20	13	5	6	8	—	—	—	CLASS IV. ORDER 1. Premature Birth. Cyanosis. Spina Bifida. Other Malformations. Teething.	
2	3	3	1	2	1	—	1	—		
10	10	10	5	3	3	—	—	—		
—	—	—	—	—	—	—	—	—		
35	340	300	338	432	73	5	—	—	ORDER 2. Paramania. Childbirth.	
37	8905	25019	20341	1193	1	—	—	—		
—	—	—	—	—	—	70363	213037	93394	ORDER 3. Old Age.	
—	—	—	—	—	—	—	—	8971		
65	919	2237	3124	5042	21338	30487	529	105	ORDER 4. Atrophy and Debility.	
—	—	—	—	—	—	—	—	9		
100	465	1008	1323	1770	2303	3056	3813	1317	CLASS V.* ORDER 1. (Accident or Negligence.) Fractures & Contusions. Gunshot Wounds. Cut, Stab, from 1858. Burns and Scalds. Poison. Drowning. Suffocation. Otherwise.	
54	89	166	171	199	144	101	29	9		
13	9	23	32	40	22	26	25	6		
63	579	870	778	800	956	1421	1649	546		
43	252	334	367	332	223	138	69	10		
94	763	1092	920	929	698	440	194	18		
85	119	240	327	424	367	233	113	21		
99	64	195	216	232	235	241	160	42		
—	—	—	—	—	—	—	—	—		
42	89	232	218	126	71	44	35	2		ORDER 3. (HOMICIDE.) Murder and Man- slaughter, from 1858.
—	—	—	—	—	—	—	—	—		
2	2	2	2	2	2	—	—	—	ORDER 4. (SUICIDE.) Gunshot Wounds Cut, Stab - - - Poison - - - Drowning - - - Hanging - - - Otherwise - - -	
12	40	160	172	213	158	88	30	4		
60	119	177	184	173	78	37	5	1		
22	194	273	232	263	217	113	36	3		
52	72	180	290	443	352	209	58	4		
30	35	91	102	88	55	54	21	4		
—	—	—	—	—	—	—	—	—		
—	—	4	3	—	—	1	—	—	ORDER 5. (EXECUTION.)† Hanging, from 1858.	
66	56	143	145	117	145	150	159	46		
—	—	—	—	—	—	—	—	—	Other Violent Deaths (not classed).	
96	717	1859	2614	3313	4389	4906	2912	485		
38	1506	3637	4203	4406	5902	5598	2549	607		
—	—	—	—	—	—	—	—	—	Sudden Deaths (Cause unascertained). Causes not specified or ill-defined.	
—	—	—	—	—	—	—	—	—		
—	*043	*025	*033	*045	*067	*109	*296	1'989	39'724	Multipliers.

According to the "Judicial Statistics," 101 persons were executed during the 10 years 1848-57; these deaths are led with Suffocation.

cl

*Multipliers.***TABLE 35.—Reciprocals of Years of Life at each AGE multiplied by 1,000,000 and to be called "Multipliers."**

AGES.	MALES.	FEMALES.
ALL AGES	·004	·004
0—	·136	·138
1—	·147	·148
2—	·151	·151
3—	·155	·156
4—5	·158	·158
0—5	·030	·030
5—	·034	·034
10—	·037	·038
15—	·041	·041
20—	·047	·043
25—	·028	·025
35—	·036	·033
45—	·047	·045
55—	·071	·067
65—	·134	·109
75—	·375	·296
85—	3·073	1·989
95 & upwards	82·461	39·724

These *Multipliers* are obtained by dividing 1,000,000 by the years of life at each age; and to obtain the approximate rate of mortality per million at any age by any particular disease, it will suffice to employ these multipliers. Thus the males dying from Typhus at ages 25—35 are 24,635, which number multiplied by ·028 found in the Table above against age 25 gives a death-rate from that disease of 690 per million males, nearly equivalent to the rate (693) as obtained by dividing the deaths by the years of life and multiplying by a million. The appropriate *Multipliers* will be found at the foot of every column.

TABLE 36.—Reciprocals of Deaths from All Causes at each of EIGHTEEN GROUPS OF AGES multiplied by 100,000, and called "Death Multipliers," to obtain the PROPORTION of DEATHS by each DISEASE to 100,000 DEATHS at each GROUP OF AGES from ALL CAUSES.

AGES.	MALES.	FEMALES.
ALL AGES	·017	·018
0—	·067	·085
1—	·212	·224
2—	·439	·441
3—	·679	·676
4—5	·942	·951
0—5	·041	·048
5—	·402	·417
10—	·791	·786
15—	·640	·580
20—	·527	·499
25—	·284	·257
35—	·271	·273
45—	·253	·289
55—	·223	·239
65—	·198	·191
75—	·256	·221
85—	1·007	·717
95 & upwards	19·161	9·339

Thus the males dying from Phthisis at ages 25—35 are 144,285, which number multiplied by ·234 found in the Table above against age 25 gives a proportion of deaths from that disease of 40,977 to 100,000 deaths from All Causes at that age, nearly equivalent to the proportion (40,918) as obtained by dividing the deaths by Phthisis at age 25 by the deaths from All Causes at age 25 and multiplying by 100,000.

TABLE 37.—The Districts of England and Wales (including London)
CLASSIFIED according to Mortality.

MEAN ANNUAL DEATH-RATES per 1000 Persons, 1861-70.	Number of Districts at each Rate of Mortality in Col. 1.	AREA in Acres.	MEAN POPULATION, 1861-71.	BIRTHS, 1861-70.	DEATHS, 1861-70.	EXCESS of BIRTHS over DEATHS, 1861-70.	INCREASE of ENUMERATED POPULATION, 1861-71.
ENGLAND & WALES }	619	37,319,221	21,348,974*	7,500,096	4,767,567*	2,732,529	2,648,048
15	1	147,816	12,690	3,718	1,916	1,802	- 1,223
16	16	1,004,779	237,370	66,967	36,153	30,814	55,719
17	37	2,072,758	622,903	189,633	106,077	83,556	81,404
18	89	5,961,423	1,459,374	459,625	263,596	196,029	122,023
19	145	10,154,367	3,095,263	966,225	566,100	399,125	240,340
20	115	7,969,197	2,766,001	910,048	554,014	356,034	232,338
21	60	4,346,118	2,046,372	704,756	429,768	274,988	330,465
22	50	2,554,037	2,353,084	806,154	508,683	297,471	315,243
23	32	1,504,498	1,566,054	579,008	354,576	224,432	304,105
24	23	818,257	1,081,901	613,314	389,877	223,437	256,614
25	18	481,753	1,363,623	703,234	469,879	233,355	210,700
26	15	269,527	1,699,542	661,589	461,887	200,702	337,874
27	5	10,764	533,233	208,089	142,146	65,943	53,340
28	4	75,924	456,951	175,040	123,077	51,963	22,546
29	4	60,182	367,390	148,029	105,579	42,450	46,748
30	3	3,357	254,708	99,090	78,660	20,430	18,560
32	1	12,994	247,131	93,244	80,300	11,944	7,968
39	1	2,470	254,077	95,468	96,130	- 662	- 31,331

* 40,371 of population returned as in 45 Asylums and 5 Military Camps and Hospitals, as well as 26,963 deaths occurring in the same, are excluded.

TABLE 38.—The Districts of England and Wales (including London) CLASSIFIED according to Mortality; the calculated results deduced from facts in Table 37.

MEAN ANNUAL RATES OF MORTALITY per 1000 Persons, 1861-70.	Number of Districts at each Rate of Mortality in Col. 1.	ACRES to a Person, 1861-71.	ANNUAL RATES PER 1000 LIVING, 1861-70.			ANNUAL INCREASE of ENUMERATED POPULATION per 1000 living, 1861-71.
			BIRTHS.	DEATHS.	EXCESS of BIRTHS over DEATHS.	
ENGLAND & WALES }	619	1.74	35.1	22.4†	12.6‡	12.4
15	1	11.64	29.3	15.1	14.2	- 8.1
16	16	4.42	29.5	15.9	13.6	24.5
17	37	3.33	30.3	17.0	13.3	13.1
18	89	4.03	31.5	18.1	13.4	8.4
19	145	3.28	31.9	19.0	12.9	7.8
20	115	2.88	32.9	20.0	12.9	10.2
21	60	2.12	34.4	21.0	13.4	16.1
22	50	1.13	35.8	22.4	13.4	14.0
23	32	.96	37.0	22.8	14.2	19.4
24	23	.50	37.8	24.0	13.8	15.8
25	18	.23	37.7	25.2	12.5	11.3
26	15	.16	38.9	26.0	12.9	19.3
27	5	.02	39.0	26.7	12.4	10.4
28	4	.17	38.3	26.7	11.6	4.9
29	4	.16	40.2	28.7	11.5	12.7
30	3	.01	38.9	30.9	8.0	7.3
32	1	.05	37.3	32.5	4.8	3.2
39	1	.01	37.6	38.6	- 1.0	- 12.3
25-39	13	.10	38.6	30.7	7.9	4.1

* The Annual Birth and Death Rates per 1000 living were obtained by dividing the Annual Births and Deaths in the groups of Districts by the Mean Population of those Districts.

† This column shows the proportional Annual Increase of enumerated Population to the Mean Population 1861-71.

‡ The Deaths in Institutions and Camps mentioned at the foot of preceding Table are included in the rate for England and Wales.

Note.—The minus sign (-) implies a decrease.

TABLE 39.—Of the Districts of England and Wales (including London) the NUMBER of DISTRICTS at and above each Rate of Mortality.

[This Table is formed by the addition from the bottom of each column of Table 37.]

MEAN ANNUAL RATES of MORTALITY per 1000 Persons, 1861-70.	No. of Districts having a Mortality at and above each Rate of Mortality in Col. 1.	AREA in Acres.	MEAN POPULATION, 1861-71.	BIRTHS, 1861-70.	DEATHS, 1861-70.	EXCESS of BIRTHS over DEATHS, 1861-70.	INCREASE of ENUMERATED POPULATION, 1861-71.
15	619	37,319,221	21,348,974	7,600,096	4,767,567	2,732,529	2,646,042
16	613	37,171,406	21,536,275	7,466,378	4,765,651	2,730,727	2,647,065
17	602	36,166,626	21,109,005	7,420,391	4,729,498	2,699,893	2,561,346
18	566	34,098,808	20,496,102	7,240,753	4,633,421	2,617,332	2,500,552
19	476	28,212,445	19,026,728	6,781,123	4,359,825	2,421,298	2,387,530
20	351	18,066,078	15,981,465	5,794,903	3,771,725	2,023,178	2,146,990
21	216	10,068,881	13,165,464	4,894,855	3,217,711	1,667,144	1,864,632
22	156	5,742,763	11,117,192	4,180,090	2,787,943	1,392,156	1,534,167
23	106	3,189,796	8,864,158	3,373,945	2,294,311	1,069,634	1,218,824
24	74	1,684,323	7,236,104	2,794,937	1,927,735	867,202	914,710
25	51	865,971	5,676,303	2,181,723	1,533,658	643,065	658,105
26	33	484,218	3,813,581	1,479,499	1,068,779	410,720	447,406
27	18	165,691	2,114,039	817,910	626,892	191,018	119,731
28	13	154,927	1,580,806	600,871	484,746	125,125	64,491
29	9	79,008	1,123,855	434,831	362,699	72,162	41,945
30	5	18,321	755,916	236,802	237,090	29,712	- 4,803
32	2	15,464	501,308	187,712	178,490	9,282	- 33,363
39	1	2,470	254,077	95,468	96,130	- 2,662	- 31,331

TABLE 40 (calculated from Table 39).—SHOWING the MEAN AREA and POPULATION 1861-71, also ANNUAL BIRTHS and DEATHS in the Ten Years 1861-70, and INCREASE of POPULATION 1861-71, in an AVERAGE DISTRICT of several selected GROUPS of DISTRICTS.

MEAN ANNUAL RATES of MORTALITY per 1000 Persons, 1861-70.	Number of Districts having a Mortality at and above each Rate of Mortality in Col. 1.	MEAN AREA in square miles.	MEAN POPULATION, 1861-71.	AVERAGE ANNUAL NUMBERS, 1861-70.			ANNUAL INCREASE of ENUMERATED POPULATION, 1861-71.
				BIRTHS.	DEATHS.	EXCESS of BIRTHS over DEATHS.	
15	619	94.20	34,489	1211.6	770.2	441.4	427.5
17	602	93.87	35,065	1234.1	785.6	448.5	430.5
20	331	85.24	48,131	1750.7	1139.5	611.2	648.6
23	106	47.00	83,624	3183.0	2155.0	1028.0	1140.8
26	33	20.56	115,563	4483.3	3238.7	1244.6	1355.8
29	9	13.72	124,873	4831.5	4029.7	801.8	466.1

It will be seen that in an average district of 331 districts, in which the rate of mortality is 20 per 1000 or higher, the area is 85.24 square miles; the population is 48,131; the mean annual number of births is 1751, of deaths 1140, the annual addition to the population by excess of births over deaths is 611 and the annual increase of population 648.

TABLE 41.—Of the Districts of England and Wales (including London), the NUMBER of DISTRICTS at and above certain RATES of Mortality, with the DENSITY and BIRTH, DEATH, &c. RATES in an AVERAGE DISTRICT of each GROUP.

MEAN ANNUAL RATES of MORTALITY per 1000 PERSONS, 1861-70.	Number of Districts having a Mortality at and above each Rate of Mortality in Col. 1.	PERSONS to a square mile, 1861-71.	ANNUAL RATES, 1861-70, PER 1000 LIVING.			ANNUAL INCREASE of ENUMERATED POPULATION, 1861-71, to 1000 living in the middle of the period.
			BIRTHS.	DEATHS.	EXCESS of BIRTHS over DEATHS.	
15	619	366	35·13	22·33	12·80	12·39
17	602	374	35·20	22·41	12·79	12·28
20	331	565	36·37	23·67	12·70	13·48
23	106	1779	38·06	25·77	12·29	13·75
26	33	5625	38·89	28·03	10·77	11·73
29	9	9137	38·69	32·27	6·42	3·73

TABLE 42.—THE Districts of England and Wales (excluding London) CLASSIFIED according to Mortality.

MEAN ANNUAL DEATH-RATES per 1000 PERSONS, 1861-70.	Number of Districts at each Rate of Mortality in Col. 1.	AREA in Acres.	MEAN POPULATION, 1861-71.	BIRTHS, 1861-70.	DEATHS, 1861-70.	EXCESS of BIRTHS over DEATHS, 1861-70.	INCREASE of ENUMERATED POPULATION, 1861-71.
15	1	147,816	12,699	3,718	1,916	1,802	— 1,023
16	15	1,002,531	201,577	60,635	32,223	28,412	42,544
17	37	2,072,758	622,903	188,638	106,077	82,561	81,404
18	89	5,881,423	1,459,374	459,625	263,596	196,029	122,022
19	142	10,124,960	2,831,239	902,811	536,364	366,447	160,654
20	114	7,963,262	2,661,877	875,720	532,189	343,531	240,702
21	59	4,338,074	1,813,720	632,398	381,067	251,331	233,262
22	48	2,548,258	1,858,348	664,929	408,728	256,201	234,229
23	30	1,406,107	1,289,465	477,996	296,010	181,986	217,989
24	23	818,257	1,621,901	613,214	389,077	224,137	256,614
25	14	426,327	1,235,659	480,641	310,207	170,434	179,878
26	10	239,528	1,179,629	470,302	306,061	164,241	313,961
27	8	9,185	353,395	138,751	94,553	44,218	42,191
28	2	74,046	234,288	92,221	65,630	26,591	25,558
29	3	59,037	314,123	129,624	90,825	38,799	47,268
30	1	2,736	129,464	53,113	38,293	14,820	21,796
32	1	12,994	247,131	92,214	80,300	11,914	7,908
39	1	2,470	254,077	95,468	98,130	— 2,662	— 31,331

TABLE 43.—THE Districts of England and Wales (excluding London)
grouped according to **Mortality.**

(Obtained from Table 42.)

MEAN ANNUAL DEATH- RATES per 1000 Persons, 1861-70.	Number of Districts at the Rates of Mortality in Col. 1.	AREA in Acres.	AREA in Square Miles.	MEAN POPULA- TION, 1861-71.	BIRTHS, 1861-70.	DEATHS, 1861-70.	EXCESS of BIRTHS over DEATHS, 1861-70.	INCREASE of ENUME- RATED POPULA- TION, 1861-71.
15-39	593	37,343,869	58,194	18,319,849	6,432,108	4,031,225	2,400,883	2,195,771
15-17	53	3,223,105	5,036	837,179	252,991	140,216	112,775	123,015
18-20	345	23,971,635	37,456	6,962,400	2,238,156	1,332,149	906,007	523,378
21-23	137	8,383,039	13,099	4,961,533	1,775,323	1,085,805	689,518	685,490
24-26	47	1,504,112	2,350	4,037,189	1,564,217	1,005,335	558,882	750,453
27-30	9	146,504	229	1,030,250	413,709	289,290	124,419	136,808
32	1	12,004	20	247,131	92,244	80,300	11,944	7,068
39	1	2,470	3·86	254,077	95,468	98,130	- 2,662	- 31,331

TABLE 44.—THE Districts of England and Wales (excluding London)
grouped according to **Mortality.**

(Calculated from Table 43.)

MEAN ANNUAL RATES of MOR- TALITY per 1000 Persons, 1861-70.	Number of Districts at the Rates of Mortality in Col. 1.	ACRES to a Person, 1861-71.	PERSONS to a Square Mile, 1861-71.	ANNUAL RATES, 1861-70, PER 1000 LIVING.			ANNUAL INCREASE of POPU- LATION, 1861-71, per 1000 living in the middle of the period.
				BIRTHS.	DEATHS.	EXCESS of BIRTHS over DEATHS.	
15-39	593	2·03	315	35·11	22·00	13·11	11·99
15-17	53	3·85	160	30·22	16·75	13·47	14·09
18-20	345	3·45	186	32·10	19·16	13·03	7·53
21-23	137	1·69	379	35·78	21·88	13·90	13·82
24-26	47	·37	1,718	38·75	24·90	13·84	18·50
27-30	9	·14	4,499	40·16	28·08	12·08	13·28
32	1	·05	12,357	37·33	32·49	4·83	3·22
39	1	·01	63,823	37·57	38·02	- 1·05	- 12·33

TABLE 23.—Of the Districts of England and Wales (excluding London), the NUMBER of DISTRICTS at and above each Rate of Mortality. (This Table is formed by the addition, from the bottom, of each Column of Table 42.)

MEAN ANNUAL RATE of MORTALITY per 1000 Persons, 1861-70.	Number of Districts having a Mortality at and above each Rate of Mortality in Col. 1.	AREA in Acres.	MEAN POPULA- TION, 1861-71.	BIRTHS, 1861-70.	DEATHS, 1861-70.	EXCESS of BIRTHS over DEATHS, 1861-70.	INCREASE of ENUMERATED POPULATION, 1861-71.
15	593	37,246,839	18,319,849	6,482,108	4,081,325	2,400,883	2,196,771
16	592	37,096,043	18,307,150	6,463,300	4,069,309	2,394,081	2,193,794
17	577	36,063,513	18,106,973	6,367,755	3,997,886	2,370,069	2,184,230
18	540	34,039,754	17,462,670	6,179,117	3,891,009	2,288,108	2,072,756
19	451	28,139,331	16,033,296	5,719,498	3,627,413	2,092,079	1,960,734
20	309	18,014,381	13,192,067	4,816,031	3,091,949	1,724,082	1,790,030
21	196	10,049,119	10,530,180	3,949,961	2,558,800	1,391,161	1,540,378
22	136	5,710,445	8,716,460	3,308,563	2,177,793	1,130,770	1,316,116
23	88	3,162,187	6,358,112	2,643,634	1,769,065	874,569	1,061,887
24	58	1,666,080	5,568,647	2,166,638	1,473,055	693,583	863,896
25	35	847,823	3,946,746	1,562,424	1,063,978	498,446	607,234
26	21	421,496	2,711,087	1,071,783	773,771	298,012	427,406
27	11	161,998	1,531,458	601,421	467,720	133,701	113,443
28	8	152,783	1,178,063	462,670	373,187	89,483	71,254
29	6	78,137	943,795	370,449	307,548	62,901	45,701
30	3	18,300	639,673	240,825	216,723	24,102	— 1,567
32	2	15,464	501,306	187,712	178,430	9,282	— 23,363
39	1	2,470	254,077	96,468	96,130	— 3,662	— 31,331

TABLE 46.—Comparative Mortality of England and of its Metropolis, 1861-70.

—		ALL AGES.	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
ENGLAND (exclusive of LONDON).														
MEAN POPULATION.	PERSONS -	18,360,120	2,493,566	2,200,324	1,977,704	1,773,412	1,617,689	2,653,899	2,079,236	1,698,619	1,063,665	629,446	250,399	32,251
	Males -	9,002,130	1,240,723	1,100,739	998,361	898,736	772,878	1,259,074	1,007,267	779,703	531,416	290,515	104,025	12,696
	Females -	9,357,990	1,252,844	1,099,585	979,343	884,676	844,811	1,394,825	1,071,969	918,916	532,251	338,931	146,374	19,555
DEATHS.	PERSONS -	4,038,158	1,051,017	171,235	89,361	116,064	135,750	257,899	296,304	284,418	319,624	319,286	319,286	95,012
	Males -	2,063,675	587,373	87,780	44,338	55,292	65,628	122,355	129,036	141,330	167,620	192,402	160,383	39,728
	Females -	1,974,483	708,644	83,455	44,923	60,772	70,122	135,544	157,268	143,088	151,004	126,916	167,903	55,284
Annual Rate of Mortality per cent.	PERSONS -	2.210	0.021	.778	.452	.653	.839	.960	1.253	1.634	2.913	6.101	13.615	29.460
	Males -	2.315	0.101	.797	.449	.621	.849	.972	1.281	1.912	3.154	6.469	14.466	31.292
	Females -	2.110	0.189	.759	.455	.688	.830	.967	1.186	1.608	2.686	5.766	13.286	28.271
LONDON.														
MEAN POPULATION.	PERSONS -	3,029,125	392,443	324,972	287,044	283,115	269,487	514,398	385,686	298,947	161,381	82,118	25,003	3,596
	Males -	1,515,446	185,963	161,131	141,949	131,385	135,185	253,714	176,960	124,417	71,145	35,097	9,325	1,065
	Females -	1,513,679	186,500	163,821	145,095	151,730	134,302	260,684	208,726	174,530	90,236	46,021	15,678	2,531
DEATHS.	PERSONS -	736,342	820,283	29,385	11,923	13,360	21,304	50,074	57,225	68,717	61,548	69,372	39,702	10,219
	Males -	375,314	170,317	15,005	6,026	7,659	10,063	25,379	30,601	31,963	31,196	27,413	15,701	5,391
	Females -	360,928	149,966	14,400	5,897	7,731	10,341	24,695	26,624	36,754	30,352	41,959	24,001	4,828
Annual Rate of Mortality per cent.	PERSONS -	2.431	8.161	.910	.415	.544	.711	.973	1.464	2.383	3.802	7.282	15.471	30.074
	Males -	2.635	8.691	.937	.424	.583	.823	1.066	1.714	2.599	4.285	8.293	16.903	32.143
	Females -	2.224	7.633	.885	.407	.510	.623	.880	1.284	1.653	3.345	6.753	14.054	28.148

TABLE 47.—Average Annual Mortality per cent., 1861-70, at the SEVERAL AGES in the Districts of England and Wales, the DISTRICTS of LONDON and the DISTRICT of BILLESDON being excluded.

NOTE.—The mean Rate of Mortality per cent. at each Age is got by dividing the sum of the rates in the whole of the Districts of the several Groups by the number of those Districts. The Male and Female rates are separately treated.

Age.	Mean Annual Rates of Mortality per 1000 persons.	Number of Districts at each Rate of Mortality.	Persons to a square Mile.	Sexes.	AVERAGE ANNUAL RATES OF MORTALITY per Cent. AT THE UNDER-MENTIONED AGES.														
					ALL AGES.	Under 5	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.		
15	1	55		M.	1'548	3'001	'449	'410	'355	'508	'701	'743	1'205	2'272	6'419	14'482	25'285		
				F.	1'478	2'611	'561	'375	'382	'379	'791	'808	1'207	2'121	4'813	14'054	29'444		
16	14	131		M.	1'672	3'971	'586	'089	'507	'761	'729	'900	1'261	2'215	5'350	13'037	28'496		
				F.	1'560	3'280	'580	'373	'662	'751	'770	'961	1'153	2'140	4'974	12'738	26'070		
17	37	192		M.	1'807	4'275	'533	'325	'482	'757	'880	1'046	1'401	2'449	5'501	13'227	28'906		
				F.	1'609	3'491	'541	'386	'647	'777	'878	1'021	1'205	2'170	5'134	12'604	27'089		
18	89	159		M.	1'853	4'594	'569	'300	'489	'760	'833	'981	1'349	2'377	5'448	13'206	32'038		
				F.	1'768	3'942	'563	'409	'647	'807	'868	'987	1'168	2'175	5'070	12'666	29'697		
19	142	179		M.	1'963	5'053	'806	'372	'541	'817	'885	1'009	1'413	2'490	5'588	13'531	31'125		
				F.	1'851	4'293	'595	'429	'698	'832	'937	1'033	1'231	2'176	5'036	12'482	28'436		
20	114	214		M.	2'081	5'677	'651	'389	'538	'836	'807	1'077	1'447	2'655	5'784	13'947	32'318		
				F.	1'948	4'809	'649	'447	'713	'865	'973	1'080	1'285	2'569	5'254	12'859	29'481		
21	59	268		M.	2'187	6'227	'723	'449	'622	'892	'934	1'149	1'634	2'939	6'383	14'451	32'036		
				F.	2'048	5'292	'714	'476	'753	'911	1'027	1'165	1'945	2'610	5'697	13'413	29'236		
22	48	467		M.	2'310	7'041	'816	'466	'667	'898	1'002	1'263	1'738	3'109	6'684	14'576	32'415		
				F.	2'095	6'015	'760	'460	'682	'842	1'006	1'173	1'456	2'586	5'762	13'561	29'694		
23	30	532		M.	2'434	7'575	'882	'522	'711	'948	1'012	1'301	1'866	3'349	7'094	15'351	33'222		
				F.	2'195	6'473	'820	'491	'750	'918	1'065	1'207	1'484	2'711	6'056	13'807	30'135		
24	23	1,268		M.	2'518	8'427	'946	'551	'712	'855	'930	1'289	1'889	3'545	7'514	16'682	33'820		
				F.	2'293	7'300	'907	'479	'711	'882	1'027	1'211	1'532	2'688	6'401	14'637	30'737		
25	14	1,855		M.	2'665	8'785	'916	'535	'726	'920	1'032	1'454	2'190	4'045	8'085	17'133	33'870		
				F.	2'379	7'684	'859	'482	'697	'876	1'033	1'290	1'703	3'191	6'804	15'180	28'981		
26	10	2,909		M.	2'760	9'082	'966	'523	'727	'861	'990	1'439	2'274	4'142	8'247	17'554	35'706		
				F.	2'438	8'282	'907	'476	'720	'856	1'035	1'334	1'894	3'414	7'151	15'650	30'229		
27	5†	24,627		M.	3'000	9'506	'994	'447	1'094	1'196	1'541	1'939	2'929	4'331	8'744	17'356	35'686		
				F.	2'423	8'416	'904	'437	'607	'761	'923	1'333	1'878	3'495	7'422	15'800	29'239		
28	2†	2,009		M.	2'984	10'259	1'103	'539	'801	'975	1'217	1'702	2'505	4'337	8'370	18'493	34'080		
				F.	2'632	8'998	1'007	'473	'770	'875	1'170	1'539	1'983	3'726	7'145	15'414	29'576		
29	3†	3,334		M.	2'996	10'285	1'212	'613	'808	'946	1'176	1'711	2'525	4'530	8'956	17'643	32'670		
				F.	2'656	8'997	1'090	'501	'720	'829	1'010	1'345	2'001	3'433	7'209	15'761	31'511		
30	Leeds	30,050		M.	3'217	11'292	1'045	'582	'797	1'030	1'302	1'908	2'928	5'132	9'039	22'413	34'348		
				F.	2'780	9'645	'944	'339	'716	'955	1'170	1'554	2'208	3'991	8'543	17'863	27'917		
32	Man- chester.	12,357		M.	3'538	11'790	1'401	'651	'939	1'167	1'409	2'325	3'455	6'017	10'876	20'978	40'714		
				F.	3'046	10'590	1'152	'579	'740	'955	1'307	1'920	2'876	5'031	9'426	17'390	27'887		
39	Liver- pool.	65,833		M.	4'097	14'473	1'647	'693	'945	1'422	1'998	3'007	4'372	7'095	11'918	19'488	29'609		
				F.	3'636	13'425	'554	'614	'758	1'102	1'749	2'408	3'701	5'700	9'564	16'231	25'446		

* The Mortality in this column was deduced for each District by dividing the annual Deaths of Persons by the average number of Persons living in the respective Districts.
† The three Districts with a rate of 27 per 1000 are East Stonehouse, Birmingham, and Salford; the two with a rate of 28 per 1000, Preston and Newcastle-upon-Tyne; and the three with a rate of 29 per 1000, Bristol, Wigan, and Sheffield.

TABLE 42.—SHOWING in a COMPARATIVE VIEW the actual Mortality (Annual Rate per 1000) in Seven Groups of Districts of England and Wales (exclusive of London); with the MORTALITY deduced from the DENSITIES (Population to a Square Mile) of those GROUPS.

Number of Group.	Number of Districts in each Group.	RANGE of MORTALITY.	DENSITY—Persons to a Square Mile.	PROXIMITY in Yards.	OBSERVED MORTALITY.	CALCULATED MORTALITY.
Columns .	1.	2.	3.	4.	5.	6.
ENGLAND & WALES (exclusive of LONDON) .	593	15–39	315	107	22·00	20·41
I.	53	15–17	160	147	16·75	18·90
II.	345	18–20	186	130	19·16	19·16
III.	137	21–23	379	97	21·88	20·87
IV.	47	24–26	1,718	46	24·90	25·02
V.	9	27–30	4,499	28	28·06	28·06
VI.	{ Manchester } { District }	32	12,357	17	32·49	37·70
VII.	{ Liverpool } { District }	39	65,823	7	38·62	38·74

m being the mortality in any group and m' being the higher mortality at any other group, D and D' being the density of population in the two groups, then

$$m' = m \left(\frac{D'}{D} \right)^n = m \left(\frac{D'}{D} \right)^{0.11908}$$

The mortality of districts is nearly as the 12th root of their densities.

The starting point being 19·16, the calculated rates (see col. 6.) in the other groups are deduced by the formula from the densities as given in column 3; or taking the above value of n , and p and p' as the mean proximity of person to person, we have $m' = m \left(\frac{p}{p'} \right)^{2n}$. So the mortality of districts is nearly as the 6th root of the proximities.

The Table may be read thus:—In 47 districts having a density of 1718 persons to a square mile, a proximity of 46 yards, the annual mortality (1861–70) ranged from 24 to 26—the exact mortality was 24·90—per 1000. The mortality calculated from that of the 345 districts having a mortality of 19·16, a density of 186 persons to a square mile, was 25·02, thus differing from the actual mortality by only 0·12.

It will be noticed that there is not much difference in the density of groups I. and II., and yet the mortality in group I. is much lower than the mortality in group II. It may therefore be inferred that there are many more small towns in group II. than in group I., and in those small towns the effects of a higher density are felt, whereas in group I. the population is more evenly distributed over the area. Were the population aggregated to the same extent as it is in group II., it is probable that the mortality would approximate to 18·90.

England and Wales (excluding London).—Mortality at Ages.

clix

PLATE 49.—Mean Annual Rate of Mortality per Cent., 1861-70, at the various AGES in Districts,* grouped according to the RATE OF MORTALITY of PERSONS LIVING at ALL AGES.

Annual Rates of Mortality per 1000 Persons living at all Ages	Range 15-17 Mean - 16	18-20 19	21-23 23	24-26 25	27-30 26.5	31 32	36 36
Density: Persons to one Square Mile	186	186	370	1,718	4,499	12,867	65,923
Number of Districts at the above Rates of Mortality	53	345	187	47	9	1	1
Annual Birth Rates, per 1000 Persons living, in the above groups of Districts	30.2	33.2	35.8	38.7	40.2	37.5	37.6

MEAN RATES of Mortality per cent.† at the various AGES in the above groups of DISTRICTS.

	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.
ALL AGES	1.757	1.631	1.974	1.863	2.284	2.065	2.613	2.349	3.019	2.584	3.588	3.046	4.067	3.688
Under 5	4.146	3.413	5.133	4.373	6.808	5.804	8.796	7.683	10.131	8.876	11.790	10.590	14.475	12.469
5 -	.561	.543	.612	.604	.790	.753	.941	.893	1.097	.998	1.401	1.153	1.647	1.514
10 -	.342	.332	.374	.369	.471	.474	.540	.479	.538	.478	.661	.679	.686	.614
15 -	.480	.641	.526	.690	.687	.727	.719	.709	.900	.698	.999	.740	.945	.798
20 -	.750	.763	.808	.845	.806	.866	.876	.874	1.045	.830	1.167	.955	1.423	1.168
25 -	.829	.839	.880	.930	.975	1.028	.974	1.031	1.321	1.084	1.499	1.307	1.998	1.749
30 -	.997	.992	1.024	1.040	1.222	1.177	1.370	1.281	1.807	1.497	2.325	1.926	3.007	2.466
35 -	1.354	1.186	1.408	1.232	1.721	1.407	2.060	1.661	2.700	1.979	3.455	2.876	4.373	3.791
40 -	2.375	2.145	2.515	2.220	3.068	2.581	3.831	3.134	4.421	3.531	6.017	5.031	7.096	5.708
45 -	5.454	5.063	5.617	5.117	6.627	5.781	7.840	6.681	8.864	7.414	10.876	9.426	11.918	9.564
50 -	13.222	12.580	13.607	12.633	14.692	13.573	17.020	15.000	18.266	15.831	20.978	17.309	19.468	16.231
55 and upwards -	28.622	26.811	31.735	29.107	32.429	29.872	34.236	30.112	34.175	29.831	40.714	27.387	29.600	25.446

PERSONS.

(The Rates are the Means of the above Male and Female Rates.)

ALL AGES	1.094	1.918	2.190	2.481	2.802	3.292	3.867
Under 5	3.780	4.753	6.306	8.210	9.504	11.190	13.963
5 -	.552	.608	.772	.917	1.045	1.277	1.581
10 -	.362	.402	.473	.510	.508	.615	.641
15 -	.561	.608	.692	.714	.797	.840	.882
20 -	.757	.827	.897	.875	.933	1.061	1.223
25 -	.834	.905	1.002	1.003	1.178	1.388	1.874
30 -	.995	1.032	1.200	1.316	1.607	2.126	2.708
35 -	1.270	1.320	1.564	1.856	2.340	3.166	4.037
40 -	2.260	2.368	2.835	3.473	4.001	5.524	6.423
45 -	5.259	5.367	6.204	7.261	8.139	10.151	10.741
50 -	12.004	13.120	14.133	16.015	17.040	19.139	17.885
55 and upwards -	27.717	30.431	31.001	32.174	32.053	34.031	27.523

This Table of the *mean Mortality* at all ages of Males and Females shows that in 53 Healthy Districts the Mortality was 1.757 per 1000, and in the group of 345 Districts it was 1.918 per 1000.

The mean rates of Mortality of Persons are equivalent to the rates of Mortality of equal numbers of the two sexes at each age. Thus the Mortality of the 53 Healthiest Districts was 1.757 for Males, 1.631 for Females, and 1.694 for Persons

(50 Males and 50 Females); as $\frac{1.757 + 1.631}{2} = \frac{3.388}{2} = 1.694$.

* The London Districts are excluded on account of the difficulty of correcting for displaced deaths in Hospitals. For the mortality of London in the aggregate see page clix.

† By passing the decimal point one figure to the right-hand, thus, instead of 1.757 at "All Ages" in the first Column 17.57, the Table shows the rate per 1000.

TABLE 54.—Relative Mortality of Males and Females, 1861-70, at Seven Ages in EIGHT GROUPS of Districts of England and Wales, the DEATHS at each AGE in the 53 HEALTHY DISTRICTS being represented by 100.

Mortality Range			15-17	18-20	21-23	24	24-26	27-30	32	39
Persons to one square mile . .			166	186	370	25,671	1,718	4,490	12,357	65,823
AGES.	Sex.	Numbers living.	DEATHS OF MALES AND FEMALES, out of Numbers given in Column 2.							
			In 53 Healthy Districts.	In 345 Districts.	In 137 Districts.	In London.	In 47 Districts.	In 9 Districts.	In Manchester District.	In Liverpool District.
ALL AGES	Males -	5,692	100	112	130	151	140	172	201	223
	Females	6,131	100	114	128	137	144	158	187	223
0-5	Males -	2,411	100	124	164	210	212	244	284	340
	Females	2,931	100	128	170	224	223	260	310	364
5-10	Males -	17,825	100	109	141	167	168	196	250	294
	Females	18,416	100	111	139	163	164	183	212	279
25-35	Males -	12,063	100	106	118	131	117	159	177	241
	Females	11,919	100	111	123	105	123	123	156	206
35-45	Males -	10,030	100	103	123	172	137	181	233	302
	Females	10,061	100	105	119	120	127	142	194	243
45-55	Males -	7,386	100	104	127	190	152	199	255	323
	Females	8,432	100	104	119	156	130	167	242	312
55-65	Males -	4,211	100	106	130	185	161	196	253	290
	Females	4,662	100	103	120	156	146	167	235	269
65-75	Males -	1,834	100	103	122	152	144	163	190	219
	Females	1,975	100	101	114	133	132	146	186	180

Out of 2411 Male Children living under 5 years of age 100 die annually in the Healthy Districts, 284 in the Manchester District, and 340 in the District of Liverpool.

England and Wales.—Density and Mortality in Divisions. clxiii

TABLE 55.—Average Rates of Mortality in the Thirty Years 1841-70, in combination with Density of Population, in the 619 Districts of England and Wales grouped in Registration Divisions.

Mean Density of Population—Acres to a Person . . . }	0—	1—	2—	3—	5—	7—	9 & upwards.
DIVISIONS.	AVERAGE ANNUAL RATES of MORTALITY per 1000 Persons, 1841-70.						
ENGLAND AND WALES	23·9	20·9	20·0	19·3	19·0	18·8	18·2
I. LONDON . . .	23·9	—	—	—	—	—	—
II. SOUTH-EASTERN .	21	19	19	18	19	19	—
III. SOUTH MIDLAND .	22	20	21	20	—	—	—
IV. EASTERN . . .	22	19	20	20	20	—	—
V. SOUTH-WESTERN .	24	20	20	19	19	18	18
VI. WEST MIDLAND .	24	22	20	19	19	19	—
VII. NORTH MIDLAND .	25	22	20	19	20	17	—
VIII. NORTH-WESTERN .	26	22	20	19	20	—	—
IX. YORK . . .	25	22	22	20	19	19	19
X. NORTHERN . . .	25	22	22	20	19	19	17
XI. WALES . . .	—	24	21	21	19	19	19

The Table may be read thus:—In Division IV. the mean mortality of the districts of which the density of population is greatest, viz., less than one acre to a person, is 22 per 1000; in districts in which the density of population is one acre and less than two, the mean mortality is 19 per 1000; and so on.

The following particulars are interesting as regards the three sets of Districts (viz., those in Divisions IX., X., and XI.) that are least populous, there being 9 acres or upwards to each inhabitant.

DISTRICTS in Division IX.	ACRES to a Person.	ANNUAL MORTALITY per 1000, 1841-70.	DISTRICTS in Division X.	ACRES to a Person.	ANNUAL MORTALITY per 1000, 1841-70.	DISTRICTS in Division XI.	ACRES to a Person.	ANNUAL MORTALITY per 1000, 1841-70.
Sedburgh .	11	18	Haltwhistle .	14	17	Llandovery .	10	19
Settle . .	11	19	Bellingham .	35	17	Tregaron . .	11	17
Helmsley .	9	19	Glendale . .	10	15	Builth . . .	12	18
Pickering .	9	19	Rothbury . .	23	16	Brecknock . .	11	21
Aysgarth .	14	20	Bootle . . .	14	17	Knighton . .	10	18
Reeth . . .	11	20	East Ward . .	12	17	Rhayader . .	15	18
— . . .	—	—	West Ward . .	14	18	Machynlleth .	9	21
— . . .	—	—	— . . .	—	—	Dolgelly . . .	11	19

Note.—Dulverton, in Division V., is the only other district with more than 9 acres to a person; it has an area of 10 acres, and the annual mortality in the 30 years was 18 per 1000 of population.

Mortality at Ages in England and Wales, in London, &c.

TABLE 50.—Average Annual Rate of Mortality per Cent., 1861-70, at different Ages in Fifty-one Healthy Districts of England and Wales, in the whole of England and Wales, in London, and in Manchester and Liverpool Districts respectively.

AGES.	MALES.					FEMALES.				
	FIFTY-ONE* HEALTHY DISTRICTS.	ENGLAND AND WALES.	LONDON.	MAN-CHESTER DISTRICT.	LIVER-POOL DISTRICT.	FIFTY-ONE* HEALTHY DISTRICTS.	ENGLAND AND WALES.	LONDON.	MAN-CHESTER DISTRICT.	LIVER-POOL DISTRICT.
ALL AGES -	1·756	2·301	2·655	3·538	4·097	1·623	2·128	2·234	3·046	3·686
0—	4·246	7·316	8·691	11·700	14·475	3·501	6·343	7·632	10·590	13·439
5—	·566	·815	·937	1·401	1·647	·562	·776	·885	1·152	1·514
10—	·346	·446	·424	·651	·608	·390	·448	·407	·579	·614
15—	·483	·616	·582	·939	·945	·628	·662	·510	·740	·758
20—	·738	·845	·823	1·187	1·422	·734	·796	·622	·955	1·102
25—	·824	·990	1·096	1·469	1·998	·807	·969	·880	1·307	1·749
35—	1·007	1·346	1·714	2·325	3·007	·975	1·203	1·284	1·926	2·406
45—	1·346	1·916	2·568	3·455	4·372	1·176	1·555	1·852	2·876	3·701
55—	2·372	3·300	4·885	6·017	7·095	2·114	2·777	3·345	5·031	5·790
65—	5·456	6·669	8·283	10·876	11·918	4·995	5·880	6·723	9·426	9·584
75—	13·128	14·658	16·902	20·978	19·488	12·378	18·443	14·654	17·300	16·281
85 & upwds.	28·492	31·357	32·142	40·714	29·600	26·400	28·361	29·142	27·887	25·446

* In this Table two districts are excluded from the *Fifty-three* Healthy Districts shown in other Tables, namely, *Barnet* and *King's Norton*, on account of their proximity, the former to *London*, and the latter to *Birmingham*.

TABLE 51.—Average Annual Rate of Mortality per Cent., 1861-70, at different Ages in Fifteen Great Town Districts, and in the same coupled with Liverpool District and London.

AGES.	MALES.		FEMALES.	
	Fifteen great town Districts, including Manchester.	Seventeen great town Districts, including previous fifteen districts, with districts of Liverpool and London.	Fifteen great town Districts, including Manchester.	Seventeen great town Districts, including previous fifteen districts, with districts of Liverpool and London.
ALL AGES - -	2·948	2·833	2·591	2·423
0— - - -	10·177	9·497	8·888	8·357
5— - - -	1·060	1·016	·973	·946
10— - - -	·533	·476	·503	·451
15— - - -	·739	·658	·709	·591
20— - - -	·921	·890	·864	·725
25— - - -	1·139	1·156	1·081	·990
35— - - -	1·722	1·791	1·446	1·396
45— - - -	2·617	2·687	2·044	2·008
55— - - -	4·618	4·602	3·685	3·566
65— - - -	8·996	8·667	7·567	7·091
75— - - -	18·846	17·614	16·235	15·175
85 and upwards -	34·933	32·865	30·100	29·283
Mean Population, 1861-71	821,400	2,361,736	876,596	2,619,522
Deaths, 1861-70 - -	242,157	669,102	227,105	634,632
Area in square miles -	278·08	399·69	278·08	399·69
Persons to 1 square mile -	6,106	12,403	6,106	12,403

The fifteen town Districts are :—Manchester, Salford, Bradford, Birmingham, Sheffield, Leeds, Newcastle-upon-Tyne, Hunslet, Leicester, Gateshead, Bristol, Hull, Exeter, Worcester, and Shrewsbury.

Relative Mortality in Groups of Districts.

clxi

TABLE 52.—SHOWING how much the Mortality at each of TWELVE AGES is raised in SEVEN GROUPS of DISTRICTS experiencing different RATES OF MORTALITY at ALL AGES.

(The London Districts are in one Group, see Table 46.)

Annual Rates of Mortality per 1000 Persons living at all Ages, 1861-70.	Range 18-20	21-23	24	24-26	27-30	31	39
	Mean - 19	23	24	25	25.5	33	39
Number of Districts at the above Rates of Mortality	345	137	London.	47	9	Manchester District.	Liverpool District.
INCREASE per cent. ON THE RATES OF THE FIFTY-THREE HEALTHY DISTRICTS.							
ALL AGES	13.2	20.3	44.3	46.5	65.4	94.3	123.8
Under 5	25.7	66.8	115.9	117.2	181.4	198.0	289.1
5-	10.1	30.9	65.0	66.1	80.3	121.3	136.4
10-	11.0	30.7	14.9	40.9	40.3	69.9	77.1
15-	8.4	23.4	-2.7	27.3	42.1	49.7	51.9
20-	9.2	18.5	-4.5	15.6	23.9	40.3	66.7
25-	8.5	20.1	17.9	20.3	41.2	66.4	124.7
35-	3.7	20.6	50.7	33.3	61.5	113.7	173.2
45-	3.9	23.1	74.0	46.1	84.3	149.3	217.9
55-	4.8	25.4	71.0	53.7	77.0	144.4	184.4
65-	2.1	18.0	48.7	38.1	54.8	93.0	104.2
75-	1.7	9.5	23.3	24.1	33.1	46.3	38.6
85 and upwards-	9.8	11.8	10.8	16.1	15.6	23.9	-7

This Table of the increase of mortality may be read thus:—In 345 Districts having a mortality at all ages of 18-20 per 1000, the mortality at the ages under five years shows an excess of 25.7 per cent. on the rate at that group of ages in the 53 Healthy Districts; in 137 Districts having a mortality at all ages of 21-23 it is 66.8 per cent. in excess; In Liverpool it is 289.1 per cent. in excess, or out of the same numbers of Children living, the deaths are between three and four times as many in Liverpool as they are in the Healthy Districts.

TABLE 53.—Relative Mortality, 1861-70, at each of Twelve Ages in EIGHT GROUPS of Districts of England and Wales, the DEATHS at each AGE in the 53 HEALTHY DISTRICTS being represented by 100.

Mortality Range - -		15-17	18-20	21-23	24	24-26	27-30	32	39
Persons to one sq. mile		166	186	379	25,071	1,718	4,499	12,357	65,823
AGES.	Persons living.	DEATHS, OUT OF PERSONS as given in Column 2.							
		In 53 Healthy Districts.	In 345 Districts.	In 137 Districts.	In London.	In 47 Districts.	In 9 Districts.	In Manchester District.	In Liverpool District.
ALL AGES -	5,903	100	113	129	144	146	165	194	228
0-	2,646	100	126	167	216	217	251	296	360
5-	18,116	100	110	140	165	166	189	231	286
10-	27,624	100	111	131	115	141	140	170	177
15-	17,825	100	108	123	97	127	142	150	152
20-	13,210	100	109	118	95	116	124	140	167
25-	11,990	100	109	120	118	120	141	166	225
35-	10,050	100	104	121	151	132	162	214	272
45-	7,874	100	104	123	174	146	184	249	318
55-	4,425	100	105	125	171	154	177	244	284
65-	1,902	100	102	118	143	138	155	193	204
75-	775	100	102	110	123	124	132	148	139
85 & upwards	361	100	110	112	111	116	116	123	99

The Table may be read thus:—Out of 2946 Children living under five years of age, 100 die annually in the Healthy Districts; 126 in 345 Districts having rates of mortality of 18 to 20; 296 in Manchester District; and 360 in Liverpool District.

TABLE 57.—**Density and Mortality**, in THREE DECENNIADS, of the **Districts of England and Wales** (exclusive of **LONDON**) in which the **Area** to a **Person** is less than one acre, the **Districts** arranged according to the **Density of Population** in the DECENNIAD 1861-70.

DISTRICT.	COUNTY.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
East Stonehouse - -	Devon - - -	'02	'01	'01	29	27	27	28
Bristol - - -	Gloucester - -	'01	'01	'01	29	28	29	29
Birmingham - - -	Warwick - - -	'02	'01	'01	26	27	27	27
Liverpool - - -	Lancaster - - -	'01	'01	'01	30*	33	30	31*
Brighton - - -	Sussex - - -	'03	'02	'02	21	22	22	22
Plymouth - - -	Devon - - -	'04	'03	'02	25	24	23	24
Nottingham - - -	Nottingham - -	'03	'03	'02	26	27	24	26
Leeds - - -	York, West Riding -	'02	'02	'02	30	28	30	29
Hull - - -	York, East Riding -	'02	'02	'02	31	25	26	27
Southampton - - -	Hants - - -	'04	'03	'03	23	24	23	23
Stoke Damorel - - -	Devon - - -	'05	'04	'04	26	23	21	23
Leicester - - -	Leicester - - -	'07	'06	'04	27	25	26	26
Portsea Island - - -	Hants - - -	'08	'06	'05	25	23	21	23
Yarmouth (Great) - -	Norfolk - - -	'06	'05	'05	23	25	24	24
Salisbury - - -	Wilts - - -	'05	'05	'05	28	24	20	24
Exeter - - -	Devon - - -	'06	'05	'05	25	24	25	25
Salford - - -	Lancaster - - -	'08	'06	'05	28	26	27	27
Manchester - - -	" - - -	'06	'05	'05	33	31	32	32
Gravesend - - -	Kent (<i>extra-met.</i>) -	'08	'07	'06	25	23	22	23
Derby - - -	Derby - - -	'08	'06	'06	24	24	23	24
Chorlton - - -	Lancaster - - -	—	'08	'06	—	24	25	24
Newcastle-upon-Tyne -	Northumberland -	'09	'07	'06	27	27	28	27
Sheffield - - -	York, West Riding -	'11	'09	'07	27	28	29	28
Norwich - - -	Norfolk - - -	'11	'10	'10	24	25	24	24
Sunderland - - -	Durham - - -	'19	'15	'11	24	25	24	24
Cambridge - - -	Cambridge - - -	'13	'13	'12	23	20	22	23
Coventry - - -	Warwick - - -	'16	'14	'13	27	25	21	24
Oxford - - -	Oxford - - -	—	'15	'14	—	22	22	22
Dudley - - -	Stafford - - -	'19	'15	'14	25	26	25	25
West Derby - - -	Lancaster - - -	'34	'22	'14	26	23	26	25
Oldham - - -	" - - -	'21	'17	'14	26	25	26	26
Stoke-upon-Trent - -	Stafford - - -	'23	'19	'15	27	26	26	26
Reading - - -	Berks - - -	'23	'20	'10	24	22	22	23
Alverstoke - - -	Hants - - -	'25	'19	'17	24	20	19	21
Bradford - - -	York, West Riding -	'26	'21	'18	25	26	25	25
Canterbury - - -	Kent (<i>extra-met.</i>) -	'21	'20	'19	24	23	24	24
West Bromwich - - -	Stafford - - -	'33	'24	'19	23	24	22	23
Bury St. Edmunds - -	Suffolk - - -	'22	'22	'21	24	22	23	23
Ipswich - - -	" - - -	'29	'24	'21	23	22	22	23
Worcester - - -	Worcester - - -	'24	'23	'21	24	23	25	24
Radford - - -	Nottingham - - -	'28	'24	'21	22	25	22	23
Richmond - - -	Surrey (<i>extra-met.</i>)	'29	'25	'22	20	20	19	20
Medway - - -	Kent (<i>extra-met.</i>) -	'36	'31	'22	25	23	22	23
Wolstanton - - -	Stafford - - -	'37	'28	'22	26	26	25	26
Stourbridge - - -	Worcester - - -	'31	'26	'23	24	23	22	23
Dewsbury - - -	York, West Riding -	'37	'30	'23	23	25	26	25
Ecclesall Bierlow - -	" - - -	'51	'35	'23	22	23	23	23
West Ham - - -	Essex - - -	'64	'42	'24	18	20	20	19
Aston - - -	Warwick - - -	'53	'37	'25	21	21	21	21
Clifton - - -	Gloucester - - -	'41	'34	'26	23	20	20	21

* Excluding the Irish famine year (1847) the rate for 1841-50 is 36, and is also for the 30 years 1841-70.

Density and Mortality in certain Districts.

clxvii

density and Mortality, in THREE DECADES, of the Districts of England and Wales (exclusive of London) in which the Area to a Person is less than one acre, the DISTRICTS arranged according to the Density of Population in the DECADE 1861-70—continued.

DISTRICT.	COUNTY.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
th Shields - - -	Durham - - -	'48	'38	'26	26	24	24	25
aslet - - -	York, West Riding -	'47	'40	'27	25	24	26	25
beck - - -								
mley - - -								
ton-under-Lyne -	Lancaster - - -	'35	'30	'29	26	27	25	26
ikport - - -	Chester - - -	'35	'33	'32	25	26	25	25
ton - - -	Lancaster - - -	'41	'36	'32	27	27	26	27
y - - -	" - - -	'40	'35	'32	25	23	24	24
hall - - -	Stafford - - -	'56	'42	'33	24	26	24	25
ntford - - -	Middlesex (ex-met.)	'52	'44	'34	21	22	20	21
gs Lynn - - -	Norfolk - - -	'30	'30	'34	23	22	22	23
bdale - - -	Lancaster - - -	'52	'42	'35	24	24	24	24
skburn - - -	" - - -	'53	'41	'35	25	26	26	26
dingsden - - -	" - - -	'58	'44	'36	22	22	23	23
eshead - - -	Durham - - -	'60	'48	'38	25	26	25	25
ifax - - -	York, West Riding -	'49	'46	'40	22	24	24	23
lverhampton -	Stafford - - -	'58	'47	'42	27	28	24	26
thampton - - -	Northampton - -	'67	'56	'44	24	24	24	24
h - - -	Somerset - - -	'44	'44	'44	24	22	22	23
tings - - -	Sussex - - -	'78	'59	'45	18	18	20	19
hester - - -	Essex - - -	'60	'52	'45	24	22	22	23
smouth - - -	Northumberland -	'66	'56	'45	24	23	24	24
an - - -	Lancaster - - -	'66	'55	'47	28	27	29	28
ydou - - -	Surrey (extra-met.)	1'10	'84	'50	20	19	19	19
ltenham - - -	Gloucester - - -	'59	'53	'50	20	19	19	19
gs Norton - - -	Worcester - - -	1'08	'73	'50	17	17	17	17
ldersfield - - -	York, West Riding -	'61	'56	'53	22	22	24	23
gston - - -	Surrey (extra-met.)	'89	'71	'54	18	18	18	18
ton-upon-Irwell	Lancaster - - -	—	'66	'54	—	22	22	22
ston - - -	" - - -	'78	'66	'60	25	27	22	27
gh - - -	" - - -	'80	'67	'61	26	'25	25	25
rrington - - -	" - - -		'75	'63		24	26	25
loates - - -	York, East Riding -		'80	'64		22	23	23
nonton - - -	Middlesex (ex-met.)	1'06	'89	'66	19	18	19	19
scot - - -	Lancaster - - -	1'14	'88	'67	23	23	23	23
ewsbury - - -	Salop - - -	'81	'74	'68	26	24	25	25
naley - - -	York, West Riding -	—	'88	'68	—	24	25	24
ighton-le-Spring	Durham - - -	'91	'78	'68	20	21	24	22
kefield - - -	York, West Riding -	'85	'79	'69	23	23	23	23
thyr Tydfil - - -	South Wales - - -	1'74	1'23	'71	28	29	25	27
truth - - -	Cornwall - - -	'79	'73	'73	20	21	23	21
ghley - - -	York, West Riding -	1'12	1'01	'77	21	23	24	23
nley - - -	Lancaster - - -	1'08	'91	'78	23	24	24	24
net - - -	Kent (extra-met.) -	'94	'93	'80	19	21	20	20
acester - - -	Gloucester - - -	1'00	'96	'84	24	21	21	22
th Stoneham - -	Hants - - -	1'85	1'28	'92	18	17	18	18
idsor - - -	Berks - - -	1'16	1'10	'95	20	20	20	20
leley - - -	Salop - - -	1'00	1'01	'97	23	21	22	22
rcastle-under-Lyme	Stafford - - -	1'33	1'18	'98	26	23	22	24
dleworth - - -	York, West Riding -	1'06	1'00	'96	22	24	23	23
ksham - - -	Wilts - - -	'94	'99	1'00	22	22	22	22

TABLE 38.—Comparison of a Life Table for Males, CONSTRUCTED by a SHORT METHOD, with the English Life Table. [The same data served for both Tables, and are given on pages xviii-xx of English Life Table.]

Age x.	l_x			d_x			MEAN AFTER-LIFETIME		
	By English Life Table.	By Short Method.	Excess by Short Method.	By English Life Table.	By Short Method.	Excess by Short Method.	By English Life Table.	By Short Method.	Excess by Short Method.
0	511,745	511,745	—	141,387	141,387	—	39.91	40.00	.09
5	370,358	370,358	—	17,327	16,651	—676	49.71	49.82	.11
10	353,031	353,707	676	8,741	9,028	288	47.05	47.05	—
15	344,290	344,681	391	24,848	27,201	2,353	43.13	43.21	—0.08
25	319,442	317,480	—1,962	30,592	30,183	—409	36.12	36.49	.37
35	288,850	287,297	—1,553	35,142	34,594	—548	29.40	29.50	.10
45	253,708	252,703	—1,005	44,160	42,703	—1,456	23.76	23.19	.57
55	209,530	210,000	469	58,785	57,254	—1,531	16.45	16.59	.14
65	150,754	152,746	1,992	74,977	74,518	—459	10.82	11.25	.43
75	75,777	78,228	2,451	58,900	60,303	1,403	6.49	7.39	.90
85	16,877	17,835	958	16,044	16,979	935	3.73	5.48	1.75
95	833	856	23	820	846	27	2.17	5.00	2.83
105	4	10	6	4	10	6	—	—	—

NOTE.—The above Table furnishes a comparison of the numbers living at the various ages, and the numbers dying in the intervals of those ages, also the mean after-lifetime, as calculated from the same data (1) by interpolation for each age according to the English Life Table, (2) by a short method in which the intervals of age are quinquennial up to age 15 and after that age decennial.

The dying in the first five years of life in both Tables were deduced from the Births registered during the 17 years 1838-54 (corrected for defective registration) and the registered Deaths in subsequent years of children, born during that period, occurring in the 1st, 2nd, 3rd, and 4th years of life. Then by the formula

$$\frac{1 - \frac{1}{2}m}{1 + \frac{1}{2}m} = \frac{2-m}{2+m} = \text{the probability of living through one year}$$

this probability raised to the 5th power was applied to the survivors at age 5, and the rates at other ages in the same manner to survivors in each successive group of ages up to 15. After that age $\left(\frac{2-m}{2+m}\right)^{10}$ was the formula employed.

Take as an example age 15-25. The value of m for Males was .00822 so $\frac{2 - .00822}{2 + .00822} = \frac{1.99178}{2.00822}$ and $\left(\frac{1.99178}{2.00822}\right)^{10} = .9643000$, which added to $\lambda l_{15} = 5.5374169$ gives $\lambda l_{25} 5.5017169$; and 317,480 is the corresponding number of l_{25} .

It will be seen that the Expectation of Life by each Table at the ages up to 15 is nearly the same; at ages 25 to 65 the differences range from .37 to .53 of a year, the Short Method giving an excess; and after that age there is a rapid increase in the excess of the mean after-lifetime by the Short Method Table.

TABLE 59.—ENGLAND AND WALES.—Average Annual Numbers of Males and Females Dying at the several Ages, to 1000 living at those Ages, of All Causes; of Certain Diseases; and of All Causes excluding each of those Diseases; in the Ten Years 1861-70.

AGES.	ALL CAUSES.		PHTHISIS.		ALL ZYMOTIC DISEASES, Order 1.		CANCER.		ALL CAUSES excluding					
	m_x		p_x		z_x		c_x		Phthisis, $m_x - p_x$		Zymotic Dis., $m_x - z_x$		Cancer, $m_x - c_x$	
	Males.	Fe-males.	Males.	Fe-males.	Males.	Fe-males.	Males.	Fe-males.	Males.	Fe-males.	Males.	Fe-males.	Males.	Fe-males.
ALL AGES	23'608	21'282	2'467	2'483	4'917	4'616	244	528	21'142	18'799	18'088	16'068	23'265	20'759
0—	73'182	63'430	1'990	1'947	22'385	21'754	0'013	0'013	72'172	62'428	50'807	41'676	73'149	63'417
5—	8'148	7'756	1'431	1'476	4'478	4'642	0'008	0'007	7'717	7'280	5'670	5'114	8'140	7'749
10—	4'490	4'484	1'605	1'045	1'500	1'809	0'008	0'008	3'885	3'480	2'900	2'675	4'482	4'476
15—	6'161	6'632	2'198	1'110	1'813	1'421	0'020	0'017	3'973	5'512	4'848	5'201	6'141	6'605
20—	8'453	7'958	3'884	3'906	1'348	1'190	0'027	0'033	4'569	3'993	7'105	6'768	8'426	7'925
25—	9'897	9'685	4'092	4'378	1'217	1'115	0'061	0'163	5'805	5'907	8'690	8'470	9'836	9'522
30—	13'464	12'034	4'165	3'900	1'281	1'207	0'206	0'673	9'299	8'134	12'068	10'827	13'258	11'861
35—	19'165	15'555	3'880	2'850	1'090	1'393	0'539	1'538	15'305	12'705	17'475	14'163	18'626	14'017
40—	23'095	27'773	3'297	2'065	3'543	2'124	1'208	2'300	20'008	25'708	20'452	25'639	31'787	25'473
45—	26'689	38'797	2'024	1'289	4'414	3'762	1'877	2'810	24'665	37'558	23'275	35'505	34'812	35'987
50—	146'576	134'427	0'094	1'476	7'908	6'738	2'291	2'844	145'878	133'923	138'973	127'699	144'285	131'689
55 & upwards.	313'570	283'612	1'542	1'200	11'350	9'883	2'327	2'713	312'228	282'212	302'220	272'739	311'243	280'829

The Table may be read thus:—At Ages 25-35 the annual number of Males dying to One thousand living at those Ages in the 10 Years 1861-70 was 9'897; had there occurred no deaths from Consumption the mortality would have been 5'805 per 1000; had there occurred no deaths from Order 1. of Zymotic Diseases or from Cancer, the numbers of Males dying to One thousand would have been 8'690 and 9'836 respectively.

TABLE 60. ENGLAND AND WALES.—Four Orders of Life Tables for Males (calculated from the Facts recorded during the Ten Years 1861-70), showing the EFFECT of the Exclusion of Deaths from (1) Zymotic Diseases, (2) Phthisis, and (3) Cancer, on the PROBABILITIES of LIVING from AGE to AGE.

Age x .	LIVING AT EACH AGE.				DYING IN EACH INTERVAL OF AGE.			
	To die of All Diseases.	Order 1. of Zymotic Diseases excluded.	Phthisis excluded.	Cancer excluded.	Of All Diseases.	Order 1. of Zymotic Diseases excluded.	Phthisis excluded.	Cancer excluded.
	l_x	${}_1l_x$	${}_2l_x$	${}_3l_x$	d_x	${}_1d_x$	${}_2d_x$	${}_3d_x$
0	510,622	510,622	510,622	510,622	112,805	99,273	140,977	142,787
5	367,317	111,350	369,045	367,335	14,689	7,470	13,907	14,670
10	353,120	403,871	355,648	353,165	7,799	5,084	6,798	7,772
15	345,341	397,937	348,950	345,393	10,474	9,533	6,857	10,442
20	334,867	388,104	341,093	334,951	13,854	13,566	7,725	13,825
25	321,013	374,838	334,268	321,126	30,258	31,164	18,968	30,094
30	290,755	343,074	315,400	291,032	30,617	30,107	28,010	36,142
35	254,138	304,567	287,390	254,890	44,313	46,840	40,798	43,327
40	209,825	255,721	240,502	211,563	58,081	67,133	63,367	57,618
45	150,844	198,588	183,225	153,945	73,435	87,442	87,279	73,444
50	77,409	101,140	95,940	80,501	59,583	76,062	73,695	61,531
55	17,826	25,144	22,251	18,970	17,037	23,949	21,905	18,147
60	789	1,196	946	823	780	1,197	937	814
105	9	0	0	0	9	0	0	0

The Table may be read thus:—Of 510,622 boys born alive, 321,013 attain the age of 25, of whom 30,258 die in the 10 years following. Exempted from attack by Miasmatic diseases 374,838 would survive to age 25, 31,164 dying in the next 10 years.

cxxx *England and Wales.—Deaths of Men in various Occupations.*

TABLE 61.—ENGLAND AND WALES.—Number of Men at different PERIODS of AGE from 15 and upwards in the under-mentioned Occupations enumerated at the Census of 1871, and the NUMBER at the SAME AGES and in the same OCCUPATIONS who died in the Year 1871

OCCUPATIONS.		MEN.—AGES.							
		15 Years and upwards.	15-25	25-35	35-45	45-55	55-65	65-75	75 & upwards.
ALL MEN aged 15 Years and upwards - - - -	{ Living in 1871 - Deaths in 1871 -	6,950,881 138,413	2,008,620 16,733	1,569,398 17,653	1,230,916 17,823	962,735 19,305	640,582 21,786	335,257 24,029	133,163 22,092
Tailors - - - - -	{ Living in 1871 - Deaths in 1871 -	109,130 2,499	23,393 189	22,498 288	21,161 329	20,314 460	13,730 455	5,834 416	1,830 522
Shoemakers - - - -	{ Living in 1871 - Deaths in 1871 -	190,873 4,088	40,371 274	41,919 416	36,832 438	31,968 587	23,081 724	12,494 844	4,108 803
Farmers and Graziers - -	{ Living in 1871 - Deaths in 1871 -	225,509 6,946	5,679 65	28,473 268	43,744 416	62,321 667	47,303 1,133	32,919 1,855	15,030 2,549
Carpenters and Joiners -	{ Living in 1871 - Deaths in 1871 -	202,449 3,510	59,338 319	50,920 490	34,920 433	26,124 449	18,415 596	9,348 613	3,454 619
Butchers - - - - -	{ Living in 1871 - Deaths in 1871 -	70,326 1,493	22,716 129	16,632 189	12,171 264	8,949 227	5,737 211	3,100 268	991 223
Persons engaged in the Wool, Cotton, Flax, and Silk Manufactures, including Weavers not otherwise described - - - - -	{ Living in 1871 - Deaths in 1871 -	328,535 6,041	110,546 710	71,774 697	55,944 805	47,809 813	28,087 1,065	14,132 1,154	4,232 997
Bakers and Confectioners -	{ Living in 1871 - Deaths in 1871 -	59,469 1,082	18,798 100	13,792 137	10,595 153	8,085 174	5,127 292	2,513 195	737 121
Inn and Hotel Keepers; Licensed Victuallers and Publicans; and Beersellers -	{ Living in 1871 - Deaths in 1871 -	74,367 2,338	3,135 73	13,963 235	20,162 463	18,871 589	11,898 562	5,096 584	1,369 279
Inn and Hotel Keepers; Licensed Victuallers and Publicans; and Beersellers; including Wine and Spirit Merchants - - - - -	{ Living in 1871 - Deaths in 1871 -	81,846 2,775	5,446 57	16,732 277	22,341 511	20,536 610	12,752 592	5,562 417	1,477 311
Grocers - - - - -	{ Living in 1871 - Deaths in 1871 -	85,002 1,323	27,213 161	18,199 703	14,301 145	11,871 174	6,239 212	4,503 246	1,354 182
Grocers and Shopkeepers (including Chandler's Shopkeeper and Branch undefined) - - - - -	{ Living in 1871 - Deaths in 1871 -	107,453 1,715	30,293 189	22,521 239	19,081 197	16,256 211	11,732 298	6,219 322	1,836 248
Miners, viz., Coal, Iron, Copper, Tin, and Lead; and others connected with Mines -	{ Living in 1871 - Deaths in 1871 -	335,129 5,275	120,859 942	87,542 843	60,868 721	37,908 788	19,186 853	7,143 711	1,623 417
Persons engaged in the Iron, Copper, Lead, and Tin Manufactures - - - -	{ Living in 1871 - Deaths in 1871 -	179,721 2,500	62,965 439	50,739 494	33,227 426	19,429 369	9,245 362	3,061 285	634 155
Labourers, &c., viz., Agricultural Labourers, Farm Servants, Farm Bailiffs, Shepherds, General Labourers, Railway Labourers, Navvies; Stone, Slate, and Limestone Quarriers; Brick-makers, and other Workers in Stone and Clay - - -	{ Living in 1871 - Deaths in 1871 -	1,471,417 29,643	407,859 2,410	295,127 3,056	256,099 3,196	218,459 3,734	139,254 4,706	98,084 6,134	36,025 6,405
Labourers, &c. as above, including Bricklayers and Masons - - - - -	{ Living in 1871 - Deaths in 1871 -	1,664,649 33,223	462,465 2,695	344,398 3,568	292,966 3,759	244,664 4,271	175,619 5,360	106,015 6,728	38,492 6,842
Blacksmiths - - - - -	{ Living in 1871 - Deaths in 1871 -	108,909 1,908	34,463 211	26,717 275	18,627 228	14,564 305	9,222 811	4,985 349	1,639 314

England and Wales.—Mortality of Men in various Occupations. lxxi

TABLE 62.—ENGLAND AND WALES. Annual Mortality per Cent. of Men at different Periods of Age from 15 and upwards in the under-mentioned Occupations, in the Year 1871.

OCCUPATIONS.	MEN.—AGES.						
	15—	25—	35—	45—	55—	65—	75 & upwards.
	ANNUAL MORTALITY PER CENT.						
ALL MEN aged 15 Years and upwards - - - - -	·772	1·111	1·448	2·005	3·401	6·764	16·345
Tailors - - - - -	·801	1·280	1·603	2·264	3·314	7·070	18·051
Shoemakers - - - - -	·679	·992	1·186	1·896	3·137	6·755	19·596
Farmers and Graziers - - - - -	1·145	·941	·951	1·270	2·405	5·635	16·900
Carpenters and Joiners - - - - -	·538	·962	1·239	1·719	3·236	6·638	17·661
Butchers - - - - -	·528	1·082	2·169	3·537	3·678	8·563	22·508
Persons engaged in the Wool, Cotton, Flax, and Silk Manufactures, including Weavers not otherwise described - - - - -	·642	·971	1·081	1·856	3·792	8·166	23·446
Bakers and Confectioners - - - - -	·535	1·000	1·444	2·152	3·940	7·758	16·418
Inn and Hotel Keepers; Licensed Victuallers and Publicans; and Beersellers - - - - -	1·116	1·683	2·296	3·073	4·750	7·580	20·515
Inn and Hotel Keepers; Licensed Victuallers and Publicans; and Beersellers; including Wine and Spirit Merchants - - - - -	1·047	1·650	2·287	2·970	4·642	7·497	21·056
Grocers - - - - -	·592	1·115	1·021	1·466	2·567	5·461	13·442
Grocers and Shopkeepers (including Chandler's Shopkeeper and Branch undefined) - - - - -	·596	1·061	1·082	1·421	2·630	5·178	13·508
Miners, viz., Coal, Iron, Copper, Tin, and Lead; and others connected with Mines - - - - -	·779	·963	1·185	2·079	4·446	9·954	25·698
Persons engaged in the Iron, Copper, Tin, and Lead Manufactures - - - - -	·697	·974	1·282	2·055	3·916	9·311	24·448
Labourers, &c., viz., Agricultural Labourers, Farm Servants, Farm Bailiffs, Shepherds, General Labourers, Railway Labourers, Navvies; Stone, Slate, and Limestone Quarriers; Brickmakers, and other Workers in Stone and Clay - - - - -	·591	1·035	1·245	1·709	2·956	6·254	17·779
Labourers, &c. as above, including Bricklayers and Masons - - - - -	·583	1·036	1·283	1·746	3·062	6·344	17·775
Blacksmiths - - - - -	·612	1·069	1·197	2·094	3·372	7·419	18·927

clxxii *England and Wales.—Mortality of Men in various Occupations.*

TABLE 63.—ENGLAND AND WALES. Number of Men Aged 15 Years and upwards in 62 selected Occupations living at the Census of 1871, plus twice the Number living at the Census of 1861, the Deaths in the Three Years 1860, 1861, and 1871, and the Annual Rate of Mortality per Cent. at different Periods of LIFE.

Class.	Order.	OCCUPATIONS.	AGES.							
			The influence of Profession is most felt.							
			15—	20—	25—	35—	45—	55—	65—	75—
		MORTALITY { OF ALL CLASSES - - - - -	·632	·859	·985	1·305	1·853	3·215	6·676	16·584
		PER CENT. { OF THE 62 SELECTED OCCU- PATIONS - - - - -	·417	·831	·973	1·328	1·905	3·500	7·562	19·216
		{ OF THE REMAINING CLASSES - - - - -	·778	·880	·993	1·290	1·786	3·070	6·315	15·768
I.	8	Clergyman - - - - - { Years of Life - - - - -	—	1,148	13,339	14,811	12,539	10,086	5,337	1,804
		Deaths - - - - -	—	5	62	93	166	229	279	271
		Mortality per Cent. - - - - -	—	·436	·465	·628	1·324	2·270	5·268	15·023
		Protestant Minister - - - - - { Years of Life - - - - -	—	1,813	6,002	5,754	5,144	3,902	2,097	738
		Deaths - - - - -	—	13	35	42	46	96	118	120
		Mortality per Cent. - - - - -	—	·990	·593	·730	·933	2·400	5·697	16·593
		Roman Catholic Priest - - - - - { Years of Life - - - - -	—	121	1,178	1,180	882	490	200	45
		Deaths - - - - -	—	1	9	11	8	24	19	10
		Mortality per Cent. - - - - -	—	·826	·766	·925	·903	4·898	9·500	22·222
		Barrister - - - - - { Years of Life - - - - -	—	223	2,525	2,602	2,196	1,472	610	164
		Deaths - - - - -	—	—	12	17	29	86	35	16
		Mortality per Cent. - - - - -	—	—	·475	·653	1·364	2·440	4·098	9·756
II.	5	Solicitor, Attorney - - - - - { Years of Life - - - - -	—	1,827	8,315	8,244	7,462	5,917	2,619	702
		Deaths - - - - -	—	16	74	111	144	181	197	117
		Mortality per Cent. - - - - -	—	·876	·890	1·346	1·930	3·059	7·522	16·667
		Physician, Surgeon - - - - - { Years of Life - - - - -	—	2,148	10,021	10,042	9,918	6,862	3,388	1,135
		Deaths - - - - -	—	34	129	148	203	209	218	209
		Mortality per Cent. - - - - -	—	1·117	1·287	1·474	2·047	3·046	6·287	18·444
		Chemist, Druggist - - - - - { Years of Life - - - - -	0,365	8,616	12,745	8,801	6,084	3,128	1,170	272
		Deaths - - - - -	31	97	150	160	112	105	98	39
		Mortality per Cent. - - - - -	·331	1·126	1·177	1·204	1·841	3·357	8·576	14·338
		Schoolmaster, Teacher, Pro- fessor, &c. - - - - - { Years of Life - - - - -	18,331	12,009	21,090	14,231	10,318	7,002	3,532	1,005
		Deaths - - - - -	68	115	188	159	154	254	299	233
		Mortality per Cent. - - - - -	·371	·958	·891	1·117	1·493	3·628	8·465	21·279
III.	6	Civil Engineer - - - - - { Years of Life - - - - -	1,181	2,078	2,965	2,612	1,812	812	297	72
		Deaths - - - - -	2	12	28	40	19	18	16	19
		Mortality per Cent. - - - - -	·169	·577	·944	1·531	1·049	2·217	5·397	26·599
		Domestic Servant - - - - - { Years of Life - - - - -	92,037	70,199	96,006	59,590	37,687	29,601	9,238	2,699
		Deaths - - - - -	223	429	806	814	700	606	735	615
		Mortality per Cent. - - - - -	·242	·593	·901	1·368	1·857	3·184	7·848	22·786
		Insurance Service and Commer- cial Clerk - - - - - { Years of Life - - - - -	54,219	46,170	49,522	24,769	15,086	8,946	3,884	844
		Deaths - - - - -	206	377	631	430	316	316	310	181
		Mortality per Cent. - - - - -	·380	·866	1·274	1·736	2·056	3·532	7·981	17·891
		Commercial Traveller - - - - - { Years of Life - - - - -	1,191	4,780	13,352	9,767	6,086	3,084	944	212
		Deaths - - - - -	2	27	131	153	142	121	65	35
		Mortality per Cent. - - - - -	·168	·568	·981	1·566	2·353	3·988	6·886	16·509
IV.	9	Railway Engine Driver, Officer, Servant, &c. - - - - - { Years of Life - - - - -	22,756	36,057	64,445	37,875	17,849	6,406	1,078	268
		Deaths - - - - -	162	423	787	667	384	290	119	28
		Mortality per Cent. - - - - -	·712	1·173	1·221	1·497	2·151	4·059	7·093	20·543
		Coachman, Cabman, &c. (not Domestic) - - - - - { Years of Life - - - - -	8,272	9,352	28,007	24,448	15,877	7,820	2,774	792
		Deaths - - - - -	10	102	341	495	469	360	277	139
		Mortality per Cent. - - - - -	·006	1·091	1·218	2·025	2·954	4·724	9·086	20·076
		Carman, Carrier, Cartier, Dray- man - - - - - { Years of Life - - - - -	23,147	28,588	53,908	42,669	29,039	16,294	6,080	1,578
		Deaths - - - - -	113	257	649	708	738	794	619	263
		Mortality per Cent. - - - - -	·488	·899	1·204	1·682	2·541	4·531	10·181	23·004
		Bargeman, Waterman - - - - - { Years of Life - - - - -	11,895	11,812	29,307	17,043	12,824	8,294	4,177	1,488
		Deaths - - - - -	70	112	253	327	307	343	394	312
		Mortality per Cent. - - - - -	·599	·948	1·147	1·919	2·394	4·136	9·433	26·968
		Harbour, Dock Service, La- bourer - - - - - { Years of Life - - - - -	7,056	11,132	25,187	22,456	15,968	7,782	2,559	899
		Deaths - - - - -	25	95	281	357	397	331	222	109
		Mortality per Cent. - - - - -	·354	·853	1·116	1·591	2·496	4·253	8·075	18·197
		Messenger, Porter, Errand Boy - - - - - { Years of Life - - - - -	49,501	15,718	26,417	22,729	17,497	10,998	4,785	1,001
		Deaths - - - - -	157	121	298	347	425	425	373	174
		Mortality per Cent. - - - - -	·317	·770	1·109	1·527	2·439	3·865	7·795	17·393
		Horsekeeper, Groom, Jockey - - - - - { Years of Life - - - - -	18,035	17,209	27,988	21,293	14,352	8,276	3,298	803
		Deaths - - - - -	60	156	365	430	412	381	259	171
		Mortality per Cent. - - - - -	·332	·897	1·304	2·019	2·871	4·604	7·853	21·295
		Farrier, Veterinary Surgeon - - - - - { Years of Life - - - - -	1,695	2,510	4,921	4,900	3,210	2,246	1,175	378
		Deaths - - - - -	0	14	70	65	79	72	74	77
		Mortality per Cent. - - - - -	·354	·556	1·452	1·625	2·461	3·366	6·298	20·370
		Gamekeeper - - - - - { Years of Life - - - - -	1,945	2,545	7,847	8,739	6,230	3,274	1,393	662
		Deaths - - - - -	6	18	40	62	55	85	116	128
		Mortality per Cent. - - - - -	·372	·707	·510	·709	·883	2·596	8·327	21·708

England and Wales.—Mortality of Men in various Occupations. clxxiii

TABLE 63. (continued).—ENGLAND AND WALES. Number of Men Aged 15 Years and upwards in 62 selected Occupations living at the Census of 1871, plus twice the Number living at the Census of 1861, the Deaths in the Three Years 1860, 1861, and 1871, and the Annual Rate of Mortality per Cent. at different Periods of Life.

Class.	Order.	OCCUPATIONS.	AGES.							
			The influence of Profession is most felt.							
			15 -	20 -	25 -	35 -	45 -	55 -	65 -	75 -
Y.	10	MORTALITY { OF THE 62 SELECTED OCCU- PER CENT. PATIONS - - - - - OF THE REMAINING CLASSES - - - - -	·632 ·417 ·778	·859 ·831 ·880	·985 ·973 ·903	1·305 1·328 1·290	1·853 1·965 1·786	3·215 3·500 3·070	6·676 7·562 6·315	16·584 19·216 15·768
		Bookseller, Publisher - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	2,637 12 ·455	2,527 22 ·871	5,074 89 ·769	4,411 43 ·975	3,272 69 ·803	2,088 50 2·430	902 72 7·484	281 38 13·523
		Bookbinder - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	3,923 17 ·433	3,969 36 1·069	4,783 48 1·010	3,396 56 1·649	2,354 70 2·124	1,448 50 4·834	627 27 7·974	145 24 16·552
		Printer - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	24,073 117 ·474	17,236 187 1·079	23,216 248 1·068	14,796 247 1·669	8,623 209 3·424	4,310 171 3·968	1,881 142 7·549	365 75 20·546
		Musical Instrument Maker, Dealer - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	2,612 11 ·421	2,721 31 1·139	4,515 33 ·731	3,294 42 1·299	2,026 34 1·870	1,201 30 2·831	422 24 7·109	128 24 18·045
		Watchmaker, Clockmaker - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	8,610 39 ·453	9,383 105 1·125	14,167 139 ·981	11,290 135 1·199	8,109 139 1·714	4,741 181 3·818	2,464 173 7·021	833 106 18·727
		Gunsmith, Gun Manufacture - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	6,214 15 ·241	5,765 39 ·676	8,323 76 ·912	5,227 68 1·301	3,321 61 1·837	1,813 69 3·806	904 71 7·854	299 55 18·395
		Engine and Machine Maker and Millwright - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	43,082 192 ·446	48,097 417 ·856	72,281 666 ·922	47,572 605 1·272	27,713 498 1·797	12,517 460 3·675	4,186 347 8·349	1,085 221 20·369
		Tool, File, and Saw Maker, Dealer - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	7,737 35 ·452	7,859 64 ·814	11,448 130 1·136	8,760 131 1·495	5,335 143 2·686	2,722 137 5·033	1,109 88 7·935	252 52 20·635
		Needle Manufacture - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	1,115 11 ·987	855 9 1·053	1,473 14 ·950	1,255 24 1·912	787 17 2·160	428 17 3·972	191 13 6·806	85 19 22·353
		Coachmaker - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	9,120 32 ·351	9,174 66 ·610	14,898 135 ·938	10,904 129 1·183	8,486 207 2·439	4,533 178 3·927	1,704 137 8·040	357 89 22·969
		Wheelwright - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	14,243 67 ·460	13,590 100 ·737	18,331 130 ·708	15,094 131 1·000	12,347 210 1·701	8,205 225 2·742	4,774 318 6·061	1,938 394 17·234
		Shipbuilder, Shipwright - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	13,881 77 ·555	17,468 155 ·867	25,792 220 ·865	19,438 200 1·338	12,094 246 2·049	6,540 241 3·685	3,867 312 8·068	1,584 282 17·803
		Carpenter, Joiner - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	75,200 272 ·361	86,882 620 ·714	101,262 1,116 ·849	97,394 1,045 1·073	73,460 1,210 1·663	48,783 1,486 2·968	26,012 1,820 6·839	9,986 1,737 17·394
		Plumber, Painter, Glazier - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	35,505 129 ·362	38,089 278 ·713	66,517 628 ·944	49,384 818 1·050	32,151 803 2·778	15,777 768 4·808	5,679 628 9·297	1,177 214 18·182
		Carver, Gilder - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	3,051 17 ·557	2,841 23 ·810	4,483 41 ·915	3,097 49 1·582	1,931 51 2·601	1,110 86 3·217	483 41 8·489	114 31 18·421
		Manufacturing Chemist and Dye and Colour Manufacture - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	3,042 19 ·625	7,094 51 1·277	8,428 96 1·139	6,488 103 1·588	4,439 92 2·073	2,232 86 3·853	603 65 9·804	139 34 24·460
		Wool and Worsted Manufacture - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	67,530 230 ·304	45,491 400 ·879	74,001 632 ·854	61,502 615 1·032	47,824 807 1·687	32,783 1,068 3·258	17,964 1,305 7·648	5,008 1,183 20·872
		Silk Manufacture - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	13,809 65 ·710	11,120 99 ·890	21,175 185 ·875	20,581 227 1·103	18,590 279 1·597	12,770 349 2·733	6,151 390 6·340	1,546 265 15·178
		Cotton and Flax Manufacture - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	125,491 687 ·547	92,508 854 ·924	131,610 1,228 ·954	100,527 1,214 1·210	70,004 1,285 1·978	39,361 1,666 4·233	18,148 1,729 9·478	5,520 1,403 25·417
Draper, Linendraper, Mercer - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	33,728 162 ·480	30,735 285 ·927	35,107 442 1·259	29,155 297 1·474	12,215 226 1·932	6,471 218 3·349	2,750 183 6·655	829 161 19·421		
Hairdresser, Wig Maker - - - - - { Years of Life - - - - - Deaths - - - - - Mortality per Cent. {	4,056 21 ·518	3,940 43 1·080	7,371 88 1·194	6,555 124 ·863	5,507 125 2·270	3,032 102 4·354	1,230 167 8·693	357 72 20·108		

clxxiv *England and Wales.—Mortality of Men in various Occupations.*

TABLE 63. (continued).—ENGLAND AND WALES. Number of Men Aged 15 Years and upwards in 62 selected Occupations living at the Census of 1871, plus twice the Number living at the Census of 1861, the Deaths in the Three Years 1860, 1861, and 1871, and the Annual Rate of Mortality per Cent. at different Periods of Life.

Class.	Order.	OCCUPATIONS.	AGES.							
			The influence of Profession is most felt							
			15—	20—	25—	35—	45—	55—	65—	75—
V.	11	MORTALITY PER CENT. { OF ALL CLASSES - - - - - OF THE 62 SELECTED OCCU- PATIONS - - - - - OF THE REMAINING CLASSES - - - - -	·632	·859	·985	1·305	1·853	3·215	6·076	16·584
			·417	·831	·973	1·328	1·965	3·500	7·502	19·216
			·778	·880	·993	1·290	1·786	3·070	6·315	15·708
		Hatter, Hat Manufacture - - - - - { Years of Life - - - - -	3,724	3,777	6,840	6,279	5,903	4,205	2,435	806
		Deaths - - - - -	17	42	68	100	141	180	193	179
		Mortality per Cent. - - - - -	·456	1·112	·994	1·593	2·389	4·281	7·868	22·153
		Tailor - - - - - { Years of Life - - - - -	34,491	36,032	60,822	69,031	56,870	32,786	15,028	5,344
		Deaths - - - - -	222	392	838	956	1,141	1,082	1,094	966
		Mortality per Cent. - - - - -	·644	1·087	1·200	1·385	2·006	3·300	6·982	18·451
		Shoemaker - - - - - { Years of Life - - - - -	72,005	69,878	131,790	116,828	94,982	64,415	33,042	11,536
12		Deaths - - - - -	800	648	1,255	1,327	1,580	1,974	2,264	2,168
		Mortality per Cent. - - - - -	·500	·927	·952	1·136	1·664	3·065	6·852	18·793
		Rope, Cord—Maker - - - - - { Years of Life - - - - -	4,223	3,264	5,919	5,077	3,880	2,822	1,377	635
		Deaths - - - - -	17	20	45	66	79	118	124	112
		Mortality per Cent. - - - - -	·403	·613	·760	1·103	2·031	4·181	7·803	17·698
		Butcher - - - - - { Years of Life - - - - -	31,880	29,025	46,354	35,275	23,785	16,851	8,432	2,741
		Deaths - - - - -	74	174	469	611	879	631	685	551
		Mortality per Cent. - - - - -	·232	·599	1·005	1·732	3·745	3·745	8·223	20·102
		Poulterer - - - - - { Years of Life - - - - -	782	848	1,325	1,371	1,131	601	400	120
		Deaths - - - - -	3	9	21	34	35	33	33	25
13		Mortality per Cent. - - - - -	·384	1·068	1·377	2·480	3·095	4·120	8·250	17·696
		Fishmonger - - - - - { Years of Life - - - - -	2,851	3,234	7,356	7,032	5,157	2,804	1,280	385
		Deaths - - - - -	10	25	93	122	117	104	109	89
		Mortality per Cent. - - - - -	·347	·750	1·264	1·735	2·269	3·709	8·516	18·154
		Miller - - - - - { Years of Life - - - - -	11,938	12,580	22,178	17,406	12,481	8,158	4,089	1,404
		Deaths - - - - -	41	89	160	209	230	320	334	276
		Mortality per Cent. - - - - -	·343	·707	·721	1·201	1·843	3·923	8·057	19·058
		Baker - - - - - { Years of Life - - - - -	23,986	20,090	32,866	25,690	18,746	12,075	5,742	1,612
		Deaths - - - - -	66	135	285	346	371	436	410	367
		Mortality per Cent. - - - - -	·275	·643	·867	1·347	1·979	3·611	7·149	19·045
14		Grocer - - - - - { Years of Life - - - - -	37,401	31,246	48,969	41,399	32,963	22,385	11,473	3,412
		Deaths - - - - -	119	292	439	390	435	502	548	439
		Mortality per Cent. - - - - -	·318	·939	·943	·957	1·348	2·243	4·770	12·866
		Tobacco, Cigar, Snuff Manu- facture, Tobacconist - - - - - { Years of Life - - - - -	3,801	5,516	6,874	4,878	2,746	1,944	519	114
		Deaths - - - - -	10	44	84	71	43	46	30	21
		Mortality per Cent. - - - - -	·278	1·251	1·222	1·450	1·506	3·423	5·780	18·421
		Tanner and Currier - - - - - { Years of Life - - - - -	8,165	8,465	15,375	12,267	9,543	6,032	2,798	1,000
		Deaths - - - - -	23	47	135	171	186	214	227	189
		Mortality per Cent. - - - - -	·282	·555	·893	1·394	1·949	3·548	8·113	13·900
		Sawyer - - - - - { Years of Life - - - - -	6,570	9,025	21,497	20,468	15,632	9,472	4,554	1,875
15		Deaths - - - - -	23	55	151	213	241	293	338	404
		Mortality per Cent. - - - - -	·350	·571	·702	1·041	1·542	3·093	7·422	21·547
		Paper Manufacture - - - - - { Years of Life - - - - -	3,897	3,270	5,275	4,021	2,811	1,993	1,031	383
		Deaths - - - - -	12	38	45	51	45	54	73	77
		Mortality per Cent. - - - - -	·308	1·009	·853	1·268	1·530	2·709	7·081	20·104
		Earthenware Manufacture - - - - - { Years of Life - - - - -	13,711	11,605	17,807	13,000	8,019	3,980	1,331	368
		Deaths - - - - -	55	118	196	293	270	251	171	86
		Mortality per Cent. - - - - -	·401	1·026	·705	2·009	3·307	5·804	12·847	23·370
		Glass Manufacture - - - - - { Years of Life - - - - -	8,052	7,163	10,682	7,204	4,629	2,728	831	173
		Deaths - - - - -	24	48	126	110	100	104	103	50
		Mortality per Cent. - - - - -	·298	·670	1·180	1·527	2·160	4·407	12·395	28·962
		Copper Manufacture and Copper- smith - - - - - { Years of Life - - - - -	2,441	2,468	4,099	3,023	2,231	1,101	461	115
		Deaths - - - - -	11	25	45	43	45	63	51	15
		Mortality per Cent. - - - - -	·451	1·005	1·098	1·422	2·017	5·426	11·093	13·043
		Brass Manufacture and Brazier - - - - - { Years of Life - - - - -	11,328	9,278	12,848	8,415	5,417	2,974	1,254	296
		Deaths - - - - -	43	65	112	117	100	116	87	53
		Mortality per Cent. - - - - -	·380	·679	·872	1·390	1·836	3·900	6·035	17·785
		Iron and Steel Manufacture - - - - - { Years of Life - - - - -	72,827	75,949	116,794	73,650	40,915	19,035	6,134	1,367
		Deaths - - - - -	302	578	938	864	834	747	549	323
		Mortality per Cent. - - - - -	·415	·761	·820	1·172	2·038	3·903	8·950	23·628
		Blacksmith - - - - - { Years of Life - - - - -	54,046	50,577	73,421	55,583	40,412	25,129	12,805	4,329
		Deaths - - - - -	198	284	674	625	756	819	914	872
		Mortality per Cent. - - - - -	·366	·757	·918	1·124	1·869	3·225	7·135	19·254

NOTE.—The Years of Life exposed to risk in the several Occupations during the three years 1860, 1861, and 1871 are calculated by adding twice the numbers living at the various groups of Ages at the Census of 1861 (see Vol. II. pp. xi–vi) to the numbers at the Census of 1871 (see Vol. III. pp. xxxv–xlii). The Deaths for the two years 1860 and 1861 will be found in the Supplement Twenty-fifth Annual Report of the Registrar-General.

England and Wales.—Mortality of Men in various Occupations. clxxv

TABLE 64.—ENGLAND AND WALES. Number of Men Aged 15 Years and upwards in the under-mentioned Occupations living at the Census of 1871, plus twice the Number living at the Census of 1861; the Number in the same Occupations who died in the Three Years 1860, 1861, and 1871; and the Annual Rate of Mortality per Cent., at different Periods of Life.

[Some Trades are so closely allied that they are liable to be confounded either in the Census or in the Registration Classifications; to obviate errors from such causes the following occupations have been grouped.]

OCCUPATIONS.	MEN.—AGES.						
	15—	25—	35—	45—	55—	65—	75—
Years of Life among all Males aged 15 Years and upwards -	5,672,910	4,281,552	3,513,599	2,633,747	1,760,654	963,189	372,948
Deaths - - - - -	41,927	43,147	45,844	49,185	56,901	64,905	61,686
Mortality per Cent. - - - - -	'739	'985	1'305	1'853	3'215	6'676	16'584
Farmers and Graziers - - - - -	18,597	86,519	189,016	166,787	142,089	94,921	43,544
(See also Table 65.)	181	765	1,323	1,964	3,394	5,490	7,386
(Mortality per Cent.)	1'091	'884	'901	1'253	2'339	5'710	16'058
Persons engaged in the Wool, Cotton, Flax, and Silk Manufactures, including Weaver, not otherwise described - - - - -	347,350	222,904	183,990	137,996	86,603	49,700	13,830
	2,481	2,136	2,145	2,660	3,594	3,941	5,193
(Mortality per Cent.)	'714	'929	1'166	1'855	3'723	8'527	22'617
Bakers and Confectioners - - - - -	51,870	39,033	30,863	22,317	14,885	6,731	1,825
	240	338	411	447	519	602	863
(Mortality per Cent.)	'463	'866	1'332	2'003	3'633	7'458	19'257
Inn and Hotel Keepers, Licensed Victuallers and Publicans, and Beer-sellers, and Wine and Spirit Merchants - - - - -	12,432	43,786	63,197	55,378	34,628	15,138	4,039
	119	634	1,292	1,688	1,491	1,130	678
(Mortality per Cent.)	'957	1'449	2'044	2'850	4'303	7'465	21'702
Grocers and Shopkeepers (including Chandler's Shopkeeper and Branch undefined) - - - - -	72,353	54,408	48,175	38,490	27,308	14,307	4,372
	406	615	467	533	632	687	672
(Mortality per Cent.)	'561	'947	'969	1'382	2'323	4'802	13'390
Miners, viz., Coal, Iron, Copper, Tin, and Lead, and others connected with Mines - - - - -	335,939	242,114	163,180	99,294	51,256	19,041	4,321
	2,713	2,383	2,051	2,045	2,354	1,909	1,134
(Mortality per Cent.)	'808	'984	1'245	2'047	4'359	10'026	24'807
Persons engaged in the Iron, Copper, and Tin and Lead Manufactures - - - - -	154,317	120,289	76,433	43,368	20,371	6,687	1,514
	834	1,006	919	890	808	615	384
(Mortality per Cent.)	'605	'839	1'103	2'057	3'966	9'235	24'043
Labourers, &c., viz., Agricultural Labourers, Farm Servants, Farm Bailiffs, Shepherds, General Labourers, Railway Labourers, Navvies, Stone, Slate, and Limestone Quarriers, Brickmakers, and other Workers in Stone and Clay - - - - -	1,305,037	891,980	767,189	631,505	460,234	269,638	101,225
	6,185	7,782	8,286	9,368	12,686	16,841	18,480
(Mortality per Cent.)	'513	'872	1'086	1'507	2'734	6'000	18'256
Labourers, &c., as above, including Bricklayers and Masons - - - - -	1,342,677	1,022,806	867,500	694,594	505,963	291,163	107,348
	6,898	9,017	9,723	10,903	14,207	17,983	19,579
(Mortality per Cent.)	'514	'882	1'121	1'570	2'832	6'159	18'265
Royal Navy - - - - -	124,361	69,701	21,059	5,982	2,032	—	—
	1,433	863	867	117	31	—	—
(Mortality per Cent.)	1'15	1'24	1'70	1'95	1'52	—	—

* In the British Army at home, at ages 15-40, the average annual rate of mortality in the six years 1866-71 was 1'05 per cent. among officers, and among non-commissioned and men 1'12 per cent. Abroad the rates were 1'26 and 1'83 per cent. respectively. In the British Navy, at ages 15-40, the mortality of men was 0'82 per cent. in the year 1872 and 0'88 per cent. in 1873.

TABLE 65.—THE Number of "Farmers" and "Farmers' Sons" living at the Censuses of 1861 and 1871, the numbers of those who died, and the Annual Rate of Mortality per Cent. at certain Ages during the Three Years 1860, 1861, and 1871.

	MEN.—AGES.							
	15 Years and upwards.	15—	25—	35—	45—	55—	65—	75—
Living in 1861:								
Farmers - - - - -	226,957	5,459	29,022	47,636	52,133	47,443	31,001	14,262
Farmers' Sons, &c. - - -	92,331	37,512	22,611	7,966	2,761	865	309	97
Living in 1871:								
Farmers - - - - -	225,509	5,679	28,478	43,744	32,371	47,308	32,919	15,030
Farmers' Sons, &c. - - -	74,620	47,686	18,689	5,714	1,823	480	166	52
Dying in 1860-1 and 1871:								
Farmers - - - - -	20,292	181	765	1,262	1,964	3,394	5,420	7,386
Farmers' Sons, &c. - - -	1,113	686	253	88	40	14	2	1
Annual Rate of Mortality per Cent.:								
Farmers - - - - -	—	1'091	'884	'901	1'253	2'339	5'710	16'058
Farmers and Farmers' Sons, &c. - - -	—	'454	'694	'834	1'221	2'313	5'665	16'865

NOTE.—With Farmers are included Graziers, and with Farmers' "Sons" are included Farmers' "Grandson," "Brother," "Nephew,"—at Home.

MARRIAGE ACTS, 1753–1837.

"An Act for the better preventing of Clandestine Marriages" (26 Geo. 2, chap. 33), prepared by Lord Hardwicke, came into force in 1754, and established the necessity of resorting to a public and regular form of marriage in the parish church or chapel of one of the parties, after banns or by licence. By it the marriage of a minor after banns, where *dissent* had not been expressed, was lawful. But in the case of a marriage by licence, where either of the parties (not being a widow or widower) was a minor, without the *consent* of the parent or guardian of the minor the marriage was to be absolutely null and void. This was remedied in 1822 by Dr. Phillimore's Act.

By the Toleration Act of 1st William and Mary dissenters had been formally recognised, and their marriages according to their own forms and usages were, up to the passing of Lord Hardwicke's Act, treated as marriages *de facto*. This Act gave the Church the sole authority to celebrate legal marriages in England, which it continued to enjoy until the year 1837.

A further Act was passed in 1823, by which the penalty of nullity was confined to the case of persons wilfully evading the legal forms of publication or of celebration.

Relief was afforded to dissenters by Lord John Russell's Bill of 1836, which came into force in 1837, by which they were enabled to celebrate their marriages according to their own rites in their own places of worship, on condition that a Registrar of Marriages should be present at the ceremony.

And those, too, who desired to contract marriage without religious ceremony were given the option of the Civil form of marriage at the District Register Office. (See Hammick's *Law of Marriages*, pp. 12–17.)

TABLE 66.—Annual Increase of Marriages per cent. in England and Wales in successive periods of Five Years, 1756–1870.

QUIN- QUENNIADS.	TOTAL MARRIAGES in 5 Years.	Mean Annual Number of Marriages.	Increase per cent. per annum.
1756–60	263,329	52,666	2'60
1761–65	269,414	53,883	(Decrease.) — '28
1766–70	296,216	59,043	'57
1771–75	303,703	60,741	1'13
1776–80	321,189	64,238	'76
1781–85	333,570	*66,714	1'36
1786–90	356,816	71,363	'23
1791–95	361,025	72,205	'76
1796–1800	374,989	74,998	2'17
1801–05	417,387	*83,477	(Decrease.) — '13
1806–10	414,764	82,953	1'42
1811–15	445,063	89,013	'90
1816–20	465,363	93,073	2'12
1821–25	516,815	103,363	'70
1826–30	535,280	107,066	'82
1831–35	557,517	111,503	1'34
1836–40	596,009	119,202	1'47
1841–45	641,131	128,226	2'19
1846–50	714,366	142,873	2'02
1851–55	789,246	157,870	'58
1856–60	812,383	162,477	1'31
1861–65	867,107	173,421	'80
1866–70	902,517	180,503	

* In the Census Report of 1831 the medium average for the 5 years 1781–85 is given as 66,722, that for the 5 years 1801–5 as 83,465.

NOTE.—The number of Baptisms increased during the various quinquennials from 1801 at the following rates per cent. per annum:—From 1801–5 to 1806–10, 1'33; from 1806–10 to 1811–15, 1'28; from 1811–15 to 1816–20, 1'05; from 1816–20 to 1821–25, 2'00; from 1821–25 to 1826–30, 0'70.

Eng. & Wales.—Increase of Marriages; Estimated Births, &c. clxxvii

TABLE 67.—Annual Increase of Marriages per cent. in England and Wales in various Decennials from 1796 to 1870; also the Annual Increase of Population per cent., 1801-1871.

DECENNIADS.	MARRIAGES in 10 Years.	Mean Annual Number of Marriages.	Annual Increase of Marriages per cent.	Annual Increase of Population per cent.
1796-1805	792,376	79,238	0·82	1·32 (1801-11)
1806-1815	859,827	85,983		1·67 (1811-21)
1816-1825	962,178	96,218	1·07	1·48 (1821-31)
1826-1835	1,092,797	109,280	1·25	1·36 (1831-41)
1836-1845	1,237,140	123,714	1·97	1·22 (1841-51)
1846-1855	1,503,714	150,371	1·11	1·13 (1851-61)
1856-1865 (Quinquennial.)	1,679,490	167,949	1·45	1·25 (1861-71)
1866-1870	902,517	180,503		

TABLE 68.—Estimated Decennial Numbers of Births in England and Wales since the Year 1771; the Numbers of Persons ENUMERATED in 1871 at DIFFERENT AGES; and the Numbers that died or emigrated out of the said BIRTHS; also the Proportions of the Two SERIES of NUMBERS.

AGES of POPULATION enumerated in 1871 (Survivors).	YEARS.	ESTIMATED BIRTHS in ENGLAND and WALES.	SURVIVORS (+ Immi- grants) enumerated in 1871.	DIED or EMIGRATED (- Immi- grants) during the Interval.	PROPORTION per 10,000.	
					Survivors + Immigrants = $10000 \times \frac{S}{b}$ = $s \times 10000$.	Gone away by Death or Emigration $\left(\frac{d+e-i}{b} \right)$ $\times 10000$.
0-10	1801-1870	7,636,233	5,795,746	1,840,487	7589·8	2410·2
10-20	1851-1860	6,664,884	4,637,886	2,026,998	6958·7	3041·3
20-30	1841-1850	5,969,098	3,870,700	1,998,398	6595·1	3404·9
30-40	1831-1840	5,289,298	2,949,061	2,340,237	5575·5	4424·5
40-50	1821-1830	4,798,224	2,299,748	2,498,476	4792·9	5207·1
50-60	1811-1820	4,424,890	1,870,570	2,754,120	3775·6	6224·4
60-70	1801-1810	3,675,247	1,067,537	2,607,710	2904·7	7095·3
70-80	1791-1800	2,968,439	507,522	2,460,917	1698·3	8301·7
80-90	1781-1790	2,641,371	119,780	2,521,582	453·5	9546·5
90-100	1771-1780	2,379,329	7,991	2,371,338	83·6	9066·4

Let $S = b - (d + e - i)$ = survivors + immigrants enumerated in 1871.

Births = b

Deaths = d

Immigrants = i

Emigrants = e

$$\frac{S}{b} = s = \frac{b - (d + e - i)}{b} = \text{ratio of survivors to Births.}$$

$$1 - s = \left(\frac{d + e - i}{b} \right)$$

The Births in five cases were estimated by the Life Table from the numbers enumerated under 10 years of age at the censuses of 1821, 1841, 1851, 1861, and 1871. Thus, putting P_{0-10} as the population under 10 and b for the corresponding Births, we have $b = \frac{10 I_0}{Q_0 - Q_{10}} \times P_{0-10}$.

As the ages were not enumerated in 1831, instead of calculating the Births for 1821-30 from the population at ages under 10 they were deduced from the population at the ages 10-20 enumerated in 1841: the step back from 10-20 to 0-10 being deduced from the proportion living at those decennials in the other enumerations. See Census Report, vol. 4, pp. 54-57.


clxxviii *England and Wales.—Influence of Increase of Births.*

TABLE 69.—The **English Population** in **1871** at each **QUINQUENNIAL**; contrasted with what it would have been had the **Births** remained **constant** and there had been no **Immigration** since the Year **1771**.

AGES.	AGES of the POPULATION of ENGLAND in the middle of 1871.	AGES of the POPULATION of ENGLAND if the NUMBER of ANNUAL BIRTHS had been and remained the same (253,320)* in and since the year 1771.	ADDITION to the POPULATION due to EXCESS of BIRTHS since the year 1770.
ALL AGES -	22,782,812	10,350,195	12,432,617
0- - -	3,080,814	1,014,348	2,066,466
5- - -	2,714,932	908,040	1,806,892
10- - -	2,431,768	878,061	1,553,707
15- - -	2,180,029	854,254	1,335,375
20- - -	2,008,543	821,464	1,187,079
25- - -	1,787,611	784,031	1,003,580
30- - -	1,563,339	744,739	818,600
35- - -	1,370,315	703,535	666,780
40- - -	1,208,826	659,862	548,964
45- - -	1,080,645	612,881	467,764
50- - -	923,290	561,407	361,883
55- - -	748,703	501,828	246,875
60- - -	596,315	431,040	165,275
65- - -	453,405	347,428	106,067
70- - -	314,003	252,874	61,219
75- - -	185,686	157,607	27,989
80- - -	86,984	78,882	8,102
85- - -	28,907	28,907	—
90- - -	7,508	7,508	—
95- - -	1,282	1,282	—
100 and upwards	127	127	—

* This is an estimated number of births in that year.

THE YEAR 1871.



18 groups of ages as enumerated

had the Births remained uniformly
 enumerated in 1871, 3,100,000 were
 this, the number of Children of that

1

TABLE 70.—Two Populations equal in Numbers but differing in Constitution as to Age.

AGES.	PROPORTIONAL NUMBERS of POPULATION at each Quinquenniad out of a Total of 10 millions living at All Ages.		EXCESS of CENSUS NUMBERS over LIFE TABLE NUMBERS.	EXCESS of LIFE TABLE NUMBERS over CENSUS NUMBERS.	PROPORTION of CENSUS NUMBERS to LIFE TABLE NUMBERS (of <i>a</i> to <i>b</i>).
	Population according to Census (graduated Table).	Population according to Life Table.			
Columns -	<i>a</i>	<i>b</i>	<i>c</i> = <i>a</i> - <i>b</i> .	<i>d</i> = <i>b</i> - <i>a</i> .	<i>e</i>
ALL AGES -	10,000,000	10,000,000	—	—	—
0—	1,352,254	980,028	372,226	—	1·380
5—	1,191,658	877,316	314,342	—	1·358
10—	1,067,370	848,352	219,018	—	1·258
15—	961,088	825,351	135,737	—	1·164
20—	881,604	793,670	87,934	—	1·111
25—	784,631	757,503	27,128	—	1·036
30—	686,192	719,541	—	33,349	·954
35—	601,469	679,732	—	78,263	·885
40—	530,587	637,536	—	106,949	·832
45—	474,325	592,145	—	117,820	·861
50—	405,257	542,411	—	137,154	·747
55—	328,626	484,849	—	156,223	·678
60—	261,739	416,456	—	154,717	·628
65—	199,051	335,673	—	136,622	·593
70—	137,864	244,318	—	106,454	·564
75—	81,503	152,361	—	70,858	·535
80—	38,180	76,213	—	38,033	·501
85—	12,688	28,265	—	15,577	·449
90—	3,295	7,097	—	3,802	·464
95—	563	1,088	—	525	·517
100 and upwds.	56	95	—	39	·589

**clxxx England and Wales.—Deaths at the same Rates of Mortality
amongst Population by Census and by Life Table.**

**TABLE 71.—Comparison of the Deaths under the same Rates of Mortality in
Two Populations differently constituted as regards Age.**

Note.—The rates of Mortality are deduced from the English Life Table No. 3. by the

$$\text{formula } \frac{l_x \cdot 15}{Q_x \cdot 15} = m$$

AGES.	MORTALITY per cent. at each Quinquenniad.	DEATHS at the corresponding AGES, mortality being taken at the same rate as in the English Life Table.		EXCESS of Deaths in Column <i>b</i> .	DEFECT of Deaths in Column <i>b</i> .
		Deaths deduced from Column <i>a</i> of Table 70.	Deaths deduced from Column <i>b</i> of Table 70.		
Columns -	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i> = <i>b</i> - <i>c</i>	<i>e</i> = <i>c</i> - <i>b</i>
ALL AGES -	—	223,616	244,756	Defect -	21,140
0—	0·573	88,884	64,417	24,467	—
5—	·967	11,404	8,396	3,008	—
10—	·518	5,529	4,394	1,135	—
15—	·617	6,218	5,340	878	—
20—	·885	7,802	7,024	778	—
25—	·980	7,689	7,424	265	—
30—	1·079	7,404	7,764	—	360
35—	1·203	7,236	8,177	—	941
40—	1·300	7,204	8,728	—	1,524
45—	1·597	7,575	9,457	—	1,882
50—	1·948	7,894	10,566	—	2,672
55—	2·580	8,508	12,553	—	4,045
60—	3·573	9,352	14,880	—	5,528
65—	5·181	10,313	17,391	—	7,078
70—	7·609	10,614	18,810	—	8,196
75—	11·404	9,295	17,375	—	8,080
80—	16·560	6,323	12,621	—	6,298
85—	23·428	2,973	6,022	—	3,049
90—	32·287	1,063	2,290	—	1,227
95—	43·420	244	472	—	228
100 & upwards	57·623	32	55	—	23

United States of America.—Increase of Population. clxxxix

TABLE 72.—Enumerated Population of the United States of America at the several DECENNIAL CENSUSES.

Dates of Enumeration.	Population.	Increase in 10 Years.	Decennial Increase per cent.	Decennials.
1790	3,929,214			
1800	5,308,483	1,379,269	35·10	1790-1800
1810	7,239,881	1,931,398	36·38	1800-1810
1820	9,633,822	2,393,941	33·07	1810-1820
1830	12,866,020	3,232,198	33·55	1820-1830
1840	17,070,240	4,204,220	32·68	1830-1840
1850	23,191,876	6,121,636	35·86	1840-1850
1860	31,443,321	8,251,445	35·58	1850-1860
1870	38,558,371	7,115,050	22·63	1860-1870

NOTE.—The increase of Population in the 70 Years 1790 to 1860 was at the rate of 3·02 per cent. per annum, so $r = 1·0302$; and at this rate the Population doubles itself in 23·30 years.

The Population increased 8-fold in the 70 years 1790-1860; and carrying the rate backwards it makes the Population of 1720 about 491,000; of 1650 no more than 61,356; of 1580 about 7,667.

clxxxii *England and Wales.—Attacks of, and Deaths by, Fever and Small-pox.*

TABLE 73.—Attacks of, and Deaths by, Fever and Small-pox.

AGES.	FEVER.		SMALL-POX.		ATTACKS to One Death.	
	Attacks.	Deaths.	Attacks.	Deaths.	Fever.	Small-pox.
Under 5 . . .	33	3	256	105	11'00	2'44
5— . . .	401	29	264	64	13'83	4'13
10— . . .	800	51	617	118	15'86	5'23
15— . . .	2,481	240	4,171	1,198	10'34	3'48
25— . . .	1,207	186	2,090	741	6'40	2'82
35— . . .	816	201	303	150	4'06	2'02
45— . . .	445	170	140	90	2'62	1'46
55— . . .	231	110			2'10	
65— . . .	77	46			1'67	
75 & upwards	10	7			1'43	

NOTE.—The facts concerning Fever were supplied by Dr. Murchison, and published in the Registrar General's 25th Annual Report, p. 176; those for Small-pox were obtained from M'Culloch's "Account of the British Empire," p. 594.

TABLE 74.—Deaths by Fever and by Small-pox according to the LIFE TABLE, and the PROPORTIONAL NUMBER of ATTACKS, deduced from Table 73.

AGE <i>x</i> .	FEVER.			SMALL-POX.		
	Deaths according to Table 7.	Attacks calculated from above Table and Table 7.	Attacks at Age <i>x</i> and upwards.	Deaths according to Table 7.	Attacks calculated from above Table and Table 7.	Attacks at Age <i>x</i> and upwards.
Under 5 . . .	5,401	59,411	286,128	3,331	8,128	18,482
5— . . .	4,030	55,918	226,717	833	3,440	10,354
10— . . .	2,842	45,074	170,890	244	1,278	6,914
15— . . .	5,603	57,935	125,825	747	2,600	5,638
25— . . .	4,197	27,239	67,900	624	1,700	3,038
35— . . .	3,777	15,535	40,051	347	701	1,278
45— . . .	3,740	9,922	25,316	395	577	577
55— . . .	3,922	8,026	15,494			
65— . . .	3,233	5,599	7,408			
75 & upwards	1,447	2,009	2,069			

The Table may be read thus:—5,401 children die of fever under 5 years of age, according to the Table 7. deduced from the Life Table; out of 59,411 cases calculated from Table 73. 1,000,000 persons born experience in their Lifetime 286,128 attacks of fever.

London.--Deaths from certain Causes at Four Groups of Ages. clxxxiii

TABLE 75.—LONDON, 1861-70. Annual Mortality, from 25 SETS of CAUSES, per MILLION LIVING at 4 GROUPS of AGES, distinguishing MALES and FEMALES.

CAUSES OF DEATH.	25-35		35-45		45-55		55-65	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
TOTAL DEATHS -	10,859	8,798	17,142	12,844	25,682	18,518	43,848	33,450
Small-pox -	222	106	160	84	87	44	48	33
Measles -	4	7	3	3	2	1	1	2
Scarlatina -	57	88	35	44	23	14	14	10
Diphtheria -	21	26	30	21	26	23	37	25
Whooping-cough - . .	—	1	2	—	2	—	1	—
Typhus -	652	553	926	706	1,173	909	1,677	1,324
Diarrhoea and Dysentery -	72	64	102	87	186	166	526	457
Cholera -	148	144	201	228	281	255	417	367
Other Zymotic Diseases -	215	161	327	204	468	279	801	541
Cancer -	79	210	201	909	817	2,080	1,652	2,985
Scrofula and Tuberc. - .	75	62	72	66	84	71	105	92
Phthisis -	4,793	3,698	6,183	4,097	6,880	3,803	5,314	2,899
Hydrocephalus - . . .	13	4	4	3	3	3	3	1
Dis. of Brain - . . .	733	483	1,551	1,011	2,897	2,107	6,525	4,840
Dis. of Heart, and Dropsy -	775	585	1,541	1,181	2,729	2,339	5,424	4,860
Dis. of Lungs - . . .	996	578	2,180	1,277	4,843	3,394	11,342	8,987
Dis. of Stomach and Liver -	481	477	962	960	1,898	1,741	3,535	3,106
Dis. of Kidneys - . . .	310	182	620	291	1,067	450	1,909	766
Dis. of Generative Organs -	4	133	13	293	17	416	27	489
Dis. of Joints - . . .	77	43	83	53	107	72	170	98
Dis. of Skin -	23	34	45	40	80	52	164	93
Childbirth and Metria -	—	828	—	710	—	32	—	—
Suicide -	140	51	239	88	357	104	474	90
Other Violent Deaths -	730	120	991	188	1,276	224	1,566	429
Other Causes - . . .	275	140	546	265	870	475	2,136	1,556

TABLE 76.—Comparison of the Mortality of Males and Females from Phthisis and Diseases of the Lungs at 4 GROUPS of AGES in England and its Metropolis, 1861-70.

	MALES.				FEMALES.			
	25-35	35-45	45-55	55-65	25-35	35-45	45-55	55-65
DEATHS to 1,000,000 living at the above Groups of Ages from <i>Phthisis</i> .								
ENGLAND - . .	4092	4165	3860	3207	4378	3000	2850	2065
LONDON - . . .	4793	6183	6380	5314	3698	4007	3208	2290
DEATHS to 1,000,000 living at the above Ages from <i>Lung Diseases</i> .								
ENGLAND - . .	860	1722	3500	7587	613	1130	2327	5875
LONDON - . . .	996	2180	4843	11342	578	1277	3294	8987
DEATHS to 1,000,000 living at the above Ages from <i>Phthisis</i> and <i>Lung Diseases</i> .								
ENGLAND - . .	4952	5887	7360	10884	4991	5030	5177	7940
LONDON - . . .	5789	8363	11223	16656	4276	5374	6502	11286

clxxxiv *Proportion of Population at Ages in England and Wales,
London, &c.*

TABLE 77.—*Mean Proportion Living at DIFFERENT AGES to 100,000 at
ALL AGES at the Two Censuses, 1861, 1871.*

AGES.	ENGLAND AND WALES.		LONDON.		MANCHESTER DISTRICT.		LIVERPOOL DISTRICT.	
M A L E S.								
ALL AGES	16,617,206	100,000	1,415,466	100,000	118,020	100,000	124,510	100,000
0—	3,947,906	36,937	490,063	35,250	42,215	35,760	41,470	33,226
15—	3,420,172	32,851	409,444	35,217	41,963	35,556	46,334	37,124
35—	2,090,247	20,064	303,277	21,426	25,002	21,135	28,443	22,921
55—	932,171	8,948	104,242	7,965	9,246	6,987	8,024	6,429
75 & upwds.	127,101	1,220	10,390	733	594	503	420	400
F E M A L E S.								
ALL AGES	10,971,640	100,000	1,615,659	100,000	129,952	100,000	129,267	100,000
0—	3,629,128	34,991	505,356	31,317	42,516	32,717	41,040	31,748
15—	3,701,738	33,739	509,506	37,000	48,200	37,167	48,796	37,741
35—	2,242,251	20,487	351,356	21,774	29,305	21,761	29,180	22,581
55—	1,034,942	9,433	139,760	9,061	9,960	7,594	9,344	7,229
75 & upwds.	164,610	1,500	18,081	1,153	963	741	908	702

TABLE 78.—*Annual Rate of Mortality PER CENT. in England during the
20 Years 1851-70, and the Rate during the 25 Years 1848-72.*

AGES.	MEAN of TWO DECENNIAL RATES, 1851-70.		ANNUAL RATE over 25 Years, 1848-72.	
	Males.	Females.	Males.	Females.
ALL AGES	2·333	2·130	2·345	2·142
0—	7·290	6·309	7·278	6·397
5—	·833	·909	·846	·817
10—	·467	·477	·573	·483
15—	·646	·700	·647	·700
20—	·864	·825	·893	·809
25—	·974	·981	·993	·993
35—	1·297	1·209	1·332	1·214
45—	1·857	1·538	1·859	1·557
55—	3·193	2·739	3·203	2·819
65—	6·001	5·873	6·775	5·723
75—	14·663	13·439	14·664	13·395
85 & upwards.	31·188	28·660	30·906	28·437

TABLE 79.—Mean Age at Death of Males and Females who died from certain Diseases in the 25 Years 1848-72.
(Diseases arranged according to Mean Age at Death.)

CAUSES OF DEATH.	MEAN AGE AT DEATH.		
	Males.	Females.	Mean.
Whooping-cough - - -	1·7	1·8	1·8
Measles - - - -	2·5	2·8	2·7
Croup - - - -	3·1	3·2	3·2
Scarlatina* - - - -	5·2	5·6	5·4
Diphtheria* - - - -	7·7	8·1	7·9
Other Zymotic Diseases -	8·1	8·5	8·3
Small-pox - - - -	13·2	10·6	11·9
Diarrhoea - - - -	11·8	14·0	13·4
Remittent Fever - -	15·0	14·0	15·0
Quinsy - - - -	19·0	18·0	18·5
Typhus - - - -	26·0	25·4	26·0
Cholera - - - -	30·4	32·4	31·4
Dysentery - - - -	20·7	34·5	32·1
Ague - - - -	34·0	30·3	32·2
Erysipelas - - - -	35·7	32·8	34·3
Rheumatism - - - -	39·8	41·4	40·6
Influenza - - - -	42·8	48·8	45·8
Carbuncle - - - -	59·2	57·9	58·6
Metria - - - -	—	30·3	—
All Causes - - - -	28·2	30·8	29·5

* For the Years 1859-72 only.

DENSITY OF POPULATION AND ANNUAL MORTALITY

IN THE

THREE DECENNIADS 1841-50, 1851-60, AND 1861-70,

IN THE

REGISTRATION DIVISIONS, COUNTIES, AND DISTRICTS

OF

ENGLAND.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND.

No.	DIVISIONS AND REGISTRATION COUNTIES.	DENSITY OF POPULATION. ACRES TO A PERSON.			ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	ENGLAND - - -	2.21	1.96	1.74	22	22	22	22
	DIVISIONS.							
I.	LONDON - - -	.61	.63	.62	25	24	24	24
II.	SOUTH EASTERN COUNTIES -	2.62	2.34	1.99	20	20	19	20
III.	SOUTH MIDLAND COUNTIES -	2.60	2.53	2.34	21	20	20	20
IV.	EASTERN COUNTIES - - -	2.98	2.85	2.72	20	21	20	20
V.	SOUTH WESTERN COUNTIES -	2.82	2.74	2.68	20	20	20	20
VI.	WEST MIDLAND COUNTIES -	1.91	1.60	1.50	22	22	22	22
II.	NORTH MIDLAND COUNTIES -	3.04	2.83	2.62	21	21	21	21
III.	NORTH WESTERN COUNTIES -	.88	.74	.63	27	26	26	26
IX.	YORKSHIRE - - -	2.17	1.92	1.68	23	23	24	23
X.	NORTHERN COUNTIES - -	3.80	3.20	2.77	22	22	23	22
XI.	MONMOUTHSHIRE AND WALES -	4.03	4.18	3.79	20	21	21	21
	I.—LONDON.							
	MIDDLESEX (part of) - - -	.62	.62	.61	24	23	23	24
	SURREY (part of) - - -	.65	.64	.63	26	25	24	25
	KENT (part of) - - -	.70	.71	.70	25	22	22	23
	II.—SOUTH EASTERN COUNTIES.							
1	SURREY (extra-metropolitan) - -	2.44	2.00	1.17	18	18	18	18
2	KENT (extra-metropolitan) - - -	2.18	1.97	1.67	21	20	20	20
3	SUSSEX - - -	2.96	2.09	2.41	18	19	19	19
4	HAMPSHIRE - - -	2.81	2.47	2.11	20	20	19	20
5	BERKSHIRE - - -	2.90	2.79	2.61	20	20	20	20
	III.—SOUTH MIDLAND COUNTIES.							
6	MIDDLESEX (extra-metropolitan) -	1.21	1.04	.79	19	20	20	20
7	HERTFORDSHIRE - - -	2.55	2.44	2.30	20	19	19	19
8	BUCKINGHAMSHIRE - - -	2.86	2.77	2.67	21	21	20	21
9	OXFORDSHIRE - - -	2.87	2.81	2.72	21	21	20	21
10	NORTHAMPTONSHIRE - - -	3.06	2.84	2.64	22	21	21	21
11	HUNTINGDONSHIRE - - -	3.54	3.44	3.40	22	20	20	21
12	BEDFORDSHIRE - - -	2.52	2.26	2.09	22	21	21	21
13	CAMBRIDGESHIRE - - -	3.16	3.07	3.07	23	21	20	21
	IV.—EASTERN COUNTIES.							
14	ESSEX - - -	2.99	2.72	2.38	20	20	19	20
15	SUFFOLK - - -	2.86	2.77	2.72	20	20	20	20
16	NORFOLK - - -	3.16	3.02	3.05	21	21	21	21

used

in obtaining the results given in this Table is the arithmetical mean of the numbers enumerated 1851, 1861, and 1871. The deaths to 1000 living are given in round numbers; thus any rate of mortality 22 is entered as 22. For example, the mean mortality of males and females in all England was in the 20s, 22.35; these averages are here entered as 22, 22, 22.

Density of Population and Annual Mortality, 1841-70.

clxx

Density of Population and Annual Mortality in the Three Decennials 1841-50, 1851-60, and 1861-70 in the Registration Divisions, Counties, and Districts of ENGLAND—continued.

REGISTRATION COUNTIES.		DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			Men 30 Y. 1841
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	
No.	V.—SOUTH WESTERN COUNTIES.							
17	WILTSHIRE - - - - -	3'22	3'26	3'23	21	21	19	2
18	DORSETSHIRE - - - - -	3'57	3'43	3'20	20	19	19	1
19	DEVONSHIRE - - - - -	3'08	2'81	2'75	20	20	20	2
20	CORNWALL - - - - -	2'52	2'48	2'45	19	20	21	2
21	SOMERSETSHIRE - - - - -	2'23	2'31	2'35	20	20	20	2
	VI.—WEST MIDLAND COUNTIES.							
22	GLOUCESTERSHIRE - - - - -	1'70	1'66	1'51	22	21	21	2
23	HEREFORDSHIRE - - - - -	4'35	4'13	3'94	21	20	20	2
24	SHROPSHIRE - - - - -	3'72	3'63	3'50	21	20	20	2
25	STAFFORDSHIRE - - - - -	1'30	1'08	'91	24	25	23	2
26	WORCESTERSHIRE - - - - -	1'77	1'57	1'38	21	20	20	2
27	WARWICKSHIRE - - - - -	1'38	1'17	1'02	23	23	23	2
	VII.—NORTH MIDLAND COUNTIES.							
28	LEICESTERSHIRE - - - - -	2'34	2'21	2'06	22	22	22	2
29	RUTLANDSHIRE - - - - -	4'54	4'51	4'58	19	18	19	1
30	LINCOLNSHIRE - - - - -	4'60	4'32	4'16	20	19	19	1
31	NOTTINGHAMSHIRE - - - - -	2'12	1'94	1'77	21	22	22	2
32	DERBYSHIRE - - - - -	2'23	2'01	1'82	21	22	22	2
	VIII.—NORTH WESTERN COUNTIES.							
33	CHESHIRE - - - - -	1'75	1'53	1'35	23	22	22	2
34	LANCASHIRE - - - - -	'70	'58	'40	24	26	27	2
	IX.—YORKSHIRE.							
35	WEST RIDING - - - - -	1'34	1'19	1'05	23	24	25	2
36	EAST RIDING (WITH YORK) - - - - -	3'07	2'73	2'40	24	22	23	2
37	NORTH RIDING - - - - -	6'49	6'00	5'54	19	19	20	1
	X.—NORTHERN COUNTIES.							
38	DURHAM - - - - -	2'04	1'58	1'22	22	23	23	2
39	NORTHUMBERLAND - - - - -	4'53	3'99	3'54	22	22	23	2
40	CUMBERLAND - - - - -	5'19	4'84	4'56	21	21	22	2
41	WESTMORLAND - - - - -	8'75	8'43	7'98	19	18	18	1
	XI.—MONMOUTHSHIRE AND WALES.							
42	MONMOUTHSHIRE - - - - -	2'64	2'31	2'08	23	23	22	2
43	SOUTH WALES - - - - -	4'06	4'31	3'81	20	22	21	2
44	NORTH WALES - - - - -	4'99	4'81	4'60	20	20	21	

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND.

I.—LONDON.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	MIDDLESEX (part of).							
1	(a) KENSINGTON - - - - -	·076	·048	·032	20	19	21	20
2	(b) CHELSEA - - - - -	·018	·014	·012	27	26	26	26
3	(c) ST. GEORGE HAN. Sq.: St. George Han. Sq.*	·017	·014	·013	19	19	19	19
4	(d) WESTMINSTER (St. James) †	·015	·014	·012	27	26	27	27
5	(e) MARYLEBONE - - - - -	·004	·005	·009	22	24	25	24
6	(f) HAMPSTEAD - - - - -	·010	·009	·009	24	24	25	24
7	(g) PANCRA8 - - - - -	·204	145	·087	18	17	16	17
8	(h) ISLINGTON - - - - -	·018	·015	·013	23	22	23	23
9	(i) HACKNEY - - - - -	·051	·025	·017	19	21	22	21
10	(j) ST. GILES - - - - -	·078	·055	·038	19	19	20	19
11	(k) STRAND: St. Martin-in-the-Fields †	·002	·005	·005	20	28	29	26
12	(l) HOLBORN: Holborn †	·012	·013	·006	24	25	25 †	24
13	(m) HOLBORN: Clerkenwell †	·001	·004	·006	24	24	25	24
14	(n) HOLBORN: St. Luke †	·001	·001	·005	21	23	28 †	26
15	(o) LONDON CITY: East London §	·001	·001	·007	27	27	27	27
16	(p) LONDON CITY: West London §	·005	·005	·007	29	25	26 §	26
17	(q) LONDON CITY: London City §	·008	·009	·007	22	22	22	22
18	(r) SHOREDITCH - - - - -	·007	·005	·005	27	24	26	26
19	(s) BETHNAL GREEN - - - - -	·009	·008	·007	25	25	27	25
20	(t) WHITECHAPEL - - - - -	·005	·005	·005	29	28	30	29

NOTE.—The Mortality in the several METROPOLITAN DISTRICTS, as given in the above Table for each of the three decads 41-70, is corrected for the disturbing element of the presence of certain Public Institutions, located in particular Districts, by whose occupants are drawn more or less indiscriminately from the whole Metropolitan area. This correction has been made by abstracting the mean population and the average annual deaths in each Institution from the corresponding population and death of the District in which it is situated, and then the whole of the Institution population and deaths were distributed proportionally over all the London districts. In the case of certain Workhouses situated in Districts to which they do not belong, the average inmates and the deaths in such Workhouses have been transferred to their proper Districts prior to calculating the mortality for all the Institutions which have been thus dealt with, the annual deaths registered during 1861-70 and the number of inmates according to the Census Returns of 1861 and 1871, are given in a Table which will be found on page cxx of this Report.

Besides the Institutions just referred to, there are others in LONDON for which it has not been deemed necessary to make corrections in the mortality; such Institutions will be found specified in foot-notes to the deaths registered in 1869 and 1870 and the inmates at the Census of 1871 being given for each Institution.

With regard to Districts not within the Metropolitan limits, no correction has been made for Public Institutions, except in the case of County and certain other large Lunatic Asylums, of a few special Institutions, of Military Camps, and of Workhouses created in their proper Districts. Particulars of such corrections as have been made will be found noted under the several District concerned. Institutions of any importance for which no corrections have been made are given in foot-notes to the District wherein they are situated, together with the deaths registered in such Institutions in 1869 and 1870 and the inmates at the Census of 1871.

* On 1st July 1870 the District of Westminster was merged in the District of St. George Hanover Square.

† On 1st July 1868 the Sub-district of St. Anne Soho, was taken from the Strand District and added to Westminster St. James, and at the same time the District of St. Martin-in-the-Fields was merged in the Strand District; in consequence of these changes the density of Population and Mortality in the 10 Years 1861-70 for the District of Westminster (St. James) is not given separately from that of the Strand District.

‡ On 2nd August 1869 the districts of Clerkenwell and St. Luke were merged in the Holborn District.

§ On 1st January 1870 the Districts of East London and West London were merged in the London City District.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
(1) KENSINGTON	Lock Hospital - - - - -	5	9	121	(g) ISLINGTON	Great Northern Hospital - -	20	22	24
"	West London Hospital - - -	50	14	22	(h) ST. GILES	British Lying-in Hospital -	5	17	10
(2) CHELSEA	Victoria Hospital - - - - -	19	11	25	(i) HOLBORN	London Homoeopathic Hospital	17	21	20
"	Consump. Hos. (Chelsea Home)	2	2	13	"	St. John and Elizabeth Hospital	13	19	35
"	Cancer Hospital - - - - -	36	43	62	"	City of London Lying-in Hosp.	22	25	45
(3) ST. GEO. HAN. Sq.	Belgrave Hospital - - - - -	5	1	10	"	Royal Hosp. for Chest Diseases	12	19	1
"	Children's Hos. (Carlisle Place)	54	64	78	"	St. Luke's Lunatic Hospital -	See p. cxiii.		
(4) WESTMINSTER	Hospital for Women - - - -	8	21	44	(j) LONDON CITY	City Police Hospital - - -	6	2	1
"	French Hospital - - - - -	-	14	9	"	Metropolitan Free Hospital -	14	15	11
(5) MARYLEBONE	St. Peter's Hospital - - - -	5	2	6	(k) SHOREDITCH	Children's Hospital - - -	2	7	1
"	Mararian Free Hospital - - -	11	15	16	"	Hoxton House Lunatic Asylum	See p. cxiii.		
"	Qn. Charlotte's Lying-in Hosp.	4	10	65	(l) BETHNAL GREEN	London City Chest Hospital -	68	80	94
HAMPSTEAD	North London Consump. Hosp.	18	15	27	"	Bethnal House Lunatic Asylum	See p. cxiii.		

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, 1861-70 in the DISTRICTS of ENGLAND—continued.

I.—LONDON—continued.

DISTRICTS.		DENSITY OF POPULATION.			ANNUAL MORTALITY.							
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.							
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Me. 30 184				
No.	MIDDLESEX (part of)—cont.											
23	ST. GEORGE-IN-THE-EAST	-	-	-	'005	'005	'005	29	29	30		
24a	(a) STEPNEY	-	-	-	'012	'010	'008	} 25	{ 27	28		
24b	(b) MILE END OLD TOWN	-	-	-	'011	'011	'008				24	25
25	(c) POPLAR	-	-	-	'000	'037	'024				22	21
SURREY (part of).												
26	(d) ST. SAVIOUR SOUTHWARK: St. Geo., Southwk.*	-	-	-	'006	'005	} '000	{ 30	27	25†		
	Newington *	-	-	-	'010	'009					26	24
	St. Saviour *	-	-	-	'008	'008					30†	29†
27	ST. OLAVE SOUTHWARK: St. Olave *	-	-	-	'017	'013					28	26
	Bermondsey *	-	-	-	'056	'032	} '021	24	25	23		
	Rotherhithe *	-	-	-	'031	'027					25	23
31	(e) LAMBETH	-	-	-	'031	'027	'021	25	23	23		
32	(f) WANDSWORTH (inc. County Lunatic Asylum)	-	-	-	'258	'193	'118	22	22	21		
	Wandsworth (exclud. County Lunatic Asy.) ‡	-	-	-	—	—	—	19	20	19		
33	(g) CAMBERWELL	-	-	-	'092	'069	'049	21	23	23		
KENT (part of).												
35	GREENWICH	-	-	-	'000	'017	'035	27	24	26		
36a	(A) LEWISHAM	-	-	-	'505	'342	'217	17	18	19		
36b	(A) WOOLWICH §	-	-	-	—	—	—	—	—	—		

II.—SOUTH EASTERN COUNTIES.

1.—SURREY (Extra-metropolitan).								
37	EPSOM - - - - -	2'27	1'99	1'59	18	16	17	
38	(i) CHERTSEY - - - - -	2'80	2'50	2'02	18	18	17	
39	(j) GUILDFORD (inc. Godalming, and County Lunatic Asylum) -	2'72	2'41	2'12	19	19	20	
	Guilford (exclud. County Lunatic Asylum) ‡	—	—	—	—	—	19	
40	FARNHAM (inc. Military in Aldershot Camp) -	3'79	2'19	1'38	18	16	17	
	Farnham (exclud. Aldershot Camp)	—	—	—	—	19	19	

* On 1st January 1870 the Districts of St. George Southwark and Newington were merged in the District of St. Saviour South and the Districts of Bermondsey and Rotherhithe were merged in the District of St. Olave Southwark.

† Parts of both St. Thomas's and Guy's Hospitals being situate in the Districts of St. Saviour and St. Olave, it has been impracticable to give the corrected mortality of the two Districts separately.

‡ The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table δ., p. cxx.

§ On 1st July 1863 the new District of Woolwich was formed out of parts of the Districts of Greenwich and Lewisham. Density and Mortality of the new District are included in this Table with the Two Districts of which it until so recently a part.

¶ The District of Farnham was divided in 1846 into the two Districts of Farnham (40) and Farnborough (41); on 1st July the district of Farnborough was abolished, and the parishes and places of which it had been composed were transferred to the Districts of Farnham (40), Guildford (39), Hartley Wintney (115), Alton (114), and Petersfield (112). The details of these changes are given in the Thirteenth Annual Report, p. 223, and of the second in the Thirty-third Report, p. 372. For comparative purposes the rates of Density and Mortality in the above Table have been corrected so as to represent as nearly as possible the original district of Farnham, including the Camp at Aldershot. During the 10 years 1861-70 the average annual number of inmates in the Camp was 10,729, and the deaths occurring among them averaged 72 per annum; upon these numbers the correction in the mortality of the District has been made.

DISTRICTS containing INSTITUTIONS for which the Mortality is *not* corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.	
		1869	1870				1869	1870
(a) STEPNEY - -	Children's Hospital - - -	45	42	32	(f) WANDSWORTH -	Royal Hospital for Incurables -	12	15
(b) MILE END OLD TNS. -	Portuguese Jews' Hospital -	7	8	20	(g) CAMBERWELL -	Camberwell House Lunatic Asyl. -	See p. c.	
(c) POPLAR - -	Poplar Hospital - - -	21	20	27		Peckham House Lunatic Asyl. -		
(d) St. SAVIOUR SOUTHWARK -	Grove Hall Lunatic Asylum -	See p. cxxii.		31	(h) LEWISHAM - -	Herbert Hospital - - -	44	64
	Evelina Hospital - - -	9	13	—	(i) WOOLWICH - -	Garrison Female Hospital -	10	18
	Bethlehem Lunatic Hospital -	See p. cxxii.		—	(j) CHERTSEY - -	Metropolitan Convalescent Asyl. -	4	4
(e) LAMBETH - -	Royal Infirmary, Women and Children -	14	14	18	(k) GUILDFORD - -	Invalid Convict Prison - - -	59	35
	General Lying-in Hospital -	8	12	37		Royal Surrey County Hospital -	15	14
(f) WANDSWORTH -	British Home for Incurables -	6	6	56				

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

II.—SOUTH EASTERN COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	1. SURREY (Extra-metropolitan)—cont.							
43	HAMBLEDON	4'58	4'40	4'17	16	17	17	17
43	DORKING	3'58	3'36	3'02	17	17	17	17
44	BEIGATE (inc. Earlswood Asylum for Idiots)	3'58	2'98	2'16	16	17	17	17
	<i>Beigate, (exclud. Idiot Asylum)*</i>	—	—	—	—	—	16	—
45	GODSTONE	4'94	4'74	3'79	17	17	16	17
46	(a) CROYDON	1'10	'84	'50	20	19	19	19
47	(b) KINGSTON (inc. Teddington and Hampton)	'89	'71	'54	18	18	18	18
48	(c) RICHMOND	'23	'25	'22	20	20	19	20
	2.—KENT (Extra-metropolitan).							
49	BROMLEY	2'37	2'10	1'54	17	16	16	16
50	DARTFORD (inc. City of London Lunatic Asy.)	2'02	1'78	1'40	19	18	19	19
	<i>Dartford (exclud. City of London Lun. Asy.)*</i>	—	—	—	—	—	19	—
51	(d) GRAVESEND	'08	'07	'06	25	23	22	23
52	NORTH AYLESFORD (inc. Northfleet & Strood)	2'40	2'10	1'84	22	20	20	21
53	HOO	7'04	6'96	6'62	24	23	23	24
54	(e) MEDWAY (inc. Rochester and Chatham)	'86	'31	'22	25	23	22	23
55	MALLING	2'53	2'31	2'12	21	19	20	20
56	SEVENOAKS	3'05	3'06	2'91	18	18	18	18
57	(f) TUNBRIDGE (inc. pt. of Tunbridge Wells)	1'76	1'47	1'18	20	20	18	19
58	(g) MAIDSTONE (inc. County Lunatic Asylum)	1'11	1'02	'96	23	23	23	23
	<i>Maidstone (exclud. County Lunatic Asylum)*</i>	—	—	—	—	21	21	—
59	HOLLINGBOURN	4'14	4'17	4'17	20	19	19	19
60	CRANBROOK	3'07	3'04	3'02	19	17	17	18
61	TENTERDEN	4'21	4'22	4'34	20	19	17	19
62	WEST ASHFORD	3'40	2'95	2'67	18	20	19	19
63	EAST ASHFORD	4'04	4'50	4'31	17	18	17	17
64	BRIDGE	3'74	3'68	3'69	18	18	18	18
65	(A) CANTERBURY	'21	'20	'19	24	23	24	24
66	BLEAN (inc. Whitstable, Herne Bay, and pt. of Canterbury City)	2'27	2'09	1'87	17	18	20	18
67	FAVERSHAM	2'85	2'61	2'12	19	20	19	19
68	MILTON (inc. Sittingbourne)	2'71	2'38	1'88	21	21	20	21
69	SHEPPEY (inc. Sheerness)	1'85	1'41	1'21	24	19	19	21
70	(i) THANET (inc. Ramsgate and Margate)	'94	'83	'80	19	21	20	20
71	(j) EASTREY (inc. Deal, Walmer, and Sandwich)	2'07	1'99	1'90	19	19	19	19
72	(k) DOVER	1'13	1'00	'87	21	20	20	20
73	ELHAM (inc. Folkestone, Hythe, and Shorncliffe Camp)	2'58	1'89	1'52	19	18	17	18
	<i>Elham (exclud. Military in Shorncliffe Camp)†</i>	—	—	—	—	19	18	—
74	ROMNEY MARSH (inc. New Romney)	8'44	8'05	7'61	19	21	18	19
	3.—SUSSEX.							
75	RYE (inc. Winchelsea)	3'26	3'24	3'24	18	20	19	19
76	(l) HASTINGS	'78	'50	'45	18	18	20	19
77	BATTLE	4'11	4'01	4'08	16	17	17	17
78	(m) EASTBOURNE	4'07	3'99	2'88	15	17	17	16

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., p. cxx.

† During the 10 years 1861-70 the average annual strength of the Military in Shorncliffe Camp was 2703, and the deaths occurring among them averaged 20·1 per annum; upon these numbers the above correction in the District mortality has been made.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.	Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.	Special Inmates at Census 1871.
		1869	1870			1869	1870
(a) CROYDON	Croydon General Hospital	10	14	(i) THANET	Royal Sea Bathing Infirmary	5	7
(b) KINGSTON	Atkinson Morley Convales. Hos.	—	7		Metrop. Indrmg. (Dane Hill)	9	14
(c) RICHMOND	Infirmary	9	12		Seaman's Infirmary	—	—
(d) GRAVESEND	Infirmary and Dispensary	6	5	(j) EASTREY	Infirmary and Dispensary	2	2
(e) MEDWAY	St. Bartholomew's Hospital	45	37	(k) DOVER	Hospital and Dispensary	4	6
	General Hospital (Fort Pitt)	40	—	(l) HASTINGS	East Sussex Infirmary	7	9
	Meville Hosp. (R. M. Infirmary)	17	22	(m) EASTBOURNE	Seaside Convales. Hos. (Seaford)	3	—
(f) TUNBRIDGE	Infirmary and Dispensary	—	11		All Saints Convalescent Hosp. (Eastbourne)	—	9
(g) MAIDSTONE	West Kent General Hospital	21	14				
(h) CANTERBURY	Kent and Canterbury Hospital	35	20				

Density of Population and Annual Mortality, 1841-70.

c

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, & 1861-70 in the DISTRICTS of ENGLAND—continued.

II.—SOUTH EASTERN COUNTIES—continued.

DISTRICTS.		DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Me 30 184
No.	3.—SUSSEX—cont.							
79	HAILSHAM	4.23	4.19	4.23	17	17	17	
80	TICEHURST (inc. pt. of Tunbridge Wells)	3.48	3.43	3.31	19	19	17	
81	UCKFIELD	4.36	4.25	4.06	17	19	17	
82	EAST GRINSTEAD	4.75	4.40	4.05	17	17	16	
83	UCKFIELD	3.90	3.77	3.31	16	18	16	
84	(a) LEWES (inc. County Lunatic Asylum)	3.37	3.23	2.90	19	19	20	
	<i>Lewes (exclud. County Lunatic Asylum)*</i>	—	—	—	—	10	18	
85	(b) BRIGHTON	.03	.02	.02	21	22	22	
86	STYNING (inc. New Shoreham)	2.84	2.17	1.62	16	16	16	
87	HORSHAM	4.16	3.80	3.56	18	18	18	
88	PETWORTH	4.07	4.13	4.13	17	19	19	
89	THAKENHAM	4.68	4.75	4.77	18	18	16	
90	(c) EAST PRESTON (formerly WORTHING), inc. Littlehampton and Arundel	2.34	2.25	1.06	17	18	18	
91	WESTHAMPTON (inc. Bognor)	5.03	4.98	4.94	19	18	17	
92	(d) CHICHESTER	1.59	1.44	1.43	21	21	19	
93	MIDHURST	4.88	5.02	5.13	17	18	18	
94	WESTBOURNE	4.83	4.73	4.64	18	17	19	
4.—HAMPSHIRE.								
95	HAVANT	2.05	1.97	1.85	18	19	19	
96	(e) PORTSEA ISLAND (inc. Portsmouth)	.08	.06	.05	25	23	21	
97	ALVERSTOCK (inc. Gosport, & Haslar Hospital)	.25	.19	.17	20	26	23	
	<i>Alverstoke (exclud. Haslar Hospital)†</i>	—	—	—	24	20	19	
98	FAREHAM (inc. County Lunatic Asylum)	2.64	2.62	2.38	19	21	23	
	<i>Fareham (exclud. County Lunatic Asylum)*</i>	—	—	—	—	18	19	
99	(f) ISLE OF WIGHT (inc. Ryde, Newport, Cowes, Shanklin, and Ventnor)	2.15	1.89	1.54	17	17	17	
100	LYMINGTON	3.57	3.48	3.26	17	18	17	
101	(g) CHRISTCHURCH (inc. Bournemouth)	4.51	3.89	2.39	16	18	17	
102	RINGWOOD	6.07	6.04	6.50	17	18	17	
103	FORDINGBRIDGE	5.19	5.32	5.18	20	20	19	
104	NEW FOREST	5.18	5.13	5.14	17	17	17	
105	(h) SOUTHAMPTON	.04	.03	.03	23	24	23	
106	SOUTH STONEHAM (inc. Netley Hospital)	1.85	1.28	.92	18	17	19	
	<i>South Stoneham (exclud. Netley Hospital)‡</i>	—	—	—	—	—	18	
107	ROMSEY	2.58	2.61	2.89	21	19	20	
108	STOCKBRIDGE	6.22	6.14	6.23	20	19	18	
109	(i) WINCHESTER	3.23	3.01	2.79	21	20	19	
110	DROXFORD	4.60	4.32	4.96	18	18	17	
111	CATHERINGTON	5.42	5.27	4.99	17	19	16	
112	PETERSFIELD	5.25	5.12	4.80	18	19	17	
113	ALRESFORD	5.18	5.45	5.90	17	16	17	
114	ALTON	4.57	4.43	4.24	19	18	10	
115	HARTLEY WINNEY	3.83	3.70	3.79	18	19	18	

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., p. cxx.

† During the 10 years 1861-70 the average annual number of inmates of Haslar Hospital was 458, and of deaths occurring in those inmates 90.1; upon these numbers the above correction in the District mortality has been made.

‡ Netley Hospital was opened in April 1863; the number of patients averaged 403 per annum, and the deaths of patients 84 per annum, in the eight years 1863-70; upon these numbers the above correction in the District mortality has been made.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.	Special In- mates at Close of 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.
		1869 1870				1869 1870
(a) LEWES	Lewes Infirmary	1	—	(c) PORTSEA ISLD.	Female Hospital (Mill Dam)	5 9
(b) BRIGHTON	County Hospital	72	83		Garrison Hospital	39 45
	St. Mary's Hospital	—	6	(f) ISLE OF WIGHT	Royal Isle of Wight Infirmary	17 12
	Hospital for Sick Children	—	1		National Cottage Hospital for Consumption	— 3
(c) EAST PRESTON (WORTHING)	Worthing Infirmary	—	1	(g) CHRISTCHURCH	National Sanatorium, Bournemouth	1 4
(d) CHICHESTER	General Infirmary & Dispensary	17	11	(h) SOUTHAMPTON	Royal South Hamts Infirmary	55 43
(e) PORTSEA ISLD.	Royal Portsmouth, Portsea, & Gosport Hospital	28	23	(i) WINCHESTER	Royal Hamts County Hospital	24 43

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

II.—SOUTH EASTERN COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	4.—HAMPSHIRE—cont.							
116	Basingstoke	4'33	4'23	4'16	20	19	19	19
117	Whitchurch	5'31	5'30	5'30	19	23	19	20
118	Andover	4'88	4'86	4'80	19	18	18	18
119	Kingsclere	5'39	5'37	5'47	19	19	20	19
	5.—BERKSHIRE.							
120	Newbury	2'11	2'10	2'11	21	21	20	21
121	Hungerford	4'88	4'88	5'01	20	20	19	20
122	Reading	4'10	4'09	4'10	20	21	21	21
123	Abingdon (inc. Lunatic Asylum for Oxon and Berks)	2'84	2'70	2'66	23	23	22	23
	Abingdon (exclud. Lunatic Asylum)*	—	—	—	—	22	20	—
124	Wantage	4'42	4'36	4'37	19	20	19	19
125	Wallingford	2'91	2'90	2'85	20	20	18	19
126	Brackfield	3'89	3'87	3'93	19	19	18	19
127	(a) Reading	2'25	2'20	2'16	24	22	22	23
128	Wokingham	3'19	3'00	2'75	17	18	18	18
129	Cookham (inc. Maidenhead)	2'50	2'39	2'11	19	18	18	18
130	Easthampstead (inc. Broadmoor Criminal Lunatic Asylum)	4'10	3'65	2'79	16	16	16	16
	Easthampstead (exclud. Lunatic Asylum)*	—	—	—	—	—	16	—
131	(b) Windsor	1'16	1'10	1'05	20	20	20	20

III.—SOUTH MIDLAND COUNTIES.

	6.—MIDDLESEX (Extra-metropolitan)							
132	Staines	1'83	1'66	1'35	19	19	18	19
133	Uxbridge (inc. Hanwell Lunatic Asylum)	1'35	1'22	1'10	23	22	25	23
	Uxbridge (exclud. Hanwell Lunatic Asylum)*	—	—	—	20	19	20	20
134	(c) Brentford (inc. Hounslow and Twickenham)	1'52	1'44	1'34	21	22	20	21
135	Hendon (inc. Harrow)	2'11	1'88	1'19	17	18	18	18
136	Barnet (inc. Colney Hatch Lunatic Asylum)	1'81	1'52	1'15	18	25	24	23
	Barnet (exclud. Colney Hatch Lunatic Asy.)*	—	—	—	—	18	17	—
137	(d) Edmonston (inc. Waltham Abbey and Enfield)	1'00	1'80	1'06	19	18	19	19
	7.—HERTFORDSHIRE.							
138	Ware	2'24	2'17	2'10	19	18	18	18
139	Bishop Stortford	2'70	2'65	2'57	21	18	19	19
140	Royston	3'46	3'46	3'47	21	19	18	19
141	(e) Hitchin	2'70	2'58	2'44	21	19	20	20
142	(f) Hertford	2'35	2'28	2'20	20	17	19	19
143	Hatfield	3'57	3'40	3'46	18	18	18	18
144	St. Albans	1'98	1'87	1'73	20	19	19	19
145	Wattford	1'88	1'87	1'54	20	20	19	20
146	(g) Hemel Hempstead	2'07	1'88	1'78	20	21	20	20
147	Berkhamstead	2'04	1'91	1'80	22	21	20	21

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., p. ccx.

DISTRICTS containing INSTITUTIONS for which the Mortality is *not* corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1860	1870				1860	1870	
(a) READING	Royal Berkshire Hospital	37	40	92	(c) BRENTFORD	Convalescent Home	—	2	—
(b) WINDSOR	Saint Andrew Convalescent Hos.	10	7	40	(d) EDMONTON	Training Hospital	13	23	—
"	Royal Infirmary and Dispensary	11	6	14	(e) HITCHIN	Nrth. Herts & Wth. Beds Infirmary	4	5	—
(c) BRENTFORD	Royal India Asyl. for Lunatics	—	—	124	(f) HERTFORD	Herts General Infirmary	1	—	—
					(g) HEDELHEMPSTED	West Herts Infirmary	6	1	—

Density of Population and Annual Mortality, 1841-70.

CXCV

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

III.—SOUTH MIDLAND COUNTIES—continued.

DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
	ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
8.—BUCKINGHAMSHIRE.							
AMERSHAM - - - - -	2·71	2·70	2·71	22	22	21	22
ETON (inc. Slough) - - - - -	1·99	1·90	1·80	18	18	18	18
WYCOMBE (inc. Great Marlow) - - - - -	2·83*	2·37	2·22	21*	21	20	21
(a) AYLESBURY (inc. County Lunatic Asylum) - - - - -	3·25	3·14	3·04	21	22	22	22
Aylesbury (exclud. County Lunatic Asylum)† - - - - -	—	—	—	—	21	21	—
WINSLOW - - - - -	3·77	3·59	3·64	21	22	20	21
NEWPORT PAGNELL - - - - -	2·98	2·86	2·77	22	21	20	21
BUCKINGHAM - - - - -	3·66	3·72	3·85	23	22	20	22
9.—OXFORDSHIRE.							
HENLEY - - - - -	*	3·42	3·32	*	19	18	19
THAME - - - - -	3·52	3·55	3·63	22	21	19	21
(b) HEADINGTON ‡ (inc. pt. of Oxford City) - - - - -	·82 {	1·56 {	1·30 {	23 {	22 {	21 {	22 {
OXFORD ‡ - - - - -	·15 {	·14 {	·14 {	22 {	22 {	22 {	22 {
BICESTER - - - - -	4·17	4·12	4·12	21	21	20	21
WOODSTOCK - - - - -	3·44	3·34	3·31	21	20	20	20
WITNEY - - - - -	3·02	3·00	3·02	22	20	20	21
CHIPPING NORTON - - - - -	4·55	4·40	4·24	19	19	19	19
BANBURY - - - - -	2·58	2·51	2·45	22	21	20	21
10.—NORTHAMPTONSHIRE.							
BRACKLEY - - - - -	4·33	4·32	4·36	22	21	20	21
TOWCESTER - - - - -	3·33	3·27	3·25	22	23	20	22
POTTERS PURY - - - - -	2·19	2·01	1·92	22	20	19	20
HARDINGSTONE - - - - -	3·64	3·40	3·15	21	20	20	20
(c) NORTHAMPTON (inc. General Lunatic Hosptl.) - - - - -	·07	·56	·44	24	25	25	25
Northampton (exclud. Lunatic Hospital)† - - - - -	—	—	—	—	24	24	—
DAVENTRY - - - - -	2·02	2·08	3·16	20	20	20	20
BRIXWORTH - - - - -	3·08	4·13	—	22	20	19	20
WELLINGBOROUGH - - - - -	3·27 {	2·43 {	2·09 {	22 {	22 {	21 {	22 {
KETTERING - - - - -	3·04	2·08	2·83	20	20	21	20
THRAPSTON - - - - -	4·11	3·80	3·60	19	20	20	20
OUNDE - - - - -	4·56	4·40	4·64	21	19	19	20
(d) PETERBOROUGH - - - - -	3·09	3·24	2·86	21	20	20	20
11.—HUNTINGDONSHIRE.							
(e) HUNTINGDON (inc. Godmanchester) - - - - -	3·92	3·73	3·71	22	20	20	21
ST. IVES - - - - -	3·17	3·13	3·27	22	20	21	21
ST. NEOTS - - - - -	3·54	3·45	3·48	21	19	19	20
12.—BEDFORDSHIRE.							
(f) BEDFORD } Inc. Lunatic Asylum for {	2·80	2·64	2·44	23	20	20	21
BIGGLESWADE } Beds, Herts, and Hunts - {	2·63	2·38	2·18	21	21	22	21
Bedford } (exclud. Lunatic Asylum)† - {	—	—	—	—	19	—	—
Biggleswade } - - - - -	—	—	—	—	—	20	—
AMPTHILL - - - - -	2·58	2·48	2·41	22	21	21	21
WOBURN - - - - -	2·53	2·49	2·55	20	22	20	21
LEIGHTON BUZZARD - - - - -	2·10 {	2·19 {	2·09 {	21 {	22 {	20 {	21 {
LUTON (inc. Dunstable) - - - - -	1·46	1·46	1·26	—	20	21	21

For the 10 years 1841-50 the Districts of Wycombe and Henley are combined.
The average number of inmates, and the deaths in each year 1861-1870 in these Asylums are given in Table b, p. cxx. The
atic Asylum for the Counties of Beds, Herts, and Hunts, was transferred from the District of Bedford to the District of
leswade in 1860.
n this District is situated the Workhouse belonging to the Oxford Union, for which a correction has been made in the mortality
4th Districts; this Workhouse contained 217 special inmates in 1871, and the estimated average annual deaths in the 10 years
70 were 40.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special In- mates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special In- mates at Census 1871.
		1869	1870				1869	1870	
AYLESBURY -	County Infirmary - - -	19	5	43	(d) PETERBOROUGH -	Infirmary, Dispensary, & Fever Hos.	8	10	10
HEADINGTON -	Radcliffe Infirmary - - -	54	57	128	(e) HUNTINGDON -	County Hospital - - -	6	7	6
NORTHAMPTON -	General Infirmary - - -	52	51	120	(f) BEDFORD -	General Infirmary & Fever Hos.	26	28	28

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

III.—SOUTH MIDLAND COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean 26 Yrs 1841-
	13.—CAMBRIDGESHIRE.							
185	CAXTON - - - - -	4.72	4.53	4.41	19	19	19	19
186	CHESTERTON (inc. County Lunatic Asylum) -	8.28	8.05	2.89	21	20	20	20
	<i>Chesterton (exclud. Lunatic Asylum)*</i> -	-	-	-	-	20	19	-
187	(a) CAMBRIDGE - - - - -	13	13	13	23	20	22	22
188	LINTON - - - - -	3.53	3.46	3.54	20	19	19	19
189	NEWMARKET - - - - -	3.36	3.28	3.35	20	20	20	20
190	ELY - - - - -	3.72	3.57	3.67	23	21	20	21
191	NORTH WITCHFORD - - - - -	3.86	3.86	3.94	27	21	20	23
192	WHITTLESBY - - - - -	3.45	3.43	3.60	25	23	21	23
193	WISBECH - - - - -	3.89	3.78	3.90	25	22	20	23

IV.—EASTERN COUNTIES.

	14.—ESSEX.							
194	WEST HAM (inc. Stratford and Walthamstow)	6.4	4.2	2.4	18	20	20	19
195	EPPING - - - - -	2.97	2.89	2.53	18	18	18	18
196	ONGAR - - - - -	4.01	4.10	4.16	17	18	18	18
197	ROMFORD (inc. Barking) - - - - -	2.06	1.87	1.64	20	20	20	20
198	ORSETT - - - - -	3.06	3.70	3.32	24	21	18	21
199	BILLERICAY (inc. Brentwood, and County Lunatic Asylum)	5.37†	3.53	3.11	21†	21	19	20
	<i>Billericay (exclud. Lunatic Asylum)*</i> -	-	-	-	-	19	17	-
200	CHELMSFORD - - - - -	2.67	2.68	2.52	20	19	19	19
201	ROCHFORD (inc. Southend) - - - - -	†	6.32	5.51	†	21	19	20
202	MALDON - - - - -	4.99	4.79	4.61	21	21	19	20
203	TENDRING (inc. Harwich) - - - - -	3.33	3.28	3.15	20	20	19	20
204	(b) COLCHESTER (inc. Military in Colchester Camp)	6.0	5.2	4.5	24	22	21	22
	<i>Colchester (exclud. Military in Camp)†</i> -	-	-	-	-	22	22	-
205	LEXDEN - - - - -	3.47	3.31	3.14	19	19	18	19
206	WITHAM (inc. Great Coggeshall) - - - - -	2.47	2.40	2.42	20	21	21	21
207	HALSTED - - - - -	2.10	2.06	2.11	20	22	20	21
208	BRAINTREE - - - - -	2.30	2.23	2.25	21	21	21	21
209	DUNMOW - - - - -	3.60	3.61	3.68	21	20	19	20
210	(c) SAFFRON WALDEN - - - - -	3.17	3.10	3.19	21	19	19	20
	15.—SUFFOLK.							
211	BISBRIDGE - - - - -	3.02	3.02	2.98	22	20	20	21
212	(d) SUDBURY - - - - -	2.57	2.52	2.48	20	20	20	20
213	CONFORD (inc. Hadleigh) - - - - -	2.00	2.97	3.06	21	20	19	20
214	THINGOE§ - - - - -	4.45	4.43	4.60	18	20	18	19
215	(e) BURY ST. EDMUNDS§ - - - - -	2.2	2.2	2.21	24	22	23	23
216	MILDENHALL - - - - -	6.27	6.14	6.51	20	20	19	20
217	STOW (inc. Stowmarket) - - - - -	2.71	2.63	2.64	18	19	19	19
218	HARTISMERE (inc. Eye) - - - - -	2.80	2.95	3.15	21	20	20	20

* The average number of inmates, and the deaths in each year 1861-70 in these Asylums, are given in Table b, p. cxi.

† For the 10 years 1841-50 the Districts of Billericay and Rochford are combined.

‡ The average annual strength of the military force in Colchester Camp during the 10 years 1861-70 was 2,017, and the average annual deaths occurring in the force for the same period were 24.3.

§ The Workhouse belonging to the Thingoe District is situated in Bury St. Edmunds, and a correction has been made on it account in the mortality of both Districts; this Workhouse contained 104 special inmates in 1871, and the estimated average annual deaths in the 10 years 1861-70 were 12.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.	Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.	Special Inmates at Census 1871.
		1869	1870			1869	1870
(a) CAMBRIDGE	Addenbrooke's Hospital - - - - -	28	41	(c) SAFFRON WALDEN	Hospital - - - - -	7	7
(b) COLCHESTER	Essex and Colchester Hospital - - -	10	8	(d) SUDBURY	St. Leonard's Hospital - - -	3	3
"	Essex Hall Idiot Asylum - - - - -	11	9	(e) BURY ST. EDMUNDS	Suffolk General Hospital - - -	22	17

Density of Population and Annual Mortality, 1841-70.

cxcvii

DENSITY OF POPULATION AND ANNUAL MORTALITY in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS OF ENGLAND—continued.

IV.—EASTERN COUNTIES—continued.

DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
	ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
15.—SUFFOLK—cont.							
HOXNE	3'35	3'47	3'63	21	20	19	20
BOSMERE	3'43	3'47	3'63	18	19	19	19
SAMFORD	4'13	3'08	4'00	18	20	19	19
(a) IPWICH	2'20	2'24	2'21	23	23	23	23
WOODBRIDGE (inc. County Lunatic Asylum)	3'51	3'53	3'64	21	20	21	21
Woodbridge (exclud. Lunatic Asylum)*	—	—	—	—	19	19	—
PLONESGATE	3'53	3'56	3'62	19	20	18	19
BLITHING (inc. Southwold and Halesworth)	3'34	3'37	3'46	18	20	19	19
WANGFORD (inc. Bungay)	2'52	2'54	2'54	19	21	19	20
(b) MUTFORD (inc. Lowestoft and Gorleston)	1'94	1'61	1'28	17	20	18	18
16.—NORFOLK.							
(c) YARMOUTH (GREAT)	2'06	2'05	2'05	23	25	24	24
FLEGG	3'80	3'40	3'23	20	20	18	19
SMALLBURGH (formerly TUNSTEAD)	4'03	4'16	4'33	20	21	19	20
ERPINGHAM (inc. North Walsham)	3'43	3'40	3'56	20	21	20	20
AYLSHAM	3'40	3'49	3'67	21	21	19	20
ST. PAITH'S	4'12	4'09	4'35	20	18	19	19
(d) NORWICH	2'11	2'10	2'10	24	25	24	24
POREHOE	2'70	2'87	3'01	21	20	20	20
HENSTEAD	3'78	3'80	3'94	17	19	19	18
BLOFIELD (inc. County Lunatic Asylum)	3'90	3'83	3'87	20	20	21	20
Blofield (exclud. County Lunatic Asylum)*	—	—	—	—	18	18	—
LODDON	4'02	4'05	4'26	18	19	18	18
DEFWADE	2'80	2'81	2'94	20	20	20	20
GUILTCROSS	3'61	3'70	3'91	21	22	20	21
WATLAND	4'33	4'31	4'51	19	20	20	20
MITFORD (inc. East Dereham)	3'64	3'67	3'79	20	20	19	20
WALSINGHAM (inc. Wells-next-the-Sea)	4'08	4'06	4'24	21	20	22	21
DOCKING	5'77	5'66	5'80	20	21	21	21
FREERIDGE LYNN	6'03	5'83	5'85	18	18	20	19
(e) KING'S LYNN	2'30	2'30	2'34	23	22	22	22
DOWNHAM (inc. Downham Market)	4'16	4'06	4'10	22	21	20	21
SWAFFHAM	5'93	5'79	5'94	19	19	19	19
THETFORD (inc. Brandon)	6'44	6'24	6'56	21	20	21	21

V.—SOUTH WESTERN COUNTIES.

17.—WILTSHIRE.							
HIGHWORTH (inc. Swindon)	3'02	2'72	2'23	21	21	18	20
CRICKLADE (inc. Wootton Bassett)	3'45	3'63	3'52	20	20	19	20
MALMESBURY	3'75	3'90	3'93	19	19	18	19
CHIPPENHAM	2'80	2'78	2'60	19	21	19	20
CALNE	3'09	3'17	3'21	20	20	18	19
MARLBOROUGH	4'32	4'20	4'17	20	19	19	19

* The average number of inmates, and the deaths in each year 1861-70 in these Asylums, are given in Table b., p. cxxi.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
WICH . . .	East Suffolk and Ipswich Hosp.	5	17	71	(d) NORWICH . . .	Norfolk and Norwich Hospital -	50	54	130
TFORD . . .	Mutford & Lothlingland Infirmary.	4	3	11	" . . .	Bethel Hospital (Lunatic) . . .	1	4	18
SMOUTH . . .	Yarmouth Hospital	4	5	18	(e) KING'S LYNN . . .	Jenny Lind Infy. for Sick Childn.	18	13	23
" . . .	Royal Naval Hosp. (Lunatic) . . .	See p. cxxii.				West Norfolk and Lynn Hosp. -			
SWICH . . .	City Lunatic Asylum	See p. cxxii.							

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

V.—SOUTH WESTERN COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean 30 Yrs 1841-
	17.—WILTSHIRE—cont.							
256	DEVIZES (inc. County Lunatic Asylum) -	2'86	2'89	2'96	22	21	21	21
	<i>Devizes (exclud. County Lunatic Asylum)*</i> -	—	—	—	—	20	19	—
257	MELKSHAM (inc. Trowbridge) -	1'94	1'99	1'00	22	22	22	22
258	BRADFORD-ON-AVON -	1'50	1'70	1'78	20	22	19	20
259	WESTBURY -	2'39	2'55	2'67	22	22	21	22
260	WARMINSTER -	3'41	3'41	3'61	21	20	18	20
261	PEWSEY -	5'30	5'25	5'39	20	19	20	20
262	AMESBURY -	7'82	7'62	7'76	18	20	18	19
263	(a) ALDERBURY†, Alderbury (inc. Downton) -	3'68	3'55	3'42	22	23	22	22
	Salisbury -	1'05	1'05	1'05	22	24	20	24
265	WILTON -	5'25	5'16	5'13	21	21	18	20
266	TISBURY -	3'99	4'04	4'10	20	19	18	19
267	MERE -	3'92	4'03	4'07	19	21	19	20
	18.—DORSETSHIRE.							
268	SHAPTESBURY -	2'79	2'81	2'79	20	20	19	20
269	STURMINSTER -	3'04	3'02	3'58	19	20	18	19
270	BLANDFORD -	4'02	3'89	3'89	19	17	18	18
271	WIMBORNE -	4'88	4'09	4'69	19	18	18	18
272	POOLE -	1'97	1'84	1'72	20	20	21	20
273	WAREHAM -	5'67	5'58	5'62	18	19	17	18
274	(b) WEYMOUTH (inc. Melcombe Regis) -	1'83	1'81	1'17	10	18	17	18
275	(c) DORCHESTER (inc. County Lunatic Asylum) -	4'77	4'63	4'55	20	21	19	20
	<i>Dorchester (exclud. County Lunatic Asylum)*</i> -	—	—	—	—	21	19	—
276	(d) SHELBORNE -	3'16	3'02	2'92	20	20	19	20
277	BEAMINSTER -	3'66	3'86	4'03	21	20	19	20
278	BRIDPORT -	1'98	1'07	1'98	22	21	21	21
	19.—DEVONSHIRE.							
279	AXMINSTER (inc. Lyme Regis) -	3'02	3'08	3'07	19	20	19	19
280	HONITON (inc. Ottery St. Mary & Sidmouth) -	3'30	3'47	3'59	18	19	19	19
281	ST. THOMAS (inc. Exmouth, Topsham, and Suburbs of Exeter, and the County Lunatic Asylum) -	2'71	2'68	2'66	18	19	20	19
	<i>St. Thomas (exclud. County Lunatic Asylum)*</i> -	—	—	—	—	19	19	—
282	(c) EXETER -	1'06	1'05	1'05	25	24	25	25
283	(f) NEWTON ABBOT (inc. Dawlish, Torquay, and East and West Teignmouth) -	2'43	2'11	1'85	10	18	20	19
284	TOTNES (inc. Dartmouth, Brixham, and Paignton) -	2'89	2'94	2'80	10	19	20	19
285	KINGSBRIDGE -	3'40	3'58	3'70	17	18	19	18
286	PLYMPTON ST. MARY -	3'82	3'76	3'49	18	19	19	19
287	(g) PLYMOUTH -	1'01	1'03	1'02	25	24	23	24
288	(h) EAST STONEHOUSE (inc. pt. of Devonport) -	1'02	1'01	1'01	29	27	27	28

* The average number of inmates, and the deaths in each year 1861-70 in these Asylums, are given in Table 6, p. cxxi.

† On 21st May 1869 the district of Salisbury was merged in Alderbury district.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.			DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
		1869	1870	Special Census 1871.			1869	1870	Special Census 1871.
(a) ALDERBURY	Salisbury General Infirmary -	87	39	77	(c) NEWTON ABBOT	Teignmouth, Newton, & Dawlish Infirmary -	5	3	
	Fisherton House Lunatic Asyl. -	See p. cxxii.				Torbay with Tormoham Infirmary and Dispensary -	6	5	
(b) WEYMOUTH	Royal Infirmary -	1	4	5		Western Hos. (Incl. Consump. -	3	2	
	Sanatorium -	8	17	57	(e) PLYMOUTH	Rth. Devon & E. Cornwall Hos. -	15	21	
(c) DORCHESTER	County Hospital -	12	17	57	(h) EAST STONEHOUSE	Royal Naval Hospital -	71	78	
(d) SHELBORNE	Yeatman Hospital -	1	3	18					
(e) EXETER	Devon and Exeter Hospital -	54	62	189					

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECADES 1841-50, 1851-60, 1861-70 in the DISTRICTS of ENGLAND—continued.

V.—SOUTH WESTERN COUNTIES—continued.

DISTRICTS.		DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	M. 80 18.
No.	19.—DEVONSHIRE—cont.							
289	(a) STOKES DAMEREL (inc. pt. of Devonport)	5.05	5.04	5.04	26	23	21	
290	TAVISTOCK	5.88	4.69	4.79	19	20	19	
291	OXEHAMPTON	5.98	6.51	6.70	16	18	17	
292	CREDITON	4.20	4.37	4.63	17	18	19	
293	TIVERTON	4.64*	3.29	3.40	20*	21	20	
294	SOUTH MOLTON	5.93	6.20	7.48	18	18	18	
295	(b) BARNSTAPLE (inc. Ilfracombe and Lynton)	3.97	4.02	4.06	17	18	18	
296	TORRINGTON	4.57	4.74	4.91	17	17	19	
297	BIDEFORD (inc. Northam)	3.75	3.52	3.42	17	19	19	
298	HOLSWORTHY	7.32	7.94	8.55	16	18	18	
20.—CORNWALL.								
299	STRATTON	6.04	6.55	6.86	17	20	19	
300	CAMELFORD	6.28	6.39	6.40	17	19	18	
301	LANCESTON	5.25	5.76	5.91	17	19	18	
302	ST. GERMAN'S	2.89	2.76	2.49	21	21	20	
303	LISKEARD	3.76	3.41	3.17	18	20	19	
304	(c) BODMIN (inc. County Lunatic Asylum)	4.31	4.43	4.52	18	20	20	
	Bodmin (exclud. County Lunatic Asylum)†	—	—	—	—	19	18	
305	ST. COLUMB (inc. Padstow)	4.69	4.61	4.69	17	18	19	
306	ST. AUSTELL	1.81	1.74	1.77	19	20	20	
307	(d) TREURO	2.16	2.16	2.17	20	20	22	
308	FALMOUTH (inc. Penryn)	1.23	1.23	1.15	21	20	22	
309	HELSTON	2.38	2.48	2.48	18	20	21	
310	REDRUTH (inc. Camborne and Gwennap)	.79	.73	.73	20	21	23	
311	PENZANCE (inc. St. Ives and Marazion)	1.26	1.20	1.19	20	21	22	
312	SCILLY ISLANDS	1.37	1.41	1.58	19	18	20	
21.—SOMERSETSHIRE.								
313a	WILLITON	5.56	5.49	5.50	17	18	18	
313b	DULVERTON	*	12.21	9.69	*	16	17	
314	WELLINGTON (inc. Wiveliscombe)	2.75	2.84	2.93	19	18	18	
315	(e) TAUNTON	2.06	1.99	1.98	20	20	19	
316	BRIDGWATER	2.84	2.73	2.63	20	19	19	
317	LANGPORT	3.24	3.24	3.32	18	19	19	
318	CHARD (inc. Ilminster and Crewkerne)	2.29	2.34	2.32	19	20	19	
319	YEOVIL	1.85	1.84	1.83	21	21	19	
320	WINCANTON	3.10	3.09	3.11	20	20	19	
321	FROME	2.35	2.00	2.13	22	22	20	
322	SHEPTON MALET	2.35	2.06	3.04	22	20	19	
323	WELLS (inc. Glastonbury and County Lunatic Asylum)	3.09	3.00	2.93	20	21	22	
	Wells (exclud. County Lunatic Asylum)†	—	—	—	—	19	19	
324	(g) AXBRIDGE (inc. Weston-super-Mare)	3.24	3.06	2.81	18	17	19	
325	CLUTTON (inc. Midsomer Norton)	1.87	1.92	1.98	19	19	19	
326	(h) BATH	.44	.44	.44	24	22	22	
327	KERNHAM	1.51	1.51	1.49	19	19	20	
328	(i) BEDMINSTER (inc. Clevedon, and pt. of Bristol City)	1.53	1.44	1.20	20	20	20	

* In the Years 1841-50 Dulverton formed part of the District of Tiverton (293).

† The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table d., page cxxi

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		DISTRICT.	NAME OF INSTITUTION.	DEATHS.	
		1869	1870			1869	1870
(a) STOKE DAMEREL	Royal Albert Hosp. & Eye Infr.	23	21	(f) BRIDGWATER	Infrmary -	-	2
	Military Hospital -	16	21	(g) AXBRIDGE	Weston-super-Mare Hospital -	13	6
(b) BARNSTAPLE	North Devon Infirmary -	11	11	(h) BATH	Mineral Water Hospital -	4	6
(c) BODMIN	East Cornwall Hospital -	1	1		Royal Bath United Hospital -	70	82
(d) TREURO	Royal Cornwall Infirmary -	12	14	(i) BEDMINSTER	Bristol General Hos. (part of) -	40	23
(e) TAUNTON	Taunton and Somerset Hosp. -	14	23				

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

VI.—WEST MIDLAND COUNTIES.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean 30 Yrs 1841-
22.—GLOUCESTERSHIRE.								
329	(a) BRISTOL *	·01	·01	·01	20	28	29	29
330	(b) CLIFTON * (inc. pt. of Bristol City)	·41	·34	·26	23	20	20	21
331	CHIPPING SODRURY	3·30	3·34	3·33	20	19	20	20
332	THORNHURST	4·00	4·00	3·89	18	17	17	17
333	DURSLEY (inc. Wotton-under-Edge)	1·60	1·80	2·01	21	21	20	21
334	WESTBURY-ON-SEVERN	2·55	2·26	2·02	19	18	19	19
335	NEWENT	3·73	3·02	3·71	19	19	19	19
336	(c) GLOUCESTER (inc. County Lunatic Asylum) - Gloucester (exclud. County Lunatic Asylum)†	1·09	·96	·84	24	22	22	23
337	WHEATENHURST	3·07	3·10	3·25	20	19	17	19
338	(d) STROUD (inc. Bisley)	1·15	1·18	1·12	21	22	21	21
339	TETBURY	4·22	4·15	4·19	18	18	19	18
340	CIRENCESTER	4·06	4·04	4·02	20	20	18	19
341	NORTHLEACH	6·25	6·18	6·30	18	19	18	18
342	STOW-ON-THE-WOLD	4·23	4·19	4·20	14	18	20	19
343	WINCHCOMB	5·71	5·00	5·03	17	18	18	18
344	(e) CHELTENHAM	·59	·53	·50	20	19	19	19
345	TEWKESBURY	2·59	2·59	2·09	21	21	20	21
23.—HEREFORDSHIRE.								
346	LEDBURY	3·75	3·48	3·40	19	18	17	18
347	ROSS	3·67	3·40	3·38	20	20	20	20
348	(f) HEREFORD	4·17	3·00	3·54	22	21	21	21
349	WEOLBY	5·60	5·52	5·43	20	20	18	19
350	BROMYARD	5·32	5·25	5·19	20	20	19	20
351	LEOMINSTER	4·48	4·32	4·17	22	21	20	21
24.—SHROPSHIRE.								
352	LUDLOW	4·82	4·70	4·65	20	19	20	20
353	CLUN (inc. Bishops Castle)	8·23	8·00	7·75	20	18	18	19
354	CHURCH STRETTON	7·55	7·42	7·36	19	18	18	18
355	CLEOBURY MORTIMER	6·30	6·45	6·58	19	18	18	18
356	(g) BRIDGNORTH	4·44	4·43	4·47	21	19	18	19
357	SHIFFNAL	4·00	3·92	3·72	21	18	19	19
358	MADLEY (inc. Ironbridge and Much Wenlock)	1·00	1·01	·97	23	21	22	22
359	ATCHAM	5·48	5·30	5·62	14	18	17	18
360	(h) SHREWSBURY (inc. Lunatic Asylum for Counties of Salop and Montgomery) - Shrewsbury (exclud. Lunatic Asylum)†	·81	·74	·68	24	25	26	26
361	OSWESTRY	3·56	3·31	3·04	19	19	21	20
362	ELLESMERE	4·00	4·70	4·80	20	19	19	19
363	WEM	3·86	4·81	4·90	20	20	19	20
363a	WHITCHURCH	3·86	3·43	3·44	20	20†	21	20
364	MARKET DRAYTON	4·83	4·78	4·70	20	20	18	19
365	WELLINGTON	1·05	1·50	1·37	21	22	22	22
366	NEWPORT	3·13	3·06	3·03	20	20	18	19

* The Workhouse belonging to Bristol is situated in Clifton District, and a correction has been made on that account in the mortality of the two Districts; this Workhouse contained 1081 special inmates in 1871, and the estimated average annual death in the 10 years 1861-70 were 161.

† The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., page cxxi.

‡ The District of Whitchurch was formed in April 1853; the mortality given above is therefore the average annual rate during 7½ years.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates in Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates in Census 1871.
		1869	1870				1869	1870	
(a) BRISTOL	General Hospital (pt. of)	61	29	63	(d) STROUD	General Hospital	3	5	
"	Royal Infirmary	135	156	290	(e) CHELTENHAM	General Hosp. and Dispensary	15	16	
"	Hospital for Sick Children	11	22	36	(f) HEREFORD	General Infirmary	27	28	
(b) CLIFTON	Bristol Lunatic Asylum	See p. cxxii.			(g) BRIDGNORTH	South Salop & Bridgnorth Infirmary	3		
(c) GLOUCESTER	St. Lucy's Hosp. for Children	7	3	20	(h) SHREWSBURY	Infirmary	48	33	
	General Infirmary	32	55	121					

Density of Population and Annual Mortality, 1841-70.

cc

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

VI.—WEST MIDLAND COUNTIES—continued.

DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
	ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
25.—STAFFORDSHIRE.							
(a) STAFFORD (inc. County Lunatic Asylum)	2.42	2.20	2.04	22	22	23	22
Stafford (exclud. Lunatic Asylum)*	—	—	—	—	20	20	—
(b) STONE	3.59	3.32	2.94	21	20	20	20
NEWCASTLE-UNDER-LYME	1.33	1.18	.98	26	23	22	24
WOLSTANTON (inc. Burslem and Tunstall)	.87	.88	.22	23	23	25	26
(c) STOKE-UPON-TRENT (inc. Hanley and Longton)	.23	.19	.15	27	26	26	26
LEEK	3.29	3.05	2.66	21	24	21	22
CHREADEL	3.06	2.62	2.61	21	21	21	21
UTTOXETER	4.18	4.20	4.32	18	20	20	19
BURTON-UPON-TRENT (inc. Lunatic Asylum for the County of Derby)	2.99	2.49	1.87	20	21	21	21
Burton-upon-Trent (exclud. Lunatic Asylum)*	—	—	—	—	20	21	—
TAMWORTH	3.43	3.17	2.81	19	20	20	20
LICHFIELD (inc. County Lunatic Asylum)	2.90	2.71	2.44	19	20	20	20
Lichfield (exclud. Lunatic Asylum)*	—	—	—	—	—	20	—
PENKRIDGE	4.30	3.99	3.38	19	20	18	19
(d) WOLVERHAMPTON	.53	.47	.42	27	28	24	26
WALSALL (inc. Darlaston)	.56	.43	.33	24	26	24	25
WEST BROMWICH (inc. Oldbury and Wednesbury)	.32	.24	.19	23	24	22	23
DUDLEY (inc. Tipton, Rowley, and Sedgley)	.19	.15	.14	25	26	25	25
26.—WORCESTERSHIRE.							
STOURBRIDGE (inc. Halesowen)	.31	.26	.23	24	23	22	23
(e) KIDDERMINSTER (inc. Bewdley)	1.20	1.18	1.14	22	21	21	21
TENBURY	5.09	4.90	4.73	19	17	18	18
MARTLEY	3.99	3.72	3.42	19	18	17	18
(f) WORCESTER	.24	.23	.21	24	23	25	24
UPTON-ON-SEVERN (inc. Great Malvern, and the County Lunatic Asylum)	3.03	2.71	2.30	18	20	20	19
Upton-on-Severn (exclud. Lunatic Asylum)*	—	—	—	—	19	17	—
EVESHAM	3.29	3.19	3.08	20	19	18	19
PRESHORE	3.88	3.81	3.73	19	17	17	18
DROITWICH	3.17	3.02	2.65	19	18	19	19
BROMSGROVE (inc. Redditch)	2.01	1.86	1.76	22	20	21	21
KINGS NORTON (inc. pt. of Birmingham Borough)	1.08	.73	.50	17	17	17	17
27.—WARWICKSHIRE.							
(g) BIRMINGHAM	.62	.61	.61	26	27	27	27
ASTON (inc. pt. of Birmingham Borough)	.53	.37	.25	21	21	21	21
MERIDEN	4.32	4.31	4.36	20	18	18	19
ATHERSTONE	2.50	2.37	2.32	21	20	20	20
NUNEATON	1.58	1.54	1.60	27	23	23	24
FOLESHILL (inc. Bedworth)	1.26	1.01	1.04	25	25	23	24

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., p. cxxi.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		DISTRICT.	NAME OF INSTITUTION.	DEATHS.	
		1869	1870			1869	1870
STAFFORD	General Infirmary	31	27	(f) WORCESTER	Infirmary	46	53
	Oton Hill Lunatic Asylum	—	—	(g) BIRMINGHAM	Children's Hospital	27	55
STONE	Convent Hospital	3	2		Queen's Hospital	119	134
STOKE-UPON-TRENT	North Staffordshire Infirmary	63	78		Homoeopathic Hospital	5	3
WOLVERHAMPTON	South Staffordshire Hospital	92	48		General Hospital	189	198
KIDDERMINSTER	Infirmary	5	4		Borough Lunatic Asylum	—	—

See p. cxxii.

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

VI.—WEST MIDLAND COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION. ACRES TO A PERSON.			ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean 30 Yrs 1841-
	27.—WARWICKSHIRE—cont.							
400	(a) COVENTRY	3.10	3.14	3.13	27	25	21	24
401	RUGBY	3.07	3.37	3.20	19	19	18	19
403	SOLIHULL	3.80	3.60	3.25	18	18	16	17
403	(b) WARWICK (inc. Leamington, and the County Lunatic Asylum)	1.68	1.55	1.44	20	21	21	21
	Warwick (exclud. County Lunatic Asylum)*	—	—	—	—	20	20	—
404	STRATFORD-ON-AVON	3.80	3.76	3.60	20	19	18	19
405	ALCESTER	3.06	3.05	2.99	21	21	19	20
406	SHIPSTON-ON-STOUE	3.91	3.90	3.99	20	20	18	19
407	SOUTHAM	4.04	4.82	4.82	21	19	18	19

VII.—NORTH MIDLAND COUNTIES.

	28.—LEICESTERSHIRE.							
408	LUTTERWORTH	3.60	3.73	3.97	18	19	19	19
409	MARKET HARBOROUGH	4.05	4.02	3.90	20	20	19	20
410	(c) BILLESDON	7.34	7.10	6.84	18	16	16†	17
411	BLADY	2.45	2.41	2.36	20	21	20	20
412	HINCKLEY	1.56	1.70	1.73	22	23	22	23
413	MARKET BOSWORTH	3.93	3.96	3.91	19	19	19	19
414	ASHBY-DE-LA-ZOUCH (inc. Whitwick)	2.00	1.85	1.73	20	21	20	20
415	(d) LOUGHBOROUGH	1.82	1.84	1.81	22	23	23	23
416	BARROW-ON-SOAR	2.41	2.40	2.32	21	22	21	21
417	(e) LEICESTER (inc. Lunatic Asylum for the Counties of Leicester and Rutland)	1.07	1.06	1.04	27	25	26	26
	Leicester (exclud. Lunatic Asylum)*	—	—	—	—	25	26	—
418	MELTON MOWBRAY	4.02	4.82	4.89	17	19	19	18
	29.—RUTLANDSHIRE.							
419	OAKHAM	4.84	4.86	4.95	20	19	20	20
420	UPPINGHAM	4.27	4.19	4.25	19	18	18	18
	30.—LINCOLNSHIRE.							
421	(f) STAMFORD	2.87	2.78	2.63	19	20	19	19
423	BOURN	5.00	4.90	4.52	18	19	19	19
423	SPALDING	3.40	3.32	3.82	22	20	19	20
424	HOLBEACH	5.04	5.72	5.68	21	21	19	20
425	BOSTON	3.43	3.29	3.31	21	19	19	20
426	SLEAFORD	5.52	5.33	5.19	19	19	18	19
427	GRANTHAM	3.75	3.54	3.50	18	19	19	19
428	(g) LINCOLN (inc. County Lunatic Asylum) - Lincoln (exclud. County Lunatic Asylum)*	4.07	3.67	3.20	21	20	21	21
429	HORNCASTLE	4.70	4.56	4.69	19	19	18	19
430	SPILSBY	5.04	4.86	4.83	18	19	18	18
431	LOUTH	5.43	5.01	4.91	21	20	19	20
432	CAISTON (inc. Grimsby and Market Rasen)	5.08	4.85	4.03	18	19	19	19
433	GLANFORD BRIGG (inc. Barton-upon-Humber)	5.20	4.83	4.66	19	19	20	19
434	GAINSBOROUGH	4.09	4.08	4.08	22	20	21	21

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., p. cxxi.
† BILLESDON.—The rate of mortality in the 10 years 1861-70 has been corrected for defective registration.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS. 1869-1870	In- mates at Special In- crease Int.	DISTRICT.	NAME OF INSTITUTION.	DEATHS. 1869-1870	In- mates at Special In- crease Int.
(a) COVENTRY . . .	Coventry & Warwicksh. Hoep. .	14	12	25	(c) LEICESTER . . .	Infirmary and Fever House .	87
(b) WARWICK . . .	Warneford Hospital . . .	22	13	55	(f) STAMFORD . . .	Gen. Infirmary (Stamf. & Rutl.)	11
(c) BILLESDON . . .	Leicester Borough Lunatic Asyl.	3	4	10	(g) LINCOLN . . .	County Hospital . . .	30
(d) LOUGHBOROUGH . . .	Infirmary and Dispensary . . .	3	4	10			

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, 1861-70 in the DISTRICTS of ENGLAND—continued.

VII.—NORTH MIDLAND COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	M. 30 18.
	31.—NOTTINGHAMSHIRE.							
435	EAST RETFORD - - - - -	4.15	4.03	4.01	19	19	19	
436	WORKSOP - - - - -	4.35	4.08	3.40	18	20	20	
437	MANSFIELD - - - - -	1.94	1.84	1.68	20	21	22	
438	BASFORD (inc. Ilkeston) - - - - -	1.41	1.27	1.11	21	23	22	
439	BADFORD (inc. pt. of Suburbs of Nottingham, and the County Lunatic Asylum) - - - - -	.28	.24	.21	23	25	23	
	<i>Badford (exclud. Lunatic Asylum)*</i> - - - - -	—	—	—	—	25	22	
440	(a) NOTTINGHAM - - - - -	.03	.03	.02	26	27	24	
441	SOUTHWELL - - - - -	4.64	4.70	4.97	17	19	19	
442	(b) NEWARK - - - - -	3.25	3.10	3.16	20	20	20	
443	BINGHAM - - - - -	4.20	4.27	4.48	18	19	19	
	32.—DERBYSHIRE.							
444	SHARDLOW (inc. Melbourne) - - - - -	2.26	2.31	2.30	20	20	19	
445	(c) DERBY - - - - -	.06	.00	.06	24	24	23	
446	BELPER (inc. Alfreton and Ripley) - - - - -	1.43	1.35	1.26	21	21	22	
447	ASHBORNE - - - - -	4.35†	4.86	5.03	20†	20	20	
448	(d) CHESTERFIELD (inc. Claycross and Staveley) - - - - -	2.23	1.76	1.36	21	22	22	
449	BAKEWELL (inc. Matlock) - - - - -	†	3.36	3.38	†	20	21	
450	(e) CHAPEL-EN-LE-FRITH (inc. Buxton) - - - - -	†	5.30	4.54	†	20	21	
451	HATFIELD - - - - -	1.82	1.58	1.51	22	23	22	

VIII.—NORTH WESTERN COUNTIES.

	33.—CHESHIRE.							
452	(f) STOCKPORT (inc. Hyde) - - - - -	.35	.33	.32	25	26	25	
453	MACCLESFIELD - - - - -	1.37	1.31	1.36	26	25	23	
454	ALTRINCHAM (inc. Sale) - - - - -	2.28	1.98	1.63	21	20	19	
455	RUNCORN - - - - -	1.79	1.74	1.60	22	21	23	
456	NORTHWICH - - - - -	2.17	2.03	1.78	21	22	22	
457	CONGLETON (inc. Sandbach) - - - - -	1.78	1.63	1.55	22	23	22	
458	NANTWICH (inc. Crewe) - - - - -	3.37	2.89	2.35	21	20	20	
459	(g) CHESTER (formerly GREAT BOUGHTON) (inc. County Lunatic Asylum) - - - - -	2.14	1.93	1.71	23	22	23	
	<i>Chester (exclud. County Lunatic Asylum)*</i> - - - - -	—	—	—	—	22	22	
460a	WIRRAL - - - - -	2.52	1.64	4.21	20	19	18	
460b	(h) BIRKENHEAD (inc. Tranmere) - - - - -			.33			23	

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., page cxxl.
† Ashborne includes Bakewell and Chapel-en-le-Frith for the 10 years 1841-50.

DISTRICTS containing INSTITUTIONS for which the Mortality is *not* corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		In Special Institutes at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.	
		1869	1870				1869	1870
(a) NOTTINGHAM	General Hospital - - - - -	58	55	85	(f) STOCKPORT	Infirmery - - - - -	27	31
	Sick Child's Hospital - - - - -	-	1	9		Convalescent Hospital - - - - -	3	3
(b) NEWARK	Hospital and Dispensary - - - - -	8	4	12		Manchester Royal Lunatic Asyl.	See p. c	
(c) DERBY	Derbyshire and General Infirmary - - - - -	63	72	84	(g) CHESTER	General Infirmary - - - - -	38	34
(d) CHESTERFIELD	Chesterfield and North Derbyshire Hospital - - - - -	1	-	12	(h) BIRKENHEAD	Borough Hospital - - - - -	12	11
(e) CHAPL-EN-LE-FRITH	Devonshire Hospital - - - - -	3	3	73		Lying-in Hospital - - - - -	-	-
						Children's Hospital - - - - -	-	1

Density of Population and Annual Mortality, 1841-70.

Density OF POPULATION and ANNUAL MORTALITY in the THREE DECADES 1841-50, 1851-60, and 1861-70 in the DISTRICTS OF ENGLAND—continued.

VIII.—NORTH WESTERN COUNTIES—continued.

No.	DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	34.—LANCASHIRE.							
161	(a) LIVERPOOL - - - - -	·01	·01	·01	36*	33	30	36
162	(b) WEST DERBY (inc. pt. of Liverpool Borough) -	·34	·22	·14	20	23	26	25
163	PRESCOT (inc. Widnes, and County Lunatic Asylum) -	1·14	·89	·67	23	24	24	24
	Prescot (exclud. Lunatic Asylum)†	—	—	—	—	25	25	—
164	(c) ORMSKIRK (inc. Southport) - - - - -	2·47	2·14	1·73	20	19	22	20
165	WIGAN (inc. Hindley) - - - - -	·06	·55	·47	28	27	29	28
166	(d) WARRINGTON - - - - -	·80	·73	·63	26	24	26	25
167	LEIGH (inc. Tyldesley) - - - - -	·07	·61	·61	26	25	26	25
168	(e) BOLTON (inc. Farnworth) - - - - -	·41	·30	·32	27	27	26	27
169	BURY (inc. Heywood) - - - - -	·40	·35	·32	25	23	24	24
170	BARTON-UPON-IRWELL (inc. Stratford) - - - - -	·27	·66	·54	25	22	22	23
171	(f) CHORLTON (inc. pt. of Manchester City) - - - - -	·08	·06	·06	25	21	25	25
172	(g) SALFORD - - - - -	·04	·00	·05	28	26	27	27
173	(h) MANCHESTER (inc. County Lunatic Asylum) -	·06	·05	·05	33	31	33	32
	Manchester (exclud. Lunatic Asylum)†	—	—	—	—	31	32	—
174	(i) ASHTON-UNDER-LYNE (inc. Stalybridge) - - - - -	·35	·30	·29	26	27	25	26
175	OLDHAM - - - - -	·21	·17	·14	26	25	26	26
176	ROCHDALE (inc. pt. of Bacup) - - - - -	·52	·42	·35	24	24	24	24
177	HASLINGDEN (inc. pt. of Bacup) - - - - -	·58	·44	·36	22	22	23	22
178	BURNLEY - - - - -	1·08	·91	·78	23	21	24	24
179	CLITHEROE - - - - -	5·25	5·57	5·74	19	21	20	20
180	(j) BLACKBURN (inc. Oswaldtwistle and Over Darwen) - - - - -	·53	·41	·35	25	26	26	26
181	CHORLEY - - - - -	1·36	1·32	1·29	22	22	25	22
182	(k) PRESTON - - - - -	·78	·66	·60	25	27	28	27
183	FYLDE (inc. Fleetwood-on-Wyre & Blackpool) - - - - -	2·75	2·48	2·10	18	19	21	19
184	BARSTANG - - - - -	4·76	4·87	4·97	16	18	18	17
185a	(l) LANCASTER (inc. County Lunatic Asylum) - - - - -	4·01	3·97	3·69	23	23	22	23
185b	LUNSDALE†	—	—	—	—	21	20	—
186	(m) ULVERSTON (inc. Barrow-in-Furness) - - - - -	5·30	4·58	3·34	18	20	21	20

IX.—YORKSHIRE.

	35.—WEST RIDING.							
187	SEDDERGH - - - - -	11·24	11·80	11·23	18	19	16	18
188	SETTLE - - - - -	10·91	11·56	10·99	20	20	18	19
189	SKIPTON - - - - -	5·92	5·22	4·90	20	21	21	21

* In calculating the mortality of Liverpool, for the 10 years 1841-50, the year 1847 (the year of the Irish famine and immigration) has been omitted; including that year the mortality was 30 annually to every 1000 living.

† The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., page cxxi.

‡ The District of Lunsdale was formed out of the Lancaster District on 1st July 1869; the density and mortality of the new district are included with that of the Lancaster district.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS. In Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS. In Special Inmates at Census 1871.
		1869 1870			1869 1870
(a) LIVERPOOL -	Northern Hospital -	111 137 116	(f) CHORLTON -	Manchester Southern Hospital -	- 1 11
" -	Southern and Toxteth Hospital -	198 109 79	(g) SALFORD -	Royal Hospital and Dispensary -	18 26 2
" -	Royal Infirmary -	160 192 228	(h) MANCHESTER -	Lock Hospital -	- - 2
" -	Children's Infirmary -	25 32 33	" -	St. Mary's Hospital -	17 14 2
" -	Lock Hospital -	- 4 37	" -	Gen. Hosp. & Disp. for Children -	- 51 2
" -	Lunatic Hospital -	5 8 42	" -	Royal Infirmary & Dispensary -	201 51 2
" -	Lying-in Hospital -	8 13 -	" -	Clinical Hospital -	18 9 2
(b) WEST DERBY -	Fever Hospital -	- 166 143	(i) ASHTON-UN. LNE. -	Infirmary -	31 24 4
" -	Hootie Borough Hospital -	- 36 -	(j) BLACKBURN -	Blackburn & E. Lancash. Indry -	- 24 4
(c) ORMSKIRK -	Convalescent Hospital -	4 4 69	(k) PRESTON -	Royal Infirmary -	- 6 3
" -	Hydropathic Hospital -	3 - 40	(l) LANCASTER -	Infirmary and Dispensary -	- 11 -
(d) WARRINGTON -	Haydock Lodge Lunatic Asyl. -	- See p. cxxii -	(m) ULVERSTON -	North Lonsdale Hospital -	- - 1
(e) BOLTON -	Infirmary and Dispensary -	15 13 17			

Density of Population and Annual Mortality, 1841-70.

097

density of POPULATION and ANNUAL MORTALITY in the THREE DECADES 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

IX.—YORKSHIRE—continued.

DISTRICTS.	DENSITY OF POPULATION.			ANNUAL MORTALITY.			
	ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
35.—WEST RIDING—cont.							
PATELEY BRIDGE	8'71	7'87	8'24	19	21	21	20
RIPON	4'49	4'44	4'62	18	20	20	19
GREAT OUSEBURN *	4'37	3'45	3'45	18	18	21	19
(a) KNARESBOROUGH (inc. Harrogate)	3'15	2'45	2'27	20	21	21	20
WETHERBY *	4'35	*	*	18	*	*	*
(b) WHARFEDALE * (inc. Otley and Guiseley) . .	2'78	2'60	*	20	22	*	21
KEIGHLEY (inc. Bingley)	1'12	1'01	1'77	21	23	24	23
TODMORDEN	1'16	1'18	1'13	21	20	22	21
SADDLEWORTH	1'06	1'00	1'08	22	24	23	23
(c) HUDDERSFIELD (inc. Golcar)	1'61	1'56	1'53	22	22	24	23
(d) HALIFAX (inc. Northowram)	1'49	1'46	1'40	22	24	24	23
(e) BRADFORD	1'26	1'21	1'18	25	26	25	25
HUNSLY *	4'47	4'40	4'27	25	24	26	25
HOLBECK *	4'47	4'40	4'27	25	24	26	25
BRAMLEY *	4'47	4'40	4'27	25	24	26	25
(f) LEEDS	1'02	1'02	1'02	20	28	20	20
DEWSBURY (inc. Batley)	1'37	1'30	1'23	23	25	26	25
(g) WAKEFIELD (inc. West Riding Lunatic Asylum)	1'85	1'79	1'69	23	24	26	24
Wakefield (excl. Lunatic Asylum)†	—	—	—	—	23	26	—
POSTRFRACT (inc. Castleford)	2'69	2'04	1'60	21	22	26	22
HEMSWORTH	4'25	4'38	4'38	16	19	19	19
(h) BARNSELY	1'80	1'88	1'68	23	24	25	24
WORTLEY	2'65	2'24	2'24	21	21	21	22
ECCLEALL BIERLOW (inc. pt. of Sheffield Borough)	1'51	1'35	1'23	22	23	23	23
(i) SHEFFIELD	1'11	1'09	1'07	27	28	29	28
ROTTERHAM (inc. Kimberworth)	1'64	1'31	1'04	20	22	24	22
(j) DONCASTER	3'25	2'94	2'68	21	22	24	22
THORNE	4'61	4'51	4'31	21	21	22	21
GOOLE	3'12	2'84	2'68	22	21	23	22
SELBY	3'52	3'54	3'52	21	21	21	21
TADCASTER *	3'97	3'84	*	19	19	*	19
36.—EAST RIDING (WITH YORK).							
(k) YORK (inc. North and East Ridings Lunatic Asylum)	1'84	1'46	1'32	24	24	24	24
York (excl. Lunatic Asylum)†	—	—	—	—	23	23	—
POCKLINGTON	7'02	6'74	6'77	19	19	18	19
HOWDEN	5'28	5'15	5'18	19	23	23	22

For the 10 years 1861-70 the density of population and mortality in the districts of Wetherby (402 c), Wharfedale (406), Tadcaster (514) cannot be given separately from that of Great Ouseburn (402 a) in consequence of numerous and intricate variations having been made since 1861 in the constitution of these four districts.

The districts of Holbeck and Bramley have been formed since 1861, chiefly out of parts of the old district of Hunslet; the areas involved have been so numerous as to render it necessary to give in this Table the density of population and mortality of the three districts combined.

The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b, page cccii.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special Inmates at Census 1871.
		1869	1870				1869	1870	
KNARESBOROUGH	Bath Hospital	5	1	61	(g) WAKEFIELD	Clayton Hos. & Wakef. Gen. Dis.	10	5	3
WHARFEDALE	Cookridge Convalescent Hosp.	—	3	73	(h) BARNSELY	Beckett's Hosp. and Dispensary	2	—	3
"	Ilkley Hospital	—	1	18	(i) SHEFFIELD	Hospital for Women	4	3	7
HUDDERSFIELD	New North Road Infirmary	34	33	9	"	Public Hospital and Dispensary	40	18	63
HALIFAX	Infirmary	30	32	46	"	General Infirmary	136	137	145
BRADFORD	Infirmary	87	85	83	(j) DONCASTER	Infirmary and Dispensary	2	0	19
"	Saltire Infirmary	2	1	—	(k) YORK	York Lunatic Hospital	See p. cccii.		
LEEDS	House of Recovery or Fev. Hos.	79	82	17	"	County Hospital	25	28	84
"	General Infirmary	121	168	202	"	York Retreat Asylum	See p. ccciii.		
"	Hospital for Women & Childn.	1	2	5					

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECADES 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

IX.—YORKSHIRE—continued.

DISTRICTS.		DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean 30 Yrs 1841-
36.—EAST RIDING—cont.								
518	BEVERLEY - - - - -	4'02	3'82	3'78	20	19	20	20
519	SCULCOATES (inc. pt. of Hull Borough) - -	'95	'80	'64	25	22	23	23
520	(a) HULL - - - - -	'08	'02	'02	31	25	26	27
521	PATRINGTON - - - - -	0'87	0'51	0'61	18	20	19	19
522	SKIRLAUGH - - - - -	7'33	7'08	6'94	20	19	19	19
523	DRIFFIELD - - - - -	6'34	5'94	5'78	19	20	21	20
524	BRIDLINGTON - - - - -	4'97	4'74	4'47	21	20	20	20
37.—NORTH RIDING.								
525	SCARBOROUGH (inc. Filey) - - - - -	3'84	3'20	2'63	21	21	21	21
526	MALTON - - - - -	5'18	4'08	5'01	20	19	20	20
527	EASINGWOLD - - - - -	6'04	6'25	6'45	17	18	18	18
528	THIRSK - - - - -	5'05	4'08	5'30	19	18	20	19
529	HELMALBY - - - - -	} 10'61 {	9'06	9'66	} 19 {	19	19	19
530	PICKERING - - - - -		9'65	8'51		19	20	19
531	WHITBY - - - - -	3'94	3'64	3'33	21	20	23	21
532	(b) GUISBROUGH (inc. pt. of Middlesborough) -	8'52	5'64	2'95	16	20	21	19
533	STOKESLEY - - - - -	6'97	7'68	7'18	18	20	19	19
534	NORTHALLERTON - - - - -	9'46	5'55	5'63	18	19	19	19
535	BEDALE - - - - -	4'96	5'17	5'97	18	18	19	18
536	LEYBURN - - - - -	8'40	8'42	8'91	18	17	18	18
537	AYSGARTH (formerly ASKRIGG) - - - - -	14'23	14'36	14'57	19	20	20	20
538	REETH - - - - -	10'97	11'44	12'88	20	20	21	20
539	RICHMOND - - - - -	5'94	5'94	6'00	18	19	18	18

X.—NORTHERN COUNTIES.

38.—DURHAM.								
540	(c) DARLINGTON - - - - -	2'02	2'64	1'06	20	20	21	20
541a	(d) STOCKTON (inc. pt. of Middlesborough, and the County Lunatic Asylum) - - - - -	2'75	1'84	{ 1'30 } { '02 }	21	22	{ 24 } { 22 }	{ 23 } { 23 }
541b	(e) HARTLEPOOL Stockton (exclud. County Lunatic Asylum)* -	—	—	—	—	22	23	—
542	AUCKLAND - - - - -	1'51	1'47	1'08	21	23	24	23
543	THESDALE (inc. Barnard Castle) - - - - -	8'84	8'56	8'04	20	19	19	19
544	WEARDALE - - - - -	7'05	6'35	5'53	20	21	21	21
545	(f) DURHAM - - - - -	2'35	1'77	1'37	23	23	21	23
546	(g) EASINGTON (inc. Seaham Harbour) - - - -	2'05	1'57	1'25	20	20	22	21
547	HOUGHTON-LE-SPRING - - - - -	'91	'78	'04	20	21	24	23
548	CHESTER-LE-STREET - - - - -	1'68	1'36	1'14	20	21	24	23
549	(h) SUNDERLAND (inc. Bishopwearmouth and Monkwearmouth) - - - - -	'10	'15	'11	24	25	24	24
550	SOUTH SHIELDS - - - - -	'48	'38	'26	26	24	24	25
551	(i) GATESHEAD - - - - -	'00	'48	'38	25	26	25	25

* The average number of inmates and the deaths in each year 1861-70 in this Asylum are given in Table b., page ccxi.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.	In-	DISTRICT.	NAME OF INSTITUTION.	DEATHS.	In-
		1869 1870	mates at Special In- census 1871.			1869 1870	mates at Special In- census 1871.
(a) HULL - - -	General Infirmary - - -	109	96 111	(e) HARTLEPOOL -	Hospital and Dispensary - -	9	8
- - -	Borough Lunatic Asylum -	See p. ccxii.		(f) DURHAM - -	County Hospital - - -	12	10
(b) GUISBROUGH -	North Ormesby Cottage Hosp. -	6	28	(g) EASINGTON -	Seaham Harbour Infirmary -	2	5
(c) DARLINGTON -	Hospital and Dispensary - -	4	9 10	(h) SUNDERLAND -	General Infirmary & Dispensary -	43	30
(d) STOCKTON -	North Riding Infirmary - -	7	12 34	(i) GATESHEAD -	Fever and Small-pox Hospital -	13	7

Density of Population and Annual Mortality, 1841-70.

cxxii

DENSITY OF POPULATION and ANNUAL MORTALITY in the THREE DECENNIADS 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

X.—NORTHERN COUNTIES—continued.

DISTRICTS.	DENSITY OF POPULATION. ACRES TO A PERSON.			ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
39.—NORTHUMBERLAND.							
(a) NEWCASTLE-UPON-TYNE	·09	·07	·06	27	27	28	27
(b) TYNEMOUTH (inc. North Shields and Blyth)	·66	·56	·45	24	23	24	24
(c) CASTLE WARD	6·42	6·33	5·73	18	19	19	19
HEKHAM	7·06	6·68	6·40	18	19	20	19
HALTWHISTLE	14·56	13·78	14·08	16	17	17	17
BELLINGHAM	35·15	36·14	34·80	17	14	19	17
MOXPETH (inc. County Lunatic Asylum)	5·76	4·53	3·54	18	19	23	20
Morpeth (exclud. Lunatic Asylum)*	—	—	—	—	19	22	—
(d) ALNWICK	4·96	4·69	4·84	19	19	20	19
BELFORD	5·91	5·99	6·50	17	16	18	17
BERWICK	3·36	2·31	2·46	21	19	20	20
GLENDALE	10·38	10·73	11·64	15	15	15	15
ROTHBURY	23·80	23·04	23·00	15	15	16	15
40.—CUMBERLAND.							
ALSTON	5·74	5·69	6·12	20	20	21	20
PRYTH	8·69	8·44	8·17	18	19	19	19
BRAMPTON	8·94	8·81	9·10	17	17	19	18
LONGTOWN	8·96	8·62	9·43	17	17	19	18
(e) CARLISLE (inc. Cumberland and Westmor- land Lunatic Asylum)	1·82	1·64	1·51	24	23	24	24
Carlisle (exclud. Lunatic Asylum)*	—	—	—	—	—	24	—
WIGTON	5·85	5·87	5·99	19	19	20	19
COCKERMOUTH (inc. Keswick, Maryport, and Workington)	4·69	4·28	3·87	21	22	23	22
(f) WHITEHAVEN (inc. Cleator Moor)	2·77	2·40	2·07	25	23	25	24
BOOTH	15·85	15·36	12·68	16	16	18	17
41.—WESTMORLAND.							
EAST WARD (inc. Appleby)	13·46	12·72	11·43	17	18	16	17
WEST WARD	14·95	14·85	14·94	18	18	18	18
KENDAL	5·50	5·30	5·07	20	19	19	19

XI.—MONMOUTHSHIRE AND WALES.

42.—MONMOUTHSHIRE.							
CHEPSTOW	4·54	4·39	4·48	19	20	19	19
(g) MONMOUTH	3·86	3·53	3·29	19	19	20	19
ABERGAVENNY (inc. Lunatic Asylum belong- ing to the Counties of Monmouth, Brecon, Hereford, and Radnor)	1·60	1·40	1·56	25	25	24	25
BEDWELTY (inc. Tredegar)	—	—	—	—	25	21	—
Abergavenny (exclud. Lunatic Asylum)*	1·94	1·76	1·60	23	23	22	23
PONTYPOOL	2·88	2·32	1·96	24	22	21	23
(h) NEWPORT	—	—	—	—	—	—	—

* The average number of inmates and the deaths in each year 1861-70 in these Asylums, are given in Table 5, p. cxxi.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS. 1869 1870	Special In- mates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS. 1869 1870	Special In- mates at Census 1871.
NEWCASTLE-ON-TYNE.	Infirmary	143 127	164	(d) ALNWICK	Infirmary	— 6	8
"	Children's Hospital	4 3	30	(e) CARLISLE	Cumberland Infirmary	20 16	30
"	Fever Hospital	15 37	16	"	Fever Hospital	1 1	6
"	Lying-in Hospital	1 6	4	(f) WHITEHAVEN	Whitehaven and West Cumber- land Infirmary	38 56	18
TYNEMOUTH.	Walker Hospital & Infirmary	— 9	8	(g) MONMOUTH	General Hospital and Infirmary	3 3	7
CASTLE WARD.	Newcastle Borough Lunatic Asylum (Coxlodge)	See p. cxvii.	—	(h) NEWPORT	Infirmary and Dispensary	5 1	8

Density of Population and Annual Mortality in the THREE DECADES 1841-50, 1851-60, and 1861-70 in the DISTRICTS of ENGLAND—continued.

XI.—MONMOUTHSHIRE AND WALES—continued.

DISTRICTS.		DENSITY OF POPULATION.			ANNUAL MORTALITY.			
		ACRES TO A PERSON.			DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean 30 Yrs 1841-
43.—SOUTH WALES.								
GLAMORGANSHIRE.								
581a	(a) CARDIFF - - - - -	2'98	1'95	{ 1'21 }	22	23	{ 21 }	22
581b	PONTYPRIDD - - - - -	—	—	{ 1'91 }	—	—	{ 23 }	—
582	(b) MERTHYR TYDFIL (inc. Aberdare) - - -	1'74	1'23	—	28	29	25	27
583	BRIDGEND (inc. County Lunatic Asylum) -	4'89	4'89	3'77	19	20	20	20
	<i>Bridgend (exclud. Lunatic Asylum)*</i> - -	—	—	—	—	—	20	—
584	NEATH (inc. Aberavon) - - - - -	4'12	3'10	2'64	22	22	22	22
585a	(c) SWANSEA - - - - -	2'43	1'95	{ '74 }	19	20	{ 22 }	20
585b	GOWER - - - - -	—	—	{ 6'77 }	—	—	{ 20 }	—
CARMARTHENSHIRE.								
586	(d) LLANELLY - - - - -	3'86	2'85	2'34	18	20	21	20
587	LLANDOVERY - - - - -	10'38	10'36	10'73	20	18	19	19
588	LLANDILOFAWE - - - - -	5'54	5'52	5'69	19	19	19	19
589	(e) CARMARTHEN (inc. Lunatic Asylum for Carmarthen, Cardigan, Pembroke, and Haverfordwest) -	4'56	4'61	4'77	20	21	21	21
	<i>Carmarthen (exclud. Lunatic Asylum)*</i> -	—	—	—	—	—	20	—
PEMBROKESHIRE.								
590	NARBERTH - - - - -	5'69	5'75	5'07	18	19	19	19
591	PEMBROKE (inc. Tenby) - - - - -	3'00	2'40	2'20	18	19	19	19
592	(f) HAVERFORDWEST (inc. Milford) - - -	4'47	4'45	4'73	17	21	21	20
CARDIGANSHIRE.								
593	CARDIGAN - - - - -	4'26	4'41	4'73	19	19	19	19
594	NEWCASTLE-IN-EMLYN - - - - -	5'52	5'78	5'98	18	18	18	18
595	LAMPETER - - - - -	7'67	7'62	7'58	18	18	17	18
596	ABERYRON - - - - -	5'04	4'91	4'88	18	20	19	19
597	ABERYSTWITH - - - - -	5'77	5'39	5'01	18	19	20	19
598	TREGARON - - - - -	11'82	11'55	11'40	18	18	16	17
BRECKNOCKSHIRE.								
599	BUILTUP - - - - -	12'67	12'37	12'43	16	18	19	18
600	(g) BRECKNOCK - - - - -	10'97	11'10	11'24	21	21	20	21
601	CRICKHOWELL - - - - -	2'73	2'43	2'52	27	25	23	25
602	HAY - - - - -	8'05	8'24	8'50	20	22	20	21
RADNORSHIRE.								
603a	KINGTON† (inc. Radnor) - - - - -	7'08	7'10	6'92	19	19	20	19
603b	PRESTEIGNE - - - - -	—	—	—	—	—	—	—
604	KNIGHTON - - - - -	10'76	10'18	9'77	18	16	19	18
605	RHAYADER - - - - -	15'61	15'51	15'47	18	18	18	18

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table b., page cxxi.

† The new district of Kington (603a) was formed out of the district of Presteigne (603b) on 1st April 1870; the density and mortality of the new district are included with that of the district of Presteigne.

DISTRICTS containing INSTITUTIONS for which the Mortality is *not* corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special In- mates at Census 1871.	DISTRICT.	NAME OF INSTITUTION.	DEATHS.		Special In- mates at Census 1871.
		1869	1870				1869	1870	
(a) CARDIFF - -	Infirmity and Dispensary - -	24	31	27	(d) LLANELLY - -	Hospital - -	33	33	33
" - -	Hospital Ship - -	10	16	25	(e) CARMARTHEN -	General Infirmary - -	6	6	6
(b) MERTHYR TYDFIL	Tydfil Well Hospital - -	7	8	8	(f) HAVERFORDWEST	Infirmary - -	8	8	8
(c) SWANSEA - -	Fever Hospital - -	3	3	9	(g) BRECKNOCK - -	General Infirmary - -	8	8	8
" - -	New Hospital - -	9	9	27					

Density of Population and Annual Mortality, 1841-70.

Density of Population and Annual Mortality in the THREE DECENNIADS 1841-50, 1851-60, 1861-70 in the DISTRICTS of ENGLAND—continued.

XI.—MONMOUTHSHIRE AND WALES—continued.

DISTRICTS.		DENSITY OF POPULATION. ACRES TO A PERSON.			ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	M. 80 18.
44.—NORTH WALES.								
MONTGOMERYSHIRE.								
606	MACHYNLLETH - - - - -	9.55	9.52	9.07	10	21	22	
607	NEWTOWS (inc. Llanidloes) - - -	7.42	7.76	7.83	21	21	21	
608	FORDEN (formerly MONTGOMERY) (inc. pt. of Welshpool) - - -	4.30	4.74	4.63	20	19	20	
609	LLANFYLLIN (inc. pt. of Welshpool) - - -	8.65	8.61	8.66	19	19	20	
FLINTSHIRE.								
610	HOLYWELL (inc. Flint and Mold) - - -	1.97	1.99	1.93	21	21	23	
DENBIGHSHIRE.								
611	(a) WREXHAM (inc. Rumbon) - - - - -	2.12	1.79	1.54	23	22	24	
612	BUTHIN - - - - -	5.55	5.64	5.90	19	19	20	
613	(b) ST. ASAPH (inc. Rhyl, and North Wales Lunatic Asylum) - - -	3.85	3.56	3.39	19	21	23	
	St. Asaph (exclud. Lunatic Asylum)* - - -	—	—	—	—	20	22	
614	LLANERWT - - - - -	8.12	7.97	7.79	19	19	19	
MERIONETHSHIRE.								
615	CORWEY (inc. Llangollen) - - - - -	8.12	7.85	7.61	17	18	20	
616	BALA - - - - -	8.52	8.91	9.00	18	18	18	
617	DOLGELLY - - - - -	11.09	11.41	10.84	18	18	21	
618	(c) FESTINIOG - - - - -	8.77	9.05	6.51	18	19	22	
CARNARONSHIRE.								
619	PWLLHELI - - - - -	4.30	4.37	4.42	17	18	18	
620	CARNARVON - - - - -	3.31	3.11	2.73	20	22	23	
621	(d) BANGOR - - - - -	3.26	3.07	2.97	21	21	22	
622	CONWAY (inc. Llandudno) - - - - -	5.12	4.48	4.00	19	18	20	
ANGLESEY.								
623	ANGLESEY (inc. Holyhead) - - - - -	3.41	3.16	3.36	17	19	21	

* The average number of inmates and the deaths in each year 1861-70 in this Asylum, are given in Table b., page cxxi.

DISTRICTS containing INSTITUTIONS for which the Mortality is not corrected.

DISTRICT.	NAME OF INSTITUTION.	DEATHS.		In- ma- tes in 1871	DISTRICT.	NAME OF INSTITUTION.	DEATHS.	
		1869	1870				1869	1870
(a) WREXHAM - -	Infirmiry and Dispensary - -	5	1	3	(d) BANGOR - -	Carnarvonsh. & Anglesey Infirry.	5	1
(b) ST. ASAPH - -	Denbighshire Infirmiry - -	12	9	32	" - -	Penrhyn Hospital - -	5	5
(c) FESTINIOG - -	Quarry Hospital - -	8	4	8				

Hospitals and Lunatic Asylums in Districts.

TABLE (a).—Institutions for which CORRECTIONS have been made in the Mortality of London Districts, 1861-70.

DISTRICT IN WHICH INSTITUTION IS SITUATE.	NAME OF INSTITUTION.	DEATHS REGISTERED.											SPECIAL INMATE
		1861	1862	1863	1864	1865	1866	1867	1868	1869	1870	Annual Average	
1 KENSINGTON -	St. Mary's Hospital - - -	171	168	180	200	178	191	151	215	174	183	182.0	147
" "	Consumption Hospital - - -	127	121	142	161	150	127	135	138	144	142	138.7	187
2 CHELSEA -	Workh. belong. to ST. GEO., HAN. SQ.	29	24	30	38	25	41	44	34	39	37	34.2	320
3 ST. GEO., HAN. SQ.	St. George's Hospital - - -	297	318	311	318	340	343	338	370	333	335	332.3	313
" "	Westminster Hospital - - -	143	186	147	183	182	174	164	182	166	205	173.3	144
7 MARYLEBONE	Middlesex Hospital - - -	235	293	247	300	236	292	254	260	283	301	263.6	239
9 PANCRAZ -	Workh. belong. to STRAND -	119	144	107	146	99	111	118	91	79	114	112.3	364
" "	University College Hospital -	161	155	169	216	208	211	211	235	235	211	200.2	119
" "	Royal Free Hospital - - -	63	95	77	109	108	129	76	88	80	112	93.7	92
10 ISLINGTON -	London Fever Hospital - - -	118	466	335	639	631	668	455	535	318	454	483.9	24
" "	Small-pox Hospital - - -	31	56	290	103	162	200	239	119	52	200	150.5	17
" "	Workh. belong. to LONDON CITY -	-	-	-	-	96	101	98	92	88	67	78.7	-
11 HACKNEY -	Workh. belong. to LONDON CITY -	99	136	86	131	138	121	129	115	124	112	121.1	287
" "	German Hospital - - -	32	65	50	75	64	90	93	73	88	95	75.1	49
13 STRAND -	Charing Cross Hospital - - -	79	81	78	101	89	74	64	133	121	123	93.4	86
" "	King's College Hospital - - -	147	159	180	215	207	234	183	235	182	167	190.9	118
14 HOLBORN -	Hospital for Sick Children -	99	73	77	81	82	71	75	83	67	87	79.8	46
19 LONDON CITY	St. Bartholomew's Hospital -	611	653	577	628	584	565	565	595	574	530	586.2	535
20 SHOREDITCH	Workh. belong. to HOLBORN -	174	234	240	255	218	205	227	259	250	116	215.6	684
22 WHITECHAPEL	London Hospital - - -	308	324	418	452	396	738	444	546	479	600	475.8	310
24b MILE END OLD TN.	Workh. belong. to LONDON CITY {	31	40	24	37	19	19	5	13	6	12	20.9	207
25 POPLAR -	Workh. belong. to STEPNEY - -	144	163	123	156	151	172	141	134	132	140	145.6	309
" "	Workh. belong. to STEPNEY - -	-	-	32	200	138	146	125	155	146	162	135.0	-
26 ST. SAVR., STHWK.	Guy's Hospital - - -	448	458	494	487	505	511	510	488	495	497	492.3	484
27 ST. OLAVE, STHWK.	St. Thomas's Hospital - - -	378	221	199	231	201	197	191	205	183	202	219.9	429
32 WANDSWORTH	Surrey County Lunatic Asylum -	See Table b., below.											
35 GREENWICH -	Seamen's Hospital - - -	115	128	116	111	98	108	97	96	106	108	108.3	172

TABLE (b).—Lunatic Asylums for which CORRECTIONS have been made in the Mortality of Districts, 1861-70.

[The average number of Inmates and the Deaths in each year are taken from the Lunacy Commissioners' Reports.]

DISTRICT IN WHICH ASYLUM IS SITUATE.	DESCRIPTION OF ASYLUM.		YEARS.											AVERAGE ANNUAL DEATHS
			1861	1862	1863	1864	1865	1866	1867	1868	1869	1870		
32	WANDSWORTH -	Surrey County Asylum - - {	Average Inmates	924	906	915	913	913	907	910	912	91	911	911
			Deaths - - -	57	48	58	74	65	65	47	58	66	74	62
39	GUILDFORD -	Surrey County Asyl. (Brook-wood).	Average Inmates	-	-	Opened June 1867			-	-	442	546	640	542
			Deaths - - -	-	-	-			-	-	51	56	60	53
44	REIGATE -	Earlswood Idiot Asylum - - {	Average Inmates	318	332	344	370	412	434	438	467	482	490	458
			Deaths - - -	23	33	47	10	13	31	31	23	31	22	26
50	DARTFORD -	London City Asylum - - -	Average Inmates	-	-	Opened April 1866			-	-	253	271	265	265
			Deaths - - -	-	-	-			-	-	22	16	23	20
58	MAIDSTONE -	Kent County Asylum - - -	Average Inmates	614	628	688	686	732	755	753	845	879	1109	768
			Deaths - - -	84	53	90	90	73	86	73	90	100	110	87
84	LEWES -	Sussex County Asylum - - -	Average Inmates	420	481	490	473	608	535	535	614	633	676	540
			Deaths - - -	46	40	43	37	65	70	72	52	64	37	36
98	FAREHAM -	Hants County Asylum - - -	Average Inmates	543	570	582	596	567	604	613	620	638	622	591
			Deaths - - -	55	67	66	90	93	70	60	78	61	73	70
123	ABINGDON -	Oxford Berks } Joint Counties Asyl.	Average Inmates	484	490	488	478	468	483	507	491	491	507	498
			Deaths - - -	69	65	67	70	42	33	62	47	74	60	59
130	EASTHAMPTON	Broadmoor State Criminal Lunatic Asylum - - -	Average Inmates	-	-	Opened June 1863			209	395	436	433	432	438
			Deaths - - -	-	-	-			13	18	10	7	14	11
133	UXBRIDGE -	Middlesex County Asylum (Hanwell) - - -	Average Inmates	1391	1473	1559	1600	1613	1704	1727	1710	1714	1776	1631
			Deaths - - -	141	165	147	203	203	169	177	105	173	182	166
136	BARNET -	Middlesex County Asylum (Colney Hatch) - -	Average Inmates	1837	1860	1896	1945	2012	2028	2076	2020	2034	2048	1976
			Deaths - - -	202	167	173	201	198	169	174	190	204	187	188
151	AYLESBURY -	Bucks County Asylum - - -	Average Inmates	254	270	283	286	284	310	322	342	398	419	316
			Deaths - - -	18	30	30	33	29	25	53	32	30	31	31
109	NORTHAMPTON -	Northampton County Lunatic Hospital - - -	Average Inmates	333	372	386	418	430	419	433	447	447	433	414
			Deaths - - -	31	34	37	41	38	46	45	48	57	44	42
0	"	Beds, Hants, and Hants Joint Counties Asylum - - -	Average Inmates	448	470	500	500	517	520	517	523	561	561	561
			Deaths - - -	47	66	43	64	50	74	56	54	70	58	58

Asylum for the county of Berks situate in the Wallingford district (12c) was opened in September 1870.

Lunatic Asylums in Districts.

ccxi

Lunatic Asylums for which CORRECTIONS have been made in the Mortality of Districts, 1861-70—continued.

DISTRICT IN WHICH ASYLUM IS SITUATE.	DESCRIPTION OF ASYLUM.	—	YEARS.										Average Annual Deaths, 1861-70.		
			1861	1862	1863	1864	1865	1866	1867	1868	1869	1870			
MERTON	Cambridge & I. of Ely Asylum	Average Inmates Deaths	229 28	255 27	278 31	288 25	288 29	306 33	272 31	284 25	291 48	277 22	276.8 29.9		
BILLERICAY	Essex County Asylum	Average Inmates Deaths	460 42	483 39	508 52	531 65	548 57	563 57	582 77	594 48	593 60	615 55	547.7 55.2		
WOODBRIDGE	Suffolk County Asylum	Average Inmates Deaths	398 53	322 33	338 50	346 41	364 36	362 36	370 54	377 41	404 61	400 42	361.1 46.7		
BLOFIELD	Norfolk County Asylum	Average Inmates Deaths	368 45	367 34	373 41	380 44	388 51	389 45	382 43	412 36	424 55	456 40	393.9 43.4		
DEVIZES	Wilts County Asylum	Average Inmates Deaths	351 48	372 29	384 53	386 47	402 43	415 49	421 62	435 46	444 46	447 63	405.7 48.6		
DORCHESTER	Dorset County Asylum	Average Inmates Deaths	185 12	190 11	200 9	278 27	342 29	434 25	461 37	472 26	482 37	490 39	353.4 24.3		
ST. THOMAS	Devon County Asylum	Average Inmates Deaths	585 52	651 56	662 77	674 82	690 73	674 104	658 60	696 66	692 84	708 68	666.5 72.2		
BODMIN	Corwall County Asylum	Average Inmates Deaths	328 36	339 34	358 31	375 36	394 40	404 41	413 53	439 45	455 38	460 58	396.5 41.2		
WELLS	Somerset County Asylum	Average Inmates Deaths	447 43	471 41	488 41	515 60	505 60	491 61	483 48	534 72	589 92	649 71	518.2 58.8		
GLOUCESTER	Gloucester County Asylum	Average Inmates Deaths	518 64	546 51	573 57	600 63	600 70	596 57	587 62	588 70	595 71	604 66	580.7 63.1		
BREWSBURY	Salop and Montgomery Joint Counties Asylum	Average Inmates Deaths	363 29	380 43	396 37	405 40	390 63	428 52	467 40	480 55	485 48	505 42	429.9 44.9		
STAFFORD	Stafford County Asylum	Average Inmates Deaths	509 64	492 62	483 87	513 76	481 78	484 80	519 84	500 88	509 88	512 98	500.2 80.5		
SPRATTON-UPON- TRENT	Derby County Asylum	Average Inmates Deaths	299 37	318 42	324 45	324 39	333 27	329 39	339 46	367 45	367 50	379 40	337.9 41.1		
RICFIELD	Stafford County Asy. (Burnt- wood)	Average Inmates Deaths	Opened December 1864					141 5	207 8	220 19	308 19	494 50	550 41	320.0 23.7	
SPRATTON-ON- SEVERN	Worcester County Asylum	Average Inmates Deaths	389 41	416 45	435 54	499 70	512 47	558 53	587 64	603 71	627 67	641 79	526.7 59.1		
WARWICK	Warwick County Asylum	Average Inmates Deaths	341 32	352 40	350 38	391 38	389 38	413 34	455 47	436 42	453 43	459 33	403.9 37.5		
LEICESTER	Leicester and Rutland Joint Counties Asylum	Average Inmates Deaths	392 46	388 46	391 21	384 47	397 36	397 39	402 28	458 38	484 53	411 39	410.4 38.4		
LINCOLN	Lincoln County Asylum	Average Inmates Deaths	405 40	432 38	438 48	444 43	456 43	514 57	529 62	562 76	572 65	578 61	493.0 53.3		
LADFORD	Nottingham County Asylum	Average Inmates Deaths	293 39	305 37	320 38	326 40	335 41	347 42	337 43	343 42	339 48	353 48	320.8 40.9		
CHESTER	Chester County Asylum	Average Inmates Deaths	341 35	422 46	435 58	461 84	464 39	466 56	497 59	529 81	535 77	535 87	468.5 58.2		
PRESCOT	Lancaster County Asylum (Rainhill)	Average Inmates Deaths	641 91	685 82	666 66	664 59	661 77	657 62	665 85	670 58	670 45	671 57	663.9 68.2		
MANCHESTER	Lancaster County Asylum (Prestwich)	Average Inmates Deaths	505 68	506 53	569 54	911 138	972 123	984 109	985 120	986 119	993 121	1001 157	841.2 104.2		
LANCASTER	Lancaster County Asylum (Lancaster Moor)	Average Inmates Deaths	733 63	740 56	745 76	796 62	799 55	805 77	945 86	991 118	1023 101	1026 78	860.3 77.0		
WAKEFIELD	York: West Riding Asylum	Average Inmates Deaths	996 167	1027 170	1044 154	1075 166	1126 188	1118 195	1179 151	1241 125	1308 175	1455 161	1165.9 165.2		
YORK	York: North Riding Asylum	Average Inmates Deaths	485 42	492 35	493 43	501 49	500 65	497 58	487 47	513 44	534 53	531 54	505.5 49.2		
STOCKTON	Durham County Asylum	Average Inmates Deaths	326 26	378 42	387 37	410 41	403 50	398 36	446 49	480 58	505 81	539 60	426.3 48.9		
MORPETH	Northumberland County Asy.	Average Inmates Deaths	185 11	210 14	222 17	243 17	266 29	284 38	290 25	311 34	338 38	363 42	272.7 25.5		
CARLISLE	Cumberland and Westmorland Joint Counties Asylum	Average Inmates Deaths	Opened Jan. 1862					175 10	209 11	225 27	237 15	244 31	362 25	362 28	276.3 20.0
BERGAVENNY	Monmouth, Hereford, Brecon, & Radnor Joint Counties Asy.	Average Inmates Deaths	414 49	426 39	459 50	456 45	458 45	461 34	473 41	497 45	509 41	518 71	467.1 46.2		
BRIDGEND	Glamorgan County Asylum	Average Inmates Deaths	Opened Nov. 1864					126 6	255 13	300 20	344 35	361 38	386 33	297.0 24.2	
CARMARTHEN	Carmarthen, Cardigan, Pem- broke, and Haverfordwest Joint Asylum	Average Inmates Deaths	Opened September 1865					149 24	183 21	199 15	231 18	289 23	300.2 20.6		
ST. ASAPH	Denbigh, Anglesey, Carnarvon, Flint, and Merioneth Joint Counties Asylum	Average Inmates Deaths	232 21	232 22	262 33	271 33	306 33	362 36	379 59	392 55	382 51	388 63	320.6 42.6		

*Lunatic Asylums in Districts.***TABLE (c).—Lunatic Asylums for which CORRECTIONS have not been made in the Mortality of Districts, 1861-70.**

DISTRICT IN WHICH ASYLUM IS SITUATE.	DESCRIPTION OF ASYLUM.	—	YEARS.										Average	
			1861	1862	1863	1864	1865	1866	1867	1868	1869	1870		
14	HOLBORN - -	St. Luke's Hospital - -	Average Inmates -	152	158	158	163	145	134	133	147	132	140	
			Deaths -	11	12	6	8	15	10	9	11	11	5	
20	SHOREDITCH -	Hoxton House Asylum - -	Average Inmates -	178	203	222	238	245	244	280	298	319	321	
			Deaths -	16	25	25	29	37	46	37	39	47	32	
21	BETHNAL GREEN	Bethnal House Asylum*	Average Inmates -	223	270	310	304	327	348	353	368	385	379	
			Deaths -	18	41	33	47	37	69	46	38	28	33	
25	POPLAR - -	Grove Hall Asylum - -	Average Inmates -	308	331	344	367	383	390	402	425	442	443	
			Deaths -	37	49	28	50	63	65	55	50	47	37	
26	ST. SAV. STEWK.	Bethlehem Hospital - -	Average Inmates -	344	327	333	263	254	253	242	244	252	266	
			Deaths -	23	19	21	19	27	21	30	26	30	32	
33	CAMBERWELL -	Camberwell House Asylum -	Average Inmates -	283	328	328	328	330	333	358	400	399	391	
			Deaths -	42	37	30	37	36	37	60	44	44	37	
"	"	Peckham House Asylum - -	Average Inmates -	257	312	313	313	311	307	316	319	326	323	
			Deaths -	39	49	37	33	44	45	53	37	43	37	
228	YARMOUTH -	Royal Naval Lunatic Hospital	Average Inmates -	151	154	141	156	160	163	173	179	182	182	
			Deaths -	20	15	19	19	20	13	19	16	22	20	
234	NORWICH - -	Norwich Asylum - -	Average Inmates -	Opened March 1864			90	89	96	98	99	100	101	
			Deaths -				5	7	14	12	12	15	10	
"	"	Bethel Hospital - -	Average Inmates -	77	77	76	76	77	77	78	79	74	72	
			Deaths -	2	4	7	2	6	4	2	1	9	8	
263	ALDERBURY -	Fisherton House Asylum -	Average Inmates -	309	420	447	434	361	382	485	523	565	522	
			Deaths -	26	30	36	25	25	33	37	78	83	85	
330	CLIFTON - -	Bristol City Asylum - -	Average Inmates -	142	168	195	202	204	217	218	228	220	235	
			Deaths -	26	30	24	33	27	23	23	30	32	26	
367	STAFFORD - -	Coton Hill Institution for the Insane - -	Average Inmates -	122	122	121	123	129	135	135	137	131	135	
			Deaths -	4	5	7	6	8	5	12	5	15	10	
394	BIRMINGHAM -	Birmingham Boro' Asylum -	Average Inmates -	360	400	485	534	567	590	604	604	614	602	
			Deaths -	30	50	50	65	69	79	78	70	76	68	
410	BILLESDON -	Leicester Boro' Asylum - -	Average Inmates -	Opened September 1869										236
			Deaths -											21
452	STOCKPORT -	Manchester Lunatic Hospital	Average Inmates -	79	82	90	95	106	120	116	120	125	130	
			Deaths -	5	7	4	5	16	13	19	10	19	12	
466	WARRINGTON -	Haydock Lodge Asylum - -	Average Inmates -	150	218	240	121	123	208	198	228	226	230	
			Deaths -	16	20	59	9	27	58	46	40	43	27	
515	YORK - -	York Lunatic Hospital - -	Average Inmates -	146	163	173	176	175	174	174	179	185	182	
			Deaths -	14	10	9	11	13	12	13	9	12	13	
"	"	York Retreat Asylum - -	Average Inmates -	122	154	122	124	129	133	134	137	139	134	
			Deaths -	6	5	8	5	3	6	11	6	12	8	
520	HULL - -	Hull Boro' Asylum - -	Average Inmates -	95	102	112	116	121	123	131	144	158	158	
			Deaths -	16	11	8	10	19	14	13	11	17	29	
554	CASTLE WARD -	Newcastle-on-Tyne Boro' Asy.	Average Inmates -	Opened June 1865				122	130	142	155	221		
			Deaths -					11	10	17	16	32		

* A small part of this Asylum extends into the Mile End Old Town district (24 b.)

Note.—Two Metropolitan District Asylums, one situate at Caterham in the Godstone district (45) and the other at Leavesden in the district (145) were opened in October 1870.

ccxiii

ENGLAND.

AVERAGE ANNUAL RATE

OF

MORTALITY

FROM

ALL CAUSES AT DIFFERENT AGES

TO

100 Living during the 10 Years

1861-70.

NOTE.

IN several Districts changes have been made between 1861 and 1871, and in such cases the Enumerated Population at the different Ages in 1861 will not refer to the same limits of District as the Enumerated Population in 1871.

CASE I.—Suppose a Parish is removed from District A. and added to District B. in 1868, then the Deaths in that Parish will be returned with District A. for eight years, and with District B. for two years (of the ten years 1861–70). And the Population of the Parish will be included in District A. in 1861, but not in 1871; consequently the Enumerated Population of District B. will include the Parish in 1871, but not in 1861.

To estimate the Population.

District A.—As the Parish formed part of the District (A.) in 1861, and for eight years subsequently, add the Population of the Parish in 1871 to the Population of the District in 1871; the correct years of life are obtained in the way explained below.

District B.—As the Parish did not form part of the District (B.) until 1868, subtract the Population of the Parish in 1871 from the Population of the District in 1871.

NOTE.—The Population at each age in the Parish is obtained by assuming that the Males and Females are distributed in the same proportion at each age as the Males and Females in the Sub-district in 1871, of which the Parish formed part for eight years out of the ten years.

To estimate the Years of Life.

(The Years of Life = the Mean Population 1861–71 \times 10.)

District A. contains the Deaths in the Parish for eight years only (out of the ten years); and as the Years of Life of the Parish are included for the whole of the ten years, subtract the Years of Life for two years from the Mean Population of the District \times 10.

District B.—Add the Years of Life extending over two years of the Parish to the Mean Population of the District \times 10.

CASE II.—If the change in the constitution of a District took place, say in 1863 or 1864, the above rules are applicable to the Population in 1861.

In cases where changes in the limits of Districts have taken place during the ten years, the nature of the changes, and the dates when they were made, are recorded in a Table, pp. 370–399, in the Registrar-General's Thirty-third Annual Report.

PUBLIC INSTITUTIONS.

In many Districts the mortality is increased by the circumstance of large Public Institutions being situated in them. A tabular statement of the Institutions likely to disturb the rate of mortality is given at the foot of pp. xlv–lxiii, showing the number of Special Inmates enumerated on the 3rd April 1871, and the Deaths registered during the years 1869 and 1870. The presence of such Institutions in any District is indicated in the following Table by *H* for Hospitals and Infirmaries, *L* for Lunatic Asylums, and *w* for Workhouse belonging to another District; repetitions of these letters show the number of such Institutions in any District.

Mortality of Males and Females at different Ages.

ccxv

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70.**

No.	DIVISIONS.	SEX.	All Ages.	Ages.											
				Under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.
	ENGLAND	M.	2'361	7'316	'815	'446	'616	'845	'990	1'346	1'916	3'300	6'069	14'658	31'357
		F.	2'128	6'343	'776	'448	'662	'796	'968	1'203	1'555	2'777	5'880	13'443	28'364
I.	LONDON	M.	2'655	8'691	'937	'424	'582	'823	1'086	1'714	2'568	4'385	8'283	16'902	32'142
		F.	2'234	7'632	'885	'407	'510	'622	'880	1'284	1'852	3'345	6'723	14'654	29'142
II.	SOUTH EASTERN COUNTIES	M.	2'013	5'541	'663	'367	'568	'769	'984	1'295	1'683	2'796	5'852	13'728	30'957
		F.	1'813	4'683	'645	'405	'623	'739	'875	1'089	1'542	2'355	5'383	12'684	28'239
III.	SOUTH MIDLAND COUNTIES	M.	2'110	6'187	'638	'357	'478	'738	'873	1'140	1'570	2'752	6'021	14'430	32'532
		F.	1'928	5'219	'628	'406	'659	'771	'891	1'066	1'314	2'404	5'484	13'420	29'312
IV.	EASTERN COUNTIES	M.	2'081	5'851	'691	'391	'564	'831	'883	1'035	1'386	2'448	5'489	13'175	29'458
		F.	1'938	4'991	'675	'470	'720	'863	'937	1'049	1'264	2'145	4'743	11'999	27'376
V.	SOUTH WESTERN COUNTIES	M.	2'098	5'615	'629	'383	'538	'830	'967	1'168	1'583	2'724	5'874	13'710	31'166
		F.	1'899	4'825	'611	'413	'626	'768	'871	'996	1'236	2'236	5'182	12'952	28'058
VI.	WEST MIDLAND COUNTIES	M.	2'306	7'269	'743	'414	'533	'715	'879	1'223	1'824	3'259	6'746	14'827	32'261
		F.	2'075	6'314	'704	'408	'582	'707	'872	1'102	1'417	2'652	5'878	13'524	29'092
VII.	NORTH MIDLAND COUNTIES	M.	2'146	6'655	'668	'408	'572	'790	'818	'993	1'432	2'662	5'895	13'798	30'621
		F.	2'024	5'609	'640	'454	'761	'893	1'018	1'086	1'335	2'470	5'488	13'269	29'586
VIII.	NORTH WESTERN COUNTIES	M.	2'797	9'286	1'052	'526	'746	'932	1'129	1'659	2'485	4'332	8'351	16'935	34'970
		F.	2'479	8'183	'968	'487	'719	'873	1'119	1'493	2'092	3'745	7'559	15'140	28'785
IX.	YORKSHIRE	M.	2'513	8'269	'893	'523	'709	'888	'962	1'298	1'911	3'540	7'263	16'024	32'417
		F.	2'289	7'022	'843	'523	'807	'926	1'068	1'247	1'535	2'954	6'443	14'670	29'140
X.	NORTHERN COUNTIES	M.	2'318	7'370	'912	'525	'697	'826	'913	1'192	1'778	3'228	6'858	15'147	30'901
		F.	2'227	6'534	'900	'468	'690	'852	1'040	1'215	1'517	2'767	5'953	13'947	28'761
XI.	MONMOUTHSHIRE AND WALES	M.	2'219	6'012	'866	'556	'791	1'159	1'118	1'275	1'686	2'874	6'102	13'291	28'752
		F.	2'059	5'310	'822	'512	'733	'968	1'093	1'219	1'397	2'370	5'012	11'494	25'818

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.											
					Under 1 Years.											
					5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 and upwards.	
I.—LONDON.																
No.	MIDDLESEX (part of).															
1	KENSINGTON HHHH - - -	M.	2'479	7'992	'833	'412	'012	'552	1'022	1'539	2'004	3'744	7'502	14'309	32'597	
		F.	1'791	6'749	'818	'399	'483	'507	'697	'992	1'426	2'061	3'900	13'738	29'048	
2	CHELSEA wHHH - - -	M.	2'751	8'843	'947	'345	'075	'034	'015	1'024	2'491	4'149	8'204	18'511	31'923	
		F.	2'320	7'868	'707	'308	'410	'623	'845	1'226	1'798	3'038	6'723	15'631	28'202	
3	ST. GEORGE HANOVER-SQ. HH -	M.	2'688	8'473	1'050	'533	'712	'800	1'345	2'012	3'165	4'793	8'742	17'973	36'000	
		F.	1'761	7'001	'909	'541	'501	'436	'705	1'047	1'764	3'066	6'278	13'007	26'167	
4	WESTMINSTER HH* - - -	M.	3'011	10'040	1'046	'423	'064	'859	1'297	2'171	3'063	5'213	9'014	16'982	38'730	
		F.	2'353	9'421	1'045	'433	'699	'727	1'040	1'585	2'087	3'839	7'801	13'075	24'694	
6	WESTMINSTER ST. JAMES † HH -	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	MARYLEBONE HHHHH - - -	M.	2'803	9'913	'989	'485	'568	'700	1'015	1'571	2'511	4'638	8'767	15'832	32'770	
		F.	2'283	8'487	'916	'393	'482	'530	'833	1'295	1'908	3'371	7'127	14'745	30'328	
8	HAMPSTEAD H - - -	M.	1'980	5'592	'834	'372	'604	'767	'825	1'155	1'743	3'031	7'096	16'364	30'000	
		F.	1'247	4'706	'329	'388	'300	'306	'503	'709	1'140	2'487	5'012	12'619	25'714	
9	PANCRAS wHH - - -	M.	2'396	8'033	'919	'404	'492	'736	'944	1'506	2'517	4'322	8'499	17'991	40'984	
		F.	2'209	7'279	'845	'394	'463	'571	'825	1'247	1'866	3'345	7'039	16'223	30'411	
10	ISLINGTON wHHH - - -	M.	2'645	7'874	'071	'518	'833	1'202	1'192	1'733	2'449	4'399	8'083	15'733	32'157	
		F.	2'240	7'045	'893	'610	'689	'767	1'084	1'437	2'033	3'292	6'425	14'630	31'667	
11	HACKNEY wH - - -	M.	2'309	6'835	'712	'431	'535	'865	1'104	1'493	2'196	3'721	8'079	15'985	30'236	
		F.	1'885	5'899	'707	'352	'367	'534	'789	1'095	1'525	2'833	6'167	14'180	28'034	
12	ST. GILES H - - -	M.	2'027	11'740	1'047	'328	'488	'642	'917	1'377	2'791	4'619	9'157	20'070	36'220	
		F.	2'575	10'642	1'039	'423	'411	'524	'900	1'579	2'300	4'039	7'818	14'828	27'639	
13	STRAND HH† - - -	M.	2'739	10'073	1'108	'500	'536	'705	1'180	2'000	2'939	5'015	8'500	17'045	30'769	
		F.	2'294	8'226	1'010	'500	'475	'617	'920	1'393	2'118	3'931	7'107	13'562	27'356	
14	HOLBORN HHHHHH‡ - - -	M.	2'643	10'162	1'138	'328	'458	'649	'874	1'475	2'410	4'098	8'032	17'211	38'333	
		F.	2'470	9'220	1'064	'356	'415	'571	'891	1'322	1'913	3'489	7'344	13'770	25'327	
15	EAST LONDON HH‡ - - -	M.	2'405	9'493	1'002	'330	'374	'481	'817	1'700	2'324	3'673	7'401	13'056	24'167	
		F.	2'266	9'185	1'052	'330	'394	'419	'819	1'743	'853	3'012	6'116	12'333	22'333	
16	WEST LONDON H‡ - - -	M.	5'773	15'424	2'363	'187	'211	2'770	4'329	6'083	8'033	9'776	13'007	24'167	27'778	
		F.	4'290	10'230	2'028	'276	2'135	2'491	2'579	3'799	4'871	7'052	8'500	17'302	32'060	
17	LONDON CITY‡ - - -	M.	1'031	8'567	'940	'286	'316	'384	'806	1'609	2'279	3'835	7'287	14'931	29'000	
		F.	1'608	6'922	'949	'386	'283	'402	'529	'948	1'371	2'330	5'148	10'979	21'071	
20	SHOREDITCH wHL - - -	M.	2'682	9'022	'913	'298	'512	'641	'898	1'523	2'422	4'807	9'218	20'544	32'105	
		F.	2'491	8'134	'818	'314	'512	'633	'895	1'356	2'084	3'782	7'550	16'338	31'649	
21	BETHNAL GREEN HL - - -	M.	2'681	9'317	'904	'297	'469	'792	'944	1'476	2'343	4'035	7'710	16'172	30'323	
		F.	2'462	8'327	'933	'365	'548	'798	'914	1'213	1'840	3'469	6'745	14'936	28'986	
22	WHITECHAPEL H - - -	M.	3'686	11'460	1'596	'614	'859	1'352	1'766	3'139	4'325	7'178	10'687	18'768	33'556	
		F.	3'115	10'209	1'262	'563	'727	1'034	1'417	2'190	2'967	4'736	8'056	16'803	27'925	
23	ST. GEORGE-IN-THE-EAST - -	M.	2'914	10'486	'905	'367	'493	'791	'890	1'639	2'464	4'438	9'597	20'079	36'429	
		F.	2'817	9'069	1'013	'303	'351	'948	1'294	1'640	2'277	4'238	8'718	15'623	30'000	
24a	STEPNEY H - - -	M.	2'375	9'231	1'113	'576	'624	'864	'909	1'513	2'062	3'980	6'964	13'893	28'000	
		F.	2'378	8'283	'936	'283	'525	'718	'967	1'360	1'842	3'157	6'624	12'539	19'318	

NOTE.—Owing to the difficulty of getting satisfactory data and the great labour involved no correction for Public Institutions has been made in the Mortality at the different ages throughout this Table. In the preceding Table, p. cxxxviii, showing the comparative death-rate of the several districts during the three last decennials without distinction of age or sex, all the London district death-rates and some country ones also have been corrected for Institutions.

The letter H indicates the presence of a Hospital and L of a Lunatic Asylum in a District; w indicates a Workhouse belonging to another District.

* On 1st July 1868 the District of Westminster was merged in the District of St. George Hanover Square; the mortality of the two old districts however is separately given in this Table.

† On 1st July 1868 the Sub-district of St. Anne, Boho, was taken from the Strand District and added to Westminster, St. James, and at the same time the District of St. Martin-in-the-Fields was merged in the Strand District; in consequence of these changes the Mortality in the 10 years 1861-70 for the District of Westminster (St. James) is not given separately from that of the Strand District.

‡ On 2nd August 1869 the Districts of Clerkenwell and St. Luke were merged in the Holborn District.

§ On 1st January 1870 the Districts of East London and West London were merged in the London City District; but the Mortality in each of the old Districts is separately given in this Table.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.												
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
No.																	
I.—LONDON—cont.																	
MIDDLESEX (part of)																	
—cont.																	
245	MILE END OLD TOWN <i>weHL</i>	—	M. F.	2'450 2'234	7'946 7'008	'916 '882	'365 '354	'508 '511	'652 '630	'834 '870	1'440 1'205	2'179 1'649	3'755 3'054	7'947 6'750	18'509 13'878	38'373 28'026	
25	POPULAR <i>weHL</i>	—	M. F.	2'834 2'571	8'422 7'417	'906 '843	'563 '426	'761 '695	1'015 '809	1'289 1'069	1'811 1'519	2'622 2'123	4'033 4'035	10'159 9'110	19'117 18'927	39'032 38'689	
SURREY (part of).																	
26	ST. SAVIOUR SOUTHWK.* <i>HHHL</i>	—	M. F.	2'642 2'443	8'905 8'050	'932 '880	'356 '374	'498 '531	'672 '706	1'008 '973	1'600 1'270	2'581 1'984	4'362 3'696	8'785 7'088	18'775 15'348	27'547 31'261	
27	ST. OLAVE SOUTHWARK * <i>HH</i>	—	M. F.	3'044 2'548	8'628 7'521	'898 '868	'585 '384	'823 '777	1'347 1'025	1'887 1'176	2'466 1'656	3'537 2'222	5'204 3'788	9'732 7'415	17'873 14'957	30'006 30'882	
31	LAMBETH <i>HH</i>	—	M. F.	2'371 2'078	8'134 7'148	'804 '774	'331 '409	'446 '390	'645 '520	'750 '758	1'320 1'127	2'162 1'548	3'754 2'928	7'549 6'143	16'628 14'589	29'839 35'625	
32	WANDSWORTH <i>HHL</i>	—	M. F.	2'145 1'779	7'042 5'808	'655 '701	'324 '327	'565 '403	'609 '471	'823 '656	1'251 '932	1'872 1'367	3'250 2'837	6'573 5'462	13'732 13'849	25'854 28'293	
33	CAMBERWELL <i>LL</i>	—	M. F.	2'341 1'979	6'822 6'140	'815 '757	'417 '356	'441 '381	'781 '489	'937 '821	1'372 1'115	2'082 1'600	3'859 2'772	7'375 6'293	13'665 12'815	28'810 31'312	
KENT (part of).																	
35	GREENWICH <i>HH†</i>	—	M. F.	2'738 2'292	8'203 7'488	'926 '847	'485 '431	'702 '555	1'050 '629	1'382 '919	1'850 1'208	2'662 1'640	4'234 3'160	7'761 6'073	16'715 13'223	36'701 30'829	
36a	LEWISHAM† <i>H</i>	—	M. F.	1'922 1'600	6'234 5'477	'723 '710	'348 '316	'353 '377	'585 '364	'918 '610	1'159 '955	1'593 1'293	2'834 2'266	5'836 5'096	14'256 12'984	28'036 23'175	
36b	WOOLWICH† <i>HHH</i>	—	M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
II.—SOUTH EASTERN COUNTIES.																	
1.—SURREY (extra-met.)																	
37	EPSOM	—	M. F.	1'784 1'548	4'584 3'903	'746 '803	'257 '334	'448 '509	'553 '516	'877 '624	1'144 '942	1'607 1'330	3'212 2'156	5'741 4'661	14'236 12'533	27'278 25'152	
38	CHELTSEY <i>H</i>	—	M. F.	1'844 1'626	4'330 3'520	'592 '605	'332 '453	'348 '640	'667 '589	'840 '623	1'193 1'083	1'648 1'195	2'932 2'597	5'297 5'995	14'889 11'742	32'553 31'600	
39	GUILDFORD <i>HHL</i>	—	M. F.	2'161 1'745	5'095 4'022	'712 '691	'351 '422	'509 '756	1'190 '755	1'310 '804	1'453 1'077	2'066 1'200	3'851 2'530	6'417 5'842	14'987 11'547	42'105 29'091	
40	FARNHAM†	—	M. F.	1'592 1'904	6'605 5'369	'792 '737	'374 '418	'289 '784	'362 '862	'752 '955	1'253 1'054	1'740 1'322	2'819 2'621	5'302 6'225	14'458 11'211	19'259 28'571	
42	HAMBLEDON	—	M. F.	1'679 1'665	3'836 3'188	'635 '569	'271 '477	'492 '682	'510 '803	'827 '875	1'127 '883	1'963 1'141	3'589 2'778	14'884 14'020	27'333 29'875		
43	DORKING	—	M. F.	1'815 1'518	4'189 3'151	'628 '536	'322 '349	'335 '698	'833 '690	'994 '719	1'083 1'085	1'562 2'033	2'500 3'560	6'448 5'560	14'316 13'882	30'000 32'143	
44	REIGATE <i>L</i>	—	M. F.	1'782 1'355	4'559 3'661	'793 '651	'712 '683	'781 '719	1'022 '670	'609 '726	'897 1'070	1'418 1'160	2'365 2'202	5'847 4'809	12'464 14'034	34'000 25'333	
45	GODSTONE <i>L</i>	—	M. F.	1'963 1'444	4'125 3'414	'491 '435	'237 '425	'472 '763	'839 '671	'881 '603	'778 '711	1'259 1'032	2'416 1'647	5'020 4'133	12'593 11'209	23'638 15'789	
46	CROYDON <i>H</i>	—	M. F.	2'123 1'678	6'259 5'420	'700 '631	'391 '375	'477 '456	'629 '478	'846 '722	1'367 '945	1'881 1'337	3'563 2'514	6'303 5'097	14'020 11'760	26'279 33'774	
47	KINGSTON <i>H</i>	—	M. F.	2'057 1'396	5'312 4'444	'748 '647	'553 '347	'477 '510	'751 '486	'892 '634	1'415 '923	2'052 1'273	3'372 2'393	5'744 5'300	14'714 12'779	29'583 30'851	
48	RICHMOND <i>H</i>	—	M. F.	2'239 1'615	6'024 5'336	'795 '666	'492 '391	'627 '533	'759 '361	'934 '594	1'659 '912	2'301 1'191	3'906 2'354	6'037 6'076	18'370 12'971	27'567 27'037	

* On 1st January 1870 the Districts of St. George Southwark and Newington were merged in the District of St. Saviour Southwark; and at the same time the Districts of Bermondsey and Rotherhithe were merged in the District of St. Olave Southwark.

† On 1st July 1868 the new District of Woolwich was formed out of parts of the Districts of Greenwich and Lewisham. The mortality of the new District is not separately given in this Table.

‡ A correction has been made for a change in the constitution of this District during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

			Ages.																
DISTRICTS.			Sex.	All Ages.	Under 5 Years.										85 and upwards.				
					5-	10-	15-	20-	25-	35-	45-	55-	65-	75-					
No.	II.—SOUTH EASTERN COUNTIES—cont.																		
2.—KENT (extra-metrop.)																			
49	BROMLEY	-	-	-	-	M.	1'805	4'696	690	363	443	589	633	1'117	1'400	2'431	6'114	13'946	26'500
						F.	1'494	3'877	610	333	457	602	558	900	1'158	2'133	5'233	12'979	25'357
50	DARTFORD L	-	-	-	-	M.	2'072	5'913	570	314	573	804	888	1'239	1'879	2'922	6'016	13'456	28'710
						F.	1'751	5'146	707	306	550	501	674	1'015	1'209	2'366	5'092	11'818	22'621
51	GRAVESEND H	-	-	-	-	M.	2'431	6'646	854	360	645	1'084	1'235	1'793	2'272	3'064	7'443	14'882	29'167
						F.	1'980	5'847	763	347	445	697	780	1'180	1'594	2'861	5'893	12'653	27'241
52	NORTH ATLESFORD	-	-	-	-	M.	2'136	6'442	625	391	790	933	836	1'199	1'565	2'577	5'912	12'830	44'286
						F.	1'884	5'318	757	436	748	785	806	1'075	1'151	2'196	4'634	12'821	33'750
53	HOO	-	-	-	-	M.	2'513	8'020	622	760	877	1'286	1'298	1'579	2'009	3'010	8'800	15'000	25'000
						F.	2'112	5'639	980	606	690	1'284	900	1'014	1'475	2'195	6'279	16'923	40'000
54	MEDWAY HHH	-	-	-	-	M.	2'214	7'676	767	358	679	861	1'179	1'630	2'076	3'233	6'275	13'221	32'571
						F.	2'204	6'955	759	440	631	825	1'070	1'272	1'631	2'843	5'716	12'748	28'148
55	MALLING	-	-	-	-	M.	2'031	5'393	593	392	596	842	1'026	1'002	1'377	2'933	6'276	12'774	30'000
						F.	1'871	5'118	582	420	797	846	936	960	1'235	2'115	4'864	14'104	31'905
56	SEVENOAKS	-	-	-	-	M.	1'863	4'777	710	391	435	705	810	1'029	1'477	2'266	5'617	12'784	26'800
						F.	1'757	3'741	633	358	611	840	991	1'200	1'182	2'270	5'241	12'244	29'200
57	TUNBRIDGE H	-	-	-	-	M.	2'004	5'653	612	293	486	755	818	1'240	1'635	2'946	5'530	12'696	33'200
						F.	1'692	4'554	550	396	589	650	776	1'072	1'313	2'282	5'470	15'417	35'494
58	MAIDSTONE HL	-	-	-	-	M.	2'413	6'432	742	443	676	836	1'258	1'771	2'096	3'506	7'248	14'922	29'697
						F.	2'192	5'838	774	430	636	963	1'094	1'418	1'805	2'961	6'079	13'016	25'192
59	HOLLINGBOURN	-	-	-	-	M.	1'940	5'098	639	404	607	875	938	1'000	1'277	1'878	5'194	13'876	37'300
						F.	1'764	4'075	551	429	856	696	1'049	982	1'378	1'912	5'000	10'796	31'667
60	CRANBROOK	-	-	-	-	M.	1'671	4'070	541	290	428	730	893	702	935	2'452	6'475	13'833	24'667
						F.	1'998	3'427	541	375	935	799	900	1'055	1'225	2'160	5'876	12'333	39'091
61	TENTERDEN	-	-	-	-	M.	1'633	4'168	593	338	846	801	631	912	1'034	2'296	4'855	12'727	24'545
						F.	1'749	3'850	566	461	681	851	1'074	1'104	1'150	1'851	5'158	11'170	27'059
62	WEST ASHFORD	-	-	-	-	M.	1'898	5'640	634	433	482	790	736	966	1'214	2'169	4'716	14'688	37'333
						F.	1'838	4'837	638	505	768	1'299	924	951	1'299	2'008	5'648	14'495	27'778
63	EAST ASHFORD	-	-	-	-	M.	1'754	4'681	579	198	644	593	659	858	1'030	1'708	5'035	12'089	30'000
						F.	1'729	3'485	656	496	676	1'037	1'050	1'176	1'126	1'948	4'370	10'755	28'421
64	BRIDGE	-	-	-	-	M.	1'844	4'747	662	359	473	587	685	1'031	1'159	2'042	4'784	10'672	27'000
						F.	1'670	3'646	493	524	588	825	730	1'039	1'130	1'696	4'412	11'416	25'294
65	CANTERBURY H	-	-	-	-	M.	2'485	7'779	990	527	849	844	1'308	2'013	2'224	3'222	7'254	16'404	27'143
						F.	2'354	6'945	854	615	720	1'042	1'000	1'592	1'361	2'611	5'155	13'354	23'611
66	BLEAN	-	-	-	-	M.	2'119	6'237	711	383	464	691	971	1'158	1'340	2'550	4'850	12'951	29'333
						F.	1'833	4'874	733	416	750	926	878	896	1'245	2'055	4'917	11'791	22'500
67	FAVERSHAM	-	-	-	-	M.	1'971	5'670	565	314	487	693	967	1'014	1'412	1'990	5'617	12'134	28'373
						F.	1'844	5'100	558	356	708	647	890	990	1'116	2'297	4'984	11'337	26'297
68	MILTON	-	-	-	-	M.	2'155	7'146	610	382	597	806	751	1'152	1'303	2'103	5'172	13'646	24'000
						F.	1'886	5'796	546	352	450	608	1'023	1'120	965	1'969	5'299	10'826	21'579
69	SHEPPEY	-	-	-	-	M.	1'876	7'861	895	347	423	435	767	917	1'222	2'993	5'596	14'844	19'091
						F.	1'989	6'401	658	417	508	702	745	992	1'632	2'176	6'340	13'134	30'000
70	THANET HHH	-	-	-	-	M.	2'312	5'955	780	462	853	993	1'199	1'590	2'107	3'330	6'167	13'992	29'180
						F.	1'830	5'043	662	561	623	894	942	930	1'452	2'292	4'709	11'501	26'885
71	EASTRY H	-	-	-	-	M.	2'016	5'033	719	408	597	701	1'110	1'089	1'466	2'455	5'074	13'338	37'419
						F.	1'825	4'035	661	389	576	884	981	939	1'119	1'178	4'779	10'590	21'290
72	DOVER H	-	-	-	-	M.	2'086	6'709	781	326	405	667	1'023	1'540	1'992	2'906	6'187	13'788	33'750
						F.	1'901	5'569	699	407	733	924	897	1'010	1'451	2'184	5'178	11'429	23'659
73	ELHAM	-	-	-	-	M.	1'657	5'482	672	314	329	396	889	1'255	1'557	2'406	5'341	14'545	35'385
						F.	1'756	4'777	714	382	462	663	853	783	1'218	2'716	5'338	12'692	32'143
74	ROMNEY MARSH	-	-	-	-	M.	1'788	4'430	647	410	702	667	621	1'067	1'498	2'743	6'687	11'229	46'667
						F.	1'792	4'369	577	411	615	963	1'081	1'125	1'152	2'256	5'000	11'136	28'338

Mortality of Males and Females at different Ages.

coxix

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

			Ages.															
DISTRICTS.			SEX.	All Ages.	Under 5 Years.										85 and upwards.			
					5—	10—	15—	20—	25—	35—	45—	55—	65—	75—				
No.	II.—SOUTH EASTERN COUNTIES—cont.																	
3.—SUSSEX.																		
75	RYE - - - - -	M.	1'885	4'799	499	287	427	942	835	960	1'137	2'330	5'575	14'222	38'000			
		F.	1'828	3'639	648	462	603	778	946	1'418	1'504	2'249	5'243	14'326	24'615			
76	HASTINGS H - - - - -	M.	2'319	6'185	571	360	608	1'071	1'206	1'854	2'184	3'168	5'955	12'658	34'375			
		F.	1'715	5'531	703	430	596	847	826	1'164	1'540	2'354	4'908	11'814	33'833			
77	BATTLE - - - - -	M.	1'635	3'819	470	258	365	702	742	762	1'133	1'861	5'267	14'261	24'667			
		F.	1'727	3'155	804	438	911	816	955	904	1'273	2'095	5'334	16'667	24'000			
78	EASTBOURNE HH - - - - -	M.	1'826	4'732	674	449	655	858	880	1'033	1'389	2'392	5'305	13'000	16'000			
		F.	1'686	3'928	578	484	457	640	955	986	1'173	1'931	4'851	12'614	18'235			
79	HAILSHAM - - - - -	M.	1'645	3'488	603	368	510	846	645	957	1'022	2'222	4'232	13'554	32'941			
		F.	1'749	3'153	472	443	1'030	1'078	973	1'150	1'190	2'348	6'563	12'381	25'385			
80	TICEHURST - - - - -	M.	1'774	4'392	684	265	615	832	775	971	1'225	2'349	5'232	10'880	22'941			
		F.	1'603	3'310	549	428	743	823	823	1'136	1'201	1'963	5'318	11'759	30'000			
81	UCKFIELD - - - - -	M.	1'736	4'415	450	335	409	874	729	919	1'329	2'149	5'578	13'536	22'174			
		F.	1'692	3'122	552	390	1'142	1'000	1'018	1'205	1'173	2'624	5'311	13'119	25'000			
82	EAST GRINSTEAD - - - - -	M.	1'607	3'730	426	333	451	604	601	940	1'144	2'116	4'776	14'553	32'357			
		F.	1'662	3'523	585	366	789	951	941	1'042	1'080	2'102	5'891	11'193	21'667			
83	CUCKFIELD - - - - -	M.	1'614	4'183	446	276	290	800	787	988	1'261	2'173	5'618	13'043	28'421			
		F.	1'525	3'293	517	372	867	711	826	1'102	1'146	1'731	5'000	12'932	25'789			
84	LEWES HL - - - - -	M.	2'068	4'585	554	381	683	1'118	1'265	1'533	1'900	2'699	6'192	12'793	35'909			
		F.	1'939	4'222	500	390	798	960	1'230	1'402	1'431	2'408	5'375	14'976	30'741			
85	BRIGHTON IIIII - - - - -	M.	2'561	8'208	727	375	527	946	1'072	1'732	2'265	3'086	7'205	14'482	27'895			
		F.	1'930	6'824	745	390	446	565	811	1'153	1'522	2'715	5'953	13'547	27'160			
86	STEYNING* - - - - -	M.	1'754	5'277	554	388	532	661	655	964	1'478	2'370	6'280	12'418	32'500			
		F.	1'495	4'786	632	369	397	525	631	902	1'264	2'299	4'988	12'090	24'286			
87	HORSHAM* - - - - -	M.	1'835	4'407	730	362	522	826	721	1'003	1'304	2'620	6'135	15'680	35'714			
		F.	1'694	3'446	693	427	637	1'003	944	1'099	1'223	2'236	5'603	13'596	31'667			
88	PETWORTH* - - - - -	M.	1'900	4'305	784	539	898	1'030	1'011	1'819	1'800	2'028	5'149	15'337	33'333			
		F.	1'970	3'642	825	618	1'094	1'043	1'066	1'103	1'554	2'366	5'707	13'600	37'000			
89	THAKEHAM* - - - - -	M.	1'647	3'797	615	360	568	946	873	920	1'000	1'870	4'893	13'602	28'871			
		F.	1'652	2'878	665	271	960	849	802	980	1'432	2'417	4'465	11'324	25'856			
90	EAST PRESTON (WORTHING)* II	M.	1'944	4'572	677	297	586	1'008	1'078	1'108	1'732	2'694	5'875	12'500	32'552			
		F.	1'711	3'580	641	480	700	716	906	1'104	1'321	1'952	4'622	11'038	30'000			
91	WESTHAMPTON* - - - - -	M.	1'784	3'643	603	384	571	946	941	955	1'398	2'085	5'148	11'400	31'304			
		F.	1'665	2'932	442	435	810	1'035	956	1'014	1'149	2'083	4'448	12'057	22'000			
92	CHICHESTER* II - - - - -	M.	2'090	4'233	501	386	553	943	1'121	1'596	2'056	3'440	5'880	15'983	31'765			
		F.	1'797	3'521	486	387	850	828	1'192	1'301	1'840	2'246	5'439	12'409	26'957			
93	MIDHURST* - - - - -	M.	1'766	3'654	880	313	466	917	729	972	989	2'311	5'890	11'311	32'105			
		F.	1'755	3'415	392	415	927	1'019	794	967	1'193	2'495	5'033	12'500	39'231			
94	WESTBOURNE - - - - -	M.	2'039	4'637	566	610	542	908	1'121	1'272	1'577	2'036	5'069	12'319	34'167			
		F.	1'673	3'294	601	406	478	677	738	816	1'325	2'532	4'873	9'429	30'833			
4.—HAMPSHIRE.																		
95	HAVANT - - - - -	M.	2'046	4'374	611	516	619	1'008	835	1'355	1'696	2'577	6'296	12'535	23'846			
		F.	1'805	3'988	565	366	838	1'106	899	1'247	1'114	1'978	5'389	11'333	28'000			
96	PORTSEA ISLAND IIIII - - - - -	M.	2'122	7'183	802	544	435	558	912	1'417	1'991	3'308	6'802	15'280	33'808			
		F.	2'118	6'398	817	379	565	797	1'016	1'292	1'618	2'615	5'827	12'875	28'438			
97	ALVERSTOCK H - - - - -	M.	2'455	6'569	688	348	1'030	1'423	1'901	2'328	2'778	3'645	5'744	13'981	36'923			
		F.	1'983	5'633	791	411	663	642	924	1'409	1'514	2'216	5'919	12'135	26'957			
98	FAREHAM L - - - - -	M.	2'304	4'932	675	539	659	980	1'335	1'982	2'667	2'957	6'935	14'211	29'048			
		F.	2'225	4'372	531	370	642	957	1'380	1'775	1'917	3'063	5'836	13'614	22'414			
99	ISLE OF WIGHT HH - - - - -	M.	1'830	4'505	601	402	549	885	1'067	1'258	1'416	2'548	4'977	12'296	31'809			
		F.	1'613	4'006	606	436	577	794	788	946	1'172	2'032	4'862	11'927	27'465			

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—*continued.*

No.		DISTRICTS.	Sex.	All Ages.	Ages.											
					Under 5 Years.											
					5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
II.—SOUTH EASTERN COUNTIES—cont.																
4.—HAMPSHIRE—cont.																
100	LYMINGTON - - - - -	M.	1'719	3'630	480	402	345	629	853	1'010	1'442	2'295	4'754	12'477	24'444	
		F.	1'652	2'978	460	320	787	926	942	1'207	1'866	5'090	14'947	32'000		
101	CHRISTCHURCH II - - - -	M.	1'932	4'494	610	494	560	1'283	1'509	1'043	1'486	2'639	5'761	10'879	35'556	
		F.	1'486	3'527	512	322	522	705	898	958	1'073	2'112	4'618	15'476	25'556	
102	RINGWOOD - - - - -	M.	1'704	3'729	566	152	400	918	963	745	1'145	2'489	5'944	15'849	25'000	
		F.	1'748	3'416	400	253	482	766	1'078	1'049	1'849	2'354	5'703	12'800	27'500	
103	FORDINGBRIDGE - - - - -	M.	1'931	4'473	700	290	430	639	710	802	1'470	2'169	5'620	13'068	53'535	
		F.	1'891	3'764	792	510	980	744	1'117	902	1'406	2'443	5'332	11'071	62'000	
104	NEW FOREST - - - - -	M.	1'735	3'869	562	240	483	652	1'024	905	1'097	2'144	5'677	12'661	32'529	
		F.	1'633	3'294	460	422	407	1'080	839	916	910	1'744	5'467	13'421	34'375	
105	SOUTHAMPTON II - - - - -	M.	2'509	7'247	826	465	400	965	1'435	1'058	2'604	3'896	7'065	13'832	25'632	
		F.	2'042	5'919	763	438	511	765	1'050	1'492	1'853	2'795	5'609	13'180	37'273	
106	SOUTH STONEHAM II - - - -	M.	2'245	5'178	544	337	724	1'475	2'177	1'617	1'731	2'790	6'324	13'846	41'250	
		F.	1'569	4'017	516	516	625	816	826	955	1'409	2'179	5'318	12'795	23'043	
107	ROMSEY - - - - -	M.	1'977	4'867	805	558	905	708	938	896	1'434	2'412	5'172	14'650	25'000	
		F.	1'982	4'341	882	466	753	1'015	915	1'130	1'586	2'241	5'617	13'850	33'846	
108	STOCKBRIDGE - - - - -	M.	1'758	3'808	343	419	401	690	897	751	1'400	2'794	5'323	13'521	42'000	
		F.	1'744	3'299	535	532	947	1'200	725	1'111	1'228	2'397	5'975	12'400	37'500	
109	WINCHESTER II - - - - -	M.	1'918	4'946	727	297	328	695	1'075	1'481	1'715	3'101	6'091	14'590	32'308	
		F.	1'812	4'499	678	384	714	784	927	1'039	1'239	2'239	5'468	13'662	26'129	
110	DROXFORD - - - - -	M.	1'791	4'745	596	516	515	598	963	967	1'135	2'293	4'531	10'769	26'750	
		F.	1'672	3'497	691	380	698	987	854	915	871	2'516	5'466	11'259	34'296	
111	CATHERINGTON - - - - -	M.	1'731	4'211	555	516	517	1'08	699	811	1'391	1'854	4'615	11'923	30'000	
		F.	1'457	2'584	535	226	489	753	905	855	960	2'472	5'179	16'250	26'667	
112	PETERSFIELD * - - - - -	M.	1'778	4'460	635	279	707	807	785	978	1'035	1'895	5'650	11'184	37'500	
		F.	1'569	3'083	618	188	545	820	827	1'092	1'050	1'908	4'171	13'038	24'645	
113	ALRESFORD - - - - -	M.	1'742	3'790	455	296	458	641	979	1'128	1'042	1'978	4'944	14'026	31'000	
		F.	1'678	3'319	354	331	606	922	859	1'213	1'429	2'179	5'390	10'714	23'000	
114	ALTON * - - - - -	M.	1'939	4'788	555	440	656	692	750	1'039	1'479	2'933	5'415	13'000	32'667	
		F.	1'877	4'316	644	482	870	1'029	1'016	1'106	1'171	2'341	5'644	12'979	20'667	
115	HARTLEY WINTNEY * - - - -	M.	1'805	4'191	642	297	507	702	851	984	1'434	2'187	5'324	11'760	32'837	
		F.	1'851	3'885	639	569	487	809	1'033	783	1'264	1'924	6'654	11'680	24'737	
116	BASINGSTOKE - - - - -	M.	1'949	4'067	654	292	486	545	975	1'116	1'484	2'614	5'208	15'263	45'571	
		F.	1'873	4'435	491	438	705	953	861	979	1'542	2'261	5'919	11'066	29'200	
117	WHITCHURCH - - - - -	M.	1'901	5'376	389	248	561	707	841	1'040	1'549	1'925	5'703	11'922	25'556	
		F.	1'814	3'179	554	538	573	973	1'018	1'131	1'296	2'589	4'963	12'303	27'778	
118	ANDOVER - - - - -	M.	1'816	3'948	417	384	473	669	783	916	1'333	2'831	5'946	13'563	37'143	
		F.	1'733	3'465	375	279	559	923	724	1'265	1'260	2'357	5'067	12'727	31'667	
119	KINGSCLERE - - - - -	M.	1'999	5'035	748	449	480	964	753	953	1'089	2'201	4'682	15'628	33'333	
		F.	1'946	4'017	911	431	815	774	1'225	1'178	1'198	2'395	4'427	15'217	27'273	
5.—BERKSHIRE.																
120	NEWBURY - - - - -	M.	2'160	5'410	564	376	523	1'003	993	1'163	1'556	2'738	6'842	14'410	25'652	
		F.	1'820	4'380	694	309	868	903	979	1'158	1'417	2'210	5'396	12'262	32'061	
		M.	1'937	5'216	451	353	567	699	976	1'091	1'374	2'408	5'681	14'506	34'118	
		F.	1'880	3'758	673	401	644	1'067	1'077	1'094	1'151	2'098	5'800	11'398	32'609	
				5'222	841	406	723	873	881	1'071	1'580	2'539	5'441	14'921	48'462	
				5'413	617	523	851	721	1'091	1'215	1'143	2'447	5'741	12'908	41'250	
						406	497	608	1'140	1'498	1'809	3'443	5'848	16'111	49'375	
						605	885	981	1'231	1'562	1'704	3'258	6'074	16'221	35'704	
								964	867	982	1'327	2'271	6'296	14'000	31'528	
								915	1'007	1'226	1'229	2'070	6'022	14'191	33'043	

† These Districts during the 10 years.

Mortality of Males and Females at different Ages.

ccxxi

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

No.		DISTRICTS.	Sex.	All Ages.	Ages.												85 and upwards.
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—		
II.—SOUTH EASTERN COUNTIES—cont.																	
5.—BERKSHIRE—cont.																	
125	WALLINGFORD L - - - -	M. F.	1'911 1'780	4'684 3'482	441 398	409 458	459 541	765 965	714 910	1'419 996	1'351 1'137	2'331 2'340	5'835 5'088	14'545 14'462	35'000 34'375		
126	BRADFELD - - - - -	M. F.	1'772 1'751	4'520 3'447	487 482	319 346	331 701	809 906	863 906	927 1'242	1'328 1'184	1'970 1'947	4'924 4'846	12'338 13'383	30'000 32'727		
127	READING H - - - - -	M. F.	2'402 2'043	7'055 5'909	898 780	420 445	625 508	885 790	1'072 844	1'439 1'116	2'108 1'579	3'471 2'708	7'555 6'125	16'370 13'925	40'000 33'929		
128	WOKINGHAM - - - - -	M. F.	1'878 1'697	4'512 4'046	662 738	326 428	518 614	767 639	807 691	992 862	1'593 1'137	2'524 1'860	5'640 4'899	11'854 12'992	32'667 45'714		
129	COOKHAM - - - - -	M. F.	1'845 1'722	4'862 4'004	632 422	303 511	444 610	739 667	729 587	1'184 1'091	1'669 1'086	2'571 2'850	5'201 6'400	14'205 13'592	28'182 40'714		
130	EASTHAMPTSTEAD L - - -	M. F.	1'710 1'537	3'764 3'471	828 626	305 330	441 570	693 493	880 572	1'300 853	1'477 1'211	2'583 2'466	6'145 6'350	15'283 9'846	26'667 32'727		
131	WINDSOR HH - - - - -	M. F.	2'055 1'870	5'313 5'114	581 780	292 365	498 567	579 803	990 737	1'742 997	1'998 1'855	3'896 2'494	7'066 6'289	14'167 13'208	32'553 31'111		
III.—SOUTH MIDLAND COUNTIES.																	
6.—MIDDLESEX.—(ex-met.)																	
132	STAINES - - - - -	M. F.	1'803 1'712	5'453 4'484	600 548	295 239	542 571	672 608	738 821	1'056 820	1'353 1'299	2'801 2'090	5'016 5'210	13'017 12'835	27'222 28'095		
133	UXBRIDGE L - - - - -	M. F.	2'657 2'431	6'021 5'119	670 727	338 412	652 881	971 738	1'705 1'489	2'759 1'932	2'909 2'284	4'685 3'552	7'457 7'165	14'026 15'238	31'600 29'032		
134	BRENTFORD HL - - - - -	M. F.	2'192 1'849	6'402 5'682	612 713	381 415	392 584	764 584	898 691	1'480 1'046	2'164 1'338	3'514 2'688	7'012 5'491	14'713 13'159	42'759 25'278		
135	HENDON - - - - -	M. F.	2'048 1'652	6'329 5'485	568 542	391 385	478 502	648 449	919 640	1'221 840	1'682 1'191	3'676 2'549	6'305 5'222	15'603 13'002	24'706 26'400		
136	BARNET L - - - - -	M. F.	2'699 2'004	4'068 4'252	705 470	384 380	543 460	1'410 693	2'105 1'233	3'144 1'755	3'611 2'120	5'084 3'455	7'527 6'480	14'511 14'011	26'429 29'290		
137	EDMONTON H - - - - -	M. F.	2'009 1'716	5'741 5'118	696 686	350 315	403 364	623 587	851 686	1'148 863	1'809 1'255	3'535 2'426	6'167 5'126	14'259 11'915	30'932 29'873		
7.—HERTFORDSHIRE.																	
138	WARE - - - - -	M. F.	1'840 1'765	4'195 4'127	616 683	404 350	431 286	817 598	931 844	1'212 917	1'658 1'043	2'747 2'236	6'656 4'972	15'045 13'056	28'462 31'538		
139	BISHOP STORTFORD - - -	M. F.	2'023 1'771	4'898 4'109	696 625	373 461	569 604	854 737	787 747	1'135 1'084	1'647 987	2'805 2'177	6'109 5'169	13'522 14'048	51'538 27'667		
140	ROYSTON - - - - -	M. F.	1'890 1'856	5'076 4'436	508 605	270 408	410 670	614 922	681 888	890 865	1'419 1'272	2'243 2'347	5'271 4'955	14'643 12'237	29'546 32'581		
141	HITCHIN H - - - - -	M. F.	2'054 1'899	6'074 5'164	595 627	385 519	441 607	612 889	710 888	993 904	1'487 1'098	2'696 2'279	6'390 5'824	15'263 12'551	42'857 29'286		
142	HERTFORD H - - - - -	M. F.	1'871 1'859	5'015 4'722	581 586	318 325	399 581	744 487	865 820	1'205 1'035	1'509 1'375	2'739 2'468	5'411 5'424	16'346 13'485	30'000 37'837		
143	HATFIELD - - - - -	M. F.	1'856 1'759	4'168 4'086	435 455	369 280	359 634	813 762	886 749	1'132 1'324	1'881 1'065	1'809 2'115	7'176 5'683	15'818 14'571	36'230 26'000		
144	ST. ALBANS - - - - -	M. F.	2'076 1'837	5'878 5'118	350 457	201 311	569 732	729 743	921 758	1'238 1'182	1'648 1'374	2'895 2'428	6'275 5'459	16'806 11'897	40'909 27'917		
145	WATFORD L - - - - -	M. F.	2'005 1'731	5'844 5'235	575 547	410 407	399 315	472 528	752 739	1'329 799	1'667 1'194	2'668 2'298	6'728 5'050	13'403 10'659	28'335 28'214		
146	HEMEL HEMPSTEAD H - -	M. F.	2'178 1'815	6'428 5'262	752 493	306 292	458 592	765 950	1'070 808	1'267 1'199	1'796 1'484	2'940 2'160	5'504 5'896	15'995 12'222	35'556 20'000		
147	BERKHAMPTSTEAD - - -	M. F.	2'131 1'956	7'010 5'753	581 619	375 376	315 485	435 882	748 880	1'101 1'019	1'413 3'023	2'678 6'448	6'102 14'405	16'020 14'405	37'143 35'000		

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—*continued.*

DISTRICTS.		SEX.	All Ages.	Ages.												85 and upwards.
				Under 5 Years.												
				5 -	10 -	15 -	20 -	25 -	35 -	45 -	55 -	65 -	75 -			
No.	III.—SOUTH MIDLAND COUNTIES—cont.															
	8.—BUCKINGHAMSH.															
148	AMERSHAM - - - - -	M.	2'163	6'593	548	290	306	695	780	988	1'002	2'079	5'937	16'119	42'143	
		F.	2'051	5'471	617	415	480	839	951	1'143	1'181	2'084	6'099	14'071	34'373	
149	ETON - - - - -	M.	1'077	5'180	598	316	444	832	845	1'185	1'778	3'166	6'372	15'362	31'667	
		F.	1'725	4'415	618	291	383	609	759	856	1'200	2'402	6'228	13'547	31'250	
150	WYCOMBE - - - - -	M.	2'080	6'527	600	333	467	639	695	847	1'458	2'432	5'819	15'212	39'615	
		F.	1'932	5'170	532	303	628	687	804	1'041	1'538	2'562	6'277	14'718	36'897	
151	AYLESBURY HL - - - -	M.	2'282	6'226	679	398	524	1'058	935	1'283	1'358	2'898	5'903	13'994	33'810	
		F.	2'214	5'218	793	568	878	867	1'148	1'121	1'514	2'704	6'325	15'750	31'778	
152	WINSLOW - - - - -	M.	1'992	5'920	657	399	468	1'054	567	728	1'017	2'461	5'707	11'765	28'000	
		F.	1'948	4'623	582	581	839	1'055	1'036	1'000	1'671	2'339	4'750	12'500	26'000	
153	NEWPORT PAGNELL - - -	M.	2'015	5'893	548	295	516	673	787	809	1'145	2'055	6'326	16'154	32'727	
		F.	1'963	5'127	605	398	836	817	870	918	1'130	2'085	5'814	13'495	30'000	
154	BUCKINGHAM - - - - -	M.	1'957	5'924	527	338	458	510	673	870	1'026	1'972	5'244	12'031	28'323	
		F.	2'008	4'989	578	411	979	985	1'018	1'179	1'341	2'452	4'970	12'581	29'167	
	9.—OXFORDSHIRE.															
155	HENLEY - - - - -	M.	1'940	4'780	577	327	387	730	784	1'041	1'266	2'304	6'752	13'114	29'474	
		F.	1'744	3'551	586	437	751	699	845	1'119	1'291	1'941	5'286	12'378	32'308	
156	THAME - - - - -	M.	1'922	5'156	525	336	457	654	849	848	1'173	2'006	5'125	15'615	28'125	
		F.	1'929	4'459	435	279	716	1'129	930	1'030	1'455	2'348	5'818	14'419	31'111	
157	HEADINGTON & H - - - -	M.	2'497	5'924	684	439	722	925	1'310	1'920	2'372	3'463	7'226	17'642	26'316	
		F.	2'086	5'514	699	527	559	829	909	1'377	1'289	2'907	6'390	13'533	27'891	
158	OXFORD - - - - -	M.	2'036	6'345	817	593	371	718	1'009	1'322	2'044	2'740	6'886	13'704	22'500	
		F.	1'930	6'656	665	379	387	521	838	1'255	1'335	2'247	6'401	13'740	33'125	
159	BICESTER - - - - -	M.	2'072	5'694	545	399	485	789	825	883	1'016	2'286	5'922	15'373	44'615	
		F.	1'997	5'189	580	432	630	942	832	1'073	1'173	2'125	5'989	13'566	29'500	
160	WOODSTOCK - - - - -	M.	2'081	5'955	446	281	329	730	855	924	1'349	2'799	6'482	15'243	36'923	
		F.	1'876	4'309	463	386	653	826	822	978	1'339	2'566	5'974	14'286	21'176	
161	WITNEY - - - - -	M.	1'942	5'151	510	269	427	661	716	888	1'207	2'433	5'317	14'489	33'846	
		F.	1'990	4'351	624	441	661	905	863	1'112	1'456	2'331	4'611	15'258	32'208	
162	CHIPPING NORTON - - - -	M.	1'933	5'395	642	357	393	641	681	1'044	1'171	2'183	5'365	13'642	28'421	
		F.	1'826	4'137	644	467	757	955	1'073	881	1'083	2'017	4'947	14'769	27'391	
163	BANBURY - - - - -	M.	2'010	5'630	627	305	396	521	784	943	1'364	2'613	6'003	14'000	36'667	
		F.	1'933	4'904	547	359	700	664	986	1'096	1'225	2'450	5'745	14'400	28'065	
	10.—NORTHAMPTNSH.															
164	BRACKLEY - - - - -	M.	1'996	5'592	514	515	349	728	766	805	1'100	2'257	5'559	14'622	30'000	
		F.	1'920	4'473	469	480	768	870	968	1'229	1'008	2'447	5'188	15'765	31'818	
165	TOWCESTER - - - - -	M.	2'107	7'157	553	333	446	806	676	728	972	2'205	5'392	14'804	35'077	
		F.	1'981	5'297	438	416	764	693	917	1'173	1'806	2'413	5'714	13'900	29'231	
166	POTTERS PURDY - - - - -	M.	1'822	6'428	562	248	419	554	522	841	1'369	2'147	5'160	13'433	28'889	
		F.	1'946	5'556	427	356	552	806	819	1'085	1'308	2'753	6'037	14'638	31'818	
167	HARDINGSTONE - - - - -	M.	1'968	6'681	614	237	611	652	597	664	1'209	2'281	4'717	13'382	34'286	
		F.	2'065	5'027	640	523	987	977	1'197	1'162	1'388	2'290	6'252	17'719	17'000	
168	NORTHAMPTON HL - - - -	M.	2'692	9'695	1'012	480	534	890	1'061	1'286	1'915	3'928	7'845	17'225	29'048	
		F.	2'349	8'165	958	414	694	794	1'025	1'230	1'496	3'026	6'232	14'595	27'419	
169	DAVENTRY - - - - -	M.	1'968	5'807	625	541	409	611	734	974	1'153	2'576	5'385	14'912	36'667	
		F.	1'934	4'342	564	393	849	1'096	1'080	1'079	1'288	2'296	5'341	13'837	32'105	
170	BRIXWORTH - - - - -	M.	1'949	5'838	499	291	426	631	629	822	1'047	2'459	5'045	14'711	40'000	
		F.	1'888	4'551	723	429	745	851	699	1'067	1'133	2'164	5'694	14'836	40'000	
171	WELLINGBOROUGH - - - -	M.	2'173	7'522	704	362	476	689	712	802	1'067	2'737	5'769	13'185	32'000	
		F.	2'049	6'107	610	533	838	985	1'023	864	1'319	2'301	5'496	16'013	36'842	

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.											
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
III.—SOUTH MIDLAND COUNTIES—cont.																
10.—NORTHAMPTNSH.—cont.																
No.	172	KETTERING - - - - -	M. F.	2'105 2'063	7'124 5'722	'575 '685	'400 '390	'525 '872	'563 '708	'554 '903	'886 1'066	'960 1'217	2'384 2'219	6'588 5'894	12'910 15'105	35'000 36'471
	173	THRAPSTON - - - - -	M. F.	2'057 1'918	6'082 4'957	'556 '570	'321 '337	'357 '878	'778 '843	'630 '884	'815 1'048	1'047 1'020	2'873 2'326	5'254 5'480	14'945 14'831	27'778 36'067
	174	OUNDE - - - - -	M. F.	1'923 1'815	5'455 4'205	'782 '536	'349 '471	'499 '658	'621 '808	'768 '964	'848 1'039	1'259 1'135	2'295 1'961	5'152 4'617	13'226 13'382	29'231 31'667
	175	PETERBOROUGH H - - - -	M. F.	2'131 1'896	6'557 5'414	'814 '785	'453 '440	'573 '664	'607 '799	'743 '831	1'029 '874	1'557 1'257	2'693 1'973	6'104 4'602	13'661 12'885	27'391 27'143
11.—HUNTINGDNSH.																
	176	HUNTINGDON H - - - - -	M. F.	2'105 1'928	5'869 4'885	'618 '730	'337 '378	'657 '685	'936 '978	'934 '906	1'213 1'014	1'786 1'282	2'450 1'904	5'631 5'216	12'950 13'704	27'895 36'000
	177	ST. IVES - - - - -	M. F.	2'195 2'014	6'124 5'410	'867 '733	'465 '511	'545 '810	'978 '984	'902 1'045	1'085 '926	1'684 1'811	2'182 2'170	6'235 4'664	13'413 11'117	21'818 28'750
	178	ST. NEOTS - - - - -	M. F.	1'981 1'847	5'754 4'459	'595 '534	'435 '513	'498 '664	'763 1'085	'627 '753	'932 '937	1'221 1'225	2'680 2'159	5'872 4'944	12'000 12'308	41'818 23'077
12.—BEDFORDSHIRE.																
	179	BEDFORD H - - - - -	M. F.	1'986 1'938	5'886 5'279	'573 '536	'320 '446	'531 '857	'905 '957	'839 '981	1'142 1'004	1'571 1'276	2'381 2'423	5'970 5'258	14'748 13'691	40'526 31'316
	180	BIGGLESWADE L - - - - -	M. F.	2'309 2'089	6'775 5'631	'586 '758	'275 '357	'415 '631	'887 '833	1'007 '956	1'440 1'222	1'814 1'574	3'024 2'703	6'151 6'538	15'962 14'821	30'526 28'400
	181	AMPTHILL - - - - -	M. F.	2'119 2'119	7'050 5'930	'546 '601	'297 '529	'418 '717	'746 '930	'715 1'023	'831 1'060	1'139 1'187	2'491 2'842	5'329 6'217	13'415 15'043	27'857 34'687
	182	WOBURN - - - - -	M. F.	2'071 1'914	6'263 4'993	'609 '598	'389 '447	'720 '861	'657 '829	'908 '897	'714 1'016	1'052 1'363	2'321 2'363	5'263 5'253	13'763 13'900	43'333 25'833
	183	LEIGHTON BUZZARD - - - -	M. F.	2'104 1'968	6'388 5'414	'678 '709	'443 '418	'579 '667	'713 '798	'771 1'032	'851 1'174	1'281 1'354	2'562 2'333	4'896 6'977	16'814 14'554	29'231 40'709
	184	LUTON - - - - -	M. F.	2'369 1'939	8'461 7'195	'705 '685	'352 '351	'428 '632	'584 '676	'840 '862	1'186 1'122	1'437 1'459	3'052 2'734	7'007 6'066	15'357 15'616	31'818 23'000
13.—CAMBRIDGESH.																
	185	CAXTON - - - - -	M. F.	1'800 1'809	5'278 4'428	'525 '375	'357 '472	'524 '725	'489 '735	'779 '815	'655 '981	'875 '945	2'293 2'133	5'708 5'000	14'719 14'940	31'067 28'750
	186	CHESTERTON L - - - - -	M. F.	2'093 1'973	5'867 5'088	'622 '776	'372 '432	'372 '941	'674 '883	'933 '890	1'231 1'127	1'662 1'298	2'374 1'920	5'062 4'461	13'318 11'174	29'615 24'651
	187	CAMBRIDGE H - - - - -	M. F.	2'388 1'952	8'917 5'040	'702 '572	'365 '387	'544 '463	'824 '602	1'234 '961	1'648 1'246	2'482 1'720	3'649 2'479	6'637 5'844	19'083 13'077	40'000 27'568
	188	LINTON - - - - -	M. F.	1'980 1'781	5'238 3'432	'639 '555	'334 '425	'586 '986	'763 '840	'737 '827	'953 1'187	1'316 1'305	2'166 1'955	5'923 4'906	13'145 11'905	35'385 33'810
	189	NEWMARKEET - - - - -	M. F.	2'073 1'901	5'934 4'840	'627 '697	'431 '464	'435 '878	'868 '830	'957 '947	1'375 1'097	2'094 1'200	5'970 1'975	6'104 4'531	13'777 11'137	28'578 27'333
	190	ELY - - - - -	M. F.	2'127 1'962	6'820 5'357	'734 '615	'370 '435	'726 '587	'801 '798	'835 '967	'877 1'304	1'227 2'162	2'163 4'785	4'670 4'785	13'827 12'183	32'105 22'708
	191	NORTH WITCHFORD - - - -	M. F.	2'086 2'004	6'500 5'778	'814 '662	'352 '408	'457 '840	'718 '893	'785 '927	'842 1'309	1'144 '950	2'667 2'186	5'604 4'713	11'756 13'198	24'000 23'889
	192	WHITTLESEY - - - - -	M. F.	2'260 1'992	6'448 4'734	'522 '711	'552 '605	'820 '940	1'067 '929	1'126 1'114	1'057 1'166	1'518 '938	1'951 1'929	6'039 4'093	12'864 11'486	18'750 34'444
	193	WISBECH - - - - -	M. F.	2'131 1'876	6'577 5'635	'727 '676	'413 '404	'550 '609	'710 '765	'862 '844	'948 '757	1'435 1'048	2'095 2'129	5'710 4'295	13'205 11'757	30'000 31'638

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—*continued.*

DISTRICTS.		SEX.	All Ages.	Ages.													
				Under 3 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.		
IV.—EASTERN COUNTIES.																	
No.	14.—ESSEX.																
194	WEST HAM	- - - - -	M. F.	2'172 1'922	6'914 6'246	'945 '742	'401 '459	'484 '500	'755 '589	'905 '796	1'275 1'080	1'834 1'520	3'225 2'508	6'542 5'458	16'570 12'551	32'222 26'006	
195	EPPING	- - - - -	M. F.	1'852 1'668	4'687 3'633	'627 '520	'323 '450	'545 '563	'857 '709	'784 '770	'967 '893	1'536 1'264	2'195 1'926	6'176 5'000	11'688 13'288	26'667 32'222	
196	ONGAR	- - - - -	M. F.	1'801 1'845	4'408 4'194	'508 '382	'306 '452	'618 1'060	'577 '946	'934 '773	'838 '697	1'193 1'201	2'083 2'027	5'000 5'058	14'712 12'432	25'385 31'875	
197	ROMFORD	- - - - -	M. F.	2'122 1'608	5'942 5'242	'608 '611	'396 '365	'463 '650	'761 '690	'917 '713	1'067 '889	1'663 1'227	3'031 2'444	6'352 4'765	14'410 12'227	27'586 27'500	
198	ORSETT	- - - - -	M. F.	1'741 1'883	5'391 5'024	'702 '761	'289 '427	'517 '519	'609 '839	'686 '750	1'094 1'185	1'557 1'289	2'494 2'119	5'541 4'541	11'358 12'933	27'000 30'000	
199	BILLERICAY L	- - - - -	M. F.	2'016 1'875	5'141 3'895	'606 '577	'244 '414	'470 '718	'794 '776	1'275 '912	1'771 1'288	1'782 1'778	3'321 2'704	6'018 6'307	13'523 15'188	27'059 36'452	
200	CHELMSFORD	- - - - -	M. F.	1'912 1'900	4'955 4'201	'708 '606	'372 '422	'446 '768	'719 '935	'828 '865	1'051 1'002	1'504 1'269	2'423 2'489	5'696 5'358	13'033 12'578	22'230 29'245	
201	ROCHFORD	- - - - -	M. F.	1'885 1'836	5'873 5'125	'630 '636	'423 '390	'371 '529	'432 '681	'770 '699	1'032 1'167	1'529 1'564	2'363 2'102	6'353 5'229	16'731 12'712	27'000 25'265	
202	MALDON	- - - - -	M. F.	1'896 1'819	5'018 4'334	'525 '425	'399 '409	'561 '733	'624 1'033	'789 '872	'984 '917	1'412 1'538	2'363 2'413	5'816 5'558	12'882 13'224	32'333 31'459	
203	TENDRING	- - - - -	M. F.	1'917 1'848	5'160 4'467	'547 '600	'260 '427	'586 '713	'907 1'104	'908 '976	'892 '120	1'221 1'165	2'211 1'942	5'205 4'735	13'185 12'255	27'778 28'750	
204	COLCHESTER HL	- - - - -	M. F.	2'171 2'032	7'379 5'631	'709 '918	'440 '485	'601 '683	'594 '713	'999 '901	1'496 1'192	1'817 1'632	3'344 2'771	6'327 5'535	16'160 13'977	27'778	
205	LEXDEN	- - - - -	M. F.	1'935 1'706	4'927 3'792	'573 '585	'441 '548	'568 '712	'776 '984	'841 '830	'798 '844	1'192 '976	1'980 2'270	5'486 5'276	15'211 13'232	22'923 29'667	
206	WITHAM	- - - - -	M. F.	2'178 1'930	5'608 4'491	'755 '695	'500 '537	'609 '769	'878 '953	'877 '935	1'187 1'302	1'314 1'226	2'065 2'053	6'184 5'421	14'234 14'638	35'333 25'200	
207	HALSTEAD	- - - - -	M. F.	2'038 1'892	5'022 4'547	'674 '722	'488 '470	'513 '953	'985 1'047	'923 1'011	'814 1'089	'883 1'148	2'151 2'248	5'200 5'235	14'676 12'730	30'909 30'741	
208	BRAINTREE	- - - - -	M. F.	2'197 2'011	6'276 5'134	'735 '863	'442 '495	'423 '923	'935 '810	'830 1'111	'883 1'118	1'461 1'293	2'706 2'667	6'256 5'350	14'014 14'250	43'636 29'200	
209	DUNMOW	- - - - -	M. F.	1'930 1'896	4'752 4'014	'737 '725	'372 '379	'409 '984	'864 1'366	'951 '979	'857 '996	1'207 1'293	2'421 1'884	5'653 4'327	14'682 12'181	31'053 29'167	
210	SAFFRON WALDEN H	- - - - -	M. F.	1'972 1'873	4'809 4'344	'615 '561	'425 '461	'426 '919	'785 '928	'857 '976	'884 1'087	1'227 1'028	2'736 2'006	5'523 4'507	12'931 11'638	28'750 34'286	
15.—SUFFOLK.																	
211	RISBRIDGE	- - - - -	M. F.	1'979 1'931	4'962 4'474	'650 '653	'356 '486	'583 '876	'682 1'122	'852 1'066	1'060 '884	1'208 1'478	2'249 2'048	5'643 4'704	14'480 11'011	26'471 29'583	
212	SUDBURY H	- - - - -	M. F.	2'072 1'956	5'340 4'566	'766 '754	'505 '568	'581 '781	'880 '983	'848 1'038	'954 1'186	1'284 1'226	2'296 2'041	5'770 5'198	14'046 11'250	35'357 29'593	
213	COSFORD	- - - - -	M. F.	1'897 1'975	4'674 4'140	'797 '615	'453 '586	'453 '876	'698 '807	'654 '143	'828 1'022	1'087 1'350	2'409 2'181	5'459 4'509	11'337 12'063	33'125 37'692	
214	THINGOR	- - - - -	M. F.	1'750 1'750	4'646 3'655	'488 '504	'336 '409	'474 1'070	'891 1'152	'949 '952	'751 '889	1'058 '910	1'799 1'883	4'615 4'929	11'420 10'914	30'909 29'615	
215	BURY ST. EDMUNDS wH	- - - - -	M. F.	2'712 2'045	7'146 6'090	'847 '805	'357 '311	'814 '517	1'197 '721	'1532 '710	1'693 1'278	2'356 1'499	4'203 2'601	7'800 5'506	17'473 14'929	33'077 32'222	
216	MILDENHALL	- - - - -	M. F.	1'961 1'925	5'308 4'357	'783 '618	'357 '468	'684 '881	'801 '994	'822 1'096	'805 1'159	1'275 1'310	1'815 1'786	5'093 5'122	12'955 13'647	25'833 27'333	
217	STOW	- - - - -	M. F.	1'931 1'886	5'074 4'179	'629 '568	'315 '396	'520 '818	1'089 1'910	'863 '221	'903 1'013	1'141 1'202	2'242 2'173	4'665 4'283	11'854 12'947	29'259 28'235	
218	HARTISMERE	- - - - -	M. F.	2'082 1'970	5'768 4'234	'606 '695	'467 '488	'501 '754	'830 1'231	'792 '962	'896 1'039	1'227 '988	2'127 2'007	5'049 4'177	12'655 11'190	35'200 25'952	
219	HOXNE	- - - - -	M. F.	1'845 1'877	4'844 4'183	'475 '800	'194 '428	'510 '772	'870 '935	'756 1'016	'777 '975	'885 1'759	1'728 4'391	4'745 9'900	12'229 9'900	22'230 22'230	

Mortality of Males and Females at different Ages.

ccxxv

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

DISTRICTS.			SEX.	All Ages.	Ages.											85 and upwards.
					Under 5 Years.											
					5 -	10 -	15 -	20 -	25 -	35 -	45 -	55 -	65 -	75 -		
IV.—EASTERN COUNTIES																
—cont.																
No.	15.—SUFFOLK—cont.															
220	BOSMERE - - - - -	M.	1'902	5'083	484	545	547	912	1'038	704	1'310	2'061	4'610	13'557	27'778	
		F.	1'906	4'013	582	494	562	1'069	1'071	1'231	1'154	1'956	4'787	11'801	23'871	
221	SAMFORD - - - - -	M.	1'877	4'774	536	461	729	757	823	619	1'238	2'119	5'705	13'645	24'667	
		F.	1'998	4'297	515	652	998	939	943	1'008	1'315	2'369	4'409	14'587	29'444	
222	IPSWICH H - - - - -	M.	2'358	7'060	786	413	641	883	974	1'229	1'919	3'267	5'984	14'686	30'333	
		F.	2'078	6'323	741	542	609	800	900	1'243	1'568	2'576	5'134	13'100	26'538	
223	WOODBIDGE L - - - - -	M.	2'075	4'878	530	428	649	1'036	804	1'066	1'563	2'636	5'044	12'857	25'610	
		F.	2'056	3'913	478	485	929	804	1'178	1'342	1'786	2'494	5'250	11'849	27'326	
224	PLONESGATE - - - - -	M.	1'865	4'013	517	326	429	619	1'050	802	1'298	2'143	4'275	11'416	22'189	
		F.	1'788	3'580	395	401	692	1'019	1'154	846	1'153	2'079	4'217	10'410	24'118	
225	BLITHING - - - - -	M.	1'873	4'464	579	391	525	989	742	865	1'165	2'148	4'695	12'022	31'111	
		F.	1'854	4'004	608	492	818	992	1'035	978	1'027	1'636	4'290	12'568	23'485	
226	WANGFORD - - - - -	M.	1'906	4'639	584	401	756	1'003	906	892	1'302	1'916	4'840	13'407	24'348	
		F.	1'862	4'262	407	419	879	836	854	1'051	1'255	1'825	4'298	10'932	25'667	
227	MUTFORD H - - - - -	M.	1'905	5'680	708	359	507	852	850	1'015	1'211	2'365	4'485	10'056	33'750	
		F.	1'667	4'036	540	363	420	595	758	880	1'134	1'899	4'092	10'185	29'220	
16.—NORFOLK.																
228	YARMOUTH HIL - - - - -	M.	2'723	9'140	754	526	554	865	1'097	1'725	2'162	3'159	6'499	16'339	34'848	
		F.	2'124	7'638	739	368	413	635	828	1'128	1'390	2'661	4'861	12'678	27'037	
229	FLEGG - - - - -	M.	1'828	5'231	624	390	638	676	534	594	911	1'775	4'300	12'561	23'333	
		F.	1'692	4'816	640	566	654	815	836	843	1'036	1'549	3'731	7'420	23'333	
230	SMALLBURGH (formerly TUNSTEAD)	M.	1'921	4'985	725	417	690	1'000	745	696	1'002	1'564	4'688	12'870	33'889	
		F.	1'875	4'375	514	401	947	1'159	989	882	1'291	1'897	3'730	11'506	21'667	
231	ERPINGHAM - - - - -	M.	2'120	6'118	655	462	655	875	844	771	1'190	1'909	4'739	12'124	35'625	
		F.	1'926	5'088	743	546	830	839	1'073	1'000	1'080	1'628	3'750	10'040	26'295	
232	ATLHAM - - - - -	M.	1'951	5'090	678	452	690	969	845	944	939	1'648	4'877	12'011	33'478	
		F.	1'915	4'319	797	507	678	1'094	959	892	939	1'853	4'442	10'708	24'630	
233	ST. FAITHS * - - - - -	M.	1'975	5'575	583	285	424	1'043	708	1'063	873	1'825	6'029	11'635	26'667	
		F.	1'918	4'871	701	441	890	899	1'030	995	1'060	1'685	4'085	11'721	33'158	
234	NORWICH * HILL - - - - -	M.	2'676	8'570	879	407	698	865	872	1'270	1'895	3'329	7'149	16'583	30'741	
		F.	2'222	7'367	748	408	571	661	952	1'107	1'413	2'543	5'227	12'464	27'851	
235	FOREROE - - - - -	M.	2'044	5'810	549	390	559	925	791	943	1'279	2'150	4'704	13'243	30'526	
		F.	1'963	4'897	720	413	714	1'054	1'120	1'105	974	1'845	3'842	11'791	29'615	
236	HENSTEAD - - - - -	M.	1'877	4'769	581	428	725	842	654	725	1'067	1'847	5'000	11'780	29'474	
		F.	1'890	4'602	492	375	661	1'004	1'017	944	1'179	1'991	3'828	12'000	28'182	
237	BLOFIELD L - - - - -	M.	2'194	4'721	647	399	800	873	1'008	1'744	1'908	2'196	5'466	12'203	30'856	
		F.	2'082	4'451	592	397	968	1'161	1'061	1'518	1'294	2'847	5'347	12'353	26'000	
238	LODDON - - - - -	M.	1'856	4'493	514	407	641	780	898	676	1'012	1'704	4'430	12'188	30'417	
		F.	1'738	3'685	490	441	702	1'171	980	877	1'016	2'068	4'454	10'750	19'730	
239	DEFWADE - - - - -	M.	2'055	5'406	744	396	621	935	905	774	1'045	2'202	4'967	12'074	28'222	
		F.	2'000	4'597	949	629	900	832	1'021	1'061	1'074	1'833	4'304	10'845	27'077	
240	GUILTCROSS - - - - -	M.	1'928	5'199	536	502	418	1'117	778	806	916	1'909	5'233	10'000	27'778	
		F.	1'964	4'498	634	659	927	1'169	1'170	780	1'028	1'578	3'954	11'338	33'333	
241	WAYLAND - - - - -	M.	2'040	5'745	512	277	598	902	665	792	1'232	1'883	5'983	11'570	25'714	
		F.	1'919	4'549	771	500	785	881	1'099	978	886	2'137	4'429	11'298	20'333	
242	MITFORD - - - - -	M.	1'949	5'363	694	317	528	723	906	602	1'025	2'205	4'658	11'966	30'852	
		F.	1'812	4'023	719	397	747	844	1'059	912	1'047	1'781	3'008	10'967	25'536	
243	WALSINGHAM - - - - -	M.	2'252	6'292	1'047	508	950	1'049	968	968	1'135	2'298	4'654	11'748	21'176	
		F.	2'061	5'461	924	672	846	927	918	953	1'118	1'898	4'250	10'820	30'638	
244	DOCKING - - - - -	M.	2'141	6'470	707	578	683	1'002	937	747	874	2'294	5'298	11'634	28'500	
		F.	2'079	5'694	1'040	635	820	887	975	875	1'272	1'707	4'382	11'398	27'500	

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			Sex.	All Ages.	Ages.											85 and upwards.		
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—			
IV.—EASTERN COUNTIES																		
—cont.																		
No.	16.—NORFOLK—cont.																	
245	FREERIDGE LYNN	-	-	-	M.	1'940	5'048	'667	'445	'462	'522	'848	'716	1'201	1'815	5'495	11'624	26'429
					F.	1'965	5'616	'729	'467	'577	'851	'772	1'020	1'236	1'690	4'465	10'441	21'204
246	KINGS LYNN II	-	-	-	M.	2'466	7'518	'748	'429	'725	'923	'932	1'416	1'731	3'895	5'089	12'778	25'882
					F.	2'058	6'207	'667	'447	'529	'702	'869	1'203	1'383	2'322	4'978	14'294	25'758
247	DOWNHAM	-	-	-	M.	1'981	6'132	'718	'309	'486	'750	'733	'853	1'025	2'440	4'474	9'784	27'208
					F.	1'981	5'408	'781	'392	'822	'928	'871	'818	1'317	1'817	4'802	11'117	22'439
248	SWAFFHAM	-	-	-	M.	1'975	5'689	'577	'369	'504	'787	'800	'900	1'149	2'122	5'656	12'344	23'263
					F.	1'906	4'790	'687	'417	'756	'883	1'000	1'145	1'042	1'703	4'132	11'623	25'484
249	THETFORD	-	-	-	M.	2'124	5'751	'815	'489	'641	1'157	'827	'946	1'190	2'410	5'444	14'277	26'067
					F.	2'058	4'878	'817	'571	'735	'905	1'067	1'177	1'299	2'292	4'594	12'595	23'533
V.—SOUTH WESTERN COUNTIES.																		
17.—WILTSHIRE.																		
250	HIGHWORTH	-	-	-	M.	1'788	5'594	'493	'368	'429	'622	'690	'800	1'495	2'684	5'316	12'222	25'417
					F.	1'788	4'682	'464	'409	'670	'912	'848	1'036	1'250	2'162	5'294	11'583	23'000
251	CRICKLADE	-	-	-	M.	1'982	5'090	'635	'391	'563	'811	'864	'901	1'126	2'630	5'039	9'782	27'500
					F.	1'821	4'216	'665	'326	'604	'868	'946	'839	1'197	2'090	5'310	12'368	23'529
252	MALMESBURY	-	-	-	M.	1'862	4'758	'530	'432	'431	'583	'654	'926	'987	2'366	4'086	12'431	40'769
					F.	1'693	3'624	'523	'295	'731	'737	'787	'946	1'158	2'050	4'650	13'481	24'583
253	CHIPPENHAM	-	-	-	M.	1'917	4'508	'618	'362	'495	'764	'854	1'102	1'448	2'716	5'508	15'000	28'966
					F.	1'843	3'710	'507	'305	'732	'834	1'062	1'083	1'224	2'211	5'415	15'239	22'121
254	CALNE	-	-	-	M.	1'863	4'262	'756	'372	'589	'709	'791	1'128	1'266	2'182	4'676	10'918	20'000
					F.	1'806	3'772	'549	'447	'607	1'000	'802	1'042	1'078	2'492	4'181	13'398	25'000
255	MARLBOROUGH	-	-	-	M.	1'881	5'495	'722	'325	'445	'739	'822	'945	1'473	2'698	6'552	14'384	41'429
					F.	1'903	4'742	'574	'408	'572	'911	'791	1'068	1'598	2'162	6'990	11'795	28'462
256	DEVIZES L	-	-	-	M.	2'136	4'480	'587	'291	'630	'907	1'303	1'668	1'099	2'916	6'898	14'299	33'128
					F.	2'082	3'547	'634	'352	'677	'944	1'147	1'388	1'550	3'106	6'309	15'044	32'121
257	MELKSHAM	-	-	-	M.	2'356	6'309	'844	'278	'503	'767	1'069	1'506	1'490	2'696	6'463	14'416	34'118
					F.	2'032	5'101	'657	'379	'554	'680	'896	1'149	1'229	2'684	6'608	14'514	44'000
258	BRADFORD-ON-AVON	-	-	-	M.	1'941	4'192	'369	'351	'374	'858	'901	'963	1'575	2'460	6'211	12'885	43'383
					F.	1'943	4'028	'577	'347	'812	'829	'932	1'127	1'179	2'943	5'023	15'578	27'647
259	WESTBURY	-	-	-	M.	2'112	5'261	'642	'438	'643	'777	'715	1'141	1'239	2'077	5'639	13'398	25'000
					F.	2'011	4'321	'681	'371	'765	1'061	'601	1'154	1'443	2'414	6'370	14'018	20'000
260	WARMINGSTER	-	-	-	M.	1'854	4'492	'384	'268	'418	'864	'906	1'025	1'282	2'161	5'843	14'468	26'111
					F.	1'798	3'476	'489	'358	'518	'815	'852	1'143	1'248	2'413	5'309	14'863	25'417
261	PEWSEY	-	-	-	M.	1'968	4'933	'706	'409	'456	'807	'787	'900	1'308	2'185	5'640	14'294	26'000
					F.	1'944	3'985	'633	'324	'807	'783	1'180	1'265	1'212	2'397	4'983	12'613	26'421
262	AMESBURY	-	-	-	M.	1'732	3'943	'527	'172	'408	'683	'800	'871	1'333	2'284	5'824	14'783	52'000
					F.	1'762	3'543	'661	'395	'575	'886	1'083	1'208	1'023	2'388	6'727	13'788	27'143
263	ALDBURY* III	-	-	-	M.	2'416	4'268	'553	'407	'630	1'068	1'796	2'358	2'430	3'846	8'032	14'444	56'667
					F.	1'946	3'650	'470	'385	'628	'938	1'144	1'176	1'824	2'942	6'866	15'433	26'471
	SALISBURY*	-	-	-	M.	2'138	5'972	'607	'232	'323	'749	'875	1'245	2'141	3'178	7'153	14'107	47'609
					F.	1'872	5'150	'602	'342	'414	'467	'657	1'237	1'312	2'848	5'294	14'675	33'000
265	WILTON	-	-	-	M.	1'820	4'640	'524	'254	'357	'767	'729	'848	1'294	2'456	5'432	11'818	30'909
					F.	1'802	3'375	'469	'305	'577	1'029	'798	1'031	1'103	2'725	5'153	16'395	42'000
266	TISBURY	-	-	-	M.	1'780	3'803	'584	'429	'441	'767	'747	'896	1'295	2'194	5'708	12'808	28'000
					F.	1'785	3'564	'494	'393	'549	'707	'805	'925	1'236	2'784	6'303	14'444	34'444
267	MERE	-	-	-	M.	1'913	4'641	'449	'476	'582	1'048	'693	'829	1'019	2'408	5'556	12'963	27'778
					F.	1'880	4'008	'403	'315	'609	'945	1'025	1'114	1'083	2'184	6'154	12'658	24'167

* The District of Salisbury was merged in the Alderbury District on 31st May 1869, but the Mortality of the two parts now combined is here separately given.

Mortality of Males and Females at different Ages.

ccxxvii

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

No.		DISTRICTS.	SEX.	All Ages.	Ages.												85 and upwards.
					Under 5 Years.												
					5-	10-	15-	20-	25-	35-	45-	55-	65-	75-			
V.—SOUTH WESTERN COUNTIES—cont.																	
18.—DORSETSHIRE.																	
268	SHAFTESBURY	-	M.	1'831	4'595	536	409	541	711	908	926	1'164	2'195	5'086	13'214	24'762	
		-	F.	1'905	4'110	644	367	685	957	1'068	1'165	1'270	2'144	5'168	12'600	30'867	
269	STURMINSTER	-	M.	1'771	4'074	609	281	394	712	879	984	1'308	2'009	4'816	12'901	46'230	
		-	F.	1'839	3'825	679	539	1'041	695	1'030	974	1'041	2'213	5'141	12'710	34'615	
270	BLANDFORD	-	M.	1'880	5'068	579	372	507	959	899	945	1'190	2'123	5'638	13'089	30'251	
		-	F.	1'724	3'923	654	364	501	649	680	798	1'188	2'400	5'549	14'628	28'696	
271	WIMBORNE	-	M.	1'770	4'300	451	355	527	908	732	879	1'248	2'079	5'079	13'158	32'000	
		-	F.	1'777	3'696	416	320	591	1'136	778	1'157	1'232	2'321	4'909	14'671	30'000	
272	POOLE	-	M.	2'134	5'551	856	498	586	898	921	988	1'607	2'804	6'809	13'980	30'000	
		-	F.	1'987	4'711	774	408	788	862	1'051	1'018	1'850	2'530	5'415	12'197	46'923	
273	WAREHAM	-	M.	1'779	4'905	476	283	435	742	975	802	1'038	2'133	5'474	14'203	46'124	
		-	F.	1'645	3'430	454	338	537	816	901	939	1'080	2'019	4'608	12'697	22'335	
274	WYMOUTH III	-	M.	1'741	5'585	579	357	383	660	786	1'206	1'468	2'625	5'735	11'916	26'000	
		-	F.	1'687	4'841	497	324	469	518	743	890	1'342	2'314	5'453	14'335	34'242	
275	DORCHESTER HL	-	M.	1'990	5'121	640	358	444	851	909	1'236	1'550	2'961	5'487	13'316	39'048	
		-	F.	1'902	4'441	604	411	698	908	987	1'066	1'453	2'615	5'276	13'762	28'387	
276	SHERBORNE H	-	M.	1'956	5'011	508	317	507	805	992	843	1'416	2'721	6'113	12'932	30'000	
		-	F.	1'880	4'735	566	385	541	668	786	981	1'424	2'803	5'683	12'269	29'444	
277	BEAMINSTER	-	M.	2'001	5'894	574	245	311	598	727	878	1'093	2'555	4'783	13'864	27'805	
		-	F.	1'871	4'603	594	325	668	754	778	749	1'090	1'904	5'481	13'250	25'833	
278	BRIDPORT	-	M.	2'179	6'106	514	375	561	545	902	1'306	1'334	2'477	6'258	14'766	30'769	
		-	F.	1'974	5'091	615	386	588	783	967	1'117	1'392	2'000	5'175	12'414	29'032	
19.—DEVONSHIRE.																	
279	AXMINSTER	-	M.	1'969	4'548	612	335	761	777	850	790	1'404	2'235	5'223	14'474	32'690	
		-	F.	1'892	4'163	596	486	770	909	916	975	1'130	2'288	5'103	12'883	26'098	
280	HONITON	-	M.	1'921	4'682	517	299	553	750	1'087	1'013	1'256	2'174	4'954	11'539	38'333	
		-	F.	1'788	3'691	434	354	735	791	859	1'020	1'246	1'959	5'436	12'429	30'256	
281	ST. THOMAS L	-	M.	2'200	4'956	670	414	557	776	1'194	1'530	1'721	3'027	5'926	13'812	31'565	
		-	F.	1'913	4'411	588	388	617	665	884	1'060	1'332	2'177	5'398	13'262	27'789	
282	EXETER II	-	M.	2'816	8'817	715	529	696	1'001	1'272	1'860	2'357	4'074	7'576	16'649	30'932	
		-	F.	2'304	7'394	713	616	519	707	912	1'301	1'618	2'785	5'588	14'474	27'719	
283	NEWTON ABBOT IIIII	-	M.	2'195	5'732	622	392	588	994	1'199	1'260	1'505	2'550	6'012	13'369	30'769	
		-	F.	1'766	4'869	620	385	598	743	850	855	1'179	2'127	4'706	13'029	24'610	
284	TOTNES	-	M.	2'125	5'098	652	418	586	946	1'101	1'117	1'628	2'966	5'772	13'389	35'294	
		-	F.	1'900	4'261	676	463	761	638	811	887	989	2'229	5'527	12'901	26'418	
285	KINGSBRIDGE	-	M.	2'046	4'659	553	354	516	1'040	1'175	1'099	1'333	2'155	5'245	10'900	32'381	
		-	F.	1'820	4'339	696	377	694	910	1'025	881	1'097	1'873	4'183	11'870	36'071	
286	PLYMPTON ST. MARY	-	M.	2'059	4'945	560	412	591	940	1'058	1'094	1'589	2'532	5'269	13'516	29'685	
		-	F.	1'721	4'270	623	395	569	676	842	911	1'032	1'907	4'914	11'827	24'667	
287	PLYMOUTH II	-	M.	2'484	8'633	807	477	518	740	997	1'403	2'027	3'323	6'692	14'518	29'111	
		-	F.	2'161	7'509	715	490	587	697	1'021	1'068	1'489	2'363	5'478	14'325	26'410	
288	EAST STONEHOUSE II	-	M.	3'283	8'806	871	389	2'063	2'048	2'482	2'354	3'320	3'325	7'313	13'729	24'667	
		-	F.	2'256	7'610	767	429	619	763	903	1'232	1'402	2'632	6'386	14'194	23'125	
289	STOKE DAMEREL IIII	-	M.	2'020	7'906	710	418	302	451	821	1'193	1'798	3'325	6'364	16'680	23'529	
		-	F.	2'183	6'652	742	441	514	603	913	1'067	1'499	2'615	5'657	15'000	27'018	
290	TAVISTOCK	-	M.	1'968	5'004	908	526	676	816	788	992	1'451	2'030	6'025	13'619	30'417	
		-	F.	1'794	4'411	875	497	608	882	805	843	1'039	2'063	5'338	12'688	24'000	
291	ORKHAMPTON	-	M.	1'687	3'685	377	349	344	505	608	675	1'036	2'023	5'826	12'184	30'741	
		-	F.	1'690	2'974	528	428	563	802	709	855	925	2'102	4'563	11'368	23'265	
292	CREDITON	-	M.	1'868	4'076	604	284	395	831	914	715	1'259	2'553	6'024	13'516	32'727	
		-	F.	1'870	3'544	481	428	639	819	808	929	1'152	2'157	5'165	12'038	28'182	
293	TIVERTON *	-	M.	2'116	5'183	644	433	484	907	890	1'164	1'409	2'695	5'169	14'009	28'758	
		-	F.	1'976	4'479	610	516	688	948	903	1'012	1'036	2'194	5'487	14'018	24'890	

* A correction has been made for a change in the constitution of this District during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.		SEX.	All Ages.	Ages.												85 and upwards.
				Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—		
No.	V.—SOUTH WESTERN COUNTIES—cont.															
19.—DEVONSHIRE—cont.																
294	SOUTH MOLTON * - - -	M.	1'854	4'208	'511	'344	'457	'728	'874	'876	1'429	2'235	5'872	13'687	37'333	
		F.	1'709	3'333	'433	'513	'677	'777	'851	1'024	1'062	2'027	5'041	13'096	28'710	
295	BARNSTAPLE II - - -	M.	1'938	4'294	'537	'250	'603	'801	1'065	1'112	1'439	2'281	5'763	11'590	27'255	
		F.	1'732	3'700	'524	'384	'570	'685	'852	'844	'924	2'081	4'670	11'293	29'432	
296	TORRINGTON - - -	M.	1'850	4'083	'563	'317	'460	'730	'785	1'073	'981	2'450	5'116	14'074	33'000	
		F.	1'852	3'669	'608	'334	'800	1'011	'973	1'138	1'195	2'332	4'802	13'196	25'908	
297	BIDEFORD - - -	M.	1'959	4'551	'508	'308	'580	1'012	'821	1'154	1'161	2'120	5'307	12'333	30'667	
		F.	1'776	3'895	'559	'321	'685	'690	'807	'862	1'222	2'040	4'738	10'542	28'005	
298	HOLSWORTHY - - -	M.	1'762	3'934	'379	'371	'462	'633	'723	'806	'975	2'295	5'021	14'845	37'500	
		F.	1'708	3'517	'377	'456	'598	'511	1'043	'876	1'244	2'344	5'351	12'800	24'762	
20.—CORNWALL.																
299	STBATTON - - -	M.	1'950	4'438	'455	'483	'521	'754	1'034	1'028	1'302	2'081	5'291	13'333	29'601	
		F.	1'738	3'051	'451	'486	'525	'932	'825	1'138	'942	1'910	4'527	14'624	34'000	
300	CAMELFORD - - -	M.	1'818	4'496	'544	'416	'452	'858	'785	1'071	1'495	1'957	4'556	12'468	28'037	
		F.	1'816	4'651	'552	'232	'480	'874	'769	'901	1'161	1'877	5'767	10'370	23'000	
301	LAUNCESTON - - -	M.	1'868	4'906	'467	'390	'522	'602	'843	'787	1'248	1'996	5'570	14'779	31'879	
		F.	1'720	3'733	'654	'343	'679	'751	'754	'774	'851	2'428	4'647	13'432	31'429	
302	ST. GERMANE - - -	M.	2'143	5'192	'601	'347	'520	'864	1'100	1'083	1'347	2'939	5'929	15'000	35'000	
		F.	1'863	4'212	'783	'441	'620	'667	'919	1'091	1'140	2'065	5'134	12'449	25'928	
303	LISKEARD - - -	M.	2'036	5'781	'674	'381	'594	'828	'815	1'062	1'472	2'574	6'095	12'894	25'172	
		F.	1'795	4'026	'673	'405	'551	'714	'765	'910	'924	1'915	4'985	13'022	28'049	
304	BODMIN III - - -	M.	2'150	5'190	'406	'412	'532	1'042	1'263	1'303	1'488	2'523	5'127	15'116	34'762	
		F.	1'879	4'329	'629	'428	'583	1'003	'828	'936	1'218	2'185	4'430	12'350	29'091	
305	ST. COLUMB - - -	M.	1'919	4'978	'645	'269	'550	'616	'693	'860	1'079	2'178	5'462	13'741	33'138	
		F.	1'808	4'342	'691	'515	'593	'730	'893	'988	1'248	1'593	4'809	12'432	26'403	
306	ST. AUSTELL - - -	M.	2'084	5'965	'724	'374	'693	'804	'732	'870	1'478	2'610	6'796	13'657	26'429	
		F.	1'912	5'480	'655	'535	'739	'882	'914	'836	'963	1'884	5'088	12'970	30'000	
307	TRURO II - - -	M.	2'327	6'090	'658	'540	'639	1'066	1'000	1'273	1'558	3'126	6'808	13'783	34'118	
		F.	2'080	6'291	'733	'476	'737	'873	'887	'875	1'107	2'116	4'981	13'643	31'286	
308	FALMOUTH - - -	M.	2'332	7'733	'738	'468	'800	1'088	1'181	1'164	1'619	2'837	4'762	13'648	28'500	
		F.	2'154	6'867	'622	'347	'629	'884	'903	1'070	1'541	2'501	5'041	13'330	24'878	
309	HELSTON - - -	M.	2'301	6'707	'782	'424	'610	1'090	1'023	1'139	1'870	2'770	5'879	13'198	24'483	
		F.	1'922	5'986	'583	'308	'641	'902	'788	'900	'990	1'815	4'583	11'900	23'071	
310	REDRUTH - - -	M.	2'563	8'248	'930	'471	'680	'880	1'032	1'229	2'439	4'451	8'542	15'514	41'579	
		F.	2'063	7'405	'832	'401	'629	'814	'753	'891	1'167	2'146	5'462	13'947	30'583	
311	PENZANCE - - -	M.	2'426	7'911	'731	'387	'633	'966	'960	1'226	1'877	3'124	6'396	13'618	41'923	
		F.	2'083	7'414	'735	'436	'689	'897	'763	'863	1'130	1'883	5'147	13'100	28'378	
312	SCILLY ISLANDS - - -	M.	2'156	4'074	'431	'345	'435	1'212	1'495	1'028	'991	2'264	3'054	15'333	31'067	
		F.	1'839	3'250	'246	'370	'741	1'319	1'152	'962	1'000	1'066	5'205	15'000	32'000	
21.—SOMERSETSH.																
313a	WILLITON - - -	M.	1'854	4'182	'446	'368	'556	'722	'804	'928	1'367	2'798	4'892	12'100	30'370	
		F.	1'647	3'154	'378	'513	'545	'878	'698	'890	1'028	2'089	4'909	10'917	29'167	
313b	DULVERTON * - - -	M.	1'821	3'966	'397	'396	'537	'681	'701	'980	1'434	1'712	6'090	15'536	28'333	
		F.	1'577	3'119	'603	'316	'465	'449	'625	'698	'985	1'897	5'672	11'256	23'000	
314	WELLINGTON - - -	M.	1'805	3'870	'246	'456	'463	'577	'859	'994	1'396	2'236	4'989	12'379	27'241	
		F.	1'723	3'725	'347	'465	'590	'720	'893	'996	1'016	1'869	4'333	11'735	25'381	
315	TAUNTON II - - -	M.	2'022	4'612	'528	'345	'538	1'084	1'134	1'246	1'462	2'877	6'067	15'609	38'293	
		F.	1'792	4'079	'496	'458	'683	'786	'818	'928	1'333	2'002	4'531	12'232	26'541	
316	BRIDGWATER II - - -	M.	1'951	4'694	'370	'331	'322	'816	'969	'930	1'701	2'832	5'521	15'728	21'222	
		F.	1'769	4'096	'459	'382	'755	'671	'866	1'026	'975	2'083	4'493	12'486	27'238	
317	LANGPORT - - -	M.	1'946	4'415	'567	'344	'466	'895	'945	1'071	1'671	2'164	5'718	13'790	22'500	
		F.	1'841	3'986	'511	'463	'739	1'036	'803	'891	1'091	2'054	4'774	13'545	25'081	
318	CHARD - - -	M.	1'966	5'194	'547	'357	'495	'772	'837	'997	1'393	2'450	5'709	14'343	27'826	
		F.	1'815	4'471	'534	'529	'701	'885	'881	'964	1'090	2'143	4'801	13'294	27'000	

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

Mortality of Males and Females at different Ages.

ccxxix

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.														
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.			
No.	V.—SOUTH WESTERN COUNTIES—cont.																		
	21.—SOMERSETSH.—cont.																		
319	YEovil	-	-	-	-	M.	2'053	5'055	'592	'299	'427	'638	'890	1'148	1'436	2'760	5'423	15'628	35'400
						F.	1'811	4'502	'550	'330	'609	'675	'865	'930	1'306	2'137	5'787	12'962	31'589
320	WINCANTON	-	-	-	-	M.	1'974	5'129	'437	'280	'466	'615	'818	1'024	1'337	3'036	5'471	13'927	30'476
						F.	1'803	4'148	'372	'446	'511	'545	'807	1'003	1'213	2'441	5'487	12'805	22'292
321	FROME	-	-	-	-	M.	2'006	4'961	'468	'374	'400	1'013	'848	1'159	1'596	2'083	5'038	12'929	33'704
						F.	1'904	4'234	'451	'337	'618	'708	'886	1'144	1'308	2'360	5'075	11'987	27'873
322	SHEPTON MALLET	-	-	-	-	M.	1'882	4'237	'400	'343	'361	'796	'866	'947	1'702	2'892	5'041	13'013	21'786
						F.	1'885	4'091	'464	'541	'485	'906	'815	'901	1'169	2'178	5'093	12'029	30'250
323	WELLS L	-	-	-	-	M.	2'272	4'787	'719	'386	'415	'601	1'276	1'640	2'246	2'891	6'081	15'282	36'364
						F.	2'052	4'444	'625	'420	'589	'766	1'132	1'400	1'727	2'548	5'816	11'581	24'783
324	AXBRIDGE H	-	-	-	-	M.	2'041	5'137	'618	'440	'461	'831	'763	1'245	1'645	2'730	5'577	13'050	29'592
						F.	1'726	4'378	'613	'343	'590	'715	'844	'876	1'143	1'950	4'749	10'871	23'294
325	CLUTTON	-	-	-	-	M.	1'994	5'224	'681	'359	'670	'763	'770	'839	1'231	2'391	5'743	14'806	33'333
						F.	1'835	3'797	'673	'440	'945	'990	'896	1'026	1'055	1'920	5'232	10'040	24'067
326	BATH III	-	-	-	-	M.	2'308	6'074	'742	'337	'468	'863	1'225	1'759	2'223	3'594	6'613	15'011	30'526
						F.	2'001	5'763	'713	'580	'409	'592	'765	1'146	1'570	2'819	5'815	13'968	28'828
327	KEYNSHAM	-	-	-	-	M.	2'026	5'419	'680	'532	'540	'929	'709	1'006	1'533	2'293	5'207	12'722	28'519
						F.	2'015	4'891	'729	'490	'891	'940	'990	1'101	1'057	2'065	5'463	11'745	30'000
328	BEDMINSTER H	-	-	-	-	M.	2'116	6'374	'667	'377	'488	'711	'835	1'275	1'690	2'678	5'883	14'276	31'176
						F.	1'882	5'405	'621	'412	'631	'643	'816	'970	1'350	2'302	4'851	13'676	26'721
VI.—WEST MIDLAND COUNTIES.																			
22.—GLOUCESTERSH.																			
329	BRISTOL IIIII	-	-	-	-	M.	2'955	6'747	'189	'610	'846	1'028	1'433	1'932	2'734	3'981	8'508	16'597	30'908
						F.	2'462	8'311	'963	'522	'617	'780	'943	1'345	2'046	3'221	6'231	14'335	29'167
330	CLIFTON eL	-	-	-	-	M.	2'377	7'273	'844	'425	'564	'622	'911	1'342	1'910	3'758	7'215	16'180	31'639
						F.	1'930	6'508	'753	'493	'541	'604	'684	1'078	1'422	2'634	5'034	13'457	28'696
331	CHIPPING SODRURY	-	-	-	-	M.	1'935	5'328	'591	'375	'389	'815	'794	'993	1'205	2'279	5'128	11'451	28'462
						F.	1'988	4'883	'731	'568	'636	'960	'774	'968	1'143	2'083	4'890	12'587	26'452
332	THORNBURY	-	-	-	-	M.	1'781	3'841	'612	'405	'458	'561	'782	'951	1'491	2'484	5'118	13'247	27'619
						F.	1'637	3'130	'607	'342	'644	'696	'697	'802	1'153	1'973	5'061	10'838	29'333
333	DURSLEY	-	-	-	-	M.	2'019	4'082	'423	'258	'519	'627	'848	'828	1'412	2'619	6'104	12'229	36'190
						F.	2'047	3'570	'465	'441	'619	'832	'902	1'094	1'294	2'297	5'597	13'161	32'769
334	WESTBURY-ON-SEVERN	-	-	-	-	M.	1'938	5'265	'629	'401	'405	'854	'778	'921	1'601	3'042	5'625	14'577	34'167
						F.	1'815	4'431	'526	'362	'876	'922	'853	'993	1'099	2'259	4'402	13'514	30'000
335	NEWENT	-	-	-	-	M.	1'996	4'688	'492	'314	'562	'553	'817	'785	1'075	2'478	6'088	11'641	33'500
						F.	1'718	3'895	'403	'483	'655	'719	'761	'912	1'144	1'832	4'879	10'595	25'000
336	GLOUCESTER IIIII	-	-	-	-	M.	2'414	6'735	'673	'485	'711	'889	1'007	1'705	2'343	3'879	7'578	15'427	35'364
						F.	2'091	5'923	'609	'448	'701	'727	1'045	1'117	1'573	2'777	6'119	13'728	27'755
337	WHEATENDURST	-	-	-	-	M.	1'845	3'750	'521	'396	'496	'954	'735	1'062	1'578	2'324	4'839	12'821	46'230
						F.	1'503	3'314	'240	'283	'655	'590	'806	'632	1'010	1'597	4'167	11'648	25'838
338	STROUD H	-	-	-	-	M.	2'206	5'658	'716	'476	'477	'764	'959	1'078	1'279	2'864	6'005	13'587	36'410
						F.	1'979	4'827	'651	'409	'629	'745	'868	1'018	1'218	2'660	5'894	14'197	31'552
339	TETBURY	-	-	-	-	M.	1'873	4'420	'821	'477	'405	'673	1'069	'784	1'170	1'951	7'069	12'941	25'000
						F.	1'920	4'366	'450	'456	'390	'943	'687	1'046	1'309	3'232	5'672	13'125	22'308
340	CIRENCESTER	-	-	-	-	M.	1'829	4'626	'568	'343	'409	'487	'752	1'058	1'153	2'385	5'603	13'891	31'667
						F.	1'806	4'244	'490	'421	'580	'835	'865	1'033	1'196	2'483	5'686	12'287	24'067
341	NORTHLEACH	-	-	-	-	M.	1'738	4'446	'487	'271	'472	'502	'785	'657	1'159	2'338	5'240	11'887	32'727
						F.	1'771	3'740	'680	'345	'622	'741	'885	'930	1'338	2'204	5'044	13'708	33'077
342	STOW-ON-THE-WOLD	-	-	-	-	M.	1'982	5'016	'578	'386	'601	'688	'729	1'096	1'296	2'392	5'021	15'862	37'778
						F.	1'993	4'766	'415	'596	'798	'876	'969	1'077	'955	2'684	5'659	16'923	37'692

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

DISTRICTS.			SEX.	All Ages.	Ages.											
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
No.	VI.—WEST MIDLAND COUNTIES—cont.															
	22.—GLOUCESTERSH.—cont.															
343	WINCHCOMB	- - - - -	M.	1'763	4'362	478	292	419	516	633	830	1'125	1'963	5'738	12'960	22'667
			F.	1'852	4'260	707	376	789	641	741	1'096	1'175	2'368	4'242	11'636	27'323
344	CHELTONHAM II	- - - - -	M.	2'227	6'631	590	290	458	797	965	1'329	1'881	3'078	6'484	13'967	32'143
			F.	1'717	5'231	568	363	432	466	650	991	1'264	2'428	5'247	13'853	26'800
345	TWYKEBURY	- - - - -	M.	2'051	5'128	552	375	435	946	856	1'807	1'325	2'583	5'839	16'096	24'737
			F.	1'906	4'490	520	408	868	777	747	1'128	1'122	2'183	4'915	11'343	22'121
	23.—HEREFORDSH.															
346	LEDGER	- - - - -	M.	1'783	4'533	387	290	353	474	708	830	1'630	2'931	6'444	12'261	25'714
			F.	1'600	3'937	602	299	671	688	783	935	1'088	2'042	5'016	10'507	22'238
347	ROSS	- - - - -	M.	2'018	5'005	483	341	479	801	770	1'153	1'414	2'990	6'305	15'512	43'846
			F.	1'962	4'812	564	384	514	776	873	1'034	1'234	2'304	5'627	12'330	33'793
348	HEREFORD II	- - - - -	M.	2'189	5'193	712	376	467	886	984	1'461	2'035	3'295	6'991	15'534	29'362
			F.	1'989	4'571	532	363	674	663	990	1'238	1'578	2'734	5'639	12'692	23'293
349	WEOLLY	- - - - -	M.	1'919	4'058	435	217	471	1'101	610	992	1'470	3'232	6'173	16'410	32'000
			F.	1'648	3'739	515	344	609	663	853	744	1'111	1'617	4'238	10'825	22'837
350	BROMYARD	- - - - -	M.	1'907	4'606	532	290	406	548	717	932	1'402	2'446	6'813	13'229	23'090
			F.	1'889	4'246	491	444	675	679	886	726	1'098	2'333	5'438	12'174	23'067
351	LEOMINSTER	- - - - -	M.	2'000	4'737	631	377	442	727	938	1'182	1'765	3'345	6'447	13'793	29'474
			F.	2'019	4'274	480	394	872	838	1'038	1'063	1'255	2'606	6'210	13'161	24'490
	24.—SHROPSHIRE.															
352	LUDLOW	- - - - -	M.	2'114	5'726	743	516	372	702	823	1'000	1'627	2'963	6'446	14'286	42'000
			F.	1'944	4'706	609	349	603	767	890	1'324	1'184	2'283	4'498	11'240	22'444
353	CLUN	- - - - -	M.	1'775	4'083	522	392	572	508	834	959	1'056	2'333	5'394	14'667	20'268
			F.	1'812	4'038	582	328	640	808	835	947	923	2'344	5'091	12'453	27'647
354	CHURCH STRETTON	- - - - -	M.	1'793	3'765	504	355	503	1'008	857	886	1'074	2'417	5'484	12'667	27'143
			F.	1'759	3'000	402	420	593	709	974	1'263	1'949	2'689	4'789	12'039	28'090
355	CLEOBURY MORTIMER	- - - - -	M.	1'832	3'665	550	471	606	640	673	1'132	1'510	2'326	4'682	13'333	32'000
			F.	1'748	3'321	772	451	716	690	904	920	1'055	1'961	4'113	12'300	23'684
356	BRIDGNORTH II	- - - - -	M.	1'816	4'537	530	246	394	761	633	937	1'098	2'597	6'081	13'259	42'500
			F.	1'844	4'130	582	792	730	632	792	931	1'160	2'579	5'413	12'517	28'846
357	SHIFFNAL	- - - - -	M.	2'079	5'837	612	331	537	736	881	962	1'503	3'159	6'164	13'763	34'444
			F.	1'748	4'367	689	461	503	580	811	833	1'113	1'938	5'309	10'917	31'875
358	MADELEY	- - - - -	M.	2'249	7'079	624	553	581	723	818	963	1'763	3'163	6'911	15'139	38'947
			F.	2'085	5'337	612	440	631	1'026	929	1'110	1'276	2'389	6'035	13'816	40'000
359	ATCHAM	- - - - -	M.	1'695	3'818	477	363	603	614	813	883	1'206	2'218	5'764	13'397	22'143
			F.	1'733	3'384	546	386	725	1'054	973	758	1'003	2'110	4'437	12'966	26'230
360	SHREWSBURY III	- - - - -	M.	2'884	7'461	770	523	855	1'242	1'417	2'000	3'028	4'631	7'881	18'009	32'381
			F.	2'362	6'444	783	419	742	978	1'300	1'765	1'847	3'121	6'644	16'073	32'222
361	OSWESTRY	- - - - -	M.	2'145	5'379	579	467	661	822	1'045	1'154	1'598	3'288	6'474	15'200	24'375
			F.	2'026	4'733	648	439	762	1'078	1'038	1'251	1'211	2'242	5'034	12'470	30'244
362	ELLESMERE	- - - - -	M.	2'040	4'467	647	414	520	896	1'197	984	1'389	2'675	5'718	15'612	44'286
			F.	1'817	4'058	681	391	643	713	1'063	1'023	1'298	1'990	4'903	12'913	32'083
363a	WEM	- - - - -	M.	1'927	4'521	598	383	497	670	817	747	1'261	2'063	6'243	14'460	45'556
			F.	1'878	3'893	515	446	491	815	973	954	991	2'253	4'784	14'167	32'273
363b	WHITCHURCH	- - - - -	M.	2'130	5'980	614	358	541	888	857	908	1'404	2'699	5'325	16'739	38'739
			F.	1'986	4'536	745	413	428	818	981	1'369	1'299	2'222	5'418	12'913	26'300
364	MARKET DRAYTON	- - - - -	M.	1'828	4'877	487	350	548	705	647	997	1'976	3'306	5'090	12'835	37'290
			F.	1'753	4'190	504	363	442	696	948	927	1'134	2'156	5'415	13'672	21'461
365	WELLINGTON	- - - - -	M.	2'211	6'806	640	435	571	684	633	1'004	1'464	3'351	6'320	14'444	49'167
			F.	2'104	6'108	633	419	769	652	890	1'250	1'130	2'309	5'488	12'460	35'730
366	NEWPORT	- - - - -	M.	1'840	4'323	472	323	461	862	853	1'035	1'159	2'811	5'788	15'042	26'190
			F.	1'808	4'245	525	543	623	774	813	1'032	1'275	2'190	4'883	13'151	25'938

Mortality of Males and Females at different Ages.

CCXXI

Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.

DISTRICTS.		Sex.	All Ages.	Ages.													85 and upwards.	
				Under 5 Years.														
				5—	10—	15—	20—	25—	35—	45—	55—	65—	75—					
No.	VI.—WEST MIDLAND COUNTIES—cont.																	
	25.—STAFFORDSH.																	
367	STAFFORD HILL - - - - -	M.	2'428	6'148	6'619	4'490	7'46	1'151	1'411	2'058	2'553	3'787	6'508	13'363	26'571			
		F.	2'160	5'148	5'701	3'370	7'41	8'98	1'134	1'639	1'949	3'109	6'115	13'464	27'383			
368	STONE H - - - - -	M.	2'008	5'512	5'899	3'30	514	819	1'088	1'114	1'000	3'081	6'354	12'739	24'231			
		F.	1'688	4'914	5'61	285	601	954	1'015	1'168	1'805	2'380	5'778	12'747	27'200			
369	NEWCASTLE-UNDER-LYME - -	M.	2'268	6'904	6'685	5'80	734	851	1'019	1'304	1'638	3'088	7'503	15'242	36'182			
		F.	2'061	5'928	5'763	4'11	544	761	1'063	1'243	1'153	3'927	6'451	15'188	31'220			
370	WOLSTANTON - - - - -	M.	2'640	6'636	7'02	488	585	607	846	1'430	2'519	4'498	8'605	17'445	28'916			
		F.	2'442	5'248	5'794	439	639	785	961	1'187	1'602	3'411	7'948	15'085	23'918			
371	STOCK-UPON-TRENT H - - -	M.	2'799	6'280	6'890	4'78	658	783	1'025	1'756	2'720	4'945	9'355	20'033	35'558			
		F.	2'452	5'312	5'853	418	659	885	1'131	1'371	1'738	3'317	7'113	16'820	35'628			
372	LEEK - - - - -	M.	2'179	6'013	7'32	408	730	800	941	1'062	1'682	2'883	6'835	13'718	25'622			
		F.	2'080	5'000	6'19	499	801	894	1'138	1'310	1'650	2'682	6'805	16'011	24'523			
373	CHREADE - - - - -	M.	2'177	5'980	7'44	414	730	857	1'088	1'021	1'890	2'870	6'780	14'118	29'080			
		F.	2'090	4'809	5'70	327	886	592	1'021	1'314	1'375	2'317	5'725	14'408	27'228			
374	UTTOKETER - - - - -	M.	1'999	4'607	5'75	379	485	583	840	938	1'580	2'667	6'218	14'815	35'322			
		F.	1'948	4'160	5'42	407	463	513	1'288	1'248	1'119	2'334	5'522	13'208	30'456			
375	BURTON-UPON-TRENT L - - -	M.	2'106	6'484	6'15	804	497	723	981	1'455	1'865	3'309	6'544	15'089	34'482			
		F.	2'064	5'475	6'00	462	710	780	1'051	1'246	1'525	2'612	6'110	12'096	33'689			
376	TANWORTH - - - - -	M.	2'077	5'701	6'01	516	541	761	778	1'100	1'369	2'577	6'107	16'769	35'000			
		F.	1'986	4'785	5'89	501	645	857	906	1'119	1'309	2'557	6'491	14'148	30'456			
377	LICHFIELD L - - - - -	M.	2'063	5'476	7'25	432	566	708	854	1'077	1'559	2'505	5'909	13'063	29'118			
		F.	1'945	4'689	5'60	461	680	741	906	1'097	1'402	2'223	5'642	12'731	27'727			
378	PENKBRIDGE - - - - -	M.	1'854	5'430	5'55	345	505	570	764	877	1'278	2'532	5'275	13'335	26'842			
		F.	1'808	4'467	5'56	338	633	671	855	818	1'041	2'496	5'912	13'250	23'214			
379	WOLVERHAMPTON H - - -	M.	2'564	6'033	6'23	445	531	664	840	1'275	1'938	3'080	8'078	15'764	27'736			
		F.	2'299	5'065	6'12	343	497	676	876	1'112	1'498	3'018	6'003	14'135	26'272			
380	WALSALL - - - - -	M.	2'520	6'007	6'68	444	540	720	820	1'128	1'779	3'476	7'888	15'160	27'391			
		F.	2'287	5'480	6'80	418	566	614	841	1'089	1'464	3'037	6'964	14'779	24'727			
381	WEST BRONWICH - - - - -	M.	2'339	6'314	7'83	448	477	627	716	901	1'280	3'406	7'289	15'315	36'067			
		F.	2'108	5'143	7'23	389	501	585	700	1'057	1'368	2'648	6'735	13'875	28'571			
382	DUDLEY - - - - -	M.	2'648	6'690	6'40	527	571	670	792	1'118	1'701	3'001	7'783	15'764	30'800			
		F.	2'382	5'594	7'36	414	464	623	704	1'077	1'330	2'824	6'192	13'957	26'824			
26.—WORCESTERSH.																		
383	STOCKBRIDGE - - - - -	M.	2'351	6'391	7'03	411	483	637	749	1'008	1'497	2'962	7'009	14'318	30'345			
		F.	2'099	5'880	7'40	318	517	659	780	1'032	1'328	2'383	6'372	13'617	27'943			
384	KIDDERMINSTER H - - -	M.	2'219	6'886	7'00	320	576	532	820	867	1'530	3'080	6'491	13'164	40'909			
		F.	1'929	5'303	6'02	437	619	679	753	946	1'106	2'394	5'497	12'760	25'882			
385	TENBURY - - - - -	M.	1'854	4'314	5'33	346	222	640	646	795	1'515	3'050	6'790	15'465	33'720			
		F.	1'794	3'865	5'11	327	714	775	611	889	1'171	1'910	4'451	12'063	26'338			
386	MARTLEY - - - - -	M.	1'734	3'818	6'72	291	243	523	741	771	1'427	2'253	5'027	13'938	29'000			
		F.	1'705	3'780	4'07	414	492	742	770	914	1'080	3'011	4'755	10'980	25'455			
387	WORCESTER H - - - - -	M.	2'680	6'217	6'48	438	611	825	1'212	1'697	2'384	4'617	7'407	16'516	37'143			
		F.	2'282	5'319	6'04	433	438	817	961	1'261	1'681	3'000	6'000	15'061	30'980			
388	UPTON-ON-SEVERN L - - -	M.	2'209	5'010	5'01	314	665	935	930	1'765	2'454	3'295	6'921	15'195	26'571			
		F.	1'747	3'992	5'10	405	574	648	909	1'139	1'625	2'044	5'056	12'100	26'842			
389	EYESHAM - - - - -	M.	1'820	4'335	5'67	365	379	170	731	880	1'609	2'605	6'201	13'750	39'091			
		F.	1'719	4'109	5'60	237	573	706	799	1'080	1'082	2'143	4'311	13'082	33'689			
390	PERSHORE - - - - -	M.	1'857	4'673	6'10	365	453	510	633	863	1'284	2'365	5'714	13'680	32'640			
		F.	1'635	3'420	4'87	373	757	621	875	797	1'181	2'105	4'648	11'667	29'167			
391	DROITWICH - - - - -	M.	1'969	5'363	5'59	371	581	523	712	755	1'563	2'679	6'206	13'880	30'000			
		F.	1'772	4'618	5'37	331	670	629	791	816	1'237	2'064	4'720	11'111	27'143			
392	BROMSGROVE - - - - -	M.	2'225	5'129	5'94	418	420	748	771	881	1'476	2'729	6'438	16'875	27'088			
		F.	2'014	5'712	6'26	416	597	758	854	1'087	1'120	2'764	6'292	14'073	35'485			
393	KINGS NORTON - - - - -	M.	1'815	5'652	5'89	317	551	621	630	929	1'691	3'065	6'621	15'389	26'373			
		F.	1'562	5'132	5'11	376	563	396	674	1'006	1'304	2'266	5'740	13'001	26'066			

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

No.		DISTRICTS.	SEX.	All Ages.	Under 5 Years.	Ages.											65 and upwards.
						5—	10—	15—	20—	25—	35—	45—	55—	65—	75—		
VI.—WEST MIDLAND COUNTIES.—cont.																	
27.—WARWICKSHIRE.																	
304	BIRMINGHAM HHHHL - -	M.	2'838	9'917	1'013	424	553	735	1'065	1'770	2'741	4'657	9'211	18'430	35'008		
		F.	2'495	8'807	906	424	514	702	910	1'308	1'982	3'848	7'726	17'172	30'304		
305	ASTON - - - - -	M.	2'140	7'123	758	341	444	597	838	972	1'770	3'306	6'029	14'048	34'074		
		F.	2'010	6'921	683	349	463	561	737	1'019	1'565	2'809	5'787	14'197	30'169		
306	MERIDEN - - - - -	M.	1'893	4'704	482	417	637	903	930	947	1'217	1'991	3'805	13'981	37'778		
		F.	1'788	3'576	563	357	565	834	834	954	1'283	1'744	3'036	13'171	29'412		
307	ATHERSTONE - - - -	M.	2'078	6'031	508	545	876	1'075	1'604	1'087	1'095	2'008	6'346	13'714	32'727		
		F.	1'944	4'555	546	325	688	827	810	1'176	1'299	2'518	5'641	11'887	25'031		
308	NUNEATON - - - - -	M.	2'416	7'338	922	917	772	807	800	829	1'577	2'913	6'836	13'848	33'846		
		F.	2'241	6'763	715	519	654	982	1'110	1'088	1'229	2'435	6'812	13'637	32'900		
309	FOLESHILL - - - - -	M.	2'339	7'068	555	529	606	790	718	863	1'066	2'840	5'792	14'297	45'000		
		F.	2'172	6'397	602	504	768	839	1'238	1'007	1'091	2'376	5'086	14'214	29'048		
400	COVENTRY H - - - -	M.	2'251	7'362	831	416	570	780	746	1'076	1'451	3'073	6'687	16'308	36'000		
		F.	2'004	6'256	744	340	583	767	847	989	1'389	2'583	6'299	16'486	33'438		
401	RUGBY - - - - -	M.	1'854	5'803	514	413	507	580	768	1'116	1'100	2'380	5'454	15'529	34'001		
		F.	1'782	4'585	612	363	622	698	856	1'094	1'017	2'232	5'084	12'900	38'609		
402	SOLIHULL - - - - -	M.	1'680	4'186	585	510	568	563	667	772	1'256	2'280	4'738	12'571	36'429		
		F.	1'560	3'276	563	290	422	496	706	931	1'091	1'803	5'351	12'336	31'703		
403	WARWICK HL - - - -	M.	2'253	6'052	652	453	562	870	1'008	1'273	1'913	3'030	6'484	16'149	30'000		
		F.	1'902	5'032	734	308	374	691	847	863	1'462	2'613	5'245	13'311	31'273		
404	STRATFORD-ON-AVON -	M.	1'808	4'803	556	452	656	813	813	810	1'506	2'710	5'798	12'713	44'708		
		F.	1'827	4'250	567	300	787	741	832	921	1'122	2'212	5'030	14'706	28'706		
405	ALCESTER - - - - -	M.	1'919	5'103	611	373	648	926	962	900	1'523	2'446	5'990	13'904	39'251		
		F.	1'900	4'704	685	374	728	796	969	917	1'147	2'633	5'999	13'097	27'391		
406	SHIPSTON-ON-STOUE -	M.	1'898	5'172	512	342	440	471	725	797	1'106	2'324	5'000	13'842	35'802		
		F.	1'764	3'643	491	462	745	760	903	805	1'121	2'151	5'428	13'444	30'000		
407	SOUTHAM - - - - -	M.	1'855	4'893	612	532	554	735	578	826	1'222	2'233	5'732	13'810	25'714		
		F.	1'830	4'261	499	389	803	1'083	910	894	951	1'554	6'140	14'578	33'000		
VII.—NORTH MIDLAND COUNTIES.																	
28.—LEICESTERSHIRE.																	
408	LUTTERWORTH - - - -	M.	1'846	4'764	551	510	469	735	794	816	994	2'317	5'419	14'161	35'000		
		F.	2'009	4'641	611	429	680	883	1'148	975	1'526	2'527	5'556	12'453	30'273		
409	MARKET HARBOUROUGH -	M.	1'885	5'781	424	229	310	587	793	860	1'137	2'414	5'066	13'782	42'000		
		F.	1'843	4'991	412	310	715	729	772	975	1'245	1'800	4'935	12'329	32'591		
410	BILLESDON L - - - -	M.	1'547	2'756	508	243	161	498	538	818	1'034	2'015	4'211	14'426	23'900		
		F.	1'226	3'118	362	102	328	578	559	495	1'009	1'259	3'029	7'696	14'290		
411	BLADY - - - - -	M.	2'081	7'528	979	512	518	713	877	971	1'667	2'605	4'787	11'621	29'296		
		F.	1'971	5'756	601	384	631	611	644	937	1'265	2'097	6'221	14'516	30'000		
412	HINCKLEY - - - - -	M.	2'251	7'677	552	567	482	782	740	865	1'067	1'937	6'179	14'000	30'111		
		F.	2'115	6'170	549	591	759	799	1'065	1'112	1'933	2'969	5'947	13'483	46'000		
413	MARKET BOSWORTH - -	M.	1'948	5'928	188	311	312	864	611	694	1'218	2'159	6'191	13'982	30'000		
		F.	1'896	4'917	570	263	487	894	764	873	1'053	2'070	5'117	12'719	25'231		
414	ASHBY-DE-LA-ZOUCH -	M.	2'058	6'493	621	522	643	784	969	1'007	1'096	2'547	5'453	12'502	30'711		
		F.	1'953	5'550	410	348	519	765	963	1'034	1'314	2'546	5'678	13'761	25'862		
415	LOUGHBOROUGH H - -	M.	2'351	7'412	553	529	518	853	775	933	1'530	2'546	5'967	14'531	32'727		
		F.	2'225	6'446	643	518	612	760	1'086	1'124	1'245	2'740	5'832	13'697	26'729		
416	BARROW-UPON SOAR - -	M.	2'117	6'012	588	465	513	805	665	742	1'068	2'006	5'794	12'312	32'217		
		F.	2'056	5'191	498	520	785	787	1'127	1'116	890	2'088	5'590	12'418	31'712		
417	LEICESTER HL - - - -	M.	2'855	10'774	923	929	699	724	941	1'552	1'962	3'623	7'741	16'399	30'000		
		F.	2'414	9'213	691	173	651	771	925	1'297	1'698	2'666	6'689	15'035	34'299		
418	MELTON MOWBRAY - -	M.	1'891	5'087	507	529	566	787	916	978	1'111	2'427	5'093	12'596	34'764		
		F.	1'815	4'271	461	449	670	870	888	969	1'459	1'898	5'632	12'761	28'750		

* BILLESDON.—See note A* to defective registration, p. lvi.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			Sex.	All Ages.	Ages.												85 and upwards.		
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—				
No.	VII.—NORTH MIDLAND COUNTIES—cont.																		
29.—RUTLANDSHIRE.																			
419	OAKHAM	-	-	-	-	M.	2'029	5'250	546	387	575	907	862	938	1'412	2'324	5'291	15'924	30'000
						F.	1'878	4'250	579	315	552	1'121	836	1'092	1'670	2'042	4'444	13'364	44'000
420	UPPINGHAM	-	-	-	-	M.	1'823	4'734	680	415	387	714	820	848	1'270	2'272	4'516	13'679	33'636
						F.	1'868	4'524	492	525	585	826	928	1'116	1'113	1'881	5'149	14'554	27'143
30.—LINCOLNSHIRE.																			
421	STAMFORD H	-	-	-	-	M.	2'048	5'651	656	414	401	710	797	985	1'826	2'613	6'030	15'090	24'000
						F.	1'763	4'549	635	412	588	966	856	998	1'979	2'261	4'977	11'576	38'421
422	BOURN*	-	-	-	-	M.	1'940	5'185	607	378	403	684	741	875	1'098	2'381	5'711	13'804	28'000
						F.	1'761	4'396	578	388	510	930	792	919	1'930	2'023	3'991	12'565	27'742
423	SPALDING*	-	-	-	-	M.	2'041	6'200	656	447	496	797	746	948	1'431	2'475	5'071	12'778	28'284
						F.	1'685	4'363	722	380	567	907	875	856	1'030	2'036	4'027	10'995	24'400
424	HOLBEACH	-	-	-	-	M.	1'906	6'103	515	457	456	640	743	755	1'012	2'363	4'698	11'724	28'667
						F.	1'803	4'815	536	467	621	820	1'027	926	1'343	2'294	4'278	12'324	24'000
425	BOSTON	-	-	-	-	M.	1'983	5'430	640	390	540	789	851	1'021	1'400	2'348	5'234	11'842	30'732
						F.	1'795	4'308	737	469	596	976	942	949	1'249	2'041	4'465	12'765	27'541
426	SLEAFORD	-	-	-	-	M.	1'839	5'169	609	370	441	624	822	881	1'122	2'036	5'469	12'338	29'645
						F.	1'714	4'472	542	402	427	737	760	853	1'083	2'025	4'641	10'675	30'938
427	GRANTHAM	-	-	-	-	M.	1'970	5'396	548	333	603	671	865	845	1'286	2'549	6'137	13'644	31'304
						F.	1'920	4'928	673	382	671	763	954	1'099	1'378	1'892	5'545	11'903	42'000
428	LINCOLN HL	-	-	-	-	M.	2'232	6'809	672	416	508	880	1'002	1'307	1'721	3'150	5'828	13'934	29'231
						F.	2'014	5'438	658	444	728	857	1'195	1'150	1'303	2'354	5'347	12'975	29'815
429	HORNCastle	-	-	-	-	M.	1'791	4'025	600	535	446	830	656	873	1'193	2'179	5'116	11'697	30'000
						F.	1'822	4'109	758	548	677	929	917	1'100	1'063	1'890	4'242	11'293	23'965
430	SPILSBY	-	-	-	-	M.	1'842	4'087	655	281	521	901	986	824	1'220	1'965	4'814	11'914	27'273
						F.	1'738	3'885	719	548	706	862	1'095	884	1'134	1'815	4'067	12'107	22'128
431	LOUTH	-	-	-	-	M.	1'871	5'002	580	323	633	646	717	793	1'201	2'347	5'698	14'633	23'143
						F.	1'845	4'655	481	424	871	1'082	1'078	1'008	1'063	2'088	4'543	10'521	27'222
432	CAISTOR	-	-	-	-	M.	1'910	4'540	767	468	480	697	751	916	1'148	2'204	5'169	12'720	25'806
						F.	1'824	5'049	669	474	685	895	974	919	1'162	2'069	4'619	12'566	28'605
433	GLANFORD BRIGG	-	-	-	-	M.	1'994	5'378	583	508	583	897	821	818	1'268	2'228	5'322	12'132	28'718
						F.	1'929	4'764	749	571	832	927	1'026	1'151	1'178	2'011	4'499	13'238	29'818
434	GAINSBOROUGH	-	-	-	-	M.	2'171	6'162	877	457	618	850	830	890	1'546	2'531	5'591	12'680	30'000
						F.	1'979	5'026	894	418	787	1'122	984	980	1'107	2'187	4'315	11'626	24'250
31.—NOTTINGHAM.																			
435	EAST RETFORD	-	-	-	-	M.	1'983	5'453	642	333	452	570	706	909	1'164	2'202	4'834	13'717	30'741
						F.	1'824	4'234	436	381	680	822	928	962	1'277	1'780	4'774	11'833	35'152
436	WORKSOP	-	-	-	-	M.	1'996	6'032	771	329	412	636	685	1'118	1'471	2'533	5'968	15'335	33'571
						F.	1'906	4'832	702	444	709	634	936	1'030	1'340	2'411	4'941	14'542	36'600
437	MANSFIELD	-	-	-	-	M.	2'169	6'923	739	388	709	724	765	884	1'232	2'509	6'374	14'844	35'263
						F.	2'164	5'915	595	502	813	1'129	1'086	1'235	1'190	2'629	6'411	16'316	41'200
438	BASFORD*	-	-	-	-	M.	2'156	7'465	679	403	589	778	648	838	1'179	2'326	5'268	12'537	37'400
						F.	2'131	6'285	635	482	874	980	1'027	1'032	1'209	2'714	5'841	14'564	28'235
439	RADFORD L	-	-	-	-	M.	2'376	8'419	858	448	681	761	868	1'053	1'544	2'789	6'971	14'956	42'600
						F.	2'255	7'474	701	469	938	996	1'026	1'104	1'641	3'145	6'536	14'854	37'600
440	NOTTINGHAM* III	-	-	-	-	M.	2'628	9'232	773	408	680	912	917	1'383	1'888	3'491	7'355	16'700	41'615
						F.	2'248	8'112	705	479	719	806	1'075	1'167	1'713	3'392	7'003	14'964	39'000
441	SOUTHWELL	-	-	-	-	M.	1'941	4'649	472	383	609	961	800	767	1'469	2'061	5'327	12'438	27'297
						F.	1'868	4'195	536	365	749	928	1'056	889	1'110	1'991	4'874	12'590	29'487
442	NEWARK H	-	-	-	-	M.	2'079	5'725	734	385	514	908	858	1'026	1'123	2'462	5'191	12'714	25'641
						F.	2'017	5'128	702	496	779	850	1'050	1'181	1'347	2'238	4'835	11'626	25'745
443	BINGHAM	-	-	-	-	M.	1'888	4'595	509	388	707	891	746	861	1'243	2'241	4'450	12'600	24'444
						F.	1'847	4'470	489	438	892	1'048	850	1'003	1'089	1'888	5'232	11'046	23'333

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.		Sex.	All Ages.	Ages.												65 and upwards.
				Under 5 Years.												
				5-	10-	15-	20-	25-	35-	45-	55-	65-	75-			
VII.—NORTH MIDLAND COUNTIES—cont.																
32.—DERBYSHIRE.																
444	SHARDLOW - - - - -	M.	1'937	4'919	596	496	441	726	771	1'001	1'205	2'502	5'815	13'083	34'138	
		F.	1'947	4'241	500	479	835	1'034	1'065	1'058	1'142	2'406	5'712	14'380	33'647	
445	DERBY II - - - - -	M.	2'421	7'058	885	452	703	776	977	1'117	1'096	3'026	7'069	17'460	33'750	
		F.	2'237	6'034	832	440	812	1'000	1'145	1'417	1'600	3'248	6'510	14'737	33'714	
446	BELPER - - - - -	M.	2'148	6'572	727	510	573	771	847	1'006	1'512	2'780	6'409	14'706	30'000	
		F.	2'178	5'215	784	472	887	968	1'273	1'197	1'541	3'005	6'423	14'475	28'286	
447	ASHBORNE - - - - -	M.	1'954	4'541	507	455	400	619	743	1'011	1'325	2'627	6'048	14'074	28'482	
		F.	2'005	4'142	595	474	805	1'035	1'179	1'086	1'437	2'334	5'785	13'561	28'333	
448	CHESTERFIELD II - - - -	M.	2'219	7'500	780	477	690	838	729	1'001	1'025	2'868	6'843	15'763	37'931	
		F.	2'178	6'223	777	453	804	869	1'022	1'000	1'351	2'555	6'193	16'131	30'811	
449	BAKEWELL - - - - -	M.	2'193	5'365	551	391	735	991	1'134	1'177	1'676	2'950	6'407	16'394	41'176	
		F.	1'985	4'217	616	440	977	1'046	1'111	1'358	1'290	3'035	6'385	13'505	25'692	
450	CHAPEL-EN-LE-FRITH II -	M.	2'162	5'334	619	520	633	651	862	1'231	2'167	3'659	6'418	13'483	48'233	
		F.	2'065	4'948	605	640	1'031	985	1'183	1'145	1'631	3'213	7'003	14'941	31'230	
451	HATFIELD - - - - -	M.	2'297	7'482	871	768	800	901	832	919	1'617	3'661	7'965	16'735	27'657	
		F.	2'025	5'784	585	577	919	798	1'053	1'066	1'790	3'590	7'574	16'015	24'615	
VIII.—NORTH WSTRN. COUNTIES.																
33.—CHESHIRE.																
452	STOCKPORT IIII - - - -	M.	2'741	9'761	1'014	529	781	1'002	974	1'107	2'191	4'401	8'537	16'801	42'083	
		F.	2'331	7'028	972	473	646	821	975	1'370	1'983	3'974	7'725	15'635	25'294	
453	MACCLESFIELD - - - -	M.	2'065	7'163	788	445	867	1'000	968	1'165	1'791	3'291	7'880	16'328	34'688	
		F.	2'264	6'528	741	514	815	937	1'271	1'363	1'816	3'429	7'789	16'625	31'500	
454	ALTRINCHAM - - - - -	M.	2'011	5'491	712	504	527	658	851	1'226	1'749	2'833	7'082	15'066	36'067	
		F.	1'772	4'587	739	429	591	691	833	1'128	1'428	2'761	6'144	13'233	32'333	
455	RUNCORN - - - - -	M.	2'961	7'291	915	499	736	905	1'000	1'416	1'750	3'700	7'190	15'625	32'508	
		F.	2'255	6'169	706	440	723	941	1'051	1'291	1'697	3'294	6'515	11'690	27'816	
456	NORTHWICH - - - - -	M.	2'252	7'062	831	541	536	716	817	1'169	1'562	2'821	6'780	13'692	41'000	
		F.	2'140	5'781	719	404	591	917	1'041	1'281	1'287	2'569	6'555	13'421	27'376	
457	CONGLETON - - - - -	M.	2'219	6'749	736	429	671	863	872	1'028	1'630	3'016	6'806	13'846	28'214	
		F.	2'100	5'400	551	562	832	1'138	1'279	1'320	1'590	2'970	6'495	16'333	31'739	
458	NANTWICH - - - - -	M.	2'161	6'338	813	527	474	735	768	876	1'409	2'671	6'158	14'086	37'067	
		F.	1'911	5'599	655	579	554	715	822	1'135	1'631	2'430	5'339	13'174	29'690	
459	CHESTER (GREAT BOUGHTON) III	M.	2'461	6'691	744	474	577	1'045	1'321	1'835	2'418	3'644	6'893	15'898	27'361	
		F.	2'161	5'919	733	587	605	1'067	1'169	1'380	1'897	2'872	5'993	12'363	26'049	
460a	WIRRAL * - - - - -	M.	1'912	5'028	767	457	601	772	1'035	1'681	1'694	2'709	6'573	14'312	38'067	
		F.	1'711	4'316	796	475	682	612	770	877	1'336	2'788	5'757	12'443	30'000	
460b	BIRKENHEAD * IIIII - - -	M.	2'471	8'229	1'059	598	629	792	967	1'601	2'470	3'940	8'195	17'295	30'000	
		F.	2'111	7'414	974	451	512	575	921	1'214	1'781	3'052	6'564	13'681	23'667	
34.—LANCASHIRE.																
461	LIVERPOOL IIIIIIIII - -	M.	4'097	14'475	1'647	629	945	1'422	1'998	3'007	4'372	7'095	11'018	19'488	29'000	
		F.	3'636	13'429	1'514	614	758	1'102	1'710	2'408	3'701	5'709	9'564	16'281	23'446	
462	WEST DERBY IIIII - - -	M.	2'798	9'304	1'123	496	692	831	1'156	1'809	2'726	4'427	8'165	16'735	35'200	
		F.	2'483	8'438	1'056	512	611	747	1'080	1'376	2'363	3'831	7'064	14'359	35'469	
463	PRESCOT L - - - - -	M.	2'428	7'775	1'027	405	607	839	1'065	1'457	2'356	3'733	7'441	16'244	29'167	
		F.	2'238	7'065	829	423	597	763	941	1'240	1'876	3'287	6'488	13'792	23'333	
464	ORMSKIRK III - - - - -	M.	2'348	6'461	848	538	586	939	1'175	1'679	2'061	3'286	6'935	13'992	23'667	
		F.	2'012	5'701	857	485	695	711	1'068	1'227	1'570	2'628	5'983	12'693	26'139	
465	WIGAN - - - - -	M.	2'594	10'592	1'209	612	829	1022	981	1'387	2'079	3'856	8'374	16'500	35'405	
		F.	2'735	9'308	1'139	494	763	857	1'019	1'280	1'867	3'351	7'291	15'251	27'692	
466	WARRINGTON L - - - -	M.	2'689	8'500	1'106	557	775	940	1'089	1'696	2'461	4'217	7'472	14'234	32'500	
		F.	2'598	7'964	994	423	634	861	1'021	1'411	2'128	3'849	8'000	15'922	32'738	

* On 2nd July 1861 the new District of Birkenhead was formed out of the District of Wirral. The mortality of the new District is here given for the whole period, a correction having been made for the part of the year 1861 prior to the date of change.

Mortality of Males and Females at different Ages.

CCXXXV

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

No.		DISTRICTS.	Sex.	All Ages.	Ages.												85 and upwards.
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—		
VIII.—NORTH WSTRN. COUNTIES—cont.																	
34.—LANCASHIRE—cont.																	
467	LEIGH	- - - - -	M.	2'612	8'642	'856	'479	'711	'930	'857	1'288	1'861	3'327	7'461	15'009	30'526	
			F.	2'463	7'820	'807	'421	'894	1'039	1'161	1'367	1'811	3'041	7'200	15'157	32'273	
468	BOLTON H	- - - - -	M.	2'811	9'487	'981	'567	'820	'801	'900	1'397	2'349	4'459	8'459	17'411	35'814	
			F.	2'373	7'978	'944	'437	'739	'838	'957	1'337	1'741	3'539	7'082	15'700	29'063	
469	BURY	- - - - -	M.	2'530	8'278	'908	'548	'778	'846	'924	1'332	2'141	4'293	8'424	19'099	36'774	
			F.	2'234	7'147	'927	'449	'765	'807	1'007	1'333	1'798	3'262	7'134	15'488	28'293	
470	BARTON-UPON-IRWELL	- - -	M.	2'355	7'190	'905	'570	'849	'880	'947	1'295	1'831	3'673	7'607	18'006	38'333	
			F.	2'002	6'011	'729	'552	'663	'749	'981	1'146	1'596	3'326	6'241	15'352	40'000	
471	CHORLTON H	- - - - -	M.	2'653	9'163	1'019	'443	'667	'776	'907	1'574	2'404	4'718	9'561	18'017	32'188	
			F.	2'373	8'247	'932	'438	'639	'745	'988	1'355	2'063	3'920	7'910	16'732	24'328	
472	SALFORD H	- - - - -	M.	2'879	9'795	1'098	'597	'674	'785	1'056	1'092	2'726	5'012	9'709	19'910	45'294	
			F.	2'519	8'840	'930	'466	'687	'818	'936	1'400	2'230	4'006	8'154	15'135	34'359	
473	MANCHESTER HHHHHL	- - -	M.	3'538	11'700	1'401	'651	'939	1'167	1'469	2'325	3'455	6'017	10'876	20'978	40'714	
			F.	3'046	10'590	1'152	'579	'740	'955	1'307	1'926	2'876	5'031	9'496	17'300	27'987	
474	ASHTON-UNDER-LYNE H	- - -	M.	2'704	9'359	'938	'519	'827	'934	'973	1'310	2'224	4'377	8'734	18'445	50'000	
			F.	2'352	7'994	'889	'514	'774	'896	1'117	1'333	1'851	3'697	7'880	17'071	37'027	
475	OLDHAM	- - - - -	M.	2'725	9'695	1'116	'574	'685	'819	'878	1'337	2'214	4'459	8'820	19'878	37'600	
			F.	2'386	8'085	1'022	'445	'756	'856	1'019	1'294	1'810	3'548	7'744	16'415	28'637	
476	ROCHDALE	- - - - -	M.	2'550	8'490	'998	'500	'729	'805	'937	1'398	2'354	4'322	8'546	18'822	42'600	
			F.	2'236	7'421	'985	'530	'745	'900	1'006	1'279	1'674	3'505	7'564	16'188	32'059	
477	HASLINGDEN	- - - - -	M.	2'378	8'223	1'019	'544	'630	'754	'797	1'210	1'859	3'786	8'750	18'488	43'529	
			F.	2'147	6'976	'806	'446	'708	'850	1'030	1'167	1'720	3'309	7'703	14'441	37'241	
478	BURNLEY	- - - - -	M.	2'522	8'906	'934	'497	'814	'817	'795	1'149	1'745	3'729	8'221	18'212	33'704	
			F.	2'279	7'323	'914	'468	'830	'901	1'023	1'351	1'671	3'407	7'450	15'563	31'290	
479	CLITHEROE	- - - - -	M.	2'043	5'719	'584	'426	'632	'638	'698	1'041	1'216	2'822	7'157	15'325	27'500	
			F.	2'024	4'993	'740	'440	'849	1'020	1'205	1'321	1'142	2'504	6'163	14'351	36'875	
480	BLACKBURN H	- - - - -	M.	2'760	10'003	'892	'435	'800	'848	'939	1'313	2'136	3'855	7'879	16'524	33'230	
			F.	2'407	8'507	'896	'441	'794	'940	1'033	1'341	1'777	3'563	6'835	14'988	30'612	
481	CHORLEY	- - - - -	M.	2'361	7'186	'970	'495	'773	'823	'763	1'202	1'537	3'109	6'890	14'170	33'235	
			F.	2'154	6'259	'793	'459	'961	1'007	1'024	1'228	1'448	3'045	6'278	13'699	28'750	
482	PRESTON H	- - - - -	M.	2'986	10'563	1'024	'537	'747	'939	1'163	1'570	2'962	3'785	7'027	16'269	35'660	
			F.	2'646	9'184	'882	'480	'838	'855	1'202	1'354	1'947	3'779	7'048	15'009	28'254	
483	FYLDE	- - - - -	M.	2'271	6'450	'668	'317	'699	1'149	1'188	1'408	1'578	2'828	6'493	13'889	31'067	
			F.	2'001	5'540	'825	'455	'618	'841	1'005	1'196	1'463	2'967	5'881	13'030	32'593	
484	GARSTANG	- - - - -	M.	1'816	4'482	'818	'294	'736	'514	'997	'888	1'050	2'432	4'271	19'000	29'286	
			F.	1'877	3'928	'811	'518	'700	'948	1'047	1'082	1'503	2'135	5'178	15'435	28'000	
485a	LANCASTER * HL	- - - - -	M.	2'792	5'624	'580	'405	'612	1'030	1'370	1'824	2'216	3'376	6'464	15'841	25'938	
485b	LUNESDALE	- - - - -	F.	2'090	4'882	'618	'424	'681	'892	1'145	1'462	1'802	2'947	6'323	13'488	29'000	
486	ULVERSTON H	- - - - -	M.	2'100	5'888	'731	'485	'732	'865	'945	1'215	1'723	3'074	6'518	15'174	38'182	
			F.	2'027	5'058	'745	'544	'834	'951	1'071	1'079	1'545	2'407	5'179	13'664	26'739	
IX.—YORKSHIRE.																	
35.—WEST RIDING.																	
487	SEDBERGH	- - - - -	M.	1'527	3'464	'517	'553	'870	'979	'746	'519	'896	1'944	5'238	9'756	20'007	
			F.	1'775	2'567	'409	'556	1'156	1'538	'911	1'172	1'392	2'550	4'894	16'369	28'533	
488	SETTLE	- - - - -	M.	1'788	4'367	'532	'888	'476	'728	'714	'567	1'390	2'692	5'320	13'680	32'778	
			F.	1'839	3'977	'634	'549	'830	'923	1'124	'892	1'494	2'292	4'076	13'212	32'143	
489	SKIPTON †	- - - - -	M.	2'147	6'103	'879	'495	'766	'732	'954	1'632	1'454	2'882	6'299	14'900	40'526	
			F.	2'138	4'897	'799	'602	1'112	1'630	1'186	1'236	1'510	2'902	7'644	15'000	36'000	
490	PATELEY BRIDGE	- - - - -	M.	2'187	5'381	'615	'435	'685	1'640	'928	'839	1'518	2'988	6'359	13'889	29'167	
			F.	2'079	4'381	'697	'570	'902	1'463	1'022	1'443	2'062	3'689	5'699	15'556	27'699	

* On 1st July 1869 the new District of Lunesdale was formed out of the District of Lancaster. The mortality of the new District is not separately given in this Table.

† A correction has been made for a change in the constitution of this District during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			Sex.	All Ages.	Ages.												85 and upwards.
					Under 5 Years.												
						5—	10—	15—	20—	25—	35—	45—	55—	65—	75—		
No.	IX.—YORKSHIRE—cont. 35.—WEST RIDING —cont.																
491	RIPON	- - - - -	M.	2'071	5'206	637	300	555	761	983	1'017	1'510	2'849	5'888	12'736	29'334	
			F.	1'998	4'287	647	377	511	824	975	998	1'483	2'843	4'802	14'146	34'528	
492a	GREAT OUSEBURN *	- - -	M.	2'132	6'090	722	460	596	907	849	1'058	1'485	2'844	6'263	16'402	31'311	
			F.	2'085	5'217	763	537	932	1'051	1'138	1'131	1'428	2'465	5'832	13'975	28'933	
492b	KNARESBOROUGH II	- - -	M.	2'223	5'635	783	378	644	752	882	1'308	1'765	3'556	6'965	13'616	34'118	
			F.	2'042	5'335	686	516	826	747	969	1'222	1'615	2'811	5'487	14'122	31'689	
492c	WETHERBY *	- - - - -	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	
493	WHARFEDALE * III	- - -	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	
494	KEIGHLEY I	- - - - -	M.	2'540	8'644	1'037	648	889	925	925	1'137	1'775	3'861	7'391	17'113	35'265	
			F.	2'283	6'946	979	697	1'045	1'183	1'069	1'286	1'401	3'369	7'397	17'656	39'000	
495	TODMORDEN	- - - - -	M.	2'392	7'161	740	507	825	890	877	1'086	1'911	3'096	8'271	18'239	51'429	
			F.	2'048	5'707	939	483	783	817	1'069	1'186	1'623	3'221	7'489	16'284	31'259	
496	SADDLEWORTH	- - - - -	M.	2'443	7'576	813	672	852	889	1'005	1'934	1'742	3'837	7'643	22'603	45'000	
			F.	2'176	6'174	725	655	946	946	1'056	1'223	1'698	3'191	7'418	18'795	45'714	
497	HUDDERSFIELD II	- - -	M.	2'544	7'910	947	555	805	935	903	1'271	1'933	3'917	7'888	17'632	39'744	
			F.	2'198	6'505	898	537	875	945	1'120	1'223	1'561	3'133	7'051	15'421	29'385	
498	HALIFAX II	- - - - -	M.	2'578	8'497	945	572	879	932	948	1'334	2'051	4'049	8'699	17'006	37'622	
			F.	2'267	7'393	840	646	1'046	1'062	1'030	1'197	1'656	3'258	7'148	16'559	29'180	
499	BRADFORD III	- - - - -	M.	2'666	8'907	997	518	707	891	911	1'294	2'061	3'823	8'176	17'857	33'684	
			F.	2'381	8'315	837	549	805	1'012	1'130	1'251	1'667	3'263	7'533	16'551	31'220	
500a	HUNSLY†	- - - - -	M.	2'661	9'744	824	540	702	784	834	1'223	2'003	3'719	8'310	18'031	43'810	
500b	HOLBECK†	- - - - -	F.	2'445	8'057	879	518	828	876	973	1'318	1'590	3'212	7'276	17'406	28'333	
500d	BRAMLEY†	- - - - -	M.	3'217	11'262	1'045	592	797	1'030	1'302	1'968	2'928	5'132	9'939	22'413	34'348	
501	LEEDS‡ II/III	- - - - -	F.	2'760	9'645	944	530	716	953	1'170	1'554	2'298	3'991	8'543	17'863	27'917	
502	DEWSBURY	- - - - -	M.	2'777	10'276	1'076	583	756	901	914	1'097	1'864	3'522	8'487	17'041	41'923	
			F.	2'449	8'454	937	568	874	877	997	1'248	1'491	3'377	7'271	16'639	31'797	
503	WAKEFIELD‡ III	- - -	M.	2'686	7'421	878	570	747	1'003	1'205	1'986	2'659	4'595	9'069	16'853	34'890	
			F.	2'448	6'510	765	492	820	924	1'260	1'614	2'140	3'629	7'114	15'698	35'714	
504a	PONTEFRAC†	- - - - -	M.	2'390	7'032	787	463	620	697	819	1'168	1'632	3'179	6'467	15'350	29'200	
			F.	2'246	6'200	835	511	730	847	916	1'111	1'291	2'646	5'856	14'504	31'429	
504b	HEMSWORTH	- - - - -	M.	1'903	4'694	704	406	547	659	1'012	987	1'731	2'784	5'912	14'091	31'429	
			F.	1'863	3'327	582	569	1'000	993	1'130	835	1'672	1'877	5'368	16'029	29'000	
505	BAKESLEY II	- - - - -	M.	2'593	8'376	853	700	806	1'063	1'153	1'312	1'860	3'341	7'538	15'369	31'250	
			F.	2'345	7'273	723	485	880	922	977	1'252	1'483	2'638	6'200	15'106	28'000	
506	WORTLEY	- - - - -	M.	2'131	6'586	780	512	628	703	806	1'229	1'717	2'903	6'993	16'117	35'556	
			F.	2'135	5'673	781	589	678	968	1'011	1'203	1'294	2'806	6'569	17'784	31'765	
507	ECCLESALL OVERLOW	- - -	M.	2'382	7'803	985	539	652	705	865	1'207	1'872	3'872	8'021	19'543	39'412	
			F.	2'137	6'165	928	406	559	712	892	1'195	1'630	3'042	7'079	18'265	33'333	
508	SHEFFIELD II/III	- - -	M.	3'040	10'315	1'239	588	748	877	1'115	1'813	2'761	5'152	9'985	20'033	31'667	
			F.	2'770	9'313	1'167	487	781	849	1'069	1'403	2'080	3'726	8'104	17'699	37'674	
509	ROTHERHAM	- - - - -	M.	2'456	8'040	836	664	674	828	824	1'277	1'913	3'469	7'384	20'121	35'000	
			F.	2'259	6'726	830	434	706	1'010	1'167	1'182	1'563	2'861	6'494	14'398	28'750	
510	DONCASTER II	- - - - -	M.	2'321	7'233	786	341	617	754	1'043	1'275	1'674	2'878	6'396	15'870	33'333	
			F.	2'170	6'055	839	497	732	732	1'063	1'228	1'819	2'245	5'633	15'559	35'349	
511	THORNE	- - - - -	M.	2'268	6'990	717	419	729	909	745	1'008	1'173	2'262	5'197	15'108	31'176	
			F.	2'056	5'478	568	406	582	1'005	1'306	977	1'944	1'726	5'394	11'309	24'375	
512	GOOLE	- - - - -	M.	2'389	7'784	914	541	515	1'160	1'008	1'111	1'378	2'738	6'042	10'696	26'000	
			F.	2'292	6'981	808	617	839	880	1'218	1'015	1'163	2'104	5'220	9'265	32'667	
513	SELBY	- - - - -	M.	2'103	6'539	725	498	563	863	740	1'018	1'388	2'594	5'635	13'138	24'500	
			F.	2'007	5'582	675	453	592	754	826	994	1'030	2'130	5'451	11'722	29'200	
514	TADCASTER *	- - - - -	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—	

* The mortality for the Districts of Wetherby (492c), Wharfedale (493), and Tadcaster (514) is included with that of Great Ouseburn District (492a), the numerous and intricate changes made in the constitution of these four Districts during the 10 years 1861-70 having rendered it impracticable to give anything like a correct death-rate for the Districts separately.

† The Districts of Holbeck and Bramley were formed in 1863 and 1865, chiefly out of parts of the old District of Hunslet; the changes made were so numerous as to make it necessary to give the mortality for the three Districts combined.

‡ There have been made for changes in the constitution of these Districts during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.												85 and upwards.
					Under 5 Years.												
					5-	10-	15-	20-	25-	35-	45-	55-	65-	75-			
No.	IX.—YORKSHIRE—cont.																
	36.—EAST RIDING (with York).																
515	YORK HULL	- - -	M.	2'517 2'210	7'747 6'341	7'48 7'06	5'454 5'13	5'097 6'22	1'000 7'01	1'054 1'033	1'613 1'412	1'051 1'690	3'768 3'054	7'115 5'837	17'750 14'132	31'778 24'007	
516	POCKLINGTON	- - -	M.	1'802 1'847	5'074 4'432	6'80 5'90	5'388 4'08	5'395 4'13	4'79 5'61	7'87 9'44	6'85 1'122	1'203 1'181	2'181 1'904	5'433 5'059	13'333 12'400	40'000 29'565	
517	HOWDEN	- - -	M.	2'357 2'183	6'096 5'700	1'027 9'99	5'15 5'41	1'197 1'435	1'337 1'376	9'85 1'150	1'039 9'64	1'355 1'670	3'028 8'35	5'266 5'160	15'000 11'457	23'696 26'818	
518	BEVERLEY	- - -	M.	2'068 1'866	6'346 5'101	6'28 6'62	5'381 4'28	4'05 6'49	7'23 9'57	7'39 8'97	9'39 9'82	1'212 1'212	2'554 2'030	5'800 4'400	13'608 10'561	33'478 28'056	
519	SCULCOATES	- - -	M.	2'425 2'177	8'580 7'122	9'47 8'13	5'447 4'83	7'10 5'91	7'91 7'94	8'34 9'66	1'076 1'092	1'472 1'422	2'797 2'741	6'568 5'460	14'055 13'661	26'710 22'712	
520	HULL HZ	- - -	M.	2'728 2'095	9'234 7'824	1'092 9'59	6'14 5'20	7'68 9'01	1'089 9'01	1'145 1'220	1'501 1'037	2'367 1'737	4'191 2'943	7'878 6'489	18'909 14'519	32'381 26'739	
521	PATRINGTON	- - -	M.	1'753 1'067	5'024 4'969	6'03 7'32	5'333 5'49	5'373 7'57	6'05 9'03	6'47 9'03	6'45 7'08	1'186 1'196	2'476 2'063	4'715 4'523	12'828 11'647	25'455 33'546	
522	SKIRLAUGH	- - -	M.	1'940 1'029	6'230 5'164	6'21 6'33	4'55 5'07	4'72 6'14	6'88 9'00	6'24 1'319	9'89 9'29	1'259 1'068	2'484 2'050	5'034 4'233	13'409 12'143	23'036 21'176	
523	DRIFFIELD	- - -	M.	2'083 2'100	6'880 5'511	7'62 9'70	5'327 6'12	4'88 7'66	6'21 1'005	7'27 1'142	7'93 1'069	1'292 1'253	2'435 1'833	5'576 4'786	13'972 12'484	35'625 26'619	
524	BRIDLINGTON	- - -	M.	2'045 1'944	6'441 5'722	7'04 6'46	5'294 4'29	5'513 5'98	6'79 7'76	8'29 9'76	9'46 1'061	1'122 1'064	2'702 1'962	5'344 4'265	14'211 11'635	34'283 24'000	
	37.—NORTH RIDING.																
525	SCARBOROUGH	- - -	M.	2'398 2'080	7'493 6'327	8'39 8'66	5'510 4'54	5'585 6'94	7'70 7'32	1'033 9'55	1'084 1'138	1'722 1'502	3'160 2'492	6'523 5'237	14'141 12'655	23'323 26'000	
526	MALTON	- - -	M.	1'962 1'072	5'118 4'707	7'70 7'01	4'79 6'14	4'23 7'38	8'49 9'27	6'42 1'071	1'018 9'82	1'264 1'330	2'634 2'239	5'377 4'855	12'857 11'536	29'310 29'394	
527	EASINGWOLD	- - -	M.	1'759 1'779	4'698 3'679	6'03 5'96	5'289 5'572	5'422 4'85	6'64 8'40	7'06 1'052	7'03 1'107	8'90 1'142	2'036 2'558	4'981 3'815	13'097 11'748	22'457 30'714	
528	THIRSK	- - -	M.	2'012 2'039	4'902 4'395	5'33 6'26	5'520 4'29	6'12 5'07	8'15 9'94	8'35 1'030	9'24 1'172	1'061 1'263	2'273 2'561	5'627 4'916	13'283 13'696	25'780 32'000	
529	HELMSLEY	- - -	M.	1'882 1'916	4'904 4'137	4'51 5'50	5'204 5'237	5'286 7'59	6'06 9'70	7'07 1'022	7'24 1'278	1'421 1'362	2'364 2'400	5'512 4'484	15'340 12'407	31'250 33'684	
530	PICKERING	- - -	M.	2'051 2'019	5'876 4'329	6'44 6'71	5'387 5'245	5'682 5'78	8'18 8'35	8'71 1'173	1'022 1'184	1'511 1'475	2'894 3'006	5'100 5'602	12'400 13'505	29'091 22'067	
531	WHITBY	- - -	M.	2'452 2'126	6'548 5'698	9'41 7'19	5'514 5'576	8'03 7'00	8'88 8'55	9'05 1'131	1'380 1'106	1'779 1'260	3'064 2'234	6'341 4'994	13'825 12'702	28'005 24'314	
532	GUISBOROUGH H	- - -	M.	2'197 2'147	7'222 6'102	9'29 7'87	5'696 5'536	7'92 6'82	1'075 9'02	1'065 9'50	1'195 1'181	1'544 1'185	2'685 2'171	5'442 4'768	12'707 14'140	18'730 27'037	
533	STOKESLEY	- - -	M.	1'906 1'966	4'761 4'048	5'20 5'61	5'357 5'585	5'71 7'03	6'82 7'80	8'47 1'088	7'11 1'125	1'103 1'432	2'283 2'229	5'063 5'181	13'609 10'692	32'067 24'000	
534	NORTHALLERTON	- - -	M.	1'901 1'928	4'351 3'558	6'09 6'61	5'382 5'011	5'529 6'25	1'045 1'106	9'22 9'09	9'60 1'131	1'306 1'325	2'280 2'273	5'513 5'656	12'422 12'113	27'000 24'138	
535	BEDALE *	- - -	M.	1'941 1'819	4'966 3'564	5'13 4'47	5'484 5'320	5'522 6'49	8'02 8'07	7'86 9'29	9'23 1'116	1'277 1'105	2'467 2'246	5'535 5'022	13'902 11'078	34'444 28'182	
536	LEYBURN *	- - -	M.	1'818 1'748	4'078 3'624	5'12 5'01	5'330 5'279	5'401 5'583	1'022 1'054	7'75 8'71	6'15 9'67	1'220 1'194	2'229 1'977	5'647 4'629	14'600 11'981	25'333 23'000	
537	AYSGARTH (formerly ASKRIGG)	- - -	M.	1'918 2'096	4'860 4'067	5'28 4'66	5'495 5'447	5'524 5'065	1'212 1'168	1'234 1'293	1'887 1'556	1'650 2'888	2'093 6'383	5'385 6'383	13'509 10'484	44'000 40'000	
538	REETH	- - -	M.	2'136 2'010	4'948 3'519	5'06 5'77	5'387 5'62	5'813 1'007	1'073 1'647	1'090 1'090	1'456 1'575	2'795 1'116	4'270 2'813	8'873 6'087	19'524 19'211	16'067 22'000	
539	RICHMOND	- - -	M.	1'783 1'871	3'945 3'653	6'35 5'90	5'283 5'349	5'626 4'49	9'68 9'00	1'048 1'074	1'068 1'391	1'990 1'153	2'093 2'304	4'799 5'039	11'831 12'025	31'063 24'839	

* Corrections have been made for change in the constitution of these Districts during the 10 years.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.											
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
No.	X.—NORTHERN COUNTIES.															
	38.—DURHAM.															
540	DARLINGTON H - - - -	M.	2'117	6'407	'881	'416	'632	'843	'762	1'126	1'494	2'843	6'082	13'670	20'000	
		F.	2'053	5'706	'884	'508	'651	'855	'972	1'084	1'137	2'577	5'704	12'556	23'469	
541a	STOCKTON HL - - - -	M.	2'353	8'341	'088	'588	'631	'804	'839	1'188	1'862	3'403	6'406	15'714	29'167	
		F.	2'306	7'179	'867	'438	'699	'857	1'110	1'340	1'590	3'108	6'204	12'645	20'625	
541b	HARTLEPOOL H - - - -	M.	2'200	7'723	1'031	'477	'691	'674	'882	1'103	1'620	3'214	7'872	13'837	25'600	
		F.	2'150	6'959	'056	'390	'551	'723	'896	1'332	1'423	2'643	6'036	13'306	23'158	
542	AUCKLAND - - - -	M.	2'393	8'577	'935	'608	'786	'935	'785	1'006	1'370	2'794	6'633	15'325	27'500	
		F.	2'400	7'510	'088	'500	'792	'976	1'132	1'250	1'402	2'529	5'399	13'206	29'697	
543	TEESDALE - - - -	M.	1'877	4'323	'580	'353	'690	'081	'876	'908	1'479	2'477	6'203	12'848	20'813	
		F.	1'877	3'906	'590	'553	'665	1'081	1'020	1'138	1'527	2'698	5'011	13'352	21'944	
544	WEARDALE - - - -	M.	2'043	5'556	'540	'431	'728	'902	'919	1'195	2'187	4'006	8'617	15'297	22'000	
		F.	2'068	4'764	'698	'498	'800	1'534	1'505	1'453	1'405	3'411	6'593	11'282	20'625	
545	DURHAM H - - - -	M.	2'007	7'092	'910	'591	'693	'683	'740	'831	1'579	2'830	6'488	13'475	40'507	
		F.	2'119	6'403	'971	'483	'634	'788	'993	1'123	1'579	2'830	5'825	13'101	28'667	
546	EARINGTON H - - - -	M.	2'232	7'643	1'036	'694	'719	'732	'635	'984	1'519	3'079	6'161	12'347	35'000	
		F.	2'178	7'113	'940	'464	'664	'619	'953	'981	1'492	2'371	5'210	12'294	24'762	
547	HOUGHTON-LE-SPRING - - -	M.	2'412	8'298	1'016	'618	'822	'683	'771	'912	1'267	2'763	6'550	14'463	25'000	
		F.	2'235	7'078	1'037	'390	'671	'794	'931	1'012	1'524	2'694	6'420	13'944	21'903	
548	CHESTER-LE-STREET - - -	M.	2'469	8'147	1'067	'822	'844	'957	'796	1'008	1'614	2'958	5'616	15'205	22'500	
		F.	2'372	7'347	1'029	'496	'733	'939	1'203	1'110	1'370	2'332	5'808	14'286	22'800	
549	SUNDERLAND H - - - -	M.	2'475	8'196	'928	'504	'610	'791	'850	1'304	2'037	3'692	8'204	16'808	33'571	
		F.	2'309	7'228	'866	'391	'543	'699	'966	1'233	1'755	3'144	6'842	15'732	29'569	
550	SOUTH SHIELDS - - - -	M.	2'407	8'480	1'120	'518	'687	'622	'821	1'122	1'834	3'461	7'755	18'025	32'778	
		F.	2'363	7'627	'908	'464	'656	'676	'945	1'079	1'567	3'066	6'340	15'813	30'388	
551	GATESHEAD H - - - -	M.	2'510	8'625	1'044	'455	'626	'756	'767	1'171	1'869	3'478	8'128	17'524	42'500	
		F.	2'411	7'431	1'031	'427	'739	'730	'948	1'270	1'569	2'815	6'545	15'937	27'963	
	39.—NORTHUMBRLND.															
552	NEWCASTLE-UPON-TYNE IIIIIII -	M.	2'081	9'053	1'182	'540	'654	'610	1'271	1'833	2'748	4'880	9'112	20'776	32'500	
		F.	2'637	8'812	1'132	'466	'682	'814	1'137	1'523	2'018	3'673	7'211	15'739	26'897	
553	TYNEMOUTH H - - - -	M.	2'464	8'270	'938	'701	'806	'641	'954	1'175	1'892	3'499	7'219	16'238	45'172	
		F.	2'376	7'273	1'050	'470	'655	'937	'968	1'171	1'538	2'954	6'141	15'661	31'746	
554	CASTLE WARD L - - - -	M.	1'997	5'000	'561	'461	'748	'813	'933	'829	1'397	2'617	5'854	13'496	23'571	
		F.	1'840	4'922	'639	'515	'690	'763	'977	'829	1'149	2'080	4'810	11'998	22'105	
555	HEXHAM - - - -	M.	2'013	5'181	'716	'382	'533	'828	'850	1'112	1'671	3'024	5'093	13'083	29'714	
		F.	1'969	4'406	'686	'511	'705	'998	1'119	1'205	1'511	2'418	5'811	11'367	40'000	
556	HALTWHISTLE - - - -	M.	1'783	4'096	'401	'408	'816	'786	'796	'763	1'212	2'387	5'000	12'024	23'000	
		F.	1'743	3'011	'518	'569	'729	'957	1'082	1'468	1'597	2'300	4'470	14'792	20'000	
557	BELLINGHAM - - - -	M.	1'879	4'427	'562	'284	'908	'835	'941	'935	1'569	2'392	6'224	10'823	22'667	
		F.	1'836	1'963	'685	'390	'611	'875	1'203	1'298	1'692	2'083	3'809	11'571	24'167	
558	MORPETH L - - - -	M.	2'280	7'305	'065	'522	'752	'855	'897	1'223	1'413	2'513	6'507	15'204	32'222	
		F.	2'229	6'220	1'037	'453	'611	'674	1'255	1'290	1'641	2'506	5'797	14'971	20'541	
559	ALNWICK H - - - -	M.	1'993	4'389	'800	'432	'805	'811	'660	1'013	1'278	2'759	6'092	14'293	41'675	
		F.	1'919	3'994	'659	'490	'686	'692	1'143	1'045	1'298	2'416	5'711	13'333	33'333	
560	BELFORD - - - -	M.	1'881	4'041	'672	'554	'431	'800	1'228	'835	1'274	2'284	5'394	17'111	20'000	
		F.	1'696	3'719	'613	'432	'517	'478	'728	'769	1'115	2'018	5'090	12'769	33'634	
561	BERWICK - - - -	M.	2'101	5'298	'879	'383	'752	'911	1'098	1'642	2'376	6'299	14'800	37'143		
		F.	1'946	4'738	'797	'429	'494	'647	'962	'971	1'064	2'593	5'620	13'867	40'741	
562	GLENDALE - - - -	M.	1'513	3'391	'412	'410	'355	'501	'761	'743	1'205	2'372	6'410	14'432	25'285	
		F.	1'478	2'611	'561	'575	'682	'579	'791	'808	1'297	2'121	4'813	14'054	29'441	
563	ROTHBURY - - - -	M.	1'486	2'809	'583	'499	'515	'523	'911	'697	2'075	4'723	11'549	19'323		
		F.	1'610	2'941	'749	'440	'410	'579	'980	1'013	'975	2'082	5'524	14'296	35'000	

Mortality of Males and Females at different Ages.

ccxxxix

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.			SEX.	All Ages.	Ages.										
					Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
No.	X.—NORTHERN COUNTIES—cont.														
40.—CUMBERLAND.															
364	ALSTON	M.	2'173	5'498	686	449	538	940	1'217	1'038	3'388	5'347	10'000	20'833	—
		F.	2'063	5'024	627	478	1'019	1'174	1'087	1'104	1'055	3'107	6'091	10'444	21'697
365	PENRITH	M.	1'949	4'846	555	222	494	588	823	1'013	1'613	2'024	6'450	13'137	29'323
		F.	1'828	3'929	614	447	612	843	902	1'043	1'282	2'161	5'289	13'070	26'765
366	BRAMPTON	M.	1'947	4'528	550	335	546	894	1'139	1'241	1'446	2'584	4'861	14'630	30'000
		F.	1'850	3'816	622	496	647	989	1'111	1'182	1'218	2'263	4'959	12'920	25'294
367	LONGTOWN	M.	1'846	4'908	661	556	579	646	762	912	1'082	1'900	3'522	12'828	26'429
		F.	1'906	3'996	491	474	624	941	1'037	1'158	1'114	2'476	5'610	10'583	27'308
368	CARLISLE HILL	M.	2'402	7'135	929	519	694	984	1'129	1'517	1'922	3'768	7'139	14'369	27'103
		F.	2'296	6'784	795	516	729	862	1'162	1'231	1'807	2'866	6'181	14'840	29'020
369	WIGTON	M.	2'032	5'242	747	487	579	930	1'117	1'080	1'398	2'354	5'247	14'222	30'357
		F.	2'010	4'540	696	687	783	1'142	1'025	953	1'407	2'713	4'709	13'946	27'632
370	COCKERMOUTH	M.	2'386	6'808	879	635	761	898	1'063	1'242	1'732	3'146	7'141	15'060	28'421
		F.	2'263	5'976	934	475	933	980	1'044	1'225	1'632	2'539	5'637	14'582	33'006
371	WHITERHAVEN II	M.	2'542	7'435	1'029	549	774	919	1'174	1'456	2'156	3'862	7'848	17'071	29'606
		F.	2'454	6'776	1'063	641	799	1'104	1'170	1'242	1'634	3'183	6'540	13'671	26'444
372	BOOTLE	M.	1'854	3'976	567	379	729	1'005	955	1'045	1'190	2'379	5'793	19'038	31'423
		F.	1'745	3'430	608	349	925	997	1'092	1'314	1'285	1'689	4'924	13'929	20'000
41.—WESTMORLAND.															
373	EAST WARD	M.	1'547	3'487	521	544	571	580	638	729	1'132	1'980	5'982	13'913	26'087
		F.	1'709	3'234	478	532	726	861	827	1'110	1'090	2'180	5'231	13'336	19'648
374	WEST WARD	M.	1'830	3'881	411	474	411	729	744	901	1'578	2'704	5'050	13'544	35'000
		F.	1'829	3'738	321	508	530	1'358	945	1'347	1'601	2'222	5'489	13'684	41'111
375	KENDAL	M.	1'884	4'545	577	557	579	836	896	1'049	1'564	2'780	5'793	14'113	33'696
		F.	1'824	3'932	699	470	671	768	890	1'356	1'440	2'396	5'548	13'703	23'795
XI.—MONMOUTHSHIRE AND WALES.															
42.—MONMOUTHSH.															
376	CHEPSTOW	M.	1'959	4'938	783	537	530	895	831	998	1'348	2'554	5'170	13'841	24'583
		F.	1'839	4'034	674	490	602	809	906	976	1'086	2'003	5'115	14'047	28'276
377	MONMOUTH II	M.	1'973	5'182	766	424	464	747	699	1'125	1'422	2'667	5'794	13'123	30'000
		F.	1'983	4'939	810	431	715	700	978	1'095	1'233	2'434	4'861	12'109	22'329
378a	ABERGAVENNY * L	M.	2'393	6'922	678	531	585	792	1'001	1'714	2'080	3'138	6'950	13'750	33'043
		F.	2'215	5'834	829	439	576	799	1'084	1'382	1'768	2'907	5'833	12'638	26'176
378b	BEDWELTY *	M.	2'417	8'082	1'131	886	895	978	950	1'188	1'795	3'451	7'953	15'190	39'306
		F.	2'376	7'405	1'019	480	794	957	1'191	1'212	1'739	3'098	6'795	12'471	34'000
379	PONTYPOOL	M.	2'333	7'435	809	629	676	1'090	972	1'222	1'641	3'135	6'915	13'657	30'000
		F.	2'080	6'026	989	501	651	795	991	1'024	1'286	2'651	5'579	12'703	21'600
380	NEWPORT II	M.	2'294	6'440	782	474	699	1'098	1'021	1'397	1'975	3'262	6'471	12'743	24'808
		F.	1'976	5'498	799	455	599	898	1'019	1'344	1'569	2'829	5'565	12'917	29'298
43.—SOUTH WALES.															
GLAMORGANSHIRE.															
381a	CARDIFF † III	M.	2'227	7'074	833	525	771	1'163	1'119	1'431	1'812	2'901	5'771	12'222	36'583
		F.	2'053	6'384	819	389	547	917	1'050	1'272	1'705	2'856	5'311	11'612	26'170
381b	PONTYPRIDD †	M.	2'375	7'658	947	692	1'112	1'197	1'092	1'540	1'881	2'869	5'540	12'029	39'373
		F.	2'223	6'668	919	541	807	1'108	1'186	1'200	1'363	2'195	4'825	10'298	30'357
382	MERTHYR TYDFIL † II	M.	2'796	8'497	1'203	869	936	1'151	1'128	1'443	2'016	3'875	8'309	17'565	24'762
		F.	2'418	7'657	982	459	673	1'018	1'108	1'415	1'725	2'984	5'645	11'993	29'377
383	BRIDGEND L	M.	2'104	5'991	853	465	736	851	1'040	1'182	1'453	2'871	5'149	11'698	24'762
		F.	1'962	5'249	927	448	689	817	1'060	1'119	1'456	2'007	4'306	10'489	27'651
384	NEATH	M.	2'296	6'869	1'016	710	866	1'211	1'147	1'388	1'979	3'525	7'017	12'437	30'000
		F.	2'078	5'855	989	585	829	947	1'135	1'362	1'409	2'191	4'676	10'358	24'194

* On 1st July 1861 the new District of Bedwelty was formed out of the District of Abergavenny. The mortality of the new District is here given for the whole period, a correction having been made for the part of the year 1861 prior to the date of change.

On 18th July 1863 the new District of Pontypridd was formed out of parts of the Districts of Cardiff and Merthyr Tydfil. The mortality of the new District is here given for the whole period 1861-70, a correction having been made for the time previous to the date of change.

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

			Ages.																
DISTRICTS.			Sex.	All Ages.	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.			
No.	XI.—MONMOUTHSHIRE AND WALES—cont. 43.—SOUTH WALES—cont. GLAMORGANSHIRE—cont.																		
585a	SWANSEA HH	-	-	-	M. F.	2'318 2'174	6'840 6'406	1'245 1'103	5'865 5'613	7'557 7'568	9'005 8'894	1'024 1'072	1'528 1'281	2'018 1'634	3'734 2'817	6'790 5'463	14'550 12'175	25'228 20'219	
585b	GOWER	-	-	-	-	M. F.	2'075 1'864	4'054 3'853	1'100 1'072	4'777 5'869	1'106 7'19	1'200 9'55	1'068 1'205	1'046 1'168	1'288 8'86	2'219 1'707	5'161 3'871	11'772 11'073	20'000 21'090
CARMARTHENSHIRE.																			
586	LLANELLY H	-	-	-	-	M. F.	2'189 1'945	5'664 4'973	1'022 8'40	7'47 4'90	9'00 8'34	1'264 9'31	1'242 1'085	1'145 1'069	1'505 2'240	2'848 2'240	6'019 4'462	13'750 10'167	33'500 22'000
587	LLANDOVERY	-	-	-	-	M. F.	2'072 1'804	4'396 3'753	7'48 6'01	5'11 5'56	7'74 7'52	1'298 9'61	1'140 1'178	8'85 1'320	1'444 1'355	2'478 1'903	5'746 5'988	14'015 9'836	32'174 22'143
588	LLANDILOFAW	-	-	-	-	M. F.	1'863 1'851	3'345 3'395	6'38 7'38	5'09 8'01	7'53 7'41	1'433 7'36	1'213 1'087	1'276 1'313	1'224 1'189	2'469 1'970	4'775 4'941	12'516 8'477	27'857 24'545
589	CARMARTHEN HL	-	-	-	-	M. F.	2'184 1'946	4'244 4'035	7'42 6'41	5'34 5'35	7'32 7'45	1'240 9'54	1'370 1'104	1'294 1'148	1'774 1'314	2'805 2'140	6'322 5'155	13'433 10'859	26'538 23'097
PEMBROKESHIRE.																			
590	NARBERTH	-	-	-	-	M. F.	1'960 1'757	3'591 3'001	5'60 6'80	8'26 5'12	9'88 7'50	1'001 8'72	1'830 1'051	9'05 8'45	1'442 1'296	2'696 2'097	5'789 4'319	12'872 9'064	27'857 25'455
591	PEMBROKE	-	-	-	-	M. F.	1'930 1'943	5'628 5'024	7'38 7'48	4'20 6'21	6'50 8'78	9'60 1'029	1'110 1'280	1'416 1'346	2'395 2'189	5'807 5'117	13'037 11'796	22'121 21'077	
592	HAVERFORDWEST H	-	-	-	-	M. F.	2'195 2'031	5'030 4'270	7'39 7'25	4'05 5'39	8'82 9'15	1'412 1'035	1'247 1'034	1'123 1'234	1'503 1'094	2'392 2'554	5'763 4'979	13'454 10'791	23'549 27'864
CARDIGANSHIRE.																			
593	CARDIGAN	-	-	-	-	M. F.	2'020 1'836	3'267 3'014	6'21 6'23	4'04 5'97	5'65 6'33	1'868 7'93	1'270 8'17	1'153 1'071	1'272 1'060	2'671 2'339	4'751 4'365	11'295 11'367	33'871 23'075
594	NEWCASTLE-IN-EMLYN	-	-	-	-	M. F.	1'931 1'757	3'073 2'904	7'36 8'76	4'48 6'67	7'55 7'11	1'512 8'65	1'601 9'31	1'650 8'78	1'421 1'012	2'122 1'683	5'564 4'191	11'649 10'821	25'152 25'667
595	LAMPETER	-	-	-	-	M. F.	1'810 1'685	3'734 2'790	5'57 6'14	4'04 4'87	6'19 5'51	1'441 7'56	8'77 8'81	9'67 1'275	1'418 9'52	2'094 2'122	4'459 4'767	12'813 10'410	34'290 27'090
596	ABERATRON	-	-	-	-	M. F.	2'118 1'669	3'453 2'953	7'01 5'86	4'17 4'92	1'398 7'45	1'917 7'63	1'618 8'19	1'053 1'013	1'374 1'069	2'725 1'940	5'698 4'494	12'280 12'107	41'667 22'432
597	ABERYSTWITH	-	-	-	-	M. F.	2'088 1'842	4'125 3'664	6'60 6'50	4'44 5'10	8'87 6'70	1'407 1'025	1'301 9'84	1'413 1'136	1'610 1'432	3'030 2'659	6'461 5'584	14'229 12'757	27'590 23'125
598	TREGARON	-	-	-	-	M. F.	1'833 1'465	3'287 2'594	4'00 5'05	4'50 5'01	5'57 5'42	1'751 9'15	1'011 8'37	1'052 8'13	1'458 1'137	2'544 1'792	5'215 3'425	14'967 10'800	27'273 27'778
BRECKNOCKSHIRE.																			
599	BUILTH	-	-	-	-	M. F.	1'994 1'828	4'501 3'687	7'41 7'62	5'01 5'30	6'00 7'00	7'37 8'68	9'75 9'62	1'298 1'295	1'775 1'137	1'978 2'337	4'921 3'850	13'623 11'667	22'778 27'750
600	BRECKNOCK H	-	-	-	-	M. F.	2'066 2'017	4'743 4'510	8'12 7'58	2'85 6'67	4'73 5'76	9'32 6'81	9'61 9'88	1'230 1'327	1'824 1'639	2'793 2'587	5'450 4'892	12'350 11'244	28'000 24'894
601	CRICKHOWELL	-	-	-	-	M. F.	2'300 2'187	7'919 6'295	1'006 9'12	5'60 5'05	5'83 7'08	9'85 9'24	1'026 1'251	1'062 1'294	1'777 1'200	3'168 2'697	6'560 5'160	12'846 13'038	31'818 25'000
602	HAY	-	-	-	-	M. F.	2'010 1'961	5'054 4'340	4'43 4'91	3'10 3'81	4'36 6'87	5'44 1'050	8'80 1'050	1'055 1'211	1'497 1'462	2'684 2'332	5'329 4'747	14'315 10'426	27'000 26'522
RADNORSHIRE.																			
603a	KINGTON *	-	-	-	-	M. F.	1'947	4'781	5'82	5'81	5'60	6'31	8'98	1'105	1'531	2'180	5'943	12'897	34'000
603b	PRESTEIGNE *	-	-	-	-		2'012	4'566	7'55	6'34	7'33	8'58	1'171	9'76	1'168	2'034	5'043	14'600	28'750
604	KNIGHTON	-	-	-	-	M. F.	1'902 1'823	5'067 4'147	5'67 5'05	4'23 5'30	4'07 5'00	9'24 1'016	7'77 9'19	1'068 1'000	1'394 1'240	2'708 2'172	5'388 4'776	12'907 13'766	29'167 23'520
605	RHAYADER	-	-	-	-	M. F.	1'901 1'670	4'086 3'576	6'13 4'69	4'40 3'93	7'18 4'45	1'000 7'35	1'058 9'41	1'085 7'88	1'581 1'010	2'304 1'963	5'664 5'827	10'735 10'769	20'000 22'500

April 1870 the new District of Kington was formed out of the District of Prestigeone. The mortality of the new District is not given in this Table.

Mortality of Males and Females at different Ages.

ccxli

**Average Annual Rate of Mortality from All Causes at different Ages
to 100 Living during the 10 Years 1861-70—continued.**

DISTRICTS.		Sex.	All Ages.	Ages.													
				Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.		
XI.—MONMOUTHSHIRE AND WALES—cont.																	
44.—NORTH WALES.																	
MONTGOMERYSHIRE.																	
No.																	
606	MACHYNLETH - - - -	M.	2'201	5'183	'814	'302	'932	1'115	1'170	1'116	1'623	2'871	6'030	15'214	30'032		
		F.	2'143	4'530	'712	'517	'609	1'027	1'346	1'402	1'609	2'105	4'455	12'544	21'515		
607	NEWTOWN - - - - -	M.	2'072	4'781	'895	'425	'821	1'132	'958	1'125	1'909	2'581	6'080	13'287	34'128		
		F.	2'040	4'627	'680	'477	'800	1'025	1'345	1'258	1'426	2'039	4'621	11'326	25'200		
608	FORDEN (formerly MONTGOMERY)	M.	2'000	4'706	'689	'369	'563	1'026	1'073	'977	1'456	2'740	6'386	14'803	27'017		
		F.	1'918	3'813	'603	'490	'830	'949	1'199	1'288	1'238	2'124	5'079	11'927	31'111		
609	LLANFYLLIN - - - - -	M.	2'028	4'741	'689	'536	'738	1'028	1'014	'972	1'255	2'451	5'347	13'468	26'532		
		F.	1'965	3'828	'640	'512	'915	1'220	1'150	1'236	1'151	2'446	4'876	11'693	23'182		
FLINTSHIRE.																	
610	HOLYWELL - - - - -	M.	2'325	6'134	'953	'508	'681	1'041	1'070	1'451	1'908	3'441	7'626	12'956	39'231		
		F.	2'235	5'486	'976	'411	'814	1'170	1'117	1'288	1'562	2'438	5'531	11'554	24'286		
DENBIGHSHIRE.																	
611	WREXHAM H - - - - -	M.	2'450	7'588	'904	'513	'688	1'018	1'093	1'310	2'095	3'239	7'219	15'373	34'194		
		F.	2'312	6'411	'976	'515	'726	1'225	1'089	1'268	1'882	2'517	5'614	12'829	31'724		
612	RUTHIN - - - - -	M.	2'011	4'447	'736	'361	'542	1'115	1'042	'856	1'543	2'567	5'856	13'879	31'905		
		F.	2'040	4'136	'659	'575	'787	1'027	1'094	1'104	1'202	2'363	5'142	12'184	29'429		
613	ST. ASAPH HL - - - -	M.	2'440	5'537	'690	'470	'721	1'155	1'538	1'491	1'980	2'957	7'313	14'091	31'563		
		F.	2'222	5'073	'958	'509	'749	1'089	1'204	1'471	1'571	2'567	5'628	12'862	26'981		
614	LLANRWST - - - - -	M.	1'937	4'688	'636	'353	'706	1'187	1'126	1'186	1'368	2'000	5'556	10'746	22'174		
		F.	1'903	4'323	'636	'634	'930	1'103	1'240	1'290	1'248	1'853	3'207	10'621	19'730		
MERIONETHSHIRE.																	
615	CORWEN - - - - -	M.	2'041	4'184	'509	'402	'835	1'250	1'155	1'060	1'546	2'602	6'342	13'636	33'182		
		F.	1'895	3'688	'431	'320	'610	1'044	1'006	1'173	1'513	2'273	5'385	11'868	30'000		
616	BALA - - - - -	M.	1'765	3'273	'596	'442	'608	'906	1'009	1'315	1'301	2'000	3'922	13'158	31'818		
		F.	1'868	3'496	'805	'649	'608	'674	'924	'808	1'246	2'072	4'253	10'101	25'000		
617	DOLGELLY - - - - -	M.	2'228	4'614	'838	'713	'953	1'618	1'351	1'188	1'942	2'381	4'385	11'939	28'005		
		F.	1'917	3'550	'626	'418	'831	'886	1'082	1'043	1'258	2'015	4'586	9'838	21'176		
618	FESTINOG H - - - - -	M.	2'347	5'993	'903	'582	'150	1'634	1'680	1'217	1'468	2'824	5'608	13'284	22'917		
		F.	2'076	5'162	'745	'687	'864	1'228	1'234	1'600	1'304	2'259	3'805	11'317	23'542		
CARNARVONSHIRE.																	
619	PWLLHELI - - - - -	M.	1'888	3'858	'729	'432	'602	1'153	1'017	'976	1'282	2'018	4'898	12'771	21'333		
		F.	1'893	3'657	'530	'491	'588	'748	'902	'886	1'024	2'144	4'958	11'291	30'444		
620	CARNARVON - - - - -	M.	2'349	6'216	'921	'646	'961	1'588	1'496	1'304	1'528	2'890	6'043	12'756	29'333		
		F.	2'199	5'731	'799	'663	'967	1'245	1'345	1'372	1'328	2'312	5'298	11'276	24'616		
621	BANGOR III - - - - -	M.	2'233	6'131	'019	'490	'814	1'251	1'189	1'227	1'541	2'679	5'083	12'538	32'105		
		F.	2'147	5'690	'815	'703	'683	1'217	1'279	1'141	1'355	2'214	4'909	11'875	26'995		
622	CONWAY - - - - -	M.	2'013	4'812	'988	'453	'403	1'115	'971	1'285	1'226	2'088	5'156	15'254	30'000		
		F.	1'916	4'455	'740	'577	'875	'789	1'032	1'071	1'300	2'437	5'375	10'373	28'000		
ANGLESEY.																	
623	ANGLESEY - - - - -	M.	2'147	4'543	'796	'586	'838	1'839	1'429	1'396	1'439	2'297	5'870	13'460	30'652		
		F.	2'080	4'262	'837	'697	'021	1'301	1'180	1'397	1'773	2'138	4'973	11'288	26'697		

MEAN POPULATION, 1861-71,
AND
DEATHS FROM DIFFERENT CAUSES
OF
MALES AND FEMALES AT DIFFERENT AGES,
IN THE TEN YEARS
1861-70.

Causes of Death in the Ten Years 1861-70,

Mean Population, 1861-71, and Deaths in ENGLAND

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
Mean Populⁿ, 1861-71 -	10,417,596	321,315	284,789	287,474	278,145	273,963	1,445,685	1,261,900	1,140,330
TOTAL DEATHS -	2,459,489	648,486	206,889	98,063	62,700	44,803	1,067,890	102,825	56,884
Small-pox - - - -	18027	4816	1741	1433	1172	889	9632	1891	648
Measles - - - -	47843	9337	18335	9219	4661	2572	44344	2908	207
Scarlatina - - - -	103868	7073	15334	17148	16130	12918	68603	27402	5341
Diphtheria - - - -	18467	2124	2635	2185	2208	1706	10947	4265	1219
Whooping-cough - -	50712	22446	15278	6538	3169	1634	49085	1547	61
Typhus - - - -	93298	2885	3783	4089	3774	3255	17786	11115	7094
Diarrhoea and Dysentery	107554	66413	16632	3321	1168	635	88189	1061	377
Cholera - - - -	11812	2072	835	488	327	299	4011	965	408
Other Zymotic Diseases -	58364	8402	7874	6196	4894	3337	30708	4774	1682
Cancer - - - -	25424	18	23	44	59	43	166	102	91
Scrofula and Tuberc -	50066	18860	9971	3657	1562	1034	35118	3510	2402
Phthisis - - - -	256958	5500	4292	2197	1266	1052	14307	5442	6902
Hydrocephalus - - -	42888	16224	11701	4797	2979	1872	37273	4116	1066
Diseases of Brain - -	320005	128133	20273	8325	4736	3188	164658	7537	2820
Diseases of Heart & Dropsy	136531	2540	1125	808	640	5763	2945	2873	
Diseases of Lungs - -	384789	100511	45061	15995	7688	4385	178090	6075	2271
Diseases of Stom. & Liver	103977	14617	2270	1301	787	698	19853	2592	2198
Diseases of Kidneys -	42815	337	332	351	350	295	1685	1075	746
Diseases of Gener. Organs	696	38	12	8	7	5	70	6	8
Diseases of Joints - -	9920	207	236	194	184	161	1042	1192	1168
Diseases of Skin - -	6644	2191	390	147	75	70	2873	158	174
Childbirth and Metria -	-	-	-	-	-	-	-	-	-
Suicide - - - -	10302	-	-	-	-	-	-	-	47
Other Violent Deaths -	112134	8358	3921	3500	2081	2489	21342	7575	6386
Other Causes - - - -	443073	220864	26771	6030	2150	1341	250656	3097	1341
		AGES OF FEMALES.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
Mean Populⁿ, 1861-71 -	10,971,649	318,991	283,727	287,597	278,161	271,868	1,440,344	1,263,406	1,124,378
TOTAL DEATHS -	2,335,011	511,756	196,697	97,909	62,960	44,279	913,610	97,905	50,480
Small-pox - - - -	15859	3913	1857	1488	1201	870	9329	1764	625
Measles - - - -	46256	7989	17135	9389	4965	2714	42192	3212	358
Scarlatina - - - -	102409	5900	14070	16823	15509	12357	64859	27103	6000
Diphtheria - - - -	20937	1596	2531	2430	2421	2225	11203	5690	1868
Whooping-cough - -	62088	24008	19242	9171	4740	2450	59611	2285	123
Typhus - - - -	95987	2367	3836	4360	3942	3731	18234	12208	8969
Diarrhoea and Dysentery	99702	55013	16439	3324	1136	589	77103	1134	329
Cholera - - - -	11133	1602	758	395	292	244	3421	863	372
Other Zymotic Diseases -	51946	6938	6815	5381	4056	3087	27377	4571	1662
Cancer - - - -	57396	19	27	40	61	44	191	88	85
Scrofula and Tuberc -	43443	15341	9110	3397	1508	957	30313	2059	1949
Phthisis - - - -	272407	4771	4124	2210	1367	1167	13639	6019	11753
Hydrocephalus - - -	31264	10923	8204	3740	2193	1544	26604	3230	961
Diseases of Brain - -	276742	94710	18031	8908	4689	2900	128338	6916	3575
Diseases of Heart & Dropsy	151910	2159	1070	698	582	524	5029	2646	3222
Diseases of Lungs - -	334812	74824	41489	16089	8053	4645	145090	6050	2469
Diseases of Stom. & Liver	105767	9748	2054	1065	791	700	14358	2395	1714
Diseases of Kidneys -	19939	210	282	224	221	179	1120	610	404
Diseases of Gener. Organs	11908	13	26	13	7	2	61	6	34
Diseases of Joints - -	7738	221	204	159	150	158	890	774	798
Diseases of Skin - -	6188	1790	370	179	87	67	2502	119	124
Childbirth and Metria -	35254	-	-	-	-	-	-	-	3
Suicide - - - -	3707	-	-	-	-	-	-	1	37
Other Violent Deaths -	37697	7571	3038	2537	2014	1507	16667	2982	1473
Other Causes - - - -	433316	179423	25979	6294	2384	1389	215468	3699	1266

Causes of Death in the Ten Years 1861-70.

3

and WALES during the 10 Years 1861-70.

AGES OF MALES.									CAUSES OF DEATH.
15--	20--	25--	35--	45--	55--	65--	75--	85 and upwards.	
1,081,331	906,063	1,493,788	1,186,127	904,120	602,559	329,612	113,350	13,751	{ Mean Popul., 1861-71.
62,921	76,591	147,734	159,897	173,273	198,816	219,815	166,144	48,119	TOTAL DEATHS.
293	1638	2037	1165	616	298	126	33	5	Small-pox.
96	65	59	48	18	9	2	1	1	Measles.
1518	721	709	271	140	46	17	9	1	Scarlatina.
591	315	304	239	197	182	107	37	4	Diphtheria.
11	4	4	9	4	4	3	-	-	Whooping-cough.
3940	7455	10513	9404	8168	6961	4843	1710	189	Typhus.
332	448	1076	1219	1747	2909	4782	4348	969	Diarrhoea and Dysentery.
235	371	996	1176	1304	1146	792	230	24	Cholera.
1906	1199	2422	2828	3060	3695	3877	2190	368	Other Zymotic Diseases.
300	246	907	2437	4874	7278	6186	2597	320	Cancer.
1861	1523	1907	1153	965	845	517	106	10	Scrofula and Tabes.
22246	25191	61091	49403	34900	19899	6670	791	47	Phthisis.
202	77	77	41	19	14	11	2	-	Hydrocephalus.
3790	4009	10502	15912	20292	23108	36087	22230	3060	Diseases of Brain.
3185	5124	9923	14027	19799	27602	30420	14726	1875	Diseases of Heart & Dropsey.
3321	4735	12532	20420	31644	45716	50051	28558	4706	Diseases of Lungs.
2429	2538	6707	10892	15440	18425	16267	6072	645	Diseases of Stom. & Liver.
1019	1238	3546	4810	5940	7706	9549	5713	785	Diseases of Kidneys.
11	21	50	93	92	94	102	43	8	Diseases of Gener. Organs.
1045	802	1049	903	894	906	666	238	21	Diseases of Joints.
177	168	232	342	517	671	779	423	81	Diseases of Skin.
-	-	-	-	-	-	-	-	-	Childbirth and Metria.
290	534	1381	1937	2368	2261	1175	290	28	Suicide.
8476	8674	14795	13572	11694	9113	5468	2343	504	Other Violent Deaths.
1169	1496	4505	6857	8533	14838	41318	73395	29768	Other Causes.

AGES OF FEMALES.

1,035,206	1,011,063	1,655,469	1,278,785	963,446	652,990	381,952	142,712	21,898	{ Mean Popul., 1861-71.
66,553	80,463	160,329	153,892	140,802	181,356	224,575	191,944	62,112	TOTAL DEATHS.
826	964	1160	638	304	164	59	23	3	Small-pox.
130	99	149	73	27	9	5	2	-	Measles.
1634	1066	1204	420	118	64	24	8	-	Scarlatina.
627	418	409	284	207	143	80	29	4	Diphtheria.
32	9	9	4	1	2	2	-	-	Whooping-cough.
9431	7303	10615	9027	7558	6200	4400	1776	204	Typhus.
354	596	1614	1622	1777	3152	5384	5192	1445	Diarrhoea and Dysentery.
266	419	1193	1293	1121	1011	774	313	57	Cholera.
1407	1171	2053	2055	2302	3123	3641	2303	451	Other Zymotic Diseases.
178	330	2702	8603	14817	15018	10732	4058	594	Cancer.
1773	1299	1749	1253	1038	789	470	141	10	Scrofula and Tabes.
32197	40100	72483	42968	27437	13482	4734	678	57	Phthisis.
230	85	70	37	23	14	8	2	-	Hydrocephalus.
4042	4105	9110	11895	17408	26215	35575	24365	4208	Diseases of Brain.
3532	3839	10444	15234	20958	31094	36021	17759	2638	Diseases of Heart & Dropsey.
3170	3876	10144	14453	22410	38364	50077	31634	6158	Diseases of Lungs.
2375	3271	8418	11623	15217	19454	17996	7921	1025	Diseases of Stom. & Liver.
658	1035	2596	3111	3042	3319	2700	1040	147	Diseases of Kidneys.
174	462	1638	2523	2942	2226	1392	409	41	Diseases of Gener. Organs.
771	527	845	764	811	723	593	217	23	Diseases of Joints.
96	178	394	394	453	617	739	479	88	Diseases of Skin.
1699	6396	15248	11361	577	-	-	-	-	Childbirth and Metria.
314	573	1578	673	799	565	315	103	11	Suicide.
1207	893	1664	1776	1081	2057	2423	2700	923	Other Violent Deaths.
1470	1615	3781	4906	6465	13496	46366	90683	44617	Other Causes.

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
I.—LONDON.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													75—	85 and upwards.		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—			55—	65—
Mean Popul ⁿ , 1861-71.	1,415,466	45,610	39,583	38,343	37,401	36,026	195,963	161,151	141,969	131,585	133,185	233,714	178,860	124,417	71,145	33,097	9,395	1,055
TOTAL DEATHS.	375,814	95,550	37,982	18,004	11,136	7,545	170,317	15,093	6,026	7,639	10,943	25,379	30,601	31,933	31,106	27,413	15,761	3,391
Small-pox	-	975	460	567	298	231	2532	481	144	220	400	518	267	108	34	22	1	-
Measles	-	1715	3451	1800	905	435	8394	398	24	7	7	9	5	2	1	1	-	-
Scarlatina	-	1168	2327	3109	2768	2132	11831	4299	736	228	134	134	62	28	10	-	2	1
Diphtheria	-	308	464	374	327	233	1796	402	61	37	35	49	53	32	25	20	8	-
Whooping-cough	-	4321	3975	1861	890	451	11098	346	11	3	1	1	4	2	1	-	-	-
Typhus	-	339	457	591	563	469	2138	1450	899	863	865	1284	1036	1460	1195	705	223	24
Diarrhoea & Dysentery	-	11229	2343	428	155	86	14211	152	42	43	75	169	182	231	374	423	554	82
Cholera	-	665	310	187	121	111	1395	349	157	87	106	345	359	359	297	162	53	5
Other Zymotic Dis.	-	1530	1293	924	709	458	4687	617	249	256	218	591	596	582	634	513	221	41
Cancer	-	2	6	8	18	7	41	19	17	33	40	185	230	1016	1175	730	224	24
Scrophula and Tuberc.	-	3203	1787	755	313	183	6781	822	253	183	149	173	128	105	75	37	5	-
Furunculitis	-	1080	855	595	298	213	2222	919	702	2609	2077	11202	11059	7368	3781	1059	146	9
Hydrocephalus	-	3450	2221	1105	309	555	8632	642	114	28	17	30	7	4	2	2	1	-
Dis. of Brain	-	13290	2028	1112	800	474	18094	1001	453	403	530	1713	2775	2805	4612	4906	2329	200
Dis. of Heart & Dropsy	-	374	138	124	95	89	829	483	478	510	339	1811	2756	3206	3859	2906	1294	148
Dis. of Lungs	-	17285	9583	5558	1452	753	31263	1031	963	459	827	3238	3900	6025	8093	7685	3409	698
Dis. of Stom. and Liver	-	1990	217	169	102	97	2575	515	259	302	326	1003	1174	2361	2373	1662	533	73
Dis. of Kidneys	-	7560	41	49	76	60	291	184	112	176	227	734	1109	1238	1422	1281	631	55
Dis. of Gen. Organs	-	124	9	1	2	1	14	1	2	3	5	10	24	21	19	18	9	0
Dis. of Joints	-	1558	48	31	26	24	177	245	184	150	117	181	158	135	121	67	20	4
Dis. of Skin	-	1140	369	62	25	15	479	18	22	25	44	66	81	100	117	127	23	8
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	1909	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	-	13154	2718	568	427	272	4353	904	820	874	947	1727	1773	1388	1114	672	284	60
Other Causes	-	50459	26749	2941	893	153	32984	217	85	90	178	645	976	1094	1380	4070	2699	1348

Mean Population, 1861-70, and Deaths in Divisions during the 10 Years 1861-70.
I.—LONDON.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															75—	85 and upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—		
Mean Population, 1861-70	1,613,659	45,472	36,512	38,814	37,580	36,122	196,500	163,821	145,035	151,530	166,302	280,874	206,826	144,530	90,739	49,021	16,388	2,343
TOTAL DEATHS -	360,528	77,904	35,001	18,472	11,009	7,460	140,966	14,400	5,807	7,731	10,341	24,805	26,564	26,764	30,232	32,969	23,941	6,388
Small-pox -	-	871	461	373	284	225	2214	453	110	183	523	298	174	63	20	8	1	-
Measles -	-	1450	3349	1850	945	488	7586	397	41	15	13	21	6	2	2	1	-	-
Scarlatina -	-	934	2531	2015	2321	2109	10640	4272	801	272	222	249	91	21	9	3	2	-
Diphtheria -	-	290	459	444	357	283	1883	569	123	61	42	73	43	23	23	9	5	-
Whooping-cough -	-	4719	4628	2552	1815	646	13620	526	28	8	5	3	-	-	-	1	-	-
Typhus -	-	301	473	622	649	569	2314	1547	914	964	877	1533	1284	1444	1201	726	264	44
Diarrhoea & Dysentery -	-	9720	2321	410	146	67	12680	155	25	21	54	179	180	240	415	595	512	128
Cholera -	-	3738	270	123	90	90	1151	316	115	98	147	405	472	323	323	228	82	23
Other Zymotic Dis. -	-	1235	1124	937	707	431	4454	583	284	249	223	453	452	463	491	496	273	60
Cancer -	-	5	2	8	10	5	30	18	14	45	55	615	1879	3008	2708	1725	543	69
Scrophula and Tuberc -	-	2904	1089	628	270	172	5668	406	229	151	86	173	187	102	83	48	15	1
Phthisis -	-	795	796	401	594	352	2731	964	1165	2973	4457	10380	8473	4686	2086	694	113	13
Hydrocephalus -	-	2434	1812	855	485	298	7681	507	112	83	17	13	6	4	1	1	-	-
Dis. of Brain -	-	9639	2539	1263	713	467	14030	917	416	517	518	1366	2092	2245	4302	3263	2473	624
Dis. of Heart & Dropsy -	-	21430	851	147	72	68	745	484	254	553	647	1641	2443	3380	4410	4838	3927	245
Dis. of Lungs -	-	63568	13129	8138	3427	1542	27053	1072	398	440	870	1621	2942	4761	8155	9644	2346	1026
Dis. of Stom. and Liver	-	15463	1302	218	84	88	1812	353	210	304	441	1286	1986	2317	2313	2460	1065	169
Dis. of Kidneys -	-	2873	30	27	32	24	105	99	73	119	206	513	603	664	695	523	121	20
Dis. of Genes. Organs -	-	2425	4	7	5	1	18	-	8	23	100	274	543	663	444	226	61	12
Dis. of Joints -	-	23	29	23	33	23	130	161	105	98	137	1621	110	104	89	64	26	8
Dis. of Skin -	-	1054	226	56	14	9	441	15	16	18	25	94	83	75	84	110	74	12
Childbirth and Metris	-	4849	-	-	-	-	-	-	1	213	596	2323	1466	46	-	-	-	-
Childbed Fevers -	-	760	-	-	-	-	-	1	-	60	88	143	181	151	83	28	7	-
Sudden Violent Deaths -	-	7146	2556	457	245	171	3778	460	163	178	163	287	869	410	889	498	262	108
Other Causes -	-	51230	23875	3728	271	135	28221	221	178	126	161	417	667	667	1412	2391	2004	4943

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.

II.—SOUTH EASTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Popul'n, 1861-71.	991,908	28,396	25,806	26,443	25,525	25,310	131,490	118,261	106,371	96,790	88,808	142,436	111,123	84,005	59,453	35,614	13,158	1,641
TOTAL DEATHS -	190,692	46,312	13,597	6,488	4,466	3,234	72,356	7,887	3,960	4,919	6,883	14,033	14,391	14,339	16,081	30,941	19,063	5,660
Small-pox - - -	1382	251	67	69	50	44	461	110	46	62	128	166	134	84	44	25	16	2
Measles - - -	2998	580	1051	531	347	175	2654	238	46	16	10	6	6	-	1	-	-	1
Scarlatina - - -	7101	402	980	921	1066	822	4121	2015	219	176	86	86	28	26	4	3	3	-
Dysentery - - -	1819	123	187	108	249	213	990	349	126	64	27	26	19	19	16	7	3	1
Whooping-cough -	3539	1714	1037	390	191	89	3460	92	3	1	1	-	-	-	1	1	-	-
Typhus - - -	6461	202	259	280	260	220	1330	179	511	263	419	645	283	474	216	460	213	26
Diarrhoea & Dysentery	7694	4438	936	229	97	66	5786	118	26	25	26	122	120	143	263	467	443	156
Cholera - - -	849	171	67	41	22	18	230	71	29	30	24	66	73	92	67	26	28	5
Other Zymotic Dis.	3000	594	496	426	396	273	2196	429	146	117	136	266	273	290	266	467	264	55
Cancer - - -	2278	3	5	8	8	3	22	6	9	17	21	85	211	448	696	696	221	39
Scrophula and Tubes	4930	1456	600	300	123	89	2607	326	229	127	125	179	126	90	91	47	13	3
Phthisis - - -	22228	461	335	167	99	69	1181	265	400	1382	8117	6103	4711	3161	1779	637	99	3
Hydrocephalus - -	5629	1236	925	424	276	175	3136	357	97	30	5	5	4	-	1	3	1	-
Dia. of Brain - - -	23576	7104	1577	384	320	258	9673	263	324	323	428	1031	1394	1673	2622	3725	2719	422
Dia. of Heart & Dropsy	14324	218	65	45	28	41	407	194	235	265	207	1134	1288	1764	2713	3274	1873	210
Dia. of Lungs - - -	28321	7400	2897	1022	485	323	12167	503	186	292	477	1165	1337	1940	2670	2948	2894	698
Dia. of Stom. and Liver	9655	1272	150	112	64	39	1663	255	181	261	245	686	991	1262	1663	1681	729	74
Dia. of Kidneys - -	4612	35	26	28	30	25	144	90	63	97	131	377	313	619	869	1167	796	116
Dia. of Genes. Organs -	73	3	4	1	1	-	9	-	1	1	3	8	13	13	9	11	4	1
Dia. of Joints - - -	891	21	21	17	20	10	80	89	102	74	75	92	89	92	85	78	19	3
Dia. of Skin - - -	674	228	57	14	13	8	340	11	23	16	17	26	26	55	66	73	60	12
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Guinea - - -	1251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	7813	563	276	229	213	161	1452	463	491	595	629	1064	939	624	639	264	213	71
Other Causes - - -	33901	10610	1643	838	126	91	18643	204	90	68	137	426	566	663	1060	3349	7300	3286

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
II.—SOUTH EASTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.													65 and upwards.			
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--		55--	65--	75--
Mean Populn. 1861-71	1,015,785	27,978	25,685	26,464	25,523	25,162	130,812	118,169	105,570	91,807	91,483	151,222	119,949	90,386	69,023	38,140	14,704	2,220
TOTAL DEATHS -	184,179	35,250	13,254	6,351	4,290	3,112	61,257	7,618	4,280	5,724	6,760	13,238	13,883	12,196	14,841	20,532	19,651	6,969
Small-pox -	905	214	83	70	51	50	468	76	45	61	75	77	48	23	21	5	7	1
Measles -	3921	466	1013	555	330	175	2529	379	56	30	6	13	10	4	2	-	1	-
Scarlatina -	6902	363	796	1011	967	808	3865	1914	545	144	123	149	50	26	7	1	2	-
Diphtheria -	2107	113	194	168	238	247	965	698	264	92	43	44	36	18	11	13	4	-
Whooping-cough -	4108	1792	1235	585	232	145	3989	164	10	3	1	1	-	-	-	-	-	-
Typhus -	6710	139	293	276	284	245	1216	895	685	784	519	671	560	448	403	282	174	26
Diarrhoea & Dysentery	6707	3584	930	197	79	46	4556	114	20	37	63	142	115	136	195	406	486	188
Cholera -	756	132	49	28	20	11	249	69	27	13	31	68	83	73	51	51	26	8
Other Zymotic Dis.	4173	477	354	365	355	255	1806	391	132	124	113	190	196	199	212	259	266	63
Cancer -	5743	2	1	8	4	2	18	12	9	13	27	260	794	1877	1635	1184	446	73
Scrofula and Tuberc.	3828	1166	614	244	114	90	2228	275	206	201	159	200	121	110	84	60	12	1
Phthisis -	22764	423	300	170	100	88	1069	425	843	2544	3436	6063	4486	2248	1114	414	53	2
Hydrocephalus -	2657	897	657	304	209	136	2183	335	106	118	8	6	6	1	4	-	1	-
Dis. of Brain -	22238	4946	1228	615	368	216	7371	501	368	423	392	910	1155	1418	2400	3645	3249	536
Dis. of Heart & Dropsy	14463	260	67	46	47	34	404	178	346	291	286	819	1274	1696	2637	4014	2847	242
Dis. of Lungs -	25553	5313	2525	937	606	802	9003	518	188	245	277	684	963	1259	2320	3837	3963	677
Dis. of Stom. and Liver	9001	800	131	90	64	66	1171	239	151	226	258	695	934	1316	1737	1842	915	117
Dis. of Kidneys -	2118	20	20	18	18	17	93	31	51	60	96	255	349	314	359	323	141	27
Dis. of Genes. Organs -	1220	-	1	-	1	-	2	2	4	13	34	138	213	324	208	220	53	4
Dis. of Joints -	690	14	18	13	10	12	67	88	84	69	43	75	63	60	69	58	21	2
Dis. of Skin -	640	196	30	18	7	3	256	11	20	12	24	33	36	38	53	87	87	12
Dis. of Birth and Metris	2816	-	-	-	-	-	-	-	-	141	491	1236	890	62	-	-	-	-
Childbirth and	378	-	-	-	-	-	-	-	-	54	81	63	43	95	63	35	10	1
Violent Deaths -	2634	485	215	194	100	104	1107	223	103	71	81	123	135	125	138	192	246	72
Other Causes -	33639	13487	1321	884	161	79	15632	200	64	120	189	337	268	447	637	2406	7799	4230

AGES OF MALES.

CAUSES OF DEATH.	ALL Ages.	AGES OF MALES.																
		Total under 15 yrs.	1	2	3	4	Total under 5 years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.
Mean Popul ⁿ , 1861-71	607,080	19,898	18,125	18,380	17,769	17,895	91,997	88,746	78,785	64,513	53,464	85,689	73,496	58,935	43,025	28,964	9,089	1,007
TOTAL DEATHS -	140,262	36,923	10,066	4,801	8,023	2,101	56,914	5,346	2,813	3,100	8,872	7,477	8,329	9,255	11,839	15,644	13,087	3,276
Small-pox -	893	186	50	20	54	25	367	59	23	39	66	115	67	68	41	17	6	1
Measles -	2381	468	903	441	233	135	9169	180	23	3	1	5	1	1	-	-	-	-
Scarlatina -	4023	544	714	739	730	515	3038	1344	328	83	35	46	29	10	4	4	1	-
Diphtheria -	1069	112	111	130	138	118	690	280	71	46	14	19	16	10	14	14	5	1
Whooping cough -	3441	1250	635	273	127	61	2266	60	8	-	-	1	-	1	1	-	-	-
Typhus -	4738	133	170	379	171	164	867	635	435	433	368	473	366	331	337	216	123	17
Dysentery & Dysentery	3696	906	906	169	60	29	4690	41	17	18	18	41	20	79	178	264	277	65
Cholera -	333	121	26	14	6	7	174	5	9	6	5	13	20	25	20	26	18	4
Other Zymotic Dis.	2376	463	319	300	264	165	1311	301	123	108	87	139	138	138	247	305	179	26
Cancer -	1864	1	2	2	-	6	11	4	9	13	15	46	166	338	373	530	236	26
Gonorrhea and Syphilis -	2763	1103	457	185	193	53	1891	293	135	91	87	114	66	68	54	47	15	-
Hydrocephalus -	13780	450	278	120	56	41	946	254	323	973	1835	3236	2609	1821	1142	435	46	3
Hydrocephalus -	2226	817	581	262	126	112	1900	234	70	10	6	6	1	-	1	-	-	-
Dis. of Brain -	17966	4900	829	867	233	185	6332	300	227	242	274	741	1300	1360	1800	2830	1908	248
Dis. of Heart & Dropsy	8697	217	86	45	33	23	413	144	133	133	137	463	696	1103	1686	2413	1331	128
Dis. of Lungs -	19800	5610	2103	826	368	367	9116	377	135	166	213	460	936	1368	2017	2635	1831	214
Dis. of Stom. and Liver	6117	832	115	81	55	41	1142	163	137	140	119	323	686	638	1368	1368	477	61
Dis. of Kidneys -	2742	13	19	22	23	10	86	47	41	42	60	136	362	344	467	680	444	28
Dis. of Genes. Organs -	81	2	2	-	-	-	4	-	-	-	2	3	3	3	5	8	1	1
Dis. of Joints -	532	18	11	6	13	1	48	22	49	64	41	83	47	39	67	47	23	3
Dis. of Skin -	472	169	27	10	11	1	218	14	19	9	13	9	17	27	47	61	31	7
Gallbladder & Yelctria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallbladder -	638	-	-	-	-	-	-	-	8	15	29	70	94	166	146	80	31	4
Other Violent Deaths -	4463	377	223	204	122	111	1066	414	401	371	266	268	613	294	317	278	169	24
Other Causes -	20793	15590	1466	325	110	89	17000	168	71	53	68	210	843	468	894	2846	2768	2370

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
III.—SOUTH MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.													65 and upwards.				
		Total under 1 Year.		1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
		19,722	18,042	18,358	18,109	17,723	91,954	83,288	75,612	64,663	60,513	96,265	79,323	69,507		45,105	28,081	10,988	1,497
Mean Population, 1861-71		701,095																	
TOTAL DEATHS -	135,205	29,528	9,463	4,697	3,024	2,245	47,987	5,228	3,072	4,262	4,668	8,756	8,444	8,214	10,845	15,400	15,941	4,888	
Small-pox -	664	150	68	58	46	25	344	57	23	45	45	58	30	20	12	8	4	1	
Measles -	2240	374	783	408	231	130	2004	169	21	10	7	9	8	1	1	-	-	-	
Scarlatina -	4860	300	654	741	696	379	2070	1311	368	82	28	61	23	4	3	5	1	-	
Diphtheria -	1241	76	120	134	153	147	635	333	123	30	33	26	11	17	10	3	1	-	
Whooping-cough -	2887	1282	923	373	183	66	2847	81	8	1	-	-	-	-	-	-	-	-	
Typhus -	5348	116	204	215	180	201	925	768	649	680	431	544	432	265	237	217	144	13	
Diarrhoea & Dysentery	5624	2929	828	223	44	32	4053	51	26	25	34	80	102	96	164	403	476	129	
Cholera -	308	101	30	15	5	3	163	9	6	5	1	12	23	22	29	30	13	13	
Other Zymotic Dis. -	2879	372	298	283	227	180	1358	258	105	97	81	113	125	144	214	253	158	84	
Cancer -	3208	2	2	5	4	3	16	6	7	16	29	164	491	961	1026	815	315	60	
Scrofula and Tuberc.	2215	844	425	175	100	60	1604	166	119	147	93	113	91	69	57	39	17	1	
Phthisis -	16238	426	363	133	66	61	989	347	633	1967	2250	4102	2608	1716	872	286	31	6	
Hydrocephalus -	1590	573	300	180	106	65	1290	206	58	13	8	4	3	1	1	-	-	-	
Dis. of Brain -	15481	3398	767	349	213	133	4680	837	268	286	275	614	831	1023	1381	2709	1863	323	
Dis. of Heart & Dropsy	10022	175	37	43	29	30	334	186	185	192	211	543	818	1158	2001	2604	1367	168	
Dis. of Lungs -	17077	4155	1930	763	416	263	7536	367	135	188	200	492	2609	1763	1633	2765	2012	406	
Dis. of Stom. and Liver	6483	533	97	63	55	40	790	100	107	159	179	434	607	900	1239	1294	537	67	
Dis. of Kidneys -	1192	23	10	10	7	7	66	35	33	42	69	137	177	153	201	201	77	11	
Dis. of Genes. Organs -	760	-	-	-	1	-	1	-	3	14	27	93	106	163	171	97	27	4	
Dis. of Joints -	451	14	21	11	9	7	62	23	30	39	35	59	43	53	44	44	18	1	
Dis. of Skin -	400	121	88	12	11	3	135	3	4	7	11	21	16	30	26	43	23	7	
Childbirth and Metris	2003	-	-	-	-	-	-	-	-	106	276	798	601	30	-	-	-	-	
Childbed Fever -	312	-	-	-	-	-	-	-	3	14	13	34	45	45	43	16	10	-	
Violent Deaths -	1860	330	145	139	101	72	777	196	66	66	87	81	79	94	87	129	134	69	
Other Causes -	28008	12227	1384	343	125	79	14137	109	94	67	85	133	233	314	778	3094	6494	3097	

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
IV.—EASTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													Total under 1 Year.	Total under 5 Years.	5-15										75-85 and upwards.
		1	2	3	4	5-10	11-15	16-20	21-25	26-35	36-45	46-55	56-65	66-75			5	6-10	11-15	16-20	21-25	26-35	36-45	46-55	56-65	66-75	
Mean Populⁿ. 1861-71	579,348	16,688	15,417	15,749	15,544	15,465	15,418	15,946	16,196	16,463	16,862	17,236	17,518	17,810	1,809		78,868	79,314	87,418	85,946	70,463	63,862	52,946	39,372	25,175	9,610	1,809
TOTAL DEATHS -	130,565	30,196	7,783	8,717	2,543	1,910	2,657	3,149	3,984	6,320	6,507	7,236	9,639	13,611	3,986		46,146	5,000	2,657	3,149	6,320	6,507	7,236	9,639	13,611	13,611	3,986
Small-pox -	606	118	35	80	22	15	25	26	66	74	63	40	22	13	-		219	46	25	26	74	63	40	22	13	3	-
Measles -	1512	299	510	290	123	99	16	5	2	3	1	1	-	-	-		1351	121	16	5	3	1	1	-	-	-	-
Scarlatina -	4010	280	441	592	554	492	344	99	46	51	14	6	5	-	-		2299	1150	344	99	51	14	6	5	-	1	-
Diphtheria -	1565	94	134	114	166	162	165	86	41	37	25	19	17	4	-		710	436	165	86	37	25	19	17	5	4	-
Whooping-cough -	2288	1209	600	257	107	64	6	1	-	-	-	1	1	-	-		2216	56	6	1	-	-	1	1	-	-	-
Typhus -	8768	99	114	148	157	136	363	391	261	343	311	297	269	133	19		649	463	363	391	343	311	297	269	133	20	19
Diarrhoea & Dysentery -	4000	2684	499	122	57	26	15	17	14	39	46	71	106	202	80		3373	61	15	17	39	46	71	106	202	308	10
Cholera -	451	65	26	30	14	11	17	15	13	30	46	86	40	29	3		186	46	17	15	30	46	86	40	29	17	3
Other Zymotic Dis. -	2068	286	208	241	208	161	95	89	44	90	129	145	214	295	24		1113	254	95	89	90	129	145	214	295	167	24
Cancer -	1546	4	-	4	3	3	3	6	7	33	103	223	444	472	26		13	5	3	7	33	103	223	444	472	205	26
Scrophula and Tuberc. -	2633	1184	412	125	89	53	144	113	84	119	86	64	74	55	1		1863	209	144	113	84	86	64	74	55	13	1
Epilepsy -	12463	378	212	31	32	25	341	1120	1006	2911	2189	1369	1004	309	3		773	308	341	1120	2911	2189	1369	1004	309	40	3
Hydrocephalus -	1716	624	439	174	115	66	46	14	5	6	3	3	1	1	-		1453	301	46	14	5	3	3	1	1	-	-
Dis. of Brain -	13900	3385	894	549	186	141	219	201	206	471	688	906	1455	1773	278		4965	376	219	201	206	471	688	906	1455	1773	278
Dis. of Heart & Dropsy -	7454	155	49	26	27	26	118	142	128	353	529	843	1477	2008	140		297	132	118	142	353	529	843	1477	2008	1163	140
Dis. of Lungs -	16915	4296	1725	592	351	197	109	123	125	444	630	1045	1899	2576	386		7111	841	109	123	444	630	1045	1899	2576	1862	386
Dis. of Stom. and Liver -	5354	633	85	50	36	31	113	108	115	247	460	710	989	1071	43		863	127	113	108	247	460	710	989	1071	510	43
Dis. of Kidneys -	2733	24	15	13	10	6	47	53	45	146	223	265	446	780	68		68	49	47	53	146	223	265	446	780	466	68
Dis. of Urinary Organs -	31	2	-	1	1	-	-	1	1	4	3	4	4	3	-		3	-	-	1	4	3	4	4	3	3	-
Dis. of Joints -	406	8	11	9	5	4	45	42	35	39	26	32	35	21	2		57	49	45	42	39	26	32	35	21	2	2
Dis. of Skin -	425	115	18	5	5	3	16	11	9	11	13	23	46	31	6		116	14	16	11	11	13	23	46	31	29	6
Childbirth and Metria -	530	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-
suicide -	4474	280	173	125	114	94	300	264	237	65	75	126	104	98	3		744	234	300	264	237	65	75	126	104	97	3
Other Violent Deaths -	2817	14106	1244	293	111	75	68	70	64	181	203	411	616	2540	2794		13689	200	68	70	181	203	411	616	2540	2579	2794

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
IV.—EASTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.												65 and upwards.				
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
Mean Popula ⁿ . 1861-71 -	601,307	16,475	15,062	15,531	15,313	15,257	77,638	71,945	65,194	59,273	49,004	80,799	98,568	55,006	39,865	26,867	11,358	1,940
TOTAL DEATHS -	116,559	23,751	6,998	3,629	2,462	1,893	38,753	4,868	3,068	3,898	4,287	7,568	7,192	6,961	8,551	12,744	12,508	5,511
Small-pox - - -	424	114	31	25	16	12	108	34	21	41	28	41	28	19	6	2	5	-
Measles - - -	1428	229	490	268	146	106	1235	166	20	8	7	5	3	3	-	1	-	-
Scarlatina - - -	3891	205	285	549	548	451	2138	1108	872	96	28	73	24	9	7	5	-	-
Diphtheria - - -	1928	79	108	165	191	205	746	684	265	81	47	46	41	24	17	12	2	1
Whooping-cough -	2901	1185	741	329	107	89	2511	82	5	2	-	1	-	-	-	-	-	-
Typhus - - -	4109	87	110	149	125	124	645	565	447	422	310	484	280	295	272	241	121	16
Diarrhoea & Dysentery	4216	2114	473	111	62	24	2794	71	19	23	22	20	72	72	149	212	422	147
Cholera - - -	406	68	19	21	10	17	125	27	12	9	21	42	42	28	24	29	9	2
Other Zymotic Dis.	2521	228	216	206	174	122	1014	218	108	66	45	86	108	110	125	287	121	82
Cancer - - -	2683	-	2	2	4	1	9	4	4	8	23	171	512	200	948	751	207	46
Scrophula and Tuberc.	2295	909	372	178	80	42	1281	171	145	115	96	142	99	108	72	51	18	1
Furunculæ - - -	15921	327	212	89	60	58	722	388	262	199	229	2791	2299	1421	727	252	20	1
Hydrocephalus - -	1183	399	280	152	81	60	982	189	89	14	2	2	2	1	1	1	-	-
Dis. of Brain - - -	12283	2218	647	322	190	106	3983	216	199	286	202	466	272	212	1282	2322	1268	222
Dis. of Heart & Dropsy	7928	145	46	30	25	22	268	109	125	127	160	400	684	248	1278	2247	1246	180
Dis. of Lungs - - -	14128	2193	1290	285	322	219	5940	244	126	179	162	315	402	675	1194	2294	1997	498
Dis. of Stom. and Liver	5415	419	66	27	37	55	614	114	106	127	148	247	422	673	978	1121	296	100
Dis. of Kidneys - -	932	10	8	6	12	3	40	32	29	42	46	91	122	148	127	149	81	12
Dis. of Gen. Organs -	802	1	3	-	-	-	4	2	2	19	28	85	163	201	144	115	29	5
Dis. of Joints - - -	394	7	14	4	5	0	26	22	25	28	26	25	45	21	55	24	12	1
Dis. of Skin - - -	332	77	17	9	4	6	112	12	12	6	9	12	14	27	42	51	26	7
Dis. of Childbirth and Metria	1639	-	-	-	-	-	-	-	-	70	208	633	265	45	-	-	-	-
Childbirth - - -	176	-	-	-	-	-	-	-	1	11	15	19	86	41	27	24	12	-
Violent Deaths - -	1427	195	121	106	68	51	529	127	60	48	22	59	29	65	72	109	172	79
Other Causes - - -	27288	11254	1121	276	116	67	12974	181	72	92	57	175	242	351	282	2412	6268	2820

Mean Population, 1861-70, and Deaths in Divisions during the 10 Years 1861-70.
V.—SOUTH WESTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Population, 1861-70.	887,438	25,499	23,008	24,210	23,509	23,453	120,359	111,033	103,448	91,810	69,698	107,681	91,801	78,757	56,138	37,133	14,469	1,793
TOTAL DEATHS.	186,250	42,008	12,099	6,166	3,920	2,798	67,586	7,025	3,959	4,937	5,782	10,411	10,722	12,468	16,106	21,804	19,965	9,568
Small-pox	898	102	98	72	61	42	400	90	37	44	90	35	35	15	8	4	1	-
Measles	3602	641	1246	714	375	231	1347	265	38	12	9	11	4	1	-	1	-	-
Hæmorrhage	62-8	442	643	963	691	705	3847	1750	600	111	26	37	18	13	4	-	1	-
Diphtheria	1108	130	185	112	110	108	690	245	91	30	14	17	8	6	9	6	3	-
Whooping-cough	3307	1805	848	379	165	82	3117	84	4	2	-	-	-	-	-	-	-	-
Typhus	6105	161	236	245	255	222	1110	810	261	646	230	258	446	383	408	268	108	15
Marasmus & Dysentery	5301	2900	529	138	53	42	3765	56	26	18	46	86	95	111	180	245	260	72
Cholera	528	75	29	20	22	12	156	40	35	17	11	48	59	40	55	29	18	3
Other Zymotic Dis.	4154	550	440	376	262	225	1865	323	126	155	97	139	181	232	279	408	265	47
Cancer	2397	-	2	2	5	4	15	8	6	21	25	61	108	441	606	738	247	28
Scrophula and Tuberc.	3563	1146	644	227	131	71	2114	277	293	197	177	247	118	105	77	68	16	1
Fistula	19107	451	575	173	95	70	1164	556	453	1530	2465	4344	3176	2659	1909	821	101	5
Hydrocephalus	2018	897	726	260	150	108	2136	321	124	17	10	3	2	1	1	-	-	-
Dis. of Brain	22511	2925	1286	476	279	245	6120	254	520	283	329	864	1190	1571	2228	2729	2723	297
Dis. of Heart & Dropsy	12463	185	87	53	61	45	419	201	106	240	222	694	965	1508	2322	2535	2980	264
Dis. of Lungs	26543	6831	2744	954	507	273	11759	404	173	293	401	858	1275	1708	2328	4310	5267	619
Dis. of Stom. and Liver	16554	1030	185	98	61	47	1286	161	177	191	215	492	823	1185	1526	1650	751	90
Dis. of Kidneys	3854	12	15	10	15	15	65	70	65	84	96	290	265	440	626	949	684	90
Dis. of Genes. Organs	43	3	1	1	2	1	7	-	-	1	2	3	3	4	9	9	6	-
Dis. of Joints	802	16	24	16	6	6	78	78	91	85	66	87	71	73	82	26	26	1
Dis. of Skin	507	155	23	11	4	10	203	18	14	23	6	22	27	29	45	66	49	6
Calbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	763	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	2609	466	267	264	220	175	1474	283	676	696	619	1053	1005	972	777	494	249	67
Other Causes	60198	17076	2003	467	177	107	20721	290	112	99	112	296	486	600	1198	2816	6815	2875

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
V.—SOUTH WESTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.													85 and upwards.			
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—		55—	65—	75—
Mean Population, 1861-71.	970,608	25,091	23,406	24,047	23,908	23,102	118,852	111,379	100,377	91,112	83,596	132,199	108,839	91,218	67,166	44,892	18,384	2,961
TOTAL DEATHS -	184,273	32,068	11,613	5,966	3,080	2,820	57,346	9,908	4,149	5,704	6,416	11,507	10,843	11,186	15,017	23,123	23,511	8,364
Small-pox -	725	163	75	63	65	33	430	81	36	34	23	26	18	6	7	3	3	-
Measles -	3,767	558	1,148	635	358	241	2,694	331	26	13	30	19	19	4	1	-	-	-
Scarlatina -	6163	347	809	942	884	606	3,078	1,060	448	120	80	80	86	14	3	3	1	-
Diphtheria -	1,108	70	118	113	133	133	688	863	96	38	30	29	11	9	9	6	3	-
Whooping-cough -	2910	1,088	1,135	808	278	122	3,731	1,655	11	2	-	-	1	-	-	-	-	-
Typhus -	6,815	156	234	268	290	274	1,342	937	731	536	550	660	446	288	269	267	186	23
Diarrhoea & Dysentery	4,804	3,443	510	176	55	38	3,186	64	21	81	86	93	108	118	160	383	454	183
Cholera -	472	67	28	20	12	19	136	26	19	12	11	31	45	26	51	49	23	2
Other Zymotic Dis. -	37,667	435	371	337	263	211	1,627	268	141	130	69	138	131	192	244	379	328	70
Cancer -	5,468	4	3	4	5	4	20	3	9	10	28	183	617	1,941	1,868	1,266	879	96
Scrofula and Tubes	3,533	947	530	227	116	76	1,806	236	193	263	131	179	141	106	92	87	16	1
Phthisis -	21,394	374	301	186	115	78	1,103	447	969	2,545	3,347	2,981	3,637	2,771	1,893	573	107	13
Hydrocephalus -	1,835	206	428	320	121	90	1,463	234	114	33	6	4	4	3	1	3	-	-
Dis. of Brain -	20,730	4,269	982	443	306	167	6,108	706	328	264	403	777	896	1,453	2,654	3,960	3,191	649
Dis. of Heart & Dropsy	13,535	129	77	55	30	32	323	186	281	294	345	706	1,140	1,710	3,163	4,686	2,618	309
Dis. of Lungs -	24,301	4,612	2,426	945	617	271	9,671	463	390	265	306	718	833	1,204	2,480	4,519	3,551	733
Dis. of Stom. and Liver	8,664	666	138	66	55	66	1,005	107	136	307	271	266	338	1,173	1,368	1,831	1,011	117
Dis. of Kidneys -	1,669	10	13	15	16	16	70	41	40	49	79	207	243	346	268	263	110	21
Dis. of Genes. Organs -	909	1	2	-	2	-	5	-	1	11	37	112	176	280	303	144	51	-
Dis. of Joints -	678	6	9	17	8	10	63	43	61	71	46	83	69	63	83	87	27	1
Dis. of Skin -	479	130	25	11	0	4	166	15	6	6	11	26	30	83	47	60	70	10
Childbirth and Metris	2,613	-	-	-	-	-	-	-	-	114	448	1,037	969	55	-	-	-	-
Selficide -	297	-	-	-	-	-	-	-	2	26	19	43	40	52	65	32	15	3
Other Violent Deaths -	2,988	413	187	100	125	118	1,033	260	114	99	69	106	100	95	146	173	264	94
Other Causes -	43,314	14,722	3,027	513	305	105	17,378	212	130	136	119	320	335	468	1,084	4,333	11,327	6,192

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
VI.—WEST MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Population, 1861-71	1,263,009	39,762	35,113	35,441	34,294	34,072	178,612	155,822	140,141	122,368	107,147	176,600	142,740	109,446	73,527	40,107	13,515	1,645
TOTAL DEATHS -	291,207	80,063	25,227	11,704	7,501	5,306	159,831	11,278	5,907	6,276	7,662	15,286	17,464	19,953	23,969	27,053	20,484	5,207
Small-pox -	2121	508	240	129	123	117	1131	193	75	94	123	200	122	72	41	15	3	2
Measles -	5890	1134	2298	1145	599	320	2464	226	26	13	8	7	10	4	3	-	1	-
Scarlatina -	13009	815	1895	2047	1880	1553	8190	3979	595	126	20	71	24	12	6	4	-	-
Diphtheria -	2264	264	275	291	285	243	1475	483	151	55	26	28	33	29	29	15	7	1
Whooping-cough -	5179	2218	1356	655	328	167	3019	149	8	3	-	-	1	-	-	-	-	-
Typhus -	9733	408	519	502	525	378	2532	1294	863	880	713	944	806	632	653	446	129	21
Dysentery & Dysentery	14623	9186	2297	528	161	94	12968	147	51	33	27	89	121	210	347	627	586	126
Cholera -	363	07	34	6	7	12	156	21	7	3	8	9	53	42	49	44	19	3
Other Zymotic Dis.	7043	1022	964	728	621	406	3781	523	190	209	131	296	240	209	421	455	215	45
Cancer -	2839	1	1	6	7	5	20	10	11	26	42	126	270	294	896	721	273	23
Scrophula and Tuberc.	5215	2005	1012	249	146	113	3635	309	272	228	164	208	119	111	103	60	14	2
Phthisis -	25942	701	500	238	145	110	1694	509	646	1992	3226	6171	5177	3711	2027	627	28	7
Hydrocephalus -	2817	1544	1113	896	524	146	2425	357	96	13	6	5	6	-	2	-	-	-
Dis. of Brain -	26286	13720	2191	905	521	326	17673	794	421	458	479	1543	1899	2569	3294	4490	2692	277
Dis. of Heart & Dropsy	10447	371	162	116	79	90	818	360	350	346	354	1003	1025	2292	3322	2709	1772	126
Dis. of Lungs -	42801	13463	5946	2667	922	515	22572	816	264	248	416	1356	2894	3906	2648	6222	2469	244
Dis. of Stom. and Liver	12092	2033	847	180	100	92	2732	347	250	202	274	720	1292	1832	2223	1535	694	80
Dis. of Kidneys -	5165	38	42	49	26	29	205	120	90	115	126	421	525	706	996	1125	692	69
Dis. of Genes. Organs -	76	3	-	-	1	1	7	1	2	2	-	7	12	12	12	15	1	1
Dis. of Joints -	1122	26	19	13	24	15	99	112	124	113	99	121	166	109	112	90	21	4
Dis. of Skin -	845	284	53	18	3	7	365	19	22	20	13	23	20	62	97	107	49	8
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
suicide -	1083	-	-	-	-	-	-	-	5	52	62	126	196	245	202	121	20	1
Other Violent Deaths -	14714	1017	653	296	280	416	2111	1253	1197	1622	972	1619	1472	1290	1148	715	203	72
Other Causes -	56910	29067	3159	728	215	148	22831	893	129	140	164	464	721	902	1265	2475	2421	2708

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
VI.—WEST MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Population, 1861-71.	1,309,676	39,556	35,209	35,636	34,227	33,628	178,256	156,669	188,199	124,090	118,888	190,451	149,665	112,567	76,841	45,904	17,147	9,699
TOTAL DEATHS—	271,787	63,665	24,131	12,009	7,575	5,169	112,549	11,026	5,641	7,233	8,408	16,005	16,387	15,935	20,380	26,373	23,190	7,383
Small-pox -	1764	474	212	100	109	109	1147	174	68	74	84	115	23	33	17	6	-	-
Measles -	5708	943	2056	1206	654	319	2307	385	34	90	10	22	11	5	3	1	1	-
Scarlatina -	11962	706	1719	2045	1911	1321	7902	2307	619	122	107	113	46	14	8	3	-	-
Diphtheria -	2020	200	377	305	804	266	1461	734	207	66	47	58	41	25	21	5	3	-
Whooping-cough -	6339	2429	1974	937	461	235	6085	219	15	6	-	3	-	-	-	-	-	-
Typhus -	8663	309	527	573	512	454	2375	1438	1044	977	737	923	738	881	465	415	156	13
Diarrhoea & Dysentery	12346	7386	2315	525	183	93	10512	143	39	45	66	192	185	161	339	706	633	167
Cholera -	339	73	37	13	5	5	133	13	5	5	13	14	33	35	34	34	16	1
Other Zymotic Dis. -	6116	879	896	704	533	394	3401	623	233	164	104	207	201	285	347	300	944	38
Cancer -	6614	1	8	5	7	5	26	13	17	17	36	271	984	1654	1806	1228	477	89
Serofula and Tubes -	4635	1767	806	323	132	62	3180	264	217	213	174	194	145	119	75	44	14	3
Phthisis -	27360	566	481	247	148	120	1663	627	1110	3116	3948	7277	5139	2618	1322	373	49	4
Hydrocephalus -	2702	989	683	330	184	136	2311	290	101	27	12	7	3	3	-	-	-	-
Dia. of Brain -	31145	10353	2033	913	525	295	14139	718	438	639	514	1101	1344	3031	2601	4038	2906	494
Dia. of Heart & Dropsy -	12971	314	163	94	64	60	683	310	415	401	448	1087	1646	3337	3922	4618	3213	267
Dia. of Lungs -	40335	9610	5303	2185	1006	566	19128	798	270	386	486	1159	1475	2268	4379	5933	3733	771
Dia. of Stom. and Liver -	12450	1290	280	141	96	66	1921	281	214	253	417	653	1305	1737	2356	2072	954	139
Dia. of Kidneys -	2315	24	44	29	22	19	138	83	37	71	107	268	363	344	414	328	135	13
Dia. of Gen. Organs -	1392	4	2	3	-	1	10	-	2	22	46	183	312	363	240	100	43	3
Dia. of Joints -	863	26	20	21	11	16	96	74	91	94	66	86	86	100	67	64	19	3
Dia. of Skin -	894	241	66	23	10	11	346	11	27	14	20	23	46	43	90	35	64	13
Dia. of Birth and Metria -	4107	-	-	-	-	-	-	-	-	221	687	1723	1363	83	-	-	-	-
Childbirth and Metria	357	-	-	-	-	-	-	-	-	40	51	46	64	73	22	34	10	1
Fatal Violent Deaths -	2810	933	456	355	356	255	2875	633	254	303	104	260	213	220	344	280	273	146
Other Causes -	54983	23849	3361	797	254	171	26833	317	131	131	201	397	696	664	1468	3731	11283	5701

Causes of Death in the Ten Years 1861-70.—Males.

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
 VII.—NORTH MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Populn., 1861-71	664,047	20,151	18,389	17,795	17,487	17,441	91,983	81,108	73,113	65,214	53,446	86,999	73,983	59,161	43,338	26,756	9,089	1,063
TOTAL DEATHS -	142,504	40,971	9,796	4,655	3,060	2,335	60,737	5,481	2,968	2,733	4,324	7,233	7,277	8,472	11,536	15,182	12,458	3,365
Small-pox -	649	195	62	44	30	32	363	45	24	26	65	67	26	25	12	2	-	-
Measles -	290	528	681	435	231	107	2163	130	14	8	7	3	1	-	-	-	-	-
Scarlatina -	4073	338	686	812	767	623	3223	1293	269	86	26	41	22	8	3	1	-	-
Diphtheria -	1250	132	135	128	128	122	645	332	107	53	24	26	13	20	19	11	1	-
Whooping-cough -	2536	1179	680	255	127	57	2573	72	3	1	-	1	-	-	-	1	-	-
Typhus -	6100	137	193	216	204	177	940	637	490	496	427	826	429	335	290	301	93	16
Diarrhoea & Dysentery	6147	3967	658	149	69	29	4653	49	15	13	24	34	63	80	162	391	360	78
Cholera -	312	69	32	9	6	7	113	15	3	2	7	14	24	31	43	46	15	1
Other Zymotic Dis. -	3112	431	344	289	223	138	1465	267	104	87	39	119	126	164	246	277	178	30
Cancer -	1383	3	2	-	4	3	12	6	11	7	15	20	126	264	423	411	166	24
Scrophula and Tuberc.	3443	1043	424	145	61	47	1718	179	143	126	94	110	83	69	69	45	5	1
Epilepsy -	12716	841	240	87	45	45	788	283	369	1539	2038	3100	2063	1418	927	312	82	4
Hydrocephalus -	2016	723	530	212	132	89	1086	231	74	11	3	3	4	2	1	1	-	-
Dis. of Brain -	21974	11061	1099	427	252	167	13068	432	211	249	215	525	788	1054	1683	2299	1269	195
Dis. of Heart & Dropsy	8397	147	40	32	41	31	291	147	106	186	164	490	739	1131	1813	2249	1097	105
Dis. of Lungs -	19623	5438	2903	773	381	219	8696	330	201	201	237	538	853	1244	2296	2832	1791	313
Dis. of Stom. and Liver	6667	818	102	91	54	50	1145	179	130	151	150	381	580	916	1254	1276	463	83
Dis. of Kidneys -	2696	26	17	15	19	14	91	57	40	62	62	170	237	305	494	721	367	20
Dis. of Genes. Organs -	21	5	-	1	-	-	4	1	-	1	2	3	5	1	2	2	6	1
Dis. of Joints -	553	17	10	9	3	11	50	26	29	68	34	72	43	45	45	46	13	-
Dis. of Skin -	365	123	14	5	2	4	148	6	8	5	8	12	17	20	42	52	34	4
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falloid -	742	-	-	-	-	-	-	-	-	27	31	78	101	163	174	118	22	4
Other Violent Deaths -	5732	286	223	185	176	165	1145	443	205	427	454	633	267	289	478	328	167	29
Other Causes -	50029	12802	1417	596	124	76	15729	194	96	69	76	220	334	450	1001	2324	6173	2641

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
 VII.—NORTH MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.											85 and upwards.					
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—		35—	45—	55—	65—	75—
Mean Popul'n, 1861-71	683,584	20,038	18,328	18,088	17,568	17,316	91,315	81,447	72,316	64,806	59,685	98,466	76,476	60,283	42,582	26,565	9,816	1,327
TOTAL DEATHS.	138,432	52,064	9,319	4,019	3,949	2,172	51,225	5,214	3,283	4,914	5,327	9,825	8,305	8,049	10,764	14,579	13,025	3,926
Small-pox	381	169	45	43	50	26	343	60	28	30	40	23	17	11	7	7	-	1
Measles	2290	394	849	447	265	140	2693	157	22	4	5	4	4	1	-	-	-	-
Scarlatina	4635	585	677	818	704	383	3947	1271	304	83	87	37	25	5	4	2	1	-
Diphtheria	1476	106	182	138	163	127	689	422	174	50	54	48	16	15	11	7	-	2
Whooping-cough	3772	1224	803	369	188	91	2675	91	4	1	1	-	-	-	-	-	-	-
Typhus	5602	140	215	244	164	212	135	721	679	725	473	644	425	316	269	238	116	11
Diarrhoea & Dysentery	5813	3216	660	151	47	29	4103	53	16	54	89	97	78	91	225	398	886	108
Cholera	202	60	9	7	7	1	84	8	4	6	4	12	8	15	27	15	17	2
Other Zymotic Dis.	2812	367	243	263	214	131	1273	223	97	87	61	123	127	183	307	277	173	81
Cancer	3328	2	1	1	5	1	10	4	4	6	19	134	471	838	928	663	232	30
Scrofula and Tuberc.	2235	799	253	133	49	45	1381	136	128	116	96	133	98	69	49	33	10	1
Phthisis	17698	538	221	98	65	48	770	315	828	5931	2924	4007	2804	1586	790	212	29	2
Hydrocephalus	1406	450	347	135	113	78	1142	173	26	19	5	6	2	1	-	-	-	-
Dis. of Brain	18140	7987	965	428	257	159	9816	393	214	239	244	494	600	886	1455	2098	1448	213
Dis. of Heart & Dropsy	10001	90	52	22	33	24	210	143	122	206	232	608	889	1400	2300	2614	1192	132
Dis. of Lungs	10983	4069	1080	747	376	228	7439	363	128	155	227	508	635	888	1782	2607	1808	342
Dis. of Stom. and Liver	6553	575	95	70	57	53	833	139	117	167	243	543	686	885	1265	1177	456	58
Dis. of Kidneys	1030	14	16	9	8	10	27	29	36	28	65	143	148	154	181	153	56	4
Dis. of Genes. Organs	779	1	-	1	-	-	2	-	2	8	29	98	166	181	157	89	24	1
Dis. of Joints	421	18	9	4	6	9	40	31	48	49	26	45	31	44	55	42	10	2
Dis. of Skin	369	101	18	5	7	4	135	9	8	4	8	25	20	23	44	43	31	4
Childbirth and Metris	1870	-	-	-	-	-	-	-	1	108	330	794	609	28	-	-	-	-
Selficide	298	-	-	-	-	-	-	-	4	29	28	40	48	59	52	27	12	1
Sudden Violent Deaths	2087	332	190	121	127	89	879	224	87	67	53	93	65	106	112	168	173	62
Other Causes	29018	11267	1403	285	135	101	13191	241	94	126	108	244	314	340	944	3635	6851	2918

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
VIII.—NORTH WESTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Populn, 1861-71.	1,594,066	49,756	49,094	43,206	41,366	39,978	217,330	182,003	164,763	150,096	141,129	233,037	179,853	139,754	77,033	35,508	10,036	908
TOTAL DEATHS -	486,463	117,466	48,253	10,806	15,493	8,985	501,822	19,265	8,097	11,261	13,155	26,423	29,948	23,297	22,651	29,453	14,906	3,490
Small-pox -	2825	606	545	283	120	130	1381	290	93	120	229	277	146	56	17	6	1	-
Measles -	10414	2148	4118	1863	1059	567	9385	238	23	15	6	4	5	-	1	-	-	-
Scarletina -	21045	1272	3179	3302	2875	2708	14126	2824	986	205	39	84	22	10	1	-	-	-
Diphtheria -	2075	351	203	229	306	249	1738	517	105	68	39	43	25	21	21	8	4	-
Whooping-cough -	2008	4081	2940	1283	648	368	9280	339	11	-	1	-	2	-	-	-	-	-
Typhus -	20350	653	538	773	693	616	3573	2066	1184	1547	1208	2331	2645	2365	1516	806	189	10
Diarrhea & Dysentery -	24780	12991	4815	846	304	135	21411	228	78	71	85	289	296	488	611	745	476	90
Cholera -	2471	279	148	105	86	55	751	187	95	59	76	228	235	333	245	127	44	1
Other Zymotic Dis. -	10620	1236	2020	1413	1044	722	6735	699	243	286	201	462	460	472	315	417	269	30
Cancer -	2810	1	5	10	5	5	24	10	9	27	35	151	237	645	909	621	195	17
Scrophula and Tuberc -	7800	2966	1684	601	283	175	5708	611	289	303	205	245	147	116	108	45	7	1
Epilepsy -	42639	817	720	386	264	203	2297	1010	1413	4555	6086	10271	8223	2528	2773	778	70	3
Hydrocephalus -	7677	3069	2160	686	274	232	7091	683	190	26	5	4	3	3	2	-	-	-
Dis. of Brain -	32803	24603	3762	1892	679	606	31442	1853	683	871	613	1759	2698	2614	4102	4285	1371	245
Dis. of Heart & Dropsy -	18657	315	228	151	135	135	964	624	485	452	538	1711	2326	2190	2768	2304	1100	96
Dis. of Lungs -	76611	18673	9088	3113	1265	964	34823	1689	422	286	245	2745	4705	7689	9873	3822	2608	485
Dis. of Stomach and Liver -	16584	2568	455	203	116	115	3457	431	454	407	442	1216	1565	2720	2699	1893	553	46
Dis. of Kidneys -	5783	58	76	71	39	74	268	226	119	165	180	429	608	876	1008	1013	331	28
Dis. of Genes. Organs -	66	5	-	2	-	-	7	-	-	-	8	7	10	12	10	13	4	-
Dis. of Joints -	1722	23	46	45	40	38	221	254	221	184	126	165	146	126	124	61	20	1
Dis. of Skin -	990	319	30	29	10	13	451	26	33	25	31	28	46	79	81	97	43	15
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gravida -	1555	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	15098	1420	728	779	538	460	3693	1317	1277	1209	1406	2029	2905	2168	1565	799	260	49
Other Causes -	67574	82354	3319	1529	440	265	42797	455	284	264	290	962	1299	1973	2617	6127	7667	2287

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
VIII.—NORTH WESTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Population, 1861-71	1,634,448	49,486	42,965	43,290	41,948	39,875	216,864	183,816	165,205	160,363	161,622	266,156	197,615	140,080	85,897	42,937	13,022	1,622
TOTAL DEATHS -	406,139	94,451	41,635	19,775	12,738	8,853	177,452	17,788	8,049	11,538	14,109	29,780	29,498	29,292	32,172	51,061	19,715	4,969
Small-pox - - -	2282	561	261	223	177	118	1240	244	102	134	147	185	80	33	13	4	-	-
Measles - - -	1917	1295	3965	2107	1058	527	9573	514	40	16	8	20	4	1	-	-	-	-
Scarlatina - - -	20221	1160	2985	3428	3187	2574	13344	5384	972	221	131	135	42	15	7	-	-	-
Diphtheria - - -	2667	293	503	407	335	314	1832	628	165	69	44	33	23	21	15	10	7	-
Whooping-cough -	13400	4480	3965	1847	1040	555	11907	467	19	4	2	-	-	-	1	-	-	-
Typhus - - -	20008	573	794	628	804	688	3687	2296	1438	1647	1411	2285	2575	2207	1300	731	199	14
Diarrhoea & Dysentery	23328	13139	4767	864	294	135	10809	289	66	58	120	322	369	426	734	969	687	123
Cholera - - -	2373	330	144	67	65	68	674	161	69	44	81	300	299	244	219	127	30	5
Other Zymotic Dis.	9680	1824	1727	1422	1083	658	6303	859	221	208	210	968	326	284	450	400	194	28
Cancer - - -	6601	-	2	5	7	12	28	13	6	18	55	398	1207	1959	1854	1094	321	30
Scrophula and Tuberc.	6805	2285	1515	867	247	177	4891	404	247	207	166	167	169	112	98	54	10	-
Phthisis - - -	47255	674	674	360	245	215	2791	976	2013	5791	7183	13006	8949	4532	1853	385	64	5
Hydrocephalus - -	5741	2068	1625	701	383	303	2670	507	112	16	13	9	6	4	3	1	-	-
Dis. of Brain - - -	48092	18117	9459	1351	913	628	24687	1259	545	546	637	1289	2002	3054	4034	4405	2157	236
Dis. of Heart & Dropsy	21899	287	201	125	126	118	831	300	588	604	696	2148	2904	3772	4353	3687	1396	130
Dis. of Lungs - - -	67466	14555	9486	3669	1662	967	26000	1868	488	680	754	2468	2601	6500	9286	9665	4004	280
Dis. of Stom. and Liver	17638	1762	421	202	140	112	2637	409	283	363	354	1268	2197	2747	3170	2301	763	66
Dis. of Kidneys - -	2267	35	49	45	51	35	215	109	90	130	161	447	465	462	458	283	78	9
Dis. of Genar. Organs -	1469	-	6	3	1	-	10	2	8	21	64	227	306	398	257	128	37	4
Dis. of Joints - - -	1359	40	39	26	36	28	169	187	146	141	81	123	125	128	116	83	28	3
Dis. of Skin - - -	865	276	74	33	10	14	407	21	13	13	24	56	46	77	83	87	45	13
Childbirth and Metris	6192	-	-	-	-	-	-	-	-	267	1166	2755	1919	85	-	-	-	-
Infants - - -	500	-	-	-	-	-	-	-	5	34	40	75	108	130	73	32	11	2
Other Violent Deaths -	6619	1315	591	530	368	301	3105	613	237	176	141	388	377	412	460	306	307	77
Other Causes - - -	68925	29870	6483	1335	536	311	26477	288	223	228	250	754	1067	1689	2665	7079	9317	2504

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.

IX.—YORKSHIRE.

CAUSES OF DEATH.	ALL Ages.	AGES OF MALES.														65 and upwards.
		Total under 5 Years.														
		1	2	3	4	5	10—	15—	20—	25—	35—	45—	55—	65—	75—	
Mean Population, 1861-71	1,087,886	34,575	30,583	26,741	26,416	131,267	116,497	107,617	96,749	100,377	126,749	98,863	60,637	31,331	9,885	1,080
TOTAL DEATHS -	273,381	79,581	54,106	10,512	4,963	11,727	6,108	7,685	8,898	11,486	16,516	17,948	21,460	22,706	15,840	3,201
Small-pox -	2730	741	267	226	149	1689	86	110	146	216	115	66	26	6	1	-
Measles -	4610	1068	2945	864	225	4899	22	7	8	8	3	5	-	-	-	-
Scarletina -	12410	865	1723	1873	1549	7970	664	166	70	77	17	14	3	4	1	-
Diphtheria -	1366	226	233	221	151	1097	126	66	45	66	23	22	17	12	2	1
Whooping-cough -	4615	2364	1369	833	386	4462	1	1	-	-	2	-	-	-	-	-
Typhus -	11212	947	461	548	361	2208	910	1627	968	1406	1026	266	200	213	21	23
Diarrhoea & Dysentery -	12947	9486	2660	269	114	11067	46	20	46	97	134	201	261	263	203	96
Cholera -	640	262	73	24	15	364	26	13	14	46	47	94	86	27	34	1
Other Erythemic Dis. -	6065	972	717	645	276	3270	136	154	110	241	808	537	247	265	220	27
Cancer -	2660	3	-	5	3	15	6	24	15	66	229	411	707	526	262	26
Gonorrhoea and Syphilis -	2366	1260	1069	260	113	3323	260	265	173	216	127	111	66	51	3	3
Hydrocephalus -	2613	2676	1471	548	241	4617	144	24	3	2663	4723	3269	1896	604	69	2
Dis. of Brain -	4367	21747	2667	1677	608	26824	494	621	427	1066	1572	2126	3131	2721	1690	223
Dis. of Heart & Dropsy -	14966	2623	156	107	70	728	324	260	240	1063	1264	2194	2947	2676	1366	115
Dis. of Lungs -	42672	11266	5178	1727	824	19467	275	233	249	1443	2694	3265	2342	2329	2724	261
Dis. of Stom. and Liver -	11971	1704	263	146	95	2270	251	338	323	726	1224	1764	2146	1266	622	70
Dis. of Kidneys -	4222	47	42	26	27	186	86	105	146	326	420	524	721	926	545	79
Dis. of Gen. Organs -	67	5	-	-	-	7	1	2	4	8	16	9	14	10	2	2
Dis. of Joints -	1367	26	40	21	21	146	146	145	111	127	119	119	124	89	26	-
Dis. of Skin -	661	220	45	17	7	367	11	15	14	26	20	22	73	56	27	6
Childbirth and Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhoea -	970	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	11442	265	262	266	264	1869	627	279	947	1270	1446	1126	276	104	25	2
Other Causes -	45468	21047	3121	548	167	26009	146	116	126	411	622	710	1446	4113	2661	2681

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
IX.—YORKSHIRE.

CAUSE OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
		34,713	30,642	29,931	29,340	28,552	153,178	131,900	115,705	106,194	103,279	106,163	129,424	95,390	62,977	34,892	19,000	1,687
Mean Population, 1861-71		62,689	22,824	10,387	6,788	4,914	107,562	11,122	6,054	8,736	9,562	18,074	16,140	15,120	22,482	17,004	4,741	
TOTAL DEATHS																		
Small-pox	-	620	312	268	207	100	1625	253	87	118	118	120	76	45	20	7	1	-
Measles	-	893	1866	912	480	289	4441	324	29	8	11	17	5	2	-	-	-	-
Scarlatina	-	655	1265	1844	1729	1466	7270	1108	721	209	109	127	42	4	4	1	-	-
Diphtheria	-	183	289	240	231	223	1122	596	106	20	45	22	10	0	0	0	2	-
Whooping-cough	-	2339	1819	762	367	181	5698	184	9	2	3	1	1	-	-	1	-	-
Typhus	-	249	498	562	461	474	2214	1453	1176	1286	940	1327	920	737	678	431	169	20
Diarrhoea & Dysentery	-	7179	2153	360	114	56	9842	131	48	46	79	215	228	228	409	659	607	127
Cholera	-	194	74	19	8	17	312	40	11	7	16	44	43	46	62	56	26	4
Other Zymotic Dis.	-	825	699	603	592	343	2972	461	173	141	121	219	209	235	322	376	229	88
Cancer	-	-	5	2	7	8	17	6	9	25	30	278	668	1494	1344	939	363	40
Scrofula and Tuberc.	-	1493	965	323	174	102	3037	283	222	228	126	205	144	126	96	20	9	-
Phthisis	-	849	344	191	121	103	1110	625	1440	4329	4842	8108	4978	2463	1299	431	53	-
Hydrocephalus	-	1337	1111	460	283	199	3389	389	126	20	14	8	2	2	1	1	-	-
Dis. of Brain	-	16253	2225	1014	610	340	26784	926	470	479	467	915	1232	1797	2692	2462	2008	318
Dis. of Heart & Dropsy	-	301	135	73	73	68	640	300	375	396	450	1261	1781	2820	3347	3269	1486	126
Dis. of Lungs	-	8483	4889	1696	811	531	16410	783	303	309	462	1177	1632	2261	3865	2218	2004	470
Dis. of Stom. and Liver	-	1187	283	122	95	73	1720	246	191	263	388	1026	1337	1726	2290	1989	768	84
Dis. of Kidneys	-	27	39	28	19	22	125	62	54	63	105	244	290	267	297	245	96	14
Dis. of Genes. Organs	-	1073	1	3	-	-	4	-	6	13	26	177	229	249	194	96	24	6
Dis. of Joints	-	43	26	21	17	21	129	99	111	105	67	111	119	126	113	94	26	6
Dis. of Skin	-	627	28	11	10	7	226	13	11	13	20	46	54	85	60	85	43	3
Childbirth and Metris	-	3092	-	-	-	-	-	-	-	220	729	1739	1190	85	-	-	-	-
Gravida	-	406	-	-	-	-	-	-	7	45	38	64	68	67	84	29	9	2
Sudden Violent Deaths	-	3267	206	263	208	123	1428	423	189	121	111	124	193	194	182	268	264	110
Other Causes	-	19189	2806	607	212	102	22976	292	124	141	125	264	428	521	1272	4711	2643	2694

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.

X.—NORTHERN COUNTIES.

CAUSES OF DEATH.	ALL Aoms.	AGES OF MALES.												65 and upwards.				
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--		45--	55--	65--	75--
Mean Population, 1861-71.	648,006	20,809	19,310	13,006	17,049	17,647	55,791	79,689	69,088	65,795	60,468	56,194	72,576	52,509	33,480	17,073	5,833	706
TOTAL DEATHS.	150,198	41,789	13,945	6,841	4,056	3,008	69,150	7,597	3,671	4,469	4,598	8,905	8,616	9,895	10,787	11,705	8,880	2,597
Small-pox - - -	1420	351	120	123	86	61	740	126	48	61	138	136	61	49	28	10	1	-
Measles - - -	2851	499	1139	268	265	136	2835	136	17	19	6	6	5	3	3	-	-	-
Scarlatina - - -	3846	664	1390	1423	1266	1076	5753	2470	699	1265	49	44	28	6	1	-	-	-
Diphtheria - - -	1028	137	385	111	116	64	633	215	59	28	15	28	13	10	6	5	-	-
Whooping-cough - -	2733	1196	864	337	151	98	2675	103	4	-	-	-	-	-	-	1	-	-
Typhus - - -	6923	194	379	278	241	245	1383	715	499	695	273	795	609	510	493	985	86	11
Dysentery & Dysentery	6173	2205	1249	214	65	33	4694	67	27	26	27	73	94	169	197	294	251	44
Cholera - - -	627	127	48	24	19	16	294	86	21	9	28	49	74	61	61	29	16	-
Other Erythema Dis. -	2225	225	262	225	225	159	1593	274	79	72	29	64	136	151	164	985	215	26
Cancer - - -	1427	-	1	1	1	3	5	5	6	15	9	69	136	265	410	268	160	20
Scrophula and Tuberc.	2895	1699	469	469	169	99	4946	267	169	147	73	117	69	41	49	24	6	-
Erysipelas - - -	12621	796	197	94	64	66	683	273	521	1069	2674	3416	2695	1700	1083	985	26	3
Hydrocephalus - - -	2895	1196	594	225	169	149	2697	326	63	15	7	3	3	3	-	1	-	-
Dis. of Brain - - -	16399	8399	1099	463	296	168	10995	469	299	237	245	245	773	1104	1699	1371	1393	167
Dis. of Heart & Drusey	8718	139	169	86	47	49	299	136	136	214	261	623	963	1361	1544	1699	963	139
Dis. of Lungs - - -	18772	5591	2277	691	329	246	5316	397	139	168	267	873	963	1296	1643	2192	1313	216
Dis. of Stom. and Liver	6995	1267	261	99	66	46	1346	169	164	126	179	469	261	319	1611	967	269	29
Dis. of Kidneys - -	3197	29	23	23	16	16	117	63	46	64	77	164	136	263	273	486	269	44
Dis. of Genes. Organs -	23	3	1	2	-	-	6	1	-	-	1	3	4	3	3	3	1	1
Dis. of Joints - - -	695	13	15	15	15	19	73	99	73	63	46	75	64	49	59	45	16	3
Dis. of Skin - - -	949	110	19	6	1	7	145	9	7	7	5	3	16	26	27	20	17	3
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	289	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	9098	269	240	139	169	115	1141	519	263	297	693	1625	1076	899	725	419	146	26
Other Causes - - -	27673	1649	1605	893	125	61	17699	179	74	76	76	267	999	610	726	2298	8615	1661

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
X.—NORTHERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Popula ⁿ , 1861-71	634,737	20,503	18,147	18,716	17,987	17,077	92,230	78,689	67,730	60,106	54,886	93,088	70,087	52,045	35,135	20,045	7,809	1,387
TOTAL DEATHS -	141,289	33,590	13,340	6,464	4,066	2,579	60,263	7,058	3,173	4,087	4,948	9,976	8,513	7,896	9,733	11,983	10,513	3,589
Small-pox -	1290	315	146	99	86	57	703	150	45	60	23	37	63	26	26	4	3	-
Measles -	2691	485	986	528	237	131	2351	236	26	8	3	9	9	3	1	1	-	-
Scarlatina -	8606	537	1231	1446	1317	998	5369	2445	485	129	72	39	21	4	3	-	-	-
Diphtheria -	1031	94	145	125	141	106	614	268	99	36	29	30	11	11	3	4	1	-
Whooping-cough -	3406	1366	1015	469	245	129	2832	149	3	1	-	-	-	1	-	-	-	-
Typhus -	6877	1186	300	224	274	240	1344	873	648	539	513	775	233	473	499	275	197	13
Diarrhoea & Dysentery	6018	3011	1171	220	65	38	4315	64	51	19	36	124	123	110	204	340	389	106
Cholera -	274	73	43	22	34	10	177	61	26	19	12	67	54	59	49	41	14	3
Other Zymotic Dis.	2694	400	447	323	264	189	1673	267	73	63	56	73	99	109	171	264	146	25
Cancer -	2320	1	1	-	4	3	9	4	2	4	14	135	423	716	731	235	215	23
Scrophula and Tuberc.	4428	1693	1247	426	187	89	3690	138	113	98	72	126	59	63	31	13	2	1
Phthisis -	12821	128	190	132	57	63	600	429	636	1227	2379	4377	2729	1466	763	941	43	3
Hydrocephalus -	2466	873	650	294	145	119	2068	274	66	51	3	6	4	5	-	-	-	-
Dis. of Brain -	12970	6236	1029	416	226	150	8049	433	173	213	231	466	694	933	1435	1910	1536	239
Dis. of Heart & Drusey	8894	135	169	54	55	49	983	143	137	227	282	886	943	1266	1397	2665	1697	126
Dis. of Lungs -	16000	4186	2271	915	436	233	8943	143	136	145	197	473	623	903	1620	2103	1697	340
Dis. of Stomach and Liver	6687	965	238	98	46	40	1265	136	141	136	266	516	675	683	1116	1666	668	68
Dis. of Kidneys -	1076	17	29	26	21	6	99	41	25	34	61	123	173	136	146	125	30	7
Dis. of Genic Organs -	615	-	2	1	1	-	4	-	4	8	26	39	124	141	123	61	26	1
Dis. of Joints -	461	14	13	14	12	10	63	60	23	46	29	55	36	39	36	26	13	-
Dis. of Skin -	289	103	18	8	3	5	137	5	3	5	8	13	17	23	33	49	21	6
Childbirth and Metria	2278	-	-	-	-	-	-	-	1	123	466	1015	714	23	23	-	-	-
Gonorrhoea -	273	-	-	-	-	-	-	-	4	13	11	31	23	27	39	29	2	1
Other Violent Deaths -	2103	265	167	146	111	80	739	246	66	66	26	66	106	123	151	106	176	49
Other Causes -	2742	12990	1685	371	139	84	14680	269	61	67	63	311	301	399	690	2699	2366	2616

Black Population, 1961-71, and Deaths in Divisions during the 10 Years 1961-70.

XI.--MONMOUTHSHIRE AND WALES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.
Mean Popul., 1861-71	687,450	20,056	17,801	19,180	18,345	18,350	93,441	83,443	76,803	69,337	59,798	56,371	75,083	59,707	41,838	32,946	9,111	1,394
TOTAL DEATHS -	153,589	33,713	10,450	8,999	3,693	2,671	84,395	7,344	4,316	3,483	6,387	10,353	9,374	10,067	13,023	13,941	14,109	4,006
Small-pox -	1161	215	84	378	63	44	430	134	48	37	131	173	37	38	12	3	3	-
Measles -	3194	403	766	376	138	138	1609	211	36	9	6	6	5	1	1	-	-	-
Scarlatina -	6688	209	965	379	931	745	4140	1258	209	86	46	60	15	6	5	1	-	-
Diphtheria -	1380	114	145	167	131	115	683	373	138	54	44	38	12	6	8	6	1	-
Whooping-cough -	2309	1115	727	305	167	99	3416	116	7	-	1	1	-	-	-	-	-	-
Typhus -	6431	168	286	373	226	220	1139	615	205	608	671	713	368	478	438	284	116	13
Dysentery & Dysentery	3404	1125	319	96	40	34	1604	43	30	14	20	37	35	73	136	253	169	49
Cholera -	1345	60	28	40	30	30	220	141	86	32	64	139	146	178	134	92	32	1
Other Zymotic Dis.	9411	434	429	323	300	210	1775	337	107	108	86	136	128	146	390	313	339	13
Cancer -	1648	-	-	3	5	2	10	10	4	13	13	23	123	283	448	408	319	23
Scrophulous & Tuberc -	2323	528	439	198	70	44	1323	319	189	170	138	173	78	31	67	44	13	3
Fistula -	19335	210	223	146	74	67	719	448	714	3134	3350	4404	2893	3196	1298	736	107	7
Hydrocephalus -	1610	490	381	134	111	78	1344	337	77	21	8	9	7	3	1	3	-	-
Dis. of Brain -	20033	14090	1089	733	268	396	17343	392	231	343	236	456	755	883	1236	1679	1300	215
Dis. of Heart & Dropsy -	7073	66	46	43	33	33	330	125	164	185	149	294	632	973	1361	1694	886	37
Dis. of Lungs -	20066	2719	1913	761	414	344	7031	447	174	263	236	793	1666	1633	2733	3336	1940	273
Dis. of Stom. and Liver	2704	473	116	64	49	34	735	155	137	143	144	433	636	863	1062	889	899	44
Dis. of Kidneys -	2131	14	19	7	13	10	62	46	30	26	28	153	339	278	343	469	318	24
Dis. of Genes. Organs -	36	1	1	-	-	-	2	1	-	-	-	-	6	3	4	3	4	1
Dis. of Joints -	296	6	10	5	6	3	29	39	49	43	45	37	31	27	41	21	12	1
Dis. of Skin -	298	89	13	5	3	2	111	6	9	11	6	10	10	23	28	30	20	5
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Selficide -	311	-	-	-	-	-	-	-	4	5	16	37	66	68	62	38	8	1
Other Violent Deaths -	10040	147	299	349	161	166	903	545	971	977	1093	1709	1278	1647	756	296	137	31
Other Causes -	23196	9756	1275	495	263	133	12241	205	398	371	230	486	811	728	1305	2389	6495	3364

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.
 XI.—MONMOUTHSHIRE AND WALES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Population, 1861-71	688,721	19,867	17,731	18,741	18,352	18,054	92,745	89,303	73,506	65,463	59,936	97,086	74,830	59,464	42,680	26,278	12,046	2,415
TOTAL DEATHS.	141,781	28,806	10,129	5,548	3,917	2,762	49,252	6,763	3,765	4,798	5,802	10,609	9,123	8,309	10,109	13,171	13,946	6,235
Small-pox	985	223	113	82	55	44	517	137	36	46	65	71	37	15	6	5	-	-
Measles	2152	339	705	390	252	151	1837	245	86	8	8	12	4	2	-	-	-	-
Scarlatina	6257	888	968	964	965	792	4017	1068	373	106	71	57	13	5	5	1	1	-
Diphtheria	1493	80	133	130	108	156	666	442	186	63	41	33	27	14	14	6	1	1
Whooping-cough	3313	1274	924	420	268	141	3025	167	16	2	-	-	2	-	1	-	-	-
Typhus	6162	141	289	290	240	220	1139	800	621	619	542	700	499	390	376	307	130	9
Diarrhoea & Dysentery	2297	892	302	94	37	28	1351	50	23	12	36	74	73	84	118	203	301	72
Cholera	1429	37	46	50	31	45	207	126	68	46	85	206	193	165	146	112	57	12
Other Zymotic Dis.	3084	338	407	368	290	183	1596	310	92	77	68	85	81	135	184	268	144	28
Cancer	2680	2	-	-	4	4	10	6	4	11	14	114	328	671	788	598	247	39
Scrophulous and Tuberc.	1863	441	402	173	75	51	1142	136	128	94	90	122	60	69	49	36	17	1
Phthisis	20601	299	246	124	97	79	755	508	1054	2186	3032	6116	3466	2118	1314	618	86	11
Hydrocephalus	1095	207	262	129	75	60	833	185	49	16	8	5	-	-	2	2	-	-
Dis. of Brain	21338	10920	1798	695	869	210	14001	500	201	191	211	481	514	737	1146	1727	1244	276
Dis. of Heart & Dropsy	5129	55	51	31	29	34	196	136	174	221	253	655	770	1060	1547	1861	1100	122
Dis. of Lungs	15518	2766	1780	779	458	240	6013	486	146	208	273	562	674	865	1731	2604	1680	316
Dis. of Stom. and Liver	5109	258	89	52	33	28	710	132	86	118	184	471	506	729	997	841	469	46
Dis. of Kidneys	829	9	8	4	9	9	39	27	26	23	50	110	149	119	153	125	44	3
Dis. of Genes. Organs	405	1	-	-	-	-	1	-	1	10	18	59	90	90	77	44	13	2
Dis. of Joints	296	3	5	5	4	4	21	27	29	31	17	87	33	30	24	15	10	2
Dis. of Skin	246	64	8	8	5	1	86	4	4	5	8	10	20	31	40	24	17	1
Childbirth and Metris	2965	-	-	-	-	-	-	-	-	75	445	1145	968	63	-	-	-	-
Childbed Fever	137	-	-	-	-	-	-	-	1	9	12	23	17	25	25	10	5	-
Other Violent Deaths	3043	160	203	174	178	113	838	285	108	98	46	84	78	99	93	130	129	67
Other Causes	31754	7981	1540	557	257	155	10470	460	288	179	223	410	468	714	1339	5764	3811	6839

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95—	100—
1.—KENSINGTON.																				
Mean Popul ⁿ , 1861-71		97243	3191	2741	2719	2642	2579	13872	11269	9222	8675	8819	16118	12298	8647	5072	2436	738	77	
TOTAL DEATHS		24111	6010	2261	1068	703	444	11086	939	580	531	751	1648	1017	1811	1899	1842	1056	251	
Small-pox		168	54	17	10	6	9	102	15	4	4	6	17	12	6	1	1	—	—	
Measles		424	132	37	130	76	37	202	35	3	3	2	1	1	—	—	—	—	—	
Scarlatina		1156	75	109	188	171	135	738	310	46	11	7	7	5	2	—	—	—	—	
Diphtheria		238	33	32	35	32	33	170	40	5	2	4	6	4	1	5	1	—	—	
Whooping-cough		659	279	189	108	46	22	642	17	—	—	—	—	—	—	—	—	—	—	
Typhus		592	35	24	37	31	23	141	75	49	32	39	64	46	38	33	20	34	1	
Diarrhoea & Dysentery		1287	907	122	30	12	5	1156	6	1	4	6	7	14	18	15	28	23	7	
Cholera		126	45	10	10	3	3	71	12	2	2	1	5	10	8	5	7	—	—	
Other Zymotic Dis.		618	22	85	57	47	29	310	28	16	16	20	33	45	43	40	24	20	4	
Cancer		311	—	—	—	1	—	1	1	3	3	3	14	44	70	81	68	30	2	
Serofula and Tabes		444	197	90	47	16	10	380	32	14	10	5	6	9	2	3	3	—	—	
Phthisis		8223	78	54	28	22	10	192	56	54	205	412	857	749	268	224	67	—	—	
Hydrocephalus		622	241	186	73	34	22	856	89	18	2	—	1	—	—	—	—	—	—	
Dis. of Brain		2988	762	179	61	46	22	1070	46	32	34	35	108	188	244	310	287	195	21	
Dis. of Heart & Dropsy		1367	42	10	7	—	3	65	21	33	36	40	109	181	217	281	246	129	14	
Dis. of Lungs		4111	1153	379	172	100	50	2054	68	22	35	44	147	221	322	434	455	250	26	
Dis. of Stom. and Liver		965	173	11	14	7	7	211	18	19	18	11	65	115	162	169	131	62	13	
Dis. of Kidneys		622	2	4	7	3	2	18	8	13	11	37	46	81	103	135	124	62	2	
Dis. of Gener. Organs		9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints		76	1	4	2	—	—	8	16	6	6	1	2	2	2	3	2	—	—	
Dis. of Skin		67	27	3	2	1	1	34	2	1	2	1	2	4	5	5	6	3	—	
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide		115	—	—	—	—	—	—	—	1	4	5	25	30	26	8	10	5	1	
Other Violent Deaths		988	121	84	31	31	22	302	69	41	64	74	99	105	85	83	41	20	4	
Other Causes		3073	3006	222	35	15	8	2286	11	8	8	12	27	47	55	67	171	200	104	
2.—CHELSEA.																				
Mean Popul ⁿ , 1861-71		30878	944	774	791	825	762	4096	3483	3217	2665	2743	4939	3829	2778	1892	1008	376	52	
TOTAL DEATHS		8494	2113	763	378	220	148	8622	330	111	100	174	452	622	692	702	827	695	166	
Small-pox		74	22	12	3	4	3	44	11	1	1	5	3	4	3	1	1	—	—	
Measles		205	35	71	43	20	14	183	19	—	—	—	1	1	—	—	—	—	—	
Scarlatina		429	21	76	71	51	63	232	113	19	5	1	6	1	—	—	—	—	—	
Diphtheria		47	9	11	7	7	1	35	6	1	—	—	1	2	1	—	—	—	—	
Whooping-cough		247	92	72	47	18	9	239	9	—	—	—	—	—	—	—	—	—	—	
Typhus		207	8	9	18	15	9	50	27	11	11	6	23	16	11	20	10	11	—	
Diarrhoea & Dysentery		369	231	48	9	5	1	294	7	—	—	—	—	—	—	16	17	24	—	
Cholera		29	15	1	1	2	2	21	—	—	—	1	—	2	1	1	2	—	—	
Other Zymotic Dis.		176	20	24	18	13	3	75	8	4	6	3	9	15	13	7	18	14	1	
Cancer		180	—	—	—	—	—	—	1	—	—	2	1	21	23	49	29	16	1	
Serofula and Tabes		191	89	30	16	7	4	156	11	9	2	1	—	6	3	1	1	—	—	
Phthisis		1208	61	47	13	7	4	132	20	16	36	98	209	277	217	133	57	11	1	
Hydrocephalus		184	81	53	18	11	8	171	8	3	—	—	2	—	—	—	—	—	—	
Dis. of Brain		974	291	29	21	9	12	392	27	13	4	12	29	51	95	99	137	101	13	
Dis. of Heart & Dropsy		442	7	4	3	1	—	15	9	4	11	9	24	51	65	82	107	55	10	
Dis. of Lungs		1383	339	167	63	39	10	640	24	8	9	16	40	85	113	159	226	294	84	
Dis. of Stom. and Liver		303	46	3	3	2	1	55	9	7	2	1	18	32	34	48	35	28	1	
Dis. of Kidneys		150	3	1	—	1	1	6	2	1	2	3	11	12	23	29	38	20	2	
Dis. of Gener. Organs		4	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints		28	1	1	—	—	—	2	5	6	4	2	1	3	4	3	2	4	1	
Dis. of Skin		34	15	—	1	—	—	16	2	—	—	—	1	1	—	4	4	—	—	
Childbirth and Metria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide		88	—	—	—	—	—	—	—	1	1	1	4	6	10	9	5	—	—	
Other Violent Deaths		163	40	4	4	1	1	50	10	8	4	9	16	18	15	8	12	19	—	
Other Causes		1190	657	19	17	7	1	782	2	3	2	2	9	19	23	21	115	178	62	
3.—ST. GEORGE HANOVER SQUARE.*																				
Mean Popul ⁿ , 1861-71		38044	986	823	828	809	753	4199	3334	2895	3426	4399	7336	5397	3732	2142	938	221	25	
TOTAL DEATHS		10225	3025	750	382	251	150	3558	850	160	244	352	987	1086	1181	1027	820	303	63	
Small-pox		45	14	4	1	4	—	23	2	—	1	2	10	6	—	1	—	—	—	
Measles		183	32	60	43	21	14	170	10	1	1	—	1	1	—	—	—	—	—	
Scarlatina		336	19	36	37	29	44	215	95	13	9	5	4	8	2	1	—	—	—	
Diphtheria		83	14	6	12	14	6	52	15	—	4	2	3	6	1	—	—	—	—	
Whooping-cough		280	98	98	43	28	10	277	10	2	—	—	—	—	—	—	—	—	—	
Typhus		228	2	2	11	12	5	32	22	17	21	27	36	25	24	24	11	4	1	
Diarrhoea & Dysentery		316	294	25	4	—	—	236	6	—	—	—	—	2	3	7	11	2	4	
Cholera		45	18	5	4	—	2	29	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.		290	33	30	24	15	8	110	18	5	13	7	23	22	24	18	12	6	—	
Cancer		171	—	—	—	—	1	1	1	—	—	—	4	11	20	49	29	4	—	
Serofula and Tabes		181	63	29	11	4	2	109	15	8	10	4	16	7	7	8	—	—	—	
Phthisis		1362	23	22	9	7	11	72	18	10	67	130	949	319	245	111	80	4	—	
Hydrocephalus		237	91	68	20	11	8	207	23	3	1	—	3	—	—	—	—	—	—	
Dis. of Brain		1012	328	57	32	18	10	345	27	10	20	18	54	88	134	132	121	55	7	
Dis. of Heart & Dropsy		670	13	4	4	3	1	25	8	15	9	16	98	115	116	123	107	24	—	
Dis. of Lungs		1625	346	185	52	25	14	622	20	7	11	30	88	107	178	222	224	169	7	
Dis. of Stom. & Liver		394	56	11	1	4	1	73	9	7	12	15	32	87	101	102	63	22	—	
Dis. of Kidneys		467	1	1	2	3	1	6	8	6	8	11	51	97	90	79	81	35	—	
Dis																				

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1.—KENSINGTON.																				
n Popul ⁿ , 1861-71	137309	3239	2700	2753	2697	2547	13936	11779	10600	13830	16763	27146	18046	12055	7496	4080	1389	189		
ALL DEATHS	24590	5137	2087	1059	677	445	9405	984	403	868	850	1803	1790	1755	1905	2407	1911	549		
pox	129	33	11	8	11	5	68	18	4	5	7	12	9	3	1	2	-	-		
is	615	104	246	151	88	24	565	34	8	4	3	2	-	-	-	-	-	-		
tina	1065	55	143	194	154	126	674	271	48	14	18	27	10	2	1	-	-	-		
eria	247	23	31	28	40	23	145	51	10	9	7	14	5	2	3	1	-	-		
ing-cough	761	280	214	138	67	22	721	33	2	-	-	1	-	-	-	1	-	-		
s	704	17	31	51	40	29	148	93	44	73	46	82	57	63	59	42	22	4		
ma & Dysentery	1164	804	119	23	12	6	964	12	1	1	6	14	15	17	22	42	56	14		
a	94	34	9	2	2	2	49	11	1	-	2	4	6	5	9	2	-	-		
Zymotic Dis.	586	86	61	65	45	33	290	40	20	16	19	33	27	35	31	36	31	8		
	837	-	-	-	-	-	-	1	1	3	6	41	154	220	207	152	66	6		
la and Tabes	455	180	95	27	18	13	533	28	23	13	9	16	18	4	3	6	2	-		
is	3120	89	60	35	14	15	213	65	105	343	455	851	612	308	120	36	12	-		
cephalus	494	106	138	46	30	27	437	44	7	3	1	1	-	1	-	-	-	-		
Brain	2552	553	142	67	42	25	829	63	27	30	29	98	140	237	293	411	334	71		
Heart & Dropsy	1080	39	13	11	4	7	73	26	24	45	37	104	159	246	338	383	224	21		
Lungs	4153	839	530	188	107	48	1699	79	20	33	43	115	109	241	484	699	469	126		
Stom. and Liver	1330	111	14	5	3	8	141	28	21	23	34	116	140	189	222	198	106	19		
Kidneys	355	2	2	3	2	5	14	8	5	7	15	39	49	57	71	65	22	3		
Gener. Organs	246	-	-	-	-	-	-	-	1	2	9	43	57	64	41	19	19	-		
Joints	61	2	-	-	-	-	5	6	4	3	6	10	6	7	6	10	3	1		
Skin	74	18	5	1	-	1	25	-	-	1	4	8	4	5	10	10	8	1		
irth and Metria	585	-	-	-	-	-	-	-	-	9	67	198	111	-	-	-	-	-		
	51	-	-	-	-	-	-	-	-	3	10	16	16	4	4	4	-	-		
Violent Deaths	442	142	24	16	17	15	214	26	12	14	9	28	18	26	19	26	28	12		
Causes	3090	1543	200	39	9	9	1800	12	8	11	11	30	28	39	80	281	521	267		
2.—CHELSEA.																				
n Popul ⁿ , 1861-71	36386	961	813	773	811	733	4091	3486	3238	3199	3529	6284	4772	3485	2372	1355	483	89		
ALL DEATHS	8443	1721	722	390	223	163	3219	278	129	131	220	531	585	627	806	911	755	251		
pox	69	17	9	8	5	3	42	10	1	3	4	4	4	1	-	-	-	-		
is	190	38	66	39	17	16	176	11	-	-	-	-	-	1	-	-	-	-		
tina	411	28	68	81	59	51	287	88	20	7	2	2	3	1	1	-	-	-		
eria	46	2	9	5	5	5	20	13	1	1	-	-	-	-	-	1	-	-		
ing-cough	200	97	108	46	19	11	281	8	1	-	-	-	-	-	-	-	-	-		
s	224	3	12	19	14	16	64	25	17	7	10	16	22	18	24	15	5	1		
ma & Dysentery	347	218	50	10	4	-	282	6	1	-	-	1	3	7	10	14	10	8		
a	28	6	1	2	1	1	11	1	1	-	2	2	2	1	2	4	2	-		
Zymotic Dis.	147	17	13	18	10	4	67	10	6	3	3	7	10	8	15	8	9	1		
	417	-	-	-	-	-	-	1	1	1	3	26	81	105	103	75	18	8		
la and Tabes	158	83	28	9	1	3	124	3	7	1	4	7	4	2	2	3	1	-		
is	1103	58	37	11	10	10	126	28	42	60	118	200	212	159	64	29	4	1		
cephalus	144	51	35	22	18	8	129	12	-	3	-	-	-	-	-	-	-	-		
Brain	880	194	63	23	13	13	306	19	6	9	8	29	56	72	129	142	88	14		
Heart & Dropsy	491	7	4	3	1	1	16	8	5	9	14	30	46	58	124	116	45	10		
Lungs	1430	301	139	72	36	22	570	16	9	6	15	38	47	92	187	237	158	35		
Stom. and Liver	351	18	-	3	7	-	28	3	8	8	10	26	35	63	72	64	33	1		
Kidneys	64	-	1	2	-	-	3	1	-	3	-	9	9	8	12	10	8	1		
Gener. Organs	41	-	-	-	-	-	-	-	-	-	1	7	7	9	12	4	1	-		
Joints	24	-	-	1	-	-	1	6	2	2	-	3	2	-	4	3	2	-		
Skin	23	7	2	1	-	-	10	-	1	1	1	2	2	-	2	3	2	-		
irth and Metria	88	-	-	-	-	-	-	-	-	4	17	38	28	1	-	-	-	-		
	9	-	-	-	-	-	-	-	-	2	-	1	2	1	3	9	5	1		
Violent Deaths	86	33	5	3	2	1	49	5	-	1	3	3	2	3	5	9	5	1		
Causes	1882	538	67	12	1	3	621	4	-	1	4	12	9	14	35	165	354	173		
3.—ST. GEORGE HANOVER SQUARE.*																				
n Popul ⁿ , 1861-71	50680	1008	871	859	801	753	4292	3498	3292	5048	6720	10830	7319	4882	2913	1397	429	60		
ALL DEATHS	8923	1614	639	351	230	171	3005	318	178	253	293	764	706	801	893	877	553	157		
pox	41	13	1	-	3	3	19	1	3	1	4	5	5	2	-	1	-	-		
is	182	22	64	44	22	14	166	10	2	-	1	2	-	1	-	1	-	-		
tina	848	15	47	52	49	46	209	89	28	11	4	3	3	1	-	-	-	-		
eria	87	7	7	9	16	7	46	18	6	3	3	5	1	2	3	-	-	-		
ing-cough	289	109	88	42	29	13	281	8	-	-	-	-	-	-	-	-	-	-		
s	254	3	9	15	7	7	41	25	21	19	24	29	35	18	29	15	6	-		
ma & Dysentery	291	183	30	2	3	2	230	6	1	-	1	3	4	9	16	12	13	6		
a	27	16	2	-	-	-	18	-	1	-	-	1	4	-	-	-	-	-		
Zymotic Dis.	243	24	20	13	12	15	84	20	10	10	9	22	17	16	21	22	10	2		
	438	-	-	-	-	1	1	-	2	4	2	30	60	145	121	60	29	1		
la and Tabes	129	86	29	11	3	4	80	10	6	3	6	11	6	1	4	1	-	-		
is	958	12	17	12	8	7	56	18	36	82	101	209	205	159	40	10	2	-		
cephalus	183	73	39	15	12	13	152	21	7	8	-	-	-	-	-	-	-	-		
Brain	832	159	42	23	11	12	257	13	18	27	16	51	46	77	94	130	80	17		
Heart & Dropsy	595	14	3	2	1	3	23	3	9	20	21	59	60	105	131	115	42	7		
Lungs	1535	278	161	66	31	11	547	30	8	10	18	50	68	115	214	269	165	36		
Stom. and Liver	623	34	3	1	2	3	43	7	7	14	21	53	69	102	95	82	24	4		
Kidneys	208	1	-	-	2	-	3	2	4	3	14	30	28	38	47	23	6	-		
Gener. Organs	111	-	-	-	-	-	-	-	-	2	6	24	30	20	20	6	2	1		
Joints	68	-	2	1	2	-	5	9	3	8	5	7	5	19	9	1	-	-		
Skin	54	17	3	3	1	1	25	2	-	-	2	10	-	2	-	1	-	-		
irth and Metria																				

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.					Total under 5 Years.										
			1	2	3	4		5-	10-	15-	20-	25-	35-	45-	55-	65-	70-

4.—WESTMINSTER, ST. MARGARET.*

Mean Popul ⁿ , 1861-71	32818	941	749	749	753	743	3935	3280	2931	2975	3621	6090	4412	3004	1717	761	1
TOTAL DEATHS	9883	2393	940	509	276	181	4305	343	124	191	311	790	958	920	895	686	2
Small-pox	122	21	12	10	14	14	71	13	3	5	7	11	9	3	-	-	-
Measles	305	61	113	71	31	15	291	12	-	-	1	1	-	-	-	-	-
Scarlatina	372	17	54	79	54	39	245	97	18	2	4	5	1	-	-	-	-
Diphtheria	47	3	13	4	3	6	29	7	2	-	2	1	3	1	-	-	-
Whooping-cough	339	123	110	60	28	16	337	2	-	-	-	-	-	-	-	-	-
Typhus	314	9	13	12	14	13	61	30	15	24	17	45	32	32	30	25	-
Diarrhoea & Dysentery	384	250	54	10	4	3	321	1	-	1	-	5	9	9	12	16	-
Cholera	46	16	3	-	1	1	21	3	-	1	-	5	3	3	3	3	-
Other Zymotic Dis.	240	23	30	26	19	10	108	19	4	6	5	18	14	18	18	21	-
Cancer	58	-	-	-	-	-	-	-	-	2	-	5	20	20	27	31	-
Scrofula and Tuberc.	193	77	36	22	6	3	144	19	5	4	4	7	2	5	2	1	-
Phthisis	1393	21	24	13	9	1	68	16	12	72	155	337	351	239	119	33	-
Hydrocephalus	233	100	69	29	12	8	218	11	3	-	-	-	-	-	-	-	-
Dis. of Brain	1021	561	85	25	16	12	499	26	11	8	17	50	66	83	103	104	-
Dis. of Heart & Dropsy	490	11	4	5	3	3	21	7	11	13	10	77	84	79	100	49	-
Dis. of Lungs	1859	411	199	99	43	14	753	27	7	21	35	88	138	201	249	224	-
Dis. of Stom. and Liver	333	49	7	5	3	4	68	7	7	7	12	26	45	66	76	32	-
Dis. of Kidneys	219	1	-	3	1	2	7	6	4	5	8	22	45	59	43	28	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-
Dis. of Joints	43	1	4	1	1	-	7	10	4	2	6	4	3	2	1	3	-
Dis. of Skin	35	8	3	1	1	-	13	1	-	1	4	2	5	6	6	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	57	-	-	-	-	-	-	-	-	-	-	5	8	12	10	16	-
Other Violent Deaths	368	47	10	10	7	11	85	18	16	15	16	46	35	46	40	21	-
Other Causes	1333	783	110	30	4	6	933	11	3	3	6	24	42	39	56	99	-

6 and 13.—WESTMINSTER, ST. JAMES, AND STRAND.†

Mean Popul ⁿ , 1861-71	46824	1202	955	981	927	885	4950	4070	3917	4554	5263	8502	6651	4828	2686	1113	2
TOTAL DEATHS	12824	2664	1187	889	328	218	4086	451	196	244	371	1003	1330	1419	1347	947	4
Small-pox	75	17	11	12	5	4	49	9	2	2	3	2	3	4	1	-	-
Measles	249	51	91	65	17	8	232	16	1	-	-	-	-	-	-	-	-
Scarlatina	432	25	71	89	65	52	302	38	17	3	3	3	6	1	-	-	-
Diphtheria	59	13	9	9	5	4	40	10	1	2	2	-	1	1	-	-	-
Whooping-cough	387	139	138	54	28	15	374	11	-	-	-	-	-	2	-	-	-
Typhus	306	5	9	17	8	48	38	21	-	18	21	20	45	36	31	19	-
Diarrhoea & Dysentery	356	229	32	11	5	1	308	3	-	-	-	12	7	6	7	7	-
Cholera	41	13	4	1	1	-	19	3	1	-	1	4	7	3	2	-	-
Other Zymotic Dis.	297	41	27	23	19	19	129	22	9	8	10	22	29	26	29	17	-
Cancer	107	-	-	-	-	-	1	3	1	3	2	10	31	57	58	26	-
Scrofula and Tuberc.	279	89	63	34	17	11	214	25	15	8	3	5	2	4	3	-	-
Phthisis	1802	26	33	28	15	9	111	38	30	86	139	430	458	345	159	42	-
Hydrocephalus	333	116	93	47	27	20	305	27	1	1	-	-	-	-	-	-	-
Dis. of Brain	1384	360	97	45	23	14	539	25	17	17	19	66	107	162	192	178	-
Dis. of Heart & Dropsy	827	6	9	7	4	4	33	17	15	25	21	99	131	168	170	111	-
Dis. of Lungs	2337	684	318	110	59	34	1045	29	10	12	28	169	261	342	373	373	-
Dis. of Stom. and Liver	573	65	4	5	1	1	66	17	15	14	16	49	97	118	111	60	-
Dis. of Kidneys	396	2	1	4	3	1	11	6	5	12	20	46	75	63	83	48	-
Dis. of Gener. Organs	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	79	1	-	3	-	3	7	11	6	7	5	7	17	8	11	-	-
Dis. of Skin	63	13	1	-	2	-	16	3	3	3	10	8	8	4	7	4	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	88	-	-	-	-	-	-	-	-	5	3	16	19	21	14	8	-
Other Violent Deaths	503	64	19	9	7	9	108	32	18	15	30	77	62	66	53	25	-
Other Causes	1699	862	133	26	7	1	1029	11	5	3	12	26	55	73	81	137	1

7.—MARYLEBONE.

Mean Popul ⁿ , 1861-71	69943	2157	1755	1707	1652	1603	8874	7056	6155	6396	6890	12082	9212	6663	4109	1898	5
TOTAL DEATHS	19004	5153	1881	883	547	333	8797	608	268	303	482	1226	1447	1673	1914	1664	8
Small-pox	117	35	11	9	9	2	66	16	6	2	7	9	8	2	1	-	-
Measles	459	95	179	98	39	22	433	24	1	-	-	1	-	-	-	-	-
Scarlatina	765	49	102	114	123	92	430	128	41	19	3	4	3	1	1	-	-
Diphtheria	138	25	28	13	15	10	91	30	4	2	1	3	1	2	1	5	-
Whooping-cough	695	219	211	91	39	21	581	21	1	-	-	-	-	-	-	-	-
Typhus	300	16	24	18	15	19	92	36	24	30	29	24	41	33	50	15	-
Diarrhoea & Dysentery	934	708	107	17	4	1	837	3	-	-	-	5	11	25	24	-	-
Cholera	61	22	8	1	1	-	32	2	-	3	-	2	4	3	9	4	-
Other Zymotic Dis.	430	64	57	42	32	23	218	21	9	10	9	34	29	23	40	17	-
Cancer	326	-	-	1	2	-	3	-	3	-	-	15	38	97	97	53	-
Scrofula and Tuberc.	505	217	102	53	27	14	413	27	14	12	14	11	3	5	1	-	-
Phthisis	2463	45	32	27	17	12	133	47	38	143	243	615	389	400	202	55	-
Hydrocephalus	603	225	129	68	33	22	507	45	5	1	-	-	-	-	-	-	-
Dis. of Brain	2314	643	156	70	45	28	942	56	18	22	25	77	135	208	218	320	-
Dis. of Heart & Dropsy	1074	20	4	1	4	1	30	25	25	29	22	91	144	188	258	178	-
Dis. of Lungs	3893	908	305	194	94	58	1799	67	13	19	39	123	193	351	494	402	-
Dis. of Stom. and Liver	696	95	8	6	7	3	122	19	12	16	12	38	63	104	128	103	-
Dis. of Kidneys	581	2	1	3	3	4	13	7	6	14	14	44	61	92	141	134	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	111	6	-	4	1	5	16	23	16	11	-	12	8	9	5	1	-
Dis. of Skin	43	11	2	-	1	-	14	3	1	-	7	1	3	3	3	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	81	-	-	-	-	-	-	-	-	1	8	10	18	17	19	19	-
Other Violent Deaths	573	148	21	14	30	9	212	31	25	34	31	46	60	67	71	33	-
Other Causes	2532	1339	164	89	6	5	1733	7	4	5	7	23	43	65	67	134	-

I.] *Causes of Death in the Ten Years 1861-70.—Females.*

29

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.	Popul ⁿ , 1861-71.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85 & upwards.					
4.—WESTMINSTER, ST. MARGARET.*																					
DEATHS -	8795	2016	889	454	207	164	3790	344	125	171	250	664	676	700	774	759	421	121	121		
xx - - -	78	18	9	16	9	8	53	8	2	1	3	5	4	-	-	-	-	-	-		
xx - - -	292	44	108	37	39	23	271	17	1	1	-	1	1	1	1	1	1	1	1		
xx - - -	945	30	44	72	48	39	223	88	19	3	3	7	1	1	1	1	1	1	1		
xx - - -	46	8	3	6	5	5	27	9	1	3	-	7	4	1	-	-	-	-	-		
xx - - -	306	128	120	71	34	18	371	25	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	329	8	10	8	13	11	50	41	16	21	22	40	26	35	42	29	7	-	-		
xx - - -	431	280	67	10	2	-	359	4	1	1	2	6	6	9	7	17	15	6	-		
xx - - -	42	10	4	3	3	-	20	4	-	1	1	6	3	2	2	3	-	-	-		
xx - - -	179	23	23	23	11	7	87	16	3	6	8	7	15	12	16	6	3	-	-		
xx - - -	257	-	-	1	1	-	2	2	1	1	1	25	46	80	53	32	13	1	-		
xx - - -	169	64	40	10	9	4	127	7	6	4	3	6	-	3	2	-	-	-	-		
xx - - -	978	15	14	7	9	4	49	28	32	64	95	277	227	131	60	14	1	-	-		
xx - - -	173	63	49	33	14	4	163	8	-	-	1	-	-	-	-	-	-	-	-		
xx - - -	868	276	76	22	20	13	407	23	9	20	17	26	38	67	96	98	61	6	-		
xx - - -	497	22	6	7	1	1	57	9	12	7	12	50	63	79	89	93	40	6	-		
xx - - -	1561	293	177	79	30	22	601	20	11	5	20	56	81	132	238	244	104	27	-		
xx - - -	364	33	5	3	-	3	42	13	3	4	13	27	43	52	86	63	16	2	-		
xx - - -	98	3	-	-	-	-	3	1	2	6	4	19	15	17	9	17	4	1	-		
xx - - -	57	-	-	-	-	-	-	-	-	-	-	13	13	18	9	3	1	-	-		
xx - - -	23	-	1	1	-	-	2	3	1	5	2	4	-	2	2	-	1	1	-		
xx - - -	25	9	1	-	-	-	10	-	-	-	3	2	-	-	-	4	1	1	-		
xx - - -	147	-	-	-	-	-	-	-	-	6	25	57	57	2	-	-	-	-	-		
xx - - -	18	-	-	-	-	-	-	-	-	2	3	2	6	2	3	-	-	-	-		
xx - - -	176	48	9	2	11	5	75	13	4	4	6	11	9	17	11	15	7	4	-		
xx - - -	1256	651	125	23	8	2	809	5	1	4	6	18	16	18	48	121	144	66	-		

6 and 13.—WESTMINSTER, ST. JAMES, AND STRAND.†

1861-71		49933	1200	976	973	937	914	5000	4269	4041	5090	5789	9241	6821	4924	2880	1424	401	53
DEATHS -		11456	2224	1102	538	367	252	4463	444	202	242	337	850	950	1043	1132	1012	616	145
xx - - -	-	70	20	10	5	6	2	43	9	-	4	5	4	4	1	-	-	-	-
xx - - -	-	243	43	95	58	23	10	229	11	1	2	-	-	-	-	-	-	-	-
xx - - -	-	490	42	67	87	70	332	123	16	3	7	4	4	4	1	1	-	-	-
xx - - -	-	70	7	11	13	15	5	51	8	2	3	3	-	1	1	-	-	-	-
xx - - -	-	483	134	161	88	52	28	463	18	1	-	1	-	-	-	-	-	-	-
xx - - -	-	322	7	12	12	8	9	48	32	27	30	23	41	34	40	30	13	4	-
xx - - -	-	374	244	46	7	4	-	201	9	5	4	-	5	6	14	11	12	6	3
xx - - -	-	42	12	3	1	-	-	16	4	2	2	-	5	2	8	2	2	1	-
xx - - -	-	264	29	29	19	28	16	121	17	7	10	19	19	18	15	14	19	4	1
xx - - -	-	321	1	-	-	-	1	2	2	1	2	1	23	59	85	85	46	8	2
xx - - -	-	903	68	44	18	10	4	144	23	11	6	1	4	4	3	5	2	-	-
xx - - -	-	1304	35	36	23	15	10	119	36	61	77	141	323	291	159	81	24	2	-
xx - - -	-	258	71	68	43	22	16	220	28	6	2	1	-	-	-	-	-	-	-
xx - - -	-	1075	272	84	28	27	15	426	29	14	6	19	41	68	104	155	141	68	4
xx - - -	-	729	8	4	4	2	2	20	12	17	22	33	81	102	132	167	107	31	6
xx - - -	-	2276	419	301	119	54	22	915	38	11	14	26	63	112	254	330	338	132	19
xx - - -	-	546	31	4	2	1	3	41	11	10	14	8	57	84	113	110	77	19	2
xx - - -	-	171	-	1	-	1	2	4	5	4	6	12	27	35	27	30	10	10	1
xx - - -	-	112	-	-	-	-	-	-	-	1	5	3	21	25	29	20	6	2	-
xx - - -	-	61	2	1	1	2	1	7	7	6	10	5	6	10	2	6	2	1	-
xx - - -	-	21	8	-	-	-	-	8	-	2	-	1	9	2	1	-	-	-	-
xx - - -	-	162	-	-	-	-	-	-	-	-	5	35	71	40	2	-	-	-	-
xx - - -	-	30	-	-	-	-	-	-	-	-	5	4	7	3	3	2	1	-	-
xx - - -	-	275	83	12	9	7	12	123	17	7	8	8	15	18	24	15	24	14	2
xx - - -	-	1554	693	114	21	8	4	835	5	4	5	2	18	14	26	46	185	309	105

7.—MARYLEBONE.

Population, 1861-71	Deaths																		
	90524	2070	1720	1744	1711	1622	8867	7336	6873	8167	10182	17234	12835	8969	5825	3181	1100	155	
DEATHS -	20687	4130	1684	831	545	355	7525	672	270	394	540	1435	1636	1756	2080	2267	1622	470	
xx - - -	110	18	18	18	9	10	73	8	-	3	3	11	6	3	2	-	1	-	
xx - - -	421	77	166	82	50	21	306	22	2	1	1	-	1	-	-	-	-	-	
xx - - -	689	34	85	123	103	84	429	187	29	17	11	11	3	1	1	-	-	-	
xx - - -	159	15	24	34	17	14	104	51	5	2	2	8	3	2	1	1	-	-	
xx - - -	609	235	198	104	69	30	636	30	2	1	-	-	-	-	-	-	-	-	
xx - - -	458	11	13	24	21	29	98	73	32	37	38	50	47	43	35	22	10	3	
xx - - -	505	653	85	16	6	2	760	6	3	2	17	10	8	24	35	23	10	10	
xx - - -	60	17	6	-	1	-	24	4	1	1	-	5	3	7	5	7	3	-	
xx - - -	390	57	40	32	34	26	189	38	13	10	8	19	23	22	22	25	14	2	
xx - - -	1095	-	-	-	-	-	-	1	-	4	4	72	209	336	294	138	41	6	
xx - - -	328	164	82	34	14	12	305	17	12	14	3	13	9	8	9	6	1	-	
xx - - -	2124	45	88	21	14	17	135	53	68	141	219	585	501	292	133	29	6	1	
xx - - -	430	158	118	52	31	20	379	25	9	3	3	-	-	-	-	1	-	-	
xx - - -	2305	429	185	58	43	22	687	50	24	24	24	91	118	204	311	460	254	49	
xx - - -	1394	11	6	4	1	2	24	23	22	25	33	105	144	234	292	318	157	14	
xx - - -	3892	672	457	174	90	47	1440	64	23	35	48	96	170	282	617	659	400	68	
xx - - -	916	58	13	5	8	3	87	12	9	21	28	84	129	156	168	169	65	8	
xx - - -	308	1	4	2	2	1	10	6	2	10	13	25	42	55	60	55	17	8	
xx - - -	259	-	-	1	-	-	1	-	2	2	16	56	63	73	28	17	1	2	
xx - - -	65	2	-	1	1	4	8	7	1	6	7	11	7	8	3	4	5	-	
xx - - -	48	11	1	2	-	-	14	1	1	3	4	4	4	6	4	4	2	1	
xx - - -	255	-	-	-	-	-	-	-	-	18	58	109	69	3	1	-	-	-	
xx - - -	26	-	-	-	-	-	-	-	-	1	6	5	7	-	-	-	-	-	
xx - - -	164	22	27	16	8	-	227	10	6	6	3	16	13	16	24	53	23	97	
xx - - -	2840	1298	155	27	15	3	1493	4	1	6	8	39	33	22	60	279	237	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
8.—HAMPSTEAD.																		
Mean Popul ⁿ , 1861-71		9899	320	263	271	269	270	1393	1179	1047	953	847	1430	1229	911	548	280	77
TOTAL DEATHS -		1960	500	133	70	50	26	779	63	39	48	63	118	142	159	199	197	128
Small-pox -		22	3	2	1	1	-	7	5	1	1	3	4	-	-	-	-	1
Measles -		40	4	18	6	8	2	38	2	-	-	-	-	-	-	-	-	-
Scarlatina -		84	7	14	15	15	11	60	14	7	1	1	-	-	-	1	-	-
Diphtheria -		22	-	2	6	5	1	14	4	1	1	-	1	-	-	1	-	-
Whooping-cough -		63	31	15	12	2	2	62	1	-	-	-	-	-	-	-	-	-
Typhus -		46	1	2	2	1	1	7	1	4	4	6	10	2	8	4	1	1
Diarrhoea & Dysentery -		104	84	8	-	-	-	92	-	-	-	-	1	3	-	1	2	4
Cholera -		9	8	-	-	-	-	8	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis. -		51	8	7	3	4	-	23	3	5	3	2	1	3	2	5	2	2
Cancer -		27	-	-	-	-	-	-	-	-	-	-	2	2	6	5	9	3
Scrofula and Tubercles -		25	9	6	-	1	-	16	2	1	1	1	2	-	1	1	-	-
Phthisis -		235	2	3	5	-	-	10	6	2	17	36	63	53	33	24	5	4
Hydrocephalus -		45	20	10	4	5	3	40	6	-	-	-	-	-	-	-	-	-
Dis. of Brain -		211	46	10	5	5	-	66	5	2	3	4	5	15	23	43	43	31
Dis. of Heart & Dropsy -		181	3	-	-	1	-	4	4	2	-	2	7	16	20	29	34	12
Dis. of Lungs -		284	65	25	8	2	3	128	2	2	2	2	5	16	27	32	41	20
Dis. of Stom. and Liver -		91	11	2	-	-	-	14	2	1	4	4	6	10	15	21	9	9
Dis. of Kidneys -		60	1	-	-	1	-	2	1	1	-	1	5	6	9	13	15	6
Dis. of Gen. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		6	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-
Dis. of Skin -		9	3	-	1	-	-	4	-	1	-	-	-	-	1	-	1	1
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		69	18	2	1	1	2	24	6	7	9	8	2	6	7	3	1	1
Other Causes -		255	186	7	1	-	1	165	-	2	1	-	4	2	1	12	19	37
9.—PANCRA.																		
Mean Popul ⁿ , 1861-71		97198	3069	2709	2648	2494	2428	13348	10714	9321	8602	9404	16798	12501	8584	4903	2330	532
TOTAL DEATHS -		25229	6523	2507	1245	771	504	11550	985	377	423	683	1585	1995	2161	2119	1904	113
Small-pox -		161	49	26	9	11	8	168	15	4	7	9	10	9	3	1	-	-
Measles -		555	110	216	104	65	34	531	21	1	-	1	-	1	-	-	-	-
Scarlatina -		1261	74	173	243	207	152	849	312	61	11	12	5	7	3	1	-	-
Diphtheria -		231	22	43	41	32	28	166	39	5	3	2	5	3	6	1	1	-
Whooping-cough -		813	287	284	130	58	33	792	18	2	-	-	-	-	-	-	-	-
Typhus -		671	30	26	48	24	32	150	66	38	32	43	67	78	47	51	94	14
Diarrhoea & Dysentery -		1053	810	112	19	9	1	951	3	-	2	1	6	5	12	23	31	23
Cholera -		120	43	9	3	1	3	59	9	8	-	1	8	12	10	10	7	1
Other Zymotic Dis. -		657	80	78	43	32	21	204	26	20	14	19	29	35	46	30	17	-
Cancer -		296	-	1	-	2	1	4	1	-	3	2	8	38	66	91	67	15
Scrofula and Tubercles -		626	317	114	63	21	16	521	29	16	12	11	10	5	9	12	1	-
Phthisis -		2604	90	72	45	27	18	232	77	45	169	332	785	839	644	275	72	10
Hydrocephalus -		675	256	183	86	62	27	604	60	12	2	1	6	-	-	-	-	-
Dis. of Brain -		2624	712	196	67	60	30	1065	68	27	29	31	95	165	235	331	365	181
Dis. of Heart & Dropsy -		1241	34	13	8	8	6	68	36	30	25	38	95	151	219	250	218	97
Dis. of Lungs -		4353	1244	699	290	101	47	2261	69	24	21	47	113	213	365	558	586	296
Dis. of Stom. and Liver -		970	170	18	14	5	8	215	26	14	20	15	36	121	161	169	117	49
Dis. of Kidneys -		636	2	4	7	5	4	22	14	3	15	17	63	74	87	104	85	40
Dis. of Gen. Organs -		9	1	-	-	-	-	1	-	-	-	-	1	2	1	2	2	-
Dis. of Joints -		129	3	3	4	4	2	16	17	19	14	4	13	16	10	12	7	1
Dis. of Skin -		66	27	5	1	4	-	57	-	1	3	1	2	5	4	3	6	8
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		1171	254	89	36	29	21	379	76	44	37	69	136	125	84	46	29	10
Other Causes -		2367	1908	253	52	14	13	2240	3	5	4	16	43	61	75	94	278	403
10.—ISLINGTON.																		
Mean Popul ⁿ , 1861-71		83906	2852	2409	2450	2421	2280	12502	9921	8300	7531	7862	14228	10498	6946	3833	1756	478
TOTAL DEATHS -		22189	5674	2071	988	665	446	9644	965	430	627	945	1696	1819	1840	1686	1429	753
Small-pox -		1133	63	29	25	35	29	181	81	51	120	245	256	119	48	16	12	-
Measles -		515	97	199	111	65	26	488	25	1	-	-	-	-	-	-	-	-
Scarlatina -		1320	63	171	165	104	140	783	338	78	55	26	26	6	6	2	-	-
Diphtheria -		163	34	34	19	23	13	138	19	2	2	2	4	4	1	-	1	-
Whooping-cough -		837	349	276	124	48	25	822	15	-	-	-	-	-	-	-	-	-
Typhus -		2107	23	18	19	28	30	118	79	66	141	204	348	397	370	237	195	17
Diarrhoea & Dysentery -		971	725	121	17	8	7	878	7	2	3	1	2	11	6	21	16	3
Cholera -		111	33	9	3	3	3	51	10	6	7	5	7	10	7	10	7	1
Other Zymotic Dis. -		830	93	58	48	36	31	268	40	13	20	19	33	31	36	34	26	16
Cancer -		186	-	-	1	1	-	2	-	-	2	2	5	20	51	66	42	13
Scrofula and Tubercles -		428	207	78	33	16	10	344	27	13	9	8	8	5	4	5	2	-
Phthisis -		2245	79	46	33	12	7	177	43	33	123	268	557	514	555	126	55	2
Hydrocephalus -		605	224	150	74	55	34	517	67	12	1	8	5	3	1	-	-	-
Dis. of Brain -		2921	588	122	66	40	33	849	50	34	34	31	82	127	156	228	255	139
Dis. of Heart & Dropsy -		964	24	4	4	4	3	39	25	26	23	16	61	122	178	261	180	71
Dis. of Lungs -		3923	1005	518	165	63	26	1797	63	26	29	38	137	187	325	421	360	147
Dis. of Stom. and Liver -		768	142	10	11	5	3	169	23	8	19	17	51	98	134	118	94	33
Dis. of Kidneys -		363	1	-	-	3	4	8	3	4	11	10	36	56	29	77	61	36
Dis. of Gen. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		51	1	2	-	1	-	4	9	12	7	5	6	6	1	2	3	-
Dis. of Skin -		53	21	8	-	1	1	26	-	1	2	-	-	5	6	4	4	6
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		81	-	-	-	-	-	-	-	-	-	-	5	17	13	15	9	-
Other Violent Deaths -		459	164	20	16	17	14	231	33	18	4	13	26	39	37	27	12	3
Other Causes -		2647	1718	193	34	13	7	1964	10	4	7	-	5	20	43	58	143	224

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17			18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17			18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
8.—HAMPSTEAD.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Mean Popul ⁿ . 1861-71	15794	297	271	275	293	275	1411	1304	1365	1901	2255	3101	1873	1246	768	423	126	21																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

9.—PANCRA.

Mean Popul ⁿ . 1861-71	112929	3099	2671	2699	2537	2494	13500	11157	9684	10227	11635	20199	14576	10296	6613	3671	1210	161	
ALL DEATHS -	24641	5231	2182	1176	737	501	9327	943	382	473	664	1666	1818	1921	2212	2584	1963	488	
pox - - -	149	35	24	20	8	19	99	14	-	1	9	16	5	1	4	-	-	-	
sc - - -	323	103	192	94	69	39	488	28	4	1	-	-	-	-	-	-	-	-	
ina - - -	1172	57	139	191	194	161	743	303	57	17	10	29	7	1	-	-	-	-	
eria - - -	248	25	48	33	23	167	53	7	3	4	4	6	4	1	1	1	1	-	
ing-cough -	1007	311	335	183	95	44	908	32	4	3	-	-	-	-	-	-	-	-	
na & Dysentery	622	23	25	39	26	35	148	68	47	44	35	75	57	54	40	36	20	3	
ymotic Dia.	903	630	111	19	3	1	773	7	1	1	4	4	10	17	27	29	25	5	
-	124	31	10	3	-	3	47	6	3	2	6	16	11	14	10	7	2	-	
-	650	86	64	41	34	19	244	40	29	25	20	35	34	27	36	45	12	5	
la and Tuberc.	791	1	-	1	3	-	5	-	1	4	5	43	128	212	211	181	46	5	
is - - -	523	241	122	31	20	12	429	28	10	9	10	15	9	8	4	1	-	-	
ephalus -	2806	68	51	38	25	15	197	70	78	207	303	744	630	868	159	49	10	1	
Brain - - -	461	165	124	60	41	21	411	37	8	3	1	4	1	-	-	-	-	-	
Heart & Dropsy	2376	495	117	78	38	21	749	56	24	27	29	83	135	231	319	400	269	54	
Lungs - - -	1612	22	9	4	5	3	43	38	44	39	38	100	184	249	346	360	159	21	
Stom. and Liver	460	960	525	231	97	53	1806	75	16	35	34	198	187	343	698	794	467	67	
Kidneys - -	1171	116	13	7	4	7	117	23	13	16	29	100	148	183	217	191	68	17	
Gener. Organs	313	3	2	2	4	3	14	8	6	7	19	35	46	69	35	37	17	-	
Joints - - -	150	-	2	-	-	-	8	-	3	8	6	18	24	37	31	24	5	-	
Skin - - -	76	1	-	-	3	6	8	10	4	10	6	7	9	7	6	1	-	-	
irth and Metria	71	21	6	4	2	2	34	1	-	-	4	6	5	4	5	6	1	-	
-	379	-	-	-	-	-	-	-	-	6	68	188	113	3	-	-	-	-	
-	47	-	-	-	-	-	-	-	-	2	7	9	8	4	4	5	2	-	
Violent Deaths	616	219	28	23	17	309	32	19	15	6	24	38	42	41	43	42	6	-	
Causes - - -	3646	1009	234	66	14	16	1839	17	1	8	11	29	42	39	67	418	792	303	

10.—ISLINGTON.

Mean Popul ⁿ . 1861-71	100653	2849	2409	2413	2309	2285	12265	10224	8842	10240	11006	17665	12374	8447	5477	3013	974	126	
ALL DEATHS -	22545	4742	1872	989	627	411	8641	913	539	706	844	1827	1778	1734	1803	1936	1425	399	
pox - - -	677	58	33	26	26	23	165	55	40	94	122	113	59	18	10	1	-	-	
sc - - -	477	95	177	93	52	23	440	23	8	2	3	5	1	-	-	-	-	-	
ina - - -	1795	65	135	236	166	137	729	323	106	63	37	40	14	3	-	1	-	-	
eria - - -	184	12	32	30	20	16	110	46	14	8	-	2	2	-	-	-	-	-	
ing-cough -	801	230	265	147	79	29	850	37	2	-	1	1	-	-	-	-	-	-	
na & Dysentery	2169	29	39	17	29	26	112	100	112	171	183	332	395	381	266	69	27	1	
ymotic Dia.	932	693	102	16	1	6	830	5	1	3	1	9	6	8	11	8	2	-	
-	112	33	3	1	2	2	41	7	6	4	5	14	6	8	11	8	2	-	
-	543	77	74	38	44	17	250	26	25	21	12	32	62	25	42	47	26	5	
la and Tuberc.	554	1	-	1	2	-	4	1	1	1	4	27	83	156	161	96	34	6	
is - - -	352	138	67	30	22	10	267	27	19	6	4	10	5	7	6	1	-	-	
ephalus -	2644	60	36	24	10	10	140	47	67	163	234	606	430	257	107	31	2	-	
Brain - - -	469	158	129	60	35	25	397	46	17	4	2	3	-	-	-	-	-	-	
Heart & Dropsy	2011	474	169	55	30	27	695	48	26	44	30	68	130	146	235	312	224	33	
Lungs - - -	1269	19	5	3	1	6	34	25	37	25	35	87	136	176	233	277	159	25	
Stom. and Liver	3497	766	431	156	78	34	1455	49	31	47	89	107	137	250	393	567	336	66	
Kidneys - -	903	100	7	7	4	5	123	19	11	19	26	67	104	161	177	168	78	19	
Gener. Organs	214	1	1	-	2	-	4	3	2	10	11	26	29	36	48	35	10	-	
Joints - - -	114	1	-	-	-	-	1	-	2	-	6	15	22	27	24	14	1	-	
Skin - - -	61	2	3	-	2	3	10	5	7	8	4	11	7	4	4	1	2	-	
irth and Metria	56	15	3	1	-	1	23	1	2	-	1	6	7	3	3	2	8	1	
-	607	-	-	-	-	-	-	-	-	15	64	216	110	2	-	-	-	-	
-	47	-	-	-	-	-	-	-	-	2	6	9	17	9	6	1	-	-	
Violent Deaths	616	219	28	23	17	309	32	19	15	6	24	38	42	41	43	42	6	-	
Causes - - -	2645	1461	223	83	48	31	1752	15	3	8	8	22	33	42	37	230	435	126	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and upwards.	
		11.—HACKNEY.																	
Mean Popul ⁿ , 1861-71 -	45487	1449	1324	1313	1304	1279	6669	5728	4965	4205	3734	6873	5379	3953	2279	1244	396	43	
TOTAL DEATHS -	10771	2685	956	432	270	215	4558	408	214	225	323	759	805	868	848	1005	633	127	
Small-pox - - -	68	18	8	4	3	5	28	6	3	1	3	10	3	8	-	1	-	-	
Measles - - - -	180	30	15	8	15	8	178	8	1	1	1	6	1	-	-	-	-	-	
Scarlatina - - -	507	82	60	31	70	81	821	141	29	5	2	6	2	-	-	-	-	-	
Diphtheria - - -	82	18	12	9	8	9	56	15	4	1	-	2	-	1	3	-	-	-	
Whooping-cough -	288	116	110	31	17	9	283	4	1	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	268	16	12	20	24	13	85	38	43	21	28	47	33	24	22	15	19	-	
Diarrhoea & Dysentery	454	322	53	4	3	1	303	8	2	1	5	6	5	8	4	11	15	-	
Cholera - - - - -	102	38	8	5	2	1	54	7	3	1	2	10	4	9	5	4	3	-	
Other Zymotic Dis.	312	62	41	31	23	5	162	21	8	10	4	15	21	21	17	24	6	-	
Cancer - - - - -	122	-	1	-	-	-	2	1	-	-	2	3	17	31	27	30	8	-	
Scrophula and Tuberc	222	71	43	30	9	5	148	13	18	6	8	17	10	5	3	1	-	-	
Phthisis - - - -	1392	27	19	9	5	3	63	18	21	86	173	561	294	229	102	31	2	-	
Hydrocephalus - -	248	104	71	23	16	12	226	18	2	1	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	1283	335	71	36	22	16	482	26	15	12	17	39	94	106	135	192	112	-	
Dis. of Heart & Dropsy	605	6	2	1	-	4	13	15	17	18	14	49	61	101	122	129	94	-	
Dis. of Lungs - - -	1746	440	226	87	56	30	869	25	10	16	25	75	93	136	177	248	112	-	
Dis. of Stom. and Liver	449	67	8	5	3	1	89	9	9	9	11	29	51	62	79	77	21	-	
Dis. of Kidneys - -	239	1	1	1	-	3	6	7	3	2	8	18	34	40	41	45	24	-	
Dis. of Gener. Organs -	3	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	
Dis. of Joints - - -	46	2	1	1	1	1	6	6	4	5	3	7	5	8	5	1	-	-	
Dis. of Skin - - - -	29	8	1	1	-	1	11	-	-	1	1	2	2	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	28	-	-	-	-	-	-	-	-	1	2	11	16	15	6	6	1	-	
Other Violent Deaths	393	82	17	13	4	7	123	16	22	24	17	66	40	37	26	14	9	-	
Other Causes - - -	1614	873	103	19	6	8	1302	11	4	3	2	14	18	19	43	166	232	85	
12.—ST. GILES.																			
Mean Popul ⁿ , 1861-71 -	25500	733	552	597	580	521	2993	2454	2348	2439	2478	4330	3500	2612	1522	676	142	16	
TOTAL DEATHS -	7461	1936	844	571	218	133	3502	257	84	119	159	397	552	729	703	619	235	28	
Small-pox - - - -	73	25	7	12	2	2	48	12	2	2	1	3	2	8	-	-	-	-	
Measles - - - - -	155	41	65	25	13	6	150	5	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - - -	275	23	47	31	31	31	206	45	12	6	1	2	1	2	-	-	-	-	
Diphtheria - - - -	47	9	7	5	6	1	28	4	1	-	-	-	2	-	-	-	-	-	
Whooping-cough -	223	72	31	31	21	12	269	14	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	254	4	4	5	11	7	31	28	6	12	13	25	47	59	35	15	7	-	
Diarrhoea & Dysentery	247	231	61	5	6	2	205	5	-	-	2	2	1	2	3	2	-	-	
Cholera - - - - -	50	5	2	1	3	2	15	5	3	-	1	1	2	3	2	-	-	-	
Other Zymotic Dis.	182	39	31	20	10	5	111	10	2	4	3	8	8	9	11	11	4	-	
Cancer - - - - -	73	-	-	-	-	-	1	1	-	-	-	3	2	16	25	10	5	-	
Scrophula and Tuberc	180	75	56	17	5	3	156	8	7	2	-	2	2	2	-	-	-	-	
Phthisis - - - - -	1097	27	22	10	8	4	71	24	20	50	90	219	230	224	114	27	4	-	
Hydrocephalus - -	186	76	55	24	8	13	175	7	3	1	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	718	195	57	30	18	8	308	22	8	6	10	23	40	82	78	101	96	-	
Dis. of Heart & Dropsy	392	7	3	4	2	1	17	9	2	7	8	31	50	81	90	63	39	-	
Dis. of Lungs - - -	1770	408	236	102	43	23	832	23	6	9	17	33	71	151	244	287	178	-	
Dis. of Stom. & Liver -	202	32	5	3	2	3	45	5	1	7	8	21	24	46	26	29	2	-	
Dis. of Kidneys - -	111	-	-	-	2	3	5	10	1	4	2	6	11	17	22	16	17	-	
Dis. of Gener. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	21	1	2	1	-	2	6	4	7	1	-	1	1	2	-	-	-	-	
Dis. of Skin - - - -	8	3	1	1	-	-	5	-	-	-	-	1	-	-	1	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	28	-	-	-	-	-	-	-	-	-	-	-	7	8	5	2	-	-	
Other Violent Deaths	160	91	7	5	4	1	107	5	3	3	1	3	3	7	11	4	3	-	
Other Causes - - -	950	572	83	13	4	2	674	1	-	2	2	11	25	22	27	55	95	23	
14.—HOLBORN.*																			
Mean Popul ⁿ , 1861-71 -	80984	2587	2082	2081	1994	1951	10695	8622	8082	8134	8102	13474	10296	7232	4124	1740	441	42	
TOTAL DEATHS -	21405	5734	2591	1296	789	508	10808	981	265	356	526	1178	1519	1748	1690	1461	739	119	
Small-pox - - - -	221	66	31	32	19	14	102	26	6	1	7	10	6	3	-	-	-	-	
Measles - - - - -	633	117	248	106	62	42	605	27	1	-	-	-	-	-	-	-	-	-	
Scarlatina - - - -	1124	98	194	205	177	133	897	253	39	13	3	6	2	1	-	-	-	-	
Diphtheria - - - -	164	27	32	29	28	14	120	20	2	1	3	2	3	1	2	-	-	-	
Whooping-cough -	771	274	255	129	60	28	740	23	-	1	-	-	-	-	1	-	-	-	
Typhus - - - - -	687	22	25	30	40	30	147	88	43	45	38	78	79	69	58	57	5	-	
Diarrhoea & Dysentery	1001	685	166	39	15	4	900	11	3	2	4	4	6	11	13	25	15	-	
Cholera - - - - -	87	22	9	3	3	5	42	8	-	-	1	2	10	10	5	7	2	-	
Other Zymotic Dis.	524	96	69	44	30	27	299	39	14	8	10	21	28	38	44	27	7	-	
Cancer - - - - -	173	-	2	1	2	1	6	1	1	1	2	4	14	45	51	41	6	-	
Scrophula and Tuberc	557	231	167	74	21	17	430	47	11	7	5	5	2	5	5	2	-	-	
Phthisis - - - - -	2757	51	56	35	15	13	175	85	39	153	282	623	640	498	204	53	-	-	
Hydrocephalus - -	655	244	169	86	49	37	585	61	7	1	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	2330	898	187	74	55	38	1222	71	22	23	27	101	139	192	221	210	160	-	
Dis. of Heart & Dropsy	940	55	11	5	4	6	81	30	19	25	29	56	128	178	205	180	63	-	
Dis. of Lungs - - -	4125	979	623	251	90	62	2005	82	17	31	53	136	245	263	535	434	376	-	
Dis. of Stom. and Liver	749	99	29	17	6	8	150	31	16	13	15	41	89	130	139	86	34	-	
Dis. of Kidneys - -	276	2	5	8	5	3	23	15	5	4	7	22	33	50	47	46	23	-	
Dis. of Gener. Organs -	9	-	1	-	-	-	1	1	-	-	-	-	2	1	3	2	-	-	
Dis. of Joints - - -	79	5	4	4	7	2	22	22	8	5	6	4	3	3	3	7	-	-	
Dis. of Skin - - - -	35	20	7	2	-	-	29	1	-	1	-	-	1	5	7	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	120	-	-	-	-	-	-	-	1	6	10	17	23	32	30	11	-	-	
Other Violent Deaths	426	194	27	11	18	5	253	20	10	11	12	14	23	25	30	20	5	-	
Other Causes - - -	2053	1279	593	303	166	114	2000	10	1	4	11	11	35	45	54	92	223	53	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upward.		
			Year.																	
11.—HACKNEY.																				
an Populⁿ, 1861-71	58657	1520	1340	1329	1362	1264	6815	5910	5513	6642	6282	9421	6859	4985	3322	2035	756	117		
TOTAL DEATHS	11054	2279	830	416	288	209	4020	418	194	214	329	742	751	700	941	1255	1072	328		
pox	78	27	5	4	8	1	45	10	2	2	5	8	1	2	-	1	-	-		
les	178	34	63	25	10	10	161	13	3	1	1	1	1	-	-	-	-			
stina	528	29	53	25	32	37	391	149	35	16	12	8	6	1	-	-	-			
beria	103	9	14	11	8	14	59	30	6	4	2	1	2	-	-	2	-			
ping-cough	325	118	107	42	28	18	314	10	1	-	-	-	-	-	-	-	-			
sa	333	6	11	23	18	17	75	40	25	24	29	41	34	23	20	9	7	2	2	2
osa & Dysentery	443	291	61	9	6	3	359	3	2	2	2	2	2	2	14	25	22	6	6	6
ra	91	32	7	1	4	1	45	2	4	2	2	4	8	10	9	2	5	1	1	1
rymotic Dis.	248	36	19	28	33	5	111	18	13	5	9	14	11	4	17	22	19	5	5	5
r	419	-	-	-	-	-	1	-	-	1	1	16	37	118	108	82	31	4	1	1
ala and Tabes	192	81	37	15	5	3	159	8	10	2	3	11	8	3	3	3	1	1	1	1
sis	1146	24	14	9	4	3	54	19	31	110	149	311	248	129	63	27	8	-	-	-
cephalus	177	75	54	15	8	8	160	11	5	-	1	-	-	-	-	-	-	-	-	-
f Brain	1222	201	64	37	17	25	404	25	12	14	16	25	63	113	153	190	160	28	28	28
f Heart & Dropsy	793	10	3	2	2	1	18	14	15	21	25	55	92	91	150	179	109	15	15	15
f Lungs	1717	380	196	76	32	29	713	26	9	13	9	44	42	120	196	322	191	35	35	35
f Stom. and Liver	643	47	7	1	3	3	61	17	7	10	12	54	57	73	88	103	55	6	6	6
f Kidneys	121	1	-	-	-	1	2	4	2	3	7	14	18	16	20	24	7	4	4	4
f Gen. Organs	58	-	-	-	-	-	-	-	1	1	2	13	11	14	7	6	3	-	-	-
f Joints	30	-	1	-	2	-	3	1	5	3	2	4	2	5						

* Including Districts of Clackmannanshire and St.irling. 11. 10. 1900. 21. August 1900.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	82 and upwards.
		17.—EAST LONDON.																
Population, 1861-71	17935	478	413	413	385	380	2069	1825	1695	1851	1807	2785	2315	1700	1119	569	170	30
Total Deaths	4064	913	481	257	142	97	1890	102	56	73	83	228	265	315	337	348	210	67
Pox	41	10	6	—	1	6	23	6	3	1	2	5	—	1	—	—	—	—
Smallpox	145	29	64	28	10	8	139	5	1	—	—	—	—	—	—	—	—	—
Typhoid	206	16	35	32	36	32	151	48	3	1	—	1	—	1	—	—	—	—
Erysipelas	31	5	6	5	4	4	24	6	—	—	—	—	—	—	1	—	—	—
Whooping-cough	222	76	67	38	25	16	216	6	—	—	—	—	—	—	—	—	—	—
Dysentery	190	2	7	12	5	6	32	28	12	12	9	15	23	23	18	14	4	1
Zymotic Dis.	165	91	34	6	2	1	194	1	—	—	—	3	4	4	6	6	3	1
Scrophulous Dis.	42	3	1	2	1	—	7	5	2	—	—	3	4	4	7	4	2	—
Consumption	102	17	24	16	6	3	66	3	1	5	4	7	5	4	4	2	1	—
Brain	87	—	—	—	—	—	—	—	—	1	—	6	9	30	19	18	3	1
Heart & Dropsy	114	53	18	16	12	3	102	9	1	1	—	1	—	—	—	—	—	—
Lungs	482	9	6	5	8	3	31	24	10	20	40	112	106	51	22	7	—	—
Stomach and Liver	112	44	34	16	5	5	104	7	1	—	—	—	—	—	—	—	—	—
Kidneys	380	113	25	21	6	5	180	11	6	3	6	11	13	30	47	43	30	8
General Organs	235	1	2	2	—	—	5	7	4	10	—	12	26	46	50	53	17	1
Joint	107	134	66	40	13	0	289	10	4	2	4	15	20	67	118	116	61	8
Skin	122	4	—	1	—	2	11	2	1	—	2	6	21	27	18	20	8	—
Birth and Metris	24	—	1	1	1	—	3	1	2	2	1	1	7	5	3	4	3	—
Violent Deaths	22	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Causes	16	4	1	1	—	—	22	3	3	—	—	—	—	—	2	4	4	—
Total	561	282	46	14	6	—	348	4	—	1	3	3	—	12	14	46	77	47
18.—WEST LONDON.																		
Population, 1861-71	11541	301	251	263	255	233	1303	988	1027	1165	1172	1980	1504	1123	743	400	128	10
Total Deaths	4951	565	328	211	136	93	1333	330	131	251	292	471	570	547	524	332	218	52
Pox	24	6	2	2	2	1	18	6	—	2	—	1	2	—	—	—	—	—
Smallpox	83	10	38	19	7	5	79	3	—	1	—	—	—	—	—	—	—	—
Typhoid	164	5	11	24	27	16	83	49	15	10	6	1	—	—	—	—	—	—
Erysipelas	27	—	6	4	3	2	18	6	2	2	—	—	—	—	—	—	—	—
Whooping-cough	125	23	43	31	8	11	116	9	—	—	—	—	—	—	—	—	—	—
Dysentery	232	2	6	4	6	10	28	18	15	37	24	27	29	27	15	9	3	—
Zymotic Dis.	101	57	16	3	—	—	78	4	2	1	1	2	5	5	2	1	—	—
Scrophulous Dis.	95	1	2	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
Consumption	130	12	18	16	9	7	62	9	9	10	10	17	5	12	9	6	1	—
Brain	223	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart & Dropsy	53	34	14	11	6	3	68	9	4	1	3	2	4	4	1	—	—	—
Lungs	368	1	4	3	1	1	12	11	20	52	87	155	194	68	25	3	1	—
Stomach and Liver	68	24	18	5	6	0	59	6	—	—	—	1	1	—	—	—	—	—
Kidneys	366	76	16	13	4	2	111	8	9	9	15	21	15	50	65	38	23	2
General Organs	385	1	—	1	—	—	2	11	22	43	32	42	66	68	68	33	8	—
Joint	769	98	60	33	19	14	224	17	7	17	26	36	72	104	129	88	42	6
Skin	317	6	—	2	2	1	11	5	6	16	20	37	52	44	66	41	16	3
Birth and Metris	131	—	—	2	1	—	3	2	3	10	17	21	32	21	18	4	—	—
Violent Deaths	77	—	—	1	—	—	1	—	—	4	6	17	16	21	10	1	1	—
Causes	53	1	2	1	—	—	4	5	3	4	12	8	11	5	1	—	—	—
Total	38	1	3	1	—	—	5	—	1	1	4	7	9	3	4	1	—	—
Birth and Metris	60	—	—	—	—	—	—	—	—	4	13	24	19	—	—	—	—	—
Violent Deaths	22	—	—	—	—	—	—	—	—	2	1	3	5	6	3	3	—	—
Causes	352	25	25	25	25	12	112	46	10	14	6	10	29	18	24	30	30	9
Total	499	182	44	11	5	2	244	6	3	7	3	11	14	14	22	65	88	52
19.—LONDON CITY.																		
Population, 1861-71	19393	383	291	316	303	293	1586	1465	1530	2364	2410	3216	2501	2028	1395	676	194	28
Total Deaths	3119	534	287	189	80	59	1099	130	59	67	97	170	237	278	353	348	213	59
Pox	23	7	—	4	2	1	14	5	—	1	2	—	1	—	—	—	—	—
Smallpox	64	12	27	11	7	3	60	3	—	—	—	—	1	—	—	—	—	—
Typhoid	140	12	17	21	15	18	83	39	12	2	—	2	—	—	—	—	—	—
Erysipelas	27	6	6	4	2	2	20	4	—	—	—	1	—	—	—	—	—	—
Whooping-cough	116	37	45	18	8	5	113	3	—	—	—	—	—	—	—	—	—	—
Dysentery	134	—	7	9	5	6	20	18	10	5	6	6	16	18	13	9	6	1
Zymotic Dis.	89	56	8	2	1	—	67	1	—	1	1	1	1	2	2	5	6	2
Scrophulous Dis.	14	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Consumption	61	3	10	8	4	9	34	8	4	3	8	7	4	6	6	4	3	—
Brain	68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart & Dropsy	60	25	12	4	5	—	46	6	2	2	—	2	16	25	26	21	7	1
Lungs	290	1	14	1	2	—	16	14	12	28	1	—	—	—	—	—	—	—
Stomach and Liver	61	19	20	7	5	2	53	7	—	—	—	—	—	—	—	—	—	—
Kidneys	246	80	30	17	7	4	144	11	4	8	6	11	19	37	51	39	30	1
General Organs	312	—	1	—	—	—	3	1	—	3	7	9	19	28	37	46	23	4
Joint	622	91	66	26	9	7	159	10	4	5	3	21	25	59	111	120	56	14
Skin	194	8	9	—	—	—	11	—	—	2	8	9	16	29	44	28	12	1
Birth and Metris	29	2	2	—	—	—	4	1	1	—	2	—	4	8	6	6	2	—
Violent Deaths	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Causes	8	1	—	—	—	1	2	1	—	1	—	1	—	—	—	—	—	—
Total	38	1	—	—	—	—	—	—	—	—	—	18	10	1	—	—	—	—
Birth and Metris	11	—	—	—	—	—	—	—	—	2	2	4	1	—	—	—	—	—
Violent Deaths	79	16	1	1	3	1	24	4	1	—	—	6	6	4	5	3	3	—
Causes	243	149	23	4	3	—	184	1	2	—	—	1	5	—	—	—	—	—

Deaths of East London and West London were united to the City of London District on 1st January 1870, but are kept distinct in this table.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.															
		1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
20.—SHOREDITCH.																	
Mean Popul ⁿ . 1861-71	61833	2270	1853	1771	1801	1648	9343	7347	6339	5698	5635	10386	7617	5066	2767	1266	331
TOTAL DEATHS	16584	4670	1905	933	528	333	8420	671	189	292	361	933	1168	1242	1330	1167	280
Small-pox	219	57	26	27	19	19	148	50	4	7	7	10	9	1	3	-	-
Measles	452	92	181	63	44	20	430	22	-	-	-	-	-	-	-	-	-
Scarlatina	881	62	146	145	131	102	586	200	27	7	5	5	-	-	-	-	-
Diphtheria	105	22	21	16	13	8	80	15	4	1	1	3	-	-	1	-	-
Whooping-cough	672	240	224	113	46	19	652	19	-	1	-	-	-	-	-	-	-
Typhus	667	17	13	26	28	23	106	78	29	43	27	65	83	64	77	28	21
Diarrhoea & Dysentery	727	474	110	19	4	4	611	6	3	-	-	5	10	7	25	33	21
Cholera	118	87	15	3	2	4	61	9	2	2	2	8	9	6	15	3	1
Other Zymotic Dis.	449	101	64	40	37	18	290	26	9	5	7	21	20	20	22	24	13
Cancer	106	2	-	-	1	1	4	-	-	-	-	2	16	17	25	25	4
Scrophula and Tuberc.	504	248	120	48	17	10	445	22	4	8	4	7	4	6	4	2	7
Phthisis	2234	59	39	19	6	13	106	39	27	187	214	511	603	375	108	68	76
Hydrocephalus	416	173	131	60	14	14	391	18	4	2	-	-	-	-	-	-	-
Dis. of Brain	3005	613	162	71	45	26	917	51	13	27	21	67	126	185	207	249	125
Dis. of Heart & Dropsy	709	17	9	11	4	2	43	39	29	12	25	65	95	107	104	59	45
Dis. of Lungs	3078	810	482	181	81	35	1625	49	9	16	29	83	156	253	364	236	142
Dis. of Stom. and Liver	450	72	8	6	3	3	93	9	8	9	7	20	42	47	84	64	34
Dis. of Kidneys	198	4	4	5	3	-	16	8	4	6	1	11	22	49	27	54	34
Dis. of Genes. Organs	4	1	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	37	-	-	2	5	1	6	9	6	1	-	2	2	3	3	2	2
Dis. of Skin	41	19	-	1	-	-	20	1	-	-	-	-	-	5	3	3	3
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds	55	-	-	-	-	-	-	-	-	2	1	0	11	12	11	8	1
Other Violent Deaths	508	179	92	13	15	4	226	22	14	3	5	13	21	23	14	13	14
Other Causes	2151	1243	178	33	12	8	1574	8	2	2	4	15	28	25	54	128	226
21.—BETHNAL GREEN.																	
Mean Popul ⁿ . 1861-71	55358	1988	1657	1672	1625	1593	8525	7027	6253	5185	4745	8377	6430	4558	2662	1263	303
TOTAL DEATHS	14843	4176	1922	962	545	338	7943	656	186	243	376	791	949	1068	1074	973	280
Small-pox	267	92	40	38	25	15	211	57	3	4	6	3	3	-	-	-	-
Measles	450	55	183	105	55	17	418	14	-	-	-	-	-	-	-	-	-
Scarlatina	809	68	141	161	140	98	608	169	16	6	8	3	2	-	-	-	-
Diphtheria	41	7	9	5	8	3	32	6	1	-	1	-	-	1	-	-	-
Whooping-cough	541	181	183	102	40	17	533	17	-	-	-	1	-	-	-	-	-
Typhus	529	15	20	26	29	25	112	91	35	25	16	44	58	55	54	26	8
Diarrhoea & Dysentery	635	373	146	28	9	4	560	6	2	2	1	4	4	9	14	10	9
Cholera	326	35	40	25	17	9	196	46	12	4	6	33	23	25	21	22	5
Other Zymotic Dis.	366	68	54	59	34	22	228	24	6	7	1	11	20	13	19	24	8
Cancer	71	-	-	-	-	-	1	-	-	1	-	3	10	29	14	11	2
Scrophula and Tuberc.	343	154	92	40	7	5	298	17	7	5	2	1	4	6	5	-	-
Phthisis	1841	31	29	17	10	5	92	33	24	114	237	459	371	318	165	47	1
Hydrocephalus	261	100	91	21	13	12	237	23	-	-	-	-	-	-	-	-	-
Dis. of Brain	1784	696	171	77	41	24	1009	36	11	12	20	53	89	129	166	181	71
Dis. of Heart & Dropsy	690	14	9	14	7	13	57	32	29	18	22	69	97	113	125	88	17
Dis. of Lungs	2058	753	438	156	79	43	1469	62	4	10	28	67	151	215	331	242	42
Dis. of Stom. and Liver	349	56	9	12	5	4	84	16	12	15	11	16	29	50	67	59	13
Dis. of Kidneys	127	-	1	1	1	-	3	7	2	5	4	11	20	22	25	18	1
Dis. of Genes. Organs	8	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	30	2	-	1	-	1	4	-	5	4	-	3	3	2	3	3	1
Dis. of Skin	54	19	5	2	-	-	26	-	5	4	1	-	-	1	1	2	1
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds	61	-	-	-	-	-	-	-	-	2	3	10	11	18	9	8	1
Other Violent Deaths	407	184	95	17	11	13	250	19	14	8	3	18	21	27	18	17	8
Other Causes	2270	1273	230	63	16	8	1596	11	3	-	3	12	27	28	43	218	264
22.—WHITECHAPEL.																	
Mean Popul ⁿ . 1861-71	39524	1132	974	977	934	921	4938	4254	3995	3910	3950	6517	5133	3709	2027	844	311
TOTAL DEATHS	14567	2858	1337	768	414	232	5659	581	246	336	534	1151	1611	1804	1455	902	286
Small-pox	153	21	24	21	14	14	97	22	4	4	8	11	4	3	-	-	-
Measles	375	92	145	80	30	13	260	14	1	-	-	-	-	-	-	-	-
Scarlatina	490	34	73	110	84	69	361	110	12	5	1	1	-	-	-	-	-
Diphtheria	35	5	4	5	8	3	25	7	-	-	-	1	1	1	-	-	-
Whooping-cough	343	110	116	55	35	16	532	11	-	-	-	-	-	-	-	-	-
Typhus	657	7	16	30	21	29	103	37	38	29	34	67	87	108	77	46	19
Diarrhoea & Dysentery	569	279	118	26	7	5	435	6	3	2	10	13	19	18	50	19	5
Cholera	484	57	28	23	18	15	109	45	28	20	25	61	71	55	45	15	11
Other Zymotic Dis.	330	42	57	34	26	14	173	12	1	11	11	22	25	26	24	22	5
Cancer	175	-	1	2	1	-	4	1	-	1	8	14	22	46	48	26	8
Scrophula and Tuberc.	951	86	58	33	10	8	195	15	4	5	8	9	5	5	-	-	-
Phthisis	1394	16	17	12	7	8	60	18	23	89	184	340	436	266	148	62	7
Hydrocephalus	267	86	72	35	14	9	216	17	2	2	-	-	-	-	-	-	-
Dis. of Brain	1319	472	89	43	24	13	632	35	11	20	26	70	109	125	187	75	40
Dis. of Heart & Dropsy	667	3	3	1	2	7	16	24	17	26	20	60	182	143	124	59	14
Dis. of Lungs	2470	520	304	143	62	21	1080	35	10	14	37	99	211	337	569	300	42
Dis. of Stom. and Liver	555	40	5	7	3	-	55	10	12	11	28	57	95	114	111	49	10
Dis. of Kidneys	328	1	2	2	4	1	10	6	5	10	9	48	59	69	70	60	19
Dis. of Genes. Organs	10	-	-	-	-	-	-	-	-	-	1	2	1	2	2	2	-
Dis. of Joints	96	-	2	-	1	1	4	14	9	9	8	23	13	9	8	1	1
Dis. of Skin	57	11	4	-	1	2	18	1	-	1	5	3	10	9	8	1	1
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds	93	-	-	-	-	-	-	-	-	4	7	11	19	26	13	6	-
Other Violent Deaths	1396	102	50	54	35	24	261	101	51	4	9	92	137	215	135	68	23
Other Causes	1862	874	172	49	7	11	1113	29	5	13	12	13	35	34	58	218	235

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGE OF FEMALES.																Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85 & upwards.			
20.—SHOREDITCH.																			
Population 1861-71	66431	2196	1832	1777	1760	1692	9257	7295	6173	5815	6429	11284	8218	5720	3556	1939	648	97	
LE DEATHS	16549	3782	1937	926	546	357	7548	597	194	298	420	1010	1114	1192	1345	1464	1060	307	
Pox	294	52	29	15	18	17	131	51	0	9	7	10	7	3	-	-	-	-	
Smallpox	456	70	182	95	58	34	429	15	-	-	1	1	-	-	-	-	-	-	
Influenza	812	41	139	162	120	105	567	183	56	6	8	6	5	1	-	-	-	-	
Erysipelas	122	15	27	16	21	14	93	16	5	4	-	1	-	2	1	-	-	-	
Croup and Whooping Cough	805	266	271	135	69	33	774	30	-	1	-	-	-	-	-	-	-	-	
Scarlatina	642	16	18	31	29	25	119	69	37	80	33	61	72	64	72	62	17	6	
Measles and Dysentery	715	427	131	26	7	4	895	3	2	1	2	7	5	15	18	35	23	7	
Typhoid Fever	180	34	21	6	2	5	65	11	4	2	2	6	9	8	9	7	4	-	
Typhus	490	68	64	47	30	22	229	35	14	9	11	17	13	50	26	24	16	4	
Consumption	326	-	-	-	-	-	-	-	-	2	1	13	59	87	89	55	16	4	
Scrophulous Affections	393	175	129	56	9	5	354	11	4	5	2	6	1	4	3	6	-	-	
Erysipelas	1771	47	49	28	10	16	150	36	31	149	189	461	399	225	96	35	8	1	
Brain	476	114	89	33	14	7	287	16	1	1	-	-	-	-	-	-	-	-	
Heart and Dropsy	1872	482	118	62	42	15	719	36	14	22	50	79	109	172	219	260	168	44	
Lungs	520	16	9	6	9	5	59	27	17	18	25	61	95	156	189	197	85	10	
Stomach and Liver	2064	649	411	172	84	37	1383	82	11	15	36	67	126	232	380	447	283	53	
Kidneys	573	67	19	5	5	2	81	11	2	7	19	59	72	84	110	88	23	7	
Female Organs	127	-	6	3	2	1	12	2	2	3	2	14	17	22	23	22	8	-	
Fever	78	-	1	-	-	-	1	-	-	-	2	7	21	20	19	4	2	-	
Joint	41	4	4	-	2	2	12	3	-	2	3	2	4	4	5	3	1	-	
Skin	37	13	1	-	-	-	14	-	1	1	-	2	2	2	3	7	4	1	
Birth and Metris	195	-	-	-	-	-	-	-	-	10	40	98	46	1	-	-	-	-	
Violent Deaths	40	-	-	-	-	-	-	-	-	4	5	9	8	4	1	-	-	-	
Unnatural Causes	275	131	18	13	5	2	109	7	1	6	5	8	15	24	14	11	13	2	
	2223	1113	178	95	10	6	1342	3	4	2	7	13	25	27	56	201	377	164	
21.—BETHNAL GREEN.																			
Population 1861-71	57244	1963	1698	1673	1640	1512	8486	6988	6052	5240	5190	8766	6703	4787	2955	1536	468	73	
LE DEATHS	14092	3346	1831	1015	531	343	7066	652	221	287	414	801	813	881	1025	1036	699	197	
Pox	261	67	20	43	25	17	302	96	5	7	8	8	3	2	-	-	-	-	
Smallpox	372	63	131	163	42	11	349	29	1	-	-	1	-	-	1	-	-	-	
Influenza	799	32	124	158	120	95	529	183	28	5	4	7	-	1	-	-	-	-	
Erysipelas	75	6	15	13	10	7	53	19	1	2	-	2	-	2	-	-	-	-	
Croup and Whooping Cough	713	212	245	146	54	26	693	20	-	-	-	-	-	-	-	-	-	-	
Scarlatina	567	15	24	34	32	24	139	84	53	41	34	56	53	37	41	17	11	1	
Measles and Dysentery	647	349	155	25	9	4	542	5	1	-	1	8	5	9	23	24	23	6	
Typhoid Fever	357	62	40	20	11	7	110	32	11	18	20	37	37	35	27	25	7	3	
Typhus	392	49	60	64	48	15	226	33	11	11	8	14	15	11	18	10	3	2	
Consumption	235	-	-	-	1	1	1	-	-	2	-	16	49	64	57	56	9	-	
Scrophulous Affections	282	112	87	24	14	4	241	11	7	9	2	3	2	4	1	1	-	-	
Erysipelas	1335	20	29	13	12	8	82	54	40	110	210	346	248	176	61	24	4	-	
Brain	190	88	46	16	18	8	176	11	3	-	-	-	-	-	-	-	-	-	
Heart and Dropsy	1630	520	129	60	32	26	767	48	18	18	22	43	83	112	167	139	98	15	
Lungs	676	12	8	3	6	7	36	29	21	12	25	55	79	98	144	114	55	8	
Stomach and Liver	2304	607	414	201	72	41	1835	55	8	13	16	63	99	189	308	288	113	17	
Kidneys	328	45	14	4	1	3	67	13	4	8	11	59	47	58	73	68	17	3	
Female Organs	63	1	-	-	-	2	5	2	1	4	3	11	6	17	10	6	2	-	
Fever	39	-	-	-	-	-	-	-	-	-	-	6	6	13	9	5	-	-	
Joint	20	-	-	2	-	-	2	-	6	-	3	1	1	-	-	-	-	-	
Skin	86	15	3	4	1	-	23	-	1	-	1	-	1	2	3	4	1	-	
Birth and Metris	181	-	-	-	-	-	-	-	-	19	41	77	50	5	-	-	-	-	
Violent Deaths	20	-	-	-	-	-	-	-	-	1	3	4	5	2	4	1	-	-	
Unnatural Causes	263	141	23	7	7	4	182	14	2	6	2	9	7	10	7	11	3	2	
	2180	959	244	75	17	13	1308	12	1	5	3	5	15	33	51	232	332	140	
22.—WHITECHAPEL.																			
Population 1861-71	38248	1186	930	997	943	954	5010	4246	3775	3756	3654	6056	4926	3416	2029	1008	319	53	
LE DEATHS	11916	2415	1347	728	375	280	5145	536	190	273	385	858	1079	993	961	812	556	148	
Pox	162	32	25	29	17	15	118	23	6	3	4	4	-	2	2	-	-	-	
Smallpox	342	67	128	68	45	23	331	10	1	-	-	-	-	-	-	-	-	-	
Influenza	441	31	69	89	65	37	311	106	13	8	4	1	-	-	-	-	-	-	
Erysipelas	40	5	7	4	3	6	35	2	2	3	1	4	-	1	1	-	-	-	
Croup and Whooping Cough	421	127	129	97	94	21	408	16	-	1	-	-	-	-	-	-	-	-	
Scarlatina	589	8	18	21	19	25	91	72	34	33	1	61	78	73	59	65	8	1	
Measles and Dysentery	370	223	145	23	11	1	472	7	1	1	1	8	12	14	21	17	13	3	
Typhoid Fever	461	24	25	21	15	10	95	55	15	21	28	60	80	55	40	24	6	2	
Typhus	270	41	48	40	19	13	161	14	12	15	8	11	12	12	17	5	-	3	
Consumption	244	-	-	-	-	-	-	2	1	2	5	15	57	70	54	31	8	1	
Scrophulous Affections	214	73	60	23	13	6	175	9	5	2	4	11	5	1	2	-	-	-	
Erysipelas	1111	16	8	6	3	9	42	25	13	64	132	297	293	143	77	20	3	-	
Brain	148	58	44	25	6	7	140	7	-	-	-	-	-	-	-	-	-	-	
Heart and Dropsy	1014	318	87	35	19	13	502	25	14	18	18	41	71	83	95	90	59	7	
Lungs	642	3	4	3	2	2	14	17	27	26	23	67	98	122	114	92	34	4	
Stomach and Liver	2007	380	328	162	37	39	968	43	5	10	15	54	139	203	261	212	89	14	
Kidneys	473	53	10	2	2	2	48	7	7	19	19	56	74	81	83	60	27	2	
Female Organs	153	-	1	1	3	-	5	7	3	6	18	29	24	23	28	9	1	-	
Fever	97	-	-	-	-	-	-	-	2	2	6	18	16	29	15	10	-	-	
Joint	42	-	-	1	2	2	5	10	4	2	4	4	6	2	1	3	-	-	
Skin	43	9	3	8	-	-	15	-	-	2	2	7	7	2	3	5	2	1	
Birth and Metris	122	-	-	-	-	-	-	-	-	10	24	47	30	2	-	-	-	-	
Violent Deaths	29	-	-	-	-	-	-	-	-	5	2	8	8	5	11	-	-	-	
Unnatural Causes	552	97	59	38	31	25	230	65	22	13	26	35	35	32	23	28	23	3	
	1682	772	169	87	3	4	991	14	5	8	10	23	30	27	44	135	211	108	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
23.—ST. GEORGE-IN-THE-EAST.																		
Mean Popul ⁿ , 1861-71	23649	813	643	635	650	612	3353	2785	2375	2099	2085	3923	3072	2074	1180	546	143	14
TOTAL DEATHS	6891	1873	836	446	215	145	3514	252	73	104	165	349	622	511	526	524	308	51
Small-pox	82	23	11	10	11	5	69	0	-	1	4	2	4	2	-	-	-	-
Measles	218	41	88	54	18	12	218	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	259	15	46	59	49	31	200	47	8	2	2	-	-	-	-	-	-	-
Diphtheria	40	11	9	7	4	4	33	2	-	-	-	-	-	2	1	-	-	-
Whooping-cough	284	116	87	59	19	14	275	9	-	-	-	-	-	-	-	-	-	-
Typhus	236	6	13	15	15	13	62	50	9	12	4	36	30	27	27	5	4	-
Diarrhoea & Dysentery	341	126	70	14	-	3	269	3	0	1	4	5	5	4	9	10	3	1
Cholera	187	19	18	15	8	6	66	24	13	1	4	14	22	17	13	9	2	1
Other Zymotic Dis.	174	32	35	29	9	9	114	8	1	2	1	11	9	7	5	13	8	-
Cancer	85	-	-	-	-	-	-	-	-	-	-	1	7	9	13	10	2	-
Scrophula and Tuberc.	197	67	89	94	11	3	164	16	2	3	3	2	1	2	1	2	1	-
Phthisis	739	9	11	6	1	6	35	16	7	40	95	155	200	125	69	16	-	-
Hydrocephalus	213	96	68	30	13	5	202	9	1	-	1	-	-	-	-	-	-	-
Dis. of Brain	687	254	54	23	11	9	231	22	7	6	4	20	25	46	85	74	90	2
Dis. of Heart & Dropsy	303	6	6	2	5	1	29	6	8	7	7	35	57	65	66	46	18	3
Dis. of Lungs	1296	340	177	76	25	18	656	19	3	3	10	32	71	127	153	156	48	9
Dis. of Stom. and Liver	171	24	4	4	-	1	33	2	1	6	6	12	21	29	34	21	4	-
Dis. of Kidneys	78	3	-	5	6	1	13	5	1	2	1	5	10	13	9	14	3	-
Dis. of Gener. Organs	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	20	2	-	-	-	-	2	8	4	2	1	1	-	1	1	-	-	-
Dis. of Skin	13	5	1	-	-	-	6	-	1	-	-	-	-	1	2	2	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	31	-	-	-	-	-	-	-	-	-	-	4	4	11	4	9	1	1
Other Violent Deaths	224	81	9	4	6	3	161	10	4	15	9	13	39	13	17	8	3	1
Other Causes	1067	546	74	39	13	5	659	2	1	1	4	3	21	18	27	130	132	29

24 a.—STEPNEY.

Mean Popul ⁿ , 1861-71	28333	926	773	791	778	761	4029	3486	3141	2675	2440	4333	3575	2546	1366	583	149	10
TOTAL DEATHS	7297	1928	912	429	268	182	3719	388	181	167	162	433	541	525	559	466	297	28
Small-pox	116	31	14	10	8	10	73	14	8	5	1	6	5	3	1	-	-	-
Measles	175	35	73	35	19	6	167	7	-	-	-	-	-	1	-	-	-	-
Scarlatina	373	20	72	55	60	51	236	99	10	2	-	5	1	-	-	-	-	-
Diphtheria	62	8	19	12	7	4	50	7	1	-	-	1	-	2	-	1	-	-
Whooping-cough	255	84	80	39	30	14	243	10	1	-	-	1	-	-	-	-	-	-
Typhus	315	5	17	13	17	16	68	30	20	12	17	22	52	34	35	29	4	2
Diarrhoea & Dysentery	337	217	65	18	9	2	311	4	2	1	1	5	8	6	6	4	7	2
Cholera	284	22	21	20	9	10	85	36	14	13	10	26	30	33	25	10	1	1
Other Zymotic Dis.	227	43	53	36	27	13	173	19	6	3	2	7	4	10	11	-	1	-
Cancer	50	-	-	-	-	-	-	1	-	-	-	1	2	6	14	7	3	-
Scrophula and Tuberc.	159	62	44	13	7	9	123	11	4	3	1	2	-	-	2	1	-	-
Phthisis	699	7	14	12	8	4	45	21	18	42	53	145	172	101	61	10	9	-
Hydrocephalus	186	89	51	22	10	5	176	8	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	729	281	65	28	19	9	492	28	12	6	9	25	28	53	65	80	19	1
Dis. of Heart & Dropsy	329	6	1	6	4	2	17	19	12	8	1	35	48	67	67	46	17	-
Dis. of Lungs	1290	384	218	76	29	18	729	28	9	12	17	41	76	90	122	165	62	9
Dis. of Stom. and Liver	216	33	5	3	2	2	59	4	8	3	1	10	28	29	49	27	7	-
Dis. of Kidneys	90	1	4	6	1	2	14	8	4	2	1	8	6	9	22	13	2	-
Dis. of Gener. Organs	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	21	-	-	-	-	-	2	7	3	-	2	1	1	-	-	-	-	-
Dis. of Skin	10	8	-	-	-	-	8	-	1	-	-	1	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	29	-	-	-	-	-	-	-	-	-	-	1	8	6	4	8	1	1
Other Violent Deaths	485	75	12	7	3	3	100	41	50	45	35	83	56	46	18	3	3	-
Other Causes	870	514	84	16	3	2	619	4	2	3	2	6	15	11	32	73	82	2

24 b.—MILE END OLD TOWN.

Mean Popul ⁿ , 1861-71	38991	1408	1158	1180	1204	1081	6031	4812	4189	3404	3282	6260	4785	3304	1843	823	228	9
TOTAL DEATHS	9587	2639	1130	554	273	190	4792	441	163	173	214	522	689	720	692	654	422	13
Small-pox	145	39	22	16	6	6	89	20	1	5	10	12	5	1	1	1	-	-
Measles	323	34	101	55	30	16	293	12	4	1	-	-	-	-	-	-	-	-
Scarlatina	340	45	92	104	76	43	380	133	21	4	1	-	-	-	-	-	-	-
Diphtheria	45	5	7	8	5	3	38	7	-	-	-	2	3	2	1	-	-	-
Whooping-cough	328	117	106	64	19	12	313	10	-	-	-	-	-	-	-	-	-	-
Typhus	407	7	15	18	15	11	66	59	26	32	24	30	65	45	31	20	12	-
Diarrhoea & Dysentery	444	225	78	9	2	2	416	5	1	1	1	6	4	6	14	19	8	3
Cholera	275	40	24	22	14	7	197	18	14	6	6	23	31	29	14	8	1	-
Other Zymotic Dis.	275	54	62	37	18	8	169	19	9	6	2	8	10	10	16	19	6	1
Cancer	65	-	-	-	-	-	1	-	1	-	-	1	2	6	14	11	2	-
Scrophula and Tuberc.	138	85	52	15	11	4	167	7	4	2	18	2	-	-	8	-	-	-
Phthisis	1082	14	11	4	2	7	39	32	18	71	112	262	252	165	97	47	4	1
Hydrocephalus	209	75	71	30	14	5	195	12	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	1072	370	75	44	16	14	419	31	10	9	11	29	52	81	104	133	83	9
Dis. of Heart & Dropsy	437	6	1	6	2	4	18	6	17	13	10	20	62	72	70	75	10	10
Dis. of Lungs	1911	514	297	95	35	22	959	31	8	11	21	58	122	164	194	202	121	39
Dis. of Stom. and Liver	259	69	6	2	3	4	71	9	6	5	5	15	31	63	42	47	10	1
Dis. of Kidneys	102	1	1	1	-	1	4	3	2	1	2	4	13	24	21	16	13	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	17	2	1	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-
Dis. of Skin	19	12	-	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	29	-	-	-	-	-	-	-	-	-	-	9	4	8	3	1	1	-
Other Violent Deaths	294	103	14	7	3	4	139	17	4	1	3	9	13	17	17	11	4	2
Other Causes	1184	736	104	19	2	3	864	8	1	1	-	10	14	21	21	23	2	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
23.—ST. GEORGE-IN-THE-EAST.																		
Mean Popul ⁿ , 1861-71		24823	809	621	673	650	629	3382	2763	2389	1961	2320	4174	3228	2231	1374	710	256
TOTAL DEATHS		6993	1554	773	368	229	143	3007	280	64	103	220	540	497	508	585	619	400
Small-pox		84	23	15	8	9	10	65	8	1	2	5	8	—	—	—	—	—
Measles		133	29	79	40	32	5	185	8	—	—	—	—	—	—	—	—	—
Scarlatina		294	20	47	65	52	35	209	63	5	2	5	—	—	—	—	—	—
Diphtheria		41	5	7	5	4	9	30	8	1	—	—	1	—	1	—	—	—
Whooping-cough		280	84	102	64	29	10	272	8	—	—	—	—	—	—	—	—	—
Typhus		286	3	8	12	20	16	69	35	6	12	19	83	29	39	96	14	3
Diarrhoea & Dysentery		313	164	69	14	5	—	252	3	2	—	—	3	3	8	8	20	11
Cholera		241	14	14	9	6	6	49	24	7	5	7	25	38	24	30	21	9
Other Zymotic Dis.		141	19	21	16	15	11	82	13	1	1	4	9	6	4	11	6	4
Cancer		147	1	—	—	—	—	1	—	—	—	2	7	24	53	35	18	7
Serofula and Tabes		143	51	38	16	5	6	116	8	1	3	—	1	2	4	5	1	2
Phthisis		729	7	9	9	5	5	35	17	15	39	90	263	165	72	25	8	—
Hydrocephalus		172	77	46	23	8	5	159	12	1	—	—	—	—	—	—	—	—
Dis. of Brain		652	190	46	25	13	4	278	15	4	9	12	27	54	64	62	87	49
Dis. of Heart & Dropsy		395	4	5	3	2	2	16	12	6	9	13	39	66	67	84	63	25
Dis. of Lungs		1179	276	163	59	17	12	527	20	6	12	20	42	57	85	173	160	64
Dis. of Stom. and Liver		252	26	3	—	1	2	32	7	5	1	9	18	29	42	43	33	9
Dis. of Kidneys		50	1	4	1	—	1	7	4	2	—	1	4	4	2	15	9	2
Dis. of Gener. Organs		29	1	—	—	—	—	1	—	—	—	—	1	8	5	8	3	2
Dis. of Joints		12	—	—	—	1	—	1	—	—	1	2	1	—	—	1	1	1
Dis. of Skin		17	5	1	1	—	—	7	1	—	—	—	—	—	—	1	2	1
Childbirth and Metris		75	—	—	—	—	—	—	—	—	8	18	84	15	—	—	—	—
Suicide		21	—	—	—	—	—	—	—	—	1	5	6	4	5	—	—	—
Other Violent Deaths		156	75	8	4	4	—	91	4	—	1	5	5	4	8	4	10	3
Other Causes		1141	479	88	14	8	4	693	8	1	2	3	16	17	21	44	163	207
24 a.—STEPNEY.																		
Mean Popul ⁿ , 1861-71		28797	879	781	778	752	776	3966	3492	3038	2493	2423	4476	3691	2584	1552	785	253
TOTAL DEATHS		6847	1550	789	452	262	213	3266	327	117	131	174	442	502	476	490	520	317
Small-pox		98	37	17	10	9	4	77	12	—	2	2	4	1	—	—	—	—
Measles		178	28	66	61	18	10	173	5	—	—	—	—	—	—	—	—	—
Scarlatina		347	25	46	62	63	61	247	81	10	4	—	3	—	1	—	—	1
Diphtheria		40	3	8	9	4	6	30	4	4	—	—	—	1	1	—	—	—
Whooping-cough		328	102	99	65	31	17	314	13	1	—	—	—	—	—	—	—	—
Typhus		353	6	15	16	17	15	69	32	18	19	14	38	50	48	36	22	6
Diarrhoea & Dysentery		328	189	64	12	5	5	275	4	3	—	1	6	7	4	10	12	7
Cholera		319	24	19	16	8	9	76	35	13	6	16	50	51	29	30	9	3
Other Zymotic Dis.		189	37	43	29	17	13	139	13	3	3	1	7	5	5	5	5	2
Cancer		115	—	—	1	—	—	1	—	1	—	2	7	26	34	24	17	3
Serofula and Tabes		121	44	47	16	5	5	117	5	2	2	1	1	—	—	1	—	—
Phthisis		645	16	12	12	7	9	56	21	21	41	68	166	144	77	34	14	1
Hydrocephalus		153	54	44	26	13	3	140	11	1	—	—	—	—	1	—	—	—
Dis. of Brain		615	180	53	30	20	14	287	18	5	11	13	14	23	49	47	91	49
Dis. of Heart & Dropsy		546	6	1	—	2	1	9	12	13	16	13	29	42	68	78	47	19
Dis. of Lungs		1199	274	182	90	29	20	605	31	9	4	9	31	38	89	137	172	62
Dis. of Stom. and Liver		220	12	1	3	1	2	19	10	5	7	4	19	34	37	44	33	13
Dis. of Kidneys		42	1	1	1	1	—	4	7	—	1	2	6	13	5	6	5	—
Dis. of Gener. Organs		24	—	—	—	—	—	—	1	—	1	2	6	6	5	3	—	—
Dis. of Joints		23	—	—	—	1	3	4	1	5	3	1	2	1	3	1	2	—
Dis. of Skin		11	4	—	—	—	—	4	2	—	—	—	—	2	—	1	—	2
Childbirth and Metris		75	—	—	—	—	—	—	—	—	4	10	30	30	1	—	—	—
Suicide		28	—	—	—	—	—	—	—	—	2	7	7	7	4	—	1	—
Other Violent Deaths		152	68	8	5	5	4	85	4	1	4	7	13	12	7	10	6	3
Other Causes		875	441	66	20	8	2	537	6	2	1	3	7	9	5	22	80	147
24 b.—MILE END OLD TOWN.																		
Mean Popul ⁿ , 1861-71		44117	1385	1239	1198	1148	1093	6063	4967	4185	3875	3982	7221	5412	3935	2469	1406	526
TOTAL DEATHS		9856	2134	1011	560	323	209	4246	438	148	198	251	628	652	649	754	949	730
Small-pox		132	42	19	14	9	6	90	19	4	4	4	3	6	1	1	—	—
Measles		252	40	98	46	24	21	229	22	1	—	—	—	—	—	—	—	—
Scarlatina		544	40	85	96	90	68	380	129	20	9	3	2	1	—	—	—	—
Diphtheria		65	5	12	10	12	4	45	14	3	—	1	2	1	1	—	—	—
Whooping-cough		421	182	131	80	37	20	400	20	1	—	—	—	—	—	—	—	—
Typhus		404	6	14	19	11	12	62	46	27	27	25	46	44	38	38	35	14
Diarrhoea & Dysentery		426	249	72	13	5	5	343	5	1	3	4	5	3	6	12	20	19
Cholera		297	20	23	8	11	11	73	19	12	10	11	41	47	28	33	23	9
Other Zymotic Dis.		224	39	39	34	23	8	143	21	6	5	3	5	8	6	6	14	6
Cancer		209	—	—	—	—	—	—	—	—	1	—	13	33	60	51	37	7
Serofula and Tabes		149	61	33	17	5	2	118	11	4	2	—	3	1	4	4	1	1
Phthisis		851	12	10	10	6	3	41	20	84	68	102	257	182	91	44	9	—
Hydrocephalus		179	99	66	22	13	4	154	11	4	—	—	—	—	—	—	—	—
Dis. of Brain		1650	264	63	43	17	12	590	27	1	15	8	29	58	76	126	172	121
Dis. of Heart & Dropsy		1597	402	250	133	44	25	824	88	9	11	23	47	72	145	221	290	181
Dis. of Lungs		214	29	5	6	1	2	43	7	5	6	11	23	43	26	60	53	29
Dis. of Stom. and Liver		214	29	5	6	1	2	43	7	5	6	11	23	43	26	60	53	29
Dis. of Kidneys		68	—	—	1	—	1	2	1	—	3	6	11	13	12	12	7	1
Dis. of Gener. Organs		60	—	1	—	—	—	1	—	—	1	—	4	17	13	12	6	2
Dis. of Joints		22	1	2	—	1	—	4	3	2	—	—	—	8	—	—	—	—
Dis. of Skin		24	10	1	4	—	—	15	—	—	—	—	—	—	1	—	—	—
Childbirth and Metris		120	—	—	—	—	—	—	—	—	11	21	72	40	—	—	—	—
Suicide		14	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—
Other Violent Deaths		132	79	8	4	3	1	92	4	4	3	2	4	9	4	1	9	2
Other Causes		1307	630	108	19	10	3	779	8	2	3	4	11	9	14	29	129	133

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--	
																		Year.
25.—POPLAR.																		
Mean Popul ⁿ , 1861-71	48893	1714	1453	1454	1469	1380	7470	6334	5078	4377	3962	7849	6307	4142	2082	944	317	31
TOTAL DEATHS	13853	3519	1398	696	423	255	6291	595	296	333	402	1012	1142	1080	1027	959	696	121
Small-pox	236	47	14	20	11	9	101	24	5	11	18	22	17	5	2	1	-	-
Measles	280	52	106	69	25	11	273	11	-	-	-	-	-	-	-	-	-	-
Scarlatina	568	42	87	110	99	64	393	141	28	1	1	4	3	2	-	-	-	-
Diphtheria	67	9	11	15	8	7	50	10	8	-	-	-	-	-	-	-	-	-
Whooping-cough	541	127	109	41	51	15	283	7	1	-	-	-	-	-	-	-	-	-
Typhus	496	16	24	23	17	17	97	73	86	32	59	52	58	38	43	32	8	1
Diarrhoea & Dysentery	600	553	105	27	6	3	692	5	5	2	5	5	9	12	19	10	15	1
Cholera	442	19	29	19	15	18	160	62	23	11	16	53	58	64	41	24	6	1
Other Zymotic Dis.	502	49	48	31	37	16	181	18	7	4	6	16	12	18	15	14	9	3
Cancer	99	-	1	-	-	-	1	1	-	3	2	5	8	30	39	11	5	1
Scrophula and Tuberc.	330	161	73	27	9	6	281	19	6	4	3	5	5	2	2	-	-	-
Phthisis	1350	51	46	23	12	5	137	30	26	82	151	355	353	241	120	44	3	-
Hydrocephalus	259	100	75	38	16	8	207	17	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	1777	510	325	56	35	10	146	81	12	25	25	160	158	162	188	174	61	14
Dis. of Heart & Dropsy	710	14	12	5	5	5	41	20	19	21	16	68	105	120	147	186	49	1
Dis. of Lungs	2258	679	322	126	65	37	1229	42	12	13	19	80	124	163	205	231	127	15
Dis. of Stom. and Liver	294	73	14	10	2	4	102	12	8	14	8	25	37	57	58	29	11	3
Dis. of Kidneys	143	-	1	2	3	1	7	3	2	3	4	0	18	27	23	26	16	1
Dis. of Gen. Organs	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-
Dis. of Joints	30	3	-	1	1	-	5	6	6	8	-	2	2	2	3	1	-	-
Dis. of Skin	34	8	-	-	1	-	9	-	2	-	1	5	2	2	4	8	1	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	64	-	-	-	-	-	-	-	-	-	-	9	15	12	7	6	-	-
Other Violent Deaths	921	84	23	22	9	12	150	61	28	98	93	119	125	98	49	26	10	1
Other Causes	2000	1102	160	81	15	7	1315	8	2	5	4	24	28	31	51	150	266	79
26.—ST. SAVIOUR, SOUTHWARK.*																		
Mean Popul ⁿ , 1861-71	84575	2876	2384	2320	2232	2233	12041	9712	8697	7860	7764	13667	10753	7442	4296	1835	449	53
TOTAL DEATHS	22346	5989	3327	1331	712	464	10723	905	510	522	522	1878	1720	1921	1874	1612	843	140
Small-pox	219	52	31	24	18	18	142	20	5	8	10	19	8	2	-	-	-	-
Measles	492	91	202	112	41	26	472	19	-	-	-	-	-	-	1	-	-	-
Scarlatina	1122	80	169	211	168	134	702	202	29	14	5	8	5	2	-	-	-	-
Diphtheria	131	27	20	22	15	11	95	26	5	2	1	1	2	-	-	-	1	-
Whooping-cough	374	310	267	140	92	38	847	24	1	1	-	-	1	-	-	-	-	-
Typhus	734	17	31	45	36	26	135	90	46	39	33	67	91	88	66	40	27	3
Diarrhoea & Dysentery	882	624	130	32	7	-	793	7	2	1	2	4	6	16	17	16	24	2
Cholera	117	31	12	4	3	3	63	10	4	3	1	11	6	11	10	6	2	-
Other Zymotic Dis.	509	86	65	64	44	27	986	31	12	13	3	25	27	30	47	28	7	-
Cancer	296	-	-	-	1	2	3	1	3	8	1	0	36	46	65	29	8	-
Scrophula and Tuberc.	450	218	99	45	16	11	385	20	10	10	7	8	2	5	2	1	-	-
Phthisis	2058	92	60	43	33	18	246	54	39	146	297	717	630	645	200	84	18	-
Hydrocephalus	453	179	121	55	33	20	408	20	4	-	-	-	-	-	-	-	-	-
Dis. of Brain	2681	1646	241	160	48	23	1467	55	27	31	29	98	141	177	268	255	129	14
Dis. of Heart & Dropsy	381	12	4	5	7	4	20	27	23	23	20	90	120	200	180	156	63	3
Dis. of Lungs	4211	1065	537	212	88	47	1949	60	18	17	29	120	249	427	577	545	195	21
Dis. of Stom. and Liver	742	101	9	10	6	5	131	24	18	28	0	60	91	145	141	73	26	1
Dis. of Kidneys	359	9	5	4	3	6	20	12	7	0	11	29	54	60	60	67	29	1
Dis. of Gen. Organs	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	94	3	-	1	2	2	8	18	9	0	7	15	5	7	8	1	-	-
Dis. of Skin	49	15	1	4	2	2	24	1	1	-	-	1	1	6	3	3	2	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	121	-	-	-	-	-	-	-	2	2	11	16	30	23	23	3	3	-
Other Violent Deaths	724	141	41	35	30	24	271	60	35	34	36	63	74	63	40	25	13	1
Other Causes	5132	1798	282	67	19	10	2176	14	4	4	7	28	62	60	94	250	322	79
27.—ST. OLAVE, SOUTHWARK.†																		
Mean Popul ⁿ , 1861-71	56275	1935	1661	1657	1583	1515	8351	6837	5757	5358	5131	9155	6982	4719	2601	1087	268	29
TOTAL DEATHS	17128	3965	1530	830	478	343	7205	614	337	441	691	1453	1722	1584	1455	1000	479	87
Small-pox	174	48	18	19	20	13	118	14	6	4	4	15	10	2	-	2	-	-
Measles	370	70	128	73	38	17	226	10	1	1	-	2	-	-	-	-	-	-
Scarlatina	738	50	119	146	118	65	694	164	31	7	5	8	3	1	-	-	-	-
Diphtheria	80	15	25	9	10	10	67	9	2	1	2	1	2	1	1	-	-	-
Whooping-cough	551	199	180	96	39	96	540	21	-	-	-	-	-	-	-	-	-	-
Typhus	457	10	21	32	13	27	108	52	22	20	49	60	57	40	46	19	4	-
Diarrhoea & Dysentery	649	432	125	19	9	9	589	5	1	2	4	7	5	6	11	9	8	-
Cholera	73	16	7	6	4	3	33	8	4	1	3	7	8	5	2	1	1	-
Other Zymotic Dis.	413	65	60	40	46	24	333	20	9	10	14	23	24	27	20	13	2	-
Cancer	287	-	-	1	-	1	2	2	2	7	5	17	48	70	97	30	6	-
Scrophula and Tuberc.	304	142	60	23	9	2	342	19	15	7	10	11	10	6	5	5	-	-
Phthisis	2189	47	42	21	8	10	128	45	29	115	247	623	630	338	153	33	9	-
Hydrocephalus	531	108	99	49	23	11	202	25	7	2	1	2	1	-	-	-	-	-
Dis. of Brain	1783	676	132	53	42	22	927	45	23	24	29	69	113	137	164	177	71	10
Dis. of Heart & Dropsy	933	8	2	7	5	5	27	15	32	37	23	120	184	181	171	89	20	1
Dis. of Lungs	2813	725	362	167	45	34	1376	41	20	16	46	120	179	281	222	226	105	12
Dis. of Stom. and Liver	697	94	11	6	6	7	124	18	8	17	22	61	120	126	160	66	16	-
Dis. of Kidneys	321	3	2	4	2	6	17	15	10	12	23	30	95	94	99	48	6	-
Dis. of Gen. Organs	6	-	-	-	1	-	1	-	-	-	-	1	2	2	-	1	-	-
Dis. of Joints	101	1	1	2	-	1	5	8	10	9	18	17	10	6	13	7	-	-
Dis. of Skin	42	23	3	3	-	-	34	-	4	-	-	6	4	4	12	6	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	69	-	-	-	-	-	-	-	-	-	-	4	20	17	15	2	15	-
Other Violent Deaths	1422	69	20	21	28	20	168	69	96	122	126	264	224	134	128	67	25	1
Other Causes	2940	1109	125	54	11	10	1260	9	6	5	12	42	63	63	78	186	225	79

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
		1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	
25.—POPLAR.																			
an Popul ⁿ , 1861-71.	48894	1689	1455	1497	1450	1408	7499	6323	5092	4072	3994	7762	6235	3989	2244	1213	410	61	1
TOTAL DEATHS -	12569	2856	1298	705	422	281	5562	533	217	285	328	890	947	847	910	1105	776	236	1
Typhoid -	182	37	18	33	17	18	128	22	5	6	7	11	5	3	-	-	-	-	-
Typhus -	201	39	130	53	35	12	269	17	1	-	2	2	-	-	-	-	-	-	-
Typhoid -	607	33	82	112	94	78	397	137	34	4	8	7	-	-	-	-	-	-	-
Typhoid -	86	11	12	16	15	7	61	17	3	1	-	1	3	-	-	-	-	-	-
Typhoid -	453	163	139	85	32	16	445	18	-	-	-	-	-	-	-	-	-	-	-
Typhoid -	518	18	21	21	25	27	114	79	46	39	28	59	37	32	29	23	7	-	-
Typhoid -	537	320	101	33	7	4	455	6	5	1	3	9	7	6	14	32	18	1	-
Typhoid -	438	24	20	16	5	11	76	34	7	14	25	46	68	71	61	25	12	9	1
Typhoid -	334	50	32	29	33	10	154	8	6	9	1	9	8	7	10	14	7	1	-
Typhoid -	292	-	-	-	-	-	2	-	-	2	-	15	55	85	70	48	12	2	-
Typhoid -	312	138	81	32	13	10	274	9	6	7	1	4	4	1	4	1	5	-	-
Typhoid -	1294	29	31	30	11	7	108	28	35	92	122	248	294	162	94	30	1	-	-
Typhoid -	175	64	45	19	19	12	159	9	5	2	-	-	-	-	-	-	-	-	-
Typhoid -	1490	414	124	58	29	18	643	27	16	18	16	71	108	101	162	218	96	17	5
Typhoid -	901	17	7	10	3	5	42	20	22	25	30	65	99	129	153	149	37	5	-
Typhoid -	1904	509	209	123	61	30	1028	44	8	18	17	44	76	111	132	221	127	20	-
Typhoid -	427	41	6	10	-	0	68	17	10	10	9	30	94	94	72	72	14	2	-
Typhoid -	26	-	-	-	-	-	1	2	-	-	2	4	6	9	8	10	4	1	-
Typhoid -	58	-	-	-	-	-	-	-	-	-	1	2	5	13	14	9	10	3	-
Typhoid -	28	2	1	-	-	-	5	1	2	3	1	3	5	3	1	4	-	-	-
Typhoid -	27	5	2	1	-	1	9	-	-	-	-	1	5	3	6	2	-	-	-
Typhoid -	104	-	-	-	-	-	-	-	-	9	80	73	48	4	-	-	-	-	-
Typhoid -	22	-	-	-	-	-	-	-	-	-	-	4	4	7	2	-	-	-	-
Typhoid -	198	69	19	10	6	4	108	9	5	4	-	7	17	12	5	11	5	1	-
Typhoid -	1975	853	129	22	11	4	1093	4	-	7	7	11	15	21	61	241	405	176	1

26.—ST. SAVIOUR, SOUTHWARK.*

an Popul ⁿ , 1861-71.		89900	2754	2370	2353	2241	2148	11866	9836	8533	7979	8362	14804	11541	8088	5114	2768	890	119
TOTAL DEATHS -		21967	4936	2248	1249	680	439	9552	866	319	424	590	1440	1581	1005	1590	1962	1866	372
Typhoid -		194	48	29	27	20	11	135	24	6	5	9	9	4	2	-	-	-	-
Typhoid -		467	79	178	114	53	27	451	14	1	-	-	-	1	-	-	-	-	-
Typhoid -		985	59	141	178	156	106	640	270	41	9	11	9	3	2	-	-	-	-
Typhoid -		130	12	26	31	11	13	93	23	2	1	2	3	2	3	1	-	-	-
Typhoid -		1007	309	321	195	101	42	968	26	3	-	-	-	-	-	-	-	-	-
Typhoid -		788	15	30	45	30	41	189	84	45	44	48	71	98	94	83	61	16	4
Typhoid -		866	535	147	23	6	4	717	12	2	2	5	7	12	12	23	84	94	6
Typhoid -		91	20	12	1	4	3	40	7	1	-	6	11	7	9	14	5	2	1
Typhoid -		471	81	60	71	40	34	280	43	11	11	14	17	19	13	17	31	13	3
Typhoid -		549	1	-	-	-	-	2	-	2	3	9	35	113	138	151	68	19	1
Typhoid -		329	189	90	31	14	7	251	26	10	7	7	5	7	4	1	2	-	-
Typhoid -		2298	78	80	40	23	15	219	55	64	181	286	703	554	384	153	66	14	1
Typhoid -		528	125	105	38	24	11	303	19	4	1	-	-	-	-	-	-	-	-
Typhoid -		2503	776	135	94	36	20	1141	70	25	31	35	81	125	175	263	281	215	41
Typhoid -		1230	16	11	9	2	2	40	29	44	42	40	103	160	218	205	218	89	10
Typhoid -		5596	831	538	340	91	60	1760	55	15	22	31	87	162	320	533	608	315	66
Typhoid -		883	66	8	10	7	7	98	19	19	18	20	70	105	153	163	147	59	8
Typhoid -		201	2	1	2	1	1	7	6	8	10	12	33	36	27	31	26	8	2
Typhoid -		103	-	-	-	-	-	2	-	1	1	7	10	21	27	22	9	3	-
Typhoid -		67	3	1	2	4	1	11	12	9	3	5	11	3	6	4	3	-	-
Typhoid -		69	20	4	-	1	1	26	8	1	-	-	4	3	3	6	5	2	-
Typhoid -		227	-	-	-	-	-	-	-	-	10	36	97	63	1	-	-	-	-
Typhoid -		40	-	-	-	-	-	-	-	-	3	1	7	6	11	6	4	-	-
Typhoid -		482	155	33	34	16	13	254	41	16	11	8	28	22	29	18	27	29	-
Typhoid -		3332	1508	245	69	19	7	1899	18	10	9	14	34	37	50	110	678	547	295

27.—ST. OLAVE, SOUTHWARK.†

San Popul ⁿ , 1861-71.	55881	1913	1598	1650	1577	1550	8294	6865	5653	4506	4692	8914	7096	4884	2975	1474	460	68
TOTAL DEATHS -	14237	3169	1489	803	461	316	6238	596	217	350	481	1048	1104	1085	1127	1093	688	210
Typhoid -	140	45	23	10	8	5	91	23	2	5	6	7	4	1	1	-	-	-
Typhoid -	260	99	143	84	44	18	343	19	-	-	-	-	-	-	-	-	-	-
Typhoid -	740	30	130	139	129	83	510	184	17	7	10	8	4	-	-	-	-	-
Typhoid -	96	17	24	14	6	8	69	15	5	5	1	1	1	-	1	-	-	-
Typhoid -	687	216	247	111	64	32	670	16	-	1	-	-	-	-	-	-	-	-
Typhoid -	474	8	24	25	16	24	97	63	24	30	40	75	46	42	17	8	1	1
Typhoid -	587	362	101	24	3	3	509	-	-	1	3	6	6	9	25	9	3	3
Typhoid -	74	20	4	3	1	3	31	6	2	1	1	10	12	3	8	3	2	-
Typhoid -	343	40	46	48	27	26	187	26	9	12	13	23	18	11	18	19	7	-
Typhoid -	324	-	1	-	-	-	1	2	1	3	2	40	88	157	82	43	9	2
Typhoid -	275	105	54	29	10	8	206	19	11	11	6	11	4	4	5	-	-	-
Typhoid -	1945	26	39	23	12	16	126	41	47	132	210	400	305	169	64	29	2	2
Typhoid -	240	83	72	31	14	11	211	22	4	2	1	-	-	-	-	-	-	-
Typhoid -	1413	452	110	69	29	22	665	29	22	28	15	44	68	113	139	160	83	23
Typhoid -	720	3	3	2	-	-	8	20	27	22	41	65	105	129	134	117	46	5
Typhoid -	2049	292	280	145	33	36	1164	34	19	25	68	123	192	324	317	118	16	5
Typhoid -	633	53	6	3	2	4	70	11	9	12	19	69	98	113	132	74	33	5
Typhoid -	220	-	2	5	2	2	11	5	13	16	41	39	46	29	12	3	-	-
Typhoid -	133	1	-	-	-	1	2	-	6	10	20	37	37	28	25	12	-	-
Typhoid -	74	1	3	2	2	3	11	13	5	7	7	9	7	3	5	3	1	2
Typhoid -	50	12	3	-	2	-	24	-	2	2	1	3	4	3	-	-	-	-
Births and Marriages	284	-	-	-	-	-	-	-	11	6	33	80	53	4	-	-	-	-
Violent Deaths -	43	-	-	-	-	-	-	-	-	7	8	11	6	9	3	-	2	18
Typhoid -	274	77	25	22	18	6	148	32	14	10	9	25	50	34	24	21	252	18
Typhoid -	2038	944	149	31	19	5	1148	12	4	6	13	25	13	20	35	71	252	18

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 15 Years.					Total under 15 Years.											25 & upwards.
			1	2	3	4		5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
31.—LAMBETH.																		
Mean Popul ⁿ , 1861-71		85428	2858	2502	2456	2347	2294	12457	10270	8695	7486	7499	14256	10693	7289	4198	2007	516
TOTAL DEATHS		20254	5900	2213	1019	606	394	10132	826	288	334	484	1069	1411	1576	1576	1515	858
Small-pox		216	65	32	12	20	11	140	17	7	5	6	18	15	5	3	—	—
Measles		309	105	213	126	51	19	314	24	1	—	—	—	—	—	—	—	—
Scarlatina		1051	65	185	184	178	129	741	265	41	8	10	11	4	1	—	—	—
Diphtheria		123	16	18	33	16	11	84	21	6	3	2	1	2	—	1	3	—
Whooping-cough		788	506	271	101	53	27	758	29	1	—	—	—	—	—	—	—	—
Typhus		675	24	58	37	59	24	162	115	44	57	32	54	62	61	59	41	10
Diarrhoea & Dysentery		1014	748	143	22	8	6	927	8	1	4	1	3	4	13	11	17	32
Cholera		104	43	6	5	2	4	60	5	2	3	10	9	5	3	3	1	—
Other Zymotic Dis.		586	97	74	70	28	30	299	48	20	13	13	21	42	33	51	51	15
Cancer		174	—	—	1	3	—	4	1	1	—	1	4	16	40	47	45	17
Scrofula and Tuberc.		458	220	86	28	17	10	361	25	17	13	10	8	9	6	6	3	2
Phthisis		2444	55	50	50	11	12	188	41	42	153	270	540	540	420	190	60	14
Hydrocephalus		431	160	108	59	33	22	382	35	9	3	1	1	—	—	—	—	—
Dis. of Brain		2260	894	178	69	50	27	1218	51	20	19	22	64	114	176	232	268	149
Dis. of Heart & Dropsy		852	10	3	8	2	3	20	24	17	18	17	74	107	165	194	120	56
Dis. of Lungs		3611	1032	516	194	62	35	1829	46	12	16	31	117	225	259	465	463	214
Dis. of Stom. and Liver		746	121	15	6	7	9	158	10	9	12	21	48	89	116	128	115	58
Dis. of Kidneys		287	3	4	5	3	3	18	10	3	3	6	26	37	49	30	51	31
Dis. of Genes. Organs		6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		62	1	4	—	3	3	11	6	7	7	4	3	6	7	3	4	2
Dis. of Skin		65	21	8	2	—	—	31	1	—	—	—	—	—	6	12	6	1
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		90	—	—	—	—	—	—	—	—	—	—	6	13	19	28	16	8
Other Violent Deaths		401	95	20	14	12	3	144	28	23	14	22	31	40	45	18	19	8
Other Causes		2956	1819	241	33	8	6	2107	8	5	3	6	16	56	62	99	295	273
32.—WANDSWORTH.																		
Mean Popul ⁿ , 1861-71		44703	1420	1316	1286	1276	1233	6521	5710	4973	3985	3692	6887	5523	3772	2169	1109	321
TOTAL DEATHS		9588	2785	907	401	305	194	4592	374	161	225	225	567	691	706	707	729	565
Small-pox		118	36	16	7	6	7	72	13	6	1	5	15	4	1	1	—	—
Measles		208	44	74	29	28	12	187	17	4	—	—	—	—	—	—	—	—
Scarlatina		483	30	65	74	90	71	330	116	21	4	5	3	2	1	1	—	—
Diphtheria		82	7	17	8	8	6	46	21	3	2	—	1	2	2	1	3	1
Whooping-cough		256	105	87	35	19	8	254	2	—	—	—	—	—	—	—	—	—
Typhus		242	7	8	16	12	8	51	58	19	21	11	28	29	28	10	16	1
Diarrhoea & Dysentery		457	327	50	8	4	4	393	1	2	2	1	1	5	3	7	9	4
Cholera		62	16	13	2	—	—	39	4	2	1	—	3	2	4	4	1	1
Other Zymotic Dis.		279	46	23	37	20	20	153	15	8	10	6	13	15	19	16	19	7
Cancer		83	—	—	—	—	—	—	—	—	—	1	4	12	16	16	22	12
Scrofula and Tuberc.		227	100	52	11	6	8	177	13	10	10	5	5	2	2	1	—	—
Phthisis		1044	42	24	12	2	8	88	14	14	72	100	253	216	180	77	17	3
Hydrocephalus		186	71	50	21	24	3	169	14	1	2	—	—	—	—	—	—	—
Dis. of Brain		1379	378	86	35	26	9	534	89	10	20	19	45	157	123	134	160	88
Dis. of Heart & Dropsy		518	8	2	3	1	2	16	9	10	17	8	36	62	78	114	115	51
Dis. of Lungs		1493	493	218	69	37	16	833	12	5	13	14	38	73	110	146	156	62
Dis. of Stom. and Liver		322	64	6	7	2	2	81	4	5	6	6	15	41	61	55	45	16
Dis. of Kidneys		172	—	—	1	1	3	5	4	5	4	4	13	20	29	20	51	16
Dis. of Genes. Organs		6	1	—	—	—	—	1	—	—	—	1	1	1	2	—	—	—
Dis. of Joints		31	1	—	—	2	1	4	6	4	3	—	2	5	1	5	1	—
Dis. of Skin		34	14	2	1	1	1	19	1	—	1	—	2	3	1	2	4	1
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		55	—	—	—	—	—	—	—	—	3	4	11	12	8	10	6	1
Other Violent Deaths		224	29	15	7	4	5	60	27	25	33	23	45	81	56	21	14	5
Other Causes		1855	967	99	18	5	—	1089	4	1	1	1	13	19	18	46	29	50
33.—CAMBERWELL.																		
Mean Popul ⁿ , 1861-71		41224	1423	1226	1251	1267	1187	6354	5414	4580	3695	3163	6028	4967	3472	2060	1097	353
TOTAL DEATHS		9650	2065	855	389	254	172	4335	441	191	163	247	565	781	723	793	809	481
Small-pox		65	12	9	2	5	3	31	6	3	4	3	9	6	1	—	2	—
Measles		159	34	62	32	15	6	149	7	2	—	—	—	1	—	—	—	—
Scarlatina		473	25	59	65	68	57	297	134	27	7	1	5	—	—	—	—	—
Diphtheria		89	13	13	12	7	7	62	23	4	3	2	1	2	1	—	1	—
Whooping-cough		507	147	99	29	16	8	296	11	—	—	—	—	—	—	—	—	—
Typhus		261	15	15	14	14	23	81	33	26	11	12	24	21	18	19	10	6
Diarrhoea & Dysentery		615	374	62	7	3	4	462	4	—	3	1	4	3	9	9	15	14
Cholera		64	25	6	2	—	1	94	8	1	1	3	5	4	4	3	1	—
Other Zymotic Dis.		226	84	28	25	17	11	115	23	10	8	2	7	16	13	18	10	4
Cancer		85	—	—	—	—	—	—	1	—	—	—	1	3	10	20	27	14
Scrofula and Tuberc.		271	129	55	18	10	8	217	22	10	—	6	3	6	2	2	1	—
Phthisis		1066	52	16	10	6	6	90	22	16	54	136	214	251	158	86	27	4
Hydrocephalus		193	80	58	20	18	6	182	13	2	—	1	—	—	—	—	—	—
Dis. of Brain		1329	377	75	45	18	12	527	59	19	13	16	69	171	153	169	207	121
Dis. of Heart & Dropsy		432	5	8	1	3	3	14	16	12	14	27	61	65	82	85	122	7
Dis. of Lungs		1575	407	174	68	34	16	689	25	7	10	22	51	91	128	203	213	114
Dis. of Stom. and Liver		293	53	6	4	4	3	70	13	14	4	4	24	42	55	63	71	37
Dis. of Kidneys		165	1	1	1	1	1	5	1	1	8	2	12	19	26	31	43	22
Dis. of Genes. Organs		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		24	1	—	—	—	1	2	3	2	—	2	1	3	1	4	—	1
Dis. of Skin		31	14	1	—	—	—	15	1	—	—	1	—	—	2	3	8	1
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		248	42	12	1	5	2	63	28	25	3	4	10	13	21	21	20	9
Other Causes		1353	822	101	23	8	1	935	6	3	1	8	9	14	23	26	26	253

Dr. I.]

Cause of Death in the Ten Years 1861-70.—Females.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
		31.—LAMBETH.																
Mean Popul ⁿ , 1861-71	99765	2983	2464	2505	2441	2313	12706	10209	8995	9250	10212	17324	12383	8772	5611	3142	1033	
TOTAL DEATHS	20734	4847	2083	1062	52	408	9082	790	308	361	531	1313	1395	1358	1643	1930	1507	
Small-pox	188	48	25	17	12	12	114	26	7	6	7	11	9	8	2	1	-	
Measles	545	100	200	120	52	34	525	16	2	2	-	-	-	-	-	-	-	
Scarlatina	1042	40	155	185	161	123	673	250	59	12	15	21	4	3	2	-	-	
Diphtheria	138	15	30	27	28	12	112	33	8	1	3	-	1	-	2	1	-	
Whooping-cough	956	308	322	168	83	45	921	38	2	-	-	-	-	-	-	-	-	
Typhus	676	23	25	32	87	38	155	82	54	41	33	71	45	47	64	39	18	
Diarrhoea & Dysentery	945	616	144	21	13	5	799	6	-	2	1	10	13	16	16	30	22	
Cholera	130	47	14	1	5	2	69	19	6	7	1	7	16	6	4	6	8	
Other Zymotic Dis.	444	98	83	59	44	26	280	54	20	9	13	31	27	25	44	35	20	
Cancer	623	-	-	-	-	1	1	2	-	1	5	29	101	100	171	111	29	
Scrofula and Tuberc.	425	187	90	27	13	6	323	29	19	7	8	8	11	8	7	5	-	
Phthisis	2161	43	50	28	13	12	146	61	77	171	243	281	477	223	115	45	21	
Hydrocephalus	323	129	90	39	22	19	302	10	1	-	-	-	1	-	-	-	-	
Dis. of Brain	2292	636	151	73	33	31	944	57	24	26	24	66	100	152	249	368	298	
Dis. of Heart & Dropsy	1063	13	4	1	6	2	26	28	11	17	36	75	114	160	228	223	115	
Dis. of Lungs	3734	820	459	179	100	53	1811	47	23	13	27	71	145	202	454	614	415	
Dis. of Stom. and Liver	940	82	15	9	7	3	123	16	20	14	21	82	124	151	163	140	60	
Dis. of Kidneys	196	5	1	1	2	-	9	1	5	2	3	25	35	39	59	29	12	
Dis. of Gener. Organs	123	-	-	-	-	-	-	-	1	1	-	5	10	38	26	14	3	
Dis. of Joints	51	2	1	1	1	1	6	7	5	9	2	6	4	3	4	4	2	
Dis. of Skin	66	18	3	1	2	1	25	1	1	-	-	2	2	2	9	6	11	
Childbirth and Metris	312	-	-	-	-	-	-	-	-	15	61	182	73	1	-	-	-	
Suicide	45	-	-	-	-	-	-	-	-	-	1	3	11	11	4	4	-	
Other Violent Deaths	238	108	8	11	9	7	143	16	6	1	1	10	9	10	12	11	16	
Other Causes	2074	1511	207	43	9	5	1775	17	2	2	10	25	35	37	64	212	256	
32.—WANDSWORTH.																		
Mean Popul ⁿ , 1861-71	53029	1451	1339	1323	1320	1287	6720	5837	5171	4858	5079	9076	6762	4520	2700	1602	556	
TOTAL DEATHS	9436	2152	828	462	265	196	3903	409	189	196	239	595	630	618	783	875	770	
Small-pox	97	19	10	8	8	6	51	15	4	2	5	11	3	3	2	1	-	
Measles	219	38	73	52	17	12	192	14	3	-	1	-	-	-	-	-	-	
Scarlatina	483	35	72	79	72	56	314	125	22	5	6	11	3	-	1	1	-	
Diphtheria	95	8	6	11	9	14	48	29	6	4	1	2	-	1	2	-	-	
Whooping-cough	301	111	100	43	21	13	288	19	-	1	-	-	-	-	-	-	-	
Typhus	289	10	8	18	18	10	70	45	28	20	19	34	25	13	17	9	8	
Diarrhoea & Dysentery	409	279	44	11	6	3	343	4	-	1	1	6	4	9	13	13	12	
Cholera	43	18	3	3	1	1	20	9	1	1	1	4	1	1	3	2	1	
Other Zymotic Dis.	254	29	33	24	22	13	121	14	14	10	5	17	8	10	19	12	13	
Cancer	289	-	-	-	-	-	1	-	-	-	1	13	33	81	82	48	27	
Scrofula and Tuberc.	221	101	33	24	6	6	170	14	9	6	4	4	4	3	5	2	-	
Phthisis	928	22	22	10	1	8	63	25	27	91	90	234	206	112	49	17	5	
Hydrocephalus	144	54	32	17	8	8	119	13	10	-	-	-	-	-	-	-	-	
Dis. of Brain	1225	288	92	48	27	20	455	25	12	11	24	43	94	89	135	178	128	
Dis. of Heart & Dropsy	590	10	4	5	3	-	21	14	12	9	15	31	65	82	111	141	77	
Dis. of Lungs	1426	350	180	67	33	16	646	29	8	9	7	41	34	88	172	225	149	
Dis. of Stom. and Liver	412	42	5	3	1	1	52	9	4	3	12	34	50	49	82	60	30	
Dis. of Kidneys	88	-	2	-	2	-	4	1	-	2	2	11	11	15	18	18	6	
Dis. of Gener. Organs	60	-	-	-	-	-	-	-	-	1	2	5	7	16	15	11	2	
Dis. of Joints	31	2	-	-	-	1	3	1	1	4	-	3	7	5	4	2	1	
Dis. of Skin	82	18	1	-	-	-	14	1	-	2	-	2	1	4	1	6	3	
Childbirth and Metris	148	-	-	-	-	-	-	-	-	5	23	70	49	1	-	-	-	
Suicide	18	-	-	-	-	-	-	-	-	3	1	8	6	2	3	-	-	
Other Violent Deaths	123	29	13	12	3	-	37	11	1	4	4	8	8	10	6	8	8	
Other Causes	1515	714	25	28	8	2	845	6	5	4	4	12	10	22	39	116	278	
33.—CAMBERWELL.																		
Mean Popul ⁿ , 1861-71	50172	1387	1253	1243	1214	1185	6282	5416	4854	4902	4831	8050	6073	4318	2890	1617	653	
TOTAL DEATHS	9928	2189	817	390	290	171	3857	410	173	187	236	601	677	601	801	1127	837	
Small-pox	67	19	8	2	2	3	34	13	3	-	5	4	4	4	-	-	-	
Measles	166	35	61	36	15	8	155	9	1	-	-	1	-	-	-	-	-	
Scarlatina	457	31	51	70	73	52	277	126	28	9	8	9	4	-	1	-	-	
Diphtheria	104	14	17	9	9	9	58	24	11	-	-	3	3	2	2	1	-	
Whooping-cough	374	119	117	72	37	16	361	12	-	-	-	1	-	-	-	-	-	
Typhus	332	12	11	12	14	13	62	45	22	18	9	26	21	15	15	18	7	
Diarrhoea & Dysentery	400	263	49	9	2	2	325	7	-	-	3	8	3	3	14	16	19	
Cholera	37	22	6	1	3	2	34	3	2	-	-	3	3	3	4	1	1	
Other Zymotic Dis.	233	32	24	19	25	5	165	20	9	5	4	16	14	11	13	20	15	
Cancer	364	-	-	-	-	-	-	-	-	-	2	14	49	93	83	89	59	
Scrofula and Tuberc.	223	105	56	13	5	6	185	10	6	5	2	2	5	5	3	-	-	
Phthisis	1002	32	13	10	11	6	72	28	28	83	104	208	221	125	41	28	3	
Hydrocephalus	157	50	38	19	16	7	150	18	5	3	1	-	-	-	-	-	-	
Dis. of Brain	1372	271	70	29	15	16	401	21	15	16	17	69	92	116	168	228	174	
Dis. of Heart & Dropsy	604	8	3	3	2	2	18	9	20	11	15	37	64	78	127	154	65	
Dis. of Lungs	1527	326	178	54	37	15	610	18	10	10	13	33	59	86	167	280	155	
Dis. of Stom. and Liver	497	44	9	1	7	3	64	16	3	8	12	38	57	76	80	89	60	
Dis. of Kidneys	107	2	1	1	3	-	7	4	5	2	3	14	5	21	19	17	10	
Dis. of Gener. Organs	64	1	1	-	-	-	2	-	-	-	3	9	9	15	16	9	1	
Dis. of Joints	28	1	-	1	-	1	3	7	2	2	1	4	2	3	1	2	1	
Dis. of Skin	33	8	1	-	1	-	10	-	-	-	1	6	4	5	1	3	2	
Childbirth and Metris	141	-	-	-	-	-	-	-	-	2	30	64	47	1	-	-	-	
Suicide	28	-	-	-	-	-	-	-	-	-	4	5	3	1	5	3	-	
Other Violent Deaths	113	40	12	5	3	3	63	4	2	6	4	8	8	1	20	39	139	
Other Causes	1540	754	21	24	10	2	881	6	1	2	3	6	6	8	20	59	139	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL Ages.	AGES OF MALES.																	Total under 5 Years.	2 Years and over.
		Total under 1 Year.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	75			
35.—GREENWICH.*																				
Mean Popul ⁿ , 1861-71	66396	2036	1805	1796	1704	1741	9082	7541	7130	6451	6819	10778	7552	5306	3028	1657	755	97		
TOTAL DEATHS -	18177	4223	1382	799	506	540	7450	698	545	433	716	1480	1453	1386	1242	1286	1262	356		
Small-pox -	169	43	30	9	12	5	89	20	6	7	10	18	6	5	-	1	-	-		
Measles -	854	68	155	78	30	19	825	24	1	1	2	1	-	-	-	-	-	-		
Scarlatina -	760	40	95	127	146	90	498	196	23	11	8	7	3	2	-	-	-	-		
Diphtheria -	155	25	32	21	24	14	116	16	2	1	6	5	3	1	5	-	-	-		
Whooping-cough -	432	173	149	60	25	13	410	22	1	-	-	-	-	-	-	-	-	-		
Typhus -	734	21	33	40	37	36	167	90	54	37	54	63	61	58	41	25	9	1		
Diarrhoea & Dysentery -	618	460	100	24	9	6	622	8	3	7	36	29	18	17	22	21	30	6		
Cholera -	196	36	21	4	7	10	78	18	9	8	9	24	21	13	11	5	3	-		
Other Zymotic Dis. -	463	39	59	69	41	34	243	37	29	9	14	25	21	20	24	28	18	4		
Cancer -	179	-	-	-	1	-	1	-	-	2	2	13	11	34	41	65	26	2		
Scrophula and Tuberc -	855	149	79	56	15	6	379	24	14	12	19	9	9	5	2	-	-	-		
Phthisis -	2402	45	36	23	5	5	112	46	42	156	293	603	537	265	175	62	18	-		
Hydrocephalus -	388	170	109	45	24	11	339	22	8	-	-	-	-	-	1	-	-	-		
Dis. of Brain -	2027	706	144	62	31	16	966	62	25	24	24	72	101	162	187	295	109	20		
Dis. of Heart & Dropsy -	1024	24	8	6	6	5	47	19	25	21	40	130	132	178	103	154	194	10		
Dis. of Lungs -	2268	788	365	158	63	45	1394	49	12	23	37	163	167	199	235	294	141	29		
Dis. of Stom. and Liver -	645	90	5	-	4	7	105	18	9	15	53	62	67	101	108	71	50	10		
Dis. of Kidneys -	534	2	4	2	3	5	16	4	4	10	14	36	45	48	35	36	38	10		
Dis. of Genes. Organs -	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-		
Dis. of Joints -	78	1	9	1	1	2	7	10	11	9	6	11	10	6	2	3	2	3		
Dis. of Skin -	84	18	7	1	-	-	26	1	-	2	6	19	7	12	10	4	2	-		
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide -	80	-	-	-	-	-	-	-	-	5	4	10	20	18	18	7	3	-		
Other Violent Deaths -	814	82	30	21	10	10	123	40	64	80	88	103	92	74	32	33	20	1		
Other Causes -	2742	1200	167	46	13	5	1427	5	6	4	12	50	53	60	65	287	329	331		
36.—LEWISHAM.†																				
Mean Popul ⁿ , 1861-71	35764	1210	1017	1043	987	961	5218	4303	3563	3396	3416	5837	4418	2951	1630	754	242	36		
TOTAL DEATHS -	6874	1948	698	285	222	160	3253	311	124	120	200	535	512	470	46	440	345	161		
Small-pox -	54	7	4	4	4	3	22	5	3	3	7	7	6	1	1	-	-	-		
Measles -	145	23	55	24	22	11	135	19	-	2	-	-	-	-	-	-	-	-		
Scarlatina -	331	28	36	62	60	31	220	84	19	2	2	-	-	-	-	-	-	-		
Diphtheria -	69	5	10	10	6	11	42	19	-	2	1	1	2	1	-	1	-	-		
Whooping-cough -	181	75	62	28	12	10	177	8	-	-	-	-	-	-	-	-	-	-		
Typhus -	293	8	11	10	15	6	48	27	15	20	19	20	14	14	6	8	1	1		
Diarrhoea & Dysentery -	364	261	46	9	4	6	325	5	-	1	7	2	2	2	2	7	14	-		
Cholera -	42	14	-	1	1	-	16	1	1	2	1	6	2	6	2	4	1	-		
Other Zymotic Dis. -	237	56	24	20	14	18	112	22	6	4	10	20	20	11	17	4	11	-		
Cancer -	70	-	-	1	-	-	1	-	-	-	-	4	8	20	20	13	4	-		
Scrophula and Tuberc -	153	56	31	8	3	4	102	18	8	6	1	2	2	2	-	2	-	-		
Phthisis -	863	12	10	8	6	2	33	20	19	46	105	239	205	121	57	17	-	1		
Hydrocephalus -	196	73	53	19	23	11	179	15	3	1	-	-	-	-	-	-	-	-		
Dis. of Brain -	706	273	56	21	13	12	375	27	7	3	7	20	49	51	82	95	66	11		
Dis. of Heart & Dropsy -	491	4	2	-	4	3	13	11	8	6	9	32	58	62	77	67	31	7		
Dis. of Lungs -	1022	339	152	45	22	5	554	14	7	4	16	43	44	64	94	95	71	16		
Dis. of Stom. and Liver -	324	67	2	3	2	1	73	9	6	3	4	39	44	43	47	45	13	8		
Dis. of Kidneys -	155	-	2	1	-	-	3	5	1	3	3	15	18	19	18	30	19	1		
Dis. of Genes. Organs -	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints -	20	1	-	-	2	-	3	7	3	8	-	4	5	1	2	2	3	-		
Dis. of Skin -	19	8	3	-	-	-	11	1	-	1	-	2	1	-	2	1	-	-		
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide -	55	-	-	-	-	-	-	-	1	-	-	-	9	7	10	6	-	2		
Other Violent Deaths -	188	58	11	4	6	4	63	7	18	10	12	18	20	20	8	6	3	4		
Other Causes -	1012	629	76	12	5	2	724	3	4	1	2	12	8	21	21	42	115	57		

* This Table includes population of the Sub-district of Woolwich Dockyard and Arsenal with the Deaths occurring therein for the whole 10 years.

† This Table includes the portion of the new Woolwich District not transferred to and included in the Greenwich Table.

Div. 11

Causes of Death in the Ten Years 1861-70.—Females.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
35.—GREENWICH.*																	
Mean Popul ⁿ . 1861-71	65517	1968	1721	1741	1733	1683	8846	7446	6313	5677	6008	10630	8266	5702	3592	2101	613
TOTAL DEATHS	15017	3517	1552	758	470	327	6034	631	272	315	378	977	1099	935	1135	1276	1075
Small-pox	162	42	21	13	11	10	27	24	6	6	9	8	7	5	-	-	-
Measles	290	55	117	45	30	22	99	6	8	-	1	1	-	-	-	-	-
Scarlatina	746	44	93	134	109	97	479	128	33	12	9	13	2	-	-	-	-
Diphtheria	137	21	19	25	20	13	98	10	10	2	3	5	1	1	-	-	1
Whooping-cough	548	185	188	70	45	23	524	21	3	-	-	-	-	-	-	-	-
Typhus	644	29	43	51	37	27	187	90	54	40	31	65	54	51	40	24	7
Diarrhoea & Dysentery	693	438	109	13	4	4	508	17	2	2	4	10	9	12	18	21	29
Cholera	171	21	13	7	7	4	62	17	4	4	6	23	27	17	9	11	1
Other Zymotic Dis.	348	00	32	42	26	23	213	23	10	10	4	20	12	18	12	10	15
Cancer	370	-	1	1	1	1	4	1	-	-	-	17	60	93	101	63	26
Scrofula and Tuberc.	832	188	93	29	6	8	274	20	10	8	2	5	2	3	6	1	1
Phthisis	1725	44	35	27	8	10	124	43	53	132	184	443	375	299	123	34	5
Hydrocephalus	248	94	71	32	20	9	236	19	3	-	-	-	-	-	-	-	-
Dis. of Brain	1674	895	129	60	41	27	833	40	30	28	13	48	82	113	147	186	129
Dis. of Heart & Dropsy	844	18	6	3	4	6	37	14	16	16	19	61	105	115	172	190	87
Dis. of Lungs	2287	577	348	142	67	28	1162	42	15	18	16	53	88	124	266	297	170
Dis. of Stom. and Liver	583	53	17	4	1	3	73	11	6	13	17	48	80	90	109	103	53
Dis. of Kidneys	121	-	2	4	4	1	11	1	3	2	6	18	20	16	20	13	9
Dis. of Gen. Organs	80	-	1	-	1	-	2	-	-	2	3	5	22	13	20	8	1
Dis. of Joints	33	1	2	1	-	-	3	5	4	1	2	6	5	1	3	1	2
Dis. of Skin	63	20	3	1	2	1	27	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	294	-	-	-	-	-	-	-	-	10	61	87	78	-	-	-	-
Suicide	23	-	-	-	-	-	-	-	-	-	1	4	6	4	4	5	-
Other Violent Deaths	225	63	37	12	5	-	127	11	9	2	8	10	13	6	12	6	15
Other Causes	2466	989	160	32	10	8	1199	16	4	5	9	16	17	40	79	294	531
36.—LEWISHAM.†																	
Mean Popul ⁿ . 1861-71	41804	1201	994	1067	1044	985	5291	4351	3922	4159	4637	7459	4961	3371	2123	1095	372
TOTAL DEATHS	6090	1611	608	332	189	158	2898	309	124	157	169	455	474	430	481	558	483
Small-pox	42	17	3	2	2	1	25	4	-	2	3	3	2	1	1	1	-
Measles	126	28	53	22	11	9	127	7	2	-	-	-	-	-	-	-	-
Scarlatina	359	50	36	63	43	34	216	101	18	7	5	6	5	-	-	1	-
Diphtheria	59	6	11	22	8	9	55	28	4	1	2	4	3	1	-	-	-
Whooping-cough	268	105	75	35	27	14	259	13	-	-	-	-	-	-	-	-	-
Typhus	237	5	11	18	11	7	93	81	23	29	14	30	12	13	15	9	8
Diarrhoea & Dysentery	300	206	34	8	-	-	248	8	1	-	-	5	2	4	4	8	17
Cholera	41	10	3	2	-	-	16	4	2	-	2	3	3	1	6	3	-
Other Zymotic Dis.	300	25	30	29	17	16	120	6	5	7	5	10	12	8	3	12	11
Cancer	230	-	-	-	-	-	-	-	-	2	1	9	40	75	55	55	19
Scrofula and Tuberc.	116	44	20	10	2	5	81	7	8	1	2	6	6	4	1	-	-
Phthisis	620	50	10	6	5	2	49	19	19	63	79	201	164	69	35	13	1
Hydrocephalus	158	59	43	15	12	7	139	18	2	-	1	1	-	-	-	-	-
Dis. of Brain	797	245	85	24	13	11	346	20	11	9	8	26	51	52	71	105	77
Dis. of Heart & Dropsy	430	8	6	-	2	2	13	10	6	9	12	27	39	69	95	97	43
Dis. of Lungs	905	223	124	43	30	15	439	15	7	8	8	24	30	44	90	110	105
Dis. of Stom. and Liver	321	33	13	7	1	2	65	7	6	7	8	23	17	32	31	48	34
Dis. of Kidneys	85	1	1	-	-	1	3	2	1	2	4	13	11	16	17	9	8
Dis. of Gen. Organs	52	-	-	-	-	-	3	-	-	-	1	8	10	10	8	4	3
Dis. of Joints	20	-	-	1	-	2	3	2	3	3	-	2	2	1	3	-	1
Dis. of Skin	30	9	-	-	-	-	9	-	2	-	-	3	3	1	-	1	1
Childbirth and Metris.	80	-	-	-	-	-	-	-	-	5	13	43	28	2	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	1	3	3	2	1	-	1
Other Violent Deaths	93	39	8	4	3	3	57	5	2	4	4	1	2	3	7	3	6
Other Causes	369	508	69	11	2	2	592	8	2	2	4	6	12	18	16	79	168

* This Table includes population of the Sub-district of Woolwich Dockyard and Arsenal with the Deaths occurring therein for the whole 10 years.

† This Table includes the portion of the new Woolwich District not transferred to and included in the Greenwich Table.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
		1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	1861-71	
37.—EPSOM.																			
Mean Popul ⁿ , 1861-71		12891	372	308	338	340	324	1682	1636	1752	1206	995	1711	1416	1126	769	432	144	22
TOTAL DEATHS -		2360	466	184	74	44	53	771	122	45	54	55	150	162	181	247	248	205	60
Small-pox -		10	4	-	2	1	-	7	1	1	2	-	4	1	3	-	-	-	-
Measles -		38	4	16	8	-	4	22	5	1	-	-	-	-	-	-	-	-	-
Scarlatina -		93	5	9	19	12	11	56	26	5	9	-	3	1	-	-	-	-	-
Diphtheria -		25	4	3	4	3	5	17	4	1	1	2	-	-	-	-	-	-	-
Whooping-cough -		47	18	14	5	2	5	44	8	-	-	-	-	-	-	-	-	-	-
Typhus -		57	-	3	1	2	1	7	7	3	0	7	11	3	5	5	3	3	3
Diarrhoea & Dysentery -		87	37	12	2	1	3	55	10	1	-	1	-	4	3	4	4	4	4
Cholera -		14	9	1	-	-	-	10	-	-	-	-	-	1	1	1	1	1	1
Other Zymotic Dis. -		52	8	4	3	3	3	21	4	3	4	2	1	1	4	4	4	4	4
Cancer -		54	-	-	-	-	-	-	1	1	1	-	3	-	6	6	11	4	1
Scrofula and Tubercles -		48	25	10	-	-	-	36	7	1	-	-	-	2	1	1	1	1	1
Phthisis -		298	7	4	2	1	1	11	6	5	11	24	62	64	28	27	7	3	3
Hydrocephalus -		29	-	-	-	-	-	26	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -		252	60	8	6	5	4	83	11	4	6	3	6	16	21	29	26	10	10
Dis. of Heart & Dropsy -		183	2	-	-	-	-	4	6	5	4	1	10	14	16	32	32	10	10
Dis. of Lungs -		387	93	27	10	3	3	135	10	4	1	2	16	15	33	47	66	22	22
Dis. of Stom. and Liver -		123	21	2	3	-	1	27	1	1	1	1	3	11	15	37	16	9	9
Dis. of Kidneys -		75	-	-	-	-	-	-	3	1	-	-	6	5	6	20	12	4	4
Dis. of Gener. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		10	-	1	-	-	-	3	2	-	-	-	-	2	1	1	-	-	-
Dis. of Skin -		10	5	-	-	-	-	5	1	-	-	-	-	-	1	1	-	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		22	-	-	-	-	-	-	-	-	-	-	4	2	9	9	3	-	-
Other Violent Deaths -		112	10	4	2	3	1	20	5	6	7	10	13	14	9	16	8	3	1
Other Causes -		557	151	11	3	1	5	171	6	2	2	-	5	2	8	14	45	21	21
38.—CHERTSEY.																			
Mean Popul ⁿ , 1861-71		10153	282	286	294	274	289	1425	1217	1145	920	824	1357	1174	904	631	404	135	17
TOTAL DEATHS -		1872	307	100	50	33	28	617	72	38	32	55	114	140	140	185	214	201	55
Small-pox -		10	3	-	1	-	-	4	-	-	-	2	-	-	-	1	1	-	-
Measles -		30	5	13	3	3	1	25	4	-	1	2	-	-	-	-	-	-	-
Scarlatina -		66	-	10	9	6	5	39	15	6	9	-	2	-	-	-	-	-	-
Diphtheria -		17	1	1	2	1	3	8	5	1	-	-	2	-	1	-	-	-	-
Whooping-cough -		37	18	12	1	2	4	37	-	-	-	-	-	-	-	-	-	-	-
Typhus -		60	1	-	1	2	1	4	5	-	6	6	7	5	6	7	5	5	4
Diarrhoea & Dysentery -		73	37	8	1	1	1	48	2	-	-	-	-	2	3	3	3	3	3
Cholera -		5	3	-	-	-	-	3	-	-	-	-	-	-	1	1	1	1	1
Other Zymotic Dis. -		55	9	4	3	5	2	23	6	3	1	2	3	2	4	5	4	2	2
Cancer -		20	-	-	-	-	-	-	-	-	-	2	-	5	3	5	4	2	2
Scrofula and Tubercles -		20	4	2	1	-	1	8	2	3	3	-	2	1	1	1	-	-	-
Phthisis -		182	1	4	1	-	1	7	5	6	10	20	47	49	18	14	5	1	-
Hydrocephalus -		31	14	9	2	1	1	27	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -		248	57	8	7	1	1	74	6	1	1	3	12	9	25	29	47	28	5
Dis. of Heart & Dropsy -		134	1	-	1	1	1	4	-	1	1	2	13	19	18	24	27	8	8
Dis. of Lungs -		292	74	18	9	5	-	106	8	2	2	2	8	12	31	40	40	10	10
Dis. of Stom. and Liver -		10	11	1	1	-	3	16	2	1	-	1	2	14	12	22	14	5	1
Dis. of Kidneys -		31	-	-	-	-	-	-	-	-	-	-	2	4	4	6	9	1	1
Dis. of Gener. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		2	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Dis. of Skin -		15	4	2	-	-	-	6	-	-	-	1	-	1	-	4	2	-	1
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
Other Violent Deaths -		95	6	3	4	5	1	19	3	7	2	12	11	9	15	5	5	2	2
Other Causes -		359	148	14	2	-	3	167	1	1	2	-	1	9	9	10	46	29	29
39.—GUILDFORD.																			
Mean Popul ⁿ , 1861-71		16148	426	397	401	389	381	1994	1883	1822	1473	1244	2237	1954	1534	1105	653	230	19
TOTAL DEATHS -		5489	617	183	100	57	59	1016	134	64	75	148	293	284	517	315	419	344	80
Small-pox -		18	3	1	1	-	-	5	1	-	-	1	2	2	4	-	1	2	-
Measles -		57	12	20	10	4	3	49	6	1	-	1	-	-	-	-	-	-	-
Scarlatina -		105	4	10	13	15	15	57	26	9	1	2	-	1	-	-	-	-	-
Diphtheria -		47	3	5	5	8	6	24	11	4	5	1	-	-	1	-	-	1	-
Whooping-cough -		61	27	21	7	3	2	60	1	-	-	-	-	-	-	-	-	-	-
Typhus -		102	4	3	4	1	1	13	9	10	11	10	6	16	8	5	10	5	5
Diarrhoea & Dysentery -		86	43	19	3	3	3	62	-	-	-	1	-	-	3	1	19	8	1
Cholera -		11	4	-	-	-	1	6	1	-	-	-	1	-	1	1	1	1	1
Other Zymotic Dis. -		89	5	7	5	10	2	29	10	-	3	3	4	6	3	10	10	7	1
Cancer -		52	-	-	-	-	-	-	-	-	-	1	2	4	11	14	13	7	1
Scrofula and Tubercles -		81	26	6	5	1	2	40	9	2	3	7	11	8	2	3	1	-	-
Phthisis -		541	5	4	2	1	1	18	7	7	28	70	150	108	82	50	18	2	-
Hydrocephalus -		61	25	14	10	2	4	55	3	1	1	-	-	-	-	-	-	-	-
Dis. of Brain -		486	107	15	8	2	7	139	4	8	3	7	29	51	47	55	75	59	17
Dis. of Heart & Dropsy -		363	-	-	-	-	-	3	-	5	4	11	24	27	42	54	78	53	10
Dis. of Lungs -		499	123	61	18	1	6	202	15	4	5	3	12	15	47	32	81	59	10
Dis. of Stom. and Liver -		149	9	-	1	-	2	12	6	5	1	7	10	19	22	19	35	11	2
Dis. of Kidneys -		115	-	-	-	-	-	-	2	1	2	6	10	11	15	21	53	23	1
Dis. of Gener. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		14	-	-	-	-	-	-	3	-	-	4	-	2	2	2	-	-	-
Dis. of Skin -		9	1	1	-	-	-	2	-	-	-	1	-	-	3	-	-	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		114	7	4	4	5	3	23	6	7	6	4	13	6	15	8	15	11	1
Other Causes -		478	206	15	3	1	-	225	2	-	-	1	6	5	12	8	14	37	15

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 5 Years.															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

37.—EPSOM.																	
Mean Popul ⁿ , 1861-71	13460	368	314	339	303	326	1650	1632	1556	1198	1222	2052	1518	1143	796	472	188
TOTAL DEATHS	2083	351	192	60	52	40	644	181	52	61	63	128	146	152	170	220	236
Small-pox	7	-	-	-	1	-	1	3	-	-	1	1	-	-	1	-	-
Measles	44	6	10	4	4	3	83	9	2	-	-	-	-	-	-	-	-
Scarlatina	93	10	11	11	13	11	55	20	4	-	1	2	-	-	-	-	-
Diphtheria	45	3	3	3	3	3	22	15	2	3	-	-	2	-	-	-	-
Whooping-cough	62	25	18	8	1	6	58	4	-	-	-	-	-	-	-	-	-
Typhus	38	-	-	-	-	-	8	5	0	15	3	6	3	-	4	3	-
Diarrhoea & Dysentery	48	22	6	-	-	-	28	7	-	1	1	3	1	-	3	3	1
Cholera	15	8	1	1	1	-	11	1	-	-	1	-	1	-	1	-	-
Other Zymotic Dis.	47	5	2	1	5	5	18	4	4	1	-	4	4	-	2	2	2
Cancer	86	-	-	-	-	-	1	-	1	1	-	-	12	27	17	16	6
Scrophula and Tuberc.	38	15	7	-	3	1	26	6	3	1	-	-	1	-	1	1	-
Phthisis	221	1	2	1	1	1	7	9	8	25	36	60	39	29	8	9	1
Hydrocephalus	31	8	4	3	2	-	17	9	3	1	-	-	-	-	-	-	-
Dis. of Brain	203	48	15	10	3	2	78	4	4	4	6	10	9	15	33	47	47
Dis. of Heart & Dropsy	156	2	1	-	-	-	4	4	5	3	2	8	9	23	24	45	24
Dis. of Lungs	202	65	25	7	4	2	103	8	4	2	2	1	11	23	27	53	40
Dis. of Stom. and Liver	147	3	3	2	2	-	10	8	2	2	-	9	15	18	33	25	19
Dis. of Kidneys	24	-	-	-	-	-	-	1	-	-	4	-	-	7	4	3	3
Dis. of Genes. Organs	11	-	-	-	-	-	-	1	-	-	-	2	2	4	2	1	-
Dis. of Joints	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	6	1	-	-	-	-	1	1	-	-	-	1	-	-	1	1	2
Childbirth and Metris.	41	-	-	-	-	-	-	-	-	2	3	15	19	2	1	1	-
Fetide	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	33	6	4	2	1	1	14	2	-	-	1	1	2	5	-	2	3
Other Causes	526	123	14	5	2	4	148	1	2	-	1	2	6	5	5	23	88

38.—CHERTSEY.																	
Mean Popul ⁿ , 1861-71	10686	292	278	281	305	270	1426	1299	1059	890	947	1653	1228	962	670	387	155
TOTAL DEATHS	1738	285	107	59	31	20	592	78	48	57	61	103	133	115	174	232	182
Small-pox	6	1	-	-	-	-	1	-	1	1	-	-	1	-	2	-	-
Measles	20	5	7	2	1	1	16	3	-	1	-	-	-	-	-	-	-
Scarlatina	65	-	6	10	8	10	34	16	8	3	-	2	-	-	-	-	-
Diphtheria	28	1	-	3	-	-	4	11	-	-	2	-	1	-	-	-	-
Whooping-cough	46	15	17	11	2	1	46	13	4	3	2	7	8	2	3	2	8
Typhus	49	1	2	-	-	2	6	-	-	-	-	-	-	-	-	-	-
Diarrhoea & Dysentery	64	25	12	9	-	-	29	1	-	-	-	3	-	-	3	8	3
Cholera	9	3	-	-	-	-	3	-	-	-	2	-	-	-	1	1	1
Other Zymotic Dis.	43	1	3	8	3	2	17	3	2	3	1	3	-	5	6	2	1
Cancer	62	-	-	-	-	-	-	-	-	-	1	1	9	14	18	16	3
Scrophula and Tuberc.	21	5	3	2	1	-	11	3	1	1	2	2	1	-	-	-	-
Phthisis	188	3	4	-	-	-	7	2	10	19	24	44	40	24	11	-	1
Hydrocephalus	27	6	6	3	1	1	17	8	1	1	-	-	-	-	-	-	-
Dis. of Brain	200	29	10	5	2	-	46	2	5	7	8	7	15	14	25	38	28
Dis. of Heart & Dropsy	140	1	-	-	-	-	1	1	4	2	2	7	18	10	37	43	13
Dis. of Lungs	223	51	22	5	7	-	85	6	2	2	6	6	12	21	31	40	28
Dis. of Stom. and Liver	104	6	-	-	1	-	7	4	1	4	1	3	9	18	20	24	7
Dis. of Kidneys	30	-	-	-	-	-	-	-	3	3	-	2	2	3	7	8	1
Dis. of Genes. Organs	9	-	-	-	-	-	-	-	-	-	1	1	3	-	2	1	1
Dis. of Joints	5	-	-	-	-	-	-	1	1	-	1	-	-	-	1	3	1
Dis. of Skin	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	22	-	-	-	-	-	-	-	-	-	4	11	6	1	2	1	1
Fetide	9	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
Other Violent Deaths	23	7	5	4	2	1	19	1	-	2	-	2	4	1	3	3	1
Other Causes	335	125	10	4	2	2	143	4	-	2	1	2	2	6	2	42	88

39.—GUILDFORD.																	
Mean Popul ⁿ , 1861-71	16351	437	420	412	428	389	2086	1909	1681	1376	1417	2464	2014	1500	1012	594	265
TOTAL DEATHS	2853	485	145	89	66	55	839	132	71	104	107	198	217	180	258	347	308
Small-pox	19	4	3	-	1	1	9	-	1	1	4	3	-	-	-	1	-
Measles	36	8	6	7	7	4	32	3	-	-	-	-	1	-	-	-	-
Scarlatina	115	9	6	13	13	15	60	21	15	4	5	4	-	-	-	-	-
Diphtheria	57	2	2	3	3	8	18	27	7	3	1	-	-	-	-	-	-
Whooping-cough	85	41	23	8	3	3	78	7	-	-	-	-	-	-	-	-	-
Typhus	83	3	2	4	4	1	14	12	7	10	7	5	10	7	7	3	10
Diarrhoea & Dysentery	78	39	8	1	2	3	63	1	-	-	-	-	1	2	1	5	1
Cholera	5	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	50	8	-	5	3	3	19	5	1	3	1	3	1	2	3	10	6
Cancer	104	-	-	-	-	-	-	-	-	-	1	3	9	18	35	24	12
Scrophula and Tuberc.	66	23	2	5	3	2	35	3	3	6	1	4	4	8	3	2	2
Phthisis	320	2	4	2	-	-	8	4	13	25	47	97	60	27	22	10	-
Hydrocephalus	35	7	9	6	2	2	20	4	4	-	1	-	-	-	-	-	-
Dis. of Brain	308	65	13	6	6	6	90	5	6	12	11	16	28	30	38	69	57
Dis. of Heart & Dropsy	206	3	3	-	-	-	6	3	3	8	4	6	19	30	30	83	46
Dis. of Lungs	414	90	41	18	14	5	171	12	3	5	7	11	19	19	40	67	43
Dis. of Stom. and Liver	145	10	1	-	1	-	12	5	4	6	5	12	19	20	23	24	15
Dis. of Kidneys	35	-	-	1	-	-	1	1	-	3	1	4	8	6	3	4	4
Dis. of Genes. Organs	23	-	-	-	-	-	-	-	-	-	-	5	5	-	3	4	1
Dis. of Joints	10	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
Dis. of Skin	13	4	-	-	-	-	4	1	-	-	1	-	1	-	-	-	-
Childbirth and Metris.	29	-	-	-	-	-	-	-	-	4	-	15	21	1	1	2	-
Fetide	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	26	4	3	4	4	1	16	5	-	1	-	1	-	1	1	3	3
Other Causes	421	163	15	3	-	1	182	3	-	2	-	1	3	4	4	13	46

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.		
40 & 41.—FARNHAM AND FARNBOROUGH.																				
Mean Popul ⁿ , 1861-71 - }	29857	660	631	550	529	508	2878	2209	1846	3601	5640	7369	3231	1483	894	513	160	27		
TOTAL DEATHS -	4486	1202	321	159	134	85	1901	175	69	104	204	554	405	258	252	272	240	32		
Small-pox - - -	9	1	1	-	-	-	2	-	-	2	2	1	-	-	-	2	-	-		
Measles - - -	79	18	28	12	9	4	71	7	1	-	-	-	-	-	-	-	-	-		
Scarlatina - - -	245	17	37	29	42	33	128	69	10	4	4	1	-	-	-	-	-	-		
Diphtheria - - -	29	2	4	1	5	5	17	7	3	2	-	-	-	-	-	-	-	-		
Whooping-cough -	63	28	19	8	5	2	62	1	-	-	-	-	-	-	-	-	-	-		
Typhus - - -	124	4	1	5	3	3	18	15	12	17	13	18	12	7	7	4	1	-		
Diarrhea & Dysentery	188	111	25	5	4	2	147	2	-	1	2	7	8	5	5	4	10	2		
Cholera - - -	10	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis. -	111	14	8	12	7	7	48	6	1	9	8	14	7	5	5	6	2	-		
Cancer - - -	28	-	1	-	-	-	1	-	-	1	-	-	3	3	10	-	3	-		
Serofula and Tabes -	73	29	14	8	6	-	54	6	1	2	3	4	1	1	-	1	-	-		
Phthisis - - -	287	7	4	4	5	4	24	9	1	28	80	190	137	80	25	7	1	-		
Hydrocephalus - -	92	33	21	13	10	4	84	6	1	-	-	-	-	-	-	-	-	-		
Dis. of Brain - - -	536	199	36	15	6	5	261	19	5	3	17	35	37	32	40	54	25	5		
Dis. of Heart & Dropsy	335	12	3	1	1	1	16	6	9	9	12	85	63	25	39	45	19	4		
Dis. of Lungs - - -	625	174	55	27	13	10	279	9	4	8	24	73	49	34	49	54	25	1		
Dis. of Stom. and Liver	225	39	6	5	2	1	53	3	2	9	9	35	23	27	59	38	15	1		
Dis. of Kidneys - -	73	-	-	-	-	-	-	1	1	-	-	6	17	7	6	18	12	-		
Dis. of Gener. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints - - -	15	-	-	-	1	-	1	2	1	1	1	3	2	1	-	3	2	-		
Dis. of Skin - - -	10	6	-	-	1	-	6	-	-	-	-	1	1	-	1	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	35	-	-	-	-	-	-	-	-	2	2	11	5	4	8	2	1	-		
Other Violent Deaths -	190	16	11	7	8	2	44	14	7	5	16	46	24	12	11	8	3	-		
Other Causes - - -	892	401	45	8	4	2	850	4	2	1	9	20	19	12	13	42	90	34		
42.—HAMBLETON.																				
Mean Popul ⁿ , 1861-71 - }	7612	216	185	204	211	198	1014	898	921	711	588	955	823	692	545	321	129	15		
TOTAL DEATHS -	1278	249	61	30	32	17	389	57	25	35	30	79	72	78	107	173	102	41		
Small-pox - - -	6	2	-	-	-	-	2	-	-	-	1	1	1	-	1	-	-	-		
Measles - - -	41	2	3	4	9	1	19	12	5	4	1	-	-	-	-	-	-	-		
Scarlatina - - -	35	3	8	1	2	1	15	10	4	-	-	2	2	-	1	-	-	-		
Diphtheria - - -	19	10	4	1	1	1	17	2	-	-	-	-	-	-	-	-	-	-		
Whooping-cough -	27	-	-	1	-	1	9	4	-	2	2	4	2	3	4	3	5	1		
Typhus - - -	53	13	2	1	1	-	17	-	1	-	-	1	-	1	1	1	6	-		
Diarrhea & Dysentery	5	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
Cholera - - -	35	6	3	3	3	1	16	3	-	2	1	-	1	2	-	3	7	1		
Other Zymotic Dis. -	25	-	-	-	1	-	7	-	-	-	1	-	2	3	4	10	4	-		
Cancer - - -	16	3	2	1	1	-	7	2	-	1	1	2	1	1	-	-	-	-		
Serofula and Tabes -	122	1	-	-	1	-	2	2	2	11	12	34	24	18	12	-	-	-		
Phthisis - - -	34	9	14	5	-	1	27	6	1	-	-	-	-	-	-	-	-	-		
Hydrocephalus - -	147	48	4	3	2	2	53	1	1	3	1	4	5	14	10	24	25	5		
Dis. of Brain - - -	114	1	-	-	-	-	1	1	1	1	1	3	9	11	23	34	29	1		
Dis. of Heart & Dropsy	186	45	12	6	5	3	71	4	1	4	2	9	14	9	24	24	23	1		
Dis. of Lungs - - -	63	19	1	2	-	-	13	2	-	-	2	2	2	3	10	11	7	-		
Dis. of Stom. and Liver	81	-	-	1	-	-	1	3	-	-	1	2	2	3	4	8	7	-		
Dis. of Kidneys - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Gener. Organs -	5	-	-	1	-	-	1	-	-	2	-	1	1	-	-	-	-	-		
Dis. of Joints - - -	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths -	60	6	2	-	5	3	16	2	6	4	3	11	2	5	5	3	2	1		
Other Causes - - -	263	93	4	-	1	2	100	2	-	-	1	3	2	3	5	25	70	32		
43.—DORKING.																				
Mean Popul ⁿ , 1861-71 - }	6661	196	169	172	186	153	876	812	746	656	516	825	785	624	456	259	95	11		
TOTAL DEATHS -	1209	236	72	28	27	14	307	51	24	22	43	82	85	85	114	167	136	23		
Small-pox - - -	6	1	-	-	-	-	1	1	-	-	-	-	2	-	1	-	-	-		
Measles - - -	8	3	2	-	-	1	6	2	-	-	-	-	-	-	-	-	-	-		
Scarlatina - - -	25	1	4	4	6	3	18	15	1	-	1	-	-	-	-	-	-	-		
Diphtheria - - -	14	-	8	-	1	-	4	4	8	-	2	1	-	-	-	-	-	-		
Whooping-cough -	80	14	10	3	2	1	30	-	-	-	-	-	-	-	-	-	-	-		
Typhus - - -	40	-	2	2	1	-	5	4	4	5	4	6	4	2	3	1	2	1		
Diarrhea & Dysentery	30	14	4	1	-	-	19	-	-	-	-	-	-	-	1	2	7	1		
Cholera - - -	5	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis. -	38	9	3	4	3	2	21	3	-	1	-	-	-	-	-	-	-	-		
Cancer - - -	23	-	-	-	-	-	-	-	-	-	-	-	2	3	7	7	3	-		
Serofula and Tabes -	17	4	2	-	-	-	6	1	4	-	1	1	2	1	-	-	-	-		
Phthisis - - -	145	1	2	-	1	1	5	4	1	7	21	38	27	20	17	5	-	-		
Hydrocephalus - -	23	7	6	4	3	-	19	3	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain - - -	157	32	10	1	2	-	45	4	5	2	4	8	9	11	19	35	14	1		
Dis. of Heart & Dropsy	89	4	1	-	-	1	6	-	1	1	1	2	8	11	19	23	17	1		
Dis. of Lungs - - -	146	38	11	4	4	2	49	4	1	1	5	11	5	19	27	19	1	-		
Dis. of Stom. and Liver	67	7	-	-	-	-	7	-	2	-	1	3	4	7	10	13	10	-		
Dis. of Kidneys - -	53	1	-	-	-	1	2	-	1	1	2	5	3	11	7	14	8	-		
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints - - -	6	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
Dis. of Skin - - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths -	49	4	3	3	1	1	11	4	1	-	3	5	2	4	5	5	5	1		
Other Causes - - -	229	87	9	2	1	-	109	2	-	-	-	3	6	4	10	20	20	10		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80-
40 & 41.—FARNHAM AND FARNBOROUGH.																		
Mean Popul ⁿ , 1861-71	18616	686	600	563	552	510	2911	2246	1840	1526	2054	3255	2021	1271	786	488	190	21
TOTAL DEATHS	3545	899	320	179	102	63	1563	170	77	112	177	511	213	168	206	255	213	80
Small-pox	9	1	-	-	1	2	4	1	-	1	2	1	-	-	-	-	-	-
Measles	68	11	22	16	7	5	61	6	-	-	1	1	-	-	-	-	-	-
Scarlatina	224	7	31	41	36	22	137	54	17	7	3	4	2	-	-	-	-	-
Diphtheria	32	2	3	4	6	18	18	9	2	1	2	-	-	-	-	-	-	-
Whooping-cough	94	45	19	17	3	6	90	4	-	-	-	-	-	-	-	-	-	-
Typhus	93	2	3	4	3	2	14	13	18	10	9	6	10	3	10	3	2	-
Diarrhoea & Dysentery	147	74	37	4	2	1	115	4	-	-	3	1	-	-	3	8	6	-
Cholera	4	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis.	80	12	5	10	9	2	38	11	3	3	2	6	5	2	2	5	2	-
Cancer	84	22	-	-	-	-	-	-	-	-	1	-	1	12	27	20	13	5
Serofula and Tabes	421	6	5	5	3	1	18	9	14	44	83	138	67	30	14	4	4	-
Phthisis	60	28	15	7	1	1	62	8	-	-	-	-	-	-	-	-	-	-
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	875	138	37	14	6	2	192	6	5	7	5	13	19	19	26	43	33	-
Dis. of Heart & Dropsy	224	3	1	2	1	1	8	4	6	5	9	28	17	26	36	56	36	-
Dis. of Lungs	465	137	76	23	14	8	252	7	4	6	12	18	14	16	39	43	49	-
Dis. of Stom. and Liver	170	20	4	1	2	1	28	9	2	4	5	13	21	16	28	23	11	-
Dis. of Kidneys	45	-	-	1	2	-	3	3	1	2	5	3	9	4	7	5	-	-
Dis. of Gen. Organs	25	-	-	-	-	-	-	-	-	1	1	2	5	6	4	3	1	-
Dis. of Joints	9	-	-	1	-	-	1	1	2	1	1	1	1	1	-	-	-	-
Dis. of Skin	13	9	-	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	97	-	-	-	-	-	-	-	-	10	22	47	18	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	64	31	11	6	3	1	32	0	3	2	4	2	2	2	2	2	4	-
Other Causes	673	376	34	16	4	1	431	6	2	2	7	12	7	11	11	48	83	5
42.—HAMBLEDON.																		
Mean Popul ⁿ , 1861-71	6979	203	203	189	192	179	966	914	797	557	522	943	815	622	450	275	102	10
TOTAL DEATHS	1162	192	59	18	22	17	308	52	38	38	42	88	72	71	125	138	143	4
Small-pox	4	-	-	1	-	1	2	-	1	-	-	1	-	-	-	-	-	-
Measles	13	1	4	2	3	-	10	1	-	2	-	-	-	-	-	-	-	-
Scarlatina	27	1	5	1	8	1	16	6	4	-	1	-	-	-	-	-	-	-
Diphtheria	31	-	3	1	5	3	12	8	7	2	1	-	1	-	-	-	-	-
Whooping-cough	17	11	6	-	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	25	1	1	-	-	-	2	5	6	5	2	5	5	1	1	1	1	-
Diarrhoea & Dysentery	52	6	4	2	-	-	12	2	1	-	1	1	1	1	1	4	1	-
Cholera	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	20	3	-	1	1	2	7	4	2	-	1	1	2	2	1	-	-	-
Cancer	51	-	-	-	-	-	-	1	-	-	-	1	9	12	12	12	4	-
Serofula and Tabes	18	2	2	-	-	-	4	2	1	3	2	2	1	3	3	2	1	-
Phthisis	131	3	3	1	-	3	10	4	6	18	20	32	19	14	8	2	1	-
Hydrocephalus	17	7	2	-	-	1	12	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	160	24	4	-	-	-	28	3	2	5	5	8	3	7	20	24	26	-
Dis. of Heart & Dropsy	110	3	-	1	1	5	5	5	5	1	2	6	4	10	30	35	17	-
Dis. of Lungs	151	35	16	4	3	5	61	5	4	1	1	1	1	12	16	6	6	-
Dis. of Stom. and Liver	53	3	1	1	-	-	1	1	1	1	1	2	4	1	2	1	2	-
Dis. of Kidneys	17	-	-	1	-	-	1	1	1	1	-	4	2	1	1	1	-	-
Dis. of Gen. Organs	9	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
Dis. of Joints	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	27	-	-	-	-	-	-	-	-	-	7	10	10	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	10	1	2	1	-	1	5	-	-	-	1	-	-	1	2	1	1	-
Other Causes	244	89	6	-	-	1	96	-	-	-	-	4	3	2	10	23	72	-
43.—DORKING.																		
Mean Popul ⁿ , 1861-71	6745	177	190	164	187	158	876	802	702	584	550	1002	792	627	452	259	85	1
TOTAL DEATHS	1024	117	65	22	23	19	276	43	24	39	33	72	70	68	92	144	118	6
Small-pox	10	3	-	-	-	1	4	-	1	1	1	2	-	1	-	-	-	-
Measles	6	1	-	1	-	-	4	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	-	6	3	4	6	19	11	3	2	-	1	-	-	-	-	-	-
Diphtheria	14	-	2	-	3	1	6	4	2	-	-	-	-	-	-	-	-	-
Whooping-cough	29	6	12	4	1	2	25	4	-	-	5	4	-	-	-	-	-	-
Typhus	37	2	1	2	2	1	8	2	3	7	-	2	5	-	1	2	-	-
Diarrhoea & Dysentery	25	11	6	-	2	-	19	1	-	-	-	2	-	-	1	-	2	-
Cholera	4	1	-	-	-	-	1	-	-	1	4	-	1	1	1	1	2	-
Other Zymotic Dis.	23	3	-	1	2	1	7	1	1	3	4	2	-	-	-	-	-	-
Cancer	53	-	-	-	-	-	-	-	-	-	-	-	7	11	21	7	6	-
Serofula and Tabes	18	4	2	-	-	1	7	2	5	1	-	32	22	9	4	5	-	-
Phthisis	108	1	-	-	1	-	2	2	1	17	14	-	-	-	-	-	-	-
Hydrocephalus	23	6	4	2	1	4	17	6	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	139	30	9	4	2	1	46	5	3	1	-	6	5	11	16	27	16	-
Dis. of Heart & Dropsy	100	4	-	-	-	-	4	-	-	2	-	4	12	21	33	17	-	-
Dis. of Lungs	118	15	11	1	3	1	34	-	-	-	2	5	4	5	12	29	21	-
Dis. of Stom. and Liver	48	4	2	-	-	-	6	2	1	-	1	4	7	6	11	8	-	-
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	-	-	1	6	3	4	6	3	-
Dis. of Gen. Organs	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	5	3	-	-	-	-	3	1	-	-	-	-	-	1	-	-	-	-
Childbirth and Metris	24	-	-	-	-	-	-	-	-	2	5	9	8	-	-	-	-	-
Suicide	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	13	60	7	2	1	-	4	1	3	-	-	-	-	-	-	-	-	-
Other Causes	153	60	7	2	1	-	60	-	-	-	-	-	-	1	1	2	10	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
		44.—REIGATE.																
Mean Popul ⁿ , 1861-71	11872	344	312	329	310	326	1621	1451	1363	1268	1008	1703	1326	945	668	306	138	
TOTAL DEATHS	2115	471	127	54	47	40	739	115	97	99	103	114	119	134	158	214	175	
Small-pox	13	3	-	-	4	7	5	-	7	1	8	1	2	1	1	-	1	
Measles	50	6	12	2	-	2	31	9	7	3	4	-	-	-	-	-	-	
Scarlatina	80	3	10	9	11	8	41	24	0	3	4	2	-	-	-	-	-	
Diphtheria	22	-	4	3	2	5	14	6	-	-	1	-	-	1	-	-	-	
Whooping-cough	26	15	11	3	-	2	31	2	3	-	-	-	-	-	-	-	-	
Typhus	23	2	1	1	1	2	8	7	-	7	4	6	4	4	2	1	1	
Diarrhoea & Dysentery	73	23	7	2	2	1	60	-	-	3	-	-	-	1	1	1	1	
Cholera	3	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	
Other Zymotic Dis.	64	8	13	1	4	1	24	9	1	2	3	2	4	5	7	6	4	
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	2	2	5	5	1	
Scrophula and Tuberc.	53	10	2	2	-	-	14	7	6	1	-	1	2	1	2	2	1	
Phthisis	300	5	6	2	2	2	17	7	22	38	20	55	55	44	16	12	4	
Hydrocephalus	23	6	3	4	3	-	23	6	2	-	-	-	-	-	-	-	-	
Dis. of Brain	305	89	14	9	6	6	124	10	17	13	11	6	15	16	24	30	20	
Dis. of Heart & Dropsy	148	1	-	-	-	-	1	1	3	5	7	9	17	17	32	37	20	
Dis. of Lungs	305	88	27	19	6	2	133	8	9	11	9	7	15	15	25	29	17	
Dis. of Stom. and Liver	90	17	2	1	1	1	22	3	5	5	2	7	6	11	18	21	7	
Dis. of Kidneys	46	-	-	-	-	-	-	2	-	-	3	1	2	1	15	15	3	
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	5	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	-	
Dis. of Skin	9	4	1	1	1	-	7	-	-	-	-	-	-	-	1	1	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	14	-	-	-	-	-	-	-	-	-	1	1	2	3	3	2	1	
Other Violent Deaths	69	5	2	2	1	1	11	7	8	5	4	12	5	7	3	4	1	
Other Causes	345	179	6	2	1	2	123	4	2	-	1	2	6	6	8	35	30	
45.—GODSTONE.																		
Mean Popul ⁿ , 1861-71	5831	163	166	159	147	131	766	693	632	530	465	772	668	548	418	247	81	
TOTAL DEATHS	971	200	55	17	20	15	316	34	15	25	39	68	52	69	101	124	100	
Small-pox	6	1	-	-	-	-	1	-	-	-	-	-	2	2	1	-	-	
Measles	12	1	2	3	1	1	8	2	-	1	-	1	-	-	-	-	-	
Scarlatina	25	1	2	1	3	6	12	7	-	1	2	-	-	-	-	-	-	
Diphtheria	12	1	2	1	-	1	5	2	3	2	-	1	1	1	-	-	-	
Whooping-cough	26	13	6	1	4	1	25	1	-	-	-	-	-	-	-	-	-	
Typhus	24	-	-	-	-	-	6	-	-	3	2	1	3	2	-	3	2	
Diarrhoea & Dysentery	23	10	5	1	2	-	15	-	-	-	-	1	-	-	1	1	1	
Cholera	13	-	2	-	-	-	2	-	-	-	1	6	1	1	1	1	1	
Other Zymotic Dis.	24	4	2	1	2	2	11	1	1	1	1	2	-	1	1	2	1	
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	4	5	5	1	
Scrophula and Tuberc.	96	10	5	-	1	1	23	1	-	-	1	-	-	1	1	5	1	
Phthisis	161	1	-	1	-	-	2	1	2	7	12	34	19	9	9	5	1	
Hydrocephalus	8	5	2	-	-	-	7	-	1	-	-	-	-	-	-	-	-	
Dis. of Brain	132	44	7	2	-	1	54	3	1	1	2	4	8	6	20	17	12	
Dis. of Heart & Dropsy	94	-	1	-	1	-	2	1	1	1	3	5	5	9	17	33	25	
Dis. of Lungs	162	88	9	5	2	1	65	1	1	3	7	4	8	14	17	24	14	
Dis. of Stom. and Liver	61	5	1	-	-	-	7	1	2	1	1	4	1	9	11	19	4	
Dis. of Kidneys	25	-	-	-	-	-	-	-	1	-	1	1	-	3	8	5	2	
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	8	-	-	-	-	-	-	-	-	-	1	1	1	1	5	1	-	
Other Violent Deaths	23	3	1	1	1	-	6	5	3	2	4	2	2	4	4	5	1	
Other Causes	149	66	8	-	1	-	75	2	-	2	4	-	1	1	4	14	18	
46.—CROYDON.																		
Mean Popul ⁿ , 1861-71	29519	940	820	877	813	805	4255	3830	3350	2601	2401	4431	3505	2461	1496	840	306	
TOTAL DEATHS	6286	1698	468	215	157	125	2663	208	131	124	151	375	479	463	533	537	429	
Small-pox	58	10	9	2	3	1	19	4	1	4	8	8	6	6	-	1	1	
Measles	137	31	45	18	15	12	119	12	3	-	1	1	1	-	-	-	-	
Scarlatina	390	19	41	46	42	31	179	82	21	9	3	4	2	-	-	-	-	
Diphtheria	55	9	4	3	8	4	26	6	1	-	-	-	-	-	-	-	-	
Whooping-cough	145	61	44	16	12	8	141	4	-	-	-	-	-	-	-	-	-	
Typhus	185	4	9	5	5	5	23	59	11	15	14	22	16	18	18	11	4	
Diarrhoea & Dysentery	314	234	23	7	2	-	276	1	-	-	-	1	1	1	10	11	10	
Cholera	29	5	2	1	1	-	9	1	-	-	-	1	2	3	2	1	1	
Other Zymotic Dis.	187	18	20	21	16	13	88	15	6	7	2	7	13	9	14	15	8	
Cancer	65	-	-	-	-	-	-	-	-	1	1	-	9	11	15	14	3	
Scrophula and Tuberc.	164	61	27	18	6	5	117	14	11	7	2	3	4	1	2	1	1	
Phthisis	649	10	6	4	3	1	24	8	9	36	64	169	157	101	56	19	8	
Hydrocephalus	136	61	36	10	5	6	118	10	6	1	-	-	1	-	-	-	-	
Dis. of Brain	844	253	69	17	11	15	345	31	15	5	7	20	55	67	109	109	74	
Dis. of Heart & Dropsy	305	7	1	-	1	2	11	3	8	8	5	28	48	40	91	77	43	
Dis. of Lungs	914	299	90	33	13	7	442	13	8	8	12	25	47	65	81	118	79	
Dis. of Stom. and Liver	323	45	5	2	1	4	60	12	7	5	5	20	36	50	61	43	21	
Dis. of Kidneys	176	-	1	1	1	1	4	-	2	1	4	14	23	27	26	45	20	
Dis. of Gen. Organs	3	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	
Dis. of Joints	24	-	1	-	-	-	4	8	5	1	3	1	2	4	1	1	-	
Dis. of Skin	26	13	-	-	1	-	14	-	1	1	1	1	1	1	1	1	-	
Childbirth and Metris	20	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	
Suicide	203	21	5	4	6	4	40	9	12	11	4	6	6	11	15	4	3	
Other Violent Deaths	643	64	6	2	3	3	69	3	3	1	1	1	1	1	1	1	1	
Other Causes	203	21	5	4	6	4	40	9	12	11	4	6	6	11	15	4	3	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and over.	
44.—REIGATE.																			
Mean Popul ⁿ , 1861-71	11834	342	342	346	298	308	1636	1397	1216	1043	1135	1901	1393	991	645	343	119	15	
TOTAL DEATHS—	1840	372	116	47	37	27	590	91	83	75	76	138	140	115	142	167	107	88	
-pox - - -	6	1	-	-	-	1	2	-	-	-	-	1	-	2	1	-	-	-	
les - - -	96	5	4	5	2	2	18	3	12	1	-	1	1	-	-	-	-	-	
stina - - -	65	5	8	11	8	9	41	14	8	1	-	1	-	-	-	-	-	-	
theria - - -	24	1	3	3	3	1	11	8	4	1	-	-	-	-	-	-	-	-	
oping-cough - -	44	22	19	1	1	1	44	-	5	12	5	5	6	3	4	2	1	-	
sa - - -	59	1	1	1	-	2	5	11	-	-	-	-	-	-	-	-	-	-	
thosa & Dysentery	48	25	6	2	-	-	83	-	-	19	-	-	-	1	2	6	6	1	
ra - - -	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Zymotic Dis. -	40	7	5	2	2	4	20	8	3	1	-	1	5	1	2	-	-	-	
er - - -	54	-	-	-	-	-	-	-	-	1	-	1	9	13	7	5	1	-	
ula and Tabes	56	12	4	1	2	2	21	6	2	2	3	1	1	2	-	-	-	-	
lela - - -	252	3	2	-	3	-	8	8	21	81	88	63	51	21	6	4	1	-	
ocephalus - - -	19	7	4	1	-	1	13	4	1	-	1	-	-	-	-	-	-	-	
f Brain - - -	211	55	23	3	0	-	87	9	7	9	7	11	12	14	22	37	23	3	
f Heart & Dropsy	163	2	1	-	1	-	4	2	6	6	2	10	12	19	30	37	24	2	
f Lungs - - -	244	61	24	9	0	2	105	15	7	3	4	6	14	11	17	28	31	3	
f Stom. and Liver	102	8	1	-	-	-	9	1	5	2	2	8	14	18	16	19	7	1	
f Kidneys - - -	20	1	-	1	1	-	3	-	2	-	1	3	5	2	4	-	-	-	
f Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	
f Joints - - -	6	-	-	-	-	-	-	1	-	2	-	-	4	-	-	-	-	-	
f Skin - - -	6	2	-	-	-	-	2	1	-	-	-	-	2	1	-	-	-	-	
birth and Metria	40	-	-	-	-	-	-	-	-	2	8	17	10	3	-	-	-	-	
e - - -	5	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	
Violent Deaths	80	9	3	4	2	1	19	1	-	-	-	1	2	1	1	1	3	1	
Causes - - -	291	141	8	8	-	1	153	2	-	1	3	3	8	1	8	27	64	26	
45.—GODSTONE.																			
Mean Popul ⁿ , 1861-71	5760	178	149	140	170	151	788	736	588	437	462	846	675	542	340	236	91	19	
TOTAL DEATHS—	832	151	46	30	32	10	269	32	25	33	31	51	48	57	56	98	102	30	
-pox - - -	4	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	1	
les - - -	15	4	2	3	1	2	12	1	2	-	-	-	-	-	-	-	-	-	
stina - - -	22	-	4	3	8	1	16	5	-	-	-	-	-	1	-	-	-	-	
theria - - -	10	-	-	2	1	2	5	4	-	3	-	-	-	-	-	-	-	-	
oping-cough - -	24	9	8	4	3	-	24	-	5	1	4	2	3	4	3	-	2	-	
sa - - -	20	-	1	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	
thosa & Dysentery	21	11	3	2	1	-	17	-	-	-	-	1	1	-	-	1	1	-	
ra - - -	5	-	-	1	1	-	1	-	-	-	1	-	-	-	2	-	-	-	
Zymotic Dis. -	8	-	-	1	2	-	3	1	-	-	-	1	-	1	-	-	-	-	
er - - -	26	-	-	-	-	-	1	1	-	-	-	1	3	9	3	7	2	-	
ula and Tabes	23	8	2	1	-	1	12	1	4	2	1	2	2	-	1	-	-	-	
lela - - -	81	1	-	-	-	-	1	-	2	16	13	18	15	9	3	3	1	-	
ocephalus - - -	14	4	1	2	3	1	11	-	3	-	-	-	-	-	-	-	-	-	
f Brain - - -	107	26	8	2	2	2	40	1	2	1	1	5	3	8	3	21	18	4	
f Heart & Dropsy	80	1	-	-	-	-	1	2	3	3	-	2	5	9	17	28	9	1	
f Lungs - - -	104	23	11	5	4	-	45	6	8	1	3	1	3	4	9	13	16	2	
f Stom. and Liver	48	4	-	-	-	1	5	2	-	1	1	5	3	4	8	10	8	1	
f Kidneys - - -	10	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	3	-	
f Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	
f Joints - - -	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
f Skin - - -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
birth and Metria	26	-	-	-	-	-	-	-	-	8	4	10	6	1	-	-	-	-	
e - - -	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Violent Deaths	13	2	2	1	1	-	6	2	-	-	-	1	-	1	-	1	2	-	
Causes - - -	146	57	5	2	4	-	68	2	-	-	1	-	-	1	2	12	40	20	
46.—CROYDON.																			
Mean Popul ⁿ , 1861-71	35645	930	857	865	847	822	4321	3850	3549	3424	3808	6070	4263	2850	1933	1132	392	53	
TOTAL DEATHS—	5981	1341	450	297	143	132	2342	243	133	156	182	438	403	381	486	577	461	179	
-pox - - -	38	10	4	1	1	4	20	4	1	1	4	6	1	1	-	-	-	-	
les - - -	132	17	45	24	13	18	117	14	1	-	-	-	-	-	-	-	-	-	
stina - - -	221	21	40	48	36	39	177	67	23	5	6	11	2	-	-	-	-	-	
theria - - -	46	6	4	5	9	8	27	9	4	1	1	-	-	-	-	1	-	-	
oping-cough - -	213	93	58	33	17	6	207	8	1	-	-	-	-	-	-	-	-	-	
sa - - -	198	4	4	12	8	7	55	24	25	-	19	22	13	6	14	11	9	-	
thosa & Dysentery	276	180	27	7	2	2	218	4	-	-	1	6	2	8	10	11	7	-	
ra - - -	13	1	1	-	-	-	3	3	-	-	-	4	6	3	6	2	1	-	
Zymotic Dis. -	140	18	17	14	9	7	65	13	5	6	4	7	8	14	7	6	1	-	
er - - -	177	-	-	2	-	-	2	-	1	1	1	10	20	41	52	28	10	2	
ula and Tabes	152	52	35	10	7	7	111	9	6	3	5	5	4	1	6	2	-	-	
lela - - -	586	9	9	2	2	3	25	12	26	61	73	170	183	53	28	6	-	-	
ocephalus - - -	107	47	26	10	4	7	94	9	3	-	-	1	-	-	-	-	-	-	
f Brain - - -	730	169	42	32	11	9	253	24	10	12	12	30	30	71	81	106	77	15	
f Heart & Dropsy	373	4	1	-	-	-	5	6	5	11	11	23	34	50	77	98	45	3	
f Lungs - - -	863	206	90	43	17	15	380	14	3	5	10	23	34	46	83	137	103	25	
f Stom. and Liver	343	23	4	5	2	2	30	6	5	5	6	33	43	45	60	65	33	6	
f Kidneys - - -	100	-	-	-	-	-	-	6	4	1	4	11	15	22	16	14	7	-	
f Gener. Organs	45	-	-	-	-	-	-	-	-	1	-	6	12	7	12	6	1	-	
f Joints - - -	26	-	-	-	-	1	1	2	3	1	3	2	5	5	2	1	-	-	
f Skin - - -	21	8	-	-	-	-	8	-	1	-	1	-	2	2	2	1	1	-	
birth and Metria	29	-	-	-	-	-	-	-	-	4	16	44	26	2	1	-	-	-	
e - - -	12	-	-	-	-	-	-	-	-	5	-	-	-	2	1	-	-	-	
Violent Deaths	67	15	5	6	2	7	35	10	5	2	2	6	3	1	3	3	3	3	
Causes - - -	609	463	58	10	5	1	623	2	2	3	3	4	8	10	22	69	168	117	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													Total under 5 Years.														
		Total under 1 Year.	1	2	3	4	5—	10—	15—	20—	25—	35—	45—	55—		65—	75—	85—											
47.—KINGSTON.																													
Mean Popul ⁿ , 1861-71		20859	687	588	599	600	540	3014	2540	2098	1844	1717	3220	2481	1808	1207	679	237	94										
TOTAL DEATHS		4290	996	298	134	109	61	1001	190	74	88	120	234	351	371	407	399	334	71										
Small-pox		20	5	1	2	—	—	8	1	2	3	2	4	2	2	4	1	—	—										
Measles		88	15	26	18	9	6	79	5	5	—	—	—	—	—	—	—	—											
Scarlatina		201	17	21	20	20	18	102	70	12	6	1	3	—	1	—	—	—											
Diphtheria		16	—	4	2	2	4	12	2	—	—	—	—	—	—	—	—	—											
Whooping-cough		83	37	27	7	7	2	80	3	—	—	—	—	—	—	—	—	—											
Typhus		167	4	7	9	8	4	32	18	12	8	16	15	14	19	16	11	3	1										
Diarrhoea & Dysentery		132	90	16	1	—	—	113	—	—	—	1	—	—	—	—	—	—											
Cholera		19	2	2	1	—	—	5	1	—	2	—	1	1	3	2	1	—											
Other Zymotic Dis.		98	7	9	8	8	6	38	7	2	3	5	7	6	4	15	6	—											
Cancer		56	—	—	—	—	—	—	—	—	—	—	—	—	10	10	15	15	8	—									
Scrofula and Tuberc.		79	26	16	4	—	2	58	4	4	—	4	—	2	10	10	15	15	8	—									
Phthisis		378	6	6	2	—	—	16	6	6	15	—	—	—	—	—	—	—											
Hydrocephalus		160	56	24	12	11	9	92	7	1	—	—	—	145	110	63	28	10	—										
Dis. of Brain		505	184	27	12	9	5	217	15	6	8	6	20	35	36	80	84	73	15	—									
Dis. of Heart & Dropsy		285	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—											
Dis. of Lungs		815	179	61	27	16	4	284	13	2	3	3	23	24	63	122	122	122	—										
Dis. of Stom. and Liver		308	22	3	1	3	—	29	5	3	6	6	10	18	20	41	34	16	1										
Dis. of Kidneys		129	3	—	1	—	—	4	3	—	1	4	10	18	25	13	32	16	3										
Dis. of Gener. Organs		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
Dis. of Joints		11	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—											
Dis. of Skin		14	8	—	—	—	—	8	1	1	—	—	—	—	—	—	—	—											
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
Suicide		41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
Other Violent Deaths		194	20	7	2	6	3	38	12	9	21	20	27	10	17	19	9	3	—										
Other Causes		551	341	31	9	2	1	384	4	3	1	—	4	10	8	29	74	21	—										
48.—RICHMOND.																													
Mean Popul ⁿ , 1861-71		9768	284	267	272	233	252	1308	1120	1056	909	909	1499	1157	836	545	323	92	14										
TOTAL DEATHS		2187	502	144	71	45	26	788	89	52	57	69	140	192	184	213	195	109	31										
Small-pox		25	2	—	4	—	—	6	2	—	5	5	1	2	1	1	—	—											
Measles		49	6	17	10	8	2	43	4	2	—	—	—	—	—	—	—	—											
Scarlatina		82	6	12	6	13	10	47	22	6	2	—	—	—	—	—	—	—											
Diphtheria		18	2	—	1	1	1	5	9	1	—	1	—	—	—	—	—	—											
Whooping-cough		41	22	14	4	1	—	41	—	—	—	—	—	—	—	—	—	—											
Typhus		62	—	1	1	1	1	4	7	4	3	6	5	8	3	13	8	1	—										
Diarrhoea & Dysentery		79	50	9	1	2	—	68	2	—	—	—	—	—	—	—	—	—											
Cholera		22	12	1	—	—	—	13	—	—	—	—	—	—	—	—	—	—											
Other Zymotic Dis.		68	11	10	5	2	4	32	3	5	6	—	1	4	4	2	8	—											
Cancer		19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
Scrofula and Tuberc.		69	23	10	7	3	2	45	5	2	1	1	3	—	—	—	—	—											
Phthisis		251	3	4	—	1	1	9	3	—	11	29	69	66	35	20	4	—											
Hydrocephalus		89	8	14	6	1	1	30	8	3	—	—	—	—	—	—	—	—											
Dis. of Brain		261	72	12	7	2	—	93	5	7	4	1	11	20	33	29	32	1	—										
Dis. of Heart & Dropsy		120	3	1	1	2	—	7	1	2	4	2	8	17	11	27	25	11	—										
Dis. of Lungs		340	99	21	9	3	3	136	6	—	1	4	5	25	38	55	33	16	—										
Dis. of Stom. and Liver		121	16	1	3	1	—	21	2	2	—	1	7	13	21	25	16	11	—										
Dis. of Kidneys		54	—	—	1	—	—	1	2	—	1	1	5	5	10	10	19	7	—										
Dis. of Gener. Organs		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
Dis. of Joints		10	—	—	1	—	—	1	3	—	1	—	—	—	—	—	—	—											
Dis. of Skin		9	3	1	1	—	—	5	—	—	—	—	—	—	—	—	—	—											
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
Suicide		25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											
Other Violent Deaths		112	5	2	2	4	1	14	4	7	17	14	14	10	19	7	2	—											
Other Causes		319	153	14	1	—	—	168	3	1	—	—	3	5	4	9	31	68	37										
49.—BROMLEY.																													
Mean Popul ⁿ , 1861-71		12324	390	341	362	356	332	1781	1522	1213	1106	1001	1848	1396	1093	757	440	147	20										
TOTAL DEATHS		2225	531	148	71	41	40	831	105	44	40	59	117	156	153	184	269	305	51										
Small-pox		22	6	3	—	—	2	11	1	—	1	5	—	3	1	—	—	—											
Measles		21	5	8	2	1	—	16	4	—	—	1	—	—	—	—	—	—											
Scarlatina		64	3	11	6	14	8	42	17	3	—	—	1	—	—	—	—	—											
Diphtheria		43	2	8	3	8	7	28	11	1	1	1	—	—	—	—	—	—											
Whooping-cough		49	24	15	7	—	3	49	—	—	—	—	—	—	—	—	—	—											
Typhus		70	1	2	4	—	1	8	10	12	9	4	9	5	3	6	—	—											
Diarrhoea & Dysentery																													

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upward.
47.—KINGSTON.																		
Popul ⁿ , 1861-71	25345	647	583	654	599	557	3040	2594	2334	2371	2696	4370	3034	2161	1484	883	331	47
L. DEATHS -	4045	768	268	130	120	65	1351	142	81	121	131	277	230	275	351	468	423	145
pox - - -	17	9	2	1	2	-	14	-	-	1	1	-	1	-	-	-	-	-
na - - -	85	17	32	17	9	4	79	5	1	-	-	-	-	-	-	-	-	-
ria - - -	185	8	20	24	33	22	107	50	14	4	8	5	1	1	1	-	-	-
ing-cough -	36	3	4	1	4	4	16	9	3	1	2	-	2	1	1	-	-	-
ea & Dysentery	99	39	30	11	9	6	95	4	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.	161	5	7	9	10	5	56	15	15	18	19	16	13	13	8	5	8	1
a and Tabes	127	76	17	2	3	-	98	1	2	1	1	2	2	2	2	2	2	2
sphalus -	103	8	10	4	13	5	40	11	4	3	5	6	4	6	8	9	5	3
Brain	179	-	1	-	-	-	2	2	1	1	-	3	21	40	55	28	14	4
Heart & Dropsy	417	9	7	5	1	2	24	5	9	57	5	108	80	59	22	4	-	-
Lungs	71	25	19	8	3	1	56	12	2	-	1	-	-	-	-	-	-	-
Stom. and Liver	530	113	25	10	8	4	160	6	6	6	7	19	31	32	60	104	50	19
Kidneys	357	7	1	4	-	-	13	1	7	6	7	21	33	88	55	75	10	10
Gener. Organs	586	99	48	22	10	5	184	7	5	5	8	18	32	34	65	103	97	23
Joints	225	15	3	-	-	-	20	4	2	7	6	18	20	30	41	61	16	10
Skin	47	1	-	-	1	1	3	3	1	2	-	6	6	4	10	11	1	1
rth and Metria	22	-	-	-	-	-	-	-	-	-	-	2	2	2	7	4	3	1
Violent Deaths	15	-	-	-	-	-	-	-	1	2	-	3	2	1	2	2	1	1
causes	17	7	-	-	-	-	7	-	-	-	1	2	2	1	1	1	1	1
	62	-	-	-	-	-	-	-	-	2	13	34	13	-	-	-	-	-
	10	-	-	-	-	-	-	-	-	3	3	1	-	-	3	1	-	-
	66	16	6	7	3	1	33	4	2	3	2	2	3	4	7	3	5	2
	504	292	27	4	3	2	328	1	-	-	2	4	10	7	2	26	104	61
48.—RICHMOND.																		
Popul ⁿ , 1861-71	12706	294	241	258	248	252	1293	1171	1109	1330	1424	2187	1557	1150	786	497	175	27
L. DEATHS -	2103	384	140	79	48	39	690	78	40	47	52	130	142	137	185	302	227	73
pox - - -	14	4	3	2	1	-	10	1	2	1	-	-	-	-	-	-	-	-
ina - - -	48	12	21	6	4	2	45	3	-	-	-	-	-	-	-	-	-	-
eria - - -	83	3	6	10	10	16	51	20	7	-	2	2	1	-	-	-	-	-
ing-cough -	23	3	-	-	3	6	9	5	3	3	-	1	-	-	-	2	-	-
ea & Dysentery	52	20	12	13	-	2	47	5	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.	65	-	2	2	2	4	10	12	3	7	5	4	7	10	1	4	1	1
a and Tabes	77	41	8	1	-	-	50	-	-	-	4	4	-	2	2	2	1	1
sphalus -	17	4	1	-	-	-	5	2	2	1	4	2	2	1	1	4	2	-
Brain	42	6	7	4	-	2	19	-	-	1	1	4	1	2	4	2	-	-
Heart & Dropsy	84	-	-	-	-	-	26	-	5	-	-	2	12	14	20	32	4	-
Lungs	39	14	3	5	3	1	13	6	9	19	20	37	32	26	8	-	-	-
Stom. and Liver	290	56	3	2	3	1	23	8	1	-	-	-	-	-	-	-	-	-
Kidneys	27	10	3	4	3	1	23	8	1	-	-	-	-	-	-	-	-	-
Gener. Organs	261	29	10	7	4	4	84	8	8	1	6	13	15	9	26	60	32	7
Joints	119	-	-	-	-	-	13	-	3	-	6	8	16	23	38	41	18	7
Skin	329	84	33	9	7	1	194	1	2	-	3	18	16	16	49	75	17	3
rth and Metria	135	12	2	-	1	1	16	2	-	3	1	8	20	18	23	21	15	3
Violent Deaths	23	-	1	1	1	-	3	-	-	1	1	3	7	6	8	8	1	1
causes	20	-	-	-	-	-	-	-	-	1	1	3	2	2	3	3	1	-
	8	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	7	3	1	2	-	-	6	-	-	-	-	-	-	-	-	1	-	-
	25	-	-	-	-	-	-	-	-	2	2	11	9	1	-	-	-	-
	12	-	-	-	-	-	-	-	-	2	2	4	2	2	1	-	-	-
	78	6	3	-	1	1	11	1	-	1	1	1	1	3	4	4	1	1
	331	100	21	5	2	-	128	1	1	2	-	2	1	7	7	31	100	61
49.—BROMLEY.																		
Popul ⁿ , 1861-71	13952	383	342	359	363	349	1795	1524	1299	1290	1375	2348	1634	1200	822	472	165	23
L. DEATHS -	2085	419	119	60	56	42	696	93	42	59	69	131	147	139	177	247	214	71
pox - - -	13	3	-	-	1	3	7	-	-	-	1	3	-	-	2	-	-	-
ina - - -	19	3	8	4	2	1	18	1	-	-	-	-	-	-	-	-	-	-
ria - - -	61	4	5	10	8	10	37	18	1	1	1	2	-	-	-	-	-	-
ing-cough -	45	2	2	5	6	11	26	12	5	-	1	-	-	1	-	-	-	-
ea & Dysentery	54	27	10	5	4	1	53	1	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.	73	2	4	2	4	2	14	18	7	5	5	6	11	3	-	4	-	-
a and Tabes	74	45	6	-	1	-	52	2	-	2	2	1	1	1	4	2	5	2
sphalus -	2	-	-	-	-	-	2	-	3	1	2	1	-	-	-	-	-	-
Brain	53	7	4	4	2	6	23	7	1	-	1	8	1	7	13	10	16	5
Heart & Dropsy	55	-	-	-	-	-	-	1	-	-	-	1	7	13	10	16	5	2
Lungs	21	11	-	3	-	-	14	1	-	2	1	-	-	1	1	3	-	-
Stom. and Liver	293	2	2	1	2	-	5	5	7	1	26	36	65	45	22	19	3	-
Kidneys	24	6	6	4	3	2	21	2	-	-	-	-	-	-	-	-	-	-
Gener. Organs	245	53	13	7	3	2	78	7	4	5	2	3	10	17	34	43	27	5
Joints	219	4	2	3	3	1	13	4	2	6	12	7	22	27	35	49	28	7
Skin	283	64	23	8	11	1	113	5	2	2	3	14	11	17	23	35	33	8
rth and Metria	16	-	-	-	-	-	9	2	-	1	-	2	2	5	2	2	1	1
Violent Deaths	13	-	-	-	-	-	-	-	-	-	-	2	2	6	1	-	-	-
causes	2	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
	31	4	3	2	1	1	10	4	2	-	-	13	9	1	1	1	1	1
	415	172	19	5	2	1	199	3	3	1	-	2	7	10	4	16	44	3

Div. II.]

Causes of Death in the Ten Years 1861-70.—Females.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		50.—DARTFORD.															
Mean Popul ⁿ , 1861-71	18846	533	497	533	507	491	2561	2361	1995	1697	1638	2776	2178	1638	1099	633	231
TOTAL DEATHS -	3300	785	264	125	88	56	1818	167	61	90	82	187	221	198	260	354	273
Small-pox -	23	8	3	1	1	1	14	2	1	3	-	-	2	1	-	-	-
Measles -	77	18	20	16	7	2	63	14	-	-	-	-	-	-	-	-	-
Scarlatina -	170	10	16	35	19	22	102	53	9	-	2	1	2	-	-	-	1
Diphtheria -	17	-	2	2	2	1	7	5	1	1	1	-	-	1	-	-	-
Whooping-cough -	104	46	34	11	7	2	109	4	-	-	-	-	-	-	-	-	-
Typhus -	170	2	4	2	6	7	21	26	14	14	6	8	15	14	12	14	18
Diarrhoea & Dysentery -	149	88	17	4	-	-	109	1	-	1	3	3	6	2	2	11	7
Cholera -	17	7	2	1	1	-	11	1	-	-	-	-	3	1	-	1	-
Other Zymotic Dis. -	96	13	13	12	8	4	80	12	2	2	3	3	5	4	4	6	5
Cancer -	80	-	-	-	-	-	-	-	-	1	-	1	15	16	30	19	3
Scrofula and Tubercles -	80	35	19	6	1	3	64	3	5	-	-	-	3	-	-	1	-
Phthisis -	214	7	2	1	1	-	11	7	7	-	36	45	80	69	30	18	8
Hydrocephalus -	34	14	9	4	3	-	30	3	1	-	-	-	-	-	-	-	-
Dis. of Brain -	394	121	23	7	10	4	165	9	7	7	3	14	19	28	28	57	42
Dis. of Heart & Dropsy -	237	6	2	2	2	1	13	3	3	7	5	15	14	22	48	62	40
Dis. of Lungs -	424	127	54	9	12	3	205	4	2	9	1	14	18	31	31	74	27
Dis. of Stom. and Liver -	147	18	2	1	2	1	24	4	1	1	3	13	10	20	35	27	9
Dis. of Kidneys -	25	2	-	-	-	-	2	-	-	1	-	2	7	5	2	6	1
Dis. of Gener. Organs -	19	-	-	-	-	-	-	-	-	-	-	4	1	6	4	3	1
Dis. of Joints -	18	1	-	1	-	-	2	4	3	1	-	-	3	1	2	2	-
Dis. of Skin -	8	3	-	-	-	-	3	-	-	-	1	-	-	1	1	2	-
Childbirth and Metris -	43	-	-	-	-	-	-	-	-	2	6	16	17	2	-	-	-
Suicide -	5	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-
Other Violent Deaths -	61	11	5	3	3	3	25	5	3	3	2	5	2	2	7	2	4
Other Causes -	578	248	37	7	3	2	297	7	2	1	1	6	8	12	22	58	111
51.—GRAVESEND.																	
Mean Popul ⁿ , 1861-71	10633	279	233	247	259	275	1293	1192	1094	1123	990	1564	1195	941	671	394	147
TOTAL DEATHS -	2105	405	171	79	69	32	756	91	38	50	69	122	141	150	192	231	186
Small-pox -	18	4	1	4	1	1	11	1	1	1	1	2	1	-	-	-	-
Measles -	33	5	12	5	10	1	31	2	-	-	-	-	-	-	-	-	-
Scarlatina -	98	5	12	10	18	17	62	27	6	-	2	1	-	-	-	-	-
Diphtheria -	23	3	2	4	2	2	13	6	1	1	-	1	-	1	-	-	-
Whooping-cough -	67	29	24	10	2	1	68	1	-	-	-	-	-	-	-	-	-
Typhus -	80	1	3	3	1	8	13	3	5	7	4	7	3	3	15	9	4
Diarrhoea & Dysentery -	114	64	20	5	1	-	90	-	-	-	-	1	3	4	2	2	7
Cholera -	9	3	-	-	-	-	3	2	1	-	-	-	1	1	1	-	-
Other Zymotic Dis. -	58	6	13	4	6	2	31	3	3	2	-	2	4	2	4	3	3
Cancer -	74	-	-	-	-	-	-	-	-	-	1	2	9	19	17	15	8
Scrofula and Tubercles -	19	4	3	1	1	-	9	2	1	-	-	1	1	1	1	1	2
Phthisis -	218	3	4	2	2	2	11	10	11	21	33	33	41	27	10	1	-
Hydrocephalus -	24	12	6	2	4	-	24	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	273	62	21	6	10	-	99	8	1	3	4	6	13	22	36	45	20
Dis. of Heart & Dropsy -	129	-	-	-	-	-	2	1	5	3	7	13	16	27	30	21	-
Dis. of Lungs -	330	72	28	22	8	2	132	6	1	3	3	11	11	21	35	58	30
Dis. of Stom. and Liver -	146	10	1	-	-	-	11	2	3	3	3	10	16	21	29	31	15
Dis. of Kidneys -	22	-	-	-	-	-	-	-	1	-	1	5	2	2	4	3	2
Dis. of Gener. Organs -	11	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-
Dis. of Joints -	9	1	-	-	1	-	2	1	3	1	-	-	1	1	-	-	-
Dis. of Skin -	8	-	-	-	-	-	-	1	-	-	2	1	1	1	-	1	1
Childbirth and Metris -	30	-	-	-	-	-	-	-	-	-	7	8	1	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths -	25	7	2	1	-	1	11	1	-	2	-	1	2	-	1	3	3
Other Causes -	293	115	20	5	-	2	142	3	1	3	1	6	5	4	9	27	52
52.—NORTH AYLESFORD.																	
Mean Popul ⁿ , 1861-71	9970	318	297	290	288	285	1478	1348	1054	829	815	1426	1107	869	583	328	117
TOTAL DEATHS -	1878	474	164	74	36	38	786	102	46	62	64	115	119	100	128	152	150
Small-pox -	7	2	-	-	-	-	2	1	-	1	-	3	-	-	-	-	-
Measles -	56	9	19	12	4	2	46	8	1	1	-	-	-	-	-	-	-
Scarlatina -	92	9	12	13	10	10	56	31	3	1	-	1	-	-	-	-	-
Diphtheria -	33	3	6	1	5	3	17	7	4	2	1	-	1	1	-	-	-
Whooping-cough -	43	17	13	5	5	2	42	1	-	-	-	-	-	-	-	-	-
Typhus -	119	23	11	7	1	4	46	13	11	8	2	8	3	3	5	10	8
Diarrhoea & Dysentery -	101	37	13	4	-	-	74	-	-	1	4	1	3	1	2	9	6
Cholera -	9	4	-	-	1	-	5	2	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	59	5	7	2	3	1	18	6	3	3	4	2	4	3	3	10	2
Cancer -	59	-	-	-	-	-	-	-	-	-	-	3	19	10	13	8	4
Scrofula and Tubercles -	24	7	3	-	-	1	11	2	4	1	2	1	1	1	-	1	-
Phthisis -	193	6	2	2	-	1	11	6	5	22	36	49	37	15	10	2	2
Hydrocephalus -	13	5	6	-	1	-	12	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	214	63	14	6	2	4	94	5	6	6	3	5	6	14	20	23	19
Dis. of Heart & Dropsy -	108	-	-	-	-	-	1	2	2	4	2	5	13	13	21	29	14
Dis. of Lungs -	211	58	32	14	3	8	115	6	3	1	3	2	10	10	15	23	18
Dis. of Stom. and Liver -	107	29	7	2	-	-	38	3	2	3	-	6	9	14	12	11	9
Dis. of Kidneys -	19	-	-	-	-	-	-	-	-	1	-	2	5	4	6	1	-
Dis. of Gener. Organs -	10	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-
Dis. of Joints -	4	-	-	1	-	-	1	-	1	-	-	1	1	-	-	2	-
Dis. of Skin -	7	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	31	-	-	-	-	-	-	-	-	3	6	13	9	-	-	-	-
Suicide -	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Violent Deaths -	31	8	8	1	-	-	17	5	-	-	1	1	-	-	1	3	3
Other Causes -	331	163	12	2	1	1	179	3	1	3	-	7	4	-	2	6	23

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 and upwards.
		53.—HOO.																
Mean Popul ⁿ , 1861-71	1572	40	36	41	37	43	197	193	171	159	140	208	190	145	103	50	14	2
TOTAL DEATHS	395	96	30	14	10	8	158	12	13	6	18	27	30	30	31	44	21	5
Small-pox	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Measles	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	21	1	-	6	5	3	15	3	2	-	-	1	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Typhus	18	1	-	1	-	-	2	1	1	-	1	3	4	1	5	2	2	2
Diarrhoea & Dysentery	26	14	8	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-
Cholera	6	2	-	-	1	2	3	-	-	1	-	-	-	2	1	5	-	-
Other Zymotic Dis.	12	-	-	-	1	2	3	1	1	-	1	-	1	1	5	1	1	1
Cancer	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Phthisis	19	-	-	-	-	-	-	-	1	-	-	-	5	2	2	-	-	-
Hydrocephalus	5	-	1	1	1	-	3	1	1	-	6	3	5	2	2	-	-	-
Dis. of Brain	47	17	3	2	1	-	23	2	2	-	-	2	2	5	2	5	3	2
Dis. of Heart & Dropsy	14	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	2
Dis. of Lungs	76	11	9	2	1	2	25	1	1	1	2	3	7	1	5	9	18	4
Dis. of Stom. and Liver	18	2	-	-	-	-	2	-	1	-	-	-	-	1	1	1	1	1
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	32	3	-	1	-	-	4	1	1	3	5	8	6	3	1	-	1	1
Other Causes	81	43	8	1	-	1	53	2	-	-	-	3	3	3	1	10	4	3
54.—MEDWAY.																		
Mean Popul ⁿ , 1861-71	29578	796	681	736	692	683	3588	3091	2567	2970	3845	5456	3608	2168	1293	690	267	35
TOTAL DEATHS	6549	1695	543	260	154	102	2754	237	92	172	331	643	552	430	418	433	333	111
Small-pox	45	0	5	1	2	-	17	3	1	3	11	6	2	1	1	-	-	-
Measles	181	22	52	52	11	7	124	6	-	-	1	-	-	-	-	-	-	-
Scarlatina	200	16	38	45	42	56	177	58	12	4	5	4	-	-	-	-	-	-
Diphtheria	18	1	3	3	2	1	10	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	110	52	33	14	6	3	108	2	-	-	-	-	-	-	-	-	-	-
Typhus	229	8	12	15	8	10	61	36	12	24	30	29	25	16	15	10	5	5
Diarrhoea & Dysentery	287	185	58	5	2	-	250	5	1	-	2	13	11	4	7	6	5	5
Cholera	37	17	3	1	1	-	22	5	1	1	2	2	-	3	1	1	1	1
Other Zymotic Dis.	175	26	23	15	19	9	90	12	3	8	7	9	13	10	7	5	9	0
Cancer	62	-	-	-	-	-	-	-	-	-	2	2	7	10	18	17	6	-
Scrophula and Tuberc.	177	75	35	11	6	11	130	11	3	6	11	8	2	5	5	1	-	-
Phthisis	848	17	13	13	6	5	54	22	9	62	137	240	168	102	48	12	4	-
Hydrocephalus	96	30	29	13	9	4	85	9	1	-	-	-	1	-	-	-	-	-
Dis. of Brain	777	276	57	22	11	6	373	26	10	8	15	39	42	61	64	83	49	8
Dis. of Heart & Dropsy	473	8	3	4	-	2	17	1	7	12	16	73	90	77	58	81	37	4
Dis. of Lungs	998	290	127	44	14	10	489	16	-	8	61	74	84	56	73	77	26	12
Dis. of Stom. and Liver	516	71	6	5	1	3	96	6	5	8	37	43	33	38	26	50	23	2
Dis. of Kidneys	149	4	1	2	1	-	8	2	2	3	8	16	19	19	18	29	37	0
Dis. of Gener. Organs	3	1	-	-	-	-	1	-	-	-	1	-	-	1	1	1	1	-
Dis. of Joints	36	4	3	1	1	2	11	4	3	2	4	2	-	2	5	1	1	-
Dis. of Skin	22	11	1	-	1	-	13	-	-	-	-	-	2	1	1	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	50	-	-	-	-	-	-	-	-	1	3	11	12	6	13	4	-	-
Other Violent Deaths	232	19	9	7	7	1	36	13	17	19	21	42	27	17	42	3	1	1
Other Causes	1021	569	52	7	4	-	623	6	37	19	3	29	14	17	42	67	129	0
55.—MALLING.																		
Mean Popul ⁿ , 1861-71	11398	332	325	331	317	313	1618	1500	1276	1073	891	1481	1227	995	728	435	155	19
TOTAL DEATHS	2338	568	193	67	41	36	905	89	50	64	75	152	123	137	215	273	198	57
Small-pox	13	3	-	1	-	1	5	-	-	1	2	3	1	-	1	-	-	-
Measles	28	10	10	3	2	1	26	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	50	4	9	5	6	5	29	15	3	2	-	1	-	-	-	-	-	-
Diphtheria	52	1	7	3	6	5	22	15	9	3	-	-	1	-	1	1	-	-
Whooping-cough	44	18	19	3	-	2	42	2	-	-	-	-	-	-	-	-	-	-
Typhus	84	4	2	2	1	2	11	6	8	11	9	10	9	4	7	8	1	2
Diarrhoea & Dysentery	123	60	21	6	-	-	87	1	-	2	-	1	1	3	5	12	10	2
Cholera	18	4	3	-	1	-	8	2	-	-	-	3	4	1	2	8	6	-
Other Zymotic Dis.	50	8	11	4	7	2	32	6	2	3	2	2	7	2	8	5	-	-
Cancer	40	-	-	-	-	-	-	-	-	-	-	1	5	4	13	11	5	1
Scrophula and Tuberc.	66	32	12	6	-	1	51	4	1	-	1	4	1	2	1	-	-	-
Phthisis	224	4	5	4	3	1	17	1	5	15	37	63	32	22	24	7	-	-
Hydrocephalus	27	7	9	6	1	-	23	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	340	124	20	9	6	4	163	12	1	5	4	9	9	16	26	54	38	3
Dis. of Heart & Dropsy	147	1	-	1	-	1	3	-	2	3	1	9	11	13	33	48	22	2
Dis. of Lungs	295	73	40	7	6	9	135	4	1	2	4	11	15	29	34	48	21	1
Dis. of Stom. and Liver	119	29	-	1	-	-	21	4	4	1	3	6	7	21	18	24	9	1
Dis. of Kidneys	32	-	-	-	-	-	-	-	-	1	-	-	2	4	2	7	3	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	9	-	-	1	-	-	1	-	1	-	-	-	1	3	2	1	1	-
Dis. of Skin	7	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	22	-	-	-	-	-	-	-	-	2	1	1	1	5	5	3	3	2
Other Violent Deaths	115	4	4	4	1	1	14	7	11	10	2	1	1	5	11	3	3	2
Other Causes	402	188	21	1	1	1	212	2	1	1	2	1	1	1	1	1	1	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
		53.—HOO.																
Mean Popul ⁿ , 1861-71	1430	45	46	41	54	41	227	204	165	116	109	200	148	122	82	43	13	
TOTAL DEATHS	302	87	21	8	8	4	128	20	10	8	14	18	15	18	18	27	22	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	16	1	2	2	4	1	10	6	2	-	-	-	-	-	-	-	-	
Diphtheria	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
Whooping-cough	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	
Typhus	27	1	2	-	1	-	4	1	5	2	3	8	1	3	3	2	-	
Diarrhea & Dysentery	21	9	3	2	1	-	15	-	-	-	-	-	-	1	1	2	2	
Cholera	7	1	-	-	-	1	2	1	-	-	1	1	-	-	-	3	1	
Other Zymotic Dis.	8	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	
Scrofula and Tuberc.	5	1	3	-	-	-	4	-	-	-	1	-	-	-	-	-	-	
Phthisis	27	-	-	-	-	-	-	1	-	1	-	4	6	7	3	-	-	
Hydrocephalus	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	
Dis. of Brain	47	28	1	1	-	-	30	1	1	2	1	1	1	2	2	4	2	
Dis. of Heart & Dropsy	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Lungs	27	8	3	-	1	-	12	2	1	-	-	1	1	1	4	2	3	
Dis. of Stom. and Liver	9	-	-	-	-	-	-	1	-	-	-	1	-	3	3	-	1	
Dis. of Kidneys	4	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Childbirth and Metris	7	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	4	1	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	
Other Causes	69	33	6	1	1	1	42	2	1	-	-	-	-	1	-	8	12	
54.—MEDWAY.																		
Mean Popul ⁿ , 1861-71	25899	785	683	692	702	658	3520	3163	2589	2374	2424	4066	3074	2140	1372	810	313	
TOTAL DEATHS	5707	1341	532	284	163	128	2448	240	114	126	200	435	391	340	390	463	399	
Small-pox	31	9	2	6	2	1	20	5	1	1	7	2	-	-	-	-	-	
Measles	148	31	54	29	29	7	141	6	-	-	-	1	-	-	-	-	-	
Scarlatina	272	13	33	46	34	42	165	75	14	3	5	5	2	-	-	-	-	
Diphtheria	35	2	5	4	9	4	24	8	2	-	-	-	-	-	1	-	-	
Whooping-cough	138	44	49	24	11	6	134	4	-	-	-	-	-	-	-	-	-	
Typhus	207	7	11	17	11	10	56	29	13	21	14	27	16	7	9	10	5	
Diarrhea & Dysentery	227	135	36	4	3	1	179	2	1	2	2	4	2	7	11	7	5	
Cholera	39	19	5	-	2	-	20	3	-	1	-	1	1	2	3	1	1	
Other Zymotic Dis.	175	20	25	25	16	11	97	17	7	8	3	2	9	3	7	8	8	
Cancer	155	-	-	-	-	-	-	1	-	-	-	11	24	48	44	18	7	
Scrofula and Tuberc.	172	66	52	18	6	9	131	6	11	3	6	9	2	3	-	1	-	
Phthisis	639	15	16	10	4	2	47	18	22	49	89	187	119	70	30	6	2	
Hydrocephalus	68	22	19	10	5	3	59	5	3	-	-	1	-	-	-	-	-	
Dis. of Brain	671	214	62	25	11	8	310	17	10	8	7	31	31	25	58	87	69	
Dis. of Heart & Dropsy	386	8	2	1	1	1	13	9	9	8	35	56	65	65	70	41	-	
Dis. of Lungs	801	227	125	39	21	10	425	15	5	5	12	25	36	40	70	88	58	
Dis. of Stom. and Liver	281	54	11	3	2	3	73	7	8	6	12	16	26	37	31	40	18	
Dis. of Kidneys	82	1	1	2	-	1	5	1	-	-	3	10	17	15	9	8	10	
Dis. of Gener. Organs	27	-	-	-	-	-	-	-	-	-	-	1	3	9	2	2	2	
Dis. of Joints	30	-	-	-	-	2	-	4	-	-	3	2	8	-	5	3	3	
Dis. of Skin	25	13	1	1	1	-	16	1	1	1	-	1	2	-	-	2	2	
Childbirth and Metris	72	-	-	-	-	-	-	-	-	3	18	31	24	-	-	-	-	
Suicide	14	-	-	-	-	-	-	-	-	2	1	3	2	3	-	2	1	
Other Violent Deaths	61	17	5	5	1	1	29	5	1	1	3	3	5	2	6	4	2	
Other Causes	942	424	45	15	3	6	493	6	2	3	6	28	6	18	32	105	166	
55.—MALLING.																		
Mean Popul ⁿ , 1861-71	11017	345	292	323	310	301	1571	1443	1311	903	893	1516	1210	931	681	403	134	
TOTAL DEATHS	2061	490	157	66	54	37	804	84	55	72	75	145	115	115	144	196	189	
Small-pox	8	1	-	1	-	-	2	1	-	2	1	2	-	-	-	-	-	
Measles	22	5	7	3	2	1	18	5	1	-	-	-	-	-	-	-	-	
Scarlatina	54	3	6	9	9	5	34	13	5	-	-	2	-	-	-	-	-	
Diphtheria	48	2	2	3	4	10	21	14	10	2	-	-	1	-	-	-	-	
Whooping-cough	53	23	18	6	3	2	52	1	-	-	-	-	-	-	-	-	-	
Typhus	75	3	5	1	3	3	13	14	6	8	7	9	5	5	6	5	-	
Diarrhea & Dysentery	105	56	18	4	1	1	80	1	1	-	1	1	4	1	1	6	9	
Cholera	8	-	-	-	-	-	-	1	-	-	1	-	1	3	1	1	-	
Other Zymotic Dis.	46	3	10	2	3	1	19	4	1	1	2	3	4	3	-	4	4	
Cancer	52	-	-	-	-	-	-	-	-	-	-	4	7	5	18	15	3	
Scrofula and Tuberc.	78	43	11	4	4	-	62	1	3	5	1	1	2	-	2	1	-	
Phthisis	236	4	3	1	-	-	8	3	8	35	39	64	35	30	9	8	2	
Hydrocephalus	13	2	4	-	3	-	9	3	1	-	-	-	-	-	-	-	-	
Dis. of Brain	294	100	16	8	8	4	136	11	5	3	6	9	4	14	21	36	36	
Dis. of Heart & Dropsy	151	-	2	3	2	-	7	3	4	4	4	6	16	10	30	41	23	
Dis. of Lungs	298	61	34	11	4	6	116	5	2	1	5	9	8	16	28	45	29	
Dis. of Stom. and Liver	95	14	2	2	3	1	22	3	2	2	1	9	8	10	15	10	11	
Dis. of Kidneys	17	-	-	-	-	-	-	1	-	-	-	6	3	2	3	-	-	
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	-	
Dis. of Skin	6	1	-	1	-	-	2	-	-	-	-	1	-	-	-	2	-	
Childbirth and Metris	31	-	-	-	-	-	-	-	-	2	4	15	9	1	-	-	-	
Suicide	7	-	-	-	-	-	-	-	-	3	2	2	1	-	-	-	-	
Other Violent Deaths	39	2	6	4	2	8	17	2	2	1	3	2	2	3	9	6	23	
Other Causes	344	165	15	3	3	-	186	-	-	-	-	1	1	3	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85+	
56.—SEVENOAKS.																			
Mean Popul., 1861-71		11625	339	287	307	312	323	1568	1494	1357	1103	879	1457	1947	1043	790	488	178	25
TOTAL DEATHS		2106	467	125	109	50	38	749	108	53	43	62	118	132	154	179	273	225	67
Small-pox		17	3	1	-	2	-	6	2	1	1	2	1	1	3	-	-	-	-
Measles		35	7	0	0	2	-	23	3	-	-	-	-	-	-	-	-	-	-
Scarlatina		84	2	10	12	13	14	50	23	0	1	2	1	-	1	-	-	-	-
Diphtheria		33	2	3	0	4	4	16	11	5	1	1	-	-	-	1	-	-	-
Whooping-cough		35	13	10	2	3	1	34	1	-	-	-	-	-	-	-	-	-	-
Typhus		70	-	1	2	1	-	4	13	0	6	4	0	6	7	0	0	0	0
Diarrhoea & Dysentery		33	14	7	1	1	-	23	-	-	-	-	2	2	1	1	0	1	1
Cholera		3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Zymotic Dis.		33	8	6	2	0	4	28	3	3	1	-	1	6	3	1	0	1	1
Cancer		43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.		46	9	4	7	1	1	23	10	2	5	0	-	-	8	14	1	1	1
Phthisis		215	10	-	-	-	-	3	4	6	14	29	37	40	31	21	1	1	1
Hydrocephalus		42	17	10	5	1	2	35	5	2	-	-	-	-	-	-	-	-	-
Dis. of Brain		313	118	10	9	3	2	151	7	3	5	5	5	11	21	25	25	25	25
Dis. of Heart & Dropsy		187	1	-	-	-	-	3	3	1	4	4	11	12	20	27	23	23	23
Dis. of Lungs		253	67	21	12	6	5	111	9	1	2	3	5	12	13	23	22	22	22
Dis. of Stom. and Liver		115	15	-	-	-	-	20	4	2	-	-	-	12	17	17	17	17	17
Dis. of Kidneys		32	1	1	1	-	-	3	3	1	-	-	4	5	8	9	9	9	9
Dis. of Gener. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		0	-	-	-	1	-	1	1	2	-	-	1	-	-	-	-	-	-
Dis. of Skin		4	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metris.		-	-	-	-	-	-	-	-	-	-	-	1	4	1	3	1	1	1
Violent Deaths		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		77	5	3	2	3	2	15	1	3	9	5	0	12	10	8	3	3	3
Other Causes		447	173	23	8	1	1	209	6	2	1	2	6	7	10	10	27	10	10
57.—TUNBRIDGE.																			
Mean Popul., 1861-71		18301	593	545	522	536	493	2689	2338	2081	1800	1418	2456	1984	1609	1110	642	230	33
TOTAL DEATHS		3686	1001	258	127	74	60	1520	145	61	88	107	201	246	263	327	555	292	33
Small-pox		31	5	1	1	1	-	8	-	1	-	0	0	3	5	5	-	-	-
Measles		70	25	23	14	5	4	71	4	-	-	-	2	1	-	-	-	-	-
Scarlatina		111	4	17	15	10	13	58	36	8	4	2	2	1	-	-	-	-	-
Diphtheria		84	3	3	4	3	0	19	18	1	-	-	1	1	-	-	-	-	-
Whooping-cough		92	51	21	11	4	-	67	5	-	-	-	-	-	-	-	-	-	-
Typhus		88	2	4	0	-	4	16	13	0	5	3	8	9	3	8	21	5	5
Diarrhoea & Dysentery		147	94	14	5	2	1	116	2	-	-	1	-	3	3	3	4	12	12
Cholera		18	2	3	1	1	-	7	-	-	1	-	-	1	2	2	4	4	4
Other Zymotic Dis.		84	13	9	5	5	5	37	7	-	0	1	9	2	7	5	2	2	2
Cancer		53	-	-	1	-	1	2	-	-	-	-	1	6	9	24	5	2	2
Scrophula and Tuberc.		97	33	20	8	3	-	63	8	0	5	3	6	5	1	-	-	-	-
Phthisis		409	9	2	3	2	2	18	5	7	38	50	83	92	56	44	8	1	1
Hydrocephalus		87	27	22	8	9	4	70	11	5	1	-	-	-	-	-	-	-	-
Dis. of Brain		432	154	23	12	11	8	208	11	11	5	0	17	21	31	53	61	24	24
Dis. of Heart & Dropsy		242	8	1	-	-	-	4	3	-	4	0	16	24	31	55	71	22	22
Dis. of Lungs		504	184	60	18	6	2	279	10	1	4	4	15	14	38	55	68	23	23
Dis. of Stom. and Liver		185	24	2	2	0	-	31	4	3	4	5	8	21	27	50	57	10	10
Dis. of Kidneys		122	2	1	-	-	1	6	1	-	4	3	8	15	17	22	31	14	14
Dis. of Gener. Organs		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		16	-	-	-	-	-	-	2	1	1	1	1	4	4	1	-	-	-
Dis. of Skin		17	5	1	1	1	2	10	-	-	-	-	1	2	1	3	-	-	-
Childbirth and Metris.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths		17	-	-	-	-	-	-	-	-	1	-	2	2	7	2	2	1	1
Other Violent Deaths		119	5	7	0	7	0	24	7	5	5	9	11	13	9	15	5	5	5
Other Causes		674	255	24	3	1	2	255	2	2	-	4	6	8	12	17	53	10	10
58.—MAIDSTONE.																			
Mean Popul., 1861-71		19681	564	537	487	508	513	2609	2345	2122	1967	1764	2774	2970	1775	1232	734	250	33
TOTAL DEATHS		4797	1090	308	134	77	79	1678	174	94	133	151	340	402	373	432	532	332	33
Small-pox		24	5	2	-	-	2	9	-	-	5	-	3	5	1	1	-	-	-
Measles		60	8	25	6	0	4	52	8	-	-	-	-	-	-	-	-	-	-
Scarlatina		157	14	19	20	17	18	88	54	10	2	1	-	-	1	-	-	-	-
Diphtheria		29	1	0	4	4	8	17	8	4	3	-	-	-	-	-	-	-	-
Whooping-cough		76	41	18	11	2	4	76	-	-	-	-	-	-	-	-	-	-	-
Typhus		145	1	7	5	5	7	25	11	8	10	7	15	11	15	9	19	11	11
Diarrhoea & Dysentery		173	101	24	5	2	1	133	4	1	1	1	2	2	1	2	11	11	11
Cholera		11	-	-	-	-	-	1	1	1	-	-	2	1	2	2	8	8	8
Other Zymotic Dis.		117	8	15	10	8	9	50	10	7	0	2	10	8	6	8	8	8	8
Cancer		45	1	-	-	-	-	1	-	-	-	-	3	5	7	14	1	1	1
Scrophula and Tuberc.		93	40	13	6	3	3	65	4	5	4	-	6	3	7	1	1	1	1
Phthisis		531	6	9	4	3	2	23	14	16	29	58	143	110	82	50	-	-	-
Hydrocephalus		108	49	20	10	7	6	94	11	2	1	-	-	-	-	-	-	-	-
Dis. of Brain		836	145	16	17	7	5	192	13	6	18	21	82	130	93	92	112	27	27
Dis. of Heart & Dropsy		314	12	1	-	-	-	15	4	2	5	9	19	32	41	61	73	24	24
Dis. of Lungs		707	266	70	22	5	6	275	8	8	14	16	24	30	49	63	101	27	27
Dis. of Stom. and Liver		170	23	4	1	-	3	61	5	3	5	8	10	13	12	40	24	5	5
Dis. of Kidneys		78	2	1	-	-	-	3	2	5	1	3	6	5	11	13	19	9	9
Dis. of Gener. Organs		6	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		15	-	-	-	-	-	-	1	3	4	-	1	-	-	-	-	-	-
Dis. of Skin		12	6	1	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths		23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		123	7	5	4	4	3	23	13	11	2	1	1	1	1	1	1	1	1
Other Causes		534	440	46	5	2	1	494	6	2	3	3	1	1	1	1	1	1	1

Div. II.]

Causes of Death in the Ten Years 1861-70.—Females.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		56.—SEVENOAKS.															
Mean Popul ⁿ , 1861-71	11526	316	326	307	304	300	1553	1439	1286	982	929	1594	1267	1041	749	456	205
TOTAL DEATHS -	2025	565	84	65	37	30	581	94	46	60	78	158	152	123	170	239	251
Small-pox -	8	-	1	2	-	1	4	1	-	-	-	-	-	1	2	-	-
Measles -	14	2	4	3	1	1	11	2	-	-	-	-	1	-	-	-	-
Scarlatina -	68	5	6	9	8	7	35	20	4	5	-	1	1	2	-	-	-
Diphtheria -	36	3	3	3	4	5	18	10	5	1	1	-	-	-	-	-	-
Whooping-cough -	32	13	8	6	2	2	31	1	-	-	-	-	-	-	-	-	-
Typhus -	79	1	2	1	4	1	9	12	5	7	1	10	10	7	6	6	6
Diarrhoea & Dysentery -	88	21	1	2	1	-	25	1	-	1	1	-	2	1	1	5	1
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	49	8	5	6	5	2	24	7	8	1	-	2	1	4	3	2	1
Cancer -	38	-	-	-	-	-	-	-	-	-	-	1	2	7	10	19	14
Scrofula and Tubercles -	41	5	2	4	2	1	14	6	6	1	2	5	1	-	4	2	-
Phthisis -	276	3	2	2	-	-	7	12	29	53	68	61	33	8	2	-	-
Hydrocephalus -	29	7	5	4	2	2	23	6	-	-	-	-	-	-	-	-	-
Dis. of Brain -	231	59	13	4	-	1	77	5	2	4	2	20	11	12	26	34	29
Dis. of Heart & Dropsy -	203	2	-	-	-	-	5	3	3	3	4	11	11	18	38	71	84
Dis. of Lungs -	181	41	17	7	5	2	72	4	1	3	3	2	6	5	19	26	26
Dis. of Stom. and Liver -	118	11	-	5	2	1	19	4	1	1	3	7	13	14	28	14	14
Dis. of Kidneys -	23	-	-	-	-	-	-	2	-	-	-	4	3	3	3	6	-
Dis. of Gener. Organs -	9	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-
Dis. of Joints -	3	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-
Dis. of Skin -	5	2	-	-	-	-	2	-	-	-	-	1	1	1	-	-	-
Childbirth and Metria -	38	-	-	-	-	-	-	-	-	2	5	15	14	-	-	-	-
Suicide -	5	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-
Other Violent Deaths -	19	5	2	2	1	-	10	3	-	-	-	2	1	-	1	-	3
Other Causes -	463	177	10	5	2	1	135	4	1	2	2	4	6	6	11	53	122
57.—TUNBRIDGE.																	
Mean Popul ⁿ , 1861-71	21079	542	532	535	537	491	2637	2380	2198	1987	1986	3202	2500	1859	1275	794	240
TOTAL DEATHS -	3566	722	230	116	74	59	1201	131	87	117	129	253	268	244	291	306	370
Small-pox -	23	5	1	1	-	-	7	1	-	1	2	6	2	-	1	2	1
Measles -	69	13	22	19	7	7	62	5	1	-	-	-	-	-	-	-	-
Scarlatina -	119	6	12	18	14	14	64	32	13	5	1	3	1	-	-	-	-
Diphtheria -	44	3	7	6	6	4	26	12	3	-	-	-	-	-	2	-	-
Whooping-cough -	119	62	35	9	4	3	113	6	-	-	-	-	-	-	-	-	-
Typhus -	117	-	2	5	4	1	12	14	16	15	5	11	19	10	8	4	8
Diarrhoea & Dysentery -	124	74	17	4	1	-	96	-	-	2	3	-	1	-	3	7	8
Cholera -	6	2	-	-	-	1	3	-	-	-	-	-	-	2	1	1	-
Other Zymotic Dis. -	76	9	4	6	7	5	31	8	6	5	2	2	3	2	4	7	6
Cancer -	126	-	-	-	-	-	-	-	-	-	1	7	22	23	45	23	4
Scrofula and Tubercles -	82	27	17	4	2	1	61	6	7	4	2	3	5	2	1	1	-
Phthisis -	442	5	6	4	2	3	20	4	15	48	74	120	98	39	14	9	1
Hydrocephalus -	61	22	7	9	4	5	47	10	3	-	-	-	-	-	-	-	-
Dis. of Brain -	402	86	18	12	11	7	184	14	5	4	6	15	10	37	45	62	65
Dis. of Heart & Dropsy -	256	6	1	-	-	-	9	3	6	5	5	11	14	40	54	63	45
Dis. of Lungs -	450	102	49	13	7	4	175	19	3	3	3	6	18	24	45	85	69
Dis. of Stom. and Liver -	221	17	5	2	1	-	23	4	8	6	8	27	22	18	35	32	21
Dis. of Kidneys -	77	-	-	1	-	-	1	1	2	4	3	14	11	14	9	14	4
Dis. of Gener. Organs -	28	-	-	-	-	-	-	-	-	1	1	5	7	9	6	1	-
Dis. of Joints -	15	1	1	-	-	-	2	-	3	3	-	1	2	1	-	-	-
Dis. of Skin -	9	1	1	-	-	-	2	-	1	-	2	-	2	-	1	1	-
Childbirth and Metria -	46	-	-	-	-	-	-	-	-	1	5	14	19	2	-	-	-
Suicide -	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
Other Violent Deaths -	38	8	1	3	-	1	13	1	-	3	2	1	4	3	1	4	5
Other Causes -	601	273	26	5	4	2	310	-	-	-	-	6	7	6	15	60	136
58.—MAIDSTONE.																	
Mean Popul ⁿ , 1861-71	20463	513	527	502	522	495	2559	2389	2162	1839	1797	2915	2433	1889	1307	806	315
TOTAL DEATHS -	4485	836	302	161	82	63	1404	185	93	117	173	319	345	341	387	400	410
Small-pox -	25	9	1	3	-	-	13	2	1	1	1	1	5	-	-	1	-
Measles -	70	8	24	15	6	4	57	9	2	-	-	-	-	-	-	-	-
Scarlatina -	174	5	24	32	22	17	100	55	12	1	4	1	1	-	-	-	-
Diphtheria -	55	2	4	4	4	1	13	11	5	2	-	1	1	-	-	-	-
Whooping-cough -	82	31	24	13	7	4	79	2	1	-	-	-	-	-	-	-	-
Typhus -	137	1	2	3	6	1	13	13	12	20	16	11	10	11	10	12	7
Diarrhoea & Dysentery -	170	103	16	5	2	2	126	4	-	1	4	2	2	2	3	11	10
Cholera -	21	5	3	1	-	-	9	-	-	-	-	-	-	4	1	1	1
Other Zymotic Dis. -	82	10	7	12	2	3	34	6	2	1	4	2	6	5	9	9	4
Cancer -	109	-	-	-	-	-	-	-	-	-	-	7	19	23	33	22	5
Scrofula and Tubercles -	72	26	11	3	1	3	44	5	6	5	1	3	5	5	2	1	-
Phthisis -	544	9	10	5	3	4	31	10	21	53	86	137	103	65	30	7	1
Hydrocephalus -	78	24	23	10	6	5	68	10	-	-	-	-	-	-	-	-	-
Dis. of Brain -	670	110	59	14	10	3	165	12	10	9	15	49	71	65	77	112	72
Dis. of Heart & Dropsy -	332	15	1	-	1	1	19	4	6	6	14	15	35	55	70	76	80
Dis. of Lungs -	614	116	62	23	7	10	218	18	3	3	12	17	28	46	80	101	77
Dis. of Stom. and Liver -	178	24	5	4	-	1	31	10	2	5	5	15	19	19	27	26	14
Dis. of Kidneys -	59	2	1	1	-	-	4	-	1	2	-	8	6	4	6	3	3
Dis. of Gener. Organs -	35	-	-	-	-	-	-	-	-	-	-	5	3	12	9	4	2
Dis. of Joints -	10	-	1	1	-	1	3	1	1	-	1	1	1	-	1	1	-
Dis. of Skin -	22	5	4	-	-	1	10	2	-	-	-	1	2	3	2	1	-
Childbirth and Metria -	83	-	-	-	-	-	-	-	-	4	5	25	13	1	-	-	-
Suicide -	12	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Other Violent Deaths -	70	5	4	5	8	2	22	5	5	2	-	4	5	4	2	11	9
Other Causes -	851	373	46	7	2	-	423	6	1	-	2	8	4	14	26	91	91

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
59.—HOLLINGBOURN.																			
Mean Popul ⁿ , 1861-71 -}	7053	193	201	192	188	199	973	923	793	659	514	878	700	603	474	335	129	12	12
TOTAL DEATHS -	1368	323	86	41	31	15	496	59	32	40	45	56	76	77	89	174	170	45	45
Small-pox -	3	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
Measles -	17	4	5	3	1	1	14	2	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	56	3	2	12	11	6	34	15	6	-	1	-	-	-	-	-	-	-	-
Diphtheria -	24	1	1	2	4	2	10	8	2	2	-	-	-	2	-	-	-	-	-
Whooping-cough -	23	13	7	2	-	-	22	1	-	-	-	-	-	-	-	-	-	-	-
Typhus -	27	2	2	-	-	-	4	4	2	4	2	2	2	1	1	4	1	1	1
Diarrhoea & Dysentery -	82	20	6	3	-	-	29	2	-	2	1	1	-	1	2	8	3	1	1
Cholera -	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	30	2	3	1	4	2	12	3	1	-	2	1	2	2	2	4	1	1	1
Cancer -	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes -	29	9	7	1	1	-	18	1	1	1	2	2	4	4	4	7	8	1	1
Phthisis -	123	1	1	-	-	-	2	4	3	4	3	3	19	24	20	15	2	-	-
Hydrocephalus -	11	4	3	-	-	2	9	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	181	53	13	4	1	1	72	4	2	2	6	2	9	9	13	35	23	1	1
Dis. of Heart & Dropsy -	56	1	-	1	-	-	2	4	3	4	4	8	4	6	11	25	12	1	1
Dis. of Lungs -	206	65	18	5	-	-	83	5	-	-	3	3	8	11	16	27	40	4	4
Dis. of Stom. and Liver -	65	9	2	-	-	-	11	2	1	3	-	3	2	5	11	12	7	1	1
Dis. of Kidneys -	32	-	-	-	1	-	1	1	-	1	2	-	1	4	4	11	7	-	-
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Skin -	4	2	-	-	-	-	2	-	-	-	-	-	-	-	1	1	1	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	12	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Other Violent Deaths -	43	2	2	-	-	1	5	8	8	3	3	7	4	3	2	3	3	1	1
Other Causes -	311	138	14	7	1	-	100	3	1	1	-	1	5	4	3	23	72	20	20
60.—CRANBROOK.																			
Mean Popul ⁿ , 1861-71 -}	6871	199	167	180	176	197	919	869	827	678	548	851	712	599	473	278	102	15	15
TOTAL DEATHS -	1148	245	64	26	23	16	374	47	24	20	40	50	50	56	116	180	136	27	27
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	11	2	3	2	1	-	9	1	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	21	1	1	1	1	3	7	10	1	3	-	-	-	-	-	-	-	-	-
Diphtheria -	15	1	1	1	3	1	7	6	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	23	6	8	3	-	1	20	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	41	1	2	-	1	-	4	6	7	3	5	3	3	1	4	4	2	1	1
Diarrhoea & Dysentery -	19	5	-	1	-	1	7	1	-	-	-	-	-	-	-	-	-	-	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	32	1	2	3	3	4	18	4	-	1	-	1	-	2	2	3	5	1	1
Cancer -	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes -	27	7	6	-	-	-	13	3	2	2	1	3	4	3	3	4	5	-	-
Phthisis -	99	2	-	1	-	-	3	1	1	9	21	26	17	13	5	8	-	-	-
Hydrocephalus -	15	9	2	-	2	1	14	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	161	43	12	-	5	2	62	3	2	1	7	7	6	11	16	31	20	1	1
Dis. of Heart & Dropsy -	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Lungs -	156	36	14	6	2	1	59	5	1	1	2	3	4	9	27	45	34	1	1
Dis. of Stom. and Liver -	75	7	-	-	1	1	9	1	1	3	2	7	2	5	20	15	8	1	1
Dis. of Kidneys -	44	-	-	1	1	-	2	-	1	-	-	1	4	5	7	16	7	1	1
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	4	-	1	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	38	-	5	4	3	-	12	3	3	3	1	2	1	-	1	1	3	1	1
Other Causes -	240	122	7	3	-	-	132	2	1	-	-	2	-	-	10	24	46	15	15
61.—TENTERDEN.																			
Mean Popul ⁿ , 1861-71 -}	5455	146	160	151	143	133	733	691	621	549	399	666	579	493	384	241	88	11	11
TOTAL DEATHS -	891	225	37	18	14	13	307	41	21	19	20	42	47	51	87	117	112	27	27
Small-pox -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	8	2	2	1	-	1	6	1	-	1	-	-	-	-	-	-	-	-	-
Scarlatina -	9	-	2	1	-	1	5	3	1	-	-	-	-	-	-	-	-	-	-
Diphtheria -	19	1	1	-	2	-	4	12	2	-	-	1	-	-	-	-	-	-	-
Whooping-cough -	19	11	5	2	2	-	18	1	-	-	-	-	-	-	-	-	-	-	-
Typhus -	22	1	-	-	3	-	4	3	2	1	1	-	2	-	2	6	1	1	1
Diarrhoea & Dysentery -	15	7	1	-	1	1	10	-	-	1	1	-	-	-	2	2	1	1	1
Cholera -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	28	4	2	2	2	5	15	2	1	-	-	-	1	1	4	5	1	1	1
Cancer -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes -	10	1	2	-	-	-	3	-	2	1	-	-	-	-	2	4	-	-	-
Phthisis -	127	7	2	-	-	-	9	3	-	10	12	27	20	17	16	6	1	1	1
Hydrocephalus -	11	6	1	4	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	109	41	4	1	1	-	47	1	2	2	1	3	8	5	8	17	13	1	1
Dis. of Heart & Dropsy -	65	9	-	-	-	-	2	1	-	1	-	1	4	6	10	20	12	1	1
Dis. of Lungs -	91	29	5	2	-	1	37	2	1	2	-	3	3	5	10	20	6	1	1
Dis. of Stom. and Liver -	53	16	2	2	-	1	21	5	-	-	1	-	3	7	7	6	1	1	1
Dis. of Kidneys -	19	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	6	1	1
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	4	4	-	-	-	1	4	-	-	-	1	-	-	1	1	1	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	28	1	-	-	1	1	3	4	1	-	-	5	-	-	-	-	-	-	-
Other Causes -	231	99	10	3	1	1	105	3	1	-	-	2	-	-	-	-	-	-	-

Div. II.]

Causes of Death in the Ten Years 1861-70.—Females.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
		59.—HOLLINGBOURN.															
Mean Popul ⁿ , 1861-71	6762	189	191	197	194	186	957	890	770	584	543	882	733	566	434	272	113
TOTAL DEATHS	1193	234	80	35	20	21	390	49	33	50	34	89	72	78	83	136	123
Small-pox	3	—	1	—	—	—	1	1	—	—	—	—	1	—	—	—	—
Measles	15	1	0	3	—	2	12	3	—	—	—	—	—	—	—	—	—
Scarlatina	41	1	2	2	4	7	16	9	7	3	1	3	2	—	—	—	—
Diphtheria	22	—	2	3	2	4	11	7	3	—	—	—	—	—	—	—	—
Whooping-cough	21	13	9	1	1	1	25	—	—	—	—	—	—	—	—	—	—
Typhus	30	—	1	2	2	—	5	2	1	6	—	4	6	3	2	1	—
Diarrhoea & Dysentery	48	26	7	—	3	—	35	1	—	—	1	2	2	—	—	1	5
Cholera	4	1	—	1	—	—	2	—	—	—	—	—	—	1	—	—	—
Other Zymotic Dis.	15	2	1	1	1	—	5	1	—	—	1	2	1	—	1	1	3
Cancer	56	—	—	1	—	—	1	—	—	—	2	7	5	15	11	10	4
Scrofula and Tuberc.	32	12	5	1	2	—	20	3	—	5	—	—	2	—	—	—	1
Phthisis	119	—	—	1	—	—	1	3	7	13	15	30	23	12	6	4	—
Hydrocephalus	12	4	2	1	1	—	8	3	1	—	—	—	—	—	—	—	—
Dis. of Brain	151	29	11	5	2	2	59	5	6	3	3	9	8	9	12	18	24
Dis. of Heart & Dropsy	54	—	—	—	—	—	—	—	4	1	1	7	4	8	13	36	6
Dis. of Lungs	133	27	15	8	2	2	54	4	1	—	—	4	3	10	13	23	17
Dis. of Stom. and Liver	80	3	2	1	—	1	7	3	—	3	5	6	3	10	15	18	11
Dis. of Kidneys	17	—	—	—	—	—	—	—	—	—	1	6	2	1	4	3	—
Dis. of Gener. Organs	8	—	—	—	—	—	—	—	—	—	—	1	2	1	2	2	—
Dis. of Joints	3	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Dis. of Skin	6	2	1	—	—	—	3	—	1	—	—	—	1	1	—	—	—
Childbirth and Metria	15	—	—	—	—	—	—	—	—	1	3	7	4	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	15	3	1	—	—	1	5	3	—	3	—	—	1	2	—	1	—
Other Causes	259	100	14	4	1	1	120	1	1	5	—	1	2	5	3	18	61
60.—CRANBROOK.																	
Mean Popul ⁿ , 1861-71	6837	193	198	195	184	187	957	850	746	620	563	946	749	596	426	274	99
TOTAL DEATHS	1161	207	57	34	17	13	323	46	28	58	45	86	79	73	92	161	122
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	13	2	4	2	—	2	10	3	—	—	—	—	—	—	—	—	—
Scarlatina	24	—	1	4	3	1	9	8	4	2	1	—	—	—	—	—	—
Diphtheria	21	—	1	2	2	3	8	9	4	—	—	—	—	—	—	—	—
Whooping-cough	19	12	4	1	1	—	18	1	—	—	—	—	—	—	—	—	—
Typhus	47	2	1	1	1	1	6	5	6	7	5	3	3	3	4	3	2
Diarrhoea & Dysentery	43	13	6	3	1	—	23	1	—	1	—	1	1	1	3	8	5
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	23	2	2	4	1	—	9	3	1	—	—	2	1	1	1	1	4
Cancer	40	—	—	—	—	—	—	—	—	2	—	—	13	11	6	7	1
Scrofula and Tuberc.	30	9	3	1	—	—	13	—	—	5	1	5	3	2	1	—	—
Phthisis	132	4	1	1	—	—	6	3	7	25	27	44	23	7	7	1	—
Hydrocephalus	15	5	2	1	1	1	14	—	1	—	—	—	—	—	—	—	—
Dis. of Brain	139	25	5	1	3	1	35	4	1	7	3	11	7	9	13	20	25
Dis. of Heart & Dropsy	95	4	—	—	—	—	4	1	—	1	3	5	8	15	14	23	16
Dis. of Lungs	176	27	17	10	1	2	57	5	2	2	1	3	8	12	17	42	31
Dis. of Stom. and Liver	45	5	—	—	1	1	7	1	1	4	—	1	3	6	11	10	4
Dis. of Kidneys	13	—	—	—	—	—	—	—	—	1	1	2	—	—	5	3	—
Dis. of Gener. Organs	6	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—
Dis. of Joints	5	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Dis. of Skin	8	1	—	—	—	—	1	1	1	—	—	1	—	—	2	1	1
Childbirth and Metria	10	—	—	—	—	—	—	—	—	—	1	4	4	1	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—
Other Violent Deaths	10	1	2	—	—	—	3	—	—	—	1	—	—	1	1	2	2
Other Causes	216	95	5	2	2	1	105	2	—	1	1	3	1	2	4	32	38
61.—TENTERDEN.																	
Mean Popul ⁿ , 1861-71	5453	161	139	154	138	156	748	689	608	514	435	689	589	487	362	221	94
TOTAL DEATHS	954	179	52	18	27	12	288	39	23	35	37	74	65	56	67	114	105
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	17	1	4	6	3	—	14	3	—	—	—	—	—	—	—	—	—
Scarlatina	12	2	—	1	4	1	5	4	—	—	—	—	—	—	—	—	—
Diphtheria	21	1	2	—	2	2	7	8	4	3	—	1	—	—	—	—	—
Whooping-cough	20	16	7	1	1	1	26	3	1	—	—	—	—	—	—	—	—
Typhus	24	—	1	—	1	—	2	3	4	5	3	2	2	1	2	—	—
Diarrhoea & Dysentery	21	8	2	1	1	1	13	1	—	1	—	—	—	—	—	2	3
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	23	1	2	2	2	2	9	2	—	—	—	1	—	2	4	4	1
Cancer	17	—	—	—	—	—	—	—	—	2	—	—	1	5	3	6	1
Scrofula and Tuberc.	5	1	—	—	—	—	1	—	—	2	—	1	—	1	—	—	—
Phthisis	177	4	5	—	2	—	11	4	9	17	31	44	30	16	9	6	—
Hydrocephalus	6	1	1	—	3	—	5	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	119	23	10	1	1	3	37	2	—	2	—	3	6	11	12	22	20
Dis. of Heart & Dropsy	78	2	—	—	—	—	2	3	4	1	—	6	8	9	9	24	11
Dis. of Lungs	95	23	9	3	4	1	40	—	2	2	—	3	6	2	7	18	11
Dis. of Stom. and Liver	40	11	—	—	1	1	13	1	1	1	—	1	1	5	5	10	2
Dis. of Kidneys	4	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Dis. of Gener. Organs	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Dis. of Joints	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Dis. of Skin	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Childbirth and Metria	14	—	—	—	—	—	—	—	—	1	2	8	3	—	—	—	—
Suicide	—	1	1	2	—	—	4	1	—	—	—	—	—	1	—	4	—
Other Violent Deaths	14	1	2	—	—	—	4	1	—	—	1	—	—	1	—	19	22
Other Causes	233	84	8	—	2	—	94	3	1	—	—	4	6	3	19	22	5

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

AUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 and upwards.	
		1 Year.					Years.												
62.—WEST ASHFORD.																			
Popul ⁿ , 61-71		7029	225	213	232	218	232	1120	987	911	716	644	1093	881	670	488	292	109	18
DEATHS -		1487	286	95	51	38	18	488	63	36	55	83	101	82	81	98	162	158	50
x -		5	2	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-
a -		26	7	6	4	3	-	20	4	1	-	-	1	-	-	-	-	-	-
in -		79	3	3	17	10	7	40	23	7	2	2	5	-	-	-	-	-	-
in -		18	2	1	-	3	2	8	6	1	-	-	2	-	-	-	1	-	-
cough -		41	21	11	6	1	-	39	1	1	-	-	-	-	-	-	-	-	-
and Dysentery		71	3	2	1	3	2	11	6	-	12	12	5	3	5	1	6	3	8
and Dysentery		20	23	2	1	-	-	28	-	7	-	-	1	1	2	-	2	4	6
measle Dis.		2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
measle Dis.		24	5	2	1	2	1	11	3	-	1	-	-	-	-	-	1	2	4
and Typh		40	-	-	-	-	-	-	-	-	-	-	-	3	3	1	2	-	-
and Typh		25	7	2	4	-	-	13	1	2	2	5	1	6	7	10	7	7	1
shales -		174	3	3	-	1	1	8	1	6	23	30	45	29	17	10	-	-	-
shales -		23	10	5	2	2	1	20	3	-	-	-	-	-	-	-	-	-	-
cold -		174	40	13	5	6	2	68	2	4	5	7	6	11	8	18	25	18	4
cold and Dropsy		109	1	3	-	1	1	6	-	-	-	-	12	6	9	20	37	15	3
cold and Dropsy		194	39	31	9	4	-	83	8	4	8	7	6	6	13	14	27	13	4
cold and Dropsy		63	3	-	-	-	1	4	2	1	3	2	1	3	8	15	13	11	2
Idiocy -		16	-	-	-	-	-	-	2	-	-	-	4	1	4	1	1	1	1
Idiocy -		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiocy -		5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Idiocy -		5	1	-	-	-	-	1	-	1	-	-	-	-	1	3	1	1	1
Idiocy -		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiocy and Measle		21	-	-	-	-	-	-	-	-	1	8	6	6	-	-	-	-	-
Idiocy and Measle		8	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	3
Idiocy and Measle		14	6	-	-	1	-	7	-	1	-	-	-	-	3	1	1	3	3
Idiocy and Measle		281	110	10	1	1	-	122	-	-	-	3	2	3	1	5	32	76	30

63.—EAST ASHFORD.																	
Popul ⁿ , 61-71		6221	197	167	190	163	184	901	854	708	518	463	798	646	533	421	254
DEATHS -		1070	177	71	28	24	14	314	56	33	35	48	87	76	60	82	111
xx -		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
xx -		11	2	3	2	-	2	9	2	-	-	-	-	-	-	-	-
xx -		30	3	4	1	7	1	16	10	2	1	1	1	-	-	-	-
xx -		33	2	3	-	2	1	8	13	6	2	1	1	1	-	1	-
xx -		10	3	4	1	1	-	9	1	-	-	-	-	-	-	-	-
xx -		46	2	5	1	1	1	10	6	3	3	4	6	2	3	4	4
xx -		35	15	1	1	-	-	17	-	1	2	1	-	2	-	2	2
xx -		8	3	1	-	1	-	5	1	-	-	-	-	-	1	3	3
xx -		22	7	1	1	1	1	11	1	-	-	-	1	-	1	3	3
xx -		28	-	-	-	-	1	2	-	-	-	1	-	2	6	10	3
xx -		15	4	1	2	-	-	7	-	1	3	-	1	1	2	8	3
xx -		131	3	3	1	-	2	9	4	9	12	24	45	27	10	8	8
xx -		18	6	3	3	2	-	14	4	-	-	-	-	-	-	-	-
xx -		131	28	13	4	3	2	50	4	4	2	4	4	6	9	12	22
xx -		60	2	1	1	-	-	4	1	-	1	4	4	12	8	11	17
xx -		128	29	19	8	4	3	63	3	3	3	2	6	3	6	8	10
xx -		43	1	-	-	-	-	2	2	1	2	2	6	6	6	7	4
xx -		8	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-
xx -		7	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-
xx -		4	-	-	-	1	-	1	-	1	-	-	-	-	3	1	-
xx -		6	1	-	-	1	-	2	-	-	-	-	1	1	1	1	-
xx -		16	-	-	-	-	-	-	-	-	1	2	6	7	-	-	-
xx -		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
xx -		19	1	2	1	-	-	4	3	3	1	1	-	1	1	3	2
xx -		218	64	6	-	-	-	70	1	-	2	-	4	4	3	6	25

64.—BRIDGE.																	
Popul ⁿ , 61-71		5556	151	151	149	138	135	724	689	592	442	424	726	616	540	401	272
DEATHS -		928	177	37	20	17	13	264	34	31	23	35	53	64	61	68	120
xx -		4	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-
xx -		12	4	3	1	3	-	11	1	-	-	-	-	-	-	-	-
xx -		20	1	1	6	1	3	13	4	3	1	-	-	-	-	1	-
xx -		17	1	1	2	1	1	6	6	3	1	-	1	-	-	-	-
xx -		9	4	2	2	-	1	9	-	-	-	3	2	-	4	1	3
xx -		20	-	1	1	-	2	4	4	-	-	-	-	-	-	-	-
xx -		35	18	4	-	1	-	23	1	5	1	-	1	1	3	-	1
xx -		4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
xx -		21	2	2	1	2	1	8	1	1	-	1	-	-	2	3	3
xx -		30	-	-	-	-	-	-	-	-	-	-	-	-	6	6	3
xx -		16	8	1	-	1	-	10	1	2	-	1	1	1	1	1	1
xx -		115	1	-	-	-	-	1	1	8	12	22	27	21	11	8	4
xx -		7	3	2	1	-	-	6	1	-	-	-	-	-	-	-	-
xx -		98	16	5	4	2	-	27	2	3	1	1	3	8	7	6	24
xx -		83	1	-	-	1	-	2	1	1	2	3	3	9	6	10	23
xx -		108	20	6	1	3	2	32	6	1	-	3	1	7	5	9	19
xx -		49	3	2	-	2	1	8	2	-	-	-	2	4	7	8	10
xx -		6	-	1	-	-	-	1	-	1	-	-	-	1	-	2	1
xx -		8	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
xx -		4	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-
xx -		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
xx -		11	-	-	-	-	-	-	-	-	-	2	4	-	1	-	-
xx -		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
xx -		207	33	5	1	-	-	39	-	2	-	-	1	3	1	5	4

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80-	
65.—CANTERBURY.																			
Mean Popul ⁿ , 1861-71		8319	192	173	191	175	184	915	799	759	1002	1031	1333	934	652	481	295	114	14
TOTAL DEATHS		2067	445	118	68	42	38	711	74	40	55	87	175	188	145	155	114	137	38
Small-pox		33	5	1	5	3	2	15	7	-	2	1	3	4	1	-	-	-	-
Measles		34	6	16	6	3	1	32	2	-	-	-	-	-	-	-	-	-	-
Scarlatina		50	-	5	10	6	9	30	17	2	-	-	1	-	-	-	-	-	-
Diphtheria		9	-	2	1	-	1	4	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough		23	10	5	5	3	-	23	1	-	-	-	-	-	-	-	-	-	-
Typhus		69	-	1	5	2	3	11	6	8	5	13	8	6	2	2	6	2	1
Diarrhœa & Dysentery		77	20	6	1	-	1	35	-	-	-	1	-	-	-	-	-	-	-
Cholera		3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		45	3	3	1	3	5	15	6	2	1	3	6	2	2	4	3	1	1
Cancer		27	-	-	-	-	-	-	-	-	-	-	3	4	6	4	5	1	1
Scrophula and Tuberc.		63	41	3	3	-	2	49	3	-	-	2	5	1	-	-	-	-	-
Phthisis		242	-	1	-	-	-	1	3	5	23	35	59	68	51	31	6	-	-
Hydrocephalus		27	7	7	5	4	1	24	-	-	1	-	-	-	-	-	-	-	-
Dis. of Brain		225	57	17	9	1	6	63	4	3	4	6	10	21	11	16	24	23	1
Dis. of Heart & Dropsy		148	-	-	1	-	-	2	6	3	5	5	10	14	20	22	14	1	1
Dis. of Lungs		274	60	31	11	13	2	117	6	4	1	4	17	19	14	27	24	7	1
Dis. of Stom. and Liver		125	5	1	2	-	-	9	-	-	-	6	14	21	19	20	22	13	1
Dis. of Kidneys		63	-	-	-	2	1	3	-	-	3	2	5	9	8	13	14	7	1
Dis. of Gener. Organs		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints		16	-	-	-	1	-	1	1	5	-	1	3	2	2	3	-	-	-
Dis. of Skin		5	1	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Suicide		18	-	-	-	-	-	-	-	-	-	-	4	5	4	5	3	1	1
Other Violent Deaths		59	2	3	1	-	2	8	5	5	4	1	11	6	7	6	5	4	2
Other Causes		451	195	14	7	3	-	222	2	1	3	5	17	14	13	30	41	29	1
66.—BLEAN.																			
Mean Popul ⁿ , 1861-71		8311	254	230	244	240	229	1197	1153	1070	733	545	989	907	703	543	334	122	15
TOTAL DEATHS		1761	475	116	77	42	39	749	82	41	34	54	96	105	97	139	162	138	44
Small-pox		8	2	-	-	-	1	4	-	-	-	1	2	1	-	-	-	-	-
Measles		25	2	11	4	6	2	25	-	-	-	-	-	-	-	-	-	-	-
Scarlatina		73	8	9	13	8	11	48	20	3	2	-	-	-	-	-	-	-	-
Diphtheria		11	4	-	1	1	-	6	1	3	-	-	1	-	-	-	-	-	-
Whooping-cough		53	20	14	8	3	-	60	2	-	-	-	-	-	-	-	-	-	-
Typhus		101	5	5	9	4	7	28	17	12	8	4	6	5	-	2	11	7	3
Diarrhœa & Dysentery		93	60	15	3	2	-	78	2	-	2	-	1	-	1	1	4	1	1
Cholera		8	5	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis.		58	8	4	6	4	4	26	5	3	1	-	3	-	3	3	7	3	2
Cancer		26	-	-	-	1	-	1	-	-	-	-	1	1	3	6	7	2	1
Scrophula and Tuberc.		43	17	7	7	-	-	31	5	2	-	1	1	1	2	-	-	-	-
Phthisis		174	2	3	-	1	-	6	4	2	12	32	35	29	28	16	8	1	1
Hydrocephalus		31	7	12	2	3	1	25	4	2	-	-	-	-	-	-	-	-	-
Dis. of Brain		216	59	13	7	4	5	88	5	2	1	5	12	5	15	21	23	3	3
Dis. of Heart & Dropsy		107	5	-	-	-	-	5	1	-	-	1	5	7	31	23	17	1	1
Dis. of Lungs		236	62	18	11	4	4	99	5	4	4	4	11	19	14	18	29	26	2
Dis. of Stom. and Liver		94	11	-	1	-	1	13	4	2	-	1	5	14	13	17	27	6	2
Dis. of Kidneys		35	-	-	-	-	1	1	-	-	-	-	2	4	3	9	6	2	2
Dis. of Gener. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		7	2	-	-	-	-	2	-	-	-	-	-	1	1	1	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		6	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-
Other Violent Deaths		60	3	-	3	2	2	10	3	5	4	4	9	11	3	5	3	1	1
Other Causes		296	185	9	2	-	-	199	1	-	-	1	1	4	2	6	19	29	1
67.—FAVERSHAM.																			
Mean Popul ⁿ , 1861-71		10446	315	306	319	270	305	1515	1346	1274	945	777	1406	1114	850	618	413	164	94
TOTAL DEATHS		2059	539	159	65	52	44	859	76	40	46	47	136	113	120	123	232	199	65
Small-pox		18	2	1	-	-	-	3	1	-	-	2	2	4	1	3	-	1	1
Measles		22	4	8	1	4	1	18	4	-	-	-	-	-	-	-	-	-	-
Scarlatina		54	6	5	4	9	10	34	12	5	-	1	2	-	-	-	-	-	-
Diphtheria		33	2	5	4	8	3	22	5	3	1	2	-	-	-	-	-	-	-
Whooping-cough		62	27	15	10	8	-	60	1	-	-	-	-	-	-	-	-	-	-
Typhus		91	2	3	4	-	3	12	8	8	7	2	9	9	10	5	14	8	1
Diarrhœa & Dysentery		77	53	13	3	-	-	69	-	-	-	-	-	-	-	-	-	-	-
Cholera		13	1	2	1	-	-	4	1	-	1	1	1	1	3	2	4	2	1
Other Zymotic Dis.		53	4	5	2	6	7	24	7	2	1	1	3	1	5	2	5	4	1
Cancer		27	-	-	-	-	-	-	-	-	1	-	3	-	5	6	10	3	1
Scrophula and Tuberc.		35	13	8	-	3	3	27	-	4	-	1	1	1	1	-	-	-	-
Phthisis		150	6	1	1	1	1	16	4	2	20	18	29	24	24	15	8	-	-
Hydrocephalus		30	14	6	4	2	-	26	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		233	81	18	10	4	2	115	8	5	2	2	4	9	12	16	33	28	4
Dis. of Heart & Dropsy		159	1	3	1	-	4	9	5	4	1	1	8	11	15	28	49	25	1
Dis. of Lungs		212	75	30	16	1	1	117	6	-	2	5	8	9	11	13	25	21	1
Dis. of Stom. and Liver		73	7	-	1	1	1	10	1	2	5	1	3	12	5	5	29	11	1
Dis. of Kidneys		45	2	1	-	1	1	5	1	-	-	-	4	3	6	5	10	10	1
Dis. of Gener. Organs		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		10	3	1	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		168	5	2	2	4	5	18	5	3	-	-	23	21	3	4	4	2	1
Other Causes		486	230	27	6	-	3	265	2	-	-	-	4	5	9	17	43	59	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		68.—MILTON.																
Mean Popul ⁿ , 1861-71 - }	8617	296	257	261	272	249	1335	1163	943	787	695	1199	955	683	465	261	96	15
TOTAL DEATHS -	1867	625	162	88	44	35	954	71	56	47	55	90	110	89	102	135	131	56
Small-pox - - -	14	-	-	1	-	-	1	1	-	1	5	2	2	2	-	-	-	-
Measles - - -	40	10	15	8	3	1	27	3	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	113	11	18	23	15	14	81	20	8	1	1	2	-	-	-	-	-	-
Diphtheria - - -	11	1	-	1	2	1	5	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	45	25	13	4	1	2	45	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	133	5	5	4	7	6	28	12	13	8	6	6	14	10	16	16	16	1
Diarrhoea & Dysentery	114	76	18	2	2	1	99	1	-	-	-	-	-	1	7	4	1	1
Cholera - - -	28	9	6	2	-	-	17	1	-	1	1	1	2	3	2	-	-	-
Other Zymotic Dis.	42	4	4	7	2	2	21	7	-	-	3	2	1	3	2	-	-	-
Cancer - - -	15	-	-	-	-	1	1	-	-	-	-	-	-	1	2	2	1	1
Scrofula and Tuberc.	59	31	10	7	-	1	49	1	1	1	2	2	1	2	2	1	1	1
Phthisis - - -	119	2	1	1	-	-	4	1	3	13	14	33	28	16	5	-	-	-
Hydrocephalus -	21	18	4	2	-	-	20	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - -	217	109	16	3	0	3	137	5	2	6	2	6	10	6	10	16	17	1
Dis. of Heart & Dropsy	78	3	1	-	-	-	4	2	1	1	1	13	12	6	12	14	7	1
Dis. of Lungs - -	242	99	26	13	3	2	144	8	1	1	3	6	15	11	11	11	11	1
Dis. of Stom. and Liver	53	7	1	2	-	-	10	-	1	2	-	4	6	7	4	-	-	-
Dis. of Kidneys -	29	-	-	-	-	1	1	-	-	-	2	1	4	3	4	10	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -	6	-	1	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-
Dis. of Skin - - -	2	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	8	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	1
Other Violent Deaths	85	10	4	8	1	-	24	7	7	0	13	7	7	6	6	2	2	2
Other Causes - -	382	217	9	4	1	-	231	1	-	-	1	4	2	4	14	24	27	26
69.—SHEPPEY.																		
Mean Popul ⁿ , 1861-71 - }	10279	288	265	238	234	238	1253	1039	865	1111	1311	1929	1254	818	431	193	64	11
TOTAL DEATHS -	1928	580	178	111	76	40	985	63	30	47	57	148	115	100	129	108	55	21
Small-pox - - -	26	2	1	1	1	2	7	2	1	2	3	7	2	2	-	-	-	-
Measles - - -	56	5	13	11	6	1	85	3	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	99	5	17	17	13	10	62	28	7	1	-	1	-	-	-	-	-	-
Diphtheria - - -	32	1	5	6	9	5	28	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	68	35	15	12	3	2	68	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	123	1	5	6	1	3	16	12	5	4	1	7	5	3	5	1	4	1
Diarrhoea & Dysentery	122	83	15	6	1	2	107	1	-	-	-	3	3	3	1	3	4	1
Cholera - - -	22	1	1	3	1	1	7	3	-	-	-	2	2	1	2	1	1	1
Other Zymotic Dis.	59	9	11	5	7	3	35	5	1	-	2	5	2	2	2	4	1	1
Cancer - - -	12	1	-	-	-	-	1	-	-	1	-	1	-	4	2	1	2	1
Scrofula and Tuberc.	52	22	13	2	3	1	41	8	5	1	1	2	-	1	-	-	-	-
Phthisis - - -	145	3	3	3	3	-	12	5	2	10	18	43	27	14	13	1	-	-
Hydrocephalus -	61	23	18	6	1	-	48	2	-	1	-	-	-	-	-	-	-	-
Dis. of Brain - -	223	101	14	8	10	1	134	8	-	4	2	8	10	8	20	16	18	1
Dis. of Heart & Dropsy	110	2	-	1	3	1	7	4	1	1	3	10	15	18	21	20	11	1
Dis. of Lungs - -	246	83	25	16	6	8	133	6	1	6	3	9	22	16	25	31	23	1
Dis. of Stom. and Liver	53	11	1	2	3	-	17	1	2	1	2	5	4	4	10	4	3	1
Dis. of Kidneys -	23	1	-	-	1	-	2	-	1	-	2	4	5	3	3	7	3	1
Dis. of Gener. Organs	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints - -	7	-	1	-	1	-	2	-	1	2	1	-	-	-	1	1	1	1
Dis. of Skin - - -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	117	19	2	2	3	3	20	5	4	11	18	23	13	11	4	1	1	1
Other Violent Deaths	341	178	17	4	1	2	202	1	1	2	-	18	6	5	13	26	27	12
70.—THANET.																		
Mean Popul ⁿ , 1861-71 - }	16743	482	423	458	407	408	2178	2217	2323	1571	1219	2060	1654	1476	1111	660	238	37
TOTAL DEATHS -	3871	846	291	113	76	61	1297	173	112	134	121	247	258	311	370	407	233	10
Small-pox - - -	28	11	-	4	1	3	19	-	-	2	2	3	1	-	-	-	-	-
Measles - - -	39	9	6	12	5	4	36	2	-	1	-	-	-	-	-	-	-	-
Scarlatina - - -	111	8	14	19	18	10	69	32	6	2	1	-	-	-	1	-	-	-
Diphtheria - - -	24	2	4	3	5	4	18	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough -	70	42	19	5	2	2	70	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	96	6	5	3	3	3	20	19	7	9	9	10	2	8	7	1	3	1
Diarrhoea & Dysentery	156	155	17	1	1	1	175	2	-	1	-	-	-	3	2	1	3	1
Cholera - - -	24	2	3	1	1	1	8	4	1	2	-	1	5	4	1	5	3	1
Other Zymotic Dis.	97	13	9	11	5	7	45	10	4	5	-	5	5	7	7	5	1	1
Cancer - - -	43	-	-	-	-	-	-	1	-	1	-	1	-	1	2	2	2	1
Scrofula and Tuberc.	104	25	12	1	4	3	45	3	22	5	4	7	6	3	3	1	1	1
Phthisis - - -	417	15	10	2	2	2	31	11	13	40	46	86	70	27	29	9	6	1
Hydrocephalus -	72	20	14	9	7	4	54	10	7	1	-	-	-	-	-	-	-	-
Dis. of Brain - -	414	89	10	9	4	3	115	13	5	15	4	21	29	41	63	64	29	1
Dis. of Heart & Dropsy	275	8	-	1	1	3	15	1	5	3	6	17	28	36	50	72	23	1
Dis. of Lungs - -	447	89	42	15	11	8	160	19	6	1	8	17	19	34	69	63	47	1
Dis. of Stom. and Liver	210	26	5	4	-	-	35	7	5	5	7	19	19	29	33	37	19	1
Dis. of Kidneys -	142	-	1	1	1	2	5	4	3	5	8	10	14	18	20	20	10	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - -	37	2	-	2	1	-	5	7	14	9	5	10	8	1	3	1	1	1
Dis. of Skin - - -	18	2	-	-	-	-	2	-	1	2	1	-	1	1	3	1	1	1
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	157	17	6	3	2	3	31	10	5	22	15	3	10	14	11	10	4	1
Other Causes - -	708	206	23	7	3	3	241	9	5	2	3	10	14	21	27	30	25	10

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
68.—MILTON.																			
n Popul ⁿ , 1861-71		8379	283	266	264	263	249	1325	1154	938	699	724	1183	902	652	447	251	95	19
L DEATHS -		1582	458	158	78	42	37	768	63	33	31	44	121	101	59	88	133	100	41
pox -		10	2	1	1	1	1	5	1	-	-	2	1	-	1	-	-	-	-
ina -		24	8	6	2	3	3	21	14	11	1	-	-	-	-	-	-	-	-
eria -		104	7	17	19	13	17	73	14	11	1	1	3	-	1	-	-	-	-
ing-cough -		14	2	2	1	1	1	7	4	1	-	-	-	-	-	-	-	-	-
na & Dysentery -		59	27	19	8	8	1	57	2	-	-	-	-	-	-	-	-	-	-
ymotic Dis. -		109	4	6	6	6	7	29	11	13	6	3	21	3	5	8	6	3	1
a and Tabes -		83	54	15	3	1	-	73	1	-	-	-	1	1	1	2	2	2	1
cephalus -		28	11	7	2	-	-	20	3	-	-	-	2	1	1	2	4	1	2
Brain -		36	5	6	1	7	2	21	1	1	-	1	2	2	1	2	4	1	2
Heart & Dropsy -		35	-	-	-	-	-	-	-	-	-	-	3	10	6	11	4	-	-
Lungs -		42	20	10	1	-	-	34	4	-	-	11	2	2	1	8	3	-	-
Stom. and Liver -		148	7	4	-	2	1	14	2	-	-	18	40	31	15	8	3	-	-
Kidneys -		16	4	10	-	1	1	16	-	-	-	-	-	-	-	-	-	-	-
Gener. Organs -		133	63	7	4	3	3	79	4	2	1	2	7	6	6	10	24	12	1
Joint -		72	1	-	-	-	-	2	2	2	3	3	1	3	9	12	21	8	1
Skin -		160	49	26	17	-	-	94	3	-	-	1	3	8	3	19	15	18	2
Birth and Metris -		64	9	2	-	-	-	11	1	-	-	3	4	8	6	9	15	4	-
Violent Deaths -		18	-	-	-	1	-	1	-	-	-	-	2	7	2	4	2	-	-
Causes -		10	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-
		7	1	3	-	-	-	4	1	-	-	-	-	-	-	-	1	1	-
		35	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-
		148	7	4	-	2	1	14	2	-	-	18	40	31	15	8	3	-	-
		16	4	10	-	1	1	16	-	-	-	-	-	-	-	-	-	-	-
		133	63	7	4	3	3	79	4	2	1	2	7	6	6	10	24	12	1
		72	1	-	-	-	-	2	2	2	3	3	1	3	9	12	21	8	1
		160	49	26	17	-	-	94	3	-	-	1	3	8	3	19	15	18	2
		64	9	2	-	-	-	11	1	-	-	3	4	8	6	9	15	4	-
		18	-	-	-	1	-	1	-	-	-	-	2	7	2	4	2	-	-
		10	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-
		7	1	3	-	-	-	4	1	-	-	-	-	-	-	-	1	1	-
		35	-	-	-	-	-	-	-	-	-	6	21	8	-	-	-	-	-
		3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		24	3	4	3	2	-	12	3	-	-	-	1	1	1	2	2	2	2
		327	178	11	6	-	-	193	4	-	-	1	2	3	4	9	28	48	33
69.—SHEPPEY.																			
n Popul ⁿ , 1861-71		8251	277	260	251	262	253	1303	1049	863	708	741	1316	965	672	363	194	67	10
L DEATHS -		1641	419	180	111	87	57	834	69	36	36	52	98	87	100	70	123	88	36
pox -		22	5	3	2	-	3	13	1	2	1	3	-	2	-	-	-	-	-
ina -		35	5	11	10	4	2	82	2	-	-	1	-	-	-	-	-	-	-
eria -		99	3	10	23	18	11	65	24	7	2	1	-	-	-	-	-	-	-
ing-cough -		19	2	6	1	5	1	14	5	-	-	-	-	-	-	-	-	-	-
na & Dysentery -		95	22	29	7	4	2	64	2	-	-	-	-	-	-	-	-	-	-
ymotic Dis. -		54	1	4	3	1	4	13	8	6	3	2	6	3	6	5	2	1	1
a and Tabes -		116	64	24	6	-	3	97	1	-	-	1	2	1	2	4	5	1	1
cephalus -		12	3	1	2	-	-	6	1	-	-	-	1	2	2	5	2	1	-
Brain -		43	4	5	4	4	3	20	6	-	2	-	3	2	2	5	2	1	-
Heart & Dropsy -		25	-	-	-	-	1	1	-	-	-	-	1	4	10	4	4	-	-
Lungs -		34	19	10	2	-	2	33	-	-	-	-	-	-	1	-	-	-	-
Stom. and Liver -		146	3	-	3	2	4	12	3	10	18	20	33	20	20	7	2	-	-
Kidneys -		39	20	6	5	2	3	36	1	1	1	-	-	-	-	-	-	-	-
Gener. Organs -		197	59	23	10	9	7	108	3	3	2	5	7	11	8	31	10	8	-
Joint -		107	4	-	5	-	1	10	3	3	3	4	12	14	19	14	6	6	-
Skin -		178	64	28	18	11	8	127	-	-	-	1	8	6	6	12	8	10	-
Birth and Metris -		67	8	3	4	1	1	17	2	-	1	1	5	8	9	6	11	2	-
Violent Deaths -		16	-	-	1	-	-	1	1	1	-	-	3	6	4	-	-	-	-
Causes -		7	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
		6	1	2	-	-	-	2	-	-	-	-	-	-	3	-	-	-	-
		4	-	-	-	1	1	3	-	-	-	-	-	-	1	-	-	-	-
		27	-	-	-	-	-	-	-	-	1	9	9	8	-	-	-	-	-
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		24	2	2	1	5	-	10	2	-	3	-	2	1	2	2	1	1	1
		200	180	16	4	-	-	150	8	-	-	4	6	1	7	9	40	87	36
70.—THANET.																			
n Popul ⁿ , 1861-71		20253	511	415	448	404	437	2215	2160	2104	2038	1936	2855	2292	1915	1426	877	373	61
L DEATHS -		3707	600	200	105	82	70	1117	143	118	127	115	209	220	278	314	413	429	164
pox -		19	4	1	1	4	1	11	8	1	1	1	-	1	1	-	-	-	-
ina -		46	8	24	7	5	1	48	1	-	-	-	-	-	-	-	-	-	-
eria -		112	3	18	23	12	10	66	25	10	3	2	3	1	1	1	-	-	-
ing-cough -		24	2	2	2	3	3	13	4	3	2	1	1	1	-	-	-	-	-
na & Dysentery -		93	35	33	14	4	5	91	2	-	-	-	-	-	-	-	-	-	-
ymotic Dis. -		129	3	1	6	4	12	36	16	17	13	11	11	9	11	6	8	1	1
a and Tabes -		199	126	24	5	3	1	159	2	1	1	2	4	3	4	7	5	9	4
cephalus -		34	3	1	1	1	-	6	1	2	1	2	4	3	6	1	5	3	1
Brain -		86	10	6	5	4	9	34	8	4	3	1	6	1	3	9	6	2	-
Heart & Dropsy -		141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lungs -		87	22	8	3	3	8	39	9	15	6	4	4	2	3	1	5	3	1
Stom. and Liver -		408	11	5	4	2	1	23	8	18	47	56	125	63	40	20	7	1	-
Kidneys -		62	18	6	9	7	7	47	9	-	-	-	-	-	-	-	-	-	-
Gener. Organs -		333	88	13	3	8	5	87	16	9	10	7	14	18	41	64	63	54	10
Joint -		283	3	2	1	3	2	11	6	4	5	3	16	23	33	77	46	15	5
Skin -		406	96	33	10	6	3	148	12	3	5	6	33	27	26	68	67	12	2
Birth and Metris -		213	15	1	1	2	3	22	6	6	6	-	16	22	38	44	39	2	-
Violent Deaths -		39	1	-	1	-	-	2	2	2	3	-	6	5	3	9	3	3	-
Causes -		26	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-
		13	-	-	1	2	-	3	-	8	-	6	4	5	11	-	-	-	-
		45	-	-	-	-	-	-	-	-	2	-	9	24	9	1	1	1	-
		33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		41	6	2	2	4	3	17	2	4	-	-	3	2	4	2	2	2	2
		736	230	20	6	5	1	262	2	5	8	1	9	10	11	25	25	25	25

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL Ages.	AGES OF FEMALES.																			
		Total 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	70-	
71.—EASTRY.																					
Mean Popul., 1861-71	13339	377	322	345	360	301	1705	1544	1388	1145	1052	1774	1501	1260	946	657	305				
TOTAL DEATHS	2434	378	139	74	56	41	688	102	54	66	93	174	141	141	206	314	323				
Small-pox	-	-	-	-	-	-	29	3	1	-	-	-	-	-	-	-	-				
Measles	91	3	16	6	17	14	64	23	7	1	4	2	-	-	-	-	-				
Scarlatina	37	1	4	3	6	6	20	12	3	1	-	-	1	-	-	-	-				
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Whooping-cough	59	25	12	11	3	4	55	4	-	-	-	-	-	-	-	-	-				
Typhus	113	2	4	5	4	-	15	13	15	9	12	15	12	3	9	4	6				
Diarrhoea & Dysentery	73	42	6	1	1	1	51	1	-	-	-	1	1	2	1	7	6				
Cholera	9	-	1	-	-	-	1	1	-	-	-	1	1	-	1	2	1				
Other Zymotic Dis.	46	1	4	5	5	2	17	7	1	-	2	3	4	19	20	16	7				
Cancer	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Scrophula and Tuberc.	43	10	3	7	1	2	23	6	4	1	2	3	6	19	20	16	7				
Phthisis	273	4	2	2	1	2	11	4	10	29	47	74	53	27	9	9	-				
Hydrocephalus	54	13	6	3	-	-	22	2	-	-	-	-	-	-	-	-	-				
Dis. of Brain	302	39	16	11	4	-	70	4	2	10	4	14	6	20	41	65	53				
Dis. of Heart & Dropsy	223	3	-	-	-	-	4	4	5	1	2	15	10	19	23	56	37				
Dis. of Lungs	301	60	23	11	3	4	101	6	1	2	2	11	11	19	28	56	58				
Dis. of Stom. and Liver	130	10	1	1	2	-	16	3	-	-	-	10	7	12	18	25	19				
Dis. of Kidneys	41	-	1	-	1	1	3	-	1	-	-	2	5	5	12	6	6				
Dis. of Genes. Organs	17	-	-	-	-	-	-	-	-	-	-	1	4	7	3	1	1				
Dis. of Skin	7	1	-	-	-	-	1	2	-	1	2	2	1	-	2	3	1				
Childbirth and Metris.	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Violent Deaths	29	-	-	-	-	-	-	-	-	1	6	12	9	-	1	1	3				
Other Causes	31	2	3	1	2	2	8	3	-	-	1	-	3	1	4	4	2				
	474	103	22	2	1	1	188	3	2	1	2	5	5	5	13	36	125				
72.—DOVER.																					
Mean Popul., 1861-71	16493	447	393	426	388	390	2044	1702	1623	1514	1626	2541	1882	1495	1099	674	252				
TOTAL DEATHS	3136	664	215	110	88	40	1120	119	66	111	108	228	190	214	240	340	288				
Small-pox	42	11	5	4	3	2	25	4	1	4	-	3	3	2	-	-	-				
Measles	61	7	24	15	10	1	67	2	-	-	-	-	-	-	-	-	-				
Scarlatina	106	11	10	15	14	14	64	21	7	4	5	1	-	-	1	-	-				
Diphtheria	27	1	4	3	4	4	16	6	3	-	-	-	-	1	-	1	-				
Whooping-cough	66	20	17	12	5	1	64	2	-	-	-	-	-	-	-	-	-				
Typhus	136	2	11	3	6	7	29	10	18	19	9	16	8	5	5	5	3				
Diarrhoea & Dysentery	137	64	17	4	2	-	87	2	9	-	1	4	3	4	5	11	16				
Cholera	4	-	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-				
Other Zymotic Dis.	83	15	4	11	6	3	39	11	2	2	1	5	3	2	5	10	4				
Cancer	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Scrophula and Tuberc.	70	20	11	2	1	1	41	7	6	3	2	6	1	2	2	-	-				
Phthisis	327	3	2	-	-	1	6	6	15	1	46	58	87	59	38	12	2				
Hydrocephalus	38	14	8	5	4	1	52	5	1	-	-	-	-	-	-	-	-				
Dis. of Brain	420	98	22	12	9	-	141	6	4	4	6	4	19	18	31	45	78	51			
Dis. of Heart & Dropsy	189	3	-	-	-	-	4	4	2	5	5	12	18	24	42	49	22				
Dis. of Lungs	478	118	41	16	14	6	105	8	2	6	3	12	20	23	43	78	71				
Dis. of Stom. and Liver	167	9	3	1	1	3	17	4	-	-	7	2	13	11	28	30	38	17			
Dis. of Kidneys	42	1	-	-	-	1	2	-	1	1	2	3	4	7	10	7	4				
Dis. of Genes. Organs	19	-	-	-	-	-	-	-	-	-	-	2	4	4	4	3	2				
Dis. of Skin	9	3	-	1	-	-	4	-	2	-	-	-	-	2	2	1	-				
Childbirth and Metris.	58	-	-	-	-	-	-	-	-	5	8	29	14	2	-	-	-				
Violent Deaths	37	6	7	-	1	1	15	5	-	1	4	4	1	1	2	2	1				
Other Causes	523	243	29	5	7	2	285	4	2	-	2	6	8	13	10	40	91				
73.—ELHAM.																					
Mean Popul., 1861-71	13041	364	343	375	334	307	1723	1442	1334	1235	1357	2040	1469	1084	718	429	182				
TOTAL DEATHS	2290	457	157	103	71	35	823	103	51	57	90	174	115	132	105	229	231				
Small-pox	12	8	-	-	-	-	8	2	-	1	-	1	-	-	-	-	-				
Measles	37	8	19	5	-	2	34	3	-	-	-	-	-	-	-	-	-				
Scarlatina	106	5	14	15	22	9	65	29	6	-	1	5	2	-	-	-	-				
Diphtheria	24	-	4	2	1	4	11	9	2	1	-	-	-	-	-	-	-				
Whooping-cough	73	31	15	16	7	3	79	1	-	-	-	-	-	-	-	-	-				
Typhus	74	2	2	5	5	6	30	9	10	7	7	8	3	2	4	4	-				
Diarrhoea & Dysentery	91	51	14	4	2	1	72	2	-	1	-	3	2	1	-	1	4				
Cholera	5	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-				
Other Zymotic Dis.	61	4	7	7	9	-	27	4	1	4	3	3	2	3	7	3	8				
Cancer	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Scrophula and Tuberc.	67	25	11	5	5	2	48	5	-	2	1	6	6	1	2	2	-				
Phthisis	229	3	2	1	-	-	8	4	7	21	37	74	38	22	12	5	1				
Hydrocephalus	27	6	8	6	-	1	21	3	1	2	-	-	-	-	-	-	-				
Dis. of Brain	284	72	11	10	10	1	104	8	3	3	6	5	18	17	34	41	44				
Dis. of Heart & Dropsy	201	3	1	2	1	-	7	1	6	4	8	15	5	21	46	52	35				
Dis. of Lungs	280	72	28	15	5	4	122	9	2	1	4	8	13	20	29	19	12				
Dis. of Stom. and Liver	122	12	-	-	2	1	15	5	-	-	-	-	-	-	-	-	-				
Dis. of Kidneys	38	-	-	-	-	-	-	2	-	-	4	8	6	4	4	5	5				
Dis. of Genes. Organs	25	-	-	-	-	-	-	-	-	-	1	2	5	5	5	2	1				
Dis. of Skin	14	4	2	1	-	-	7	-	2	-	-	-	-	-	-	-	-				
Childbirth and Metris.	31	-	-	-	-	-	-	-	-	1	5	17	7	-	-	-	-				
Violent Deaths	37	6	7	-	1	1	15	5	-	1	4	4	1	1	2	2	1				
Other Causes	555	169	17	7	-	1	171	4	2	-	2	4	3	3	1	6	23				

Drv. II.]

Causes of Death in the Ten Years 1861-70.—Females.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
74.—ROMNEY MARSH.																	
Mean Popul ⁿ , 1861-71	2801	80	71	88	86	87	412	381	316	233	218	370	320	243	164	94	44
TOTAL DEATHS -	502	107	31	16	17	9	180	92	13	13	21	40	36	28	37	47	49
Small-pox -	8	-	2	-	-	-	2	-	-	-	-	-	-	-	1	-	-
Measles -	7	-	2	2	1	-	5	2	1	-	-	-	-	-	-	-	-
Scarlatina -	17	2	1	1	1	1	8	5	2	-	2	1	-	-	-	-	-
Diphtheria -	13	-	1	3	1	1	6	2	2	1	1	-	1	-	-	-	-
Whooping-cough -	8	3	3	1	1	-	8	-	-	-	-	-	-	-	-	-	-
Typhus -	17	2	-	-	-	-	2	3	2	-	1	3	-	2	2	-	1
Diarrhoea & Dysentery -	15	6	1	1	-	-	8	-	-	-	1	1	1	-	2	-	1
Cholera -	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	23	-	4	-	1	1	5	3	-	1	2	1	3	1	4	1	1
Cancer -	11	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3
Scrofula and Tuberc. -	10	6	-	1	-	-	7	-	-	-	1	-	-	3	2	1	3
Phthisis -	43	1	-	-	-	-	2	-	-	4	7	14	12	2	1	-	-
Hydrocephalus -	10	1	3	1	2	2	9	-	1	-	-	-	-	-	-	-	-
Dis. of Brain -	74	26	5	2	4	-	39	1	1	3	2	1	5	2	8	6	5
Dis. of Heart & Dropsy -	24	-	-	-	-	-	1	1	1	-	3	4	4	2	3	3	3
Dis. of Lungs -	60	13	5	2	4	2	26	3	-	-	-	4	2	6	10	14	10
Dis. of Stom. and Liver -	39	1	-	-	-	1	2	-	2	-	-	1	4	4	7	13	6
Dis. of Kidneys -	2	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin -	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Childbirth and Metris -	8	-	-	-	-	-	-	-	-	-	1	5	2	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Other Violent Deaths -	10	2	-	1	-	-	3	1	2	-	1	-	-	-	-	-	3
Other Causes -	82	43	4	-	-	-	46	-	-	-	-	-	1	4	-	4	17
75.—RYE.																	
Mean Popul ⁿ , 1861-71	5962	164	152	149	143	167	775	741	649	505	463	803	677	565	409	267	95
TOTAL DEATHS -	1090	184	46	24	16	12	282	48	30	35	36	76	96	85	92	140	138
Small-pox -	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Measles -	8	1	1	-	2	1	5	2	-	-	-	1	-	-	-	-	-
Scarlatina -	23	2	3	3	1	2	11	6	4	1	-	-	1	-	-	-	-
Diphtheria -	19	1	1	-	-	-	2	5	2	1	1	1	-	-	-	-	-
Whooping-cough -	21	14	7	5	-	-	26	-	-	-	-	-	-	-	-	-	-
Typhus -	41	2	-	1	-	-	8	5	3	4	1	5	6	3	5	4	1
Diarrhoea & Dysentery -	23	10	4	3	-	1	18	1	-	1	-	-	-	3	2	1	1
Cholera -	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	27	1	1	-	3	3	8	4	3	-	1	-	2	3	4	1	1
Cancer -	30	-	-	-	-	-	-	-	-	-	-	1	5	8	7	3	5
Scrofula and Tuberc. -	20	7	3	-	-	-	10	4	1	1	-	2	2	-	-	-	-
Phthisis -	145	1	1	1	1	-	4	4	8	12	25	37	20	21	5	3	-
Hydrocephalus -	12	4	6	1	-	1	12	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	132	26	3	8	2	1	35	5	3	4	1	4	9	4	18	26	21
Dis. of Heart & Dropsy -	106	2	-	1	1	2	6	-	1	2	1	7	10	19	13	33	12
Dis. of Lungs -	118	27	7	4	2	-	40	5	-	2	1	6	6	5	12	24	18
Dis. of Stom. and Liver -	59	4	-	-	1	-	8	3	1	2	2	4	3	8	10	13	8
Dis. of Kidneys -	8	-	-	-	-	-	-	1	-	1	1	1	-	1	1	1	1
Dis. of Gener. Organs -	12	-	-	-	-	-	-	-	-	-	-	1	3	1	3	1	1
Dis. of Joints -	6	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-
Dis. of Skin -	3	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
Childbirth and Metris -	16	-	-	-	-	-	-	-	-	1	-	7	8	-	-	-	-
Suicide -	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Other Violent Deaths -	16	3	1	-	2	-	6	2	1	1	-	-	3	1	1	1	1
Other Causes -	237	76	8	1	1	1	87	1	1	-	1	-	12	5	9	27	68
76.—HASTINGS.																	
Mean Popul ⁿ , 1861-71	17828	389	356	350	350	352	1797	1649	1581	1861	2011	3101	2233	1591	1121	650	215
TOTAL DEATHS -	3058	568	202	90	68	57	904	116	68	111	110	256	200	245	265	319	254
Small-pox -	17	6	2	1	1	-	10	2	-	-	1	1	1	-	1	-	1
Measles -	54	4	14	9	1	2	80	1	1	-	-	1	1	-	-	-	-
Scarlatina -	108	9	9	14	9	18	60	37	6	3	-	2	-	1	-	-	-
Diphtheria -	17	1	1	1	4	1	8	4	2	1	-	-	1	-	-	-	-
Whooping-cough -	87	29	31	7	6	5	78	4	2	1	1	1	-	-	-	-	-
Typhus -	91	5	5	3	4	2	14	12	7	12	4	16	11	4	6	2	3
Diarrhoea & Dysentery -	115	75	16	2	-	-	93	1	1	-	-	2	2	2	2	2	8
Cholera -	7	2	1	-	-	-	3	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis. -	74	5	4	8	13	5	35	3	2	5	-	5	7	4	3	5	2
Cancer -	122	-	-	1	-	-	1	-	1	-	-	2	10	24	31	26	6
Scrofula and Tuberc. -	73	23	14	6	-	2	45	7	6	2	4	5	1	1	2	1	-
Phthisis -	500	4	3	3	1	-	11	3	16	61	72	134	119	55	29	6	1
Hydrocephalus -	87	33	22	9	6	4	74	6	7	-	-	-	-	-	-	-	-
Dis. of Brain -	330	70	13	13	5	6	107	10	3	6	4	12	10	28	56	48	30
Dis. of Heart & Dropsy -	221	4	1	1	2	-	8	2	2	3	7	6	27	36	47	60	33
Dis. of Lungs -	360	78	89	11	8	5	141	10	2	4	-	12	22	25	38	53	44
Dis. of Stom. and Liver -	180	15	2	-	2	1	20	6	5	5	1	14	12	24	35	37	20
Dis. of Kidneys -	34	-	-	-	-	1	1	1	-	1	3	6	5	4	6	6	1
Dis. of Gener. Organs -	24	-	-	-	-	-	-	-	-	2	-	5	3	4	3	5	-
Dis. of Joints -	11	-	1	-	-	-	1	1	-	-	-	1	1	5	-	-	-
Dis. of Skin -	9	2	-	-	-	-	2	-	1	-	-	3	-	-	-	-	-
Childbirth and Metris -	41	-	-	-	-	-	-	-	-	1	-	17	11	-	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other Violent Deaths -	41	2	2	3	3	4	10	2	3	-	1	1	-	1	1	1	1
Other Causes -	479	201	22	7	8	1	234	4	-	2	2	-	8	1	5	11	24

Div. II.]

Causes of Death in the Ten Years 1861-70.—Females.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
		77.—BATTLE.															
Mean Popul ⁿ , 1861-71	6490	197	184	197	180	177	935	846	777	549	478	838	708	597	401	253	93
TOTAL DEATHS -	1121	171	56	30	20	18	295	68	34	50	39	80	64	70	84	140	155
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Measles -	10	3	2	3	-	1	9	1	-	-	-	-	-	-	-	-	-
Scarlatina -	25	-	-	2	3	4	9	10	3	-	-	-	2	1	-	-	-
Diphtheria -	23	1	1	-	1	5	8	9	4	1	-	1	-	-	-	-	-
Whooping-cough -	29	11	8	3	3	-	25	3	-	1	-	-	-	-	-	-	-
Typhus -	54	1	2	2	2	1	8	10	7	-	2	6	4	5	3	2	-
Diarrhoea & Dysentery -	27	8	5	2	-	-	15	-	-	-	-	2	-	-	-	4	4
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	29	1	1	-	4	2	8	8	1	-	1	-	-	4	3	4	-
Cancer -	33	-	-	-	-	-	-	-	-	-	-	-	6	7	8	7	5
Scrophula and Tubercles -	18	3	-	7	-	1	11	1	-	4	-	1	-	1	-	-	-
Phthisis -	138	2	-	-	1	-	3	4	5	18	25	32	23	16	9	3	-
Hydrocephalus -	24	7	7	1	1	-	16	4	-	-	-	-	1	-	-	-	-
Dis. of Brain -	125	18	8	2	-	1	24	2	2	6	2	3	3	12	14	27	25
Dis. of Heart & Dropsy -	104	4	1	-	-	-	5	1	3	2	2	5	10	8	16	26	25
Dis. of Lungs -	165	28	16	6	2	2	54	4	4	4	2	9	8	12	11	32	24
Dis. of Stom. and Liver -	43	5	-	-	2	-	7	5	-	3	1	4	1	2	9	7	4
Dis. of Kidneys -	10	1	-	-	-	-	1	-	1	-	-	-	-	1	2	5	-
Dis. of Gener. Organs -	9	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	-
Dis. of Joints -	8	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-
Dis. of Skin -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
Childbirth and Metris -	17	-	-	-	-	-	-	-	-	1	-	9	5	1	-	-	-
Suicide -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Other Violent Deaths -	14	3	2	-	1	-	6	2	-	-	1	-	1	-	1	3	-
Other Causes -	208	75	8	2	-	1	86	3	1	2	-	4	4	2	5	16	63

78.—EASTBOURNE.																	
Mean Popul ⁿ , 1861-71	6886	210	173	187	177	172	919	813	703	678	625	1005	811	588	404	235	88
TOTAL DEATHS -	1092	201	69	44	32	15	361	47	34	31	40	96	80	60	78	114	111
Small-pox -	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Measles -	14	3	4	2	2	-	11	3	-	-	-	-	-	-	-	-	-
Scarlatina -	67	4	6	12	10	5	30	13	7	3	1	1	1	1	1	-	-
Diphtheria -	18	1	2	3	-	-	6	6	3	-	-	2	1	-	-	-	-
Whooping-cough -	19	11	3	4	1	-	19	6	-	-	-	-	-	-	-	-	-
Typhus -	49	1	1	1	4	9	26	2	4	3	7	6	6	3	2	1	3
Diarrhoea & Dysentery -	35	18	8	-	-	-	26	2	-	-	-	1	-	-	-	2	4
Cholera -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	40	3	5	4	4	4	20	3	1	1	1	4	1	1	4	2	2
Cancer -	31	-	-	-	-	-	-	-	-	-	-	2	4	6	7	8	3
Scrophula and Tubercles -	37	15	11	-	-	-	26	3	2	1	1	2	2	1	1	-	-
Phthisis -	123	3	2	1	-	-	6	1	4	14	16	44	23	10	4	3	-
Hydrocephalus -	24	9	5	4	2	2	22	1	1	-	-	-	-	-	-	-	-
Dis. of Brain -	130	22	4	5	2	-	33	4	5	5	3	8	8	15	8	22	18
Dis. of Heart & Dropsy -	88	-	-	-	-	-	3	1	2	-	3	7	11	8	19	22	12
Dis. of Lungs -	115	21	7	7	3	2	50	2	-	1	1	3	3	3	10	22	18
Dis. of Stom. and Liver -	65	12	1	-	3	-	16	1	1	1	-	5	7	9	10	11	4
Dis. of Kidneys -	16	-	-	-	-	-	-	-	-	-	1	-	4	2	3	5	-
Dis. of Gener. Organs -	7	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-
Dis. of Joints -	4	-	1	-	-	-	1	1	1	-	-	-	-	1	-	-	-
Dis. of Skin -	6	3	-	-	-	-	3	-	-	-	1	-	-	-	-	-	2
Childbirth and Metris -	19	-	-	-	-	-	-	-	-	-	3	7	8	1	-	-	-
Suicide -	3	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-
Other Violent Deaths -	12	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	4
Other Causes -	165	66	6	1	1	-	74	-	-	2	3	2	2	2	4	13	41

79.—HAILSHAM.																	
Mean Popul ⁿ , 1861-71	6170	187	184	176	175	182	904	848	723	505	464	781	661	546	396	224	105
TOTAL DEATHS -	1079	174	51	30	21	9	285	40	32	52	50	76	76	65	93	147	130
Small-pox -	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Measles -	8	-	2	3	1	-	6	2	-	-	-	-	-	-	-	-	-
Scarlatina -	27	1	3	2	3	2	11	7	6	2	1	-	-	-	-	-	-
Diphtheria -	28	1	1	2	1	2	7	10	8	2	-	1	-	-	-	-	-
Whooping-cough -	16	10	5	1	-	-	16	-	-	-	-	-	-	-	-	-	-
Typhus -	28	-	-	-	2	-	2	9	4	3	-	2	5	-	2	-	1
Diarrhoea & Dysentery -	26	12	1	2	1	-	16	1	-	-	-	1	1	1	-	5	2
Cholera -	4	-	-	-	1	-	1	-	-	-	-	-	1	1	-	1	-
Other Zymotic Dis. -	25	1	1	3	4	-	9	2	-	-	1	3	2	1	-	4	3
Cancer -	25	-	-	-	-	-	-	-	-	4	-	-	1	9	7	5	3
Scrophula and Tubercles -	32	3	6	2	2	-	13	1	2	4	1	2	2	5	1	1	-
Phthisis -	176	-	2	2	-	-	4	3	4	27	29	40	36	12	13	5	3
Hydrocephalus -	11	5	4	1	1	-	11	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	111	26	7	4	-	-	37	2	3	3	1	4	2	5	15	21	17
Dis. of Heart & Dropsy -	102	1	-	-	-	-	1	2	-	-	3	5	3	6	17	37	25
Dis. of Lungs -	168	28	13	4	1	3	49	-	2	2	1	2	4	5	9	22	18
Dis. of Stom. and Liver -	84	4	-	-	2	-	6	-	-	4	4	8	7	13	18	17	6
Dis. of Kidneys -	7	-	-	-	-	-	-	1	-	1	-	1	1	-	3	-	-
Dis. of Gener. Organs -	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Dis. of Joints -	3	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1
Dis. of Skin -	4	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1
Childbirth and Metris -	22	-	-	-	-	-	-	-	-	-	6	5	10	-	-	-	-
Suicide -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	26	7	-	2	1	1	11	-	-	-	1	-	-	-	-	-	-
Other Causes -	206	73	5	2	1	-	81	-	1	5	-	1	1	1	2	6	25

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
80.—TICEHURST.																		
Mean Popul., 1861-71.	7814	223	230	227	214	243	1136	1002	864	673	645	1057	863	666	489	299	108	12
ALL DEATHS.	1254	215	77	36	29	19	376	55	37	50	53	87	98	80	96	159	127	36
pox	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
measles	13	3	4	-	2	-	9	3	-	-	-	-	1	-	-	-	-	-
diphtheria	36	1	7	6	6	1	21	9	4	-	-	2	-	-	-	-	-	-
beria	28	-	3	1	2	4	10	9	-	-	-	-	-	-	-	-	-	-
whooping-cough	33	20	8	1	1	1	31	2	-	-	-	-	-	-	-	-	-	-
measles & Dysentery	41	1	2	2	2	-	7	4	4	5	1	5	6	1	3	4	1	2
Zymotic Dis.	25	3	5	3	2	4	17	-	-	2	-	1	1	-	1	3	2	3
Smallpox	43	-	-	-	-	-	-	-	-	-	-	-	12	10	9	12	1	1
Erysipelas	24	4	6	3	-	-	18	3	2	-	1	3	1	17	11	1	1	1
Brain	197	5	1	3	-	-	9	4	10	28	33	52	31	-	-	-	-	-
Heart & Dropsy	32	8	8	1	7	1	25	5	1	1	-	-	-	-	-	-	-	-
Lungs	149	28	8	1	1	1	39	5	3	3	10	1	6	15	18	26	20	3
Stom. and Liver	98	4	1	2	-	-	8	2	1	2	-	2	2	4	5	10	10	2
Kidneys	162	28	7	4	3	3	45	4	3	4	-	5	5	13	9	21	4	1
Gener. Organs	79	11	2	2	-	-	15	2	2	-	1	4	-	5	9	21	4	1
Joint	20	-	-	-	-	1	1	-	-	-	1	1	1	4	4	3	2	2
Skin	12	-	1	1	-	-	2	-	-	1	-	-	5	2	2	2	1	1
Birth and Metris	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	21	-	-	-	-	-	-	-	-	-	2	7	12	-	-	-	-	-
Causes	13	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	187	83	11	2	1	1	98	1	1	1	1	-	1	1	6	16	41	19
81.—UCKFIELD.																		
Mean Popul., 1861-71.	8824	287	266	279	265	274	1371	1195	1052	718	670	1130	946	784	526	305	109	18
ALL DEATHS.	1493	279	69	37	26	17	428	60	41	82	67	115	114	92	138	162	149	45
pox	4	1	-	-	-	1	2	-	-	-	1	-	1	-	-	-	-	-
measles	13	2	3	-	2	-	12	-	-	-	-	-	-	-	-	-	-	-
diphtheria	57	2	6	3	6	6	29	16	7	4	2	3	2	-	-	-	-	-
beria	36	-	3	-	2	4	9	14	8	3	-	-	-	-	-	-	-	-
whooping-cough	25	11	6	5	3	-	25	-	-	7	-	-	-	-	-	-	-	-
measles & Dysentery	46	1	-	-	1	-	18	2	8	-	3	5	4	3	6	7	1	1
Zymotic Dis.	38	12	3	3	-	-	16	1	-	-	1	-	-	1	1	1	1	1
Smallpox	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	10	1	4	2	3	30	1	2	1	2	2	1	3	3	3	1	1
Erysipelas	36	-	-	-	-	-	-	-	-	1	-	2	6	9	7	7	4	-
Brain	72	20	14	5	1	1	41	7	-	7	4	4	1	2	4	2	-	-
Heart & Dropsy	213	1	-	-	-	-	2	1	13	36	35	47	41	27	10	1	-	-
Lungs	24	12	1	2	2	-	17	7	-	-	-	-	-	-	-	-	-	-
Stom. and Liver	137	22	6	1	2	-	31	6	2	6	3	7	14	15	23	17	8	2
Kidneys	155	1	-	-	-	-	1	-	-	6	2	14	11	12	31	48	28	1
Gener. Organs	178	37	19	7	2	2	67	6	1	4	4	6	6	7	25	26	21	1
Joint	101	7	-	-	-	-	8	1	2	3	3	10	4	19	39	25	11	1
Skin	11	-	-	-	-	-	-	-	1	-	1	1	3	2	2	3	1	-
Birth and Metris	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Causes	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	36	-	-	-	-	-	-	-	-	2	4	11	19	-	4	1	-	-
	19	6	2	2	1	-	11	1	1	-	-	1	-	1	1	2	1	1
	233	121	4	2	-	-	137	-	1	1	-	1	-	1	2	9	54	27
82.—EAST GRINSTEAD.																		
Mean Popul., 1861-71.	7384	230	203	227	224	205	1089	991	847	634	568	1010	825	602	433	258	109	18
ALL DEATHS.	1227	233	65	39	26	21	384	58	31	50	54	95	86	65	91	152	123	39
pox	4	1	-	-	-	1	2	-	-	-	-	-	1	1	-	-	-	-
measles	17	2	9	1	1	1	13	2	-	1	-	-	-	-	-	-	-	-
diphtheria	32	1	2	2	3	2	16	18	2	-	-	2	-	-	-	-	-	-
beria	25	1	3	1	1	3	11	7	3	2	-	-	1	-	1	-	-	-
whooping-cough	25	13	7	3	2	-	25	-	-	-	-	-	-	-	-	-	-	-
measles & Dysentery	45	1	-	-	-	1	8	2	6	6	12	3	5	2	2	3	1	1
Zymotic Dis.	37	15	3	3	1	-	21	3	-	-	-	3	3	-	-	-	-	-
Smallpox	34	2	1	2	1	3	9	2	1	-	-	1	-	2	4	5	6	4
Scarlatina	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	46	10	6	3	1	1	21	3	2	3	5	6	2	7	11	7	1	1
Brain	174	5	-	-	-	-	7	7	5	27	25	43	35	11	6	3	1	1
Heart & Dropsy	18	6	2	2	4	-	14	3	-	1	-	-	-	-	-	-	-	-
Lungs	144	33	6	7	3	1	59	1	4	3	1	5	8	6	13	23	25	2
Stom. and Liver	91	-	-	-	-	1	2	-	-	-	-	5	7	8	18	32	14	5
Kidneys	124	49	13	8	3	-	73	7	-	1	2	3	7	7	13	28	28	6
Gener. Organs	29	4	1	-	1	2	8	1	-	3	-	2	6	7	11	16	6	-
Joint	9	-	-	-	-	-	-	-	-	-	1	1	2	3	3	2	1	1
Skin	7	-	1	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-
Birth and Metris	10	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
Violent Deaths	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Causes	29	-	-	-	-	-	-	-	-	1	6	12	4	-	-	-	-	-
	25	3	3	3	2	2	13	1	1	1	-	-	-	-	-	-	-	-
	172	88	6	3	2	2	101	1	-	1	2	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		83.—CUCKFIELD.																
Mean Popul ⁿ , 1861-71 -}	9634	259	245	245	245	266	1260	1232	1340	999	725	1181	957	801	626	356	138	19
TOTAL DEATHS -	1555	351	67	45	24	40	527	55	37	29	58	93	85	101	136	200	180	24
Small-pox - - -	5	2	-	-	-	-	2	1	-	1	-	-	-	-	1	-	-	-
Measles - - -	17	5	6	3	-	-	14	3	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	46	-	4	9	6	9	26	9	6	2	1	-	-	-	-	-	-	-
Diphtheria - - -	30	4	3	5	3	6	21	8	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	18	12	4	1	1	-	18	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	40	1	-	1	-	1	3	2	8	2	2	5	2	5	6	4	1	1
Diarrhoea & Dysentery	44	21	1	-	-	2	24	1	1	1	2	2	1	1	3	2	1	1
Cholera - - -	4	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis.	56	8	3	5	2	4	22	8	1	-	3	-	6	2	7	1	1	1
Cancer - - -	14	-	-	-	-	-	-	-	-	-	-	1	-	1	7	1	-	-
Scrophula and Tuberc.	53	17	6	2	2	-	27	2	-	-	1	-	-	-	1	1	1	1
Phthisis - - -	200	2	3	-	-	1	6	3	5	-	8	31	31	22	18	13	-	-
Hydrocephalus - -	96	10	5	3	2	2	31	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	156	54	4	5	1	1	65	2	1	3	4	3	8	14	19	44	18	7
Dis. of Heart & Dropsy	123	-	-	-	-	2	2	2	1	1	1	3	8	18	26	36	21	4
Dis. of Lungs - - -	179	66	18	3	2	4	93	4	2	1	2	5	9	10	14	17	4	1
Dis. of Stom. and Liver	77	8	1	3	1	1	14	3	2	2	2	5	6	9	14	17	4	1
Dis. of Kidneys - -	34	-	-	-	1	-	1	-	2	3	3	1	5	-	5	9	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	6	1	-	-	-	-	1	-	2	-	1	1	-	-	1	-	1	1
Dis. of Skin - - -	6	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	16	-	-	-	-	-	-	-	-	1	-	1	1	5	5	3	-	-
Other Violent Deaths	72	8	4	3	2	3	20	2	6	3	3	3	6	11	8	10	2	1
Other Causes - - -	213	123	4	2	1	4	143	1	-	-	-	1	2	2	5	23	2	2
84.—LEWES.																		
Mean Popul ⁿ , 1861-71 -}	14325	427	382	404	337	380	1930	1768	1705	1347	1118	1821	1579	1300	930	583	222	21
TOTAL DEATHS -	2963	552	158	81	58	36	885	98	65	92	125	234	242	247	251	361	254	29
Small-pox - - -	7	1	-	-	-	-	1	-	-	-	-	2	2	1	1	-	-	-
Measles - - -	24	3	7	4	4	1	19	5	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	60	2	9	6	6	5	28	23	7	1	1	-	-	-	-	-	-	-
Diphtheria - - -	32	3	2	2	5	4	16	10	1	2	-	1	-	1	1	-	-	-
Whooping-cough -	55	20	17	9	2	1	55	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	100	1	1	3	4	4	13	7	10	12	11	13	12	5	6	8	5	1
Diarrhoea & Dysentery	91	45	10	3	3	-	61	1	-	-	1	3	2	4	2	3	3	1
Cholera - - -	8	1	-	-	-	-	1	-	-	-	-	1	1	3	3	4	1	1
Other Zymotic Dis.	76	9	5	10	2	4	30	4	3	8	1	6	3	5	2	6	4	1
Cancer - - -	50	-	-	1	-	-	1	-	-	1	2	3	3	6	13	30	10	1
Scrophula and Tuberc.	94	20	11	7	4	2	60	6	8	4	2	3	5	1	4	1	1	1
Phthisis - - -	389	8	4	-	2	1	15	6	9	26	68	91	62	63	33	21	3	1
Hydrocephalus - -	96	12	15	6	4	1	38	14	3	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	607	102	24	10	7	4	147	6	3	7	16	47	67	65	76	38	61	14
Dis. of Heart & Dropsy	245	4	1	-	-	-	5	5	4	6	1	11	24	26	32	60	43	4
Dis. of Lungs - - -	342	80	30	18	12	4	144	-	3	5	7	10	20	16	28	39	43	1
Dis. of Stom. and Liver	114	16	1	-	1	-	18	4	-	2	2	11	12	20	14	22	19	1
Dis. of Kidneys - -	55	-	-	-	-	1	1	-	1	-	1	6	4	4	2	23	10	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	8	-	-	-	-	-	-	-	1	1	-	-	-	-	1	5	2	1
Dis. of Skin - - -	7	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	29	-	-	-	-	-	-	-	-	2	1	4	5	5	10	2	2	1
Other Violent Deaths	134	5	5	2	1	4	17	5	8	13	9	19	16	19	6	4	4	1
Other Causes - - -	388	197	15	-	1	-	213	1	1	2	1	4	5	1	6	20	30	2
85.—BRIGHTON.																		
Mean Popul ⁿ , 1861-71 -}	36147	1111	941	966	918	907	4843	4404	4212	3395	2971	5159	4318	3188	2063	1170	386	38
TOTAL DEATHS -	9256	2397	822	361	251	154	3975	320	158	179	281	553	748	722	512	343	100	100
Small-pox - - -	103	19	9	6	6	5	45	24	5	2	6	8	7	3	2	-	1	-
Measles - - -	163	20	68	39	17	4	154	6	3	-	-	-	-	-	-	-	-	-
Scarlatina - - -	270	15	45	34	50	26	170	63	20	7	4	-	1	-	-	-	-	-
Diphtheria - - -	94	4	7	12	17	12	62	24	7	2	2	4	1	2	-	-	-	-
Whooping-cough -	250	109	90	28	16	7	244	5	-	-	-	-	-	-	-	-	-	-
Typhus - - -	286	7	3	8	7	14	39	27	12	18	13	20	28	18	15	16	2	1
Diarrhoea & Dysentery	268	374	62	8	5	2	469	2	-	-	1	1	2	2	3	9	7	1
Cholera - - -	16	4	1	-	1	1	7	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	206	21	24	22	21	14	102	19	8	-	4	14	9	14	11	19	3	1
Cancer - - -	139	-	-	-	2	-	3	-	-	-	2	3	14	28	41	38	10	1
Scrophula and Tuberc.	185	27	34	19	6	7	123	19	6	6	6	9	1	6	6	3	3	1
Phthisis - - -	1256	29	32	26	8	5	100	18	20	77	147	261	298	200	97	50	5	1
Hydrocephalus - -	230	80	65	26	20	16	216	28	4	-	-	-	-	-	1	1	-	-
Dis. of Brain - - -	1084	340	86	29	15	13	489	20	10	15	15	43	66	78	122	133	68	1
Dis. of Heart & Dropsy	568	7	3	2	3	2	17	6	13	15	17	51	65	90	120	120	45	1
Dis. of Lungs - - -	1301	552	151	69	36	13	611	24	12	5	14	35	70	95	153	167	32	1
Dis. of Stom. and Liver	324	49	6	3	2	2	59	3	9	8	8	29	66	64	89	49	17	1
Dis. of Kidneys - -	223	2	4	1	1	1	9	5	3	4	6	11	51	28	47	68	31	1
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	53	-	1	-	1	-	2	6	9	3	5	7	8	4	5	4	1	1
Dis. of Skin - - -	38	15	-	-	2	1	18	1	-	-	-	2	2	5	3	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	29	-	-	-	-	-	-	-	-	2	1	4	5	5	10	2	2	1
Other Violent Deaths	134	5	5	2	1	4	17	5	8	13	9	19	16	19	6	4	4	1
Other Causes - - -	388	197	15	-	1	-	213	1	1	2	1	4	5	1	6	20	30	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

AUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80+	Total	
		Year.					Years.													
83.—CUCKFIELD.																				
Popul ⁿ , 61-71	9038	271	259	273	249	256	1308	1161	1021	784	745	1296	989	759	543	308	105	10		
DEATHS -	1378	255	80	34	35	15	419	60	38	63	53	111	109	87	94	154	136	49		
sc -	2	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	
fe -	14	-	5	2	2	-	9	4	-	-	-	-	-	-	-	-	-	-	-	
ra -	37	-	8	5	5	5	23	12	7	-	-	1	-	-	-	-	-	-	-	
ria -	33	1	3	3	2	1	10	7	-	2	1	2	3	1	-	-	-	-	-	
g-cough -	25	13	5	3	-	1	22	2	1	-	-	-	-	-	-	-	-	-	-	
a & Dysentery	47	-	2	2	3	-	7	-	5	9	4	3	2	3	2	5	-	-	-	
motile Dis.	29	12	2	1	1	-	16	1	-	-	1	2	-	-	1	3	4	2	-	
and Tuberc.	51	6	4	-	7	2	19	5	-	3	1	2	3	3	5	8	5	-	-	
phalms -	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Brain -	31	11	4	1	1	-	17	3	2	1	1	3	3	13	7	9	2	1	-	
Heart & Dropsy	207	3	5	2	1	2	13	5	10	35	29	45	47	14	7	2	-	-	-	
Lungs -	24	5	8	2	4	1	20	2	1	1	-	-	-	-	-	-	-	-	-	
Stom. and Liver	165	29	6	5	1	-	41	4	3	3	4	11	10	16	19	24	25	5	1	
Kidneys -	116	2	-	-	-	-	2	1	-	3	-	6	10	11	27	39	16	1	-	
Gen. Organs	139	38	13	5	3	2	61	1	-	3	2	4	5	9	9	28	19	4	-	
Joint -	63	7	4	-	-	-	11	2	3	1	2	9	6	9	3	9	6	-	-	
Skin -	11	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
th and Metria	11	-	1	-	-	-	1	-	-	1	-	-	5	3	4	2	1	-	-	
Violent Deaths	11	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
uses -	7	1	-	-	-	-	1	1	-	1	-	1	-	-	-	1	2	-	-	
	28	-	-	-	-	-	-	-	-	2	3	13	9	1	-	-	-	-	-	
	4	-	-	-	-	-	-	-	1	2	3	2	-	-	1	-	-	-	-	
	39	2	-	-	3	1	6	1	1	2	3	2	2	3	5	1	1	1	-	
	264	124	10	2	2	-	138	2	2	1	1	2	3	3	17	27	25	35	35	

84.—LEWES.																			
Popul ⁿ , 61-71		14143	414	346	368	360	383	1871	1739	1565	1216	1167	1920	1655	1272	926	574	211	27
DEATHS -		2743	409	141	85	63	33	790	87	61	97	112	240	232	182	225	320	316	83
sc -		12	3	-	1	-	2	4	-	1	2	2	2	2	-	-	-	-	-
fe -		26	4	7	5	4	2	22	1	-	-	-	-	-	-	-	-	-	-
ra -		60	2	5	16	2	7	32	15	3	5	5	2	1	-	-	-	-	-
ria -		43	3	2	6	2	7	30	13	7	2	-	1	-	-	-	-	-	-
g-cough -		72	35	20	7	7	1	70	2	2	-	-	6	-	-	-	-	-	-
a & Dysentery		79	1	2	4	1	1	45	14	9	10	3	7	6	4	6	2	6	-
motile Dis.		5	37	7	1	-	-	31	1	-	-	3	3	2	2	4	8	10	3
and Tuberc.		68	8	1	6	10	6	1	3	2	1	1	2	2	1	4	8	10	3
phalms -		80	-	-	-	-	-	-	-	1	-	-	5	15	17	20	18	4	-
Brain -		87	25	21	5	2	3	56	4	4	4	4	4	4	4	2	3	-	-
Heart & Dropsy		414	8	5	1	6	1	21	4	19	50	58	117	76	33	27	8	1	-
Lungs -		38	12	3	11	4	-	90	3	4	-	-	-	1	-	-	-	-	-
Stom. and Liver		441	78	24	13	5	2	122	7	2	12	10	25	35	40	43	70	63	12
Kidneys -		201	1	2	-	-	1	4	4	2	6	6	15	30	29	52	75	36	6
Gen. Organs		297	55	23	7	7	1	93	9	3	1	3	11	14	12	24	32	61	14
Joint -		153	12	2	1	1	1	17	3	1	5	7	13	15	23	19	24	7	1
Skin -		23	-	-	-	-	-	-	-	-	1	1	3	5	1	6	4	2	-
th and Metria		17	-	-	-	-	-	-	-	-	-	-	3	3	3	3	2	-	-
Violent Deaths		13	-	-	-	-	-	-	1	-	-	-	2	3	1	2	1	-	-
uses -		3	1	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-
		34	-	-	-	-	-	-	-	2	6	6	9	9	-	-	-	-	-
		10	-	-	-	-	-	-	-	-	1	1	2	2	-	3	-	-	-
		39	5	3	-	2	4	14	1	-	1	-	2	5	5	10	38	116	41
		451	179	14	1	3	-	197	2	-	1	-	6	5	5	10	38	116	41

85.—BRIGHTON.																			
Popul ⁿ , 61-71		47705	1085	955	966	939	936	4881	4459	4440	5065	5099	7834	5986	4540	3042	1700	578	81
DEATHS -		9207	1878	701	375	210	167	3331	332	173	226	288	635	690	691	826	1012	783	220
sc -		81	18	9	7	6	5	45	7	5	5	8	3	4	1	2	-	1	-
fe -		183	30	54	43	20	17	164	14	2	-	1	1	-	-	-	-	-	-
ra -		236	8	28	46	43	29	154	66	16	5	5	4	4	2	-	-	-	-
ria -		125	7	16	10	13	12	88	44	7	5	2	6	2	1	-	-	-	-
g-cough -		237	95	80	44	12	13	244	11	1	1	-	-	-	-	-	-	-	-
a & Dysentery		236	7	8	14	8	12	49	25	16	22	21	33	19	20	11	14	5	1
motile Dis.		479	349	65	5	2	1	413	2	1	3	1	2	4	5	3	2	16	5
and Tuberc.		16	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
phalms -		170	15	16	20	19	9	79	13	6	6	3	12	11	7	10	16	6	1
Brain -		368	-	-	-	-	-	1	2	-	1	1	29	51	87	111	59	21	5
Heart & Dropsy		173	49	21	13	8	7	93	19	12	12	8	8	10	5	2	4	-	-
Lungs -		1213	16	22	16	8	1	63	33	41	102	140	290	281	171	73	17	2	-
Stom. and Liver		210	65	54	25	19	14	177	24	5	3	1	-	-	-	-	-	-	-
Kidneys -		1035	239	58	29	14	19	359	24	18	17	22	31	53	87	142	166	89	17
Gen. Organs		605	9	3	3	1	1	17	4	11	11	13	46	57	77	139	137	67	6
Joint -		1182	218	131	54	24	16	473	21	8	9	6	29	41	74	150	215	122	34
Skin -		461	21	8	3	3	2	37	6	6	5	15	31	49	78	85	105	86	8
th and Metria		114	-	3	1	1	-	5	1	2	4	9	20	24	17	11	12	9	-
Violent Deaths		68	-	-	-	-	-	-	-	-	-	-	13	12	13	7	18	3	-
uses -		36	1	1	1	-	1	4	1	6	2	4	4	4	4	4	8	1	-
		47	73	2	1	-	-	16	-	-	1	4	3	2	4	4	8	1	-
		81	-	-	-	-	-	-	-	-	3	11	43	24	3	7	3	1	-
		21	-	-	-	-	-	-	-	-	2	2	3	3	3	3	3	3	-
		114	26	5	7	5	4	47	12	5	4	1	5	11	11	22	56	105	39
		1676	667	117	52	9	4	829	3	4	2	9	22	19	22	56	105	39	39

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80-
		86.—STEYNING.*																
Mean Popul ⁿ , 1861-71	12542	331	310	319	326	302	1588	1515	1600	1296	1089	1725	1369	1049	728	414	153	100
TOTAL DEATHS -	2200	521	168	68	45	41	838	84	62	69	72	113	133	155	173	220	190	83
Small-pox -	14	4	-	-	-	1	5	-	1	1	2	-	1	2	1	-	1	-
Measles -	42	8	17	6	8	5	84	5	8	-	-	-	-	-	-	-	-	-
Scarlatina -	80	9	13	13	9	6	60	19	7	1	2	1	-	-	-	-	-	-
Diphtheria -	49	4	6	2	3	9	34	13	6	1	1	3	-	1	-	-	-	-
Whooping-cough -	57	24	20	7	8	1	63	-	-	1	1	-	-	-	-	-	-	-
Typhus -	71	2	3	2	3	2	12	4	8	4	10	6	10	5	4	6	2	1
Diarrhoea & Dysentery -	110	79	13	1	1	2	96	2	-	-	-	-	-	-	2	4	6	1
Cholera -	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	47	4	4	2	4	1	15	2	1	4	1	-	5	4	6	6	1	-
Cancer -	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc. -	41	5	0	3	2	1	17	7	4	2	1	5	5	8	1	3	1	-
Phthisis -	240	7	1	8	3	1	15	5	6	25	32	64	44	53	17	9	1	-
Hydrocephalus -	60	25	20	8	3	2	68	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	283	99	11	6	4	2	122	9	7	5	5	8	19	15	20	27	23	1
Dis. of Heart & Dropsy -	135	-	1	-	-	-	1	-	2	3	1	6	9	20	25	30	16	-
Dis. of Lungs -	279	61	25	8	4	5	103	6	1	5	4	11	14	23	29	30	29	-
Dis. of Stom. and Liver -	96	12	-	2	-	-	14	8	4	2	2	9	8	14	15	24	5	-
Dis. of Kidneys -	57	-	9	-	-	-	2	2	-	1	-	3	1	11	15	16	1	-
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	14	-	-	-	-	1	1	1	2	-	1	2	-	5	1	1	-	-
Dis. of Skin -	4	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	63	5	5	1	1	1	18	4	6	12	5	10	8	7	5	7	1	-
Other Causes -	373	174	16	4	2	1	197	-	1	1	8	3	8	8	10	25	75	27
87.—HORSHAM.*																		
Mean Popul ⁿ , 1861-71	8219	238	209	202	210	212	1071	1041	911	786	665	1096	917	744	523	326	125	14
TOTAL DEATHS -	1508	284	89	44	35	20	472	76	83	41	35	79	92	97	187	200	108	14
Small-pox -	8	1	-	-	-	-	1	-	1	1	-	-	1	1	-	2	1	-
Measles -	9	3	1	3	1	-	8	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	70	-	12	6	12	10	40	22	3	2	1	1	1	-	-	-	-	-
Diphtheria -	25	1	-	2	3	1	7	12	1	3	1	-	-	-	-	-	-	-
Whooping-cough -	16	4	10	1	-	1	16	-	-	-	-	-	-	-	-	-	-	-
Typhus -	53	1	-	3	3	-	7	3	5	2	7	8	4	7	5	3	2	-
Diarrhoea & Dysentery -	37	6	4	-	-	-	10	1	-	-	-	1	2	-	4	2	1	-
Cholera -	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	40	8	1	3	5	1	18	3	1	1	1	1	2	2	5	4	3	-
Cancer -	24	-	1	-	-	-	2	-	-	-	-	1	1	5	7	2	1	-
Scrophula and Tuberc. -	23	6	4	-	3	1	14	3	-	-	-	1	1	-	-	-	-	-
Phthisis -	145	2	1	8	-	1	7	5	8	16	13	28	34	15	11	5	-	-
Hydrocephalus -	21	9	13	2	-	-	17	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	195	45	14	-	2	1	62	6	8	3	2	6	8	7	19	41	20	-
Dis. of Heart & Dropsy -	90	-	-	-	-	-	2	2	3	2	2	4	12	21	25	30	16	-
Dis. of Lungs -	298	65	20	12	4	2	103	6	3	3	2	4	12	21	25	30	41	-
Dis. of Stom. and Liver -	92	7	4	1	-	-	12	4	2	1	1	8	6	13	18	18	1	-
Dis. of Kidneys -	37	-	-	-	1	-	1	1	-	1	1	-	4	5	7	7	1	-
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	4	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-
Dis. of Skin -	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	1	-
Other Violent Deaths -	40	3	2	5	-	-	10	-	2	3	2	9	2	6	4	3	6	-
Other Causes -	234	125	10	3	1	1	138	1	1	1	-	1	3	4	4	51	27	-
88.—PETWORTH.*																		
Mean Popul ⁿ , 1861-71	4964	136	128	129	121	123	637	574	537	502	427	633	525	446	355	235	84	9
TOTAL DEATHS -	943	108	59	20	18	22	287	45	30	20	44	64	43	58	72	121	120	30
Small-pox -	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Measles -	11	2	-	-	1	2	8	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	28	1	2	3	3	8	17	10	8	1	-	2	-	-	-	-	-	-
Diphtheria -	20	-	1	-	3	2	6	6	4	-	1	1	2	-	-	-	-	-
Whooping-cough -	21	6	8	3	1	-	18	8	-	-	-	-	-	-	-	-	-	-
Typhus -	10	-	2	-	-	-	2	-	1	1	2	2	-	1	-	-	-	-
Diarrhoea & Dysentery -	31	6	5	1	-	8	14	-	-	1	-	1	1	-	-	1	10	-
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	24	4	1	1	1	-	7	2	1	2	1	1	1	-	3	1	1	-
Cancer -	18	-	1	-	-	-	1	-	-	-	-	-	2	2	2	6	1	-
Scrophula and Tuberc. -	14	5	1	-	-	-	6	2	1	-	1	1	-	-	-	1	-	-
Phthisis -	91	-	-	-	-	-	-	4	4	4	23	30	8	13	6	3	-	-
Hydrocephalus -	23	3	5	2	3	2	15	6	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -	154	41	9	2	1	8	60	3	2	1	3	2	7	5	14	24	12	-
Dis. of Heart & Dropsy -	65	1	-	-	-	-	1	1	1	1	1	4	4	5	13	20	13	-
Dis. of Lungs -	117	15	18	2	2	1	86	5	2	1	3	2	8	7	9	17	11	-
Dis. of Stom. and Liver -	59	4	1	-	-	-	6	-	-	2	3	2	5	6	13	14	1	-
Dis. of Kidneys -	17	-	-	-	1	-	1	-	-	1	-	2	-	1	2	4	-	-
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	4	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	24	1	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Other Causes -	175	79	4	1	-	-	84	3	3	1	2	2	2	2	2	2	2	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75- & upwards.	
		86.—STEYNING.*																
Mean Popul ⁿ , 1861-71	14687	325	318	305	311	285	1544	1504	1416	1560	1569	2394	1774	1345	877	499	177	28
ALL DEATHS -	2106	433	150	77	43	36	739	95	51	62	89	151	180	170	199	204	214	68
pox -	4	1	1	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
measles -	34	6	6	8	1	4	27	6	-	-	1	-	-	-	-	-	-	-
dysentery -	78	7	14	8	15	5	49	18	3	1	2	3	2	-	-	-	-	-
beria -	66	1	6	10	7	10	34	23	4	8	-	-	-	1	-	1	-	-
ing-cough -	83	20	19	5	5	-	49	4	-	-	-	-	-	-	-	-	-	-
meas & Dysentery -	92	1	4	6	5	4	20	12	16	9	3	12	6	7	2	2	3	3
Zymotic Dis. -	97	63	10	3	1	1	78	1	-	-	-	-	3	3	4	6	1	1
Scrophulous Dis. -	35	4	2	5	1	2	14	8	2	2	-	2	1	2	4	4	1	-
Consumption -	82	-	-	-	-	-	-	-	-	-	-	-	6	5	21	21	23	6
Brain and Tabes -	38	11	7	4	-	1	28	1	-	3	1	1	1	1	-	1	-	-
Scrophulous Dis. -	307	3	5	3	1	-	12	3	9	32	47	63	69	45	15	3	-	-
cephalus -	46	21	13	4	3	-	41	5	-	-	-	-	-	-	-	-	-	-
Brain -	265	79	14	5	8	8	104	7	7	3	2	7	15	19	29	35	33	5
Heart & Dropsy -	171	1	2	-	-	-	3	3	4	2	3	8	8	19	16	47	31	31
Lungs -	246	54	27	7	1	-	89	3	1	1	2	5	9	17	50	45	35	11
Stom. and Liver -	131	9	-	1	-	2	12	3	4	2	5	6	16	20	28	17	14	-
Kidneys -	32	-	-	1	-	1	2	-	-	-	2	3	8	5	11	1	1	-
Gener. Organs -	16	-	-	-	-	-	-	-	-	-	1	2	5	4	1	3	1	-
Joints -	6	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-	-
Skin -	6	4	-	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Birth and Metris -	20	-	-	-	-	-	-	-	-	-	5	6	7	2	-	-	-	-
Violent Deaths -	29	6	-	2	-	1	9	1	1	1	3	3	-	5	1	4	5	-
Causes -	241	142	18	4	-	1	165	2	-	1	2	1	3	4	31	54	42	10
87.—HORSHAM.*																		
Mean Popul ⁿ , 1861-71	7780	237	215	218	213	214	1097	1010	890	706	608	1038	862	687	474	282	114	12
ALL DEATHS -	1318	225	65	40	23	25	378	70	38	45	61	98	87	84	106	158	155	38
pox -	1	-	-	-	-	-	8	2	1	-	-	-	-	1	-	-	-	-
measles -	15	3	2	2	-	1	8	2	1	-	-	-	1	1	-	-	-	-
dysentery -	55	1	5	3	9	7	25	21	1	-	2	1	1	2	-	-	-	-
beria -	94	3	2	4	5	2	16	10	4	-	1	1	-	1	1	-	-	-
ing-cough -	23	11	7	4	-	1	23	-	-	-	-	-	-	-	-	-	-	-
meas & Dysentery -	40	-	-	1	1	2	4	6	8	4	3	-	4	2	3	3	8	-
Zymotic Dis. -	32	11	2	1	1	-	15	-	1	-	-	1	-	1	2	2	8	-
Scrophulous Dis. -	25	2	-	-	-	1	5	5	3	1	-	3	1	1	2	4	2	-
Consumption -	30	-	-	-	-	-	-	-	-	-	-	-	1	4	7	9	8	
Brain and Tabes -	27	8	4	1	-	-	13	4	-	-	1	2	2	6	2	3	-	-
Scrophulous Dis. -	195	1	2	-	-	-	3	3	11	30	34	50	35	12	8	3	-	-
cephalus -	16	6	3	2	-	3	14	2	-	-	-	-	-	-	-	-	-	-
Brain -	145	31	7	3	3	1	45	3	2	-	2	7	6	8	21	23	23	5
Heart & Dropsy -	63	-	-	-	1	-	1	1	1	1	4	4	6	13	21	26	26	-
Lungs -	234	51	23	11	2	6	93	5	1	2	1	5	6	15	21	43	33	11
Stom. and Liver -	86	7	-	-	-	1	8	1	1	4	4	2	8	20	16	13	13	-
Kidneys -	14	-	-	-	-	-	-	2	1	2	-	2	1	2	2	3	1	-
Gener. Organs -	13	-	-	-	-	-	-	-	-	-	2	2	1	6	1	2	1	-
Joints -	6	-	-	-	-	-	-	2	1	-	-	1	-	-	-	1	-	-
Skin -	4	1	1	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
Birth and Metris -	12	-	-	-	-	-	-	-	-	-	6	4	2	1	-	-	-	-
Violent Deaths -	17	4	1	4	1	-	9	1	-	1	-	-	1	1	1	1	3	1
Causes -	210	85	6	4	1	-	96	2	1	-	1	2	1	1	1	6	23	23
88.—PETWORTH.*																		
Mean Popul ⁿ , 1861-71	4554	124	125	133	111	122	615	606	502	393	345	572	517	399	317	198	80	10
ALL DEATHS -	897	141	28	18	21	16	224	50	31	43	36	61	57	62	75	118	108	37
pox -	4	-	1	1	2	1	6	1	1	-	1	1	-	1	1	-	-	-
measles -	8	-	-	-	-	-	17	15	2	3	1	2	-	-	-	-	-	-
dysentery -	40	2	1	3	6	5	9	11	7	-	-	-	1	-	-	-	-	-
beria -	28	1	-	2	4	2	10	9	2	-	-	-	-	-	-	-	-	-
ing-cough -	12	8	3	1	-	-	12	-	-	-	-	-	-	-	-	-	-	-
meas & Dysentery -	13	-	-	-	-	2	2	1	1	2	1	1	1	1	1	4	1	1
Zymotic Dis. -	19	5	-	1	1	-	9	-	-	-	-	-	-	-	-	-	-	-
Scrophulous Dis. -	21	-	3	-	1	1	12	1	1	1	1	-	-	1	2	1	-	-
Consumption -	22	3	3	-	-	-	-	-	-	1	-	-	3	6	9	1	2	-
Brain and Tabes -	21	-	-	-	-	-	6	2	3	4	-	2	3	1	-	-	-	-
Scrophulous Dis. -	124	-	1	1	1	1	13	3	1	21	22	30	24	12	7	1	-	-
cephalus -	20	6	3	1	2	1	13	3	1	4	1	1	1	-	-	-	-	-
Brain -	112	17	3	2	-	1	23	3	4	2	4	5	4	12	8	20	18	8
Heart & Dropsy -	73	2	-	-	-	-	2	1	3	3	-	5	5	5	15	22	10	2
Lungs -	102	15	5	3	2	1	20	4	2	2	2	5	5	6	11	19	17	8
Stom. and Liver -	53	8	-	-	-	-	3	-	-	2	1	8	5	7	12	14	4	-
Kidneys -	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-
Gener. Organs -	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Joints -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth and Metris -	-	-	-	-	-	-	-	-	-	-	-	5	-	1	-	-	-	-
Violent Deaths -	27	1	1	1	1	-	5	-	-	-	-	-	-	1	-	-	-	-
Causes -	169	70	4	2	1	-	76	2	-	-	1	-	-	1	6	15	13	10

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and over.
		89.—THAKEHAM.*																
Mean Popul ⁿ , 1861-71 -	3917	103	102	104	95	99	503	504	445	380	296	481	424	370	262	172	73	7
TOTAL DEATHS -	645	118	56	15	10	12	191	31	16	14	23	42	39	37	40	79	99	30
Small-pox -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles -	5	-	2	1	-	2	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	16	-	2	-	1	1	4	7	2	1	-	1	-	1	-	-	-	-
Diphtheria -	17	-	1	2	2	3	8	5	2	1	-	1	-	1	-	-	-	-
Whooping-cough -	10	4	4	2	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus -	11	-	-	-	-	-	-	1	2	1	2	-	1	1	2	1	1	1
Diarrhoea & Dysentery -	31	8	4	-	1	2	15	2	-	-	-	-	-	1	1	4	4	1
Cholera -	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	21	3	2	1	1	-	7	1	-	1	-	1	1	-	-	5	5	7
Cancer -	15	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	1
Scrofula and Tubercles -	11	2	3	1	-	-	6	1	-	1	1	-	-	-	1	1	1	1
Phthisis -	83	-	4	-	-	-	4	3	2	7	15	26	11	6	8	-	1	1
Hydrocephalus -	15	5	3	1	2	1	12	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	73	23	3	2	-	1	29	4	-	2	2	2	1	1	10	13	13	1
Dis. of Heart & Dropsy -	45	1	-	-	-	-	1	-	1	-	-	1	1	6	12	12	14	1
Dis. of Lungs -	83	21	5	3	2	-	31	1	-	-	3	3	3	6	9	10	4	1
Dis. of Stom. and Liver -	90	6	2	-	1	1	10	-	-	-	-	1	1	3	2	4	4	1
Dis. of Kidneys -	20	-	-	-	-	-	-	-	-	-	1	-	-	2	2	7	8	1
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	6	-	-	-	-	-	-	2	2	-	-	-	-	1	1	-	1	-
Dis. of Skin -	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	10	-	-	-	-	-	-	-	-	-	1	1	2	1	2	2	1	1
Other Violent Deaths -	27	5	-	-	-	1	8	-	3	-	2	1	2	2	2	1	3	1
Other Causes -	119	40	1	-	-	-	41	2	-	-	2	1	6	3	1	15	26	11
90.—EAST PRESTON LATE WORTHING.*																		
Mean Popul ⁿ , 1861-71 -	10126	295	251	273	277	236	1332	1271	1247	938	754	1262	1101	924	699	417	164	17
TOTAL DEATHS -	1968	355	125	55	48	36	609	86	37	55	76	136	122	160	182	245	205	52
Small-pox -	18	1	-	-	1	-	2	2	-	-	3	2	1	4	2	1	1	-
Measles -	24	3	10	3	2	1	19	5	-	-	-	-	-	-	-	-	-	-
Scarlatina -	74	6	4	8	12	8	38	21	10	1	2	1	-	1	-	-	-	-
Diphtheria -	18	1	-	4	1	3	9	7	1	-	-	-	-	-	1	-	-	-
Whooping-cough -	26	10	8	4	2	1	25	1	-	-	-	-	-	-	-	-	-	-
Typhus -	60	1	-	3	2	1	7	5	2	9	9	7	3	3	2	3	3	1
Diarrhoea & Dysentery -	48	20	3	1	2	-	34	2	-	-	-	1	1	1	1	1	1	1
Cholera -	12	-	1	-	-	-	3	5	-	1	-	-	1	1	1	-	-	-
Other Zymotic Dis. -	46	6	4	1	6	-	16	4	-	2	-	3	4	3	3	9	9	9
Cancer -	20	-	-	-	-	-	-	1	-	-	-	-	2	3	14	10	6	6
Scrofula and Tubercles -	41	14	8	6	-	-	28	5	-	2	2	2	1	1	1	1	1	1
Phthisis -	202	5	5	-	1	-	11	5	4	21	39	64	47	49	19	9	1	1
Hydrocephalus -	32	12	9	4	-	-	27	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	277	63	19	7	2	1	86	6	4	4	5	11	14	17	29	23	24	8
Dis. of Heart & Dropsy -	142	2	-	-	-	1	3	-	1	4	2	7	12	24	27	47	18	1
Dis. of Lungs -	252	67	23	8	5	4	117	4	4	4	2	7	9	15	21	49	28	1
Dis. of Stom. & Liver -	103	11	1	3	2	1	18	4	1	2	1	8	6	12	18	29	14	1
Dis. of Kidneys -	54	-	-	-	-	1	1	2	-	1	-	5	4	5	10	17	6	3
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	6	-	-	-	1	-	1	-	1	-	-	1	1	1	1	1	1	1
Dis. of Skin -	9	2	-	-	-	-	2	-	-	-	1	-	2	1	1	1	1	1
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	21	-	-	-	-	-	-	-	-	-	1	3	3	4	6	2	1	1
Other Violent Deaths -	76	3	3	1	6	3	13	3	4	8	1	13	6	9	3	2	1	1
Other Causes -	324	122	21	2	3	1	149	2	1	-	1	1	4	6	15	27	26	54
91.—WESTHAMPTON.*																		
Mean Popul ⁿ , 1861-71 -	7684	195	196	213	213	207	1024	946	886	665	544	903	838	744	590	371	150	23
TOTAL DEATHS -	1374	237	65	31	23	18	373	27	34	38	46	85	80	104	123	191	171	72
Small-pox -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles -	3	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	33	-	4	4	4	4	16	9	4	2	-	1	-	-	-	1	-	-
Diphtheria -	11	-	-	-	1	1	2	5	2	-	-	1	1	-	-	-	-	-
Whooping-cough -	33	15	11	4	1	-	51	2	-	-	-	-	-	-	-	-	-	-
Typhus -	25	1	-	1	1	2	5	4	2	1	1	2	2	2	1	4	3	1
Diarrhoea & Dysentery -	46	21	4	1	1	1	28	1	1	1	1	1	1	1	-	3	6	1
Cholera -	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	42	2	3	2	1	1	9	4	-	1	1	1	1	3	8	8	6	6
Cancer -	20	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	5	4
Scrofula and Tubercles -	36	9	6	3	-	-	18	6	2	2	2	1	2	2	2	1	1	1
Phthisis -	180	4	4	-	-	1	9	5	6	18	27	41	26	28	19	7	1	1
Hydrocephalus -	14	3	4	1	3	-	11	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -	182	68	5	6	2	3	84	4	-	4	1	3	10	11	14	22	26	4
Dis. of Heart & Dropsy -	126	2	-	-	-	-	5	4	-	2	2	1	8	5	9	22	35	24
Dis. of Lungs -	183	22	11	4	5	1	43	2	1	2	3	3	8	6	9	20	33	24
Dis. of Stom. and Liver -	61	5	1	-	-	-	6	1	1	1	2	6	4	6	14	16	4	1
Dis. of Kidneys -	22	-	-	-	-	-	-	1	-	1	-	-	3	-	7	7	1	1
Dis. of Genes. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	9	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-
Dis. of Skin -	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	63	5	-	-	-	2	10	3	10	1	1	1	2	3	4	10	10	4
Other Causes -	296	85	4	3	2	2	94	3	1	-	1	4	5	4	10	10	40	24

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
89.—THAKEHAM.*																		
Mean Popul., 1861-71	3742	108	109	111	110	111	549	481	442	284	271	488	408	345	240	159	68	
TOTAL DEATHS	618	88	32	20	11	7	158	32	12	28	23	39	40	57	58	71	77	
Small-pox	2								1			1						
Measles	4	1	2				3	1										
Scarlatina	12	2	1	1		2	6	5		1								
Diphtheria	20		1	4	3		8	6	1	3	1		1					
Whooping-cough	17	6	7	2	1	1	17											
Typhus	22								3	4	1	5	1	3	1	3	1	
Diarrhoea & Dysentery	12	3	1	1	1		6						1		3	1	1	
Cholera																		
Other Zymotic Dis.	23	5	4	1	1		11	2				1	1	1		4	3	
Cancer	24																	
Scrophula and Tuberc.	12	1		1			2			3	1	1	2	7	7	4	4	
Phthisis	86	4	2	2	1		7	4	1	7	8	22	14	17	6			
Hydrocephalus	8						6											
Dis. of Brain	73	18	5	3		1	27	2	4	3	6		3	7	6	9	6	
Dis. of Heart & Dropsy	53				1		4	2	1		1	1	5	7	7	17	10	
Dis. of Lungs	68	14	2	1	1		19	5	1	3	1	1	1	2	5	11	17	
Dis. of Stom. and Liver	42		1	1	1	1	4	1				3	3	8	10	8	3	
Dis. of Kidneys	8							1		2			1		2	1		
Dis. of Gener. Organs	4													1	1	2		
Dis. of Joints	1																	
Dis. of Skin																		
Childbirth and Metris	9									1	3	1	3	1				
Suicide	1																	
Other Violent Deaths	14	2	2	1	1	1	7	1							1	2	3	
Other Causes	103	30	2	2		1	33					2	4	2	7	8	20	
90.—EAST PRESTON LATE WORTHING.*																		
Mean Popul., 1861-71	10999	263	247	259	277	258	1304	1186	1130	1014	977	1556	1259	1072	784	476	208	
TOTAL DEATHS	1882	260	107	56	18	27	468	76	52	71	70	141	139	163	153	220	230	
Small-pox	11	1	1				3		3	1		1		2			1	
Measles	37	2	11	2	3	4	29	5				1						
Scarlatina	67	2	12	8	4	9	35	20	8	1	1	2						
Diphtheria	14		1	1		1	3	7						1	1			
Whooping-cough	48	20	14	8		3	45	3										
Typhus	71			3		3	6	9	8	14	6	3	5	13	2	3	2	
Diarrhoea & Dysentery	46	20	7	2	1		30						1	1	1	4	5	
Cholera	9					1	2	1				1	1	2	1	1	1	
Other Zymotic Dis.	34	4	2			1	7	3	2	2		5	3	3	2	1	5	
Cancer	70												12	21	18	11	5	
Scrophula and Tuberc.	49	11	11	2	2		26	3	1		3	6	3	3	2	2		
Phthisis	278	5	2	1	1		9	7	13	31	59	67	52	39	7	11		
Hydrocephalus	25	8	5	3	2	1	19	4	1									
Dis. of Brain	232	46	10	6	1	1	64	5	3	7		12	7	16	31	42	29	
Dis. of Heart & Dropsy	157		1	1			2	2	3	3	5	4	13	19	30	45	27	
Dis. of Lungs	216	37	20	10	1	2	70	4	4	2		4	9	13	20	36	42	
Dis. of Stom. and Liver	93	3		2	1		6	2	1	2	5	6	9	13	19	14	13	
Dis. of Kidneys	31	1					1		2	1	2	1	4	5	5	8	2	
Dis. of Gener. Organs	12												1	3	4	4		
Dis. of Joints	1																	
Dis. of Skin	7	1		1			2				1				1	2	1	
Childbirth and Metris	35									1	6	18	10					
Suicide	7											2						
Other Violent Deaths	21	6	2	3	1		12	1	1	1	1	3		2	2		1	
Other Causes	521	93	8	3			104	1	2	2	1	4	7	7	6	37	86	
91.—WESTHAMPTON.*																		
Mean Popul., 1861-71	7472	212	200	205	180	209	1006	928	804	580	552	973	848	705	543	362	141	
TOTAL DEATHS	1244	189	49	28	21	8	295	41	35	47	57	93	86	81	112	161	170	
Small-pox	1	1					1											
Measles	6	1	2	1	1		5	1										
Scarlatina	20		1		2		3	5	4	2		1	2			1		
Diphtheria	20			1	4		5	6	7	1					1			
Whooping-cough	24	12	7	2	1		22	2										
Typhus	36			2	1	1	4	5	6	3	6	4	2	1	2	1	1	
Diarrhoea & Dysentery	22	7	4		1		12					1	1	1	1	4	2	
Cholera	3															1	1	
Other Zymotic Dis.	26	4	3		2	1	10		2	3	1				2	5	3	
Cancer	40											1	5	9	18	3	4	
Scrophula and Tuberc.	31	8	3	4	1	1	17	3	2	2	1	1	1	1	2	1		
Phthisis	218	1		2	2		5	6	6	26	30	58	36	22	16	7		
Hydrocephalus	16	8	4	1		1	14	2										
Dis. of Brain	141	40	3	2	2		55	4	3	4	2	4	9	7	11	19	19	
Dis. of Heart & Dropsy	99					1	1			1	2	2	6	12	25	37	13	
Dis. of Lungs	189	20	9	7			26	1	2	2	2	8	5	5	9	17	19	
Dis. of Stom. and Liver	79	3	2	2			7	1						12	15	10	9	
Dis. of Kidneys	16								1		1		2	1	3	1	2	
Dis. of Gener. Organs	12																	
Dis. of Joints	5	1		1			2						1					
Dis. of Skin	4								1							1	1	
Childbirth and Metris	17									1	2		8					
Suicide	1																	
Other Violent Deaths	23	2	1	2	2	1	6	4	1						3	3	4	
Other Causes	269	72	11	2	2	2	89	1		1			1	2	3	5	48	

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10-	15-	20-	25-	35-	45-	55-	65-	75-	80+				
92.—CHICHESTER.*																				
Mean Popul ⁿ , 1861-71	6984	171	152	189	155	174	841	778	752	778	636	928	752	614	468	303	117	17		
TOTAL DEATHS	1499	215	59	32	39	26	358	59	29	45	60	104	120	125	150	120	187	34		
Small-pox	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Measles	11	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-		
Scarlatina	33	2	1	1	1	1	11	1	1	1	1	1	1	1	1	1	1	1		
Diphtheria	17	4	-	4	2	4	24	2	1	-	-	-	-	-	-	-	-	-		
Whooping-cough	23	9	2	5	4	2	23	-	-	-	-	-	-	-	-	-	-	-		
Typhus	41	1	-	1	1	1	10	-	-	-	-	-	-	-	-	-	-	-		
Diarrhoea & Dysentery	45	15	2	1	1	1	23	-	-	-	-	-	-	-	-	-	-	-		
Cholera	8	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	42	3	2	2	4	-	13	-	-	2	2	2	2	2	2	2	2	2		
Cancer	32	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Scrophula and Tuberc.	31	10	3	-	-	-	16	-	4	-	1	1	1	1	1	1	1	1		
Phtisis	231	2	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-		
Hydrocephalus	34	10	7	3	7	2	29	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain	173	38	5	2	2	2	50	-	5	5	2	5	5	5	5	5	5	5		
Dis. of Heart & Dropsy	107	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Lungs	180	23	12	6	1	1	55	-	2	2	1	2	2	2	2	2	2	2		
Dis. of Stom. and Liver	68	6	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Kidneys	42	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Genes. Organs	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	8	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin	6	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths	67	5	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-		
Other Causes	244	64	6	1	1	-	72	-	-	-	-	-	-	-	-	-	-	-		
93.—MIDHURST.*																				
Mean Popul ⁿ , 1861-71	6024	165	163	191	176	178	873	773	735	644	545	819	679	617	489	309	122	19		
TOTAL DEATHS	1170	200	59	29	18	15	319	68	23	59	50	59	66	61	113	122	126	61		
Small-pox	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Measles	7	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-		
Scarlatina	43	1	2	6	2	1	14	2	1	-	-	-	-	-	-	-	-	-		
Diphtheria	22	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-		
Whooping-cough	12	9	2	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-		
Typhus	26	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-		
Diarrhoea & Dysentery	24	5	1	1	-	-	8	-	-	-	-	-	-	-	-	-	-	-		
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	28	2	4	2	1	-	9	-	1	1	4	1	1	1	1	1	1	1		
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scrophula and Tuberc.	72	5	3	1	2	-	11	-	1	1	1	1	1	1	1	1	1	1		
Phtisis	125	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Hydrocephalus	10	3	5	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain	109	49	8	3	4	4	79	-	1	1	3	2	5	9	21	26	14	14		
Dis. of Heart & Dropsy	124	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Lungs	141	28	11	3	2	-	44	-	1	1	4	2	13	5	27	28	12	12		
Dis. of Stom. and Liver	62	6	2	-	-	-	8	-	2	2	2	1	3	10	7	9	5	5		
Dis. of Kidneys	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths	28	9	1	2	-	1	6	-	3	1	5	1	1	3	2	2	2	2		
Other Causes	293	53	17	5	2	-	107	-	-	-	-	-	-	-	-	-	-	-		
94.—WESTBOURNE.																				
Mean Popul ⁿ , 1861-71	3556	104	85	87	95	97	463	459	377	332	224	455	393	317	280	170	69	19		
TOTAL DEATHS	725	151	38	22	16	10	217	20	23	18	21	51	50	50	57	56	55	41		
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles	6	1	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-		
Scarlatina	22	3	4	8	3	2	29	10	5	2	-	-	-	-	-	-	-	-		
Diphtheria	16	-	5	2	3	1	9	4	1	-	-	-	-	-	-	-	-	-		
Whooping-cough	15	12	-	3	-	-	15	-	-	-	-	-	-	-	-	-	-	-		
Typhus	14	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-		
Diarrhoea & Dysentery	31	13	6	2	1	1	28	1	1	-	-	-	-	-	-	-	-	-		
Cholera	12	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	19	2	2	2	1	1	8	-	-	-	-	-	-	-	-	-	-	-		
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scrophula and Tuberc.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phtisis	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hydrocephalus	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Brain	84	27	5	-	1	1	34	-	1	1	1	4	4	8	3	12	11	7		
Dis. of Heart & Dropsy	67	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Lungs	84	21	3	1	1	1	27	-	2	2	2	4	4	8	17	16	10	8		
Dis. of Stom. and Liver	23	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths	20	2	1	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-		
Other Causes	147	40	5	2	-	-	58	-	-	-	-	-	-	-	-	-	-	-		

* Corrections have been made on account of changes in the limits of the Districts.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
		92.—CHICHESTER.*																
Popul. 1861-71	7769	192	174	165	163	175	869	782	802	824	737	1074	853	754	561	353	137	23
ALL DEATHS	1306	109	64	29	28	16	306	38	31	70	61	128	111	101	126	192	170	62
sex - - -	6	1	-	-	-	-	1	-	-	1	1	1	-	1	1	-	-	-
males - - -	20	3	11	3	2	-	19	1	-	-	-	-	-	-	-	-	-	-
females - - -	24	1	4	3	2	3	15	3	-	2	-	2	-	-	-	-	-	-
Infants - - -	19	-	-	-	4	2	7	8	2	-	-	-	-	-	-	-	-	-
Inf-cough - -	23	13	8	1	1	-	25	-	-	8	-	10	11	-	6	2	7	3
Consumption & Dysentery	75	24	1	1	6	3	10	6	6	-	6	10	11	-	2	7	2	2
Zymotic Dis. -	29	5	-	-	-	-	29	1	-	1	-	1	2	-	4	12	2	2
Febrile Dis. -	28	2	1	-	1	1	5	-	-	-	2	3	1	2	4	6	4	-
Scalds and Burns	64	-	-	-	-	-	-	-	-	1	5	4	13	12	14	14	5	-
Heart & Thoracic	28	4	2	-	-	-	6	1	-	6	7	5	1	5	2	8	2	-
Lungs - - -	224	3	2	1	-	-	6	4	13	31	33	66	29	29	12	8	2	-
Stomach - - -	16	5	4	1	-	1	13	2	-	-	-	-	1	-	-	-	-	-
Brain - - -	174	24	5	5	7	2	43	1	4	4	2	4	11	11	19	38	33	4
Heart & Drupes	91	-	-	-	-	-	-	-	1	1	2	6	6	9	22	23	16	-
Lungs - - -	112	19	12	6	2	1	40	4	2	4	2	11	12	20	20	29	16	-
Stomach and Liver	101	7	-	2	-	2	11	1	1	5	2	8	10	16	16	24	7	-
Kidneys - - -	14	-	-	-	-	-	-	-	-	-	-	1	3	1	4	4	1	-
General Organs	8	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	-	-
Joint - - -	10	-	-	-	-	-	-	1	-	-	-	1	2	1	2	1	-	-
Skin - - -	6	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	-
Irish and Metris	11	-	-	-	-	-	-	-	-	-	2	6	3	-	-	-	-	-
Violent Deaths	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Unacc. Deaths	24	6	3	2	1	1	13	2	-	1	-	1	1	1	-	3	4	-
Total	210	53	6	1	1	-	61	1	1	-	-	7	5	4	6	25	64	36
93.—MIDHURST.*																		
Popul. 1861-71	6182	179	163	161	149	162	814	791	698	496	432	785	693	594	465	281	120	13
ALL DEATHS	1083	173	47	31	15	12	278	31	29	46	44	90	67	71	116	142	169	51
sex - - -	1	-	-	-	-	-	6	1	1	1	-	-	-	-	-	-	-	-
males - - -	29	1	1	2	2	5	11	7	7	2	-	2	-	-	-	-	-	-
females - - -	16	-	-	1	2	3	7	4	3	-	-	-	-	-	-	-	-	-
Infants - - -	24	10	8	3	1	-	22	2	-	-	-	-	-	-	-	-	-	-
Consumption & Dysentery	28	1	-	-	-	-	2	4	3	3	2	1	4	2	4	2	1	-
Zymotic Dis. -	15	4	2	1	-	-	7	-	-	-	-	1	-	-	3	-	1	-
Febrile Dis. -	23	2	1	4	1	-	8	1	1	1	-	1	1	2	4	2	2	-
Scalds and Burns	28	-	-	-	-	-	-	-	-	-	-	1	4	1	8	8	5	-
Heart & Thoracic	16	1	3	4	1	-	9	-	1	1	1	1	2	2	2	-	-	-
Lungs - - -	151	1	1	1	1	-	3	2	5	23	27	32	21	19	14	5	-	-
Stomach - - -	10	1	1	2	1	1	6	-	-	1	-	-	-	-	-	-	-	-
Brain - - -	142	33	8	1	1	2	45	-	2	4	4	3	8	10	20	25	21	2
Heart & Drupes	110	2	-	-	-	-	4	-	1	1	1	4	8	13	19	22	21	-
Lungs - - -	102	23	8	6	2	1	43	2	1	1	1	1	4	8	14	17	14	-
Stomach and Liver	73	6	1	-	-	-	7	-	1	3	1	4	8	8	17	17	9	-
Kidneys - - -	10	-	-	-	-	-	-	-	-	-	-	1	-	5	1	2	1	-
General Organs	10	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	-	-
Joint - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Skin - - -	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Irish and Metris	13	-	-	-	-	-	-	-	-	-	2	4	7	-	-	-	-	-
Violent Deaths	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-
Unacc. Deaths	13	1	-	3	-	-	4	2	-	1	-	1	1	1	2	1	1	-
Total	252	83	9	2	-	-	94	1	2	-	1	3	1	1	6	27	73	41
94.—WESTBOURNE.																		
Popul. 1861-71	3532	109	101	106	101	93	510	449	394	251	206	488	380	317	237	158	70	12
ALL DEATHS	531	88	34	15	11	20	163	27	16	12	18	37	31	42	60	77	63	37
sex - - -	7	-	1	-	-	2	6	-	1	-	-	-	-	-	-	-	-	-
males - - -	29	3	6	1	2	5	22	12	3	-	1	1	-	-	-	-	-	-
females - - -	7	-	-	-	-	2	3	2	1	-	-	-	-	1	-	-	-	-
Infants - - -	7	3	-	2	1	1	7	-	-	-	-	-	-	-	-	-	-	-
Consumption & Dysentery	15	1	1	1	-	-	4	8	1	-	1	2	-	1	2	1	1	-
Zymotic Dis. -	22	11	7	-	-	-	18	1	-	-	-	1	1	-	1	1	1	-
Febrile Dis. -	6	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	3	-
Scalds and Burns	9	1	1	-	-	-	2	1	1	-	-	1	-	-	-	-	2	-
Heart & Thoracic	20	-	-	-	-	-	-	-	-	-	-	1	1	5	6	6	2	1
Lungs - - -	5	2	-	-	-	-	2	-	3	-	1	-	-	-	1	-	-	-
Stomach - - -	80	-	-	1	1	1	3	2	10	12	20	13	14	-	1	-	-	-
Brain - - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Heart & Drupes	67	13	6	2	2	1	24	1	3	-	1	2	3	4	6	14	5	4
Lungs - - -	71	-	-	-	-	-	1	-	2	1	1	2	4	10	23	19	7	-
Stomach and Liver	51	9	3	2	1	1	16	-	-	1	-	1	1	1	6	15	8	1
Kidneys - - -	26	1	-	-	1	1	3	2	-	-	1	1	3	3	6	6	3	-
General Organs	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Joint - - -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Skin - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Irish and Metris	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Causes of Death in the Ten Years 1861-70.—Females.

85

Lean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX	AGE.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	Total

95.—HAVANT.																		
opul ^m , -71-	4017	91	94	103	97	104	489	478	410	382	343	535	465	359	278	193	75	10
EATHS -	725	100	42	23	16	11	135	27	13	32	10	46	58	40	55	104	85	28
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	11	1	5	1	1	2	10	1	-	1	-	-	1	-	-	-	-	-
-	40	-	5	4	6	7	22	13	2	1	-	2	-	-	-	-	-	-
-	6	-	2	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-
ough	11	6	3	1	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Dysentery	24	1	1	1	2	-	5	3	2	4	3	1	2	-	3	1	2	-
otic Dis.	17	6	2	3	-	-	11	-	1	-	1	1	-	-	-	-	-	-
-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	12	2	-	1	3	1	7	2	-	-	-	-	-	2	1	-	-	-
-	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	9	3	1	-	-	-	-	-	1	1	1	-	2	1	3	8	2	-
id Tubes	114	1	1	4	-	-	6	-	1	1	15	19	24	24	12	8	2	-
id Tubes	11	1	6	1	-	-	8	1	1	-	1	-	-	-	-	-	-	-
id Tubes	74	17	4	4	-	-	25	-	2	2	1	1	4	3	6	20	9	1
id Tubes	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	120	20	6	3	3	3	35	1	3	3	5	7	8	6	9	23	20	2
id Tubes	45	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	118	65	6	-	-	-	41	-	-	1	1	3	1	2	5	15	30	19

96.—PORTSEA ISLAND.																		
opul ^m , -71-	51258	1531	1312	1361	1320	1298	6822	5802	5027	4529	4882	8330	6402	4419	2707	1620	622	96
EATHS -	10855	2297	1022	496	319	231	4365	474	180	265	389	846	827	715	708	944	803	273
-	127	25	21	15	13	5	79	17	5	3	8	11	4	-	-	-	-	-
-	124	34	15	50	17	9	135	8	2	1	-	-	-	-	-	-	-	-
-	245	39	65	72	76	66	309	146	29	7	6	8	5	-	-	-	-	-
-	96	5	14	12	11	9	51	20	5	2	1	-	-	-	-	-	-	-
ough	203	75	66	35	11	6	196	7	-	-	-	-	-	-	-	-	-	-
Dysentery	471	15	43	49	34	35	176	78	27	24	26	33	35	25	21	21	4	1
otic Dis.	639	293	133	19	9	9	473	14	2	2	9	21	10	15	33	32	10	-
-	99	12	6	5	6	3	32	6	2	3	5	8	15	9	7	5	6	1
-	190	30	14	20	24	7	95	11	5	4	6	7	14	13	10	13	2	-
-	286	-	-	-	1	-	1	-	-	-	-	22	40	79	59	60	13	3
id Tubes	211	74	56	18	5	7	160	13	7	10	3	7	2	4	3	1	1	-
id Tubes	1343	30	13	6	5	10	64	35	46	135	200	378	275	126	62	19	3	-
id Tubes	181	68	50	19	12	5	154	16	9	-	-	-	-	-	-	-	-	-
id Tubes	1345	412	94	55	26	16	608	26	15	10	16	69	72	107	97	163	131	29
id Tubes	639	9	5	2	2	2	20	12	9	19	20	49	90	87	129	135	69	9
id Tubes	1510	344	201	65	41	28	679	29	11	7	13	50	68	87	169	215	162	39
id Tubes	474	33	5	5	3	2	43	10	5	14	21	46	53	61	86	86	38	6
id Tubes	112	1	-	-	2	2	5	-	2	3	4	16	25	28	17	8	7	2
id Tubes	71	-	-	-	1	-	1	-	3	1	4	8	20	22	6	8	2	-
id Tubes	22	1	1	-	-	-	1	-	1	8	-	2	1	4	3	1	1	1
id Tubes	24	4	2	1	-	-	7	-	-	-	1	4	2	2	1	1	5	-
id Tubes	169	-	-	-	-	-	-	-	-	9	29	75	82	4	-	-	-	-
id Tubes	18	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
id Tubes	147	29	7	13	6	6	61	16	8	2	3	8	11	13	8	1	11	3
id Tubes	1787	709	151	35	14	4	944	9	1	6	14	23	21	21	53	163	365	167

97.—ALVERSTOKE.																		
opul ^m , -71-	10263	330	295	298	275	286	1484	1198	973	845	965	1710	1236	837	555	321	116	23
EATHS -	2035	470	104	83	47	42	846	81	40	56	62	153	173	110	123	190	141	63
-	18	2	1	1	3	3	10	3	1	1	-	1	2	-	-	-	-	-
-	49	5	25	5	7	4	46	3	-	-	-	-	-	-	-	-	-	-
-	56	6	9	6	11	7	39	13	2	-	1	1	-	-	-	-	-	-
-	22	2	2	3	1	5	13	5	1	-	2	-	1	-	-	-	-	-
ough	41	12	16	8	-	1	37	4	-	-	-	-	-	-	-	-	-	-
Dysentery	90	1	4	5	5	5	25	13	8	11	4	7	2	2	3	4	4	5
otic Dis.	119	63	29	5	1	1	24	3	1	1	-	3	6	1	5	5	3	5
-	24	11	3	-	-	-	14	3	-	-	-	-	-	-	-	-	-	-
-	82	7	4	6	4	-	21	3	3	3	1	5	2	4	4	4	2	-
-	-	-	-	-	-	-	1	-	-	-	-	1	5	9	17	10	13	6
id Tubes	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	35	18	9	2	-	3	29	1	-	2	1	5	-	19	7	2	-	-
id Tubes	229	9	5	4	2	3	23	4	5	22	27	61	59	-	-	-	-	-
id Tubes	26	7	11	2	1	1	22	3	1	-	-	-	-	-	-	-	-	-
id Tubes	545	64	14	9	3	4	94	9	7	8	4	12	17	13	21	32	13	4
id Tubes	178	1	-	-	-	1	6	3	5	1	3	15	14	15	26	34	12	4
id Tubes	270	65	43	11	3	2	125	5	2	1	2	7	16	10	16	44	33	9
id Tubes	95	10	1	1	-	-	12	4	2	1	2	8	14	11	13	15	12	1
id Tubes	14	-	-	-	-	-	1	2	-	-	-	1	3	2	2	1	-	-
id Tubes	12	-	-	-	-	-	-	-	-	-	-	1	3	3	1	1	-	-
id Tubes	10	-	-	-	-	-	1	2	-	1	-	-	-	2	1	1	-	-
id Tubes	15	10	2	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-
id Tubes	39	-	-	-	-	-	-	-	-	1	3	16	9	2	1	-	-	-
id Tubes	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
id Tubes	37	11	2	6	-	2	21	4	1	2	-	-	-	1	3	4	10	3
id Tubes	945	162	23	7	1	1	194	-	-	-	-	9	13	6	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & above.		
		98.—FAREHAM.																		
Popul ⁿ 1-71	7893	184	188	189	178	217	956	886	783	639	679	1116	924	767	591	377	166	29		
DEATHS-	1756	243	75	36	41	23	418	46	29	41	65	154	164	147	181	220	226	65		
-	8	1	-	1	2	-	4	1	1	-	-	-	2	-	-	-	-	-		
-	12	-	7	2	3	-	12	-	-	-	-	-	-	-	-	-	-	-		
-	42	1	2	4	8	6	21	13	8	2	1	2	-	-	-	-	-	-		
-	19	2	2	2	1	1	8	1	1	-	-	-	-	-	-	-	-	-		
-cough	17	10	5	1	-	1	17	-	-	-	-	-	-	-	-	-	-	-		
& Dysentery	46	-	1	4	3	3	11	7	6	4	2	6	4	1	2	3	5	2		
otie Dis.	41	12	6	1	2	1	22	-	-	1	2	1	1	1	1	6	1	1		
-	6	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-		
-	19	2	1	-	2	-	5	1	1	1	-	-	1	1	2	1	1	1		
nd Tabes	48	-	3	-	-	1	-	2	1	-	-	3	4	16	8	10	6	-		
alus	21	5	3	1	-	1	10	2	1	1	1	3	1	1	1	1	1	-		
-	255	10	3	2	1	2	18	3	6	19	29	68	49	32	24	6	-	-		
-	16	3	2	2	4	2	15	1	-	-	-	-	-	-	-	-	-	-		
in	320	53	17	6	4	3	83	6	4	6	6	27	38	27	41	49	29	4		
art & Dropsy	133	1	2	-	-	-	49	5	1	2	9	7	16	17	27	29	17	1		
ngs	179	25	10	6	6	2	49	5	1	1	4	8	11	13	32	28	27	1		
m. and Liver	163	4	1	1	3	1	10	1	1	2	4	11	14	14	15	21	12	1		
neys	22	1	-	-	-	-	1	-	-	-	1	1	1	4	4	3	3	-		
ner. Organs	16	-	-	-	-	-	-	1	-	-	-	1	1	6	5	2	-	-		
nts	3	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	-		
in	3	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-		
and Metria	38	-	-	-	-	-	-	-	-	-	6	13	16	2	-	-	-	-		
-	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-		
ent Deaths	16	4	1	1	-	-	6	1	-	-	-	-	-	1	-	3	5	1		
ses	371	106	12	2	1	-	121	2	1	2	-	1	1	8	14	51	118	33		

99.—ISLE OF WIGHT.

Popul ⁿ , 1-71	31451	808	752	808	691	708	3767	3501	3070	2979	2958	4875	3699	2851	2018	1195	497	71		
DEATHS	5073	820	306	154	125	95	1509	212	134	172	235	384	350	334	410	531	557	195		
-	12	5	1	1	-	1	8	-	-	1	1	1	-	1	-	-	-	-	-	-
-	74	9	38	10	9	3	69	-	1	1	1	1	-	-	-	-	-	-	-	-
-	254	20	28	32	37	29	146	35	18	8	5	4	-	-	-	-	-	-	-	-
-	80	6	3	11	6	10	36	32	13	-	-	4	1	-	-	-	-	-	-	-
-cough	81	39	25	6	8	3	81	2	-	32	21	23	18	16	21	11	4	-	-	-
& Dysentery	116	9	9	7	8	7	40	27	20	1	1	4	1	10	14	15	5	1	1	1
otie Dis.	65	1	1	3	1	1	7	1	5	1	7	3	6	6	8	10	2	1	1	1
-	117	6	9	6	13	40	40	19	6	3	3	5	5	7	8	12	5	4	4	4
nd Tabes	116	-	-	-	-	-	-	-	-	2	-	9	22	30	41	30	12	-	-	-
alus	91	25	14	7	7	2	35	6	7	5	5	7	7	2	3	3	-	-	-	-
-	698	6	7	7	3	2	25	9	20	80	121	184	121	60	25	20	3	-	-	-
-	31	10	13	7	6	1	37	11	2	1	-	-	-	-	-	-	-	-	-	-
in	545	126	39	20	10	6	201	8	13	11	8	7	31	33	55	94	81	15	15	15
art & Dropsy	410	1	3	1	1	-	6	2	6	5	3	18	24	61	65	122	76	12	12	12
ngs	599	138	58	21	9	7	238	16	2	6	5	16	28	32	65	90	83	18	18	18
m. and Liver	227	16	1	1	-	-	18	3	3	6	-	2	20	39	50	45	28	4	4	4
neys	90	-	3	-	1	1	5	1	3	1	2	1	9	18	22	12	3	3	3	3
ner. Organs	25	-	-	-	-	-	-	-	-	-	-	2	5	8	5	3	2	-	-	-
nts	14	-	-	-	1	1	2	1	2	-	-	2	3	2	-	-	-	-	-	-
in	12	4	1	-	-	-	5	-	2	-	-	1	1	1	1	1	1	-	-	-
and Metria	91	-	-	-	-	-	-	-	-	3	23	39	27	2	-	-	-	-	-	-
-	6	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	1	1	1
ent Deaths	70	20	3	2	1	5	31	4	1	1	1	3	5	8	3	5	10	1	1	1
ses	951	232	55	5	7	5	372	6	2	4	12	18	16	15	39	108	231	131		

100.—LYMINGTON.

Popul ⁿ , 1-71	6351	159	157	162	154	157	789	767	729	559	486	640	724	580	461	297	95	15		
DEATHS	1019	133	51	21	21	9	235	33	24	41	45	80	70	70	86	160	142	48		
-	7	-	-	2	-	1	5	-	1	1	-	-	-	-	-	-	-	-	-	-
-	23	3	4	2	3	3	15	6	2	-	-	-	-	-	-	-	-	-	-	-
-	8	-	-	-	-	-	-	2	2	1	2	-	-	1	-	-	-	-	-	-
-cough	11	6	2	2	-	-	10	1	-	-	-	-	-	-	-	-	-	-	-	-
& Dysentery	28	-	-	-	1	-	1	4	2	4	4	6	-	2	1	3	7	1	1	1
otie Dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	25	5	5	2	-	-	12	1	-	-	-	1	1	1	3	5	2	-	-	-
nd Tabes	36	-	-	1	-	-	1	-	-	-	-	1	2	4	10	12	7	1	-	-
alus	14	2	3	1	1	-	7	-	8	-	27	2	4	10	3	6	-	-	-	-
-	139	1	-	-	3	2	4	3	3	-	26	47	28	12	6	1	-	-	-	-
-	19	-	-	-	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
in	118	13	10	3	3	-	59	5	2	2	5	1	4	5	16	26	17	4	4	4
art & Dropsy	121	1	4	-	-	-	51	3	1	1	2	3	3	11	18	45	18	1	1	1
ngs	97	29	14	5	1	2	51	2	2	-	3	2	5	10	8	6	4	1	1	1
m. and Liver	47	3	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	-	-
neys	7	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-
ner. Organs	3	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
nts	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
in	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and Metria	19	-	-	-	-	-	-	-	-	-	3	-	9	7	-	-	-	-	-	-
ent Deaths	12	2	1	1	1	1	7	1	-	-	-	-	-	-	-	2	7	1	1	1
ses	271	62	7	1	1	1	71	2	-	-	-	-	-	-	-	33	33	1	1	1

Causes of Death in the Ten Years 1861-70.—Males.

[Div. II]

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		101.—CHRISTCHURCH.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
Mean Popul., 1861-71	6109	174	140	155	166	140	790	754	668	607	498	848	690	551	360	243	91	9
TOTAL DEATHS	1180	226	60	25	27	11	355	46	33	34	64	123	73	82	85	180	90	21
Small-pox	5	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Measles	3	-	1	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	44	2	7	4	4	3	20	13	3	3	2	2	-	1	-	-	-	-
Diphtheria	10	2	1	-	2	2	7	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	21	12	4	4	-	-	20	1	-	-	-	-	-	-	-	-	-	-
Typhus	23	-	-	1	1	-	2	4	-	-	4	-	1	1	1	1	1	1
Diarrhoea & Dysentery	19	8	1	2	-	-	11	2	-	-	1	3	-	-	-	-	-	-
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	28	3	3	2	3	2	13	2	1	1	1	2	1	1	4	2	2	2
Cancer	25	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	22	7	4	3	-	-	16	1	1	2	1	1	1	1	4	3	3	3
Phthisis	211	2	3	-	2	-	7	5	2	10	41	81	94	19	6	-	-	-
Hydrocephalus	16	5	1	2	1	-	14	-	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	129	27	9	1	3	1	41	5	3	2	2	4	1	5	17	24	12	11
Dis. of Heart & Dropsy	77	1	-	-	1	-	2	1	3	-	-	5	6	9	12	28	12	11
Dis. of Lungs	165	35	15	2	3	2	55	4	-	3	3	14	6	15	16	28	18	17
Dis. of Stom. and Liver	68	11	2	1	-	-	14	2	2	1	1	6	6	9	11	22	11	11
Dis. of Kidneys	39	-	-	-	-	-	-	-	-	2	1	2	5	4	6	13	6	6
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	1	-	-	-	1	-	-	-	-	-	1	-	1	2	1	1
Dis. of Skin	9	3	-	-	-	-	3	-	-	-	-	1	1	1	2	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	50	2	2	1	1	-	5	3	10	8	6	7	4	3	7	2	1	1
Other Causes	200	105	8	1	2	-	117	-	1	1	1	1	3	6	3	19	11	11

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		102.—RINGWOOD.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
Mean Popul., 1861-71	2706	62	63	73	69	62	329	318	328	261	207	313	282	262	205	142	51	6
TOTAL DEATHS	461	72	23	13	10	6	124	18	5	12	19	27	21	30	50	55	24	13
Small-pox	1	-	-	-	-	-	5	1	-	-	-	-	-	-	1	-	-	-
Measles	6	-	1	2	1	1	10	4	1	-	1	-	-	-	-	-	-	-
Scarlatina	16	-	5	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Whooping-cough	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Typhus	11	-	-	-	-	-	-	-	2	3	1	1	1	-	-	1	2	2
Diarrhoea & Dysentery	6	3	-	-	-	-	3	1	-	-	-	1	-	-	-	-	1	1
Cholera	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	12	-	2	3	1	-	6	1	-	-	1	-	-	-	2	-	2	2
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	6	1	-	-	1	-	2	-	2	-	1	1	1	1	4	3	1	1
Phthisis	20	1	-	-	2	-	3	2	-	8	8	13	5	5	7	1	-	-
Hydrocephalus	7	2	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	61	9	2	1	1	2	15	2	-	-	-	5	2	7	9	8	11	11
Dis. of Heart & Dropsy	49	1	-	-	-	-	1	1	1	-	2	3	1	3	9	17	11	11
Dis. of Lungs	69	26	2	3	-	1	26	3	-	1	-	4	5	7	12	11	11	11
Dis. of Stom. and Liver	19	3	-	1	-	-	4	-	-	-	1	1	1	3	3	4	2	2
Dis. of Kidneys	12	-	-	-	-	-	-	1	-	-	-	1	1	2	3	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	2	-	-	-	2	-	-	1	1	-	-	-	-	1	1	1
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	9	2	-	-	-	-	2	1	1	-	1	1	-	3	1	1	1	1
Other Causes	100	30	3	1	1	-	35	-	-	-	-	-	3	3	3	6	20	11

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		103.—FORDINGBRIDGE.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
Mean Popul., 1861-71	3252	93	81	102	91	98	465	414	379	327	219	366	314	313	249	137	63	6
TOTAL DEATHS	628	128	35	14	23	8	208	29	11	15	14	26	28	46	54	77	88	33
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	11	2	7	1	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	4	2	3	8	3	29	12	3	2	-	1	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	7	4	-	1	2	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	11	-	-	-	-	1	3	-	1	1	-	1	2	-	-	1	2	2
Diarrhoea & Dysentery	15	2	-	1	-	1	4	1	-	-	-	-	-	-	-	1	1	1
Cholera	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	13	2	1	2	2	1	8	3	-	-	-	-	-	-	1	1	1	1
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2
Scrofula and Tuberc.	22	3	1	-	3	-	7	2	1	1	2	1	2	5	2	3	3	1
Phthisis	64	3	6	2	-	1	4	-	1	6	6	15	12	13	4	2	3	1
Hydrocephalus	17	7	3	-	-	-	16	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	90	31	4	2	2	1	49	1	1	1	-	1	2	3	9	12	11	11
Dis. of Heart & Dropsy	46	2	1	-	-	-	3	-	-	-	-	-	-	-	3	15	15	15
Dis. of Lungs	74	21	6	1	2	-	30	2	-	1	1	4	5	7	8	19	17	17
Dis. of Stom. and Liver	32	6	-	-	-	-	6	1	-	1	-	1	3	5	8	5	2	2
Dis. of Kidneys	10	1	-	-	-	-	1	-	1	-	-	-	-	-	3	4	1	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dis. of Skin	2	2	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-

[I.] *Causes of Death in the Ten Years 1861-70.—Females.*

89

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & over.
		101.—CHRISTCHURCH.																
Popul ⁿ , 1871	7279	163	148	160	147	156	774	723	683	767	794	1181	808	670	412	275	84	18
DEATHS -	1083	158	59	26	20	10	273	37	22	40	56	106	86	72	87	127	130	46
-	9	-	3	4	1	-	8	1	-	-	-	-	-	-	-	-	-	-
-	35	2	6	1	4	3	16	11	3	2	1	1	-	-	-	-	-	-
-	5	-	-	1	-	-	1	1	-	1	-	1	-	1	-	-	-	-
- Cough	18	11	3	2	1	-	17	1	-	-	-	-	-	-	-	-	-	-
- & Dysentery	20	1	2	1	-	1	5	2	4	2	2	4	1	-	-	-	-	-
- & Dysentery	26	5	7	1	-	-	13	-	-	-	1	3	-	3	-	2	2	1
- Botch Dis.	21	3	4	1	2	1	11	1	-	-	2	-	-	-	1	3	2	1
-	35	-	-	-	-	-	-	-	-	-	-	2	4	8	8	10	8	-
- and Tuberc	14	3	1	2	-	-	8	-	1	-	-	3	3	1	1	-	-	-
- Tuberc	212	1	2	-	-	1	4	7	3	3	21	37	61	41	29	11	7	1
- Tuberc	12	3	2	-	1	1	1	2	3	3	-	-	-	-	-	-	-	-
- Chol	129	21	7	3	4	1	56	3	1	6	2	3	10	7	18	20	18	5
- Chol and Dropsy	84	-	-	-	-	2	-	-	-	-	-	1	6	8	5	15	20	18
- Chol and Dropsy	144	26	7	7	2	-	42	5	1	2	2	6	6	10	15	25	26	4
- Chol and Liver	48	11	1	-	-	1	13	-	-	1	1	3	3	4	10	6	7	-
- Chol and Liver	15	-	-	-	-	-	-	1	-	-	-	3	3	2	1	3	1	1
- Chol and Liver	7	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-
- Chol and Liver	9	-	1	-	1	1	3	-	1	1	-	1	1	1	2	-	-	-
- Chol and Liver	8	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
- Chol and Liver	14	-	-	-	-	-	-	-	-	-	5	6	3	-	-	-	-	-
- Chol and Liver	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- Chol and Liver	17	2	1	1	2	1	7	2	2	1	2	1	-	-	-	-	-	-
- Chol and Liver	200	67	8	3	-	-	78	4	-	1	-	-	-	1	-	20	61	36

102.—RINGWOOD.																		
Popul ⁿ , 1871	2671	67	61	68	71	61	328	325	318	249	209	334	286	252	184	128	50	8
DEATHS -	467	62	17	18	7	8	112	13	8	12	16	36	30	34	47	73	64	22
- - -	7	-	-	-	-	-	5	-	-	2	-	-	-	-	-	-	-	-
- - -	2	1	2	1	1	-	4	4	1	-	-	-	-	-	-	-	-	-
- - -	3	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
Cough -	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
& Dysentery	5	-	2	1	-	-	3	1	-	-	-	-	-	1	-	-	-	-
motie Dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	15	1	-	3	-	4	10	1	-	-	-	1	-	-	-	2	1	-
and Tuberc.	16	-	-	-	1	-	4	-	1	-	-	1	4	3	5	2	1	1
phalus -	61	1	1	2	-	-	2	1	-	6	8	14	11	8	4	6	-	-
rain -	3	1	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-
cart & Dropsy	63	11	3	3	-	-	17	1	3	2	-	3	4	4	5	9	10	2
ungs -	35	2	1	2	-	3	26	1	1	-	2	5	3	1	7	16	9	-
om. and Liver	67	15	4	2	-	-	5	-	-	-	-	2	1	5	6	12	4	-
idneys -	35	2	1	2	-	-	-	-	-	-	-	1	1	1	3	2	-	-
ner. Organs	8	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-
into -	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
dia -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b and Metria	5	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-
lent Deaths	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ises -	7	1	-	1	2	-	4	1	1	-	-	-	-	1	1	13	26	17
ises -	85	22	1	-	-	-	23	-	-	1	-	-	2	1	2	13	26	17

103.—FORDINGBRIDGE.																		
Popul ⁿ , 1871	3157	96	82	91	70	94	433	379	353	255	242	394	364	313	221	142	56	5
DEATHS -	600	88	35	10	10	11	163	30	18	25	18	44	35	43	54	76	62	31
- - -	18	-	4	-	-	-	12	1	-	-	-	-	-	-	-	-	-	-
- - -	47	3	3	6	8	2	22	17	5	2	1	-	-	-	-	-	-	-
- - -	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Cough -	5	1	3	1	-	-	5	3	5	3	1	1	2	4	-	-	-	-
& Dysentery	23	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
& Dysentery	10	3	1	1	-	-	6	1	-	-	-	-	-	1	-	1	-	-
motie Dis.	12	1	-	-	1	2	1	1	-	1	-	-	1	1	3	-	-	-
- - -	21	-	-	-	-	-	7	2	-	-	2	2	2	3	6	7	1	-
and Tuberc.	16	4	1	1	1	-	2	-	4	10	10	12	12	8	10	2	-	-
phalus -	80	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
rain -	8	2	5	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
cart & Dropsy	69	15	6	-	2	1	21	1	2	2	-	5	5	5	3	12	9	1
ungs -	49	-	-	-	-	1	2	-	-	-	-	5	4	6	14	17	1	2
om. and Liver	61	14	5	-	2	1	21	1	1	1	-	4	1	7	7	12	11	-
idneys -	16	-	-	1	-	1	2	-	-	-	-	2	2	3	4	2	-	-
ner. Organs	7	-	-	-	-	-	-	-	-	-	-	3	-	4	-	-	-	-
into -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
into -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b and Metria	11	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-
lent Deaths	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ises -	140	39	4	-	1	1	44	1	-	-	1	1	1	-	1	4	21	10

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
104.—NEW FOREST.																		
Mean Popul ⁿ , 1861-71	6780	178	168	171	150	195	871	854	835	662	491	791	729	620	485	310	124	17
TOTAL DEATHS	1178	230	50	26	22	9	337	45	20	32	32	81	66	68	104	176	157	37
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	10	1	2	2	1	1	7	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	12	1	3	-	1	1	6	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	7	-	1	-	-	1	2	4	-	-	1	-	-	-	1	-	-	-
Whooping-cough	9	5	2	-	1	-	8	1	-	-	-	-	-	-	-	-	-	-
Typhus	20	-	-	-	-	-	1	3	1	7	-	1	4	-	1	1	1	1
Diarrhoea & Dysentery	21	6	3	1	2	-	12	1	1	-	-	1	1	1	1	1	1	1
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1
Other Zymotic Dis.	50	1	4	4	3	-	12	7	1	1	-	5	-	1	2	2	1	1
Cancer	16	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	1	1
Scrofula and Tuberc.	11	-	-	-	-	-	-	2	-	-	-	1	1	1	2	1	1	1
Phthisis	126	-	1	-	1	-	2	1	5	12	21	44	25	9	1	1	1	1
Hydrocephalus	22	11	3	4	2	1	21	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	142	41	4	3	1	1	50	4	3	1	3	6	5	11	14	24	21	21
Dis. of Heart & Dropsy	109	1	-	-	-	-	1	1	4	1	-	5	9	17	17	24	12	12
Dis. of Lungs	167	41	17	5	3	3	69	35	2	3	1	5	10	6	29	17	1	1
Dis. of Stom. and Liver	66	2	-	-	2	-	4	2	-	1	-	5	5	6	29	17	1	1
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	-	1	1	2	4	2	10	1	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	1	1	-	-	-	2	-	1	-	-	1	-	1	-	1	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Other Violent Deaths	49	4	1	2	1	-	8	8	2	-	2	5	3	2	4	4	1	1
Other Causes	339	113	8	5	5	1	132	5	-	-	1	2	-	4	10	46	50	37
105.—SOUTHAMPTON.																		
Mean Popul ⁿ , 1861-71	21435	709	586	605	594	554	3048	2555	3299	2003	1875	3351	3646	1855	1078	535	167	23
TOTAL DEATHS	5378	1306	459	210	152	82	2209	211	107	100	181	481	518	483	420	378	231	20
Small-pox	28	8	1	1	-	-	10	3	3	3	2	2	5	-	-	-	-	-
Measles	135	32	47	20	11	11	121	10	-	-	2	1	1	-	-	-	-	-
Scarlatina	201	10	31	36	20	17	133	56	7	2	-	3	-	-	-	-	-	-
Diphtheria	18	2	1	3	9	-	15	5	-	-	-	-	-	-	-	-	-	-
Whooping-cough	73	26	23	16	4	3	72	1	-	-	-	-	-	-	-	-	-	-
Typhus	200	6	9	20	13	7	55	25	15	13	17	37	11	15	13	4	1	1
Diarrhoea & Dysentery	232	157	43	8	1	3	212	4	2	1	5	19	11	9	10	12	4	4
Cholera	63	3	6	2	4	1	16	10	5	1	2	5	8	9	6	1	1	1
Other Zymotic Dis.	129	16	15	13	15	6	65	16	2	3	8	9	6	6	16	4	4	4
Cancer	62	-	-	-	-	-	-	-	-	-	-	2	3	11	14	17	13	5
Scrofula and Tuberc.	63	20	9	2	3	4	38	4	10	4	2	2	2	1	2	3	2	2
Phthisis	774	41	25	8	6	2	82	15	18	40	85	202	161	108	46	13	2	2
Hydrocephalus	112	45	29	15	7	5	99	9	3	1	-	-	-	-	-	-	-	-
Dis. of Brain	500	167	50	14	11	7	249	111	8	5	11	34	50	54	60	62	37	7
Dis. of Heart & Dropsy	332	2	7	1	1	-	10	5	6	4	8	45	57	65	57	69	18	1
Dis. of Lungs	726	240	116	55	19	12	422	13	2	4	7	30	50	61	75	76	45	8
Dis. of Stom. and Liver	255	25	5	1	3	1	34	6	3	1	6	26	54	55	55	59	2	2
Dis. of Kidneys	131	-	1	-	-	2	3	3	2	2	2	21	28	23	21	16	9	1
Dis. of Gen. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	26	-	-	-	-	-	-	4	4	1	2	2	4	4	5	2	2	2
Dis. of Skin	21	7	1	-	1	-	9	-	1	-	-	1	5	1	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	26	-	-	-	-	-	-	-	-	-	2	3	4	5	4	4	2	2
Other Violent Deaths	240	15	10	7	5	1	38	9	13	7	16	43	45	32	19	7	7	7
Other Causes	828	484	37	2	-	-	525	2	3	2	2	13	21	21	34	53	63	37
106.—SOUTH STONEHAM.																		
Mean Popul ⁿ , 1861-71	13745	467	398	386	395	401	2047	1784	1541	1241	1010	1906	1603	1219	785	438	156	16
TOTAL DEATHS	3086	658	200	94	64	44	1060	97	52	65	149	415	259	211	219	227	216	60
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Measles	57	18	18	11	5	4	51	5	-	-	-	-	1	-	-	-	-	-
Scarlatina	55	5	10	5	8	4	32	12	2	3	3	1	-	2	-	-	-	-
Diphtheria	11	-	-	2	2	1	5	3	1	-	-	-	1	-	1	-	-	-
Whooping-cough	45	22	11	10	1	-	44	1	-	-	-	-	-	-	-	-	-	-
Typhus	99	1	4	3	8	6	22	12	9	11	5	6	12	7	9	5	1	1
Diarrhoea & Dysentery	142	63	14	2	-	-	79	2	3	-	4	26	9	1	5	5	6	2
Cholera	10	1	1	1	-	-	3	1	-	-	-	2	2	1	3	3	1	1
Other Zymotic Dis.	89	13	10	4	12	7	46	19	2	2	1	4	4	2	3	3	1	1
Cancer	42	-	-	-	-	-	-	-	1	-	-	7	6	8	9	6	4	4
Scrofula and Tuberc.	41	7	5	4	3	2	19	6	2	-	7	7	3	1	1	1	1	1
Phthisis	433	2	2	-	-	-	1	10	7	2	25	74	108	78	30	16	7	7
Hydrocephalus	60	26	14	7	6	-	59	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	393	91	29	8	6	1	135	8	5	4	5	24	24	35	35	36	29	8
Dis. of Heart & Dropsy	290	5	5	1	1	3	15	5	5	2	13	48	56	27	35	34	20	2
Dis. of Lungs	374	121	45	25	8	7	204	6	8	5	6	25	39	26	21	37	18	5
Dis. of Stom. and Liver	162	19	4	3	1	2	29	5	2	2	10	26	19	16	35	29	8	1
Dis. of Kidneys	81	1	-	2	-	-	4	1	-	2	4	15	15	12	6	17	4	1
Dis. of Gen. Organs	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	15	7	-	-	-	-	8	1	-	-	-	1	-	1	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- & above.		
104.—NEW FOREST.																				
Popul ⁿ 1-71	6713	177	172	170	165	166	850	805	758	563	529	882	772	648	476	300	114	16		
DEATHS	1008	160	50	28	21	12	280	37	32	28	58	74	73	59	83	164	133	55		
-	1	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-		
-	5	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-		
-	22	2	2	3	3	4	14	5	2	-	1	-	-	-	-	-	-	-		
-	13	-	1	-	-	1	2	8	2	-	-	-	-	-	1	-	-	-		
-	9	3	2	1	-	-	8	1	-	-	-	-	-	-	-	-	-	-		
-	33	-	-	-	-	-	4	-	-	3	3	3	3	1	1	5	1	-		
-	10	3	1	4	-	-	8	1	-	-	-	-	-	-	-	1	1	-		
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	23	2	4	1	-	-	11	2	1	-	-	-	2	1	2	1	5	-		
-	35	-	-	-	-	-	-	-	-	-	-	-	2	2	8	9	11	3		
-	5	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
-	143	1	1	1	-	1	4	4	-	12	34	32	81	17	6	3	-	-		
-	14	3	6	1	-	1	12	1	1	-	-	-	-	-	-	-	-	-		
-	132	36	9	3	-	-	50	3	5	6	5	8	3	7	10	19	13	3		
-	103	1	-	-	-	-	1	1	1	2	1	7	8	11	17	42	11	1		
-	119	25	8	6	6	-	45	4	-	1	1	4	6	2	18	20	15	3		
-	50	2	-	-	-	1	3	4	-	-	3	4	6	9	4	15	2	-		
-	7	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	2	-		
-	9	-	-	-	-	-	-	1	-	1	1	-	-	1	3	2	1	-		
-	8	1	-	-	-	-	1	-	1	-	-	1	-	-	1	1	1	-		
-	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
-	22	-	-	-	-	-	-	-	-	1	4	9	8	-	-	-	-	-		
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	17	3	-	-	-	1	6	-	-	1	-	2	2	1	1	-	1	1		
-	312	83	14	6	1	1	105	11	3	-	-	-	1	1	10	43	99	46		
105.—SOUTHAMPTON.																				
Popul ⁿ 1-71	24300	687	606	593	593	582	3061	2633	2373	2390	2340	4018	3053	2116	1356	744	283	33		
DEATHS	4063	1006	377	206	141	91	1821	201	104	117	170	422	428	302	370	424	373	123		
-	20	5	1	2	-	2	10	1	2	1	1	3	1	-	1	-	-	-		
-	116	19	42	27	17	6	111	6	-	-	-	-	-	-	-	-	-	-		
-	184	13	18	24	28	35	106	32	16	2	-	3	-	2	-	-	-	-		
-	19	1	3	2	1	-	6	7	-	-	-	-	-	-	-	-	-	-		
-	129	58	98	15	11	3	125	4	-	-	-	-	-	-	-	-	-	-		
-	247	2	10	7	21	11	51	37	21	22	19	30	20	13	20	11	3	-		
-	241	134	32	6	3	3	178	8	2	1	2	6	7	7	5	8	14	3		
-	72	5	4	3	2	-	14	7	5	1	3	7	19	11	4	1	-	-		
-	120	20	12	18	11	4	65	7	6	1	6	5	5	5	7	9	4	-		
-	143	-	-	-	1	-	1	1	-	-	-	6	23	45	38	22	8	1		
-	77	21	17	5	4	3	50	4	4	-	4	6	3	3	-	2	1	-		
-	684	39	22	11	4	3	70	9	19	43	70	136	157	68	34	13	3	-		
-	75	27	18	10	7	4	66	6	3	-	-	-	-	-	-	-	-	-		
-	530	103	27	24	5	-	139	16	7	10	8	29	75	54	65	84	53	10		
-	570	4	1	3	-	1	9	11	5	12	9	33	43	60	57	82	42	7		
-	644	140	83	31	19	15	288	10	3	8	7	19	31	48	63	86	65	16		
-	238	21	1	2	3	2	29	7	3	2	16	16	39	42	41	28	13	3		
-	58	-	2	-	-	2	4	-	1	1	7	7	10	11	10	4	3	-		
-	20	-	-	-	-	-	-	-	1	-	1	3	4	6	3	1	1	-		
-	25	1	1	-	-	-	3	4	2	3	1	1	1	3	4	2	1	-		
-	20	6	-	1	-	1	8	1	-	-	-	-	-	-	3	3	-	-		
-	69	-	-	-	-	-	-	-	-	4	9	40	16	-	-	-	-	-		
-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-		
-	71	17	3	8	-	4	34	2	2	-	-	3	-	6	3	5	8	1		
-	779	170	42	5	3	1	421	2	2	2	7	10	10	9	19	64	154	81		
106.—SOUTH STONEHAM.																				
Popul ⁿ 1-71	15127	422	387	408	402	375	1994	1803	1583	1391	1319	2324	1832	1320	858	519	161	23		
DEATHS	2374	470	157	86	40	30	801	93	50	87	68	192	175	186	187	276	206	53		
-	5	-	11	13	3	4	28	3	-	2	-	-	-	-	-	-	-	-		
-	36	3	6	7	6	4	35	18	8	1	-	2	-	-	-	-	-	-		
-	12	-	-	1	2	1	6	2	1	2	-	-	1	-	-	-	-	-		
-	31	15	9	4	1	1	30	1	-	-	-	-	-	-	-	-	-	-		
-	87	-	5	2	2	2	11	14	11	10	7	15	3	10	2	5	1	-		
-	80	40	9	4	-	1	54	2	-	2	1	-	5	2	2	6	5	1		
-	9	-	-	-	-	2	2	1	1	3	-	-	2	2	4	1	-	-		
-	68	6	5	11	2	8	32	7	2	-	-	-	3	4	5	6	4	-		
-	75	-	1	-	-	-	1	-	-	1	-	-	2	2	11	18	22	15	1	
-	54	9	4	5	-	-	25	1	-	-	-	-	3	3	-	-	-	-		
-	398	4	7	1	2	-	14	5	9	35	50	87	68	41	11	2	-	-		
-	30	16	9	3	2	2	32	7	-	-	-	-	-	-	-	-	-	-		
-	724	75	23	12	3	1	114	9	4	8	2	11	15	33	58	56	50	8		
-	255	3	4	1	1	1	10	4	7	4	5	12	22	32	49	50	28	3		
-	264	78	32	13	8	6	137	8	4	7	3	9	8	9	13	43	18	5		
-	113	5	2	-	1	1	9	2	-	6	4	10	7	16	23	24	11	1		
-	26	-	1	1	-	-	2	-	-	1	-	4	4	6	6	4	1	2		
-	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	13	6	1	-	1	-	9	-	-	1	1	-	1	1	1	1	1	-		
-	20	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-		
-	40	10	6	1	2	1	20	4	-	-	-	-	-	-	-	-	-	-		
-	432	201	22	4	3	3	270	5	1	-	-	2	4	2	2	11	45	10		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

107.—ROMSEY.																			
Mean Popul ⁿ , 1861-71	5382	151	162	142	150	147	752	693	645	496	376	650	612	488	340	231	88	10	
TOTAL DEATHS	1064	216	69	35	27	22	366	32	36	30	30	61	53	70	82	139	129	25	
Small-pox	6	2	2	1	1	1	6	20	9	2	1	1	1	1	1	1	1	1	
Measles	77	3	10	6	10	6	35	9	1	1	1	1	1	1	1	1	1	1	
Scarlatina	17	2	1	1	1	1	9	7	1	1	1	1	1	1	1	1	1	1	
Diphtheria	14	8	3	2	1	1	14	1	6	1	2	1	1	1	1	1	1	1	
Whooping-cough	20	1	4	1	1	1	2	1	6	1	2	1	1	1	1	1	1	1	
Typhus	28	18	4	1	1	1	23	4	1	1	1	1	1	1	1	1	1	1	
Diarrhoea & Dysentery	13	2	1	1	1	1	13	4	2	1	1	1	1	1	1	1	1	1	
Cholera	22	7	1	1	1	1	18	4	2	1	1	1	1	1	1	1	1	1	
Other Zymotic Dis.	12	4	3	2	1	1	9	1	1	1	1	1	1	1	1	1	1	1	
Cancer	13	4	3	2	1	1	9	1	1	1	1	1	1	1	1	1	1	1	
Scrophula and Tuberc.	111	1	4	3	1	1	1	1	4	1	1	1	1	1	1	1	1	1	
Phthisis	19	8	2	2	3	1	15	1	4	1	1	1	1	1	1	1	1	1	
Hydrocephalus	131	29	5	4	2	3	45	4	1	3	1	3	7	14	19	27	21	2	
Dis. of Brain	81	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Heart & Dropsy	147	37	12	6	2	2	59	3	1	2	2	3	5	11	15	22	16	1	
Dis. of Lungs	47	6	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Stom. and Liver	24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Kidneys	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Genes. Organs	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Joints	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Skin	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Childbirth and Metris	41	8	5	3	1	1	11	7	2	1	2	2	5	5	2	4	1	1	
Other Violent Deaths	210	85	14	3	1	1	102	2	1	2	1	2	4	4	5	14	28	18	

108.—STOCKBRIDGE.																			
Mean Popul ⁿ , 1861-71	3765	108	86	97	88	99	478	437	454	374	250	457	413	350	290	186	71	5	
TOTAL DEATHS	662	115	36	17	7	7	182	15	19	15	15	41	31	49	79	99	94	21	
Small-pox	1	1	1	1	1	1	6	4	1	1	1	1	1	1	1	1	1	1	
Measles	14	1	3	2	1	2	9	1	1	1	1	1	1	1	1	1	1	1	
Scarlatina	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diphtheria	8	6	1	1	1	1	8	1	5	1	1	2	2	1	3	1	1	1	
Whooping-cough	16	1	1	1	1	1	11	1	5	1	1	2	1	1	3	1	1	1	
Typhus	17	8	1	1	1	1	11	1	1	1	1	1	1	1	1	1	1	1	
Diarrhoea & Dysentery	11	2	1	2	1	1	5	1	1	1	1	2	1	2	3	1	1	1	
Cholera	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other Zymotic Dis.	11	3	4	1	1	1	9	1	1	1	1	1	1	1	1	1	1	1	
Cancer	64	1	2	1	1	1	2	2	2	4	11	20	9	10	3	3	1	1	
Scrophula and Tuberc.	8	1	1	1	1	1	6	2	1	1	1	1	1	1	1	1	1	1	
Phthisis	165	23	4	1	1	1	29	1	6	2	6	2	6	15	24	16	16	2	
Hydrocephalus	72	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Brain	118	18	7	4	1	3	33	1	1	2	1	4	3	8	17	23	23	1	
Dis. of Heart & Dropsy	47	4	1	1	1	1	6	1	2	1	3	6	6	6	6	6	6	6	
Dis. of Lungs	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Stom. and Liver	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Kidneys	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Genes. Organs	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Joints	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Skin	20	1	2	1	1	1	3	1	3	2	1	4	1	2	3	1	1	1	
Childbirth and Metris	108	47	5	1	1	1	54	2	1	2	2	2	4	1	3	3	1	1	

109.—WINCHESTER.																			
Mean Popul ⁿ , 1861-71	14176	355	314	362	315	322	1668	1499	1550	1616	1366	2093	1614	1230	845	486	183	24	
TOTAL DEATHS	2712	477	170	76	58	44	825	100	46	53	95	225	239	211	262	296	267	8	
Small-pox	9	1	1	1	1	1	3	2	1	1	1	2	1	1	1	1	1	1	
Measles	45	11	15	5	5	5	42	2	1	1	1	2	1	1	1	1	1	1	
Scarlatina	147	3	12	21	24	19	78	22	12	2	2	2	2	1	1	1	1	1	
Diphtheria	14	2	1	3	1	1	7	1	1	1	1	1	1	1	1	1	1	1	
Whooping-cough	40	20	19	4	3	3	44	1	3	1	3	8	7	4	6	8	2	1	
Typhus	72	1	4	1	1	1	13	10	3	2	3	1	1	1	1	1	1	1	
Diarrhoea & Dysentery	97	22	12	1	1	1	60	3	1	1	1	1	1	1	1	1	1	1	
Cholera	7	3	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	
Other Zymotic Dis.	45	5	3	4	2	4	18	6	1	1	2	1	2	4	3	2	2	1	
Cancer	49	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Scrophula and Tuberc.	29	12	6	2	1	1	21	1	2	1	1	2	2	6	14	9	8	1	
Phthisis	303	3	1	5	1	1	8	4	2	13	39	84	82	37	28	5	1	1	
Hydrocephalus	23	8	7	2	2	1	19	2	2	1	1	1	1	1	1	1	1	1	
Dis. of Brain	377	99	29	9	4	4	133	13	2	4	7	27	29	25	40	57	43	1	
Dis. of Heart & Dropsy	229	1	1	1	1	1	2	2	4	1	5	27	29	30	44	60	26	1	
Dis. of Lungs	431	87	30	9	7	3	136	5	3	3	10	23	27	47	48	67	67	10	
Dis. of Stom. and Liver	153	15	4	3	1	1	23	1	3	4	3	13	17	21	28	28	10	4	
Dis. of Kidneys	70	1	1	1	1	1	1	1	1	2	1	8	15	1	10	17	7	1	
Dis. of Genes. Organs	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Joints	18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Skin	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Childbirth and Metris	14176	355	314	362	315	322	1668	1499	1550	1616	1366	2093	1614	1230	845	486	183	24	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
		107.—ROMSEY.																
Mean Popul ⁿ , 1861-71	5449	146	146	145	138	146	721	669	622	478	404	721	646	498	348	235	94	
TOTAL DEATHS -	1080	163	52	36	37	25	313	59	29	36	41	66	73	79	78	132	130	
Small-pox	3	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	
Measles	6	3	-	1	-	1	5	1	-	-	-	-	-	-	-	-	-	
Scarlatina	73	3	6	7	15	9	40	19	6	2	1	3	1	1	-	-	-	
Diphtheria	16	1	1	-	1	1	4	6	5	1	-	-	-	-	-	-	-	
Whooping-cough	13	7	2	3	1	2	13	-	4	2	11	6	3	1	1	-	-	
Typhus	31	-	-	-	-	-	4	5	4	2	11	6	3	1	1	-	-	
Diarrhoea & Dysentery	39	13	6	3	1	1	24	-	1	1	-	-	3	1	1	-	-	
Cholera	9	1	1	1	2	-	5	-	-	-	-	1	-	-	-	-	-	
Other Zymotic Dis.	23	2	3	2	3	2	12	4	1	-	-	-	1	1	4	1	-	
Cancer	28	-	-	-	1	-	1	-	-	1	-	2	4	6	7	8	1	
Scrofula and Tuberc.	9	3	2	-	-	1	6	-	1	1	1	-	-	-	-	-	-	
Phthisis	110	1	1	2	1	-	5	2	4	21	20	26	19	10	2	1	-	
Hydrocephalus	16	5	3	-	-	2	11	4	-	-	-	-	-	-	-	-	-	
Dis. of Brain	143	21	5	5	2	3	36	2	1	5	6	5	9	18	11	55	23	
Dis. of Heart & Dropsy	83	2	-	1	-	-	3	1	2	2	1	5	7	4	18	23	19	
Dis. of Lungs	136	20	13	4	5	2	53	6	1	1	2	4	5	10	17	23	16	
Dis. of Stom. and Liver	51	3	-	-	-	-	3	1	1	-	-	2	6	12	7	13	6	
Dis. of Kidneys	14	1	1	-	-	-	2	1	-	-	-	1	4	1	4	1	-	
Dis. of Genes. Organs	10	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	
Dis. of Joints	6	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-	
Dis. of Skin	4	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	
Childbirth and Metris	18	-	-	-	-	-	-	-	-	-	3	7	8	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Other Violent Deaths	20	4	-	1	1	1	7	2	-	1	2	1	1	3	-	3	-	
Other Causes	225	63	8	4	1	-	70	25	1	-	2	-	1	4	5	27	60	

108.—STOCKBRIDGE.																		
Mean Popul ⁿ , 1861-71	3537	99	99	93	90	104	485	449	395	285	250	455	396	342	267	159	50	
TOTAL DEATHS -	617	94	34	15	11	6	160	24	21	27	30	33	44	42	64	95	63	
Small-pox	12	3	6	-	2	-	11	1	-	-	-	-	-	-	-	-	-	
Measles	26	1	4	-	1	1	7	10	4	1	4	-	-	-	-	-	-	
Scarlatina	7	-	1	-	-	-	1	1	1	2	1	-	-	-	-	1	-	
Diphtheria	9	5	1	2	-	-	8	1	-	-	-	-	-	-	-	-	-	
Whooping-cough	11	-	-	-	-	-	-	1	5	2	1	-	-	-	2	-	-	
Typhus	19	4	4	-	-	-	8	-	-	-	-	-	-	-	-	-	1	
Diarrhoea & Dysentery	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cholera	23	1	1	2	5	3	12	1	-	-	2	-	1	-	3	3	-	
Other Zymotic Dis.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	7	1	1	1	-	-	3	1	1	-	-	1	-	1	4	4	1	
Scrofula and Tuberc.	85	-	-	1	-	-	1	-	4	14	13	16	18	9	8	1	-	
Phthisis	8	1	3	1	1	-	6	2	-	-	-	-	-	-	-	-	-	
Hydrocephalus	88	18	1	1	-	-	20	-	1	2	1	3	2	10	10	32	13	
Dis. of Brain	55	-	-	-	-	-	-	1	1	-	-	2	4	8	9	19	10	
Dis. of Heart & Dropsy	72	14	1	3	1	1	20	1	1	-	-	2	7	4	8	19	10	
Dis. of Lungs	33	2	1	-	-	-	4	1	-	-	2	2	4	4	7	5	4	
Dis. of Stom. and Liver	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	
Dis. of Genes. Organs	5	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Dis. of Skin	12	-	-	-	-	-	-	-	-	3	3	4	2	-	-	-	-	
Childbirth and Metris	15	2	2	-	-	-	5	2	-	1	1	1	1	1	2	-	-	
Suicide	111	42	8	4	-	-	54	-	1	1	1	1	1	3	5	14	30	

109.—WINCHESTER.																		
Mean Popul ⁿ , 1861-71	13761	370	302	328	304	314	1618	1519	1379	1261	1301	2028	1579	1324	947	542	232	
TOTAL DEATHS -	2493	425	139	80	47	37	728	163	53	90	102	188	164	164	212	298	316	
Small-pox	5	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	
Measles	40	5	14	6	7	-	32	5	2	-	-	1	-	-	-	-	-	
Scarlatina	117	3	13	20	7	11	54	46	16	2	1	3	1	-	-	-	-	
Diphtheria	16	3	-	1	2	3	9	3	4	-	-	-	-	-	-	-	-	
Whooping-cough	43	19	11	9	2	1	42	1	-	-	-	6	4	3	7	6	8	
Typhus	86	2	1	5	-	-	13	5	8	17	8	1	1	-	-	-	18	
Diarrhoea & Dysentery	83	41	7	1	2	-	51	2	-	-	-	-	-	-	-	-	-	
Cholera	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	55	5	6	5	2	6	24	3	2	3	3	-	3	1	3	7	4	
Cancer	70	-	-	-	-	-	-	-	-	-	1	7	6	13	23	15	3	
Scrofula and Tuberc.	26	9	4	-	-	-	13	3	-	5	1	2	-	1	1	-	-	
Phthisis	291	3	1	-	1	1	6	5	13	42	44	74	65	35	11	5	1	
Hydrocephalus	30	7	5	2	4	4	22	4	4	-	-	-	-	-	-	-	-	
Dis. of Brain	328	77	24	6	6	6	118	2	3	3	5	29	14	24	34	49	49	
Dis. of Heart & Dropsy	215	-	-	-	-	-	-	1	3	2	14	31	31	29	42	54	23	
Dis. of Lungs	326	60	30	15	3	4	112	6	1	7	13	12	12	33	44	84	68	
Dis. of Stom. and Liver	181	15	2	-	1	-	20	2	2	1	4	8	14	15	27	23	15	
Dis. of Kidneys	27	1	-	-	-	-	1	5	-	-	2	4	4	6	2	2	1	
Dis. of Genes. Organs	16	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	
Dis. of Joints	10	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	-	
Dis. of Skin	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	41	-	-	-	-	-	-	-	-	2	-	7	25	1	-	-	-	
Suicide	12	10	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
Other Violent Deaths	44	163	16	8	2	2	20	3	-	1	2	1	3	4	1	4	3	
Other Causes	411	163	16	8	2	2	186	4	2	-	1	3	5	4	1	19	30	

95

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

111.—CATHERINGTON.

112.—PETERSFIELD.*

Popula- tion	4042	111	116	112	114	98	551	502	479	330	327	496	449	381	262	175	79	11
DEATHS	634	102	20	18	14	7	170	31	9	18	27	41	45	40	50	73	103	27
Cough	21	13	4	2	1	2	11	10	1	-	-	-	-	-	-	-	-	-
& Dysentery	26	3	2	2	-	-	20	1	1	1	-	2	3	3	1	3	1	1
notic Dis.	17	1	1	1	1	-	4	3	1	-	2	3	-	-	-	3	1	1
nd Tabes	18	-	-	-	-	-	-	-	-	-	-	-	1	3	4	8	2	-
balus	77	4	3	1	1	2	11	2	2	1	15	24	9	10	5	10	8	-
ain	47	8	2	-	1	1	12	-	1	2	1	2	2	4	11	7	13	1
art & Dropsy	36	14	9	2	3	1	28	5	2	3	2	4	2	7	6	9	8	4
m. and Liver	7	-	-	-	-	-	-	-	-	-	-	-	5	-	1	1	5	-
idneys	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
er Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
in	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and Metria	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
of Deaths	10	2	1	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.				Total under 5 Years.											
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

113.—ALRESFORD.																	
Mean Popul ⁿ , 1861-71	3669	88	97	87	82	104	458	462	406	349	281	429	399	355	268	180	71
TOTAL DEATHS	639	115	23	16	14	6	174	21	12	16	15	42	45	37	53	29	10
Small-pox	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	-	1	1	1	-	-	-	-	-	1	-	1	-	-	-	-
Scarlatina	26	2	2	2	-	2	4	10	4	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
Whooping-cough	6	2	2	-	-	-	6	-	-	-	-	-	-	-	-	-	-
Typhus	16	-	-	1	1	-	2	-	1	2	2	2	2	-	-	-	-
Diarrhoea & Dysentery	5	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	14	2	2	2	2	-	8	-	-	-	-	2	-	-	1	-	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Scrofula and Tuberc.	5	2	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
Phthisis	80	4	1	-	2	-	7	2	1	6	5	22	18	8	-	-	-
Hydrocephalus	6	2	1	2	-	-	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	84	22	6	1	1	1	31	1	-	1	1	4	10	5	4	-	-
Dis. of Heart & Dropsy	61	2	-	-	1	1	5	2	1	-	1	1	4	2	15	12	14
Dis. of Lungs	68	16	4	4	-	1	25	2	-	1	2	4	2	7	5	11	4
Dis. of Stom. and Liver	30	4	-	-	-	-	5	1	1	-	1	1	1	1	2	2	1
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Dis. of Skin	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-
Other Violent Deaths	18	1	-	-	-	-	2	-	-	1	-	2	-	-	4	-	-
Other Causes	176	29	5	2	2	1	66	1	1	-	1	2	-	4	-	-	-

114.—ALTON.*																	
Mean Popul ⁿ , 1861-71	6273	177	167	171	161	172	848	739	728	610	491	800	670	569	416	277	110
TOTAL DEATHS	1229	253	79	38	15	21	406	41	32	40	34	60	60	83	122	150	40
Small-pox	10	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-
Measles	14	-	4	9	-	2	10	3	1	-	2	1	-	-	-	-	-
Scarlatina	46	3	7	4	6	2	24	13	9	-	-	-	-	-	-	-	-
Diphtheria	7	-	-	1	-	-	3	2	1	1	-	-	-	-	-	-	-
Whooping-cough	18	9	6	2	-	-	17	1	-	-	-	-	-	-	-	-	-
Typhus	37	2	-	-	2	2	6	3	5	7	1	2	3	1	5	8	1
Diarrhoea & Dysentery	34	15	1	5	-	-	21	2	-	-	-	-	1	1	3	8	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	22	2	1	2	1	2	8	1	-	1	1	2	-	1	4	2	-
Cancer	34	-	-	-	-	-	-	-	-	-	-	1	1	4	9	2	-
Scrofula and Tuberc.	35	14	8	3	1	1	27	1	2	2	2	1	1	1	2	2	-
Phthisis	125	5	1	-	-	-	17	1	1	14	15	34	30	14	7	2	-
Hydrocephalus	17	7	4	3	-	3	17	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	129	31	8	2	-	2	43	3	3	4	2	2	7	14	15	26	14
Dis. of Heart & Dropsy	63	-	-	-	1	-	1	2	1	1	1	2	7	11	17	23	14
Dis. of Lungs	224	45	25	6	2	2	83	7	1	3	3	3	12	14	22	42	21
Dis. of Stom. and Liver	62	6	1	-	-	-	8	1	3	1	2	2	5	4	14	14	4
Dis. of Kidneys	30	2	-	-	-	-	2	-	-	-	-	1	1	5	5	10	6
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
Dis. of Skin	5	-	1	1	-	-	2	-	-	1	-	-	-	-	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths	39	1	-	3	1	1	6	3	5	3	1	7	1	7	2	2	-
Other Causes	229	108	12	4	-	-	124	2	-	1	-	-	1	2	10	17	25

115.—HARTLEY WINTNEY.*																	
Mean Popul ⁿ , 1861-71	5940	159	156	162	156	164	797	779	708	554	413	705	630	537	407	278	118
TOTAL DEATHS	1072	213	60	28	19	14	334	50	21	17	29	60	62	77	89	148	44
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Measles	9	1	4	1	3	-	9	-	-	-	-	-	-	-	-	-	-
Scarlatina	39	4	5	3	5	6	23	11	3	2	-	-	-	-	-	-	-
Diphtheria	7	-	-	1	1	2	4	1	1	1	-	-	-	-	-	-	-
Whooping-cough	13	6	5	2	-	-	13	-	-	-	-	-	-	-	-	-	-
Typhus	39	1	-	-	-	2	4	7	-	1	1	2	-	2	-	3	-
Diarrhoea & Dysentery	27	13	3	1	-	-	17	1	1	-	-	-	-	-	1	3	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	26	5	3	-	1	1	10	6	1	-	-	-	-	4	1	1	-
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	1	9	6	7	-
Scrofula and Tuberc.	26	12	4	4	-	-	26	-	1	1	-	2	-	1	1	1	-
Phthisis	98	1	5	-	-	-	4	-	4	-	13	20	18	9	5	5	-
Hydrocephalus	26	12	7	4	1	1	25	1	-	7	13	30	18	-	-	-	-
Dis. of Brain	171	38	6	4	2	2	53	7	3	1	5	8	10	9	18	34	20
Dis. of Heart & Dropsy	89	2	1	-	-	-	5	1	2	1	1	3	8	15	11	22	19
Dis. of Lungs	143	32	9	5	2	-	48	4	2	-	2	4	12	9	12	24	22
Dis. of Stom. and Liver	55	6	1	1	1	-	9	4	-	-	1	3	5	8	10	11	4
Dis. of Kidneys	29	-	-	-	-	-	-	-	-	-	-	2	-	3	11	9	4
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Dis. of Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-

II.] *Causes of Death in the Ten Years 1861-70.—Females.*

97

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upward.
Population 1861-71	3557	98	88	99	91	85	461	424	423	297	282	469	404	329	234	154	70	10
L DEATHS -	597	92	28	17	8	8	153	15	14	18	26	45	49	47	51	81	75	23
ox -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
na -	6	1	2	2	1	-	6	-	-	-	-	-	-	-	-	-	-	-
ria -	20	1	1	4	3	3	12	4	3	-	1	-	-	-	-	-	-	-
ng-cough -	8	4	2	1	1	-	8	-	3	-	3	3	5	3	1	1	-	-
na & Dysentery -	23	1	-	-	-	2	1	1	3	1	-	1	1	-	2	-	-	-
ymotic Dis. -	7	1	-	-	-	-	1	-	1	-	-	1	-	1	1	1	1	-
and Tabes -	18	1	-	-	-	-	1	-	-	-	-	2	1	4	6	2	2	-
phalus -	97	1	-	1	-	-	2	1	5	8	16	23	20	18	1	2	-	-
Brain -	10	-	4	4	1	1	10	-	-	-	-	-	-	-	-	-	-	-
Heart & Dropsy -	72	18	7	-	-	-	25	4	-	4	3	-	4	3	12	9	8	-
Lungs -	75	-	1	1	1	-	3	-	-	1	1	-	11	8	11	20	12	2
Stom. and Liver -	22	13	1	-	-	-	14	1	1	-	1	1	-	1	2	6	3	-
Kidneys -	26	1	-	-	1	1	3	-	-	1	-	-	2	4	6	7	2	-
Genes. Organs -	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
Joints -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Skin -	4	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
rth and Metria -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Violent Deaths -	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
causes -	11	3	3	-	-	1	7	1	-	-	-	1	1	1	7	20	47	21
	170	46	6	4	-	-	56	-	-	2	-	8	1	2	7	26	47	21
114.—ALTON.*																		
Population 1861-71	6244	178	167	180	172	151	848	777	726	540	515	822	678	555	410	264	94	15
L DEATHS -	1172	228	53	33	32	20	306	50	35	47	53	85	75	65	96	149	122	31
ox -	5	1	-	1	-	-	2	-	-	2	-	-	1	-	-	-	-	-
na -	20	3	5	-	6	-	14	5	1	-	-	-	-	-	-	-	-	-
ria -	38	-	2	7	7	7	23	13	1	1	-	-	-	-	-	-	-	-
ng-cough -	19	-	2	1	4	1	8	4	5	-	-	-	2	-	-	-	-	-
na & Dysentery -	17	11	5	1	-	-	17	-	11	6	3	5	9	3	1	2	2	-
ymotic Dis. -	53	1	1	1	1	1	4	7	-	-	-	-	-	-	-	-	-	-
and Tabes -	29	14	2	-	-	-	16	2	-	-	-	-	-	-	2	3	4	1
phalus -	99	3	-	2	3	4	12	4	2	1	1	1	-	1	2	3	2	-
Brain -	29	-	-	-	-	-	-	-	-	-	-	2	4	6	11	9	7	-
Heart & Dropsy -	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lungs -	28	14	2	5	1	1	23	-	1	1	1	2	2	2	6	9	7	-
Stom. and Liver -	149	2	-	2	1	1	6	1	3	20	31	46	21	13	6	2	-	-
Kidneys -	5	5	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Genes. Organs -	132	25	5	-	3	-	33	6	6	4	3	2	6	8	18	23	19	4
Joints -	81	-	-	-	-	-	2	2	1	2	2	4	8	9	16	25	8	2
Skin -	188	41	11	4	3	3	62	3	3	6	2	6	6	7	19	41	26	7
rth and Metria -	61	7	2	1	-	1	11	-	-	1	-	2	4	11	13	12	7	-
Violent Deaths -	11	-	-	-	-	-	-	-	-	-	1	-	3	-	4	1	2	-
causes -	11	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	-	-
	208	96	13	5	2	1	117	1	1	1	1	-	5	-	1	24	42	17
115.—HARTLEY WINTNEY.*																		
Population 1861-71	5794	147	158	163	149	145	762	736	668	472	450	741	664	545	369	251	117	19
L DEATHS -	1061	171	53	34	28	10	296	47	38	23	36	78	52	70	71	164	139	47
ox -	6	1	-	3	-	-	4	-	1	-	-	-	-	-	-	-	-	-
na -	43	1	2	6	8	3	20	16	7	-	-	-	-	-	-	-	-	-
ria -	16	1	1	-	3	2	7	5	2	-	-	1	1	-	-	-	-	-
ng-cough -	11	6	2	2	-	-	10	1	-	-	-	-	-	-	-	-	-	-
na & Dysentery -	22	1	-	1	-	-	2	3	3	4	2	2	1	1	3	2	1	-
ymotic Dis. -	90	14	3	1	-	-	18	-	-	-	-	2	-	-	1	1	4	2
and Tabes -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
phalus -	28	5	6	3	1	2	17	2	-	1	1	-	-	-	1	2	3	-
Brain -	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart & Dropsy -	28	11	5	1	1	1	19	4	2	-	-	2	1	4	11	13	2	1
Lungs -	131	-	1	2	-	-	3	-	10	10	23	40	25	17	2	-	-	-
Stom. and Liver -	13	2	4	3	2	-	11	1	1	-	-	-	-	-	-	-	-	-
Kidneys -	154	29	9	4	5	1	48	6	6	1	6	1	12	11	37	22	4	-
Genes. Organs -	96	-	-	-	-	-	2	1	1	-	2	2	15	21	31	15	2	-
Joints -	115	20	16	2	1	-	39	-	2	1	4	4	5	6	8	30	17	3
Skin -	64	7	-	-	-	1	10	2	1	1	3	2	5	6	15	9	2	-
rth and Metria -	12	-	-	1	-	-	1	1	-	-	-	2	2	1	2	5	1	-
Violent Deaths -	10	-	-	-	-	-	-	-	-	-	-	2	1	3	2	1	-	-
causes -	7	1	2	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-
	204	70	2	4	1	-	77	1	2	-	-	8	6	-	1	1	23	6

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
		116.—BASINGSTOKE.																
Populn. 1861-71	8677	251	208	240	232	210	1141	1080	982	723	724	1162	940	778	606	370	146	25
L DEATHS	1625	277	104	56	42	27	506	53	43	51	60	100	92	120	137	219	162	73
Cox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
na	27	2	10	5	3	2	22	3	1	1	-	-	-	-	-	-	-	-
ria	64	1	5	6	13	9	34	13	10	1	3	1	-	2	-	-	-	-
ing-cough	11	4	1	1	1	-	6	2	2	-	-	-	-	-	-	-	-	-
na & Dysentery	26	11	7	3	1	3	25	1	-	3	6	1	6	1	4	3	4	-
ymotic Dis.	41	1	1	1	-	2	4	4	0	-	-	-	-	1	1	1	2	1
and Tabes	31	12	3	2	-	-	17	-	-	-	-	-	1	1	1	9	2	-
phalus	36	2	2	4	7	1	16	3	1	-	1	-	1	2	7	1	2	1
Brain	52	-	-	-	-	-	-	-	-	-	-	1	1	4	14	12	14	6
Heart & Dropsy	37	15	7	4	2	1	29	2	-	2	-	1	1	1	1	1	6	1
Lungs	245	7	3	3	1	-	14	4	7	28	39	59	39	28	20	7	-	-
Stom. and Liver	31	13	9	2	1	2	27	1	3	-	-	-	-	-	-	-	-	-
Kidneys	176	40	10	5	6	1	62	5	2	4	2	4	5	12	25	25	16	4
Gener. Organs	146	2	-	-	-	-	8	1	2	6	2	5	5	16	30	47	27	2
Joints	229	51	30	11	3	1	96	6	1	2	4	5	10	15	14	38	20	8
Skin	66	6	-	3	1	1	11	3	1	3	2	3	4	9	15	8	7	-
Birth and Metria	19	1	-	-	-	-	1	-	2	-	1	3	-	6	1	5	-	-
Violent Deaths	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-
Causes	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	58	-	-	-	-	-	-	-	-	-	1	5	10	2	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	10	10	2	-	-	-	-
	36	5	1	3	3	3	15	1	3	-	-	3	3	3	2	2	3	56
	307	105	12	2	-	1	120	4	1	-	2	2	3	2	5	44	68	36
117.—WHITCHURCH.																		
Populn. 1861-71	2729	81	72	71	75	69	368	307	307	227	185	334	327	279	197	135	54	9
L DEATHS	405	86	14	8	5	4	117	17	11	13	18	35	37	36	51	67	25	25
Cox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
na	4	1	1	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-
ria	9	-	2	2	1	-	5	2	1	-	1	-	-	-	-	-	-	-
ing-cough	7	3	2	-	-	2	7	-	-	-	-	-	-	-	-	-	-	-
na & Dysentery	24	1	-	-	1	1	3	4	1	1	2	3	3	3	1	3	-	-
ymotic Dis.	3	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
and Tabes	8	2	1	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-
phalus	11	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	2	
Brain	7	4	1	-	-	-	5	1	1	-	-	-	-	-	-	-	-	-
Heart & Dropsy	37	1	2	-	-	-	3	2	1	8	7	14	12	7	3	-	-	-
Lungs	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Stom. and Liver	69	15	1	1	-	1	18	1	3	1	2	5	5	6	6	11	11	7
Kidneys	55	-	-	-	-	-	1	1	1	-	-	7	5	5	15	7	12	10
Gener. Organs	68	8	-	2	2	-	12	2	1	-	1	2	2	5	8	6	1	1
Joints	52	2	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Skin	4	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	-
Birth and Metria	4	-	-	-	-	-	-	-	-	-	2	3	4	-	-	-	-	-
Violent Deaths	4	-	1	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-
Causes	120	47	2	-	-	-	49	-	-	-	-	1	-	-	2	13	33	22
118.—ANDOVER.																		
Populn. 1861-71	8620	223	235	231	221	216	1126	1066	968	716	616	1119	1012	808	594	412	165	18
L DEATHS	1494	230	75	31	34	19	389	40	27	40	67	81	125	97	140	231	210	67
Cox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
na	18	5	7	2	1	1	16	1	1	-	-	-	-	-	-	-	-	-
ria	20	1	1	2	5	4	13	9	3	1	-	2	1	1	-	-	-	-
ing-cough	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
na & Dysentery	29	12	8	1	5	1	27	2	-	-	-	-	-	-	-	-	-	-
ymotic Dis.	49	3	2	1	3	-	9	5	0	4	6	5	5	6	2	1	-	-
and Tabes	15	6	2	-	-	-	8	-	-	-	-	1	1	2	3	5	1	1
phalus	36	6	2	1	5	-	14	1	1	1	1	1	2	3	5	5	1	1
Brain	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart & Dropsy	12	1	-	-	-	-	1	1	1	1	1	1	1	12	9	8	5	-
Lungs	174	2	2	1	1	-	6	3	9	21	29	36	40	13	9	6	2	-
Stom. and Liver	14	3	5	3	-	3	14	-	-	-	-	-	-	-	-	-	-	-
Kidneys	188	29	5	5	5	2	45	5	1	3	5	6	15	15	20	48	23	3
Gener. Organs	201	10	2	2	2	-	16	2	2	3	4	4	15	18	39	65	31	3
Joints	141	31	15	3	1	-	50	6	-	1	3	6	11	7	8	21	21	3
Skin	66	1	-	2	1	3	7	-	1	1	2	6	11	7	8	17	6	-
Birth and Metria	6	-	-	-	1	-	1	-	-	1	-	1	1	1	2	1	1	-
Violent Deaths	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes	412	118	21	6	2	2	149	2	1	2	-	-	-	8	8	16	36	22

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.				Total under 5 Years.													
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85	95		
119.—KINGSCLERE.																			
Mean Popul ⁿ , 1861-71	4342	112	104	137	109	114	576	548	491	417	322	518	451	395	309	230	85	9	
TOTAL DEATHS	808	195	42	21	18	14	290	41	24	20	32	39	43	43	63	103	135	20	
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	11	4	2	1	1	1	9	1	1	-	-	-	-	-	-	-	-	-	
Scarlatina	28	-	5	2	4	5	16	6	6	-	-	-	-	-	-	-	-	-	
Diphtheria	25	1	2	2	3	2	11	8	4	2	-	-	-	-	-	-	-	-	
Whooping-cough	4	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	
Typhus	24	1	-	-	-	-	-	4	3	3	2	1	2	3	2	2	2	2	
Diarrhoea & Dysentery	18	10	2	-	2	1	15	1	-	-	-	-	-	-	-	-	-	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	21	2	-	-	1	-	3	1	1	-	2	-	-	-	4	1	5	1	
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Serofula and Tabes	24	13	2	3	-	1	18	3	-	-	2	-	1	-	3	5	5	2	
Phthisis	72	1	-	-	1	-	2	1	3	4	16	19	12	-	6	1	1	1	
Hydrocephalus	10	3	2	1	-	1	7	-	2	1	-	-	-	-	-	-	-	-	
Dis. of Brain	109	42	4	1	-	1	48	4	1	2	-	2	3	4	5	17	18	3	
Dis. of Heart & Dropsy	69	1	-	-	-	-	1	3	-	-	-	3	2	7	10	17	13	1	
Dis. of Lungs	156	47	13	7	3	1	71	3	1	3	6	4	10	5	9	21	29	1	
Dis. of Stom. and Liver	82	3	-	-	-	1	4	3	-	-	-	7	9	6	9	16	4	1	
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	-	2	1	2	1	2	4	1	1	
Dis. of Gener. Organs	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	3	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	
Dis. of Skin	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	5	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	30	4	-	2	1	-	7	2	2	1	-	1	-	3	4	1	4	1	
Other Causes	178	60	8	-	2	-	70	1	-	-	1	-	2	-	6	13	64	11	
120.—NEWBURY.																			
Mean Popul ⁿ , 1861-71	9843	274	267	279	255	265	1340	1258	1216	877	678	1138	1066	919	694	462	172	23	
TOTAL DEATHS	2126	470	136	47	45	27	735	71	46	46	68	113	124	143	190	293	248	50	
Small-pox	8	2	2	-	-	-	4	1	1	-	-	-	1	-	-	1	-	-	
Measles	31	7	12	2	4	2	27	4	-	-	-	-	-	-	-	-	-	-	
Scarlatina	60	1	12	3	7	9	33	17	8	2	-	-	-	1	-	-	-	-	
Diphtheria	12	1	2	-	1	-	4	6	1	1	-	-	-	-	-	-	-	-	
Whooping-cough	25	18	2	9	1	1	24	1	-	-	-	-	-	-	-	-	-	-	
Typhus	63	3	4	5	1	-	13	11	6	7	3	4	8	4	1	4	5	1	
Diarrhoea & Dysentery	51	18	6	2	3	-	29	-	1	-	-	-	2	2	2	5	6	1	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	41	3	5	1	-	4	13	-	2	1	1	1	2	3	3	11	5	1	
Cancer	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Serofula and Tabes	20	6	1	-	2	1	10	-	2	2	2	2	4	3	6	15	9	-	
Phthisis	241	3	3	3	1	-	10	3	6	18	45	62	49	34	1	1	-	-	
Hydrocephalus	27	9	6	4	3	2	24	3	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	258	80	16	4	4	1	105	2	5	-	4	6	8	21	25	43	31	7	
Dis. of Heart & Dropsy	136	2	-	-	-	1	3	2	2	1	3	8	4	17	29	38	28	3	
Dis. of Lungs	311	74	17	4	9	1	103	7	2	4	3	14	18	22	45	31	38	5	
Dis. of Stom. and Liver	197	6	1	1	-	-	8	3	2	2	2	5	13	14	21	24	11	1	
Dis. of Kidneys	43	-	2	-	1	-	-	-	-	1	1	6	2	2	6	11	11	-	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	
Dis. of Skin	10	2	-	-	-	-	2	-	-	-	-	1	1	2	3	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	9	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	1	1	
Other Violent Deaths	63	4	1	5	4	1	15	6	3	5	2	9	4	5	6	1	1	1	
Other Causes	575	231	44	11	5	3	294	6	4	1	1	2	7	9	20	75	114	43	
121.—HUNGERFORD.																			
Mean Popul ⁿ , 1861-71	9817	250	265	268	240	252	1275	1265	1156	1035	667	1107	1051	895	710	477	182	17	
TOTAL DEATHS	1902	438	117	48	33	29	665	57	41	38	44	108	91	123	171	271	235	58	
Small-pox	10	2	-	-	-	-	2	-	1	-	2	1	-	2	2	-	-	-	
Measles	33	4	12	5	2	3	26	5	2	-	-	-	-	-	-	-	-	-	
Scarlatina	33	1	4	2	5	5	17	8	4	1	1	-	1	1	-	-	-	-	
Diphtheria	10	3	1	-	1	-	5	1	2	-	-	1	-	-	1	-	-	-	
Whooping-cough	23	15	7	-	1	-	23	-	-	-	-	-	-	-	-	-	-	-	
Typhus	42	1	1	1	-	4	6	6	3	8	2	2	2	7	2	3	3	1	
Diarrhoea & Dysentery	48	16	5	3	4	-	28	1	1	-	-	1	-	-	6	2	8	1	
Cholera	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	54	12	3	5	5	2	27	4	-	2	-	1	3	4	4	8	1	-	
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Serofula and Tabes	40	18	7	1	-	-	27	3	5	-	-	2	1	4	6	6	3	1	
Phthisis	174	6	2	-	1	1	12	3	5	14	24	56	27	17	12	1	-	-	
Hydrocephalus	14	5	3	2	-	-	10	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	226	68	12	9	5	4	98	3	4	4	2	9	9	14	14	38	24	7	
Dis. of Heart & Dropsy	120	3	1	-	-	-	4	3	2	-	1	6	11	11	33	34	27	4	
Dis. of Lungs	341	93	27	6	4	5	135	3	2	3	5	11	10	20	33	35	30	1	
Dis. of Stom. and Liver	101	11	1	-	-	1	13	2	1	1	-	5	13	17	12	20	10	1	
Dis. of Kidneys	58	-	-	1	-	-	1	-	-	-	1	2	4	6	7	14	19	4	
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	4	-	1	-	1	-	2	-	-	-	-	-	-	-	1	-	-	-	
Dis. of Skin	9	3	1	-	-	-	2	-	2	-	1	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
		119.—KINGSCLERE.															
Mean Popul ⁿ , 1861-71	4205	132	115	107	120	111	585	549	510	319	297	536	464	384	289	192	66
TOTAL DEATHS	818	142	45	21	15	12	235	50	22	26	23	71	50	46	75	85	101
Small-pox	11	2	3	2	—	—	7	3	—	—	—	—	—	—	—	—	—
Measles	24	—	1	4	1	3	9	11	2	1	—	1	—	—	—	—	—
Scarlatina	23	—	—	—	2	4	6	9	—	3	2	1	1	—	—	—	—
Diphtheria	11	4	4	—	2	1	11	—	—	—	—	—	—	—	—	—	—
Whooping-cough	27	—	1	—	—	1	2	2	4	2	1	—	3	1	6	1	1
Typhus	14	5	2	1	—	—	8	1	—	—	—	—	—	—	—	—	—
Diarrhoea & Dysentery	19	1	2	1	—	1	5	3	—	—	—	2	3	2	1	1	3
Cholera	21	—	—	—	—	—	—	—	—	—	—	1	1	6	9	3	3
Other Zymotic Dis.	30	12	5	1	1	—	19	2	3	2	1	2	2	—	—	—	—
Cancer	77	—	—	—	—	—	—	2	3	2	9	32	18	11	3	2	—
Scrophula and Tabes	10	1	2	—	1	—	4	3	—	1	—	—	—	—	—	—	—
Phthisis	99	17	5	2	2	1	27	—	—	2	1	3	4	4	17	19	26
Dis. of Brain	55	2	—	—	—	—	4	—	—	2	—	1	2	4	16	14	11
Dis. of Heart & Dropsy	135	56	13	5	3	—	57	10	3	5	2	10	5	6	9	18	18
Dis. of Lungs	45	2	1	1	—	—	4	—	2	1	1	4	4	8	8	11	7
Dis. of Stom. and Liver	5	—	—	—	—	—	—	—	—	1	—	—	—	—	2	1	1
Dis. of Kidneys	6	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Dis. of Gener. Organs	3	—	—	—	—	—	—	—	—	2	—	2	1	1	2	1	1
Dis. of Joints	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	18	—	—	—	—	—	—	—	—	1	3	6	8	—	—	—	—
Childbirth and Metris	5	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1
Suicide	17	3	2	—	2	—	7	2	2	—	1	1	—	2	1	1	1
Other Violent Deaths	162	56	4	2	1	1	64	2	1	1	1	3	1	3	2	12	45
Other Causes																	
120.—NEWBURY.																	
Mean Popul ⁿ , 1861-71	10478	282	252	269	263	244	1310	1242	1101	968	853	1400	1177	967	751	461	221
TOTAL DEATHS	2012	355	97	54	34	35	575	75	33	78	77	137	134	137	166	240	271
Small-pox	7	1	—	—	—	—	7	—	—	1	2	2	—	—	—	—	—
Measles	25	2	9	6	2	2	21	3	1	—	—	—	—	—	—	—	—
Scarlatina	54	4	7	5	5	5	20	17	2	2	2	2	1	—	2	—	—
Diphtheria	14	1	2	2	1	1	7	4	1	—	—	1	—	—	—	—	1
Whooping-cough	38	9	12	8	2	4	35	3	—	—	—	—	—	—	—	—	—
Typhus	44	1	3	1	1	2	8	10	4	15	8	9	6	8	5	8	3
Diarrhoea & Dysentery	43	15	2	2	—	—	19	2	—	—	—	1	2	3	3	6	6
Cholera	38	1	—	2	4	2	9	4	4	2	1	—	4	7	3	1	3
Other Zymotic Dis.	67	—	—	—	—	—	—	—	1	—	—	2	7	14	15	18	8
Cancer	24	6	5	1	2	—	14	—	—	2	—	3	1	1	1	2	—
Scrophula and Tabes	262	3	2	1	1	1	8	6	8	33	44	65	48	30	15	4	1
Phthisis	15	5	2	2	1	3	13	—	1	1	—	—	—	—	—	—	—
Hydrocephalus	222	59	10	4	5	4	82	5	2	4	3	1	12	15	19	38	32
Dis. of Brain	158	1	2	1	—	1	5	3	3	3	2	5	13	19	31	38	34
Dis. of Heart & Dropsy	245	53	15	7	4	5	84	6	3	3	5	14	7	9	35	37	35
Dis. of Lungs	101	3	3	1	—	—	7	—	2	4	3	7	10	14	16	24	11
Dis. of Stom. and Liver	16	—	—	—	—	—	—	—	—	3	—	2	3	2	—	2	3
Dis. of Kidneys	16	—	—	—	—	—	—	—	—	—	—	3	3	7	2	—	1
Dis. of Gener. Organs	4	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—
Dis. of Joints	9	3	—	—	—	—	3	—	—	—	—	—	—	—	—	4	1
Dis. of Skin	33	—	—	—	—	—	—	—	—	3	6	15	10	—	—	—	—
Childbirth and Metris	3	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Suicide	41	8	3	5	1	3	20	2	—	—	1	2	2	2	3	5	4
Other Violent Deaths	493	180	20	6	6	1	212	10	1	2	1	3	3	4	14	23	129
Other Causes																	
121.—HUNGERFORD.																	
Mean Popul ⁿ , 1861-71	9799	241	279	270	263	259	1312	1274	1122	807	683	1249	1097	911	684	450	186
TOTAL DEATHS	1793	312	92	42	25	22	493	73	45	52	66	137	109	103	164	261	212
Small-pox	6	—	—	—	1	—	7	—	1	1	—	1	1	—	1	—	—
Measles	20	7	8	2	5	2	24	11	1	—	1	2	—	—	—	—	—
Scarlatina	35	3	4	4	4	3	18	11	5	1	—	—	—	—	—	—	—
Diphtheria	12	2	—	1	1	—	4	7	1	—	—	—	—	—	—	—	—
Whooping-cough	32	16	9	2	3	—	30	2	—	—	—	—	—	—	—	—	—
Typhus	47	—	4	1	1	1	7	7	6	4	4	6	4	5	1	3	—
Diarrhoea & Dysentery	51	11	3	6	—	1	21	5	1	1	—	—	—	—	3	6	8
Cholera	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	36	4	3	2	2	—	11	3	—	—	—	5	—	3	6	4	3
Cancer	45	—	—	—	—	—	—	—	—	—	2	1	6	8	12	9	6
Scrophula and Tabes	30	6	2	2	—	2	12	2	3	2	2	4	2	1	2	—	—
Phthisis	207	1	1	1	—	2	5	3	13	32	35	56	42	15	7	—	—
Hydrocephalus	12	5	4	1	1	1	12	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	207	46	4	6	3	2	61	6	2	2	5	6	10	15	31	45	19
Dis. of Heart & Dropsy	166	2	1	—	—	—	3	3	2	2	8	12	12	17	29	50	22
Dis. of Lungs	266	59	27	7	3	4	100	4	3	1	4	11	5	15	24	51	30
Dis. of Stom. and Liver	92	7	2	1	—	2	12	—	4	—	3	7	9	10	18	22	7
Dis. of Kidneys	20	—	1	—	—	—	1	—	—	—	—	3	2	4	5	4	1
Dis. of Gener. Organs	9	—	—	—	—	—	—	—	—	—	1	—	2	—	1	2	1
Dis. of Joints	8	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—
Dis. of Skin	5	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	22	—	—	—	—	—	—	—	—	3	—	10	2	—	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other Violent Deaths	22	6	1	1	—	—	8	3	—	—	1	2	1	1	1	3	3
Other Causes	418	138	19	5	—	2	161	5	2	1	—	1	3	5	7	13	38

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--
		Year.					Years.										
122.—FARINGDON.																	
Mean Popul ⁿ , 1861-71 -		7719	207	200	217	209	201	1034	928	887	747	615	942	803	715	571	338
TOTAL DEATHS -		1686	400	100	38	33	22	602	78	86	54	54	83	86	113	145	184
Small-pox -		12	1	-	1	-	-	2	-	1	-	-	-	2	1	2	1
Measles -		14	6	5	3	-	1	15	-	1	-	-	-	-	-	-	-
Scarlatina -		74	7	9	-	9	-	41	27	-	-	1	-	-	-	-	-
Diphtheria -		6	-	-	1	-	1	2	3	1	-	-	-	-	-	-	-
Whooping-cough -		14	10	3	1	-	-	14	-	-	-	-	-	-	-	-	-
Typhus -		63	1	1	-	1	3	7	14	6	7	4	-	2	3	4	1
Diarrhœa & Dysentery -		23	11	-	-	-	1	12	-	1	-	2	-	-	1	1	1
Cholera -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		35	3	6	2	3	1	15	5	-	1	-	2	1	1	6	3
Cancer -		16	-	-	-	-	-	-	-	-	-	-	-	-	5	5	1
Scrophula and Tuberc. -		34	7	6	2	2	-	17	5	2	1	2	2	3	1	-	1
Phthisis -		237	57	9	3	2	-	61	6	5	24	24	46	24	32	23	-
Hydrocephalus -		11	3	2	2	2	-	9	2	-	-	-	-	-	-	-	-
Dis. of Brain -		147	44	3	2	1	1	51	5	2	4	3	4	11	8	17	17
Dis. of Heart & Dropsy -		150	2	-	-	-	-	2	1	6	5	6	5	13	16	35	35
Dis. of Lungs -		209	90	33	9	6	2	142	6	1	2	3	4	7	17	19	31
Dis. of Stom. and Liver -		65	10	2	-	-	1	13	1	1	3	-	2	7	8	10	17
Dis. of Kidneys -		37	-	-	-	-	-	-	-	1	-	-	1	4	5	7	14
Dis. of Gener. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		5	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-
Dis. of Skin -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		63	1	6	2	2	2	13	5	5	-	7	8	6	5	8	1
Other Causes -		886	176	16	2	3	-	107	1	1	-	-	4	6	5	22	46
123.—ABINGDON.																	
Mean Popul ⁿ , 1861-71 -		10306	293	267	262	254	262	1336	1292	1233	1026	775	1219	1115	941	729	460
TOTAL DEATHS -		2372	504	140	61	53	44	782	73	50	51	75	139	167	175	251	269
Small-pox -		8	1	-	1	-	-	2	1	1	-	2	-	-	1	1	-
Measles -		13	2	6	1	1	-	10	2	-	1	-	-	-	-	-	-
Scarlatina -		63	5	15	6	7	9	49	14	5	1	-	-	-	-	-	-
Diphtheria -		10	1	2	1	-	3	7	1	-	1	-	1	-	-	-	-
Whooping-cough -		20	11	4	3	1	1	20	-	-	-	-	-	-	-	-	-
Typhus -		76	2	1	5	4	4	16	12	10	5	6	6	4	4	9	8
Diarrhœa & Dysentery -		87	50	12	3	1	1	67	-	-	-	1	1	-	-	3	6
Cholera -		1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Other Zymotic Dis. -		37	7	1	5	1	3	17	1	1	1	-	-	4	7	1	1
Cancer -		14	-	-	-	-	-	-	-	-	-	-	1	-	2	9	1
Scrophula and Tuberc. -		48	17	5	3	-	1	26	6	6	2	3	1	-	2	1	1
Phthisis -		235	2	3	2	-	1	8	8	5	19	39	61	39	31	20	8
Hydrocephalus -		39	14	7	5	2	2	30	8	-	-	1	-	-	-	-	-
Dis. of Brain -		427	67	17	6	4	2	96	6	9	7	8	58	65	41	55	66
Dis. of Heart & Dropsy -		185	4	-	1	1	-	6	2	1	4	-	6	15	23	35	35
Dis. of Lungs -		407	90	47	13	8	10	168	2	1	2	4	10	12	26	46	76
Dis. of Stom. and Liver -		94	10	-	-	-	-	11	3	3	2	1	5	12	9	22	16
Dis. of Kidneys -		58	1	-	-	-	-	1	1	1	-	1	2	2	12	12	16
Dis. of Gener. Organs -		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		6	3	1	-	-	-	4	-	1	-	-	1	2	-	2	-
Dis. of Skin -		6	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		83	3	3	3	2	3	14	8	6	6	8	5	6	5	14	1
Other Causes -		433	213	16	3	-	3	235	3	-	6	1	1	6	10	12	40
124.—WANTAGE.																	
Mean Popul ⁿ , 1861-71 -		8803	250	245	245	242	236	1227	1106	1038	888	664	980	923	814	621	389
TOTAL DEATHS -		1723	393	119	53	58	22	625	58	39	40	60	84	86	108	141	245
Small-pox -		8	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-
Measles -		16	6	4	3	1	-	14	9	-	-	-	-	-	-	-	-
Scarlatina -		47	6	9	6	6	2	29	12	3	1	-	1	1	-	-	-
Diphtheria -		5	-	1	-	1	-	2	1	1	1	-	-	-	-	-	-
Whooping-cough -		24	12	8	2	1	-	23	1	-	-	-	-	-	-	-	-
Typhus -		73	3	4	1	5	3	16	6	7	8	10	5	5	3	6	6
Diarrhœa & Dysentery -		62	33	9	1	-	-	43	-	-	1	-	-	-	-	2	10
Cholera -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		50	5	8	4	5	4	26	5	1	-	-	-	2	1	3	8
Cancer -		36	-	-	-	-	-	-	-	-	-	1	2	-	7	9	7
Scrophula and Tuberc. -		23	4	6	1	1	4	16	-	3	-	2	-	2	3	1	1
Phthisis -		219	11	7	4	2	2	29	8	5	13	31	49	26	28	21	11
Hydrocephalus -		30	10	7	6	1	1	25	2	1	1	-	-	-	-	-	-
Dis. of Brain -		210	57	3	7	-	1	71	4	2	6	5	3	9	13	15	43
Dis. of Heart & Dropsy -		114	1	-	-	-	-	1	1	1	1	3	3	1	14	21	41
Dis. of Lungs -		293	68	23	6	5	9	104	3	1	-	-	5	15	18	23	43
Dis. of Stom. and Liver -		77	13	1	1	-	1	16	2	1	1	-	7	6	11	11	18
Dis. of Kidneys -		45	1	-	-	-	-	1	1	1	-	2	2	2	4	9	13
Dis. of Gener. Organs -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		10	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Dis. of Skin -		17	3	2	2	1	-	10	-	1	-	-	1	-	-	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		75	5	2	4	4	1	16	8	6	7	-	4	-	1	1	1
Other Causes -		311	151	25	5	2	1	184	1	1	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	
122.—FARINGDON.																		
Mean Popul ⁿ , 1861-71		7670	209	205	212	183	207	1016	972	805	693	594	1019	848	726	523	317	141
TOTAL DEATHS -		1600	352	94	53	23	28	550	60	42	59	43	102	103	83	128	182	182
Small-pox -		3	-	-	-	-	-	12	1	-	-	-	1	-	-	1	-	1
Measles -		19	5	5	2	-	-	48	12	4	-	-	-	-	-	-	-	-
Scarlatina -		61	5	13	13	7	6	4	5	1	-	-	-	-	-	-	-	-
Diphtheria -		10	2	1	-	1	-	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough -		17	4	4	5	-	2	15	2	-	-	-	-	-	-	-	-	-
Typhus -		83	4	3	3	1	4	15	9	11	-	7	3	11	7	8	2	7
Diarrhoea & Dysentery -		21	10	3	1	-	1	15	-	-	-	1	-	-	-	-	-	-
Cholera -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		26	3	4	4	2	4	17	4	-	-	1	-	-	-	4	-	-
Cancer -		94	-	-	-	-	-	-	-	-	1	-	1	4	6	10	10	2
Serofula and Tabes -		18	9	1	-	-	-	5	2	2	4	-	-	-	-	-	-	-
Phthisis -		271	45	8	2	1	6	62	6	10	32	30	66	38	21	15	1	1
Hydrocephalus -		9	4	2	-	-	1	9	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -		148	25	11	9	3	3	43	4	5	5	3	6	7	4	19	27	22
Dis. of Heart & Dropsy -		164	1	-	-	-	-	1	-	4	-	-	5	12	13	37	45	32
Dis. of Lungs -		226	74	23	14	4	1	116	7	-	-	1	5	18	11	15	28	23
Dis. of Stom. and Liver -		66	7	-	-	1	-	9	-	1	-	-	2	6	9	14	12	8
Dis. of Kidneys -		14	-	-	-	1	1	2	-	-	1	1	-	2	-	3	2	2
Dis. of Gener. Organs -		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		7	1	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-
Dis. of Skin -		6	1	-	-	-	-	1	-	-	1	-	-	1	-	3	-	-
Childbirth and Metris -		18	-	-	-	-	-	-	-	-	2	1	7	8	-	-	-	-
Suicide -		2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths -		16	-	1	1	1	-	3	4	2	-	-	2	1	1	1	1	1
Other Causes -		361	159	15	4	1	-	179	2	2	-	-	1	-	3	7	24	62
123.—ABINGDON.																		
Mean Popul ⁿ , 1861-71		10905	286	263	300	271	279	1399	1259	1203	1021	928	1454	1192	1062	755	433	172
TOTAL DEATHS -		2361	394	124	49	33	26	631	78	43	71	91	179	179	181	249	289	279
Small-pox -		6	1	-	-	1	-	2	1	-	-	1	2	-	-	-	-	-
Measles -		27	3	5	5	1	1	18	5	3	-	-	-	-	-	1	-	-
Scarlatina -		20	3	5	9	9	8	24	18	2	-	-	4	1	-	-	-	-
Diphtheria -		10	1	1	-	2	2	6	2	1	-	-	-	-	-	-	-	1
Whooping-cough -		20	7	8	5	-	-	20	-	-	-	-	-	-	-	-	-	-
Typhus -		98	-	4	4	2	2	12	17	10	11	10	9	13	8	5	1	2
Diarrhoea & Dysentery -		66	30	12	-	1	1	44	1	-	-	-	1	1	3	3	8	8
Cholera -		3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1
Other Zymotic Dis. -		44	6	5	2	3	1	17	8	-	-	2	1	3	3	8	5	2
Cancer -		69	-	-	-	-	-	-	1	-	-	-	1	8	17	13	15	4
Serofula and Tabes -		31	8	3	3	1	1	16	1	3	3	2	2	1	1	2	-	-
Phthisis -		235	3	1	1	1	-	6	2	12	26	48	94	49	33	20	4	1
Hydrocephalus -		24	10	4	2	1	2	19	4	-	-	-	1	-	-	-	-	-
Dis. of Brain -		362	53	8	-	4	1	66	4	3	11	14	24	38	39	58	52	45
Dis. of Heart & Dropsy -		232	7	1	-	1	-	9	2	2	5	1	6	16	31	63	69	32
Dis. of Lungs -		330	79	38	11	7	3	149	6	1	4	-	5	12	16	30	49	44
Dis. of Stom. and Liver -		113	7	-	-	-	-	8	5	3	4	2	6	12	14	22	29	8
Dis. of Kidneys -		9	-	-	-	-	-	-	-	-	2	-	1	1	2	2	-	1
Dis. of Gener. Organs -		13	-	-	-	-	-	-	-	-	-	-	1	5	5	1	3	-
Dis. of Joints -		9	-	-	-	-	-	-	1	1	-	-	2	1	-	2	-	-
Dis. of Skin -		3	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-
Childbirth and Metris -		36	-	-	-	-	-	-	-	-	3	7	14	12	-	1	-	1
Suicide -		4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Violent Deaths -		20	2	5	3	1	2	13	3	1	-	-	2	1	3	2	2	1
Other Causes -		487	174	20	3	3	-	200	2	1	-	-	3	4	5	15	64	129
124.—WANTAGE.																		
Mean Popul ⁿ , 1861-71		8530	254	227	246	244	246	1217	1134	1000	730	612	1040	938	765	575	357	139
TOTAL DEATHS -		1643	207	114	42	24	23	500	72	33	55	56	111	115	94	119	215	196
Small-pox -		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles -		24	3	9	4	2	2	20	2	1	-	-	-	-	-	-	-	-
Scarlatina -		40	4	5	7	3	4	23	12	2	-	1	-	1	1	-	-	-
Diphtheria -		8	-	-	1	1	1	3	2	-	-	-	1	1	-	-	1	-
Whooping-cough -		33	13	9	5	3	2	32	1	-	-	-	-	-	-	-	-	-
Typhus -		76	2	3	3	3	3	14	9	6	12	5	6	7	5	3	4	4
Diarrhoea & Dysentery -		66	34	9	2	-	-	45	1	-	-	-	-	1	1	2	5	8
Cholera -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		43	3	5	3	4	5	20	8	2	1	-	1	1	1	5	1	4
Cancer -		49	-	-	-	-	-	-	1	-	-	-	-	5	13	14	12	3
Serofula and Tabes -		27	8	5	1	1	-	15	2	1	3	3	-	-	2	1	-	-
Phthisis -		248	5	11	4	-	1	21	9	15	39	32	49	47	24	15	6	1
Hydrocephalus -		50	15	5	2	2	-	23	7	-	-	-	-	-	-	-	-	-
Dis. of Brain -		169	39	15	2	2	2	51	3	4	2	3	13	10	8	14	39	25
Dis. of Heart & Dropsy -		165	1	-	-	-	-	1	1	-	1	-	16	10	6	11	31	35
Dis. of Lungs -		178	39	23	3	2	3	70	4	1	2	-	4	8	10	17	21	9
Dis. of Stom. and Liver -		66	8	-	-	-	-	8	5	1	2	-	1	4	8	10	21	9
Dis. of Kidneys -		17	1	-	1	-	-	2	-	-	-	1	3	1	2	3	3	2
Dis. of Gener. Organs -		3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
Dis. of Joints -		3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Skin -		5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metris -		38	-	-	-	-	-	-	-	-	1	7	13	14	-	-	-	-
Suicide -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		29	6	3	1	-	-	10	3	-	-	-	-	-	-	-	-	-
Other Causes -		311	124	14	3	1	-	142	2	1	-	-	-	2	2	4	8	26

Mean Population, 1961-71, and Deaths in Districts during the 10 Years 1961-70

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
125.—WALLINGFORD.		7235	217	188	210	185	182	982	890	808	591	570	945	793	651	517	342	130
TOTAL DEATHS		1273	198	67	32	22	18	337	35	37	32	55	86	79	74	121	174	188
Small-pox		18	1	6	4	3	—	14	3	1	—	—	—	—	—	—	—	—
Measles		32	3	2	4	3	3	13	9	1	2	—	—	—	—	—	—	—
Scarlatina		11	—	2	—	—	—	7	1	1	—	2	1	—	—	1	—	—
Diphtheria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough		16	4	4	3	—	1	12	3	1	—	—	—	—	—	—	—	—
Typhus		31	3	—	—	—	—	5	3	—	—	—	—	—	—	—	—	—
Diarrhoea & Dysentery		29	11	6	—	—	—	17	5	4	—	5	5	1	—	1	2	3
Cholera		2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		37	5	2	—	3	2	12	1	4	1	3	—	3	—	7	3	3
Cancer		41	1	—	—	—	—	1	—	—	—	1	1	6	7	19	11	2
Scrophula and Tuberc.		30	4	6	1	1	1	13	4	2	—	2	1	4	1	1	1	—
Phthisis		185	2	9	3	—	2	16	2	7	13	21	47	39	20	6	—	—
Hydrocephalus		14	1	4	1	2	2	10	2	1	1	—	—	—	—	—	—	—
Dis. of Brain		170	26	3	7	—	2	38	2	6	2	2	4	7	13	20	26	42
Dis. of Heart & Dropsy		138	5	1	1	2	—	9	—	1	1	1	1	4	9	20	45	34
Dis. of Lungs		158	34	11	7	2	2	56	2	1	1	1	4	3	11	16	31	26
Dis. of Stom. and Liver		61	4	1	—	—	1	6	—	2	1	1	4	2	7	11	13	12
Dis. of Kidneys		13	—	—	—	1	—	1	—	—	—	1	3	—	—	4	3	—
Dis. of Genes. Organs		6	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Dis. of Joints		3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Dis. of Skin		2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Childbirth and Metris.		16	—	—	—	—	—	—	—	—	2	9	3	—	—	—	—	—
Selficide		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		27	5	3	1	—	—	9	1	2	—	—	—	—	2	5	1	5
Other Causes		232	90	5	—	1	—	90	1	1	2	2	1	3	3	27	39	39
126.—BRADFIELD.		7823	227	212	232	199	218	1088	995	867	599	596	1015	886	735	529	357	133
TOTAL DEATHS		1370	232	78	37	15	15	375	48	50	42	54	98	110	87	103	173	178
Small-pox		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles		17	2	5	1	1	2	11	4	1	—	—	1	—	—	—	—	1
Scarlatina		50	3	13	5	3	3	27	13	5	2	1	2	—	—	—	—	—
Diphtheria		18	—	2	2	2	3	7	5	3	—	—	—	—	—	—	—	—
Whooping-cough		17	10	6	1	—	—	17	—	—	—	—	—	—	—	—	—	—
Typhus		48	—	1	—	3	—	4	11	4	—	5	4	3	5	5	2	—
Diarrhoea & Dysentery		43	23	2	1	1	—	29	—	—	—	—	1	—	1	1	6	3
Cholera		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		24	1	3	5	—	2	11	2	—	2	—	1	2	1	1	4	—
Cancer		40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophula and Tuberc.		37	7	3	3	—	—	13	1	—	—	1	1	1	1	1	—	—
Phthisis		138	3	4	1	1	—	9	1	6	15	29	46	37	10	4	3	—
Hydrocephalus		12	5	3	1	—	1	10	2	—	—	—	—	—	—	—	—	—
Dis. of Brain		132	16	9	1	—	—	28	3	1	1	3	5	7	9	25	20	27
Dis. of Heart & Dropsy		123	1	—	—	—	1	3	—	—	—	2	4	12	5	24	40	31
Dis. of Lungs		197	34	16	10	1	2	63	3	2	11	6	10	15	14	13	33	25
Dis. of Stom. and Liver		63	5	—	3	1	—	9	1	2	2	3	4	9	8	9	16	5
Dis. of Kidneys		16	—	—	—	—	—	—	—	—	—	1	2	2	3	3	4	—
Dis. of Genes. Organs		10	—	—	—	—	—	—	—	—	—	1	1	1	5	2	1	—
Dis. of Joints		4	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—
Dis. of Skin		8	2	—	—	—	—	2	—	—	1	—	1	—	2	—	—	—
Childbirth and Metris.		31	—	—	—	—	—	—	—	—	3	3	9	15	1	—	—	—
Selficide		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		14	2	1	2	—	—	5	1	1	—	—	1	1	1	—	—	—
Other Causes		239	114	12	—	—	1	127	1	3	—	—	3	1	5	4	33	33
127.—READING.		15990	452	393	386	364	372	1972	1680	1549	1536	1506	2452	1863	1381	949	560	214
TOTAL DEATHS		3206	634	271	132	87	59	1183	131	69	78	119	207	208	218	257	343	298
Small-pox		21	4	3	1	—	1	9	2	2	2	3	2	—	—	1	—	—
Measles		79	11	35	29	8	4	78	—	1	—	—	—	—	—	—	—	—
Scarlatina		195	12	27	31	27	23	123	48	15	2	5	2	—	—	—	—	—
Diphtheria		26	2	5	2	1	4	14	9	—	1	1	—	—	—	—	1	—
Whooping-cough		91	39	27	17	4	1	88	3	—	—	—	—	—	—	—	—	—
Typhus		84	2	3	2	6	3	16	13	4	8	9	6	4	10	5	7	1
Diarrhoea & Dysentery		133	80	21	1	—	—	102	—	—	—	1	2	2	2	4	11	6
Cholera		11	6	—	1	—	—	7	—	—	—	—	—	—	—	2	2	—
Other Zymotic Dis.		78	14	8	4	7	4	37	6	3	1	2	6	4	3	2	3	9
Cancer		137	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Scrophula and Tuberc.		65	18	8	5	—	4	35	7	7	1	3	3	28	56	34	23	10
Phthisis		339	7	7	5	3	—	22	7	21	34	51	93	77	32	1	7	—
Hydrocephalus		66	22	16	8	7	2	55	9	1	—	—	—	—	—	—	—	—
Dis. of Brain		321	64	16	11	4	5	100	7	4	3	5	9	10	21	41	62	55
Dis. of Heart & Dropsy		244	—	—	—	—	—	—	2	5	4	8	13	18	39	56	64	33
Dis. of Lungs		439	101	61	13	10	4	192	3	2	5	7	12	16	29	49	59	39
Dis. of Stom. and Liver		178	29	6	2	3	2	33	7	—	—	3	12	15	25	24	34	21
Dis. of Kidneys		29	—	4	—	2	1	7	—	3	3	4	8	11	8	8	7	3
Dis. of Genes. Organs		17	1	—	—	—	—	3	—	3	2	1	2	2	2	2	2	—
Dis. of Joints		10	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Dis. of Skin		16	5	—	—	—	—	5	—	—	1	—	—	—	—	—	—	—
Childbirth and Metris.		61	—	—	—	—	—	—	—	—	2	12	29	17	1	—	—	—
Selficide		69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		215	11	6	3	1	1	21	6	3	—	2	—	2	2	1	5	7
Other Causes		428	215	13	3	3	—	236	1	—	4	1	—	3	6	1	3	4

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
128.—WOKINGHAM.																		
Mean Popul ⁿ , 1861-71 - }	7694	215	215	202	212	202	1046	951	860	714	587	991	837	703	511	328	151	15
TOTAL DEATHS -	1441	274	79	40	31	27	451	63	28	37	45	80	83	112	129	183	179	40
Small-pox -	2	-	-	-	-	-	13	1	-	-	-	-	1	-	1	-	-	-
Measles -	14	2	4	-	3	-	18	17	5	-	-	-	-	-	-	-	-	-
Scarlatina -	41	5	4	2	13	6	84	7	2	6	-	-	-	-	-	-	-	-
Diphtheria -	21	-	1	3	2	6	19	7	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	22	11	4	2	3	-	29	2	-	-	-	-	-	-	-	-	-	-
Zyphus -	44	1	1	2	1	-	48	7	6	1	6	9	5	4	1	-	-	-
Diarrhoea & Dysentery -	63	29	10	1	2	1	43	-	1	1	1	2	2	1	4	4	4	-
Cholera -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	22	1	2	2	-	3	8	2	1	1	-	3	1	1	2	1	2	-
Cancer -	23	-	-	-	-	-	-	-	-	-	1	-	6	5	5	5	5	-
Serofula and Tabes -	26	6	7	1	-	-	14	7	-	3	-	-	-	2	-	-	-	-
Phthisis -	129	3	2	-	2	-	7	1	5	7	19	33	26	12	11	5	5	-
Hydrocephalus -	16	5	2	1	2	1	11	1	1	1	1	1	-	-	-	-	-	-
Dis. of Brain -	158	31	5	2	1	-	39	5	2	4	5	7	8	15	15	31	30	1
Dis. of Heart & Dropsy -	95	22	-	-	-	-	3	1	2	2	1	5	10	12	24	26	25	4
Dis. of Lungs -	266	52	20	14	-	2	94	5	2	2	6	10	10	25	27	47	32	4
Dis. of Stom. and Liver -	82	15	-	-	-	1	16	2	1	2	1	2	5	12	11	19	15	-
Dis. of Kidneys -	35	1	-	1	-	-	2	1	-	1	-	-	2	7	7	10	4	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	10	-	-	-	-	-	-	-	-	-	2	3	1	2	1	1	2	-
Dis. of Skin -	5	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smilede -	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	55	4	3	5	3	3	17	4	-	6	1	5	5	7	4	3	2	1
Other Causes -	278	105	6	-	-	1	112	-	-	1	-	2	3	2	2	27	25	29
129.—COOKHAM.																		
Mean Popul ⁿ , 1861-71 - }	6889	192	192	191	180	189	944	854	885	631	501	889	760	629	424	273	82	11
TOTAL DEATHS -	1271	286	72	45	33	23	459	54	27	28	37	64	90	105	109	142	125	21
Small-pox -	5	1	-	-	-	1	2	-	-	-	2	1	-	-	-	-	-	-
Measles -	18	2	2	4	1	1	19	6	-	1	-	1	-	-	-	-	-	-
Scarlatina -	37	1	5	4	5	5	29	8	6	1	-	1	-	-	-	1	-	-
Diphtheria -	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	31	14	13	2	2	-	31	-	-	-	-	-	-	-	-	-	-	-
Zyphus -	30	2	1	3	3	2	11	4	2	3	1	3	4	-	2	-	-	-
Diarrhoea & Dysentery -	52	35	9	2	-	-	46	-	-	-	-	-	-	-	1	4	1	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	42	4	1	4	7	1	17	2	3	2	2	2	-	1	5	2	5	1
Cancer -	12	-	-	-	-	-	-	-	-	1	-	-	2	2	3	3	1	-
Serofula and Tabes -	19	4	2	-	2	-	6	3	-	1	-	3	2	2	1	-	-	-
Phthisis -	149	3	4	1	-	-	8	4	2	11	14	29	30	30	14	5	2	-
Hydrocephalus -	16	6	2	2	1	2	13	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	174	49	8	3	2	2	64	6	2	2	5	2	10	12	21	31	19	1
Dis. of Heart & Dropsy -	77	-	-	1	-	-	1	-	-	1	1	6	5	12	17	21	9	1
Dis. of Lungs -	180	39	12	7	4	4	65	4	1	2	4	5	13	21	18	26	25	4
Dis. of Stom. and Liver -	63	19	-	3	1	2	16	1	1	-	1	2	8	10	9	11	5	-
Dis. of Kidneys -	29	-	-	-	-	1	1	-	-	1	1	1	4	7	7	2	2	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	7	-	-	-	-	-	-	1	1	-	-	1	-	1	-	3	-	-
Dis. of Skin -	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smilede -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	52	19	2	2	2	1	17	6	7	2	2	4	4	2	3	2	1	-
Other Causes -	258	105	11	6	3	1	123	4	1	-	3	2	5	6	7	22	23	26
130.—EASTHAMPTSTEAD.																		
Mean Popul ⁿ , 1861-71 - }	4765	126	130	129	121	129	635	507	558	544	361	671	577	413	271	166	53	9
TOTAL DEATHS -	815	146	40	26	15	12	239	42	17	24	25	55	75	61	70	102	81	2
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	8	3	-	1	-	-	4	2	1	-	1	-	-	-	-	-	-	-
Scarlatina -	36	1	6	2	4	4	17	13	5	1	-	-	-	-	-	-	-	-
Diphtheria -	22	3	-	4	2	-	9	10	2	1	-	-	-	-	-	-	-	-
Whooping-cough -	17	9	5	1	-	1	16	1	-	-	-	-	-	-	-	-	-	-
Zyphus -	21	13	2	1	1	-	4	2	1	2	2	2	5	1	2	1	1	-
Diarrhoea & Dysentery -	21	13	3	-	-	-	15	-	-	1	1	-	-	-	-	1	1	-
Cholera -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	36	9	4	1	1	-	15	5	1	3	-	1	3	2	2	3	1	-
Cancer -	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes -	10	4	2	1	-	-	-	-	1	-	-	1	2	2	4	2	1	-
Phthisis -	111	-	1	2	-	-	7	-	3	7	1	9	23	20	13	10	-	-
Hydrocephalus -	8	3	3	-	1	-	7	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	95	12	3	3	2	-	30	-	1	4	4	5	12	4	5	15	20	1
Dis. of Heart & Dropsy -	67	-	-	-	-	-	1	-	1	1	1	5	8	13	12	19	10	1
Dis. of Lungs -	197	29	9	2	2	3	46	2	-	-	2	6	6	11	13	19	9	-
Dis. of Stom. and Liver -	43	2	1	-	-	-	3	-	-	-	-	4	9	5	11	13	2	-
Dis. of Kidneys -	25	-	1	-	-	-	1	-	-	-	-	2	3	2	3	10	4	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	4	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smilede -	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
		128.—WOKINGHAM.																
Mean Population, 1861-71	7635	202	179	204	183	186	954	962	817	603	610	1086	893	695	527	347	127	14
Total Deaths	1296	238	64	47	25	22	386	71	35	37	39	75	77	79	98	170	165	64
Pox	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Smallpox	10	1	2	1	1	1	6	4	-	-	-	-	-	-	-	-	-	-
Influenza	61	2	7	9	5	7	39	23	9	-	2	-	-	-	-	-	-	-
Erysipelas	23	-	1	3	5	3	12	5	3	2	-	-	-	-	1	-	-	-
Croup	21	9	7	4	1	-	21	-	-	-	-	-	-	-	-	-	-	-
Croup & Whooping Cough	42	1	1	4	2	3	11	6	6	4	1	3	3	2	2	3	1	-
Cholera & Dysentery	39	11	5	1	1	1	19	-	-	-	2	1	1	1	-	2	3	1
Zymotic Diseases	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Scrophulous and Tuberculous	20	2	3	1	-	1	7	1	1	1	1	4	1	1	1	3	-	-
Consumption	51	-	-	-	-	-	-	1	-	-	-	1	4	13	15	10	7	-
Phthisis	27	8	1	-	-	-	10	7	1	-	-	-	2	4	1	1	-	-
Brain	111	4	-	-	-	-	4	3	3	14	17	36	17	10	3	4	-	-
Heart & Dropsy	6	1	1	1	1	-	4	2	-	-	-	-	-	-	-	-	-	-
Lungs	148	23	8	12	1	2	46	3	4	1	2	3	8	11	21	24	23	2
Stomach and Liver	79	1	-	-	-	-	2	2	1	5	1	2	6	5	16	25	14	-
Kidneys	189	32	20	8	3	1	61	7	2	2	3	12	7	12	11	48	17	6
General Organs	69	6	3	1	2	1	13	1	2	2	-	3	11	6	13	7	11	-
Joints	15	1	1	-	-	-	2	-	-	-	1	2	3	2	2	2	1	-
Skin	8	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	-	-
Birth and Maternal	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-
Violent Deaths	6	3	-	-	-	-	3	-	1	-	-	-	-	-	-	-	1	1
Total	26	-	-	-	-	-	-	-	-	5	7	5	8	1	-	-	-	-
Causes	20	2	1	1	1	2	7	3	1	-	-	1	1	2	2	1	3	4
	314	119	3	-	1	-	123	1	-	-	1	2	2	4	9	38	89	64
129.—COOKHAM.																		
Mean Population, 1861-71	7062	196	174	195	196	188	949	876	763	578	585	1005	834	654	451	250	103	14
Total Deaths	1216	214	76	43	24	23	380	37	39	37	39	59	91	71	106	160	140	57
Pox	12	-	-	-	-	-	10	2	-	-	-	-	-	-	-	-	-	-
Smallpox	33	-	5	4	3	3	15	9	7	2	-	-	-	-	-	-	-	-
Influenza	15	-	2	1	1	3	7	2	3	-	-	3	-	-	-	-	-	-
Croup	32	13	9	5	1	4	32	-	-	3	5	2	3	1	2	-	-	-
Croup & Whooping Cough	39	1	1	1	-	2	5	4	5	-	-	-	-	-	-	-	-	-
Cholera & Dysentery	44	31	8	1	-	-	40	-	-	-	-	1	-	1	-	1	1	-
Zymotic Diseases	23	1	-	2	3	3	9	2	1	3	-	2	-	1	1	1	3	-
Scrophulous and Tuberculous	40	-	-	-	-	-	-	-	-	-	-	2	3	10	12	9	4	-
Consumption	17	2	4	-	2	-	8	2	3	3	-	-	1	-	-	-	-	-
Phthisis	125	1	2	1	1	3	8	-	9	14	21	20	36	8	5	4	-	-
Brain	153	22	7	2	3	3	47	5	3	4	4	1	3	7	24	28	21	6
Heart & Dropsy	95	-	1	1	-	-	2	1	3	2	1	4	11	9	16	31	14	1
Lungs	191	22	19	8	4	1	54	3	-	2	-	4	7	10	15	21	16	4
Stomach and Liver	108	5	1	1	1	-	8	-	3	1	3	9	9	13	20	26	13	3
Kidneys	14	-	-	-	-	-	-	-	-	1	-	1	4	1	1	3	3	-
General Organs	10	-	-	-	-	-	-	-	-	-	1	1	1	3	1	4	-	-
Joints	4	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
Skin	5	1	-	1	-	-	2	-	-	-	-	-	-	-	-	2	1	-
Birth and Maternal	16	-	-	-	-	-	-	-	-	-	1	7	7	1	-	-	-	-
Violent Deaths	25	5	3	3	-	-	11	1	2	-	1	-	-	1	3	4	1	3
Causes	263	94	10	5	2	-	111	1	-	1	1	1	7	5	6	26	63	41
130.—EASTHAMPTON.																		
Mean Population, 1861-71	4269	115	114	120	116	117	582	511	454	351	365	699	516	355	223	137	65	11
Total Deaths	656	115	41	19	13	14	202	32	15	20	18	40	44	43	55	87	64	36
Pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Smallpox	8	1	4	1	-	-	6	2	-	-	-	-	-	-	-	-	-	-
Influenza	14	-	1	1	3	1	6	6	-	1	-	-	1	-	-	-	-	-
Erysipelas	14	1	1	1	-	2	5	5	2	1	-	-	-	1	-	-	-	-
Croup	15	7	3	5	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Croup & Whooping Cough	21	-	-	1	1	1	3	5	2	5	-	5	1	-	-	-	-	-
Cholera & Dysentery	16	10	2	-	-	-	12	-	1	-	-	-	-	-	-	2	-	1
Zymotic Diseases	1	2	-	-	-	3	8	3	-	-	-	1	1	-	3	3	1	1
Scrophulous and Tuberculous	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumption	4	-	1	1	-	-	2	1	-	-	-	-	1	11	6	3	1	-
Phthisis	87	1	3	-	-	1	5	1	4	9	7	21	22	3	7	3	-	-
Brain	68	7	4	2	-	1	14	1	3	1	-	2	4	9	12	19	9	1
Heart & Dropsy	79	-	-	-	-	-	1	2	-	1	-	2	4	6	12	31	10	1
Lungs	68	19	8	3	3	1	34	2	1	-	1	1	3	3	3	13	6	1
Stomach and Liver	32	1	-	-	-	1	2	-	-	1	1	1	4	-	4	1	3	1
Kidneys	7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-
General Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joints	2	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	1	-
Skin	5	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Birth and Maternal	9	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Violent Deaths	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes	149	63	11	2	2	-	78	1	-	-	-	-	-	-	-	2	1	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14		
131.—WINDSOR.																	
Mean Popul ⁿ , 1861-71	11836	353	272	274	290	266	1455	1257	1231	1035	1226	1079	1441	996	675	392	139
TOTAL DEATHS	2432	465	140	83	48	28	773	73	86	51	71	196	251	199	263	277	187
Small-pox	31	2	1	1	2	5	5	3	3	2	1	7	7	3	—	—	—
Measles	33	6	10	4	5	2	27	4	1	—	—	1	—	—	—	—	—
Scarlatina	45	1	3	8	8	3	23	11	4	1	3	1	1	2	—	—	—
Diphtheria	13	2	1	2	2	1	8	5	—	—	—	1	—	1	—	—	—
Whooping-cough	42	20	13	8	1	—	42	—	7	3	7	9	6	5	6	1	—
Typhus	63	1	2	1	—	—	4	15	—	—	—	—	—	—	—	—	—
Diarrhoea & Dysentery	87	29	11	2	—	—	72	—	1	—	1	—	—	—	—	—	—
Cholera	6	2	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	60	6	5	9	6	4	30	3	2	3	—	6	1	3	5	4	—
Cancer	34	—	—	—	—	—	—	—	—	—	—	1	1	3	9	14	—
Scrophula and Tuberc.	44	13	8	6	1	1	29	2	1	4	2	1	1	1	3	3	—
Phthisis	254	3	5	6	1	8	18	7	8	19	27	82	102	50	40	—	—
Hydrocephalus	52	14	18	8	7	1	48	2	—	—	—	—	—	—	—	—	—
Dis. of Brain	313	64	8	4	6	1	83	4	2	—	3	11	22	21	44	65	41
Dis. of Heart & Dropsy	296	—	—	—	—	—	2	—	—	—	—	3	13	20	30	21	19
Dis. of Lungs	388	97	23	13	6	7	161	3	2	1	9	20	23	27	43	41	31
Dis. of Stom. and Liver	116	12	1	1	—	—	14	2	1	1	4	9	10	16	16	28	8
Dis. of Kidneys	53	—	—	—	—	1	1	1	2	3	—	5	8	6	12	11	4
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	7	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Dis. of Skin	7	5	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	18	—	—	—	—	—	—	—	—	—	—	2	5	2	3	4	1
Other Violent Deaths	119	3	1	3	—	2	9	9	4	7	11	18	17	14	37	6	6
Other Causes	240	155	27	3	1	1	187	2	1	—	—	8	12	12	26	23	20
132.—STAINES.																	
Mean Popul ⁿ , 1861-71	9246	251	234	240	247	231	1203	1116	1494	831	685	1179	985	761	543	315	116
TOTAL DEATHS	1067	407	129	58	36	26	656	67	44	45	46	87	104	103	157	158	101
Small-pox	16	1	—	1	3	—	5	1	—	4	1	2	1	1	1	—	—
Measles	39	4	12	7	3	2	28	2	—	—	—	—	—	—	—	—	—
Scarlatina	58	—	10	11	4	10	35	18	1	—	—	1	2	—	—	—	—
Diphtheria	7	—	1	2	—	—	3	2	—	—	—	—	2	—	—	—	—
Whooping-cough	29	15	8	5	5	—	29	—	—	—	—	—	—	—	—	—	—
Typhus	54	2	—	1	1	1	7	10	—	5	2	3	4	5	6	1	5
Diarrhoea & Dysentery	83	32	15	3	1	—	71	1	1	—	—	—	—	—	3	2	3
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Other Zymotic Dis.	32	5	2	2	4	1	14	2	2	3	2	1	—	2	5	4	—
Cancer	27	—	—	—	—	—	—	—	—	—	—	1	—	4	7	19	3
Scrophula and Tuberc.	43	22	6	9	4	—	41	2	—	—	2	—	—	—	—	—	—
Phthisis	154	3	3	—	1	1	7	1	7	13	18	43	31	13	13	5	1
Hydrocephalus	23	5	6	3	1	3	18	3	1	—	1	—	—	—	—	—	—
Dis. of Brain	214	84	15	4	2	1	106	5	4	4	2	4	10	7	25	28	11
Dis. of Heart & Dropsy	170	9	5	—	2	—	16	3	3	2	4	8	12	23	21	26	19
Dis. of Lungs	245	70	21	8	3	5	107	3	2	2	2	2	14	15	33	36	21
Dis. of Stom. and Liver	71	4	2	—	1	—	7	3	2	1	1	6	4	9	20	10	7
Dis. of Kidneys	30	1	—	—	—	1	2	1	2	3	1	2	4	5	4	4	2
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	14	—	—	—	—	—	—	2	—	1	—	2	1	1	1	1	—
Dis. of Skin	10	3	1	—	—	—	4	1	2	—	—	—	—	1	1	1	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	7	—	2	4	—	1	14	7	—	6	—	1	1	3	2	—	—
Other Violent Deaths	77	8	2	—	—	—	14	7	—	6	—	8	12	5	9	1	2
Other Causes	301	124	20	—	—	—	144	3	—	—	—	3	5	6	8	22	20
133.—UXBRIDGE.																	
Mean Popul ⁿ , 1861-71	11899	342	291	316	300	299	1548	1568	1390	997	917	1589	1417	1131	759	409	154
TOTAL DEATHS	3161	575	188	78	51	40	932	105	47	65	89	271	391	329	348	395	216
Small-pox	35	9	2	—	2	—	13	—	1	5	6	2	4	4	—	—	—
Measles	36	5	17	7	3	2	34	2	—	—	—	—	—	—	—	—	—
Scarlatina	57	2	6	8	1	10	37	16	4	—	—	—	—	—	—	—	—
Diphtheria	9	1	—	—	1	1	3	5	—	—	—	1	—	—	—	—	—
Whooping-cough	40	17	15	4	1	2	89	1	—	—	—	—	—	—	—	—	—
Typhus	108	1	4	6	4	5	29	29	8	11	10	9	6	7	8	5	4
Diarrhoea & Dysentery	119	70	21	5	2	—	96	2	—	—	1	2	1	—	5	3	3
Cholera	6	3	—	—	—	—	3	—	—	—	—	—	—	—	2	2	—
Other Zymotic Dis.	66	19	7	5	4	2	28	3	2	3	3	4	2	3	6	7	2
Cancer	31	—	—	—	—	—	—	—	—	—	—	—	—	—	5	11	2
Scrophula and Tuberc.	45	15	5	4	3	2	29	7	2	3	—	—	—	5	3	1	—
Phthisis	531	3	1	1	—	—	5	8	6	16	36	80	59	49	53	7	—
Hydrocephalus	38	15	12	5	—	1	37	6	—	—	—	—	—	—	—	—	—
Dis. of Brain	838	110	11	9	2	3	135	10	5	6	14	84	208	130	123	80	39
Dis. of Heart & Dropsy	221	5	2	1	3	—	11	4	4	3	2	12	14	33	45	23	23
Dis. of Lungs	355	75	45	15	9	4	146	6	4	5	6	25	35	25	58	58	27
Dis. of Stom. and Liver	116	11	3	3	—	2	38	3	3	2	1	6	6	21	27	19	5
Dis. of Kidneys	43	1	—	—	2	—	5	1	—	—	—	4	5	5	9	11	5
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	17	2	1	—	—	—	3	1	2	—	—	—	—	—	—	—	—
Dis. of Skin	4	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Causes	9	10	3	—	—	—	31	7	—	—	—	4	1	—	3	13	7
	311	28	3	—	—	—	243	4	—	—	—	9	10	18	21	14	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 years & over.
		131.—WINDSOR.																
Population, 1861-71.	12178	321	269	287	285	269	1451	1270	1151	1093	1104	1980	1555	1129	782	477	159	27
ALL DEATHS -	2277	394	160	82	73	33	742	99	42	62	89	146	155	153	195	300	210	84
Pox - - -	26	6	3	1	-	2	12	2	1	2	2	4	2	1	-	-	-	-
Smallpox - -	40	2	15	10	6	3	36	3	-	-	-	-	-	-	1	-	-	-
Dysentery - -	68	1	4	14	9	5	33	23	6	1	-	4	1	-	-	-	-	-
Scarlatina - -	11	-	-	-	3	3	6	1	-	1	-	1	-	1	-	1	-	-
Croup & Whooping Cough -	50	24	7	8	4	1	44	6	-	-	-	-	-	-	-	-	-	-
Measles - - -	60	-	3	1	5	2	11	8	6	4	5	7	7	2	3	7	-	-
Cholera & Dysentery -	95	57	18	2	2	-	79	-	-	-	-	1	1	1	7	2	3	1
Typhoid - - -	3	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Zymotic Diseases - - -	51	5	3	4	4	1	17	7	1	3	1	3	1	4	5	5	3	1
Consumption - - -	92	-	-	-	-	-	-	1	-	-	-	6	12	19	21	21	11	1
Phthisis and Tubercles -	38	11	12	1	2	-	26	7	-	1	-	2	-	1	-	-	-	-
Ischemia - - -	297	5	3	5	5	1	17	7	5	26	51	65	63	27	25	10	1	-
Cerebral Palsy - - -	42	15	11	5	3	4	38	2	2	-	-	-	-	-	-	-	-	-
Brain - - -	293	44	13	7	9	4	77	12	6	4	8	8	11	22	28	54	50	16
Heart & Dropsy - - -	197	-	1	-	-	-	1	6	4	3	14	15	10	41	59	37	3	-
Lungs - - -	328	72	37	14	16	1	140	7	3	5	5	5	20	21	24	63	32	8
Stomach and Liver - - -	119	8	1	1	1	1	12	1	1	5	2	8	15	14	21	54	4	-
Kidneys - - -	22	-	-	-	-	-	-	1	1	1	1	2	2	5	2	6	-	1
Genital Organs - - -	18	-	-	-	-	-	-	1	1	2	-	4	4	1	1	-	-	-
Joints - - -	16	-	-	-	1	-	-	2	2	3	2	1	-	3	1	-	-	1
Skin - - -	9	3	-	-	-	-	3	-	-	-	-	-	-	-	-	6	-	-
Birth and Metritis - - -	22	-	-	-	-	-	-	-	-	1	5	10	4	2	-	-	-	-
Infants - - -	6	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-
Violent Deaths - - -	28	4	-	3	1	2	10	6	1	-	2	2	3	1	1	-	-	-
Causes - - -	348	136	29	7	2	3	177	2	-	1	1	-	3	5	10	30	26	10

		132.—STAINES.																		
n Populn, { 1861-71		8841	267	227	233	251	213	1191	1095	922	701	733	1327	1037	785	568	334	127	21	
L DEATHS -		1514	203	129	46	40	26	534	60	22	40	49	109	85	102	117	174	163	59	
pox	-	3	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	
-	-	22	2	11	2	2	3	20	4	-	-	-	-	-	-	-	-	-	-	
-	-	54	1	13	9	7	8	38	11	4	-	-	-	-	-	-	-	-	-	
-	-	14	-	2	2	3	-	7	3	1	1	-	1	1	1	-	-	-	-	
-	-	32	16	12	2	1	-	31	1	-	-	-	-	-	-	-	-	-	-	
-	-	70	1	4	2	1	3	16	9	5	1	5	6	5	6	8	5	4	-	
-	-	75	35	19	1	0	-	56	-	-	-	-	4	1	-	4	3	4	3	
-	-	4	1	2	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	
-	-	32	4	3	4	3	1	15	1	-	1	2	1	3	1	3	3	1	1	
-	-	49	-	-	-	-	-	-	-	-	-	-	3	5	13	10	14	4	-	
-	-	38	14	10	2	-	1	27	1	-	1	2	4	1	1	1	-	-	-	
-	-	162	1	2	1	1	-	5	5	5	24	26	47	22	18	9	1	-	-	
-	-	10	4	-	1	1	1	7	2	-	1	-	-	-	-	-	-	-	-	
-	-	187	57	13	6	3	2	81	7	-	1	2	6	5	16	13	24	29	8	
-	-	125	3	3	1	1	2	10	3	4	-	2	5	9	15	21	34	21	1	
-	-	188	48	22	7	6	3	86	6	-	2	1	5	6	10	17	26	25	4	
-	-	71	9	1	-	-	1	11	2	-	2	1	5	6	14	10	13	6	1	
-	-	21	1	-	-	-	-	1	1	-	2	-	4	2	3	4	3	1	-	
-	-	6	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	-	1	
-	-	9	1	-	-	-	-	1	-	-	-	-	3	2	1	1	1	-	-	
-	-	9	4	1	-	1	-	6	-	-	-	-	-	-	1	2	-	-	-	
-	-	32	-	-	-	-	-	-	-	-	2	7	13	10	-	-	-	-	-	
-	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
-	-	20	3	3	3	2	-	11	2	-	1	-	1	2	1	-	2	-	-	
-	-	279	88	8	3	-	1	100	3	2	-	-	1	4	-	12	44	68	40	

		133.—UXBRIDGE.																	
n Popul ⁿ , 1861-71		12448	345	279	314	301	314	1553	1471	1311	954	989	1813	1527	1225	870	515	189	31
L DEATHS -		3026	446	166	79	59	45	795	107	54	84	73	270	205	202	309	309	288	90
pox - - -		17	5	2	3	2	1	13	1	-	1	1	-	-	1	-	-	-	-
- - -		26	-	11	8	2	2	23	1	-	1	-	-	-	-	-	-	-	-
- - -		98	2	10	2	12	13	43	33	13	3	-	2	2	-	1	-	-	-
- - -		8	-	1	2	1	-	4	3	-	-	1	-	-	-	-	-	-	-
ing-cough -		50	24	13	8	3	1	49	1	-	-	-	-	-	-	-	-	-	-
- - -		109	4	2	3	2	3	14	20	13	10	6	8	13	6	10	3	6	-
- - -		97	40	18	6	1	-	62	-	-	-	1	5	1	5	5	7	8	3
- - -		10	1	2	-	-	-	3	-	-	1	-	-	-	1	4	1	-	-
- - -		36	3	6	3	1	3	16	3	2	1	2	1	-	-	2	6	2	1
- - -		81	-	-	-	-	-	-	-	-	-	1	2	11	24	20	16	5	2
- - -		41	20	2	2	3	-	27	3	1	-	2	1	1	2	2	2	2	-
- - -		404	1	3	1	2	2	9	8	13	38	34	110	72	68	39	8	4	1
- - -		58	16	9	4	4	2	35	1	1	1	-	-	-	-	-	-	-	-
- - -		679	76	21	9	6	5	117	6	2	12	13	71	97	90	90	91	77	13
- - -		227	2	-	1	-	1	4	2	1	2	2	13	18	36	45	50	42	6
- - -		401	79	28	14	14	8	143	14	2	7	4	16	20	25	41	68	46	9
- - -		128	7	5	1	1	-	14	3	3	-	-	10	22	16	24	28	5	2
- - -		33	-	-	-	-	-	-	-	-	1	-	1	6	4	11	9	1	1
- - -		16	-	-	-	-	-	-	-	-	-	1	2	4	-	4	4	1	-
- - -		6	-	-	-	-	-	-	-	-	-	-	1	4	-	2	2	-	-
- - -		9	5	-	-	-	-	5	-	-	-	-	-	-	2	1	4	1	-
- - -		33	-	-	-	-	-	-	-	-	1	-	15	10	3	2	2	1	-
- - -		10	-	-	-	-	-	-	-	-	-	4	2	2	2	2	2	2	-
- - -		52	8	3	2	2	2	17	4	3	4	-	6	5	5	2	4	6	3
- - -		418	133	35	4	3	2	197	4	-	-	-	4	4	-	2	4	6	6

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.												Total under 5 Years.	Total under 1 Year.	
		1	2	3	4	5	6	7	8	9	10	11	12			
134.—BRENTFORD.																
Mean Popul ⁿ , 1861-71 }	28868	886	744	788	798	775	3991	3824	3652	2603	2342	4043	3210	2385	1588	687
TOTAL DEATHS -	6829	1571	486	534	165	161	2555	234	139	102	179	303	475	516	558	621
Small-pox - - -	54	11	3	4	6	1	25	6	1	4	1	10	5	2	2	2
Measles - - -	105	19	42	21	12	5	69	6	1	1	1	1	1	1	1	1
Scarlatina - - -	216	14	26	37	36	24	187	20	18	8	4	1	2	1	1	1
Diphtheria - - -	29	4	1	2	3	4	13	10	1	1	1	1	1	1	1	1
Whooping-cough -	115	46	28	21	9	4	108	6	1	1	1	1	1	1	1	1
Typhus - - -	161	5	5	10	9	7	84	19	17	10	8	15	15	15	11	14
Diarrhoea & Dysentery	285	265	63	8	3	1	323	3	1	1	1	1	1	1	1	1
Cholera - - -	84	29	1	1	2	1	23	1	1	1	1	1	1	1	1	1
Other Erythematous Dis.	151	21	14	11	12	6	64	14	6	1	3	5	12	14	11	18
Cancer - - -	71	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	145	56	33	15	4	3	111	15	5	5	8	6	8	8	28	13
Fistula - - -	688	12	8	3	3	1	37	9	25	41	93	158	149	90	56	13
Hydrocephalus - -	139	68	31	13	14	9	123	9	5	1	1	1	1	1	1	1
Dis. of Brain - - -	800	217	49	17	13	8	304	19	10	7	12	27	50	84	95	110
Dis. of Heart & Dropsy	494	253	6	7	1	4	41	11	12	2	12	37	49	68	103	100
Dis. of Lungs - - -	1040	356	99	43	20	13	431	19	6	8	13	37	71	98	111	122
Dis. of Stom. & Liver	273	55	10	2	3	3	63	9	6	2	6	10	27	42	57	49
Dis. of Kidneys - -	153	1	2	3	4	1	9	2	1	1	3	9	15	14	22	40
Dis. of Genes. Organs	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints - - -	28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin - - -	20	15	1	1	1	1	18	1	1	1	1	1	1	1	1	1
Childbirth and Metris	46	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths - -	236	27	8	6	2	3	48	21	14	17	15	22	34	32	19	11
Other Causes - - -	992	465	56	10	5	3	542	5	6	1	3	9	16	19	29	46
135.—HENDON.																
Mean Popul ⁿ , 1861-71 }	13488	399	401	381	374	371	1926	1724	1610	1339	1080	1894	1564	1189	688	341
TOTAL DEATHS -	2763	763	280	116	68	42	1219	98	63	64	70	174	191	200	246	215
Small-pox - - -	12	4	2	1	3	1	10	1	1	1	1	1	1	1	1	1
Measles - - -	68	13	25	11	5	2	84	2	2	1	1	1	1	1	1	1
Scarlatina - - -	102	8	16	15	10	7	66	11	11	4	1	1	1	1	1	1
Diphtheria - - -	39	1	9	7	7	4	28	6	2	1	1	1	1	1	1	1
Whooping-cough -	64	32	20	4	6	1	62	2	1	1	1	1	1	1	1	1
Typhus - - -	74	6	2	4	2	2	14	9	7	1	3	9	7	7	4	6
Diarrhoea & Dysentery	150	108	18	4	1	1	126	1	1	1	1	1	1	1	1	1
Cholera - - -	8	2	2	1	1	1	4	1	1	1	1	1	1	1	1	1
Other Erythematous Dis.	89	14	7	12	5	5	41	2	4	2	1	5	4	4	8	7
Cancer - - -	54	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	48	14	11	6	2	1	35	5	5	3	1	1	1	1	1	1
Fistula - - -	209	8	8	4	2	2	24	4	2	11	29	77	60	60	21	13
Hydrocephalus - -	62	28	13	10	8	2	66	4	1	1	1	1	1	1	1	1
Dis. of Brain - - -	341	125	23	6	7	5	165	9	6	1	7	10	16	19	42	36
Dis. of Heart & Dropsy	106	4	3	1	1	1	8	5	6	5	3	11	19	23	38	27
Dis. of Lungs - - -	435	144	50	19	12	7	232	4	4	4	7	11	27	25	41	42
Dis. of Stom. & Liver	125	23	1	3	1	1	28	4	1	7	2	11	10	17	25	14
Dis. of Kidneys - -	68	2	1	1	1	1	3	1	2	3	1	9	9	7	8	13
Dis. of Genes. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints - - -	11	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1
Dis. of Skin - - -	19	4	2	1	1	1	8	1	1	1	1	1	1	1	1	1
Childbirth and Metris	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths - -	172	17	8	8	1	2	35	9	6	14	11	24	20	19	18	10
Other Causes - - -	372	209	15	3	1	1	229	1	1	1	1	2	10	8	15	25
136.—BARNET.																
Mean Popul ⁿ , 1861-71 }	10524	280	243	243	263	251	1279	1249	1251	884	787	1563	1336	1019	633	376
TOTAL DEATHS -	2840	843	113	78	54	20	597	83	43	48	111	329	420	368	518	283
Small-pox - - -	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles - - -	26	4	10	6	3	2	25	1	1	1	1	1	1	1	1	1
Scarlatina - - -	93	4	15	21	7	12	57	29	4	2	1	1	1	1	1	1
Diphtheria - - -	10	1	1	2	1	1	6	2	1	1	1	1	1	1	1	1
Whooping-cough -	22	8	7	3	3	1	21	1	1	1	1	1	1	1	1	1
Typhus - - -	51	1	1	2	2	1	6	8	5	8	5	6	3	5	5	5
Diarrhoea & Dysentery	77	42	9	5	1	1	67	1	1	1	1	1	1	1	1	1
Cholera - - -	6	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1
Other Erythematous Dis.	66	3	7	5	4	1	20	4	1	1	3	6	6	8	7	4
Cancer - - -	30	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	53	16	4	3	1	1	23	1	3	1	1	1	1	1	1	1
Fistula - - -	279	6	1	1	1	1	11	4	2	11	33	52	69	84	19	14
Hydrocephalus - -	40	15	11	8	2	2	33	6	1	1	1	1	1	1	1	1
Dis. of Brain - - -	1043	49	4	6	2	4	65	6	11	15	41	108	272	219	124	81
Dis. of Heart & Dropsy	138	1	1	1	1	1	2	3	3	3	5	14	12	20	43	31
Dis. of Lungs - - -	297	58	17	12	6	1	88	11	1	6	11	16	21	26	37	30
Dis. of Stom. & Liver	125	13	2	2	1	1	19	1	1	1	1	1	1	1	1	1
Dis. of Kidneys - -	55	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1
Dis. of Genes. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints - - -	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin - - -	8	2	3	1	1	1	3	1	1	1	1	1	1	1	1	1
Childbirth and Metris	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths - -	172	17	8	8	1	2	35	9	6	14	11	24	20	19	18	10
Other Causes - - -	372	209	15	3	1	1	229	1	1	1	1	2	10	8	15	25

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	
134.—BRENTFORD.																		
Popul ⁿ , 1861-71		32357	871	768	801	794	789	4023	3646	3375	2997	3128	5092	3806	2801	1875	1140	402
DEATHS		5983	1350	400	225	136	115	2286	200	140	160	167	353	398	379	504	626	529
sc		47	9	6	5	1	2	28	6	4	4	4	3	2	1	-	-	-
ss		98	14	24	21	9	10	28	8	1	-	-	-	-	-	-	-	-
rs		222	17	27	39	57	27	147	32	11	-	-	5	1	-	-	-	-
rs		34	2	6	6	7	4	25	5	1	-	-	-	1	-	-	-	-
scough		138	55	33	24	8	8	190	7	1	-	-	-	-	-	-	-	-
a & Dysentery		179	3	7	7	7	8	32	30	22	15	11	12	21	15	8	8	3
remote Dis.		358	207	69	12	1	3	312	4	1	-	-	1	4	3	4	10	13
and Tuberc.		32	12	6	-	-	-	18	2	1	1	-	1	3	2	1	1	1
phthisis		118	17	9	6	5	8	45	12	3	4	7	8	6	9	8	8	1
Brain		191	-	-	-	-	-	-	1	2	1	10	22	44	24	28	13	4
Heart & Dr. Organs		183	49	23	11	7	5	95	14	6	7	4	1	1	1	1	1	1
Lungs		631	9	7	3	2	2	23	23	34	66	83	157	124	69	40	11	1
Stomach & Liver		101	41	20	7	4	3	81	16	4	-	-	-	-	-	-	-	-
Cholera		682	171	33	18	16	12	250	17	15	13	8	18	37	30	92	108	65
Diarrhoea		444	12	1	1	1	2	17	8	13	13	7	28	43	55	83	116	55
Small Pox		914	203	108	41	18	14	384	27	7	8	10	24	38	26	91	130	114
Measles		296	25	6	4	2	1	39	7	7	6	8	16	31	45	69	57	24
Scarlatina		84	1	2	3	1	-	7	4	1	3	1	5	10	14	23	10	5
Whooping Cough		27	-	-	-	-	-	-	-	-	-	-	9	5	5	1	2	1
Diphtheria		22	-	1	-	-	-	1	-	8	2	-	-	-	2	7	4	3
Erysipelas		27	6	5	1	1	1	14	-	-	1	-	-	-	2	6	4	-
Small Pox		78	-	-	-	-	-	-	-	-	-	12	36	27	3	-	-	-
Measles		16	-	-	-	-	-	-	-	-	-	-	3	4	1	4	2	-
Scarlatina		105	25	7	4	3	2	41	11	2	3	2	8	12	7	5	3	10
Whooping Cough		1006	442	82	12	6	3	515	7	2	5	5	7	7	7	27	103	202
135.—HENDON.																		
Popul ⁿ , 1861-71		14711	415	353	369	371	377	1885	1680	1480	1359	1424	2455	1833	1217	765	427	161
DEATHS		2480	612	204	101	65	52	1034	91	57	41	64	157	154	145	179	223	219
sc		6	2	1	-	-	-	3	-	1	1	-	-	1	-	-	-	-
ss		47	9	21	6	3	6	45	1	-	-	-	-	1	-	-	-	-
rs		112	4	18	19	17	14	71	30	6	1	1	1	2	-	-	-	-
rs		33	-	5	8	6	5	24	6	3	1	-	-	-	-	-	-	-
scough		78	25	27	12	7	2	73	-	-	-	-	-	-	-	-	-	-
a & Dysentery		69	2	3	3	2	2	12	6	8	4	0	11	7	5	5	3	3
remote Dis.		140	94	11	3	1	1	110	-	-	-	1	5	1	-	1	5	14
and Tuberc.		14	4	1	1	1	-	7	1	-	-	-	2	1	2	3	1	1
phthisis		77	8	6	7	12	4	37	6	5	1	3	4	4	7	3	1	5
Brain		73	-	1	-	-	-	1	-	-	-	1	3	10	25	15	10	7
Heart & Dr. Organs		35	15	10	1	1	3	30	1	2	-	-	1	1	-	-	1	-
Lungs		225	8	10	1	1	-	20	6	10	19	18	63	42	18	17	12	-
Stomach & Liver		32	6	11	6	3	1	27	4	1	-	-	-	-	-	-	-	-
Cholera		274	70	17	8	3	3	107	11	7	-	10	8	13	22	32	32	25
Diarrhoea		132	7	-	-	1	-	8	-	3	3	7	12	14	16	20	28	20
Small Pox		200	117	38	18	3	7	183	14	3	3	5	12	16	22	34	51	42
Measles		129	13	4	1	2	3	43	1	2	2	2	9	10	14	21	30	14
Scarlatina		34	2	-	1	-	-	3	-	2	2	4	4	5	3	8	2	1
Whooping Cough		10	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-
Diphtheria		5	-	-	-	-	-	-	-	2	-	-	2	-	1	1	2	1
Erysipelas		10	1	-	-	-	-	1	-	-	-	-	2	-	1	1	2	1
Small Pox		37	-	-	-	-	-	-	-	-	1	5	15	16	1	1	-	-
Measles		47	13	1	3	2	1	90	4	-	-	-	3	4	1	1	4	5
Scarlatina		403	206	19	4	-	-	229	1	2	3	-	2	4	1	8	32	81
136.—BARNET.																		
Popul ⁿ , 1861-71		11624	270	238	257	252	227	1244	1170	1079	999	1068	1866	1561	1169	796	470	177
DEATHS		2399	300	97	65	30	28	529	55	41	46	74	230	274	240	275	305	248
sc		7	1	-	1	-	-	2	-	1	2	2	-	1	-	-	-	-
ss		27	4	11	6	3	-	24	2	1	-	-	-	-	-	-	-	-
rs		72	4	7	10	9	11	41	21	6	2	-	-	1	1	-	-	-
rs		13	-	5	3	-	3	11	1	-	-	-	-	-	-	-	1	-
scough		41	23	11	3	1	-	38	3	-	-	-	-	-	-	-	-	-
a & Dysentery		50	1	1	5	2	3	12	6	12	3	2	4	2	4	7	3	2
remote Dis.		69	41	7	-	-	-	45	-	-	-	-	1	2	-	4	2	3
and Tuberc.		4	-	-	1	-	-	1	-	3	1	-	1	2	4	4	13	2
phthisis		54	3	6	7	8	-	19	2	-	-	-	3	15	18	25	13	16
Brain		85	-	-	-	-	-	-	-	2	1	-	8	1	2	1	2	2
Heart & Dr. Organs		25	10	1	1	1	1	14	-	-	-	-	3	1	1	2	1	1
Lungs		346	9	1	-	-	1	24	2	10	21	37	69	79	57	27	10	1
Stomach & Liver		26	9	8	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cholera		598	41	7	5	2	2	37	2	3	8	15	73	104	85	90	90	53
Diarrhoea		157	1	-	-	-	-	1	1	-	-	-	7	10	30	28	32	19
Small Pox		289	40	11	12	5	5	73	6	1	4	3	20	16	19	38	56	49
Measles		120	10	-	-	1	-	11	1	2	3	3	14	13	17	22	30	12
Scarlatina		12	-	-	-	-	1	1	-	-	-	-	1	2	3	5	8	3
Whooping Cough		13	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1
Diphtheria		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas		9	3	1	1	-	-	5	-	-	-	-	2	-	-	-	-	-
Small Pox		34	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-
Measles		7	-	-	-	-	-	-	-	-	1	-	8	1	1	1	1	1
Scarlatina		29	5	6	2	-	-	13	4	-	-	-	1	2	1	3	2	3
Whooping Cough		209	104	14	2	3	-	123	-	1	-	-	-	2	1	1	10	25

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.				Total under 5 Years.											
		1	2	3	4	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-		
137.—EDMONTON.																	
Mean Popul ⁿ , 1861-71	33990	1088	948	966	898	942	4842	4298	3075	3126	2761	4901	3921	2858	1821	1067	278
TOTAL DEATHS	6830	1680	521	262	179	138	2780	209	131	126	172	417	450	517	611	658	129
Small-pox	68	18	1	4	2	4	29	3	1	6	2	13	4	9	1	-	-
Measles	135	26	81	23	19	6	125	9	1	-	-	-	-	-	-	-	-
Scarlatina	334	20	57	55	45	20	207	98	25	2	2	3	2	1	-	-	-
Diphtheria	47	2	7	5	4	6	24	13	2	2	2	-	-	2	1	-	-
Whooping-cough	161	78	43	18	8	6	133	8	-	-	-	-	-	-	-	-	-
Typhus	200	3	4	12	5	8	82	27	14	20	15	20	13	17	14	4	1
Diarrhoea & Dysentery	338	218	59	9	2	4	273	2	4	2	2	2	3	3	6	14	2
Cholera	24	8	1	1	-	-	10	1	1	2	1	2	2	2	1	1	1
Other Zymotic Dis.	206	15	26	14	23	15	93	22	10	8	5	8	16	13	11	1	1
Cancer	97	-	-	-	-	-	-	-	-	-	1	3	14	19	29	35	1
Scrofula and Tubes	159	70	50	5	11	7	123	11	10	1	4	4	2	2	2	1	1
Phthisis	690	23	11	6	1	2	43	7	17	23	65	177	145	103	69	20	1
Hydrocephalus	181	80	49	23	10	8	170	7	4	-	-	-	-	-	-	-	-
Dis. of Brain	869	247	40	17	11	17	332	13	7	4	5	26	41	68	113	147	61
Dis. of Heart & Dropsy	461	6	3	2	-	4	15	9	9	7	7	19	42	72	97	113	60
Dis. of Lungs	966	255	89	41	19	12	420	26	6	5	14	43	62	62	110	127	11
Dis. of Stom. and Liver	314	41	4	2	6	2	65	4	9	7	22	29	57	59	69	48	18
Dis. of Kidneys	128	1	1	1	-	1	4	3	3	1	2	7	12	22	26	27	1
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	27	-	-	1	1	-	2	5	1	5	2	3	1	2	3	4	1
Dis. of Skin	24	11	-	1	-	-	12	2	2	-	1	1	-	1	1	-	-
Childbirth and Metris	49	-	-	-	-	-	-	-	-	1	6	4	12	14	19	1	1
Suicide	96	31	13	7	5	3	59	29	9	20	24	43	45	37	24	17	1
Other Violent Deaths	1053	516	22	15	6	3	592	5	1	1	2	7	20	17	28	20	20
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138.—WARE.																	
Mean Popul ⁿ , 1861-71	8514	223	215	226	217	225	1106	1071	1065	928	661	1010	891	784	557	317	111
TOTAL DEATHS	1567	253	94	60	38	19	464	66	43	40	54	94	108	130	153	211	167
Small-pox	11	1	-	1	-	-	2	2	1	-	4	2	-	-	-	-	-
Measles	30	2	7	7	1	-	17	3	-	-	-	-	-	-	-	-	-
Scarlatina	73	2	10	10	14	6	42	17	10	3	-	-	1	-	-	-	-
Diphtheria	10	3	-	1	1	1	6	2	1	-	-	-	-	-	-	-	-
Whooping-cough	15	7	4	4	-	-	15	-	-	-	-	-	-	-	-	-	-
Typhus	70	-	5	3	2	2	12	8	4	3	9	9	8	9	4	3	1
Diarrhoea & Dysentery	56	25	9	-	1	2	37	-	-	-	-	-	-	1	2	10	4
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	47	-	3	8	2	3	16	5	1	1	1	4	1	6	4	6	2
Cancer	30	-	-	-	-	-	-	-	1	-	-	-	6	1	10	5	1
Scrofula and Tubes	15	4	2	2	-	-	8	1	2	-	1	1	1	1	-	-	-
Phthisis	149	1	4	-	-	-	5	1	2	13	21	30	23	27	12	3	2
Hydrocephalus	7	3	2	-	-	-	5	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	257	67	11	1	10	2	91	7	2	4	4	10	6	23	27	23	20
Dis. of Heart & Dropsy	87	-	1	2	1	-	4	3	6	-	1	9	9	5	18	20	19
Dis. of Lungs	233	43	20	11	5	1	80	1	5	2	1	4	13	20	28	47	10
Dis. of Stom. and Liver	69	6	1	1	-	-	8	2	-	2	1	4	11	13	6	8	2
Dis. of Kidneys	24	-	-	-	-	-	-	1	-	2	-	2	-	3	4	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	2	1	1	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	13	-	-	-	-	-	-	-	-	-	-	3	4	3	1	2	-
Other Violent Deaths	98	2	4	4	-	1	11	8	5	8	9	13	12	9	13	17	1
Other Causes	272	85	11	5	1	1	103	4	1	1	1	1	3	5	5	4	20
139.—BISHOP STORTFORD.																	
Mean Popul ⁿ , 1861-71	10437	299	275	294	286	282	1436	1294	1181	1036	785	1284	1110	941	738	460	159
TOTAL DEATHS	2111	435	196	64	41	33	699	90	44	59	67	101	126	155	207	281	215
Small-pox	11	2	1	-	-	-	3	-	-	3	1	2	-	2	-	-	-
Measles	22	2	7	4	3	1	17	4	1	-	-	-	-	-	-	-	-
Scarlatina	99	3	14	15	12	10	54	31	7	4	1	-	1	-	1	-	-
Diphtheria	20	-	4	2	5	2	13	5	-	1	-	1	-	-	-	-	-
Whooping-cough	41	25	5	6	4	1	41	-	-	-	-	-	-	-	-	-	-
Typhus	72	3	2	2	2	1	10	8	9	10	3	10	5	4	8	3	2
Diarrhoea & Dysentery	68	25	6	3	1	-	45	1	-	1	-	3	3	1	2	6	3
Cholera	18	7	-	1	-	-	8	-	-	-	-	-	-	-	2	3	2
Other Zymotic Dis.	69	6	2	6	1	2	17	9	7	2	-	3	2	2	5	14	6
Cancer	32	-	-	-	-	1	1	-	-	1	-	1	2	5	5	10	4
Scrofula and Tubes	39	13	7	-	1	-	21	3	1	3	1	1	3	1	2	1	2
Phthisis	218	3	3	-	1	1	6	2	5	17	40	45	28	37	20	6	-
Hydrocephalus	53	16	8	-	-	2	29	2	-	2	1	-	-	-	-	-	-
Dis. of Brain	274	63	11	8	2	4	88	3	5	5	7	1	12	15	24	61	47
Dis. of Heart & Dropsy	135	2	-	-	1	1	6	2	3	-	-	3	13	18	22	28	20
Dis. of Lungs	391	89	25	9	2	4	139	6	1	2	4	6	11	27	35	73	23
Dis. of Stom. and Liver	106	9	1	-	1	1	12	2	1	3	1	2	10	10	26	24	13
Dis. of Kidneys	44	-	-	-	-	-	-	1	-	-	-	2	3	4	10	9	3
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	10	4	1	1	-	-	6	1	-	-	1	-	-	-	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	98	2	4	4	3	-	13	5	3	-	3	5	1	1	13	8	10
Other Causes	150	13	2	2	1	-	108	5	-	-	-	1	3	3	12	12	1

III.] Causes of Death in the Ten Years 1861-70.—Females.

113

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
137.—EDMONTON.																		
Popul ⁿ , 1861-71	38094	1063	955	1000	952	909	4879	4293	3780	3629	3595	6060	4448	3228	2234	1352	517	79
DEATHS	6537	1372	497	288	183	157	2497	286	119	132	211	416	384	405	542	693	616	236
xx	59	16	4	4	4	2	30	4	—	1	8	8	5	3	—	—	—	—
xx	131	22	37	29	16	12	116	14	—	—	—	1	—	—	—	—	—	—
xx	398	15	35	53	53	57	215	96	33	6	6	8	2	—	2	—	—	—
xx	61	4	6	8	13	12	43	13	3	—	1	—	1	1	1	—	—	—
xx-cough	202	80	71	27	12	7	197	5	—	—	24	29	23	9	9	9	4	1
xx & Dysentery	248	2	6	6	8	6	28	34	19	19	24	29	23	9	9	9	4	1
xx	511	192	36	7	2	4	243	3	1	2	1	2	1	3	8	26	19	8
xx	17	4	3	1	—	1	9	—	—	—	—	—	—	—	—	—	—	—
xx	162	19	15	27	12	11	64	16	1	6	3	3	9	9	16	10	4	1
xx	211	—	—	—	—	—	1	3	1	1	—	6	24	53	52	41	24	2
xx and Tabes	140	59	22	17	6	4	105	12	1	4	—	3	5	1	4	—	—	—
xx	662	17	16	9	3	2	47	14	17	52	98	181	112	74	47	18	9	1
xx phalus	129	54	37	14	7	5	117	11	—	—	—	—	—	—	—	—	—	—
xx	823	199	43	16	13	8	294	24	6	14	12	37	40	47	115	131	88	25
xx heart & Dropsy	200	9	1	2	2	3	17	6	13	5	13	29	49	67	90	129	72	11
xx lungs	836	202	94	46	15	11	368	18	3	6	8	17	15	49	76	139	104	33
xx tom. and Liver	307	24	5	4	2	2	37	3	4	2	6	20	34	48	51	62	34	6
xx Kidneys	82	1	3	—	—	2	6	1	5	5	1	11	10	6	17	9	11	—
xx ener. Organs	39	—	—	—	—	—	—	—	—	—	—	9	10	7	3	—	—	—
xx oints	22	1	—	1	1	1	4	2	2	2	1	3	1	2	3	1	1	—
xx skin	23	7	—	1	1	—	9	1	1	—	1	1	1	2	1	1	2	—
xx th and Metria	81	—	—	—	—	—	—	—	—	2	18	35	23	3	—	—	—	—
xx	16	—	—	—	—	—	—	—	1	1	2	3	2	3	3	1	—	—
xx violent Deaths	106	29	7	2	4	5	47	5	4	4	4	5	5	5	10	4	7	6
xx causes	1038	416	49	12	8	2	467	1	2	—	1	4	9	10	28	111	243	142
138.—WARE.																		
Popul ⁿ , 1861-71	8474	246	207	223	231	227	1134	1010	970	700	669	1114	971	786	594	356	144	26
DEATHS	1496	254	96	52	42	24	468	69	32	41	40	91	89	82	134	177	188	82
xx	8	2	—	1	2	—	5	1	—	—	—	2	—	—	—	—	—	—
xx	24	5	10	7	5	4	31	3	—	—	—	—	—	—	—	—	—	—
xx	74	5	10	10	10	7	42	27	4	—	1	—	—	—	—	—	—	—
xx	5	—	1	1	—	—	2	2	—	1	—	—	—	—	—	—	—	—
xx-cough	24	16	8	4	2	2	32	2	—	—	—	—	—	—	—	—	—	—
xx & Dysentery	83	—	1	1	4	3	9	15	8	9	5	7	11	6	8	4	1	—
xx	57	29	8	2	—	—	39	—	1	—	—	2	2	3	—	3	5	2
xx	4	2	1	1	—	—	4	—	—	—	—	—	—	—	—	—	—	—
xx	44	5	1	8	3	3	20	5	1	—	—	2	2	2	6	2	4	—
xx	56	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
xx and Tabes	6	1	1	—	—	—	2	—	3	—	—	—	4	16	7	17	9	1
xx	154	3	—	1	1	2	7	1	5	17	16	45	33	16	19	4	—	—
xx phalus	7	2	2	—	—	—	5	1	1	—	—	—	—	—	—	—	—	—
xx	262	48	10	6	5	1	70	—	5	3	4	4	3	9	27	36	37	4
xx heart & Dropsy	113	1	1	—	—	—	2	5	4	2	4	9	9	8	23	24	19	4
xx lungs	162	26	20	6	4	2	58	3	3	3	1	7	3	6	19	37	17	8
xx tom. and Liver	61	5	—	—	—	—	5	1	1	3	1	6	2	6	18	14	4	—
xx Kidneys	7	—	—	—	—	—	—	—	—	—	—	—	—	3	1	2	1	—
xx ener. Organs	11	—	—	—	—	—	—	—	—	—	—	1	1	2	6	1	—	—
xx oints	7	—	1	2	—	—	3	—	—	—	—	1	1	1	1	—	—	—
xx skin	5	2	—	—	—	—	2	—	—	—	—	1	1	—	—	1	—	—
xx th and Metria	26	—	—	—	—	—	—	—	—	—	6	3	16	1	—	—	—	—
xx	3	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
xx violent Deaths	17	3	1	—	4	—	8	1	—	—	—	—	1	1	2	1	3	1
xx causes	316	99	20	2	1	—	129	2	—	1	1	3	—	2	5	31	87	62
139.—BISHOP STORTFORD.																		
Popul ⁿ , 1861-71	10479	295	278	296	264	281	1414	1313	1172	694	855	1392	1144	963	689	445	168	30
DEATHS	1856	347	199	42	55	28	581	82	54	54	63	104	124	95	150	230	236	83
xx	10	1	2	—	3	—	6	1	1	—	1	—	—	—	—	—	1	—
xx	27	2	11	2	3	4	22	4	1	—	—	—	—	—	—	—	—	—
xx	79	6	9	8	10	9	42	26	8	2	—	1	—	—	—	—	—	—
xx	18	2	1	—	1	1	5	8	5	—	—	—	—	—	—	—	—	—
xx-cough	48	19	17	7	2	1	46	2	—	—	—	—	—	—	—	—	—	—
xx & Dysentery	61	1	1	—	1	2	5	9	11	3	4	7	7	5	3	3	4	1
xx	55	26	5	1	1	—	33	—	1	—	—	1	1	—	—	8	10	1
xx	12	6	1	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—
xx	59	4	4	3	4	2	17	3	2	5	2	3	2	2	5	10	7	1
xx	46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
xx and Tabes	42	11	3	5	—	1	20	3	3	2	4	1	1	4	3	1	5	1
xx	173	4	4	2	1	—	11	2	5	20	23	37	39	16	12	5	—	—
xx phalus	11	6	3	—	—	—	9	2	—	—	—	—	—	—	—	—	—	—
xx	227	46	9	2	5	2	64	2	2	5	9	11	13	15	17	44	41	4
xx heart & Dropsy	142	2	1	—	—	—	4	2	4	2	2	6	11	11	31	37	29	3
xx lungs	274	58	26	4	11	2	101	6	3	7	2	8	10	10	20	48	38	21
xx tom. and Liver	119	10	2	—	3	—	15	5	1	3	1	4	10	12	24	29	14	1
xx Kidneys	18	—	—	—	—	1	1	1	—	2	1	1	4	1	3	2	1	1
xx ener. Organs	16	—	—	—	—	—	—	—	—	—	1	1	—	4	3	7	—	—
xx oints	13	—	—	—	—	—	—	—	2	—	2	2	—	4	4	1	—	—
xx skin	15	3	—	—	1	—	4	—	—	—	—	—	—	2	3	3	—	—
xx th and Metria	54	—	—	—	—	—	—	—	—	1	5	16	11	1	—	—	—	—
xx	4	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
xx violent Deaths	28	3	1	4	4	2	14	2	1	—	—	—	1	1	—	1	4	1
xx causes	236	135	9	3	5	1	153	4	4	—	4	3	3	3	12	17	17	7

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
140.—ROYSTON.																	
Mean Popul ⁿ , 1861-71	13008	355	363	332	365	370	1785	1652	1520	1341	1010	1001	1337	1156	905	573	196
TOTAL DEATHS	2397	608	178	51	50	24	906	84	41	55	62	109	119	164	203	302	287
Small-pox	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Measles	25	2	16	4	3	1	26	-	-	-	-	-	-	-	-	-	-
Scarlatina	71	4	11	11	11	9	49	25	1	-	-	1	-	-	-	-	-
Diphtheria	14	4	-	1	4	2	11	5	-	-	-	-	-	-	-	-	-
Whooping-cough	37	21	9	2	-	1	33	4	-	-	-	-	-	-	-	-	-
Typhus	89	2	2	1	2	3	9	6	10	9	6	17	7	5	11	7	1
Diarrhoea & Dysentery	104	69	18	1	-	-	79	1	-	-	-	-	2	1	2	1	1
Cholera	9	2	-	-	1	3	5	-	-	1	-	-	2	1	2	1	1
Other Zymotic Dis.	43	4	2	7	6	3	22	6	-	3	1	2	2	2	2	1	1
Cancer	46	-	1	-	-	1	2	-	-	-	-	-	7	5	11	13	8
Scrofula and Tuberc.	30	16	7	1	3	1	28	3	2	-	1	1	3	3	1	7	7
Phthisis	223	2	3	-	-	-	9	4	1	22	34	49	34	26	27	-	-
Hydrocephalus	44	11	17	3	2	-	33	10	1	-	-	-	-	-	-	-	-
Dis. of Brain	294	77	12	4	2	2	97	9	2	6	2	6	9	16	40	53	43
Dis. of Heart & Dropsy	165	2	1	-	-	-	3	2	2	3	5	5	10	24	32	44	32
Dis. of Lungs	321	98	48	8	8	1	139	22	2	1	2	5	13	26	24	35	27
Dis. of Stom. and Liver	180	17	-	1	-	1	19	2	4	4	5	5	10	26	18	25	23
Dis. of Kidneys	55	1	1	-	-	-	2	-	1	1	1	2	6	5	9	14	11
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	1	1	-	1	-	-	2	1	-
Dis. of Skin	8	6	-	1	-	-	7	1	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	97	8	3	2	6	-	19	6	14	4	4	8	6	7	12	13	4
Other Causes	665	371	28	1	1	-	299	2	-	-	1	1	6	8	6	42	148
141.—HITCHIN.																	
Mean Popul ⁿ , 1861-71	12636	383	355	349	351	368	1806	1647	1534	1202	932	1549	1390	1123	805	482	152
TOTAL DEATHS	2596	728	185	105	45	54	1007	98	59	53	57	110	138	107	217	309	232
Small-pox	18	3	1	-	-	-	4	-	3	-	1	3	2	2	1	2	-
Measles	37	12	14	10	5	3	42	12	1	-	-	1	-	-	-	-	-
Scarlatina	137	10	22	22	16	13	83	33	13	5	2	-	1	-	-	-	-
Diphtheria	6	-	-	-	1	1	2	1	1	-	-	-	-	-	1	-	-
Whooping-cough	56	29	11	7	4	5	56	-	-	-	-	-	-	-	-	-	-
Typhus	54	1	3	1	2	5	12	9	6	6	4	6	4	1	4	2	1
Diarrhoea & Dysentery	145	96	20	6	-	-	122	1	-	-	-	2	2	1	6	5	1
Cholera	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	79	20	10	7	2	1	40	6	6	3	-	4	3	3	10	5	2
Cancer	18	-	-	-	-	-	-	-	-	-	-	3	1	1	5	6	10
Scrofula and Tuberc.	51	18	8	6	2	-	34	3	3	3	2	3	1	1	1	-	-
Phthisis	217	4	2	-	-	-	6	4	6	17	28	45	48	40	21	2	-
Hydrocephalus	28	5	9	7	2	1	24	3	1	-	-	-	-	-	-	-	-
Dis. of Brain	333	140	9	7	-	8	169	10	8	2	-	5	14	17	30	57	33
Dis. of Heart & Dropsy	206	4	2	1	-	-	7	3	7	1	4	9	11	24	45	62	39
Dis. of Lungs	294	60	22	12	8	2	104	6	1	2	6	11	11	22	39	53	37
Dis. of Stom. and Liver	106	7	1	1	2	-	11	1	6	3	3	6	8	19	19	23	8
Dis. of Kidneys	48	-	1	1	-	-	2	-	-	2	1	-	11	6	6	15	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Dis. of Skin	5	1	1	1	-	-	3	-	-	-	-	-	1	1	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	-	-	-	-	1	7	4	1	-
Other Violent Deaths	70	1	3	3	2	-	9	2	4	7	3	9	13	10	6	1	-
Other Causes	698	316	46	18	1	-	376	4	3	-	2	3	4	12	15	63	212
142.—HERTFORD.																	
Mean Popul ⁿ , 1861-71	7946	215	186	204	200	180	985	1118	1038	752	605	950	846	696	522	315	104
TOTAL DEATHS	1487	280	98	46	42	28	494	65	33	30	45	82	107	105	143	171	170
Small-pox	29	3	4	-	2	1	10	5	2	1	3	2	5	1	-	-	-
Measles	40	9	10	4	7	2	32	6	1	-	1	-	-	-	-	-	-
Scarlatina	74	4	9	10	12	6	41	19	8	2	-	2	2	-	-	-	-
Diphtheria	4	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-
Whooping-cough	31	9	5	1	3	3	21	-	-	-	-	-	-	-	-	-	-
Typhus	63	-	1	4	5	3	13	7	7	9	6	1	6	3	5	4	1
Diarrhoea & Dysentery	72	32	15	2	1	1	51	-	-	-	-	2	2	2	-	9	1
Cholera	5	3	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1
Other Zymotic Dis.	37	4	1	6	2	2	13	5	2	1	3	1	1	4	5	5	5
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	1	5	9	4	-
Scrofula and Tuberc.	14	5	2	4	-	-	11	1	-	-	-	-	1	-	-	-	-
Phthisis	182	2	-	-	-	-	3	1	1	11	17	38	42	27	11	1	-
Hydrocephalus	8	1	3	1	2	-	7	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	181	69	10	8	2	-	84	7	1	1	3	7	5	6	19	28	37
Dis. of Heart & Dropsy	111	2	-	1	-	-	3	-	1	-	2	5	11	19	25	35	27
Dis. of Lungs	195	36	15	4	4	4	63	1	-	-	2	7	8	17	31	45	37
Dis. of Stom. and Liver	89	3	1	1	1	-	6	5	2	-	2	3	8	7	12	11	5
Dis. of Kidneys	20	-	-	-	-	-	-	1	-	-	1	2	3	1	3	8	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	64	5	2	2	3	3	19	4	7	1	2	1	2	10	7	2	-
Other Causes	510	63	20	8	-	2	118	2	-	-	1	2	3	5	12	35	35

III.] Causes of Death in the Ten Years 1861-70.—Females.

115

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

AUSES DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
		12499	357	355	333	351	333	1729	1604	1469	1015	911	1566	1387	1156	848	555	228	31
140.—ROYSTON.																			
Popul ⁿ , 61-71		2320	483	137	66	47	34	707	81	60	68	84	139	120	147	109	275	279	101
DEATHS-																			
x		20	9	10	2	2	-	23	3	-	-	-	-	-	-	-	-	-	-
a		77	8	8	12	16	9	53	17	5	1	-	1	-	-	-	-	-	-
ia		21	-	3	2	4	2	11	7	2	-	1	-	-	-	-	-	-	-
g-cough		58	18	16	2	1	-	87	1	-	-	-	-	-	-	-	-	-	-
& Dysentery		87	2	2	2	1	2	9	13	18	8	4	9	7	7	2	5	5	-
motie Dis.		100	50	20	7	-	-	77	-	-	-	2	-	1	-	-	8	10	2
		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
		50	3	6	4	5	6	24	4	1	1	1	3	2	1	2	6	2	2
and Tabes		94	-	-	-	-	1	1	-	-	1	-	1	6	21	39	19	6	-
phalus		45	10	9	3	-	2	21	4	1	5	3	3	5	32	-	-	-	-
halus		249	-	3	1	-	1	5	9	9	37	44	61	36	32	12	4	-	-
		22	18	1	-	-	-	19	1	2	-	-	-	-	-	-	-	-	-
rain		258	55	12	7	2	1	77	7	4	3	7	8	10	15	40	47	36	4
art & Dropsy		191	1	2	-	-	-	3	4	2	4	7	5	12	26	41	58	26	3
ungs		278	82	31	14	8	7	142	4	9	3	1	5	6	14	18	43	38	3
om. and Liver		114	11	1	-	3	-	15	2	2	1	2	11	10	10	27	21	13	-
idneys		21	-	1	-	-	-	-	-	2	1	2	3	2	3	5	1	-	-
ener. Organs		16	-	-	-	-	-	-	-	-	-	1	4	2	4	8	2	-	-
oints		6	-	-	-	1	-	1	-	-	1	-	1	1	1	-	1	-	-
kin		10	4	1	1	-	-	6	-	1	-	-	-	-	1	1	1	-	-
h and Metria		43	-	-	-	-	-	-	-	-	2	8	20	13	-	-	-	-	-
olent Deaths		25	6	1	3	3	-	13	-	1	-	1	2	2	-	-	2	4	-
uses		547	205	10	6	1	3	225	4	1	2	-	2	3	10	13	55	145	87

141.—HITCHIN.																			
Popul ⁿ , 61-71	13994	394	374	349	360	347	1824	1675	1540	1401	1248	1926	1538	1189	895	534	196	28	
DEATHS—	2903	574	170	91	63	44	942	105	80	85	111	171	139	127	204	311	248	82	
x	12	1	—	—	1	2	4	1	3	1	—	3	—	—	—	—	—	—	—
a	40	7	11	8	5	4	35	4	—	—	—	—	—	—	—	—	—	—	—
ria	167	13	25	25	19	17	99	42	23	2	—	1	—	—	—	—	—	—	—
g-cough	19	—	—	2	—	—	2	6	9	—	—	—	1	—	—	—	—	—	—
& Dysentery	54	23	13	9	4	1	50	4	—	—	—	—	—	—	—	—	—	—	—
motie Dis.	71	1	—	—	4	5	10	7	7	15	6	13	2	4	5	1	1	—	—
and Tabes	140	66	25	8	2	3	104	—	1	1	1	1	1	1	6	10	9	5	—
phalus	5	2	—	—	—	—	2	—	—	—	—	—	1	—	1	1	—	—	—
rain	62	8	6	7	4	2	27	5	2	2	4	2	1	1	4	11	3	—	—
eart & Dropsy	57	—	—	—	—	—	—	—	—	—	—	1	5	12	16	9	13	1	—
ungs	31	9	4	1	4	2	20	2	—	2	1	2	2	2	2	1	—	—	—
om. and Liver	298	6	4	—	1	1	12	3	16	36	55	85	44	27	16	4	—	—	—
idneys	21	9	4	2	1	1	17	2	1	1	—	—	—	—	—	—	—	—	—
ener. Organs	283	80	14	11	2	2	109	5	4	6	6	6	5	14	35	60	29	4	—
oints	205	—	—	—	1	—	1	5	6	5	7	13	20	16	51	89	22	—	—
kin	208	62	23	7	7	3	102	5	3	4	5	8	14	14	26	55	29	3	—
h and Metria	109	8	—	—	2	—	10	4	1	4	6	6	8	8	18	20	7	2	—
olent Deaths	16	1	—	—	—	—	1	—	—	—	—	2	2	2	3	3	3	—	—
uses	20	—	—	—	—	—	—	—	—	—	—	1	3	3	8	3	—	—	—
	2	—	—	—	—	—	1	—	—	—	—	2	—	—	1	2	8	1	—
	54	—	—	—	—	—	—	—	—	3	11	19	29	1	—	—	—	—	—
	21	3	5	1	8	—	12	3	1	1	1	1	1	1	—	2	3	—	—
	634	275	35	10	3	1	324	7	3	2	3	—	4	6	14	63	138	68	—

142.—HERTFORD.																			
Popul ⁿ , 61-71	7709	208	179	196	189	200	972	922	830	671	637	1041	889	720	551	330	132	14	
DEATHS—	1433	234	109	53	37	26	459	54	27	39	31	86	92	99	136	179	178	53	
x	24	6	5	2	1	1	15	1	1	—	—	4	3	—	—	—	—	—	—
a	35	2	12	6	6	4	30	4	1	—	—	—	—	—	—	—	—	—	—
ia	62	2	7	12	8	5	34	13	6	1	1	2	—	—	1	—	—	—	—
g-cough	10	—	—	—	2	4	6	3	—	—	—	—	—	—	—	—	—	—	—
& Dysentery	31	13	13	3	2	—	31	—	—	—	—	—	—	—	—	—	—	—	—
motie Dis.	69	2	2	5	3	4	16	—	7	4	8	—	6	5	5	3	4	—	—
and Tabes	65	29	6	1	—	—	36	2	1	—	—	1	2	2	1	6	8	1	—
phalus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
rain	23	2	—	3	3	2	10	—	2	—	—	1	—	3	1	8	2	1	—
eart & Dropsy	48	—	—	—	—	—	—	—	—	—	—	1	—	8	13	15	10	5	—
ungs	11	2	2	1	—	—	5	1	—	2	1	4	27	17	10	2	1	—	—
om. and Liver	127	3	3	—	—	—	6	1	3	16	—	—	—	—	—	—	—	—	—
idneys	8	1	3	1	2	—	7	—	1	—	—	—	—	—	—	—	—	—	—
ener. Organs	180	55	9	2	2	1	69	4	2	3	3	4	5	9	24	28	26	6	—
oints	104	—	—	—	—	—	2	1	—	4	4	9	10	12	23	26	11	—	—
kin	181	25	29	8	5	4	71	5	—	5	5	2	13	8	21	28	23	7	—
h and Metria	82	6	1	—	—	—	8	—	1	—	2	4	5	19	18	17	8	—	—
olent Deaths	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
uses	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	7	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	313	83	15	7	—	—	105	3	1	—	—	—	3	8	13	68	60	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
		143.—HATFIELD.																
Mean Popul ⁿ , 1861-71		4279	117	123	126	106	111	583	529	488	413	320	519	486	404	304	170	55
TOTAL DEATHS -		794	161	30	24	13	9	243	23	18	14	26	46	53	76	55	122	87
Small-pox -		5	-	1	-	-	-	1	1	-	-	-	2	-	1	-	-	-
Measles -		14	2	2	3	3	1	11	3	-	-	-	-	-	-	-	-	-
Scarlatina -		17	-	1	3	1	3	8	5	2	-	1	-	1	-	-	-	-
Diphtheria -		5	-	-	1	2	-	3	1	-	-	-	-	-	1	-	-	-
Whooping-cough -		8	3	5	-	-	-	8	-	-	-	-	-	-	-	-	-	-
Typhus -		31	3	-	2	2	-	7	2	4	1	1	5	4	-	-	-	-
Diarrhoea & Dysentery -		24	11	2	3	-	-	16	1	-	-	-	1	1	1	-	-	-
Cholera -		3	1	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		26	5	1	2	1	1	10	-	-	2	2	1	2	4	2	1	3
Cancer -		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tubercles -		6	2	1	1	1	-	5	-	-	-	-	-	-	-	-	-	-
Phthisis -		74	-	-	-	-	-	-	-	4	6	14	14	18	13	5	-	-
Hydrocephalus -		4	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -		95	27	3	1	-	1	32	1	2	1	-	2	3	5	7	30	9
Dis. of Heart & Dropsy -		55	2	-	1	-	-	3	1	-	2	-	2	3	14	11	19	5
Dis. of Lungs -		125	27	11	4	3	1	46	1	-	2	-	5	9	11	13	21	14
Dis. of Stom. and Liver -		44	5	1	-	-	1	7	4	-	-	-	6	1	4	5	10	3
Dis. of Kidneys -		21	-	-	-	-	-	-	-	-	-	-	-	1	3	5	5	6
Dis. of Gener. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Dis. of Skin -		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris Suicide -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		43	3	1	1	-	-	5	2	2	2	-	4	5	4	9	12	2
Other Causes -		172	60	6	1	-	-	73	-	-	-	-	-	5	3	20	28	2

144.—ST. ALBANS.																		
Mean Popul ⁿ , 1861-71		9320	273	254	258	250	229	1264	1181	1045	897	713	1237	1018	892	601	349	122
TOTAL DEATHS -		1985	538	100	40	33	14	743	30	21	51	52	113	126	147	174	119	205
Small-pox -		12	3	-	-	-	-	3	1	-	2	2	4	-	-	-	-	-
Measles -		33	-	16	3	8	1	28	4	-	-	-	1	-	-	-	-	-
Scarlatina -		33	5	5	4	4	3	21	7	1	4	-	-	-	-	-	-	-
Diphtheria -		4	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough -		46	23	11	5	2	1	44	2	-	-	-	-	-	-	-	-	-
Typhus -		65	4	-	-	3	4	11	1	1	6	8	11	8	7	7	4	1
Diarrhoea & Dysentery -		89	62	8	-	1	-	71	-	-	-	-	1	1	-	3	9	7
Cholera -		8	3	-	1	-	-	4	-	1	-	-	-	-	1	3	2	-
Other Zymotic Dis. -		46	7	7	3	3	-	20	6	-	2	1	3	2	1	3	6	6
Cancer -		22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tubercles -		51	23	7	4	-	-	34	3	2	3	4	-	1	2	6	7	3
Phthisis -		190	5	2	3	1	-	11	4	2	12	17	48	40	31	15	6	4
Hydrocephalus -		19	3	3	4	2	-	18	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -		208	110	9	5	1	1	126	2	3	4	2	11	12	28	24	44	41
Dis. of Heart & Dropsy -		133	2	-	1	1	-	4	1	3	5	4	12	12	21	29	21	1
Dis. of Lungs -		285	64	19	9	6	-	98	4	3	3	2	8	15	22	25	44	41
Dis. of Stom. and Liver -		89	14	4	1	-	-	19	1	1	1	2	2	6	10	19	39	7
Dis. of Kidneys -		27	-	-	-	-	-	-	-	-	-	-	-	1	3	1	6	7
Dis. of Gener. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		4	1	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-
Dis. of Skin -		15	2	2	-	-	-	4	-	1	-	-	-	2	1	2	5	-
Childbirth and Metris Suicide -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		72	1	6	2	1	3	13	1	1	5	9	6	12	4	3	4	1
Other Causes -		351	198	10	2	-	1	211	-	-	2	-	3	8	7	16	29	27

145.—WATFORD.																		
Mean Popul ⁿ , 1861-71		11554	311	295	297	312	284	1499	1408	1341	1077	889	1595	1324	1044	776	437	146
TOTAL DEATHS -		2316	563	160	73	41	39	876	81	55	43	42	120	176	174	207	294	197
Small-pox -		9	3	-	1	1	-	5	-	2	-	-	1	1	-	-	-	-
Measles -		30	6	9	3	1	5	24	5	1	-	-	-	-	-	-	-	-
Scarlatina -		55	1	10	9	6	4	30	15	6	2	1	-	-	-	-	-	-
Diphtheria -		27	2	6	2	2	3	15	6	2	-	-	2	1	1	-	-	-
Whooping-cough -		56	31	16	7	1	-	55	1	-	-	-	-	-	-	-	-	-
Typhus -		80	6	3	2	3	3	17	9	8	7	3	5	9	6	11	3	3
Diarrhoea & Dysentery -		68	51	8	-	-	-	59	-	-	-	-	-	-	1	2	2	4
Cholera -		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		72	7	6	5	6	10	34	6	3	2	8	4	7	2	1	5	3
Cancer -		30	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Scrophula and Tubercles -		24	8	6	2	2	-	18	-	-	1	-	2	4	2	10	7	3
Phthisis -		268	10	5	1	1	1	18	6	7	14	15	52	42	50	53	1	1
Hydrocephalus -		42	19	11	4	4	1	30	2	1	-	-	-	-	-	-	-	-
Dis. of Brain -		236	108	17	10	1	4	140	5	5	2	2	10	14	16	32	65	29
Dis. of Heart & Dropsy -		137	2	3	-	-	-	5	2	1	3	7	6	16	25	31	45	16
Dis. of Lungs -		349	95	33	18	8	4	158	9	6	1	2	12	20	23	39	46	16
Dis. of Stom. and Liver -		83	13	1	-	-	-	14	3	2	1	1	1	12	14	17	13	7
Dis. of Kidneys -		59	-	-	-	1	1	2	-	1	-	-	6	4	6	16	15	7
Dis. of Gener. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		10	-	-	-	-	-	-	2	1	1	-	-	-	-	2	1	-
Dis. of Skin -		10	3	1	-	-	-	4	-	-	-	-	-	-	1	1	3	-
Childbirth and Metris Suicide -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		91	2	1	1	1	2	7	6	6	5	7	2	13	3	4	7	2
Other Causes -		451	195	24	8	3	1	231	4	1	-	-	2	7	5	9	28	28

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
143.—HATFIELD.																			
Popul ⁿ , 1861-71.		4236	109	101	101	108	117	536	527	465	363	341	601	476	385	279	183	70	10
DEATHS.		745	139	41	20	12	7	219	24	13	23	26	45	63	41	59	104	102	26
- - -		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
- - -		17	5	5	-	-	3	13	2	1	-	-	1	-	-	-	-	-	-
- - -		22	2	1	0	4	-	13	6	2	-	-	-	1	-	-	-	-	-
- - -		3	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-
- - -		9	3	5	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-
- - -		34	1	1	-	-	-	2	4	2	5	5	3	5	2	2	3	1	-
- - -		28	14	6	-	-	-	20	1	-	-	-	1	-	-	1	-	4	1
- - -		5	2	1	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-
- - -		15	1	1	3	1	2	8	1	-	1	-	1	-	-	1	2	1	-
- - -		25	-	-	-	-	-	-	-	-	-	-	-	5	6	5	6	4	-
- - -		4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
- - -		70	1	1	-	-	-	2	2	1	1	7	11	20	17	6	4	-	-
- - -		19	5	1	-	2	-	8	1	1	-	-	-	-	-	-	-	-	-
- - -		53	18	4	2	-	1	25	1	-	3	-	3	5	4	12	19	19	4
- - -		61	-	-	-	-	-	17	2	-	2	-	2	5	9	14	18	9	-
- - -		109	28	7	3	1	-	39	2	2	1	-	4	7	9	22	22	9	3
- - -		39	4	-	-	-	-	4	1	1	-	-	-	4	4	8	7	6	1
- - -		3	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
- - -		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -		2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
- - -		2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-
- - -		12	-	-	-	-	-	-	-	2	3	4	2	-	-	-	-	-	-
- - -		4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
- - -		15	2	1	1	2	-	6	-	-	-	-	-	2	-	-	2	1	-
- - -		159	51	7	3	2	-	63	-	-	1	2	-	1	4	2	22	46	16
144.—ST. ALBANS.																			
Popul ⁿ , 1861-71.		10683	266	238	257	254	261	1276	1181	1124	1025	1036	1544	1210	968	696	425	174	24
DEATHS.		1962	406	121	72	36	18	653	54	35	75	77	117	143	133	169	232	207	67
- - -		6	1	1	1	-	-	3	-	-	-	2	1	-	-	-	-	-	-
- - -		27	1	11	5	4	-	21	4	2	-	-	-	-	-	-	-	-	-
- - -		48	2	7	10	3	7	29	12	6	-	-	-	1	-	-	-	-	-
- - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -		56	21	12	10	3	2	53	3	-	-	-	-	-	-	-	-	-	-
- - -		96	2	2	3	3	5	17	6	7	13	12	6	8	8	9	6	2	-
- - -		88	59	9	4	-	-	61	-	-	-	-	-	1	-	1	1	9	1
- - -		4	1	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-
- - -		31	5	4	-	3	-	12	3	3	2	1	3	2	1	4	3	-	-
- - -		63	-	-	-	-	-	-	-	-	-	-	-	14	16	15	11	6	1
- - -		44	21	12	2	-	1	36	2	2	2	-	1	-	1	-	-	-	-
- - -		214	3	-	-	1	1	5	3	6	35	35	44	39	21	10	5	9	2
- - -		19	6	6	1	3	-	16	3	-	-	-	-	-	-	-	-	-	-
- - -		317	93	15	11	4	1	124	6	4	7	4	10	8	16	28	47	50	13
- - -		173	2	1	-	-	-	3	4	3	3	6	14	21	32	38	22	1	-
- - -		273	47	20	11	8	1	93	2	1	2	7	13	11	19	31	44	37	13
- - -		94	5	-	2	2	-	9	-	-	2	4	5	7	13	26	16	19	2
- - -		11	-	-	-	-	-	-	-	1	-	-	2	2	1	2	3	-	-
- - -		17	-	-	-	-	-	-	-	-	-	-	2	5	4	4	-	-	-
- - -		5	-	2	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
- - -		19	4	-	1	-	-	5	-	-	-	-	2	-	1	1	1	-	-
- - -		52	-	-	-	-	-	-	-	6	5	16	25	-	-	-	-	-	-
- - -		6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
- - -		22	2	4	3	1	-	10	4	-	1	-	-	2	2	2	2	-	-
- - -		283	135	9	6	1	-	161	2	-	-	1	3	2	3	6	22	69	34
145.—WATFORD.																			
Popul ⁿ , 1861-71.		12210	317	272	301	293	285	1468	1482	1254	1048	1022	1799	1452	1139	831	505	182	28
DEATHS.		2113	406	139	72	56	36	769	81	51	54	54	133	116	136	191	255	194	79
- - -		12	2	3	2	1	-	8	1	-	-	-	1	-	-	1	-	-	-
- - -		23	3	8	2	3	4	20	3	-	-	-	-	-	-	-	-	-	-
- - -		67	4	10	10	14	3	41	19	7	-	-	-	-	-	-	-	-	-
- - -		19	-	2	-	7	2	11	5	2	-	-	1	-	-	-	-	-	-
- - -		53	23	23	7	4	-	57	1	-	-	-	-	-	-	-	-	-	-
- - -		76	2	1	6	2	3	14	9	7	10	2	5	8	10	7	2	2	-
- - -		75	55	10	-	1	-	66	-	-	-	-	1	1	1	2	5	1	-
- - -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -		94	8	6	6	5	3	23	4	2	2	2	2	4	2	5	1	-	-
- - -		53	-	-	-	-	-	-	-	-	-	-	2	1	11	16	12	3	1
- - -		15	7	2	-	1	-	10	1	3	-	-	-	-	7	10	2	-	-
- - -		247	12	4	5	5	1	25	5	13	31	28	70	54	59	10	-	-	-
- - -		51	15	2	3	1	2	23	5	2	-	-	-	-	-	-	-	-	-
- - -		283	90	13	7	2	5	117	5	-	4	3	8	7	17	34	52	29	7
- - -		182	2	1	4	1	3	11	2	5	1	3	8	12	19	47	46	22	-
- - -		309	76	28	15	6	4	127	9	4	9	5	8	23	23	38	37	33	8
- - -		66	11	-	-	1	2	15	-	-	1	4	5	10	10	15	17	7	2
- - -		15	-	-	-	1	-	1	-	1	-	-	1	3	1	5	5	-	-
- - -		15	-	-	-	-	-	-	-	-	1	-	1	1	6	3	3	-	-
- - -		14	1	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-
- - -		6	4	-	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-
- - -		28	-	-	-	-	-	-	-	-	-	8	-	14	-	1	-	-	-
- - -		51	1	3	2	1	2	9	-	-	-	-	-	1	1	2	3	3	-
- - -		400	139	23	4	2	2	181	2	1	-	-	4	4	3	13	59	68	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	
146.—HEMEL HEMPSTEAD.																	
Mean Popul ⁿ , 1861-71		6792	209	182	196	181	181	949	878	785	706	549	841	718	623	415	238
TOTAL DEATHS -		1479	394	101	58	37	20	610	66	24	32	42	90	91	110	122	131
Small-pox -		19	4	-	1	-	1	6	1	2	1	2	1	1	3	1	1
Measles -		12	2	6	1	1	1	11	1	-	-	-	-	-	-	-	-
Scarlatina -		64	2	7	10	13	7	38	21	8	2	-	-	-	-	-	-
Diphtheria -		14	-	3	4	2	1	10	3	-	-	-	1	-	-	-	-
Whooping-cough -		24	8	10	9	2	1	23	1	-	-	-	-	-	-	-	-
Typhus -		54	2	1	3	3	7	10	7	4	2	2	7	8	4	3	3
Diarrhoea & Dysentery -		63	37	12	-	-	1	59	-	-	-	1	1	1	-	2	2
Cholera -		2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		28	2	4	4	4	1	15	3	-	-	1	1	2	1	2	3
Cancer -		30	-	-	-	-	-	-	-	-	-	2	-	-	7	5	2
Scrofula and Tuberc. -		31	12	7	2	1	-	23	1	1	1	2	-	-	1	2	2
Phthisis -		182	1	-	2	1	-	4	4	1	5	15	41	25	22	19	8
Hydrocephalus -		16	6	1	4	2	2	13	-	-	-	-	-	-	-	-	-
Dis. of Brain -		196	62	8	5	1	1	77	5	4	2	4	6	13	12	25	29
Dis. of Heart & Dropsy -		92	-	-	-	-	-	1	-	-	2	2	4	5	10	20	29
Dis. of Lungs -		217	63	24	12	4	-	104	6	1	4	2	9	9	20	20	20
Dis. of Stom. and Liver -		61	12	3	2	1	-	18	1	3	1	1	6	9	8	4	5
Dis. of Kidneys -		21	-	-	-	-	-	-	-	-	1	2	-	4	4	5	9
Dis. of Gener. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Dis. of Joints -		10	-	1	-	-	-	1	-	1	3	-	-	-	1	3	-
Dis. of Skin -		5	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Childbirth and Metria -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		86	7	3	4	2	1	17	11	3	-	6	10	9	8	6	6
Other Causes -		319	171	11	1	1	1	184	1	1	-	-	1	4	3	11	23
147.—BERKHAMPSTEAD.																	
Mean Popul ⁿ , 1861-71		6392	193	187	168	185	170	903	843	773	634	483	802	681	552	407	238
TOTAL DEATHS -		1362	407	97	63	38	28	633	40	29	20	21	60	75	78	109	144
Small-pox -		7	1	1	-	-	-	2	-	2	-	-	-	2	-	1	-
Measles -		7	1	3	1	2	-	2	-	-	-	-	-	-	-	-	-
Scarlatina -		76	5	7	11	14	14	31	19	3	-	1	2	-	-	-	-
Diphtheria -		3	-	-	1	-	-	1	-	3	-	1	1	-	-	1	-
Whooping-cough -		32	13	8	4	5	1	31	1	-	-	-	-	-	-	-	-
Typhus -		41	-	8	2	1	1	1	9	1	1	4	4	6	1	3	3
Diarrhoea & Dysentery -		75	45	13	6	2	-	66	-	-	-	-	-	1	1	1	2
Cholera -		10	6	1	-	-	-	7	-	-	-	-	-	-	1	1	-
Other Zymotic Dis. -		53	6	3	4	2	4	19	4	-	-	1	-	-	2	6	1
Cancer -		13	-	-	-	-	-	-	-	-	1	-	1	1	3	3	2
Scrofula and Tuberc. -		21	5	4	3	1	2	15	2	2	-	-	-	1	1	1	-
Phthisis -		104	2	1	1	-	-	4	1	5	10	8	27	20	15	9	3
Hydrocephalus -		31	14	7	3	-	1	25	4	2	-	-	-	-	-	-	-
Dis. of Brain -		162	47	7	7	4	2	67	-	3	2	2	6	13	15	14	27
Dis. of Heart & Dropsy -		88	3	1	-	-	-	4	1	1	1	1	4	4	13	18	30
Dis. of Lungs -		196	64	22	13	3	1	105	1	3	2	-	2	9	11	16	28
Dis. of Stom. and Liver -		45	8	-	-	1	-	9	1	1	-	2	2	4	3	12	6
Dis. of Kidneys -		34	-	-	-	-	-	-	2	1	-	-	1	6	6	9	7
Dis. of Gener. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
Dis. of Skin -		5	3	1	-	-	-	4	-	-	-	-	-	-	-	-	1
Childbirth and Metria -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		50	8	3	2	2	1	11	3	4	3	1	8	5	3	8	4
Other Causes -		318	131	12	3	1	1	198	1	-	-	-	1	2	2	4	28
148.—AMERSHAM.																	
Mean Popul ⁿ , 1861-71		8974	268	246	255	253	240	1262	1131	1092	846	676	1102	941	799	601	376
TOTAL DEATHS -		1941	543	166	58	48	17	832	62	32	31	47	86	93	104	155	224
Small-pox -		6	2	-	-	-	-	2	-	-	-	-	1	1	1	1	-
Measles -		34	5	14	7	3	1	30	4	-	-	-	-	-	-	-	-
Scarlatina -		50	4	4	2	9	4	23	19	6	2	-	-	-	-	-	-
Diphtheria -		13	-	-	1	4	3	8	3	-	-	-	-	1	-	-	1
Whooping-cough -		53	22	15	9	3	1	49	3	-	-	-	1	-	-	-	-
Typhus -		50	3	1	-	1	-	5	5	3	2	6	6	9	2	8	3
Diarrhoea & Dysentery -		70	30	14	3	1	1	55	1	-	-	-	1	1	-	2	5
Cholera -		2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		58	5	12	4	6	1	23	8	2	-	-	-	2	2	3	7
Cancer -		30	-	-	-	-	1	1	-	-	-	-	-	2	3	12	8
Scrofula and Tuberc. -		57	29	12	2	2	1	45	2	1	3	-	1	2	2	1	-
Phthisis -		162	3	1	2	1	-	7	5	3	10	25	35	23	26	17	8
Hydrocephalus -		62	31	20	5	3	-	59	3	-	-	-	-	-	-	-	-
Dis. of Brain -		220	68	10	2	4	1	85	-	3	1	2	4	4	10	21	43
Dis. of Heart & Dropsy -		139	-	2	-	-	-	2	1	-	1	1	5	4	13	27	44
Dis. of Lungs -		234	85	32	13	7	1	138	2	3	2	4	13	12	11	28	35
Dis. of Stom. and Liver -		101	23	1	2	1	-	27	1	4	2	3	5	11	16	11	13
Dis. of Kidneys -		40	-	-	-	-	-	-	1	1	-	-	2	5	2	5	14
Dis. of Gener. Organs -		11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		11	-	1	-	-	-	1	-	-	2	3	-	1	-	-	-
Dis. of Skin -		10	3	2	-	-	-	5	-	-	-	-	-	-	-	-	1
Childbirth and Metria -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		55	8	4	1	1	1	14	1	4	-	-	2	2	1	2	3
Other Causes -		427	217	20	5	4	1	247	3	1	-	-	1	2	9	11	21

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		Year.					Years.											as above.
146.—HEMEL HEMPSTEAD.																		
Population 1861-71	7522	190	186	187	197	194	954	873	821	709	663	1126	876	674	463	251	99	13
Total Deaths	1365	310	89	41	45	17	502	43	24	42	63	91	105	100	100	148	121	26
Pox	15	2	2	—	—	—	4	1	—	3	—	2	—	4	1	—	—	—
Scalds	12	1	6	2	3	—	12	—	—	—	—	—	—	—	—	—	—	—
Influenza	33	5	5	12	10	3	35	15	3	—	—	—	—	—	—	—	—	—
Erysipelas	11	3	3	—	1	—	8	3	—	—	—	—	—	—	—	—	—	—
Croup	23	11	8	2	3	—	24	2	—	—	—	—	—	—	—	—	—	—
Whooping Cough	60	—	1	6	6	—	13	5	3	7	4	5	11	4	2	4	2	1
Dysentery	55	34	10	4	1	—	49	—	—	1	—	—	1	—	—	2	1	1
Zymotic Dis.	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Consumption	30	7	3	—	5	—	15	2	1	—	1	—	2	1	3	3	4	—
Scrophulous	38	—	—	—	—	—	—	—	—	—	—	3	6	4	13	8	4	—
Brain	20	7	7	1	—	1	16	2	—	—	—	2	2	—	—	—	—	—
Heart & Dropsy	164	1	—	1	—	—	3	—	6	15	29	51	32	14	6	6	2	—
Lungs	13	6	4	—	1	—	11	2	—	—	—	—	—	—	—	—	—	—
Stomach and Liver	142	31	6	4	2	2	45	4	3	1	2	4	6	13	19	31	11	3
Kidneys	110	1	—	—	—	—	2	1	1	2	6	3	9	22	21	30	10	3
General Organs	203	53	21	10	10	1	95	2	3	3	6	3	8	17	19	24	21	2
Joint	72	12	1	2	—	1	16	2	3	3	2	5	5	9	8	14	5	—
Skin	18	—	—	—	—	—	—	—	—	2	3	1	2	5	2	1	3	—
Birth and Metris	8	—	—	—	—	—	—	—	—	—	—	2	3	1	—	—	—	—
Violent Deaths	7	—	—	—	—	—	—	—	—	2	1	1	3	1	—	—	—	—
Causes	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Total Deaths	25	—	—	—	—	—	—	—	—	1	7	7	10	—	—	—	—	—
Causes	19	7	1	2	1	1	12	2	1	1	—	1	1	1	—	—	—	—
Total Deaths	256	128	10	—	1	—	139	—	1	—	2	1	6	3	4	24	20	13
147.—BERKHAMSTEAD.																		
Population 1861-71	7250	193	204	166	189	171	923	840	798	722	646	1057	834	644	440	250	84	12
Total Deaths	1420	316	100	63	34	18	531	52	30	35	57	95	85	74	133	167	121	42
Pox	3	—	—	—	1	—	1	—	—	1	—	1	—	—	—	—	—	—
Scalds	11	3	6	1	1	—	11	—	—	—	—	—	—	—	—	—	—	—
Influenza	71	5	10	14	8	4	41	18	8	—	—	3	—	1	—	—	—	—
Erysipelas	3	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—
Croup	44	15	11	10	4	2	42	2	—	—	—	—	—	—	—	—	—	—
Whooping Cough	48	—	1	—	1	1	3	3	7	11	4	6	6	5	3	—	—	—
Dysentery	80	46	14	2	1	1	64	—	—	—	1	—	1	3	3	3	4	1
Zymotic Dis.	11	6	2	—	—	—	8	—	—	—	—	—	1	—	1	—	—	—
Consumption	18	4	—	4	—	1	9	1	—	—	—	3	—	3	2	—	—	—
Scrophulous	36	—	—	—	—	—	—	1	—	—	—	4	4	10	8	9	—	—
Brain	26	10	4	4	1	—	19	1	—	—	—	—	—	—	1	1	—	—
Heart & Dropsy	150	—	2	2	3	2	7	5	5	15	25	58	29	11	12	3	—	—
Lungs	22	7	5	4	2	2	20	2	—	—	—	—	—	—	—	—	—	—
Stomach and Liver	143	35	3	5	1	2	46	7	4	—	4	5	3	12	19	27	14	2
Kidneys	136	—	—	—	1	—	2	4	—	1	—	8	9	11	39	37	15	1
General Organs	181	49	22	6	9	4	90	4	3	—	3	2	7	7	16	32	15	3
Joint	72	3	—	2	—	—	5	1	1	—	5	3	10	6	17	18	5	1
Skin	23	—	1	—	—	—	1	1	—	1	2	4	3	4	5	1	—	—
Birth and Metris	8	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Violent Deaths	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Causes	23	4	2	1	—	—	7	—	1	—	—	1	—	—	1	3	1	1
Total Deaths	285	129	14	7	1	—	151	1	1	—	—	1	—	2	4	31	20	14
148.—AMERSHAM.																		
Population 1861-71	9401	292	244	257	249	252	1294	1118	1084	797	775	1214	1015	889	654	405	140	16
Total Deaths	1928	392	151	91	47	27	708	69	45	39	65	113	116	105	169	247	197	55
Pox	3	—	—	1	—	1	2	—	—	—	—	1	—	—	—	—	—	—
Scalds	45	2	17	13	6	3	41	4	—	—	—	—	—	—	—	—	—	—
Influenza	89	8	5	15	9	5	57	19	4	—	—	—	—	—	—	—	—	—
Erysipelas	10	—	—	3	2	2	7	—	2	1	—	—	—	—	—	—	—	—
Croup	56	24	19	9	3	1	56	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough	35	1	—	5	3	1	10	5	8	3	7	6	7	3	5	1	4	—
Dysentery	90	24	12	3	1	—	40	2	1	—	—	3	—	—	—	—	—	—
Zymotic Dis.	53	6	9	9	5	1	30	5	—	2	1	—	1	1	6	5	4	6
Consumption	69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophulous	46	11	5	3	1	2	22	4	3	3	3	3	13	14	13	17	9	—
Brain	198	2	1	2	—	—	8	5	14	18	27	52	32	15	17	7	8	—
Heart & Dropsy	40	22	9	5	1	3	40	5	1	—	—	—	—	—	—	—	—	—
Lungs	212	56	9	3	4	2	54	5	3	5	7	9	9	12	23	54	24	6
Stomach and Liver	129	—	—	—	1	1	3	—	1	1	2	4	13	18	25	37	25	5
Kidneys	249	65	32	9	6	3	115	6	2	1	2	3	3	6	26	46	35	8
General Organs	111	7	2	1	2	—	12	6	1	1	2	5	9	18	29	24	4	—
Joint	24	—	—	—	—	—	—	—	1	—	1	4	3	6	2	6	1	—
Skin	18	—	—	—	—	—	—	—	—	1	1	1	6	4	5	—	—	—
Birth and Metris	3	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	29	4	3	2	—	1	10	2	1	—	—	—	—	—	—	—	—	—
Causes	413	184	25	9	1	—	219	1	1	—	—	4	4	1	6	15	13	13

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	Total under 5 Years.	Total under 1 Year.		
		Total under 1 Year.											Total under 5 Years.									
			1	2	3	4	5	6	7	8	9	10		11	12	13	14	15				
149.—ETON.																						
Mean Popul ⁿ , 1861-71		11540	325	293	315	303	293	1529	1438	1424	1126	913	1515	1266	1007	736	430	138	18			
TOTAL DEATHS—		2282	530	129	66	40	27	792	86	45	50	76	128	150	179	233	274	212	37			
Small-pox		18	3	1	—	—	—	4	—	2	—	8	6	3	—	—	—	—	—			
Measles		56	7	12	7	3	—	29	7	—	—	—	—	—	—	—	—	—	—			
Scarlatina		78	3	12	10	11	7	43	29	4	—	8	—	—	—	—	—	—	—			
Diphtheria		7	1	1	2	—	—	4	1	1	—	—	—	—	—	—	—	—	—			
Whooping-cough		23	14	6	—	2	1	23	—	—	—	—	—	—	—	—	—	—	—			
Typhus		80	2	2	—	1	2	7	10	7	10	9	7	6	5	7	3	2	1			
Diarrhoea & Dysentery		78	53	10	3	1	—	67	—	—	—	—	—	—	1	1	3	—	—			
Cholera		4	3	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—			
Other Zymotic Dis.		61	9	4	2	7	4	26	4	1	—	2	2	4	4	8	3	2	—			
Cancer		30	—	—	—	—	—	—	—	1	—	1	—	2	3	7	9	6	1			
Scrophula and Tuberc.		34	16	6	2	1	—	34	1	1	—	1	1	2	1	3	—	—	—			
Phthisis		279	7	—	5	2	—	14	4	4	15	83	62	70	43	28	3	1	—			
Hydrocephalus		31	8	10	5	1	3	27	3	1	—	—	—	—	—	—	—	—	—			
Dis. of Brain		244	59	11	5	1	2	78	3	1	6	4	10	16	15	36	30	24	3			
Dis. of Heart & Dropsy		154	9	—	1	—	1	11	2	2	5	4	6	14	39	32	17	3	—			
Dis. of Lungs		351	82	30	11	4	9	159	14	4	2	4	12	10	32	37	55	43	10			
Dis. of Stom. and Liver		127	14	4	3	—	—	21	2	7	1	1	6	9	19	27	20	12	3			
Dis. of Kidneys		51	—	—	—	1	1	2	1	1	1	1	5	1	5	13	18	6	—			
Dis. of Gener. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Dis. of Joints		8	1	—	—	—	—	1	—	—	2	1	1	—	1	1	1	—	—			
Dis. of Skin		3	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—			
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Suicide		15	—	—	—	—	—	—	—	—	—	1	—	1	6	3	2	2	—			
Other Violent Deaths		95	9	9	4	4	2	28	5	7	8	5	6	11	12	7	4	1	1			
Other Causes		477	229	11	5	1	2	248	3	1	—	1	4	8	10	16	61	91	24			
150.—WYCOMBE.																						
Mean Popul ⁿ , 1861-71		18205	586	525	512	510	493	2626	2335	2130	1843	1425	2361	1913	1475	1139	696	235	26			
TOTAL DEATHS—		3787	1099	306	170	89	50	1714	140	71	86	91	164	162	215	277	405	329	106			
Small-pox		24	5	2	1	—	—	8	2	2	1	2	4	2	2	1	—	—	—			
Measles		62	6	25	15	8	1	56	5	—	—	—	—	—	—	—	—	—	—			
Scarlatina		133	12	18	24	20	10	84	28	8	2	—	3	—	1	—	—	—	—			
Diphtheria		23	3	—	2	3	2	10	5	2	2	1	1	—	1	1	—	—	—			
Whooping-cough		72	38	20	9	1	1	69	3	—	—	—	—	—	—	—	—	—	—			
Typhus		132	3	5	9	5	4	26	16	15	18	12	13	7	5	6	10	4	—			
Diarrhoea & Dysentery		140	80	21	8	1	2	112	—	1	1	—	—	—	—	2	10	9	—			
Cholera		8	2	—	—	—	—	2	1	—	1	—	—	1	1	2	2	—	—			
Other Zymotic Dis.		105	10	13	12	11	6	62	15	2	5	2	2	2	5	7	8	5	2			
Cancer		42	—	—	—	—	1	1	—	—	1	—	—	2	14	5	18	5	1			
Scrophula and Tuberc.		105	45	26	5	1	1	78	5	1	5	2	4	5	1	3	1	—	—			
Phthisis		298	16	12	3	4	2	37	5	4	16	46	69	60	37	18	3	1	—			
Hydrocephalus		56	23	9	14	2	2	50	5	1	—	—	—	—	—	—	—	—	—			
Dis. of Brain		413	119	41	12	8	3	183	7	7	5	7	15	15	16	51	63	24	7			
Dis. of Heart & Dropsy		207	4	4	1	1	—	10	3	4	6	2	11	15	22	40	35	21	6			
Dis. of Lungs		562	148	47	28	8	5	236	12	2	6	4	13	19	45	53	65	29	8			
Dis. of Stom. and Liver		151	19	3	5	4	2	33	3	1	3	2	4	11	18	26	40	8	2			
Dis. of Kidneys		58	—	1	1	—	—	2	—	—	3	3	3	7	4	13	7	12	4			
Dis. of Gener. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Dis. of Joints		12	—	—	—	1	—	1	1	1	1	1	3	2	—	2	3	—	—			
Dis. of Skin		15	4	—	—	—	—	4	—	—	—	—	2	—	—	3	2	—	—			
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Suicide		8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Violent Deaths		125	16	5	7	2	3	53	6	16	10	5	9	5	16	14	7	9	—			
Other Causes		1092	546	53	14	9	3	627	8	—	—	4	7	8	16	29	104	213	71			
151.—AYLESBURY.																						
Mean Popul ⁿ , 1861-71		11750	346	322	311	303	321	1603	1429	1332	1144	879	1416	1208	1099	849	559	211	21			
TOTAL DEATHS—		2681	648	155	93	55	47	998	97	53	60	93	135	155	140	246	330	294	71			
Small-pox		10	1	—	—	—	—	1	1	—	1	3	1	—	1	1	1	—	—			
Measles		20	5	9	4	—	2	20	—	—	—	—	—	—	—	—	—	—	—			
Scarlatina		140	11	16	21	26	23	97	40	4	4	1	—	1	—	—	—	—	—			
Diphtheria		11	6	—	—	1	—	7	2	—	2	—	—	—	—	—	—	—	—			
Whooping-cough		45	28	10	3	3	1	45	—	—	—	—	—	—	—	—	—	—	—			
Typhus		92	3	3	8	3	1	18	12	9	12	8	7	6	6	10	4	—	—			
Diarrhoea & Dysentery		131	72	19	3	1	—	93	3	—	1	—	1	1	2	6	9	12	1			
Cholera		14	7	1	—	—	1	9	—	—	—	—	—	1	2	1	—	—	—			
Other Zymotic Dis.		68	9	1	7	3	5	27	1	3	3	2	3	1	2	12	10	4	—			
Cancer		30	—	—	—	—	—	—	—	1	1	1	1	2	4	8	7	3	—			
Scrophula and Tuberc.		58	31	2	2	1	—	36	7	4	—	—	3	—	3	—	4	1	—			
Phthisis		244	13	3	2	—	1	19	2	5	16	44	63	44	28	15	7	—	—			
Hydrocephalus		27	4	8	5	2	4	23	2	1	—	—	—	—	—	—	—	—	—			
Dis. of Brain		325	60	3	2	3	4	72	7	1	6	11	22	32	23	32	66	39	4			
Dis. of Heart & Dropsy		132	3	2	—	1	—	6	1	1	2	1	5	8	14	26	43	21	4			
Dis. of Lungs		445	118	39	18	4	4	183	4	4	3	6	9	29	35	58	54	23	12			
Dis. of Stom. & Liver		141	14	1	3	1	—	19	3	4	3	5	5	8	12	22	32	15	3			
Dis. of Kidneys		71	—	—	—	2	—	2	—	—	1	2	2	4	4	11	24	17	4			
Dis. of Gener. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Dis. of Joints		12	—	—	—	1	—	1	—	2	—	1	1	—	—	1	1	—	—			
Dis. of Skin		4	1	—	—	—	—	1	—	—	—	—	2	—	—	1	1	—	—			
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Suicide		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Violent Deaths		—	—																			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		149.—ETON.															
Mean Popul ⁿ , 1861-71	12101	329	289	299	307	298	1522	1408	1291	1029	1068	1793	1426	1117	787	464	172
TOTAL DEATHS -	2088	389	129	78	47	29	672	87	26	60	65	136	122	134	189	280	233
Small-pox - - -	12	4	-	-	-	-	4	-	-	3	1	3	1	-	-	-	-
Measles - - -	38	2	20	9	2	3	36	1	-	-	-	-	1	-	-	-	-
Scarlatina - - -	65	3	7	9	8	6	33	22	1	6	2	1	-	-	-	-	-
Diphtheria - - -	10	1	-	2	2	1	6	2	-	-	-	1	-	-	1	-	-
Whooping-cough -	38	14	10	7	5	2	38	-	-	-	-	-	-	-	-	-	-
Typhus - - -	89	1	4	6	4	3	18	9	7	9	7	9	8	6	7	4	8
Diarrhoea & Dysentery	81	49	12	4	-	-	65	2	-	-	-	1	1	-	1	1	6
Cholera - - -	5	2	-	-	1	-	3	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	37	6	5	3	5	5	24	6	2	-	2	3	2	2	7	4	-
Cancer - - -	71	-	-	1	-	-	1	-	-	-	-	3	11	20	15	17	2
Scrofala and Tubas	32	4	5	2	3	-	14	4	5	4	-	2	1	-	2	2	-
Phthisis - - -	214	4	5	1	-	-	10	3	4	19	35	54	30	22	17	9	-
Hydrocephalus -	25	9	4	7	1	-	21	3	1	-	-	-	-	-	-	-	-
Dis. of Brain -	250	61	17	7	2	1	88	9	1	5	3	4	19	17	23	40	30
Dis. of Heart & Dropsy	141	2	-	-	-	-	2	2	2	5	3	12	19	14	47	51	29
Dis. of Lungs -	291	51	23	11	11	4	109	7	1	4	1	9	2	22	32	68	33
Dis. of Stom. and Liver	119	12	1	2	-	1	16	4	2	2	2	8	12	15	24	27	6
Dis. of Kidneys -	13	-	-	-	-	-	-	-	-	-	-	3	1	1	3	3	1
Dis. of Gener. Organs	21	-	-	-	-	-	-	-	-	-	-	5	3	5	4	2	2
Dis. of Joints -	8	1	-	-	-	-	1	-	-	1	-	3	-	2	-	1	1
Dis. of Skin - -	8	2	1	-	-	-	3	-	-	-	-	-	-	1	-	2	2
Childbirth and Metris	30	-	-	-	-	-	-	-	-	1	6	12	11	-	-	-	-
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	41	4	2	5	1	2	14	9	1	-	-	2	2	3	1	3	3
Other Causes - -	388	157	13	2	2	1	175	4	1	1	2	1	2	3	10	38	107

150.—WYCOMBE.

Mean Popul ⁿ , 1861-71		18547	578	537	551	537	509	2712	2333	2081	1673	1528	2551	1988	1555	1156	693	248
TOTAL DEATHS -		3621	782	305	176	100	59	1402	124	63	105	105	205	207	208	205	435	365
Small-pox - - -		21	2	2	3	2	-	9	2	1	4	3	2	-	-	-	-	-
Measles - - -		48	7	11	14	7	4	43	4	1	-	-	-	-	-	-	-	-
Scarlatina - - -		144	7	28	24	23	19	101	28	9	2	2	-	-	-	-	-	-
Diphtheria - - -		16	3	-	1	2	1	7	6	1	-	-	1	-	1	-	-	-
Whooping-cough -		63	30	20	8	3	-	61	2	-	-	-	-	-	-	-	-	-
Typhus - - -		126	3	10	7	4	3	27	11	15	18	10	12	8	7	6	6	6
Diarrhoea & Dysentery		117	47	26	9	1	-	83	2	-	-	-	4	1	3	5	11	9
Cholera - - -		13	3	2	1	-	1	7	-	-	-	-	1	3	2	6	6	4
Other Zymotic Dis.		98	14	9	13	13	15	63	11	4	-	-	1	2	2	6	6	4
Cancer - - -		89	-	-	1	-	-	1	-	-	-	1	1	10	17	25	18	14
Scrofala and Tubes		96	38	27	12	6	1	84	3	1	4	1	1	1	1	-	-	-
Phthisis - - -		386	13	11	5	1	1	31	13	8	45	46	108	67	43	19	6	-
Hydrocephalus -		30	10	10	7	2	2	31	5	1	2	-	-	-	-	-	-	-
Dis. of Brain -		373	79	28	14	11	2	134	6	7	3	6	10	21	23	22	65	38
Dis. of Heart & Dropsy		312	5	4	1	1	3	14	2	4	6	7	17	20	34	60	104	39
Dis. of Lungs -		414	95	43	23	9	5	175	16	2	6	2	12	16	19	44	72	42
Dis. of Stom. and Liver		161	9	8	5	1	1	24	2	1	7	2	11	14	27	50	27	15
Dis. of Kidneys -		19	2	2	-	-	-	4	-	-	-	-	1	2	2	4	3	1
Dis. of Gener. Organs		12	-	-	-	-	-	-	-	-	-	-	4	2	1	4	1	-
Dis. of Joints -		10	-	-	-	-	-	-	-	-	1	1	1	3	2	1	1	-
Dis. of Skin - -		8	2	2	-	-	-	4	-	-	-	-	1	-	1	1	1	1
Childbirth and Metris		53	-	-	-	-	-	-	-	-	3	16	15	19	-	-	-	-
Suicide - - -		4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Other Violent Deaths		37	8	7	8	3	3	39	6	4	2	1	1	1	2	-	3	7
Other Causes - -		942	385	55	20	11	-	471	5	4	2	7	3	14	21	36	112	188

151.—AYLESBURY.

Mean Popul ⁿ , 1861-71		12359	338	325	340	302	324	1629	1539	1320	1094	980	1638	1365	1156	869	541	200
TOTAL DEATHS -		2736	485	173	89	52	51	850	122	75	96	85	188	153	175	235	353	315
Small-pox - - -		5	-	-	-	-	-	27	2	-	1	-	-	1	-	2	2	-
Measles - - -		30	8	7	9	3	-	93	46	8	2	-	1	-	-	-	-	-
Scarlatina - - -		154	4	37	18	14	20	93	2	-	-	-	1	-	-	-	-	-
Diphtheria - - -		12	-	2	-	3	1	6	2	2	-	-	-	1	-	-	-	-
Whooping-cough -		63	25	18	13	5	1	62	1	-	-	-	-	-	-	-	-	-
Typhus - - -		126	3	3	5	5	7	23	20	16	19	11	14	9	2	6	5	1
Diarrhoea & Dysentery		119	47	19	4	-	1	71	-	-	-	-	-	2	1	8	15	17
Cholera - - -		14	7	3	-	-	-	10	-	-	-	-	-	1	-	1	1	2
Other Zymotic Dis.		61	4	4	2	3	2	15	12	3	1	4	1	3	4	5	1	2
Cancer - - -		58	-	-	-	-	-	-	-	-	-	-	1	2	24	11	13	5
Scrofala and Tubes		60	22	10	4	1	2	39	5	2	3	3	1	2	11	13	1	3
Phthisis - - -		392	4	4	2	-	-	19	5	22	49	29	85	45	25	16	6	-
Hydrocephalus -		29	12	4	4	2	1	23	3	3	-	-	-	-	-	-	-	-
Dis. of Brain -		329	43	8	6	3	4	64	6	10	7	6	24	18	35	45	67	43
Dis. of Heart & Dropsy		192	3	-	-	-	1	4	3	1	2	2	5	5	19	41	58	35
Dis. of Lungs -		265	74	29	11	8	5	127	3	3	2	1	13	15	19	38	73	60
Dis. of Stom. and Liver		146	19	-	2	1	1	23	5	1	4	4	10	12	25	18	31	11
Dis. of Kidneys -		33	1	1	-	-	-	2	3	-	-	1	7	6	2	7	2	2
Dis. of Gener. Organs		30	-	-	-	-	-	-	-	-	-	-	2	4	5	-	-	-
Dis. of Joints -		9	-	1	-	1	-	2	-	1	-	-	1	-	-	-	-	-
Dis. of Skin - -		6	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-
Childbirth and Metris		46	-	-	-	-	-	-	-	-	2	11	17	13	-	-	-	-
Suicide - - -		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		31	8	2	2	3	1	16	1	1	-	-	1	-	-	-	-	-
Other Causes - -		333	200	21	6	-	4	231	3	2	4	-	-	4	7	25	35	58

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1862-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																			
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	60-	70-	80+	
152.—WINSLOW.																					
Mean Popula., 1861-71	4518	119	137	127	117	125	625	578	577	427	332	494	467	413	317	198	85	2			
TOTAL DEATHS	900	242	68	20	26	14	370	38	23	20	35	28	34	42	79	113	100	10			
Small-pox	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	7	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hemiplegia	24	2	6	5	1	5	24	6	5	-	-	1	-	-	-	-	-	-	-	-	
Diphtheria	9	-	2	1	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	8	3	-	1	2	1	7	1	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	27	-	3	1	1	-	3	-	-	1	4	2	-	-	-	-	-	-	-	-	
Diarrhoea & Dysentery	12	4	2	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	30	0	4	2	2	1	15	2	-	-	-	1	1	-	-	-	-	-	-	-	
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Serofula and Tabes	19	3	4	1	1	-	9	1	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	99	5	1	-	-	1	7	6	-	4	9	22	14	17	12	6	1	1	-	-	
Hydrocephalus	12	4	2	1	1	1	9	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	107	28	7	6	1	3	44	4	2	2	4	2	3	6	14	14	3	4	1	-	
Dis. of Heart & Dropsy	88	-	-	-	-	-	1	2	1	1	-	2	3	5	20	17	4	1	-	-	
Dis. of Lungs	111	54	21	-	5	1	61	5	1	-	2	2	3	5	10	17	1	-	-	-	
Dis. of Stom. and Liver	31	2	1	-	-	-	3	2	-	1	-	-	1	3	6	2	1	-	-	-	
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Self-destruction	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	23	4	2	-	1	1	7	4	-	2	1	2	1	1	1	2	-	-	-	-	
Other Causes	284	144	9	-	-	-	138	1	-	1	1	1	1	1	10	22	20	18	-	-	
153.—NEWPORT PAGNELL.																					
Mean Popula., 1861-71	12489	383	352	356	326	346	1763	1589	1398	1162	996	1601	1335	1093	845	528	189	11			
TOTAL DEATHS	2517	639	211	108	47	43	1039	87	41	69	67	118	116	125	199	334	273	28			
Small-pox	9	2	1	-	-	-	3	-	1	1	-	1	-	-	2	-	-	-	-	-	
Measles	56	11	27	11	4	3	66	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hemiplegia	39	5	10	5	5	4	27	9	3	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	5	1	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	
Whooping-cough	26	9	10	6	-	1	26	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	27	2	4	7	5	4	22	10	5	10	9	10	3	4	4	8	2	2	-	-	
Diarrhoea & Dysentery	77	25	22	2	-	-	52	-	-	1	-	-	-	2	6	9	2	2	-	-	
Cholera	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	58	8	5	7	4	2	26	9	2	4	2	-	-	4	2	2	2	2	-	-	
Cancer	24	-	-	-	-	-	-	5	-	-	-	-	1	1	3	7	3	3	-	-	
Serofula and Tabes	70	29	11	5	4	3	52	5	7	2	2	-	-	-	-	-	-	-	-	-	
Phthisis	293	6	2	4	1	1	14	2	6	17	35	51	36	21	17	4	-	-	-	-	
Hydrocephalus	41	12	8	9	3	4	36	4	1	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	337	93	18	12	5	4	132	7	3	8	4	10	7	16	41	63	33	3	-	-	
Dis. of Heart & Dropsy	149	3	1	2	1	1	7	-	-	1	3	5	13	16	30	48	24	1	-	-	
Dis. of Lungs	393	138	46	24	8	6	223	12	1	6	4	8	16	20	28	39	21	3	-	-	
Dis. of Stom. and Liver	146	13	1	5	-	1	21	7	1	2	1	9	13	15	29	39	18	1	-	-	
Dis. of Kidneys	58	-	-	-	1	-	1	-	2	1	1	4	3	7	7	16	13	2	-	-	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	7	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	4	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Self-destruction	11	-	-	-	-	-	-	-	-	-	-	3	1	2	1	4	-	-	-	-	
Other Violent Deaths	109	9	7	3	2	4	25	15	8	5	4	12	9	7	13	5	2	1	-	-	
Other Causes	602	201	37	5	4	4	311	4	1	-	2	1	8	3	12	23	126	45	-	-	
154.—BUCKINGHAM.																					
Mean Popula., 1861-71	6662	194	180	193	167	164	898	835	769	611	510	787	678	614	497	320	126	11			
TOTAL DEATHS	1304	359	98	52	17	15	532	44	26	28	26	53	59	63	98	171	134	6			
Small-pox	2	-	-	-	-	-	17	1	-	-	-	1	-	-	-	-	-	-	-	-	
Measles	18	6	7	3	-	1	17	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hemiplegia	43	5	5	7	7	4	28	8	4	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria	5	1	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	22	10	9	1	1	-	21	1	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	30	2	1	4	-	2	9	-	2	2	3	2	1	-	2	3	1	2	-	-	
Diarrhoea & Dysentery	38	17	4	1	-	-	22	-	1	-	-	-	-	-	1	4	1	2	-	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	38	7	5	2	1	-	13	3	1	3	-	-	4	-	-	-	-	-	-	-	
Cancer	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Serofula and Tabes	30	7	6	6	1	-	30	4	-	1	1	-	3	4	9	11	2	-	-	-	
Phthisis	104	1	1	-	-	-	2	-	3	14	13	26	20	13	9	-	-	-	-	-	
Hydrocephalus	30	9	12	8	1	3	33	5	1	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	98	24	4	4	-	1	33	3	3	1	-	4	6	9	10	10	9	1	-	-	
Dis. of Heart & Dropsy	96	4	-	-	-	-	4	-	4	1	1	-	3	12	27	21	13	1	-	-	
Dis. of Lungs	100	50	22	8	3	2	91	4	1	1	1	2	4	7	16	22	11	1	-	-	
Dis. of Stom. and Liver	46	11	5	-	-	-	16	-	-	-	-	3	3	3	5	9	2	1	-	-	
Dis. of Kidneys	29	1	-	-	-	1	2	1	2	1	2	4	2	2	2	2	2	1	-	-	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	5	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	4	2	-	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Self-destruction	31	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	432	170	16	5	2	1	13	2	2	1	-	-	-	-	-	-	-	-	-	-	
Other Causes	432	170	16	5	2	1	13	2	2	1	-	-	-	-	-	-	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	
		Year.					Years.											
152.—WINSLOW.																		
Mean Popul ⁿ , 1861-71	4655	134	123	135	111	120	633	584	516	441	398	579	520	413	295	200	76	
TOTAL DEATHS	907	146	70	30	18	24	288	34	30	37	43	60	52	69	69	95	95	
Small-pox	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	
Measles	9	1	5	2	1	-	9	-	-	-	-	-	1	-	-	-	-	
Scarlatina	35	4	4	7	2	5	22	7	2	-	-	1	-	1	-	-	-	
Diphtheria	10	-	-	-	-	-	3	1	3	1	2	1	-	-	-	-	-	
Whooping-cough	15	0	3	3	2	1	15	-	-	-	-	-	-	-	-	-	-	
Typhus	43	1	1	-	-	1	14	6	4	-	6	4	-	3	2	5	2	
Diarrhoea & Dysentery	25	6	4	-	-	1	12	-	-	-	-	-	-	1	1	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	22	3	4	-	2	1	10	3	-	-	-	-	-	1	2	2	-	
Cancer	14	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	
Scrofula and Tabes	15	5	3	1	-	-	9	1	3	-	2	-	-	4	2	4	1	
Phthisis	146	1	2	-	-	-	3	3	11	22	26	34	19	20	4	4	-	
Hydrocephalus	8	3	1	2	-	-	6	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain	99	15	8	2	3	3	31	2	1	4	2	2	5	8	17	11	14	
Dis. of Heart & Dropsy	58	-	-	-	-	-	-	1	1	-	1	2	6	12	12	15	6	
Dis. of Lungs	84	25	17	5	4	3	54	1	2	1	1	1	1	1	5	14	4	
Dis. of Stom. and Liver	33	2	-	-	-	1	3	1	-	-	-	3	4	8	6	-	-	
Dis. of Kidneys	11	-	-	-	-	-	-	-	1	1	1	3	-	4	1	-	-	
Dis. of Genes. Organs	6	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	
Dis. of Skin	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	
Childbirth and Metris	12	-	-	-	-	-	-	-	-	1	1	5	5	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	14	2	-	2	-	2	6	1	-	-	-	2	1	2	3	13	31	
Other Causes	238	71	18	3	2	-	94	1	1	-	1	-	1	2	3	18	61	
153.—NEWPORT PAGNELL.																		
Mean Popul ⁿ , 1861-71	12873	359	336	340	354	343	1732	1546	1381	1137	1089	1759	1333	1142	873	571	229	
TOTAL DEATHS	2527	531	176	90	59	33	898	78	55	95	89	153	127	129	182	332	80	
Small-pox	12	1	-	-	-	-	1	3	-	-	-	3	1	-	1	2	-	
Measles	49	11	13	7	10	5	49	3	-	-	-	-	-	-	-	-	-	
Scarlatina	43	1	7	8	11	4	31	10	-	1	1	-	-	-	-	-	-	
Diphtheria	6	1	-	1	-	2	4	2	-	-	-	-	-	-	-	-	-	
Whooping-cough	44	17	11	8	5	3	44	-	-	-	-	-	-	-	-	-	-	
Typhus	80	1	2	5	1	3	19	13	15	13	10	6	4	3	6	5	1	
Diarrhoea & Dysentery	75	35	3	6	-	-	44	2	-	-	-	4	-	2	3	9	8	
Cholera	7	2	1	1	-	-	4	-	-	-	-	-	1	-	2	4	5	
Other Zymotic Dis.	49	5	9	4	4	2	24	7	1	1	-	1	1	2	6	4	5	
Cancer	61	-	-	-	-	-	-	1	-	-	1	4	-	13	16	14	8	
Scrofula and Tabes	64	22	12	3	5	-	42	3	5	5	2	1	-	3	1	1	1	
Phthisis	292	5	6	4	1	-	16	3	13	48	59	76	41	24	15	5	1	
Hydrocephalus	32	9	9	3	5	-	29	3	-	-	-	-	-	-	-	-	-	
Dis. of Brain	298	78	14	11	3	3	109	4	2	11	4	10	14	16	21	59	44	
Dis. of Heart & Dropsy	185	3	2	-	1	1	7	3	3	3	-	12	17	28	34	55	21	
Dis. of Lungs	344	101	33	14	7	5	180	9	9	3	2	7	10	13	24	54	35	
Dis. of Stom. and Liver	107	13	1	2	1	-	17	4	-	1	2	6	7	9	20	27	6	
Dis. of Kidneys	23	-	-	-	-	-	-	-	1	-	-	1	4	5	4	7	1	
Dis. of Genes. Organs	12	-	-	-	-	-	-	-	-	1	-	1	1	2	4	1	-	
Dis. of Joints	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	8	-	1	1	1	-	3	-	-	-	-	-	-	-	1	3	-	
Childbirth and Metris	41	-	-	-	-	-	-	-	-	2	6	19	13	1	-	-	-	
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	32	4	-	3	1	3	11	6	-	2	-	-	1	1	3	1	5	
Other Causes	648	222	33	9	3	1	267	2	2	2	3	3	7	5	20	83	183	
154.—BUCKINGHAM.																		
Mean Popul ⁿ , 1861-71	7033	189	178	194	164	179	904	831	754	623	588	923	772	656	518	328	124	
TOTAL DEATHS	1412	285	82	45	30	9	451	48	31	61	55	94	91	88	127	163	156	
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Measles	21	3	6	9	-	-	13	2	1	-	-	-	-	-	-	-	-	
Scarlatina	39	3	4	7	11	1	20	10	2	1	-	-	-	-	-	-	-	
Diphtheria	7	-	1	-	1	-	2	4	-	-	-	1	-	-	-	-	-	
Whooping-cough	16	4	7	3	1	1	16	-	-	-	-	-	-	-	-	-	-	
Typhus	49	3	3	1	-	2	9	7	1	7	1	9	6	3	4	1	1	
Diarrhoea & Dysentery	42	15	8	-	-	-	23	-	-	1	1	-	-	2	1	10	1	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	31	8	5	3	3	2	21	3	1	-	-	1	-	1	2	2	-	
Cancer	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tabes	35	4	9	7	-	-	20	1	3	2	-	1	1	5	10	13	7	
Phthisis	189	-	-	2	-	-	2	3	12	31	35	42	33	19	7	5	-	
Hydrocephalus	24	11	2	-	3	1	17	6	-	-	-	-	-	-	-	-	-	
Dis. of Brain	124	26	3	1	1	-	31	-	1	8	3	12	7	11	16	16	19	
Dis. of Heart & Dropsy	108	1	-	-	-	-	-	-	2	3	2	6	9	19	32	22	11	
Dis. of Lungs	129	45	13	8	7	-	73	4	-	-	-	4	4	7	12	20	8	
Dis. of Stom. and Liver	70	6	4	-	2	1	13	2	5	2	-	4	11	11	23	8	1	
Dis. of Kidneys	16	1	-	-	-	-	1	1	1	1	-	2	-	2	4	1	-	
Dis. of Genes. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	6	1	2	-	-	-	3	-	-	1	-	-	-	-	-	-	-	
Childbirth and Metris	26	-	-	-	-	-	-	-	-	-	-	5	12	9	-	-	-	
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	15	5	-	2	1	-	8	2	-	1	-	-	-	-	1	1	5	
Other Causes	427	145	15	2	-	1	166	3	1	-	-	1	1	1	2	15	3	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--
155.—HENLEY.																	
Mean Popul ⁿ , 1861-71		9146	250	238	241	219	267	1205	1178	1130	904	671	1110	932	820	619	391
TOTAL DEATHS		1774	344	111	53	41	27	576	68	37	35	49	87	97	112	155	264
Small-pox		5	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-
Measles		33	5	11	6	5	3	30	2	1	-	-	-	-	-	-	-
Scarlatina		85	5	11	12	11	7	46	26	7	3	1	-	-	-	-	-
Diphtheria		9	1	1	-	1	3	6	3	-	-	-	-	-	-	-	-
Whooping-cough		33	13	9	6	1	9	31	2	-	-	-	-	-	-	-	-
Typhus		29	2	2	1	1	1	6	2	3	4	7	3	3	1	1	4
Diarrhoea & Dysentery		71	31	15	2	1	1	30	-	-	-	2	-	-	-	-	-
Cholera		6	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		34	5	6	5	9	4	29	5	3	-	2	1	3	3	2	15
Cancer		30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.		27	8	1	1	-	-	10	3	1	2	3	2	2	4	5	11
Phthisis		161	3	2	1	1	-	7	3	6	12	11	37	44	27	15	11
Hydrocephalus		20	5	6	1	2	-	14	3	2	-	-	-	-	-	-	-
Dis. of Brain		216	49	14	5	3	2	73	3	3	1	1	4	3	10	25	43
Dis. of Heart & Dropsy		157	2	-	-	-	-	2	-	-	-	-	-	-	12	22	37
Dis. of Lungs		271	63	24	8	3	1	99	5	-	5	3	6	15	23	20	45
Dis. of Stom. and Liver		92	11	1	-	-	2	14	1	2	2	2	4	4	8	19	24
Dis. of Kidneys		27	1	-	-	-	-	1	-	-	1	2	4	1	4	6	8
Dis. of Gen. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		9	-	-	-	-	-	-	1	2	1	-	-	-	-	1	1
Dis. of Skin		7	2	1	-	-	-	3	2	-	-	-	-	-	-	1	1
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		6	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1
Other Violent Deaths		85	5	2	3	3	1	14	3	4	-	11	12	10	11	10	8
Other Causes		287	133	5	1	-	-	136	3	-	-	2	5	3	5	7	29
156.—THAME.																	
Mean Popul ⁿ , 1861-71		7539	204	199	217	197	207	1024	953	953	744	535	836	787	682	518	361
TOTAL DEATHS		1449	349	85	48	28	18	528	50	32	34	35	71	51	80	135	185
Small-pox		5	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-
Measles		17	2	3	3	3	4	15	2	-	1	1	-	-	-	-	-
Scarlatina		40	3	5	9	5	3	23	11	2	1	-	-	-	-	-	-
Diphtheria		5	3	-	-	-	-	3	2	-	-	-	-	-	-	-	-
Whooping-cough		24	14	4	2	3	-	23	1	-	-	-	-	-	-	-	-
Typhus		50	1	1	4	-	-	6	12	6	7	4	4	3	-	5	3
Diarrhoea & Dysentery		23	13	2	1	3	-	19	-	-	-	-	-	1	-	1	1
Cholera		1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis.		30	8	2	4	2	9	18	-	4	-	-	-	2	2	-	1
Cancer		9	-	-	-	-	-	-	-	-	-	1	-	-	-	6	-
Scrofula and Tuberc.		47	18	10	2	1	-	31	3	-	1	2	6	-	1	3	1
Phthisis		149	6	4	3	1	-	14	2	2	12	16	33	20	29	18	2
Hydrocephalus		16	6	2	3	-	9	13	2	-	1	-	-	-	-	-	-
Dis. of Brain		135	36	6	2	3	1	48	4	3	2	2	5	5	8	18	36
Dis. of Heart & Dropsy		71	-	1	-	-	-	1	1	-	1	-	2	3	6	12	30
Dis. of Lungs		201	38	24	8	2	2	74	3	2	2	1	5	6	8	26	42
Dis. of Stom. and Liver		69	7	1	1	-	2	11	3	5	-	2	4	2	5	18	19
Dis. of Kidneys		37	-	-	1	-	1	2	-	-	1	-	3	-	2	7	10
Dis. of Gen. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		7	-	-	-	1	-	1	-	1	2	-	1	-	-	1	1
Dis. of Skin		7	4	-	-	-	-	5	-	-	-	-	-	-	-	-	-
Childbirth and Metris		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		49	1	3	1	3	1	9	1	5	1	2	-	1	2	1	1
Other Violent Deaths		49	1	3	1	3	1	9	1	5	1	2	-	1	2	1	1
Other Causes		451	189	17	3	1	-	210	2	1	-	1	6	3	6	14	41
157.—HEADINGTON.																	
Mean Popul ⁿ , 1861-71		9270	264	271	261	266	231	1293	1155	1185	873	681	1160	974	801	615	391
TOTAL DEATHS		2315	494	138	60	47	27	766	79	52	63	63	152	187	190	213	283
Small-pox		11	2	-	-	1	-	3	1	-	-	2	4	-	1	-	-
Measles		30	7	11	2	5	2	27	3	-	-	-	-	-	-	-	-
Scarlatina		69	6	9	11	10	9	45	18	3	2	-	1	-	-	-	-
Diphtheria		9	1	1	1	3	-	6	2	-	-	-	-	1	-	-	-
Whooping-cough		21	11	3	5	1	-	20	1	-	-	-	-	-	-	-	-
Typhus		79	3	3	3	2	3	14	5	11	2	6	12	4	10	3	10
Diarrhoea & Dysentery		117	78	15	4	-	-	97	1	1	-	-	1	-	1	3	6
Cholera		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		45	4	3	2	3	1	13	3	2	2	1	5	2	3	7	6
Cancer		40	-	-	-	-	-	-	-	1	-	-	-	6	11	10	7
Scrofula and Tuberc.		31	34	18	3	5	2	63	5	4	3	-	5	1	1	1	1
Phthisis		322	5	1	-	1	-	7	6	8	19	26	70	81	58	31	15
Hydrocephalus		26	6	3	4	2	1	16	3	1	1	-	-	-	-	-	-
Dis. of Brain		231	49	9	6	3	-	67	2	5	5	2	4	15	14	27	48
Dis. of Heart & Dropsy		141	2	-	-	-	1	3	2	2	4	3	7	15	16	28	46
Dis. of Lungs		273	62	28	9	6	4	119	6	2	1	2	7	16	23	25	34
Dis. of Stom. and Liver		122	9	2	2	-	1	14	4	3	8	-	7	13	17	28	23
Dis. of Kidneys		66	-	1	-	1	-	2	-	1	1	3	5	7	14	14	5
Dis. of Gen. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		15	2	-	1	-	-	3	2	-	1	2	-	1	-	1	1
Dis. of Skin		12	5	-	-	-	1	6	-	1	-	-	-	-	2	1	1
Childbirth and Metris		16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		131	5	1	5	4	1	16	7	-	2	1	15	17	4	17	4
Other Violent Deaths		456	202	20	2	-	1	223	3	-	-	-	1	4	17	8	15
Other Causes		456	202	20	2	-	1	223	3	-	-	-	1	4	17	8	15

Div. III.] Causes of Death in the Ten Years 1861-70.—Females.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
155.—HENLEY.																	
Mean Populⁿ, 1861-71		9412	253	226	262	246	269	1256	1109	1099	759	730	1254	1063	883	649	420
TOTAL DEATHS		1641	264	87	39	33	23	446	65	48	57	51	106	119	114	126	222
Small-pox		3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1
Measles		21	5	5	4	3	1	18	2	1	-	-	-	-	-	-	-
Scarlatina		81	2	13	6	8	9	38	22	12	1	1	5	2	-	-	-
Diphtheria		5	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-
Whooping-cough		46	10	10	5	1	2	40	4	2	-	-	-	-	-	-	-
Typhus		48	-	-	-	-	-	5	1	-	13	5	4	4	2	2	4
Diarrhœa & Dysentery		47	14	9	5	-	1	27	-	1	-	1	-	4	1	2	4
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		75	2	6	5	3	3	19	11	-	4	-	3	4	1	4	14
Cancer		33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.		23	3	3	1	-	1	6	4	-	1	-	2	7	12	16	11
Phthisis		204	4	2	-	-	-	7	3	2	23	29	45	43	29	9	5
Hydrocephalus		18	6	3	1	3	1	14	3	1	-	-	-	-	-	-	-
Dis. of Brain		209	24	3	2	3	1	53	5	5	5	4	9	10	14	24	57
Dis. of Heart & Dropsy		163	3	-	-	-	-	3	-	1	-	-	9	14	31	54	31
Dis. of Lungs		193	50	11	5	1	1	68	-	3	4	2	6	9	11	14	30
Dis. of Stom. and Liver		91	5	1	-	2	-	8	2	-	-	2	5	7	21	14	20
Dis. of Kidneys		17	1	-	-	-	-	1	-	-	-	1	3	5	2	1	5
Dis. of Genes. Organs		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin		7	3	-	-	-	-	4	1	-	-	-	-	-	-	-	-
Childbirth and Metris		18	-	-	-	-	-	-	-	-	-	1	7	10	-	-	-
Suicide		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		26	2	3	1	1	1	8	2	1	-	1	2	1	2	3	2
Other Causes		279	124	12	6	1	1	144	2	1	1	1	1	1	2	2	16
156.—THAME.																	
Mean Populⁿ, 1861-71		7616	224	195	211	197	198	1025	966	896	656	567	968	835	715	511	330
TOTAL DEATHS		1469	272	80	47	30	28	457	42	25	47	64	90	86	104	120	192
Small-pox		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles		12	6	3	2	-	-	11	1	-	-	-	-	-	-	-	-
Scarlatina		48	2	5	6	3	7	23	13	2	2	-	1	-	-	-	-
Diphtheria		8	1	1	3	1	-	6	-	1	1	-	-	-	-	-	-
Whooping-cough		26	8	10	3	1	1	23	3	-	-	-	-	-	-	-	-
Typhus		49	1	-	2	2	4	9	7	-	6	2	7	3	4	1	1
Diarrhœa & Dysentery		26	6	4	1	1	1	13	-	-	-	1	-	-	-	-	-
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		29	3	6	-	1	3	13	5	1	2	1	1	1	1	8	1
Cancer		55	-	-	-	-	-	-	-	-	-	2	1	4	16	9	17
Scrofula and Tuberc.		54	19	6	7	7	-	39	-	1	3	1	3	2	1	2	1
Phthisis		212	3	4	1	1	1	10	2	7	24	43	45	39	32	9	1
Hydrocephalus		8	1	-	1	1	3	6	1	1	-	-	-	-	-	-	-
Dis. of Brain		136	24	4	5	3	-	30	4	-	2	-	5	6	9	21	32
Dis. of Heart & Dropsy		116	2	1	-	-	-	3	1	3	-	1	8	7	13	27	10
Dis. of Lungs		192	52	14	9	2	5	82	2	-	2	2	5	1	15	19	40
Dis. of Stom. and Liver		65	3	1	1	1	2	8	-	1	-	4	4	10	7	16	11
Dis. of Kidneys		6	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1
Dis. of Genes. Organs		8	-	-	-	-	-	-	-	-	-	-	2	1	3	1	1
Dis. of Joints		4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Dis. of Skin		4	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-
Childbirth and Metris		11	-	-	-	-	-	-	-	-	-	3	4	4	-	-	-
Suicide		4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths		14	-	3	-	3	1	7	1	-	-	-	1	-	-	1	1
Other Causes		286	141	17	4	8	-	165	1	-	2	1	1	4	5	8	44
157.—HEADINGTON.																	
Mean Populⁿ, 1861-71		10166	250	244	244	248	240	1226	1173	1100	1021	905	1465	1118	908	644	410
TOTAL DEATHS		2121	390	141	69	39	37	676	82	58	55	75	142	154	117	193	292
Small-pox		4	1	-	-	-	-	1	1	-	-	-	1	1	-	-	-
Measles		28	3	8	8	3	3	25	2	-	-	1	-	-	-	-	-
Scarlatina		74	8	9	11	7	10	45	22	4	1	1	1	-	-	-	-
Diphtheria		18	-	2	1	3	1	7	7	4	-	-	-	-	-	-	-
Whooping-cough		20	9	8	1	1	1	20	-	-	-	-	-	-	-	-	-
Typhus		83	-	3	2	-	4	9	11	14	11	9	4	7	3	6	5
Diarrhœa & Dysentery		86	54	11	3	1	-	69	-	-	-	-	-	3	-	3	7
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		42	3	6	2	4	2	17	1	1	1	3	2	2	3	7	8
Cancer		64	-	-	-	-	-	-	-	-	1	-	2	8	20	16	14
Scrofula and Tuberc.		84	28	14	9	2	4	57	6	4	2	2	3	5	2	2	3
Phthisis		290	2	1	2	1	1	7	6	14	19	29	70	60	24	21	10
Hydrocephalus		26	6	7	7	1	3	24	2	-	-	-	-	-	-	-	-
Dis. of Brain		211	32	11	10	2	3	58	3	5	5	2	10	9	7	38	45
Dis. of Heart & Dropsy		169	2	1	1	-	-	4	3	1	5	3	9	15	7	32	52
Dis. of Lungs		243	49	24	7	7	1	98	4	4	3	4	8	7	8	19	29
Dis. of Stom. and Liver		111	5	5	1	-	-	11	3	3	2	5	6	8	19	24	23
Dis. of Kidneys		29	1	1	-	-	-	3	-	1	1	1	2	1	4	4	5
Dis. of Genes. Organs		19	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-
Dis. of Joints		7	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Dis. of Skin		5	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Childbirth and Metris		41	-	-	-	-	-	-	-	-	2	-	10	11	-	-	-
Suicide		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		10	4	5	1	5	3	18	6	1	1	2	2	1	1	5	8
Other Causes		445	180	15	3	-	1	199	4	1	1	1	2	2	4	6	10

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 15 Years.										Total under 5 Years.						
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

158.—OXFORD.																			
Mean Popul ⁿ , 1861-71	9823	280	247	207	247	250	1300	1126	1102	998	1080	1387	1112	822	584	273	81	8	
TOTAL DEATHS	2000	504	180	60	54	27	825	92	40	37	74	140	147	168	160	158	111	15	
Small-pox	10	5	1	-	-	-	6	2	-	1	-	1	-	-	-	-	-	-	
Measles	32	13	10	4	3	-	30	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina	75	4	16	6	12	8	40	22	4	1	-	2	-	-	-	-	-	-	
Diphtheria	19	5	2	5	2	1	18	3	1	-	-	1	-	-	-	-	-	-	
Whooping-cough	22	9	7	3	2	-	21	1	-	-	-	-	-	-	-	-	-	-	
Typhus	66	1	5	5	8	-	14	15	8	-	7	5	7	2	1	5	1	1	
Diarrhoea & Dysentery	112	79	23	2	-	-	103	1	-	-	1	-	-	-	-	-	-	-	
Cholera	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	50	6	4	3	4	4	21	2	-	1	-	3	2	1	5	4	1	1	
Cancer	26	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	38	10	11	2	-	1	24	4	-	-	-	2	2	6	5	7	4	4	
Phthisis	317	2	8	1	-	-	12	3	-	-	15	39	71	74	54	26	19	4	
Hydrocephalus	45	16	13	5	3	2	59	6	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	188	58	15	4	7	3	87	22	2	-	3	9	5	11	25	24	12	2	
Dis. of Heart & Dropy	98	-	-	-	-	-	1	2	-	-	1	8	5	21	23	27	34	36	
Dis. of Lungs	309	79	40	14	11	1	147	6	3	-	2	4	10	14	33	37	44	36	
Dis. of Stom. and Liver	87	13	-	-	1	1	15	6	2	-	8	2	5	11	14	16	8	9	
Dis. of Kidneys	42	1	1	-	-	-	2	-	-	-	1	1	5	8	11	12	12	8	
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	12	1	-	-	-	-	1	2	-	2	1	1	-	-	-	-	-	-	
Dis. of Skin	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fuicide	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	65	3	2	-	2	2	9	2	4	-	3	7	6	4	4	4	4	4	
Other Causes	372	200	93	6	8	-	232	2	2	-	-	7	7	10	16	35	40	13	

159.—BICESTER.																			
Mean Popul ⁿ , 1861-71	7823	224	219	233	201	215	1092	990	907	743	545	921	861	699	560	358	134	13	
TOTAL DEATHS	1621	423	96	42	28	23	612	54	28	36	43	76	76	92	128	212	200	28	
Small-pox	8	-	-	1	1	-	2	-	-	-	2	-	1	-	2	1	-	-	
Measles	22	5	7	2	2	2	18	4	-	-	-	-	-	-	-	-	-	-	
Scarlatina	89	3	6	5	4	5	23	11	-	-	-	1	-	-	-	-	-	-	
Diphtheria	7	-	1	1	1	-	4	1	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	39	23	8	5	1	-	37	2	-	-	-	-	-	-	-	-	-	-	
Typhus	54	1	-	-	-	-	4	7	-	-	-	-	-	-	-	-	-	-	
Diarrhoea & Dysentery	71	39	10	4	-	-	53	-	-	-	-	-	-	-	-	-	-	-	
Cholera	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	34	9	2	2	5	1	19	4	1	-	1	-	1	1	2	3	2	1	
Cancer	15	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	38	16	8	3	2	1	30	2	1	1	1	1	1	1	1	1	1	1	
Phthisis	127	-	2	-	-	1	3	6	4	13	20	33	18	13	10	7	-	-	
Hydrocephalus	16	5	5	-	1	1	12	3	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	202	41	11	5	2	3	62	3	1	1	3	5	12	10	21	37	38	3	
Dis. of Heart & Dropy	112	1	-	-	-	-	2	1	-	-	2	2	5	14	25	30	30	30	
Dis. of Lungs	245	73	19	6	3	3	104	1	2	1	1	9	12	18	20	35	35	7	
Dis. of Stom. and Liver	90	15	-	1	-	-	17	2	2	1	3	6	3	8	10	29	9	-	
Dis. of Kidneys	48	-	-	1	1	-	2	1	1	-	1	3	5	5	6	12	11	1	
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	6	1	1	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	
Dis. of Skin	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fuicide	7	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	-	-	
Other Violent Deaths	56	3	2	4	2	1	12	4	4	-	1	3	7	6	7	8	4	1	
Other Causes	376	180	10	2	1	2	201	2	1	1	-	3	8	9	10	37	73	33	

160.—WOODSTOCK.																			
Mean Popul ⁿ , 1861-71	6978	215	200	207	183	187	992	897	784	639	507	866	747	630	493	307	103	13	
TOTAL DEATHS	1452	366	100	52	29	15	562	40	22	21	37	74	69	85	138	199	137	48	
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Measles	33	6	11	10	2	2	31	2	-	-	-	-	-	-	-	-	-	-	
Scarlatina	30	5	4	10	4	-	23	4	-	1	-	-	-	-	-	-	-	-	
Diphtheria	14	1	2	1	3	1	8	4	-	-	1	-	1	-	-	-	-	-	
Whooping-cough	27	13	3	8	1	1	26	1	-	-	-	-	-	-	-	-	-	-	
Typhus	48	2	1	3	1	2	9	3	7	4	-	6	2	3	7	4	1	1	
Diarrhoea & Dysentery	57	32	8	2	1	-	43	-	-	-	-	-	-	1	3	5	3	5	
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	29	7	3	1	2	2	15	3	-	-	3	-	1	1	2	1	5	1	
Cancer	18	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	28	11	7	2	1	-	21	1	1	-	-	-	3	3	8	15	8	1	
Phthisis	139	3	4	1	1	-	9	2	5	7	20	33	23	17	16	2	-	-	
Hydrocephalus	14	3	4	4	-	-	11	2	-	-	1	-	-	-	-	-	-	-	
Dis. of Brain	157	41	8	-	3	2	64	2	2	1	3	4	4	16	22	22	21	6	
Dis. of Heart & Dropy	99	1	-	-	-	-	1	-	2	3	3	4	3	6	23	35	17	2	
Dis. of Lungs	295	85	30	4	7	-	120	5	1	1	1	6	9	15	22	33	38	1	
Dis. of Stom. and Liver	61	9	-	-	1	2	13	5	1	1	2	-	5	9	11	8	1	1	
Dis. of Kidneys	34	-	-	-	1	-	1	-	-	-	-	2	3	7	2	11	7	1	
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fuicide	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	42	3	2	2	-	1	8	3	2	-	3	-	1	2	3	3	2	1	
Other Causes	838	142	18	4	1	2	162	1	-	-	-	2	2	4	14	48	68	7	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85+
158.—OXFORD.																		
Mean Popul ⁿ , 1861-71	10703	260	229	235	252	241	1217	1097	1055	1213	1094	1647	1259	974	644	364	123	16
ALL DEATHS	2072	446	187	91	56	30	810	73	40	47	57	138	153	180	164	233	169	53
-pox	10	5	1	-	1	-	7	2	1	1	1	-	1	-	-	-	-	-
-smallpox	29	3	9	8	4	1	25	3	-	-	-	1	-	-	-	-	-	-
-diphtheria	74	7	13	11	13	5	49	18	4	-	-	2	1	-	-	-	-	-
-beria	15	-	1	1	4	1	7	3	2	-	1	1	-	-	-	-	-	-
-croup	33	9	9	9	2	3	32	1	-	-	-	-	-	-	-	-	-	-
-measles & Dysentery	72	2	6	5	4	2	19	10	10	2	3	7	3	4	6	4	4	4
-Typhoid	121	70	27	6	1	-	104	-	-	-	-	-	-	-	-	1	1	3
-Zymotic Dis.	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-Zymotic Dis.	43	7	5	7	1	5	25	2	-	1	1	2	2	3	2	3	2	2
-Influenza and Typhoid	63	-	-	-	-	-	-	-	1	1	1	-	10	17	15	18	5	-
-Influenza and Typhoid	29	8	5	5	2	1	19	3	1	1	1	2	-	-	-	-	-	-
-Influenza and Typhoid	318	6	6	6	2	1	15	9	12	29	50	63	77	98	90	4	1	-
-Influenza and Typhoid	84	8	15	2	3	1	29	4	1	-	-	-	-	-	-	-	-	-
-Influenza and Typhoid	182	46	13	3	4	5	71	3	1	1	2	5	6	12	28	51	17	5
-Influenza and Typhoid	129	1	1	1	2	-	4	1	2	2	4	11	16	16	27	33	13	1
-Influenza and Typhoid	316	74	51	26	8	5	164	7	1	3	1	3	5	14	26	54	39	9
-Influenza and Typhoid	87	5	3	2	-	-	10	-	3	1	1	3	12	14	16	18	8	1
-Influenza and Typhoid	20	-	-	-	-	-	-	-	-	1	2	1	3	-	3	9	1	-
-Influenza and Typhoid	18	-	-	-	-	-	-	-	-	-	-	3	2	4	5	4	-	-
-Influenza and Typhoid	6	-	1	-	-	-	1	-	-	1	-	-	1	-	-	2	-	-
-Influenza and Typhoid	3	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-
-Influenza and Typhoid	25	-	-	-	-	-	-	-	-	1	6	9	9	-	-	-	-	-
-Influenza and Typhoid	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-
-Influenza and Typhoid	26	5	2	1	2	-	10	4	-	2	1	1	2	-	-	2	3	1
-Influenza and Typhoid	404	191	19	4	3	-	217	8	1	-	-	1	7	5	13	46	76	25
159.—BICESTER.																		
Mean Popul ⁿ , 1861-71	7746	233	192	215	208	220	1068	1000	833	613	584	1034	885	699	527	354	129	20
ALL DEATHS	1547	351	105	43	30	22	551	58	36	38	55	86	95	82	112	212	175	47
-pox	8	3	-	-	-	-	3	-	-	-	-	2	1	2	-	-	-	-
-smallpox	25	10	9	1	3	-	27	2	-	-	-	-	-	-	-	-	-	-
-diphtheria	34	3	4	3	4	4	18	11	3	2	-	-	-	-	-	-	-	-
-beria	4	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-
-croup	35	13	15	3	2	1	34	1	-	-	-	-	-	-	-	-	-	-
-measles & Dysentery	63	1	1	2	2	2	8	9	10	9	8	5	3	2	4	3	2	1
-Typhoid	56	29	5	2	-	-	36	-	-	-	-	-	1	2	1	8	7	1
-Typhoid	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-Zymotic Dis.	59	4	2	7	5	3	21	3	-	-	1	1	5	-	2	3	2	1
-Influenza and Typhoid	35	-	-	-	-	-	-	-	-	-	-	-	3	8	11	8	3	2
-Influenza and Typhoid	48	23	5	2	1	2	33	3	3	2	1	3	1	1	1	1	-	-
-Influenza and Typhoid	181	3	1	2	-	1	7	3	9	17	28	45	30	20	15	6	1	-
-Influenza and Typhoid	10	3	2	3	-	1	9	1	-	-	-	-	-	-	-	-	-	-
-Influenza and Typhoid	187	35	17	3	3	3	61	4	6	3	3	-	4	8	15	42	26	5
-Influenza and Typhoid	137	2	-	1	-	-	3	2	2	1	3	2	9	13	29	47	31	4
-Influenza and Typhoid	197	48	23	9	8	2	99	3	1	-	1	10	10	9	16	32	21	4
-Influenza and Typhoid	70	15	1	1	-	1	18	3	-	1	3	4	10	10	6	11	4	-
-Influenza and Typhoid	7	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	-	1
-Influenza and Typhoid	5	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-
-Influenza and Typhoid	5	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
-Influenza and Typhoid	5	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
-Influenza and Typhoid	20	-	-	-	-	-	-	-	-	-	4	8	8	-	-	-	-	-
-Influenza and Typhoid	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
-Influenza and Typhoid	29	4	3	2	-	-	9	7	-	-	-	1	1	1	-	2	5	-
-Influenza and Typhoid	348	153	15	1	2	2	173	3	1	3	1	2	6	4	15	49	62	29
160.—WOODSTOCK.																		
Mean Popul ⁿ , 1861-71	7175	198	192	195	193	206	984	863	751	613	569	997	808	655	491	308	119	17
ALL DEATHS	1346	270	75	36	23	20	424	40	29	40	47	82	79	89	126	184	170	36
-pox	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-
-smallpox	22	3	3	5	2	3	16	4	-	-	-	1	-	-	-	-	-	-
-diphtheria	28	4	2	7	1	1	15	7	3	1	-	1	1	-	-	-	-	-
-beria	8	-	-	-	2	-	2	3	-	-	-	-	-	2	1	-	-	-
-croup	26	9	8	4	3	2	26	-	-	-	-	-	-	-	-	-	-	-
-measles & Dysentery	44	1	4	-	3	1	9	6	4	4	4	2	5	3	2	5	3	1
-Typhoid	42	19	2	1	1	-	23	-	1	1	-	2	1	2	2	6	3	1
-Typhoid	28	2	3	3	3	1	12	-	1	-	1	-	3	3	3	3	2	-
-Influenza and Typhoid	33	-	-	-	-	-	-	-	-	-	-	5	3	7	12	4	2	-
-Influenza and Typhoid	81	9	7	2	-	-	18	3	1	3	-	2	1	2	-	1	-	-
-Influenza and Typhoid	159	3	2	-	-	1	6	1	7	19	27	41	25	17	6	-	-	-
-Influenza and Typhoid	6	2	3	-	-	1	6	-	-	-	-	-	-	-	-	-	-	-
-Influenza and Typhoid	162	22	7	3	3	5	40	5	3	2	2	5	6	15	20	41	23	1
-Influenza and Typhoid	111	1	-	1	-	-	9	-	2	4	-	5	11	13	26	33	12	5
-Influenza and Typhoid	205	69	21	6	3	3	92	4	3	-	2	6	6	8	20	27	32	6
-Influenza and Typhoid	61	9	1	1	-	-	11	1	-	1	2	2	4	6	21	9	4	-
-Influenza and Typhoid	13	-	-	1	-	-	-	1	1	-	1	1	3	2	1	3	2	-
-Influenza and Typhoid	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-Influenza and Typhoid	7	4	1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
-Influenza and Typhoid	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-Influenza and Typhoid	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-Influenza and Typhoid	11	2	-	-	1	1	4	4	-	-	1	-	-	-	1	1	4	5
-Influenza and Typhoid	324	118	11	2	2	1	133	1	2	3	2	-	1	-	6	10	45	26

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14		
161.—WITNEY.																	
Mean Popul ⁿ , 1861-71	11523	348	302	307	315	318	1588	1470	1336	1101	817	1341	1182	1069	852	536	205
TOTAL DEATHS	2238	564	123	69	38	33	818	75	80	47	54	93	105	129	200	285	296
Small-pox	4	2	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-
Measles	26	5	4	7	2	1	19	6	1	-	-	-	-	-	-	-	-
Scarlatina	67	8	9	9	10	8	44	14	5	1	-	2	-	1	-	-	-
Diphtheria	10	-	1	1	1	1	4	1	-	-	1	-	-	-	1	-	-
Whooping-cough	26	11	9	2	1	1	24	2	-	-	-	-	-	-	-	-	-
Typhus	75	1	2	3	1	0	13	10	14	8	3	4	7	7	3	2	1
Diarrhoea & Dysentery	62	21	10	2	-	-	33	-	-	-	-	1	1	1	-	-	-
Cholera	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	43	7	5	2	1	1	16	1	-	4	-	-	3	3	2	4	1
Cancer	46	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	25	7	-	1	2	-	10	4	1	5	1	1	2	9	13	14	1
Phthisis	194	2	1	-	3	-	4	6	4	16	31	56	21	25	18	3	-
Hydrocephalus	83	13	10	2	3	-	29	4	1	-	-	-	-	-	-	-	-
Dis. of Brain	966	28	12	7	2	1	80	3	3	4	5	7	10	13	24	22	41
Dis. of Heart & Dropsy	120	3	-	-	-	-	3	2	-	-	-	7	7	11	26	22	11
Dis. of Lungs	346	101	34	13	6	6	160	4	2	4	4	6	14	13	20	47	20
Dis. of Stom. and Liver	118	15	1	1	1	1	19	4	-	-	-	3	13	21	24	37	4
Dis. of Kidneys	28	1	-	-	-	-	1	-	-	2	1	-	5	10	11	11	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	1	-	1	-	2	2	-	-	-	-	1	1	-	1	-
Dis. of Skin	5	-	1	-	-	-	1	-	-	1	-	-	-	-	2	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-
Other Violent Deaths	69	9	3	6	2	3	23	8	2	2	5	4	3	10	6	3	2
Other Causes	609	300	20	4	3	4	311	3	1	1	2	1	5	-	12	69	129
162.—CHIPPING NORTON.																	
Mean Popul ⁿ , 1861-71	8858	262	232	260	226	236	1216	1075	1007	890	634	1100	939	803	650	384	151
TOTAL DEATHS	1712	459	96	44	32	25	656	60	36	35	40	76	98	94	142	206	206
Small-pox	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Measles	11	2	4	2	9	1	11	-	-	-	-	-	-	-	-	-	-
Scarlatina	43	2	4	-	11	2	24	16	1	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough	26	19	4	2	-	-	25	1	-	-	-	-	-	-	-	-	-
Typhus	24	1	2	-	2	7	13	10	6	3	4	4	6	4	2	3	1
Diarrhoea & Dysentery	41	15	4	1	-	-	23	-	-	1	1	-	-	1	5	4	1
Cholera	2	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
Other Zymotic Dis.	32	6	3	4	2	2	17	2	1	2	-	-	1	1	2	5	1
Cancer	28	-	-	-	-	-	-	-	-	-	-	-	4	3	7	9	1
Scrofula and Tuberc.	30	6	2	2	3	3	16	6	-	2	2	1	1	2	2	-	-
Phthisis	162	4	4	1	-	-	9	5	7	13	25	39	30	19	13	4	-
Hydrocephalus	23	13	4	-	1	1	19	2	2	-	-	-	-	-	-	-	-
Dis. of Brain	160	54	9	1	4	3	71	8	2	2	1	7	6	14	14	22	21
Dis. of Heart & Dropsy	126	3	1	-	-	-	4	1	3	1	3	6	13	10	28	29	16
Dis. of Lungs	237	77	26	12	3	3	121	6	1	3	1	4	8	9	17	27	26
Dis. of Stom. and Liver	82	12	1	1	-	-	15	1	-	4	-	1	11	14	17	13	6
Dis. of Kidneys	30	-	-	1	-	-	1	-	-	-	1	5	7	3	6	5	4
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	-	-	1	-	3	-	2	1	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Other Violent Deaths	59	4	3	3	-	1	11	5	10	2	1	7	3	6	4	6	4
Other Causes	530	256	24	8	3	1	272	4	2	1	2	3	4	8	21	58	117
163.—BANBURY.																	
Mean Popul ⁿ , 1861-71	15272	454	395	414	400	408	2071	1915	1770	1465	1075	1938	1687	1386	1018	663	260
TOTAL DEATHS	3070	732	217	101	56	40	1166	120	54	58	56	152	159	189	266	308	364
Small-pox	10	2	-	-	-	-	2	-	-	1	-	2	1	1	2	1	-
Measles	48	19	20	7	2	3	42	6	-	-	-	-	-	-	-	-	-
Scarlatina	48	3	3	8	5	3	22	19	3	1	-	2	-	1	-	-	-
Diphtheria	41	2	5	6	1	9	23	11	3	2	-	-	1	-	-	-	-
Whooping-cough	43	23	10	7	1	1	42	1	-	-	-	-	-	-	-	-	-
Typhus	107	4	6	6	3	6	25	24	7	9	5	8	11	8	2	5	8
Diarrhoea & Dysentery	95	48	17	4	3	1	73	1	-	1	-	-	2	3	4	5	8
Cholera	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	78	10	7	9	9	4	39	6	2	2	2	5	3	4	4	8	3
Cancer	26	-	-	-	-	-	-	-	-	-	1	1	2	7	10	10	4
Scrofula and Tuberc.	70	50	5	6	2	1	44	5	3	7	4	1	3	-	1	2	-
Phthisis	255	13	5	2	1	-	21	7	6	12	35	52	50	33	23	13	5
Hydrocephalus	49	9	17	6	7	-	38	6	2	-	-	-	-	-	-	-	-
Dis. of Brain	398	117	28	12	5	4	166	7	7	4	2	11	11	26	24	72	25
Dis. of Heart & Dropsy	216	3	4	1	4	-	12	3	4	4	2	11	13	29	43	61	24
Dis. of Lungs	440	105	54	20	5	4	186	9	3	4	1	19	16	27	43	81	35
Dis. of Stom. and Liver	186	18	3	2	1	1	25	4	4	5	-	12	16	21	44	41	15
Dis. of Kidneys	53	-	-	1	-	-	1	-	-	-	-	5	6	8	7	16	12
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-
Dis. of Skin	11	2	-	-	-	-	2	-	-	-	-	1	1	1	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	103	4	3	3	6	2	18	7	8	3	1	8	17	6	4	13	25
Other Causes	774	349	29	2	3	1	384	3	2	1	1	10	16	14	19	23	44

[III.] Causes of Death in the Ten Years 1861-70.—Females.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
161.—WITNEY.																		
Popul ⁿ , 1861-71	11551	343	320	292	330	280	1565	1427	1248	998	874	1507	1268	1078	815	527	213	31
ALL DEATHS -	2264	403	130	70	40	38	681	89	55	66	87	130	141	137	190	245	325	190
pox -	3	-	-	2	-	-	2	-	-	-	-	-	-	1	-	-	-	-
ina -	22	4	7	4	2	-	17	3	1	-	-	-	-	-	-	-	-	-
eria -	11	1	6	11	5	11	33	18	4	-	-	-	-	1	-	-	-	-
ing-cough -	44	23	11	4	3	1	42	1	1	-	-	-	-	-	-	-	-	-
ona & Dysentery -	105	4	-	5	2	7	18	13	11	8	6	7	4	5	10	9	11	1
ymotic Dia. -	34	3	2	3	4	1	13	7	2	-	2	-	-	2	3	4	1	1
la and Tabes -	56	-	-	-	-	-	-	-	-	-	-	1	10	14	16	8	5	3
is -	278	-	1	7	1	1	11	6	17	29	48	69	44	32	19	3	1	-
ephalus -	23	10	4	4	-	1	19	2	2	-	-	-	-	-	-	-	-	-
Brain -	236	46	12	2	7	4	71	6	1	4	4	5	10	14	32	45	31	10
Heart & Dropsy -	207	3	1	2	1	1	7	4	6	3	2	12	17	27	43	51	32	3
Lungs -	290	71	36	10	7	2	126	4	2	5	2	1	11	20	22	43	45	9
Stom. and Liver -	112	5	3	1	-	-	9	2	3	2	4	5	13	18	28	15	13	-
Kidneys -	24	2	-	-	1	-	3	1	1	1	1	6	5	2	2	1	1	-
Gener. Organs -	19	-	-	-	-	-	-	-	-	-	-	3	3	7	3	3	-	-
Joints -	7	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-
Skin -	4	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
irth and Metria -	35	-	-	-	-	-	-	-	-	4	7	13	11	-	-	-	-	-
Violent Deaths -	34	7	3	4	2	2	18	5	-	-	-	-	2	1	-	1	1	4
Causes -	535	191	31	7	1	4	234	5	-	3	2	1	2	7	7	47	173	173
162.—CHIPPING NORTON.																		
Popul ⁿ , 1861-71	8762	263	233	269	299	239	1223	1087	963	766	691	1156	954	803	590	376	130	
ALL DEATHS -	1600	307	91	54	34	20	506	70	45	58	66	124	84	87	119	186	192	
pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ina -	14	3	4	2	-	2	11	3	-	-	-	-	-	-	-	-	-	-
eria -	40	4	3	6	5	2	20	13	3	1	-	2	1	-	-	-	-	-
ing-cough -	25	5	10	5	2	1	23	2	-	-	-	-	-	-	-	-	-	-
ona & Dysentery -	67	1	5	2	1	-	7	10	13	5	5	9	5	4	1	2	2	-
ymotic Dia. -	28	9	1	1	2	-	13	1	1	1	-	-	2	1	1	4	2	-
la and Tabes -	32	2	1	4	3	3	20	2	-	2	2	-	1	2	-	2	1	-
is -	49	-	-	-	-	-	-	-	-	1	2	5	6	11	11	6	3	-
ephalus -	28	7	4	2	1	-	14	5	2	2	1	1	1	1	1	1	1	-
Brain -	210	1	3	4	2	2	12	4	17	28	39	57	23	18	11	1	1	-
Heart & Dropsy -	12	5	2	2	-	-	11	-	-	-	-	1	-	-	-	-	-	-
Lungs -	140	22	7	2	4	3	38	3	1	2	4	5	4	9	22	28	20	-
Stom. and Liver -	146	3	-	-	1	1	4	4	2	3	3	9	10	10	31	42	21	-
Kidneys -	200	64	25	13	5	2	109	5	3	2	3	7	3	6	16	28	16	-
Gener. Organs -	86	6	-	2	1	-	9	5	-	6	3	4	10	12	12	12	9	-
Joints -	10	-	1	-	-	-	1	1	-	-	-	1	3	1	1	1	1	-
Skin -	9	-	-	-	-	-	-	-	-	1	-	1	1	1	4	1	1	-
irth and Metria -	7	1	-	-	1	1	3	1	1	-	-	-	1	1	-	-	-	-
Violent Deaths -	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Causes -	32	-	-	-	-	-	-	-	-	5	19	8	1	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13	2	2	1	2	3	7	1	1	-	-	-	1	-	-	2	2	-
	446	164	25	8	2	3	292	3	1	4	1	3	3	3	8	60	115	47
163.—BANBURY.																		
Popul ⁿ , 1861-71	15418	470	404	418	405	399	2086	1866	1728	1315	1189	2072	1760	1429	1041	651	250	31
ALL DEATHS -	2980	595	185	106	70	67	1023	102	62	92	79	194	177	175	255	374	360	87
pox -	9	2	1	-	1	-	4	1	-	2	-	-	2	-	-	-	-	-
ina -	72	10	23	17	5	8	63	6	1	2	-	2	1	-	-	-	-	-
eria -	57	4	5	6	14	3	35	16	2	2	-	1	1	-	-	-	-	-
ing-cough -	53	3	5	11	8	7	34	8	3	1	2	3	1	1	-	-	-	-
ona & Dysentery -	52	18	14	7	7	4	50	1	1	-	-	-	-	-	-	-	-	-
ymotic Dia. -	115	4	3	5	1	2	15	17	18	17	12	12	8	5	5	4	3	-
la and Tabes -	78	34	6	7	1	-	48	3	2	1	-	1	3	1	4	3	6	-
is -	3	-	1	-	-	-	1	-	-	-	-	1	1	-	-	1	1	-
ephalus -	61	5	2	4	8	6	25	8	1	3	2	1	3	5	3	7	2	-
Brain -	76	-	-	-	-	-	-	-	-	1	1	3	8	21	16	20	7	-
Heart & Dropsy -	55	18	10	-	7	1	36	3	3	4	2	-	1	1	1	1	1	-
Lungs -	209	8	11	4	1	2	26	4	8	37	36	84	60	1	29	17	1	-
Stom. and Liver -	38	13	7	2	-	3	25	6	4	-	-	-	-	-	-	-	-	-
Kidneys -	343	77	18	11	7	2	115	7	-	3	3	13	25	39	69	48	9	-
Gener. Organs -	214	6	4	1	-	-	15	3	6	4	3	12	22	37	67	61	22	-
Joints -	275	83	46	17	5	12	163	10	1	2	8	15	11	12	46	63	39	-
Skin -	161	10	1	2	1	-	14	5	6	5	3	13	18	22	40	22	13	-
irth and Metria -	17	-	-	-	2	-	2	-	-	-	1	2	1	3	4	2	2	-
Violent Deaths -	11	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-
Causes -	754	203	25	7	4	1	330	1	3	2	2	1	1	4	7	13	36	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.
164.—BRACKLEY.																		
Popul ⁿ , 61-71	6858	203	187	176	190	165	921	831	729	586	540	888	773	638	515	320	106	11
DEATHS -	1317	247	80	42	25	18	412	39	35	45	47	86	95	64	126	166	167	35
- - -	22	3	10	4	5	4	26	2	-	2	-	-	2	-	-	-	-	-
- - -	25	2	7	3	7	2	21	4	-	-	-	-	-	-	-	-	-	-
- - -	8	-	2	1	-	-	3	4	-	1	-	-	-	-	-	-	-	-
- cough -	23	10	7	6	-	-	23	-	-	-	-	-	-	-	-	-	-	-
- & Dysentery -	67	1	2	3	4	3	13	10	6	10	5	4	4	2	5	5	5	5
- notie Dis. -	24	7	-	1	-	-	8	-	1	-	-	-	-	-	-	-	-	-
- and Tabes -	28	3	6	3	-	3	15	2	1	1	1	1	1	1	3	2	-	-
- and Tabes -	26	-	-	1	-	-	1	-	-	-	-	1	2	5	6	9	2	-
- halus -	172	2	1	1	-	1	5	1	15	19	25	46	40	10	9	1	1	-
- halus -	31	11	11	3	2	-	27	3	1	-	-	-	-	-	-	-	-	-
- rain -	152	19	5	1	1	-	26	3	4	2	4	6	6	9	27	42	18	5
- cart & Dropsy -	123	3	-	-	-	-	3	1	-	2	3	6	9	18	25	31	23	2
- mgs -	135	37	17	7	2	1	64	4	-	3	1	2	5	4	13	18	20	1
- om. and Liver -	77	5	1	1	-	2	9	1	3	2	-	8	9	9	20	12	4	-
- kidneys -	8	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	2	-
- mer. Organs -	4	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	
- stia -	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	
- kin -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	
- h and Metria -	20	-	-	-	-	-	-	-	-	-	3	6	11	-	-	-	-	
- 3 -	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
- lent Deaths -	8	1	1	1	-	-	3	2	-	-	-	-	-	-	3	-	-	
- uses -	309	129	7	2	2	1	141	1	2	1	4	1	1	-	9	34	68	27
165.—TOWCESTER.																		
Popul ⁿ , 61-71	6622	180	172	168	172	167	859	776	697	563	532	905	767	628	481	301	100	13
DEATHS -	1312	270	94	42	25	24	455	34	29	43	37	83	90	82	116	172	133	38
- - -	7	1	1	1	-	-	3	-	1	1	-	-	-	1	1	-	-	-
- - -	24	5	5	6	3	2	21	2	-	-	-	-	-	-	-	-	-	-
- - -	29	1	3	4	2	6	16	3	1	-	-	-	-	-	-	-	-	-
- la -	8	-	1	-	1	1	3	3	-	-	-	1	-	1	-	-	-	-
- cough -	24	11	5	4	3	-	23	1	-	-	-	-	-	-	-	-	-	-
- & Dysentery -	40	-	1	1	1	1	4	5	7	7	1	2	9	2	-	-	-	-
- notie Dis. -	26	13	4	2	1	-	20	-	-	-	-	-	-	1	-	2	3	-
- notie Dis. -	31	5	6	5	2	1	19	3	-	1	-	-	1	1	3	3	-	-
- and Tabes -	28	-	-	-	-	-	-	-	-	-	-	2	2	6	9	7	1	1
- and Tabes -	29	5	6	1	2	2	16	-	2	4	1	2	1	1	2	-	-	-
- halus -	137	4	6	-	-	1	11	3	5	16	15	24	32	10	7	4	-	-
- halus -	22	8	6	3	2	1	20	2	-	-	-	-	-	-	-	-	-	-
- rain -	154	35	10	2	2	3	52	2	3	3	3	7	5	5	18	32	19	5
- cart & Dropsy -	112	-	3	-	-	-	3	2	1	3	1	4	10	13	19	31	21	4
- mgs -	220	47	19	10	2	4	82	4	5	1	7	7	4	14	20	38	35	3
- om. and Liver -	115	12	4	1	2	-	19	2	1	3	4	10	7	18	23	17	10	1
- kidneys -	11	1	-	-	-	-	1	1	-	-	1	2	1	2	-	3	-	-
- mer. Organs -	12	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	1	-
- stia -	5	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-
- kin -	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
- h and Metria -	22	-	-	-	-	-	-	-	-	-	2	9	10	1	-	-	-	-
- 2 -	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
- lent Deaths -	17	2	1	1	2	-	6	-	1	-	1	-	1	1	-	2	1	2
- uses -	242	113	13	1	-	2	134	1	2	2	1	2	1	1	9	28	49	29
166.—POTTERSPURY.																		
Popul ⁿ , 61-71	5708	179	147	160	139	131	756	702	590	525	496	806	645	535	356	217	69	11
DEATHS -	1111	269	73	35	27	16	420	30	21	29	40	66	70	70	98	131	101	35
- - -	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
- - -	24	5	4	6	3	3	21	1	-	-	-	1	-	-	-	-	-	-
- - -	26	-	5	6	4	-	20	4	2	-	-	-	-	-	-	-	-	-
- la -	8	-	2	1	1	-	4	3	1	-	-	-	-	-	-	-	-	-
- cough -	23	14	5	1	1	1	22	1	-	-	-	-	-	-	-	-	-	-
- & Dysentery -	44	2	6	2	2	1	13	9	3	3	3	3	2	1	5	2	1	-
- notie Dis. -	31	17	3	1	1	-	22	-	-	-	1	-	-	-	-	4	2	1
- notie Dis. -	29	2	3	4	1	2	12	3	1	1	-	3	2	2	2	1	1	1
- and Tabes -	32	-	-	-	1	-	1	-	-	-	1	1	4	5	12	8	-	-
- and Tabes -	25	7	2	1	-	1	11	2	-	2	-	1	1	5	3	1	-	-
- halus -	129	3	3	-	1	-	7	2	8	16	19	31	21	16	-	-	-	-
- halus -	21	10	6	2	2	1	21	-	-	-	-	-	-	-	-	-	-	-
- rain -	108	24	4	5	1	-	34	-	-	1	4	5	3	7	10	22	20	2
- cart & Dropsy -	92	2	2	-	-	-	4	1	-	2	5	3	9	11	22	24	9	2
- mgs -	129	44	16	2	4	1	67	1	-	2	-	4	4	6	16	21	9	1
- om. and Liver -	68	7	-	-	-	-	7	-	3	2	1	2	4	6	13	16	10	-
- kidneys -	8	1	-	-	-	-	1	-	-	-	-	-	2	4	1	-	-	-
- mer. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- stia -	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
- kin -	6	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
- h and Metria -	21	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
- 5 -	5	-	-	-	-	-	-	-	-	-	5	1	1	-	-	-	-	-
- lent Deaths -	12	2	2	1	1	1	7	1	2	-	-	-	-	-	-	-	-	-
- uses -	264	138	10	4	2	-	142	2	-	1	-	-	-	4	4	7	26	3

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
167.—HARDINGSTONE.																			
Mean Popul ⁿ , 1861-71 -	5122	154	147	140	131	124	705	619	590	507	399	636	572	465	342	212	65	7	
TOTAL DEATHS -	1008	302	87	30	24	10	471	38	14	31	26	38	38	59	78	100	21	4	
Small-pox - - -	5	-	2	-	1	-	3	-	1	-	-	-	1	-	-	-	-	-	
Measles - - -	24	5	11	2	-	5	23	1	-	-	-	-	-	-	-	-	-	-	
Escarlatina - - -	47	4	6	5	6	5	29	11	3	1	-	-	-	-	2	1	1	1	
Diphtheria - - -	6	-	1	-	-	1	2	3	-	-	-	1	-	-	-	-	-	-	
Whooping-cough -	11	9	1	1	-	-	11	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - -	40	2	3	-	-	1	6	7	1	4	2	11	4	5	1	3	2	1	
Diarrhoea & Dysentery	45	31	7	3	-	-	40	-	-	-	-	-	-	1	-	5	2	1	
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	22	3	6	2	4	-	14	1	1	1	-	1	1	-	1	1	1	1	
Cancer - - -	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	
Scrofula and Tuberc.	11	4	2	1	-	-	7	-	1	2	-	-	1	-	-	-	-	-	
Phthisis - - -	84	5	1	3	1	1	11	-	1	12	15	21	10	8	4	2	2	1	
Hydrocephalus - -	13	5	5	1	1	-	12	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain - - -	114	30	10	7	1	1	28	1	-	1	4	1	4	3	6	20	12	1	
Dis. of Heart & Dropsy	65	4	1	1	1	-	7	1	1	1	1	2	10	13	8	15	4	1	
Dis. of Lungs - - -	160	55	20	7	4	2	88	2	3	1	1	1	2	6	2	1	1	1	
Dis. of Stomach & Liver	24	5	-	-	1	-	6	3	-	1	-	1	2	6	2	1	1	1	
Dis. of Kidneys - -	19	-	-	-	2	-	2	-	-	1	-	-	2	5	3	4	4	2	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	
Dis. of Skin - - -	4	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	3	2	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	1	
Other Violent Deaths	32	2	-	-	-	-	3	4	1	5	1	5	1	6	4	3	4	1	
Other Causes - - -	273	126	12	7	3	3	140	2	1	-	2	2	-	4	24	30	40	1	

168.—NORTHAMPTON.

Mean Popul ^u , 1861-71	22689	736	644	618	545	630	3173	2658	2355	2265	2101	3496	2690	1922	1227	608	173	21
TOTAL DEATHS -	6109	1846	587	267	195	121	3016	269	113	121	187	371	346	368	482	477	228	51
Small-pox - - -	140	84	12	16	25	10	97	14	-	1	6	11	6	4	1	-	-	-
Measles - - - -	184	41	83	38	18	7	183	2	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	303	50	69	49	26	42	236	116	25	4	3	2	4	2	1	-	-	-
Diphtheria - - -	43	9	7	8	6	6	86	6	-	1	-	-	-	-	-	-	-	-
Whooping-cough -	110	60	31	8	6	1	106	4	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	167	9	9	11	7	45	20	4	6	13	17	17	9	12	11	13	4	9
Diarrhea & Dysentery	421	277	65	10	3	4	359	4	-	2	1	-	3	1	10	21	9	1
Cholera - - - - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	123	19	18	11	10	6	64	5	6	4	9	2	6	9	11	4	9	1
Cancer - - - - -	59	-	-	-	-	-	1	1	1	-	3	3	5	10	25	9	2	-
Scrofula and Tubes	83	39	13	6	1	-	59	1	4	-	6	5	3	5	2	-	-	-
Phthisis - - - -	625	24	18	10	5	1	68	11	17	46	72	160	110	88	61	11	1	-
Hydrocephalus - -	79	34	14	11	6	6	71	7	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	826	323	46	16	10	9	403	17	12	13	16	33	56	60	79	87	44	1
Dis. of Heart & Dropsy	270	-	2	4	1	-	7	14	6	3	13	23	34	39	51	35	22	1
Dis. of Lungs - - -	823	255	120	45	23	11	454	17	7	8	10	24	50	44	56	39	29	1
Dis. of Stom. & Liver	201	38	2	4	3	4	49	4	3	3	7	17	21	23	36	28	9	1
Dis. of Kidneys - -	105	-	3	-	1	1	5	4	4	1	4	7	16	13	19	19	19	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints - - -	26	-	-	-	-	-	1	3	3	4	1	2	4	3	8	2	-	-
Dis. of Skin - - -	10	1	-	1	2	-	4	-	-	2	-	-	-	1	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Suicide - - - - -	32	-	-	-	-	-	-	-	-	-	-	7	3	7	8	3	-	-
Other Violent Deaths	214	13	6	6	9	3	26	16	15	15	14	27	23	20	28	12	3	1
Other Causes - - -	1168	647	75	13	3	3	740	3	3	1	3	13	11	22	38	117	146	1

169.—DAVENTRY.

Mean Popul ⁿ , 1861-71	10183	270	266	248	232	260	1276	1184	1116	953	868	1349	1140	928	722	455	171	21
TOTAL DEATHS -	2004	407	117	60	43	24	741	74	39	39	53	99	111	107	186	245	253	20
Small-pox - - -	16	2	1	2	1	-	6	-	1	1	-	1	3	2	2	-	-	-
Measles - - - -	21	5	8	2	5	-	29	3	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	41	6	6	13	9	2	31	17	-	-	-	2	-	-	-	-	-	-
Diphtheria - - -	19	1	2	2	4	-	10	6	-	1	-	-	-	1	-	-	-	-
Whooping-cough -	20	16	3	-	-	-	19	1	-	-	-	-	-	-	-	-	-	-
Typhus - - - - -	58	1	1	1	3	-	6	5	9	4	5	5	7	5	1	7	3	2
Dysentery & Cholera -	49	21	5	2	1	-	59	-	-	-	-	-	-	-	-	-	-	-
Cholera - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	53	5	9	10	3	2	22	6	-	1	1	2	3	6	-	2	2	1
Cancer - - - - -	25	-	-	1	-	-	1	-	-	-	-	-	5	5	7	6	2	-
Scrofula and Tuberc.	46	18	5	4	1	1	29	4	2	-	2	4	2	5	1	2	-	-
Phthisis - - - -	151	1	1	1	2	1	5	5	3	13	23	44	27	15	10	6	-	-
Hydrocephalus - -	46	25	12	2	1	1	41	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	234	54	9	1	3	5	72	4	6	2	4	2	4	12	22	51	46	4
Dis. of Heart & Dropsy	185	29	2	-	-	2	24	1	2	2	4	11	10	16	35	41	19	1
Dis. of Lungs - - -	290	84	26	8	5	5	125	6	2	2	4	10	16	16	24	29	31	6
Dis. of Stom. and Liver	108	16	4	3	1	2	26	7	4	3	2	2	7	11	23	13	8	2
Dis. of Kidneys - -	37	-	-	-	-	-	-	1	1	-	2	2	3	3	7	14	2	1
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intest. - - - - -	11	-	1	-	-	-	1	-	-	-	1	-	3	1	-	-	-	-
Infant. - - - - -	7	6	-	-	-	-	6	-	1	1	-	-	1	-	-	-	-	-
and Metris - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths - - - - -	19	8	2	5	4	1	20	-	4	5	7	1	10	3	5	2	1	-
	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	491	212	21	4	-	-	238	-	2	2	1	1	1	6	3	13	1	-

III.] Causes of Death in the Ten Years 1861-70.—Females.

133

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
167.—HARDINGSTONE.																	
Popul ⁿ , 1861-71	5171	162	147	138	154	137	738	625	574	446	430	685	594	461	345	206	57
DEATHS	1068	220	66	39	22	24	371	40	30	44	42	82	69	64	79	129	101
x	3	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-
a	23	5	8	5	2	1	21	2	-	-	-	-	-	-	-	-	-
is	51	3	7	7	7	8	33	12	8	1	1	-	-	-	-	2	1
is	6	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
g-cough	12	8	2	2	-	-	12	-	3	2	7	3	3	4	2	-	-
a & Dysentery	39	3	1	5	1	2	10	5	1	-	1	-	1	1	2	1	8
motile Dis.	35	21	6	1	-	-	28	-	-	-	-	-	-	-	-	-	-
18	18	3	1	4	2	-	10	2	-	1	-	-	1	1	2	1	-
and Tabes	16	-	-	-	-	-	-	-	-	-	-	1	2	6	4	2	1
15	15	7	3	1	-	-	11	2	-	1	-	-	-	1	-	-	-
phalus	181	8	3	1	3	2	17	3	13	27	26	41	29	11	8	5	1
8	8	3	2	-	-	-	6	1	-	1	-	-	-	-	-	-	-
rain	88	27	3	-	-	-	80	2	2	1	-	6	4	4	13	20	6
heart & Dropsy	105	2	1	2	1	-	6	1	2	1	-	7	7	10	21	37	13
ungs	127	46	16	9	5	2	78	1	1	1	1	4	5	7	6	11	10
om. and Liver	41	2	-	-	-	-	4	1	-	1	1	6	3	5	10	7	3
kidneys	10	-	-	-	-	-	-	-	-	-	-	4	2	2	1	1	-
lener. Organs	9	-	-	-	-	-	-	-	-	-	1	-	1	5	1	1	-
oints	9	1	-	-	-	-	1	-	1	1	-	-	-	2	1	3	-
kin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
th and Metria	18	-	-	-	-	-	-	-	-	3	3	5	7	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
olent Deaths	8	1	1	2	-	-	4	2	-	1	-	-	-	-	-	1	-
uses	241	79	12	2	1	3	97	5	2	2	1	4	2	5	9	38	63
168.—NORTHAMPTON.																	
Popul ⁿ , 1861-71	23263	737	636	597	578	582	3130	2650	2487	2463	2243	3531	2635	1905	1259	707	222
DEATHS	5465	1440	543	277	175	121	2556	254	103	171	178	562	324	285	381	442	324
x	128	32	18	19	15	11	65	16	1	5	4	5	2	-	-	-	-
a	152	26	63	31	12	6	138	11	-	1	-	1	1	-	-	-	-
is	353	32	40	51	24	42	219	95	25	5	2	5	-	-	1	1	-
is	52	5	7	11	7	8	38	9	2	-	2	-	1	-	-	-	-
g-cough	138	60	60	13	6	3	138	-	-	-	-	-	-	-	-	-	-
a & Dysentery	182	9	19	11	7	5	51	28	11	17	7	18	10	6	11	10	11
motile Dis.	385	232	67	21	3	2	325	5	2	1	1	5	5	4	9	31	10
5	5	1	1	-	-	-	2	-	-	-	-	-	-	1	1	1	1
98	98	17	17	9	14	7	64	3	4	-	1	5	4	3	9	2	1
and Tabes	112	-	-	-	1	-	1	-	-	1	-	10	26	23	30	17	4
12	52	19	7	5	2	4	37	1	3	2	1	3	3	1	1	1	-
phalus	636	34	19	11	5	3	72	16	21	78	92	166	106	72	26	7	-
30	30	15	18	2	4	1	40	5	5	-	-	-	-	-	-	-	-
rain	605	197	41	24	11	8	281	18	5	8	17	23	35	41	62	64	41
heart & Dropsy	274	4	2	-	-	-	8	7	10	6	5	25	29	28	62	63	28
ungs	645	182	97	48	23	13	363	11	3	6	14	23	28	30	68	89	44
om. and Liver	193	17	2	-	1	2	22	8	3	11	6	19	16	28	27	43	7
kidneys	82	-	-	1	-	-	1	8	1	6	1	11	12	5	5	6	1
lener. Organs	19	-	-	-	-	-	-	-	-	1	2	2	4	2	6	2	-
oints	19	-	1	-	-	-	1	2	2	2	2	1	3	3	1	2	-
kin	24	5	5	-	2	-	12	-	-	1	-	1	1	3	5	1	-
th and Metria	75	-	-	-	-	-	-	-	10	10	10	29	26	-	-	-	-
8	8	-	-	-	-	-	-	-	1	-	1	1	4	-	1	-	-
olent Deaths	64	7	5	6	3	2	23	7	2	3	5	1	4	7	5	2	3
uses	1064	540	64	14	5	2	625	9	2	7	5	8	5	16	33	131	165
169.—DAVENTRY.																	
Popul ⁿ , 1861-71	9843	266	256	260	237	266	1285	1153	1068	836	757	1305	1103	970	720	455	172
DEATHS	1904	342	105	62	28	21	558	65	42	71	83	141	119	122	161	243	238
x	9	1	-	1	1	-	4	-	-	-	1	1	-	2	-	-	1
a	14	2	7	3	2	-	14	-	-	-	-	-	-	-	-	-	-
is	39	1	5	9	7	4	28	11	-	1	1	-	-	-	-	-	-
is	13	-	3	4	-	-	7	4	2	-	-	-	-	-	-	-	-
g-cough	29	18	4	3	1	-	29	3	-	-	-	-	-	-	5	-	-
a & Dysentery	74	-	2	2	1	3	8	11	12	12	7	8	5	1	5	4	3
43	43	14	6	-	-	-	20	-	-	1	1	2	3	-	3	3	9
motile Dis.	46	11	4	5	3	2	25	2	2	2	-	2	2	1	5	2	3
52	52	-	-	-	-	-	-	-	-	-	-	-	5	15	15	12	5
and Tabes	43	21	3	1	1	-	26	4	2	2	2	2	-	2	2	3	-
215	215	5	2	-	-	2	9	7	5	28	88	62	40	17	8	1	-
phalus	31	12	4	10	3	-	29	2	-	-	-	-	-	-	-	-	-
rain	210	40	10	5	-	1	56	5	4	5	5	10	8	11	33	34	36
heart & Dropsy	186	16	1	1	2	-	20	3	7	7	7	10	10	20	32	46	21
ungs	246	52	34	9	4	4	103	11	3	4	5	7	11	15	19	35	29
om. and Liver	121	15	4	4	1	-	24	1	1	3	4	4	16	21	15	20	8
kidneys	14	-	-	-	-	1	1	-	1	-	1	1	2	1	3	2	1
lener. Organs	21	-	-	-	-	-	-	-	-	2	-	1	3	1	2	1	-
oints	6	-	1	-	-	-	1	-	-	-	1	2	-	-	-	-	-
kin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
th and Metria	33	-	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-
4	4	-	-	-	-	-	-	-	-	-	-	15	-	-	-	-	-
olent Deaths	29	1	1	2	2	1	7	2	-	3	-	2	-	7	2	1	10
uses	431	132	14	3	-	2	151	2	4	2	-	2	2	1	1	1	10

DIV. III.] Causes of Death in the Ten Years 1861-70.—Females.

1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--
		1 Year.	1	2	3	4	5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--

170.—BRIXWORTH.		7260	189	190	204	176	188	947	927	792	577	529	944	870	706	513	323	122
Mean Populⁿ, 1861-71		7260	189	190	204	176	188	947	927	792	577	529	944	870	706	513	323	122
TOTAL DEATHS -		1371	281	78	37	29	26	431	67	34	43	45	68	92	80	111	181	181
Small-pox - - -		4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2
Measles - - -		22	7	10	2	1	-	20	2	-	-	-	-	-	-	-	-	-
Scarlatina - - -		63	4	0	5	9	11	35	16	9	-	1	1	-	-	-	1	-
Diphtheria - - -		12	1	-	-	-	4	7	3	2	-	-	-	-	-	-	-	-
Whooping-cough -		32	13	11	4	2	-	30	2	-	-	-	-	-	-	-	-	-
Typhus - - -		91	8	3	7	1	3	22	17	8	9	5	7	7	3	2	10	1
Diarrhoea & Dysentery		40	15	1	2	-	-	21	1	-	-	1	-	-	-	1	3	9
Cholera - - -		2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		94	3	3	2	1	3	12	3	2	-	-	-	2	2	1	1	1
Cancer - - -		38	-	-	-	-	-	-	-	-	1	-	1	4	14	7	8	3
Scrophula and Tuberc.		17	3	3	1	-	1	8	2	1	4	-	1	-	-	-	-	-
Phthisis - - -		181	1	-	-	1	-	2	2	5	17	23	23	29	14	9	1	1
Hydrocephalus - -		17	7	2	-	3	1	13	2	-	1	-	-	-	-	-	-	-
Dis. of Brain - - -		129	26	7	2	2	-	37	3	1	2	1	6	7	13	14	17	23
Dis. of Heart & Dropsy		136	2	-	-	-	-	2	3	-	-	4	3	15	14	29	44	13
Dis. of Lungs - - -		192	50	18	9	5	2	82	7	-	2	-	5	4	7	18	33	33
Dis. of Stom. and Liver		55	4	-	-	-	1	5	-	-	1	-	1	7	5	17	11	7
Dis. of Kidneys - -		11	1	-	-	-	-	1	-	-	-	2	1	3	-	3	1	1
Dis. of Gener. Organs		9	-	-	-	-	-	-	-	1	-	-	1	1	2	3	-	-
Dis. of Joints - - -		3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Dis. of Skin - - -		3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Childbirth and Metris		19	-	-	-	-	-	-	-	-	1	3	9	5	1	-	-	-
Suicide - - -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4
Other Violent Deaths		15	1	-	-	-	-	1	3	-	3	-	1	1	-	2	2	-
Other Causes - - -		304	109	14	3	4	-	180	1	4	1	2	2	3	3	10	44	76

171.—WELLINGBOROUGH.		13474	403	388	369	368	337	1865	1689	1481	1324	1188	1877	1493	1099	804	482	153
Mean Populⁿ, 1861-71		13474	403	388	369	368	337	1865	1689	1481	1324	1188	1877	1493	1099	804	482	153
TOTAL DEATHS -		2761	681	244	98	64	52	1139	103	79	111	117	192	120	145	185	265	245
Small-pox - - -		15	2	5	-	2	1	10	-	-	1	1	2	-	-	1	-	-
Measles - - -		85	12	43	12	6	6	81	3	-	1	-	-	-	-	-	-	-
Scarlatina - - -		109	7	12	14	17	7	57	24	15	2	1	2	1	-	1	-	-
Diphtheria - - -		15	1	1	1	2	2	7	5	2	-	-	-	-	-	1	-	-
Whooping-cough -		64	26	25	6	2	3	64	-	-	-	-	-	-	-	-	-	-
Typhus - - -		124	1	6	7	5	6	25	15	15	10	11	25	9	2	3	6	1
Diarrhoea & Dysentery		103	51	17	4	-	-	72	2	-	1	2	2	2	1	3	8	5
Cholera - - -		7	2	-	1	-	-	3	-	-	-	-	-	-	2	2	2	-
Other Zymotic Dis.		26	12	13	5	4	3	37	2	1	3	1	3	-	2	2	4	1
Cancer - - -		86	-	-	-	-	-	-	-	-	-	-	7	11	21	25	17	4
Scrophula and Tuberc.		42	9	5	2	2	1	19	4	2	6	2	2	3	3	1	-	-
Phthisis - - -		382	27	11	5	4	5	52	16	21	56	70	71	43	31	19	3	-
Hydrocephalus - -		24	12	4	2	-	-	18	3	3	-	-	-	-	-	-	-	-
Dis. of Brain - - -		306	97	23	3	6	4	133	13	6	6	4	10	13	20	22	45	32
Dis. of Heart & Dropsy		165	4	1	3	1	-	9	2	2	6	4	18	14	17	34	48	14
Dis. of Lungs - - -		340	94	34	21	11	10	170	8	4	7	4	17	6	10	28	43	40
Dis. of Stom. and Liver		121	8	-	-	-	1	10	4	2	6	3	7	11	20	24	29	9
Dis. of Kidneys - -		18	-	-	-	-	-	-	2	-	-	2	4	2	3	1	3	1
Dis. of Gener. Organs		13	-	-	-	-	-	-	-	1	2	2	2	1	5	1	-	-
Dis. of Joints - - -		12	-	-	-	-	-	-	1	-	3	1	3	1	1	-	1	1
Dis. of Skin - - -		4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris		36	-	-	-	-	-	-	-	-	1	8	17	10	-	-	-	-
Suicide - - -		2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Other Violent Deaths		28	8	4	3	-	1	16	1	1	1	-	1	-	2	2	1	-
Other Causes - - -		610	304	40	6	-	2	352	-	1	1	1	1	2	2	17	69	132

172.—KETTERING.		9796	290	278	277	258	248	1351	1156	1091	917	847	1296	1069	863	649	397	143
Mean Populⁿ, 1861-71		9796	290	278	277	258	248	1351	1156	1091	917	847	1296	1069	863	649	397	143
TOTAL DEATHS -		2020	462	147	73	48	43	773	79	36	80	60	117	114	105	144	234	216
Small-pox - - -		2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Measles - - -		57	6	14	18	6	7	51	6	-	-	-	-	-	-	-	-	-
Scarlatina - - -		87	6	11	13	14	9	53	21	8	4	-	-	1	-	-	-	-
Diphtheria - - -		18	3	1	4	2	3	13	3	-	-	1	-	-	-	1	-	-
Whooping-cough -		32	17	11	3	-	-	31	1	-	-	-	-	-	-	-	-	-
Typhus - - -		114	4	4	4	7	8	27	14	7	17	6	12	9	9	7	5	-
Diarrhoea & Dysentery		66	34	9	-	-	-	43	1	-	1	-	2	-	1	2	9	5
Cholera - - -		4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		32	5	6	4	4	5	24	6	2	1	3	1	2	1	9	1	-
Cancer - - -		56	1	-	-	-	-	1	-	-	-	-	2	6	12	13	17	5
Scrophula and Tuberc.		44	19	8	2	3	-	32	2	1	4	1	1	-	-	1	1	1
Phthisis - - -		222	2	4	1	-	1	8	2	9	35	33	32	47	26	7	-	-
Hydrocephalus - -		33	14	8	3	3	1	29	3	-	1	-	-	-	-	-	-	-
Dis. of Brain - - -		203	53	11	-	1	1	65	5	1	5	4	6	8	12	26	43	27
Dis. of Heart & Dropsy		151	8	-	-	-	1	4	2	2	2	1	9	7	23	39	46	27
Dis. of Lungs - - -		242	49	38	13	6	3	104	5	2	2	2	7	6	6	19	16	6
Dis. of Stom. and Liver		83	5	-	-	1	1	9	2	2	-	-	7	6	6	19	16	6
Dis. of Kidneys - -		19	-	-	-	-	-	-	1	-	-	-	3	1	2	5	4	1
Dis. of Gener. Organs		6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints - - -		2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - -		2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris		27	-	-	-	-	-	-	-	-	3	5	9	10	-	-	-	-
Suicide - - -		20	3	3	2	-	1	9	3	2	-	-	2	1	1	1	1	2
Other Violent Deaths		470	234	22	5	1	1	263	4	-	1	-	1	3	1	3	6	45

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	AGES OF MALES.																
		Total under 5 Years.																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	

173.—THRAPSTON.																		
Mean Popul ⁿ , 1861-71	7123	223	183	204	188	186	984	936	778	700	553	951	761	602	463	295	21	9
TOTAL DEATHS	1465	404	119	45	35	21	657	52	25	25	43	59	62	65	153	155	136	25
Small-pox	4	1	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Measles	31	9	10	5	5	1	30	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	29	-	4	2	6	6	19	11	4	1	-	2	1	1	-	-	-	-
Diphtheria	4	1	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough	29	23	11	3	2	-	29	-	-	-	-	-	-	-	-	-	-	-
Typhus	50	7	3	5	4	1	29	6	4	2	6	1	2	2	2	2	2	1
Diarrhoea & Dysentery	55	29	14	1	1	-	42	-	-	-	-	-	-	-	-	-	-	-
Cholera	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	36	6	3	3	4	3	19	2	1	-	1	1	-	4	4	1	1	1
Cancer	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	19	5	4	1	1	1	12	2	-	1	3	1	2	7	11	5	5	5
Phthisis	105	2	-	1	1	1	4	2	3	1	20	25	19	8	15	2	-	-
Hydrocephalus	15	5	6	-	1	1	13	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	162	48	14	6	4	3	75	7	5	2	2	3	6	10	12	19	22	1
Dis. of Heart & Dropsy	97	3	-	-	-	-	3	-	2	2	3	4	10	5	29	31	10	1
Dis. of Lungs	225	64	25	11	3	1	108	7	2	2	2	12	9	10	15	24	24	1
Dis. of Stom. and Liver	61	8	2	-	-	1	11	1	-	1	1	1	4	5	20	14	5	1
Dis. of Kidneys	19	-	-	-	1	-	1	1	-	-	-	1	2	3	5	6	2	-
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	1	1	-	2	-	-	-	1	-	1	-
Dis. of Skin	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Other Violent Deaths	42	2	1	1	-	-	4	5	2	2	2	6	8	3	8	8	4	2
Other Causes	418	248	21	8	3	1	281	4	2	2	-	-	1	4	18	24	22	20

174.—OUNCLE.																		
Mean Popul ⁿ , 1861-71	7505	209	196	216	199	201	1021	921	917	741	537	872	802	691	536	336	124	13
TOTAL DEATHS	1445	388	78	64	27	20	557	72	52	37	28	67	68	87	123	170	164	26
Small-pox	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Measles	22	7	6	3	2	7	18	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	48	3	5	4	3	7	20	20	3	5	-	-	-	-	-	-	-	-
Diphtheria	7	-	1	1	-	2	4	1	1	-	1	-	-	-	-	-	-	-
Whooping-cough	28	14	10	3	-	-	27	1	-	-	-	-	-	-	-	-	-	-
Typhus	54	1	3	1	1	2	14	4	7	8	4	7	5	5	2	5	2	2
Diarrhoea & Dysentery	29	12	1	-	-	-	14	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	37	8	1	2	4	-	15	6	1	2	-	1	-	5	3	4	-	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	-	-	3	7	3	2	-
Scrophula and Tuberc.	11	1	1	-	-	-	2	3	-	1	-	2	1	1	1	-	-	-
Phthisis	113	5	1	2	1	-	9	1	2	6	16	33	18	14	11	3	-	-
Hydrocephalus	25	9	4	3	2	-	18	5	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	161	65	6	5	2	3	77	4	3	3	1	2	6	10	15	22	22	1
Dis. of Heart & Dropsy	125	7	-	-	-	-	7	3	1	2	3	5	17	19	27	27	14	1
Dis. of Lungs	169	20	13	8	4	-	75	5	1	3	1	6	9	7	16	24	13	2
Dis. of Stom. and Liver	67	10	2	1	-	1	14	3	4	1	-	2	3	7	13	13	7	-
Dis. of Kidneys	18	-	-	-	1	-	1	1	2	-	-	1	1	2	3	6	-	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	3	1	5	1	1	1	-
Other Violent Deaths	52	3	-	2	2	3	10	6	4	5	2	3	5	3	6	8	3	2
Other Causes	449	195	27	9	4	2	297	5	1	-	-	1	4	7	15	49	28	22

175.—PETERBOROUGH.																		
Mean Popul ⁿ , 1861-71	17446	521	486	500	492	470	2469	2237	1899	1727	1416	2327	1943	1496	1051	634	224	23
TOTAL DEATHS	3717	1082	240	121	90	71	1619	182	86	99	86	173	200	233	283	387	506	66
Small-pox	61	9	-	-	-	4	10	6	1	3	3	8	2	1	-	2	-	-
Measles	64	11	18	14	10	7	60	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	183	19	20	28	34	23	124	42	12	2	1	1	1	-	-	-	-	-
Diphtheria	56	5	10	6	7	6	34	13	5	2	-	1	-	1	-	-	-	-
Whooping-cough	55	32	15	4	3	1	55	-	-	-	-	-	-	-	-	-	-	-
Typhus	142	9	5	7	6	4	31	18	15	9	10	15	13	6	4	2	1	1
Diarrhoea & Dysentery	161	109	19	2	1	-	131	2	1	-	-	2	2	2	3	13	6	1
Cholera	3	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
Other Zymotic Dis.	73	16	3	8	6	6	39	8	3	2	-	3	-	5	4	6	4	-
Cancer	58	-	-	-	-	-	1	1	-	-	-	2	4	14	15	15	5	1
Scrophula and Tuberc.	64	20	8	3	2	-	35	6	3	3	1	4	3	2	2	4	2	-
Phthisis	322	12	8	-	1	3	24	4	5	29	43	81	64	40	23	8	1	-
Hydrocephalus	72	20	10	10	7	2	49	16	5	1	-	1	-	-	-	-	-	-
Dis. of Brain	298	137	19	7	1	5	189	19	6	7	1	10	16	18	28	61	27	3
Dis. of Heart & Dropsy	204	4	-	-	2	-	6	3	2	2	4	10	23	35	30	69	25	3
Dis. of Lungs	477	146	60	25	7	6	242	10	5	4	5	11	11	25	55	61	42	6
Dis. of Stom. and Liver	138	18	4	1	-	-	24	7	3	-	-	7	11	18	37	36	21	1
Dis. of Kidneys	60	-	-	-	-	-	-	2	-	1	-	6	5	6	10	18	17	3
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	23	1	-	-	1	1	3	6	1	-	-	3	-	2	2	-	-	-
Dis. of Skin	12	9	1	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	189	11	8	4	7	3	33	16	12	2	2	13	18	25	25	25	24	2
Other Causes	844	477	82	35	22	2	519	4	2	-	-	2	4	25	25	25	24	2

II.] Causes of Death in the Ten Years 1861-70.—Females.

187

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES OF DEATH	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.
173.—THRAPSTON.																		
Popul ⁿ . { 11-71 }	7084	225	194	209	204	207	1039	913	771	615	581	984	754	585	460	281	89	12
DEATHS -	1359	326	89	53	50	17	515	52	26	54	49	87	79	60	107	154	132	44
- - -	3	1	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-
- - -	29	11	3	4	1	24	2	1	1	1	1	-	-	-	-	-	-	-
- - -	39	3	3	8	6	3	23	9	3	2	1	-	1	-	-	-	-	-
- - -	7	-	-	-	2	1	3	3	1	-	-	-	-	-	-	-	-	-
- - -	30	14	9	3	2	-	28	2	-	-	-	-	-	-	-	-	-	-
- - -	59	1	3	3	1	4	12	12	3	8	3	4	6	2	4	2	2	1
- - -	39	14	3	-	2	-	19	1	-	-	-	-	1	1	4	4	-	-
- - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
- - -	16	3	2	2	1	10	-	-	-	2	-	3	-	-	-	1	-	-
- - -	55	-	-	-	-	-	-	-	-	1	-	2	3	8	9	18	19	3
- - -	24	4	4	2	2	-	12	3	-	-	2	1	3	1	1	3	-	-
- - -	158	1	1	1	-	1	8	2	10	20	24	37	28	15	9	4	-	-
- - -	7	1	1	2	-	-	4	2	-	-	-	-	-	-	-	-	-	-
- - -	156	46	11	11	1	2	71	8	1	4	3	4	2	6	12	27	14	1
- - -	94	1	1	-	-	-	2	1	2	1	1	9	8	6	16	29	10	-
- - -	172	56	17	9	4	1	87	6	1	-	4	11	3	11	12	21	13	3
- - -	38	10	-	-	1	-	11	1	1	2	-	1	1	3	8	7	3	-
- - -	8	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	2	-
- - -	7	-	-	-	-	-	-	-	-	1	1	1	2	-	3	-	-	-
- - -	4	-	2	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
- - -	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
- - -	26	-	-	-	-	-	-	-	-	-	5	11	10	-	-	-	-	-
- - -	4	-	-	-	-	-	-	-	-	-	-	-	8	-	-	1	-	-
- - -	14	4	1	-	1	-	6	-	1	2	1	1	1	1	1	1	1	-
- - -	367	160	21	7	2	3	193	-	2	1	2	1	2	3	14	38	74	37
174.—OUNDLE.																		
Popul ⁿ . { 11-71 }	7536	213	203	196	199	195	1006	971	870	669	532	935	818	705	510	366	136	18
DEATHS -	1368	276	65	33	27	22	423	52	41	44	43	92	85	80	100	189	182	57
- - -	4	-	-	-	-	-	15	1	1	1	-	-	2	-	-	-	-	-
- - -	16	4	5	2	3	1	35	19	3	-	-	-	-	-	-	-	-	-
- - -	69	4	11	5	8	7	2	2	2	1	1	-	-	-	-	-	-	-
- - -	7	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
- - -	27	14	5	3	3	-	25	1	1	-	-	-	-	-	-	-	-	-
- - -	43	-	4	-	-	3	10	6	8	3	1	5	3	2	2	3	3	2
- - -	84	7	2	1	-	3	11	-	-	2	2	2	2	1	2	1	5	2
- - -	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
- - -	28	3	1	2	-	1	7	4	2	2	1	1	2	2	1	3	2	1
- - -	27	-	-	-	-	-	-	-	-	-	-	-	4	12	8	9	-	-
- - -	7	1	-	-	-	-	1	1	1	1	1	2	-	-	-	-	-	-
- - -	158	3	2	1	-	1	7	4	11	17	25	48	25	14	4	2	-	-
- - -	17	9	3	-	1	1	14	1	-	2	-	-	-	-	-	-	-	-
- - -	128	35	6	4	3	3	51	2	3	3	2	6	5	2	11	24	18	1
- - -	128	5	3	1	2	-	11	1	4	3	2	7	14	14	31	27	13	1
- - -	134	28	11	4	6	-	49	1	3	1	2	4	5	12	16	29	18	3
- - -	65	2	-	-	-	1	3	3	-	4	2	5	8	10	9	16	4	1
- - -	9	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	1	-
- - -	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
- - -	3	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-
- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	19	-	-	-	-	-	-	-	-	2	-	3	7	-	-	-	-	-
- - -	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
- - -	17	1	3	1	-	1	6	-	1	1	1	1	1	2	-	2	2	-
- - -	439	160	19	4	-	1	175	6	1	1	1	1	7	3	11	63	119	48
175.—PETERBOROUGH.																		
Popul ⁿ . { 11-71 }	17753	544	481	509	484	483	2501	2243	1910	1642	1490	2478	1969	1472	1049	704	260	35
DEATHS -	3566	849	261	102	76	66	1354	176	84	109	119	206	172	185	207	324	335	95
- - -	13	4	2	1	-	2	9	2	-	1	-	-	-	-	1	-	-	-
- - -	61	11	27	11	7	1	57	4	-	-	-	-	-	-	-	-	-	-
- - -	161	8	28	18	22	22	98	49	10	3	-	1	-	-	-	-	-	-
- - -	79	10	5	4	7	11	37	25	8	2	5	-	1	1	-	-	-	-
- - -	42	32	13	3	3	-	51	1	-	-	-	-	-	-	-	-	-	-
- - -	176	5	10	9	6	3	33	26	22	22	19	20	10	7	8	4	4	1
- - -	158	82	21	6	3	-	112	2	2	1	-	2	5	3	8	10	15	-
- - -	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-
- - -	68	16	4	7	5	8	35	5	2	2	-	2	1	4	9	5	3	-
- - -	88	-	1	-	-	-	1	-	-	-	-	5	15	13	21	27	4	2
- - -	37	22	14	8	1	-	42	1	4	1	3	8	2	2	2	1	1	-
- - -	370	7	6	1	3	3	20	11	15	49	58	98	65	33	16	-	-	-
- - -	66	19	15	3	4	4	45	16	3	1	-	1	-	-	-	-	-	-
- - -	364	115	17	5	6	4	147	10	5	8	5	12	14	26	34	50	45	8
- - -	212	2	-	-	-	-	2	1	6	3	1	16	10	29	36	62	45	1
- - -	374	106	53	20	4	7	190	8	2	5	3	7	9	18	27	50	44	11
- - -	189	13	-	1	-	2	16	8	1	1	6	5	10	21	28	25	13	1
- - -	30	-	-	-	-	-	-	2	1	-	6	2	6	3	1	4	3	-
- - -	18	-	-	-	-	-	-	-	-	-	1	5	4	1	-	2	-	-
- - -	12	1	1	-	1	-	5	1	-	-	2	1	-	-	-	-	-	-
- - -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	35	-	-	-	-	-	-	-	-	1	1	6	15	-	-	-	-	-
- - -	48	5	5	2	1	1	16	6	2	1	2	2	3	2	2	3	2	-
- - -	785	368	37	6	3	1	435	4	1	5	1	2	6	9	15	11	75	138

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		176.—HUNTINGDON.															
Mean Popul ⁿ , 1861-71	10146	302	286	273	291	273	1424	1346	1217	1051	801	1188	1072	879	698	412	139
TOTAL DEATHS	2136	554	129	60	38	20	840	77	41	60	75	111	130	157	171	232	189
Small-pox	7	1	—	1	1	—	3	—	—	1	1	1	—	1	—	—	—
Measles	24	9	8	4	2	1	24	—	—	2	—	—	—	—	—	—	—
Scarlatina	61	4	10	11	9	5	39	18	2	2	1	2	1	—	—	—	—
Diphtheria	22	2	2	2	3	1	10	3	3	1	3	—	—	—	—	—	—
Whooping-cough	42	23	13	5	—	—	41	1	—	—	—	—	—	—	—	—	—
Typhus	96	5	3	4	2	2	16	15	6	11	5	5	6	8	12	9	3
Diarrhoea & Dysentery	106	66	14	1	—	—	81	1	1	—	1	1	—	1	5	9	3
Cholera	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	42	7	4	1	3	2	17	4	1	3	—	2	2	4	2	5	3
Cancer	68	—	—	—	—	—	—	—	—	2	—	1	5	9	17	24	8
Scrofula and Tuberc.	45	19	8	1	1	1	23	8	3	1	2	2	1	2	1	—	—
Phthisis	253	12	3	4	—	—	19	1	3	23	44	57	65	86	127	10	1
Hydrocephalus	17	6	3	1	2	—	13	3	2	—	—	—	—	—	—	—	—
Dis. of Brain	212	63	7	8	3	4	85	3	1	5	1	6	6	17	22	26	26
Dis. of Heart & Dropsy	106	2	1	1	1	—	5	1	1	2	—	6	11	12	25	27	15
Dis. of Lungs	297	85	20	10	4	2	129	6	1	3	6	6	17	25	27	40	32
Dis. of Stom. and Liver	74	7	—	1	1	—	9	2	1	2	1	2	8	15	14	16	4
Dis. of Kidneys	45	—	—	—	—	—	—	—	—	1	—	3	7	3	9	14	9
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	11	—	—	—	—	—	—	—	1	1	2	1	3	—	1	—	—
Dis. of Skin	9	3	—	—	1	—	4	—	—	—	—	—	—	1	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fuicide	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	130	5	9	10	3	1	28	9	13	9	7	9	10	17	11	4	2
Other Causes	457	272	16	4	2	1	295	—	—	—	—	—	—	—	—	—	—
177.—ST. IVES.																	
Mean Popul ⁿ , 1861-71	9522	290	246	262	236	248	1272	1199	1140	973	685	1131	1005	843	660	435	167
TOTAL DEATHS	2090	525	125	59	46	24	779	104	53	53	67	102	100	142	144	205	224
Small-pox	4	1	—	—	—	—	1	—	—	—	—	1	—	2	—	—	—
Measles	21	7	10	1	1	1	20	1	—	—	—	—	—	—	—	—	—
Scarlatina	57	3	5	6	8	3	25	7	4	—	1	—	—	—	—	—	—
Diphtheria	54	4	8	8	7	3	30	12	9	1	—	1	—	—	1	—	—
Whooping-cough	27	13	6	2	3	1	27	—	—	—	—	—	—	—	—	—	—
Typhus	63	2	1	2	2	—	7	16	4	7	2	8	7	3	5	4	—
Diarrhoea & Dysentery	79	38	6	—	—	—	44	—	—	—	—	—	3	2	2	11	15
Cholera	12	4	—	—	—	1	5	—	1	—	—	—	1	—	2	4	—
Other Zymotic Dis.	48	5	—	4	3	5	17	8	3	2	—	1	—	6	2	7	1
Cancer	26	—	—	—	—	—	—	—	—	—	—	—	5	9	10	7	3
Scrofula and Tuberc.	49	26	4	2	1	1	34	4	6	3	1	—	1	—	—	—	—
Phthisis	234	2	4	1	1	—	8	10	5	19	44	53	58	83	14	5	—
Hydrocephalus	35	16	4	3	1	4	28	6	1	—	—	—	—	—	—	—	—
Dis. of Brain	231	61	14	4	6	2	87	11	4	7	2	6	9	12	19	42	29
Dis. of Heart & Dropsy	118	1	—	—	—	1	2	4	1	1	2	6	8	15	25	33	18
Dis. of Lungs	288	62	24	16	4	1	107	7	2	3	3	9	9	22	28	51	43
Dis. of Stom. and Liver	108	15	—	—	1	—	16	1	3	2	4	7	7	13	16	34	5
Dis. of Kidneys	29	—	—	—	—	—	—	—	—	—	4	3	2	3	4	9	4
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	5	—	1	—	—	—	1	—	1	1	—	1	1	—	—	—	—
Dis. of Skin	8	1	—	—	—	—	1	1	—	—	—	—	—	—	3	1	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fuicide	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	85	2	4	6	3	1	16	12	7	6	3	4	8	8	6	10	4
Other Causes	511	262	32	4	5	—	203	4	2	1	1	2	7	6	9	44	34
178.—ST. NEOTS.																	
Mean Popul ⁿ , 1861-71	9091	258	249	256	243	261	1267	1210	1103	883	655	1069	955	811	597	390	140
TOTAL DEATHS	1801	480	106	61	39	34	729	72	48	44	50	67	89	99	160	220	168
Small-pox	5	1	—	—	—	—	1	—	—	—	—	2	1	—	—	—	—
Measles	31	6	11	3	7	2	29	2	—	—	—	—	—	—	—	—	—
Scarlatina	54	3	8	6	6	5	27	16	6	1	—	—	—	—	—	—	—
Diphtheria	38	1	1	4	2	2	10	17	7	3	—	—	1	—	—	—	—
Whooping-cough	38	14	9	9	4	2	38	—	—	—	—	—	—	—	—	—	—
Typhus	54	—	1	1	3	3	8	7	2	9	2	4	7	9	1	4	1
Diarrhoea & Dysentery	89	56	14	—	1	1	72	—	—	1	—	—	—	—	3	7	6
Cholera	6	3	—	—	—	—	3	—	—	—	—	—	1	—	1	1	—
Other Zymotic Dis.	51	3	3	9	6	1	22	5	5	—	2	3	—	4	3	4	3
Cancer	41	—	—	—	—	—	—	—	—	—	—	1	4	6	14	12	4
Scrofula and Tuberc.	52	23	6	3	1	—	33	4	3	2	2	3	—	1	1	—	—
Phthisis	175	16	9	3	—	2	30	2	2	16	25	26	30	15	15	13	1
Hydrocephalus	81	11	7	4	1	4	27	1	2	1	—	—	—	—	—	—	—
Dis. of Brain	155	35	7	3	1	4	60	2	2	1	3	1	6	7	17	30	54
Dis. of Heart & Dropsy	102	1	—	—	—	1	3	1	3	2	2	6	8	13	21	33	8
Dis. of Lungs	219	40	16	7	2	2	76	3	2	1	3	5	12	16	29	42	23
Dis. of Stom. and Liver	106	19	—	—	3	—	22	1	1	2	1	1	6	15	23	26	7
Dis. of Kidneys	40	—	—	—	1	—	1	1	1	—	—	2	3	4	8	10	9
Dis. of Genes. Organs	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	4	1	—	—	—	—	1	—	2	—	—	—	—	1	—	—	—
Dis. of Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fuicide	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	77	3	1	2	—	3	9	5	7	4	1	—	—	—	—	—	—
Other Causes	415	242	18	4	1	3	267	2	3	—	—	—	—	—	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES OF DEATH.	ALL AGES.	AGES OF FEMALES.																			
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95—	Total.	
		176.—HUNTINGDON.																			
Popul ⁿ , 1871.	10469	293	282	285	293	278	1431	1328	1190	992	849	1325	1124	905	688	455	162	20			
DEATHS -	2018	433	142	70	33	21	699	97	45	68	83	120	114	116	131	251	222	72			
-	41	7	17	7	-	1	32	7	-	1	1	-	-	-	-	-	-	-	-	-	
-	66	7	12	9	7	9	44	18	1	3	-	-	-	-	-	-	-	-	-	-	
a -	31	1	3	2	5	3	14	8	4	3	1	-	-	1	-	-	-	-	-	-	
- cough	40	20	12	4	1	1	38	2	-	-	-	-	-	-	-	-	-	-	-	-	
& Dysentery	100	4	3	5	3	1	16	10	10	9	8	9	5	5	5	5	5	2	2	2	
-	102	48	18	9	-	1	76	1	1	-	-	-	1	1	3	10	7	1	1	1	
notie Dis.	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	42	6	2	4	3	1	16	3	1	1	1	2	4	-	6	6	1	1	1	1	
-	100	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
nd Tabes	32	7	5	1	2	-	15	6	2	2	1	3	16	21	21	26	10	1	1	1	
-	242	5	9	4	-	-	18	7	8	33	41	57	34	31	10	3	-	-	-	-	
-	17	3	4	1	-	-	8	8	1	-	-	-	-	-	-	-	-	-	-	-	
sin	199	43	9	5	3	-	60	5	4	4	3	2	8	16	12	38	43	4	4	4	
ari & Dropsy	116	2	-	-	1	-	3	2	2	1	2	6	8	13	19	41	17	2	2	2	
ngs.	281	64	26	11	4	1	106	6	4	3	6	9	8	6	22	52	48	9	9	9	
m. and Liver	80	6	1	-	1	2	10	2	1	2	3	7	7	8	16	21	4	-	-	-	
idneys	22	-	-	-	1	-	1	1	-	-	2	-	7	3	3	5	-	-	-	-	
ner. Organs	11	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	
ints	7	-	1	-	-	-	1	1	-	-	3	-	1	1	-	-	-	-	-	-	
kin	12	6	-	-	1	-	7	-	-	-	-	1	-	2	-	2	-	-	-	-	
h and Metria	30	-	-	-	-	-	-	-	-	2	6	13	9	-	-	-	-	-	-	-	
-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
dent Deaths	33	8	3	1	1	1	14	2	3	2	-	1	-	2	2	2	5	2	2	2	
uses	409	196	17	6	-	-	219	1	2	-	1	4	-	4	11	39	81	47	-	-	

177.—ST. IVES.																					
Popul ⁿ , 1871		9717	279	258	265	262	230	1294	1159	1116	889	793	1234	1037	877	659	447	188	24		
DEATHS -		1957	408	134	69	44	45	700	85	57	72	78	129	96	115	143	204	209	69		
-		2	-	-	-	-	2	20	-	-	-	-	-	-	1	-	-	-	-	-	-
-		41	6	8	4	-	-	34	9	3	-	-	-	-	-	-	-	-	-	-	-
-		47	3	5	6	15	5	34	17	7	2	1	-	-	-	-	-	-	-	-	-
-		61	4	4	9	5	12	34	17	7	-	-	1	-	-	-	-	-	-	-	-
- cough		34	13	14	4	-	3	34	17	7	-	-	-	-	-	-	-	-	-	-	-
- & Dysentery		77	-	3	-	1	3	7	16	15	13	5	9	6	2	1	1	2	-	-	-
- motie Dis.		62	26	6	2	-	1	35	-	-	1	1	1	1	1	3	4	11	3	3	3
- and Tabes		7	4	1	-	-	-	5	-	-	-	-	11	-	-	-	-	-	-	-	-
- phalus		51	7	7	2	4	7	27	4	3	-	-	1	4	3	4	3	2	-	-	-
- rain		69	-	-	-	-	-	-	-	-	-	-	5	4	25	19	10	6	-	-	-
- cart & Dropsy		50	22	2	3	3	-	30	2	2	6	3	1	3	1	3	-	-	-	-	-
- ngs		271	5	3	2	1	-	11	9	11	35	48	73	38	30	11	5	-	-	-	-
- om. and Liver		22	6	5	1	2	2	16	5	1	-	-	-	-	-	-	-	-	-	-	-
- idneys		183	52	14	4	7	4	81	7	5	2	2	8	7	7	17	24	22	6	6	6
- mer. Organs		129	2	1	-	-	-	3	2	2	3	5	2	7	15	27	40	22	1	1	1
- ints		229	43	23	15	2	1	87	5	2	2	3	7	7	14	27	38	37	10	10	10
- kin		86	4	1	2	1	4	9	3	1	6	4	2	6	8	17	25	7	1	1	1
- h and Metria		8	-	-	-	-	-	-	-	1	-	-	1	-	2	-	2	-	-	-	-
- dent Deaths		3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
- uses		8	-	1	-	-	-	1	2	2	1	-	1	-	1	1	1	1	-	-	-
- uses		6	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
- uses		23	-	-	-	-	-	-	-	-	1	5	9	6	-	-	-	-	-	-	-
- uses		3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
- uses		28	5	2	1	2	1	11	1	-	-	-	1	-	1	2	2	6	2	2	2
- uses		472	205	33	14	1	-	253	2	1	1	1	5	3	4	8	49	100	46	-	-

178.—ST. NEOTS.																					
Popul ⁿ , 1871		9646	266	262	274	266	271	1339	1179	1053	873	765	1221	1046	865	667	443	169	26		
DEATHS -		1782	360	123	55	35	24	597	63	54	58	83	92	98	106	144	219	208	60		
-		6	2	1	-	-	-	8	1	-	-	-	1	-	1	-	-	-	-	-	-
-		30	9	7	9	3	-	28	1	-	-	-	-	1	-	-	-	-	-	-	-
-		53	4	6	7	7	4	28	19	5	1	-	-	-	-	-	-	-	-	-	-
-		23	1	2	4	2	2	11	6	2	1	1	1	-	1	-	-	-	-	-	-
- cough		63	25	30	3	3	1	62	-	1	-	-	-	-	-	-	-	-	-	-	-
- & Dysentery		78	-	2	3	2	4	11	12	18	4	8	8	6	5	2	6	14	4	4	4
- motie Dis.		85	30	18	3	-	-	61	-	-	1	1	-	3	1	1	2	-	-	-	-
- and Tabes		5	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
- phalus		53	6	7	2	2	3	20	1	3	2	5	1	2	5	7	4	2	1	1	1
- rain		65	-	-	-	-	-	-	-	-	-	-	1	5	22	17	9	8	1	1	1
- cart & Dropsy		45	10	10	1	4	2	27	4	3	4	2	2	3	3	2	2	-	-	-	-
- ngs		242	11	9	4	-	-	24	2	2	33	42	55	37	25	8	5	-	-	-	-
- om. and Liver		17	5	4	1	2	-	12	3	1	-	-	-	-	-	-	-	-	-	-	-
- idneys		147	24	2	1	2	1	30	5	3	4	3	2	3	7	27	28	31	4	4	4
- mer. Organs		136	1	-	-	-	-	1	1	2	1	2	3	9	31	47	30	-	-	-	-
- ints		147	36	11	7	6	2	62	2	-	1	3	5	6	19	25	17	3	3	3	3
- kin		93	14	-	1	-	1	16	3	3	1	4	5	7	10	18	19	9	-	-	-
- h and Metria		22	-	1	1	-	-	2	1	-	-	-	1	4	3	2	7	1	-	-	-
- dent Deaths		11	-	-	-	-	-	2	-	-	-	-	-	3	1	-	-	-	-	-	-
- uses		5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
- uses		6	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
- uses		19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- uses		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- uses		27	5	-	-	-	-	11	-	-	-	-	-	6	1	-	-	-	-	-	-
- uses		398	174	13	1	1	3	192	2	2	2	4	2	2	2	4	8	32	24	-	-

Causes of Death in the Ten Years 1861-70.—Males.

[Div. III.]

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80+
179.—BEDFORD.																		
Mean Popula., 1861-71	12987	540	532	518	501	534	2025	2425	2528	1959	1437	2335	2006	1677	1281	737	238	19
TOTAL DEATHS	3827	1033	232	123	86	51	1645	139	81	104	130	106	229	230	305	449	551	77
Small-pox	9	2	1	2	-	-	5	-	-	-	-	1	2	-	-	1	-	-
Measles	60	17	18	15	4	7	56	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	122	7	15	23	15	7	66	35	13	7	-	-	1	-	-	-	-	-
Diphtheria	19	2	3	1	4	2	19	4	2	-	-	1	-	-	-	-	-	-
Whooping-cough	69	41	13	7	4	2	67	2	-	-	-	-	-	-	-	-	-	-
Typhus	162	5	7	4	10	6	32	21	14	11	14	17	11	16	9	13	2	-
Diarrhoea & Dysentery	182	99	30	7	-	2	129	1	-	1	-	1	1	12	12	13	13	-
Cholera	6	1	-	2	-	-	3	-	-	-	-	-	-	2	1	1	-	-
Other Zymotic Dis.	91	17	7	7	0	8	45	7	2	3	1	4	4	3	9	7	7	-
Cancer	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes	85	37	13	2	3	2	37	4	5	1	5	4	4	11	16	37	8	-
Fibroids	408	24	14	5	1	1	55	10	10	37	60	76	70	44	24	17	-	-
Hydrocephalus	49	17	13	4	5	-	29	6	4	-	-	-	-	-	-	-	-	-
Dis. of Brain	456	118	23	6	17	4	163	10	0	9	11	17	22	31	41	79	61	-
Dis. of Heart & Dropsy	222	5	-	1	1	-	7	4	4	4	4	21	22	19	48	62	25	-
Dis. of Lungs	514	169	39	22	11	6	248	11	2	1	8	21	23	35	57	63	45	-
Dis. of Stom. and Liver	184	21	6	4	3	1	34	3	2	5	6	12	18	20	24	43	13	-
Dis. of Kidneys	72	-	-	1	-	-	1	2	2	2	1	8	5	6	21	18	6	-
Dis. of Genur. Organs	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	15	5	1	-	1	-	7	2	-	2	1	-	1	-	1	2	1	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	16	-	-	-	-	-	-	-	-	-	-	1	2	1	6	4	1	-
Other Violent Deaths	165	11	6	4	2	1	24	7	14	18	15	15	25	17	14	11	8	-
Other Causes	853	449	53	7	5	2	493	6	1	2	5	5	13	13	19	82	126	21
180.—BIGGLESWADE.																		
Mean Popula., 1861-71	12957	408	366	372	372	367	1885	1655	1565	1230	981	1609	1394	1119	840	504	156	19
TOTAL DEATHS	2992	864	216	101	52	44	1277	97	43	51	87	162	202	203	254	369	349	29
Small-pox	7	2	-	-	1	-	3	-	-	2	-	-	1	-	1	-	-	-
Measles	40	12	17	7	3	-	39	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	111	8	20	28	16	9	76	30	2	1	2	-	-	-	-	-	-	-
Diphtheria	16	2	-	4	2	8	11	5	-	-	-	-	-	-	-	-	-	-
Whooping-cough	50	30	12	3	3	2	50	-	-	-	-	-	-	-	-	-	-	-
Typhus	97	6	5	4	2	6	23	14	8	9	7	6	11	5	6	5	3	-
Diarrhoea & Dysentery	212	143	31	5	3	1	183	-	1	-	-	1	2	2	5	8	1	-
Cholera	18	5	4	-	1	1	16	-	1	-	1	1	1	1	1	1	1	-
Other Zymotic Dis.	53	7	3	4	3	3	20	5	1	-	2	5	4	3	2	7	7	-
Cancer	34	-	-	-	-	-	-	-	-	1	-	2	2	8	13	8	1	-
Serofula and Tabes	106	58	20	4	1	1	84	5	4	2	3	4	2	2	1	1	-	-
Fibroids	279	8	5	1	2	-	13	-	4	4	18	41	66	59	42	19	12	-
Hydrocephalus	57	11	10	4	3	3	31	4	1	-	-	1	-	-	-	-	-	-
Dis. of Brain	515	116	15	6	4	2	145	12	4	6	13	39	53	56	61	70	33	-
Dis. of Heart & Dropsy	158	1	1	1	1	-	4	-	-	-	1	7	12	21	29	45	24	-
Dis. of Lungs	388	109	30	19	6	8	185	1	2	2	2	8	17	14	39	55	36	-
Dis. of Stom. and Liver	145	13	1	2	-	1	17	5	-	1	3	6	12	20	32	35	13	-
Dis. of Kidneys	35	-	-	-	-	1	1	-	1	1	2	1	4	6	5	7	7	-
Dis. of Genur. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
Dis. of Skin	10	3	-	-	1	-	4	-	1	2	-	-	-	-	1	2	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	1	-	-	-	2	2	2	2	2	-
Other Violent Deaths	106	10	2	3	-	3	18	7	8	5	7	11	15	14	21	27	7	-
Other Causes	560	330	29	9	1	-	360	3	1	-	2	6	7	7	19	46	74	35
181.—AMPTHILL.																		
Mean Popula., 1861-71	8283	253	247	223	244	233	1200	1099	1010	790	590	979	891	717	538	332	123	14
TOTAL DEATHS	1755	571	152	53	45	25	846	60	30	33	44	70	74	81	134	179	165	39
Small-pox	3	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
Measles	31	4	14	3	5	3	29	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	48	2	7	4	11	6	30	15	7	3	-	-	-	-	-	-	-	-
Diphtheria	17	1	1	1	1	2	6	7	-	-	-	-	1	-	3	-	-	-
Whooping-cough	65	23	23	8	3	2	64	1	-	-	-	-	-	-	-	-	-	-
Typhus	59	1	1	2	2	1	7	7	4	6	9	8	-	2	4	2	2	-
Diarrhoea & Dysentery	88	39	20	3	2	1	64	-	-	-	-	2	2	1	2	8	11	-
Cholera	6	1	2	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	41	5	2	5	4	-	16	2	1	3	-	2	2	5	3	5	2	-
Cancer	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes	22	8	4	6	-	-	18	4	-	-	-	1	2	4	10	9	2	-
Fibroids	115	2	1	-	-	-	5	-	-	-	-	2	2	1	-	-	-	-
Hydrocephalus	29	12	10	-	3	2	27	2	4	10	21	29	19	11	7	5	-	-
Dis. of Brain	228	105	13	2	3	2	126	4	5	3	1	7	5	7	15	34	19	-
Dis. of Heart & Dropsy	89	1	1	1	-	-	4	2	-	-	-	1	6	8	21	24	21	-
Dis. of Lungs	219	67	27	8	3	2	110	5	-	-	3	15	8	16	28	25	16	-
Dis. of Stom. and Liver	65	13	-	-	-	-	16	1	1	1	1	2	6	6	17	25	8	-
Dis. of Kidneys	36	1	-	-	1	-	1	-	1	-	-	2	2	8	7	5	7	-
Dis. of Genur. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	10	1	-	-	-	-	-	3	1	2	-	-	-	-	1	1	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80+
179.—BEDFORD.																		
Population 1861-71		20601	556	551	510	500	514	2631	2351	2265	2007	1840	2224	2291	1905	1337	814	298
DEATHS		3993	821	266	149	87	66	1389	126	101	172	176	277	230	243	324	428	408
All		7	2	1	-	-	-	3	-	-	1	2	-	1	-	-	-	-
Infants		76	6	27	23	11	5	72	4	11	3	1	3	-	-	-	-	-
Infants		85	6	8	15	13	13	55	22	11	3	1	-	-	-	-	-	-
Infants		33	-	2	4	4	4	14	11	6	1	1	-	-	-	-	-	-
Cough		88	48	25	10	7	1	86	1	-	1	-	-	-	-	-	-	-
Cough		227	4	9	12	12	6	43	25	24	36	25	22	16	11	11	11	5
Cough		199	77	32	11	2	-	122	1	1	1	1	3	1	6	7	21	7
Cough		5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cough		92	15	7	11	9	7	47	10	1	4	1	4	2	3	4	2	3
Cough		103	-	-	-	-	-	-	-	-	-	1	10	14	23	30	18	5
Cough		61	22	7	5	1	2	37	2	5	2	3	1	2	1	2	7	1
Cough		615	45	18	4	4	2	73	13	23	50	86	152	92	63	25	7	1
Cough		22	7	7	2	-	2	18	2	2	-	-	-	-	-	-	-	-
Cough		394	93	15	9	8	4	123	7	5	12	7	11	14	28	49	79	53
Cough		251	3	2	-	-	-	5	6	5	8	3	17	15	40	60	63	23
Cough		461	105	64	24	10	12	216	7	5	7	9	6	10	15	50	74	40
Cough		103	9	8	2	-	-	18	4	4	6	12	14	16	26	43	34	14
Cough		57	-	1	-	-	1	2	-	1	2	2	2	3	4	4	3	-
Cough		22	-	-	-	-	-	-	-	-	-	-	1	3	10	6	2	-
Cough		14	-	-	1	1	-	2	1	1	1	4	1	2	1	1	2	-
Cough		8	1	-	1	-	-	2	-	-	-	-	-	-	-	-	3	-
Cough		64	-	-	-	-	-	-	-	-	5	13	21	23	-	-	-	-
Cough		6	-	-	-	-	-	-	-	-	1	1	-	-	1	3	-	-
Cough		62	8	2	4	3	3	20	7	3	1	2	4	1	2	3	6	11
Cough		867	377	34	10	2	3	428	2	2	-	2	2	4	7	33	99	209
180.—BIGGLESWADE.																		
Population 1861-71		13682	416	387	339	377	342	1861	1623	1567	1268	1200	1883	1538	1169	863	517	168
DEATHS		2853	692	191	85	41	39	1048	123	56	80	100	180	188	184	241	338	249
All		6	2	-	-	2	-	4	1	-	-	-	-	-	-	-	-	-
Infants		37	8	11	9	2	2	32	5	1	-	-	-	-	-	-	-	-
Infants		100	3	15	16	14	10	68	33	7	-	2	-	-	-	-	-	-
Infants		13	-	2	-	1	2	5	5	2	-	-	-	-	1	-	-	-
Cough		67	20	23	7	5	2	67	-	-	-	-	-	-	-	-	-	-
Cough		133	5	7	9	2	4	27	31	11	10	10	15	4	7	8	6	4
Cough		174	96	24	7	1	2	130	3	-	-	2	1	2	6	4	12	13
Cough		10	4	1	-	-	-	5	1	-	-	-	1	2	-	-	1	1
Cough		40	4	4	2	2	3	15	3	3	4	1	1	2	1	4	3	2
Cough		73	-	-	-	-	-	-	-	-	-	1	2	4	16	34	9	7
Cough		92	51	21	3	-	-	75	1	1	3	4	3	2	1	1	1	1
Cough		345	9	3	4	-	1	17	8	13	38	51	61	56	42	15	13	-
Cough		22	10	5	1	-	-	16	5	1	-	-	-	-	-	-	-	-
Cough		449	81	11	3	4	1	100	6	4	9	8	17	48	33	65	90	55
Cough		174	2	1	3	-	2	8	1	4	3	4	11	15	19	33	21	2
Cough		370	87	42	15	5	7	156	4	7	4	7	12	18	13	21	63	43
Cough		142	15	2	1	-	-	19	7	-	1	3	2	13	21	30	30	15
Cough		19	1	1	-	-	1	3	-	-	-	-	1	1	3	3	6	2
Cough		16	-	-	-	-	-	-	-	-	-	-	2	2	4	4	3	-
Cough		6	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-
Cough		7	4	1	-	-	-	5	-	-	1	-	-	-	-	-	-	-
Cough		34	-	-	-	-	-	-	-	-	3	7	15	8	1	-	-	-
Cough		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cough		50	9	2	2	1	1	8	3	-	3	-	4	1	2	1	2	4
Cough		428	278	15	3	1	1	295	2	1	-	-	9	8	4	8	47	61
181.—AMPTHILL.																		
Population 1861-71		8965	265	254	225	253	239	1236	1099	983	851	796	1222	1000	758	549	341	115
DEATHS		1900	462	144	57	46	24	733	66	52	61	74	125	106	90	156	212	173
All		2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Infants		28	9	5	6	4	1	23	3	-	-	-	-	-	-	-	-	-
Infants		43	8	10	5	10	4	32	10	4	2	-	-	-	-	-	-	-
Infants		18	2	5	1	4	4	16	1	1	-	-	-	-	-	-	-	-
Cough		62	23	20	10	5	1	59	3	-	-	-	-	-	-	-	-	-
Cough		77	2	3	1	2	1	9	12	12	13	9	12	3	4	2	1	-
Cough		70	25	17	3	-	1	46	-	1	-	-	1	1	2	3	5	8
Cough		11	2	3	2	-	-	7	-	-	1	-	1	1	4	1	2	-
Cough		34	5	4	2	2	3	16	3	1	1	1	1	1	4	1	3	-
Cough		49	-	-	-	-	-	1	-	-	-	-	2	2	9	15	12	6
Cough		43	12	10	3	1	-	26	1	3	2	3	2	2	1	2	2	-
Cough		234	5	2	3	2	2	14	5	19	27	30	68	43	22	13	11	-
Cough		16	5	3	2	-	-	13	3	-	-	-	-	-	-	-	-	-
Cough		122	63	9	4	1	1	89	7	2	3	5	9	12	6	24	31	19
Cough		111	1	1	-	-	-	4	-	-	3	2	4	5	13	27	37	12
Cough		208	52	33	6	2	-	101	3	3	-	-	2	6	7	10	20	4
Cough		96	5	-	1	1	-	7	6	3	-	-	10	10	28	25	3	3
Cough		13	1	1	-	-	-	2	-	-	1	-	1	4	-	2	2	1
Cough		11	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
Cough		7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cough		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cough		37	-	-	-	-	-	-	-	-	4	-	18	1	-	-	-	-
Cough		79	2	-	-	1	2	5	2	-	-	-	1	-	-	1	6	4
Cough		488	212	11	8	4	-	208	5	2	-	-	2	1	5	5	18	45

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80+
182.—WOBURN.																		
Mean Popul ⁿ , 1861-71 - }	5523	157	150	149	149	163	768	718	680	528	396	617	574	504	392	247	93	0
TOTAL DEATHS -	1144	327	66	42	27	19	481	48	26	38	26	56	41	53	91	150	129	30
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Measles -	9	4	-	4	1	-	9	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	36	-	3	6	6	0	21	10	3	-	1	-	-	-	-	-	-	-
Diphtheria -	12	1	1	1	-	-	4	5	-	1	-	-	-	-	1	-	-	-
Whooping-cough -	29	13	11	1	1	2	28	1	-	-	-	-	-	-	-	-	-	-
Typhus -	47	-	1	4	2	1	8	8	9	7	3	4	-	3	3	-	-	-
Diarrhea & Dysentery -	35	18	9	-	-	-	20	2	-	-	-	-	1	-	2	4	-	-
Cholera -	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	28	5	-	-	2	1	6	1	2	2	1	3	1	1	1	6	8	1
Cancer -	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tabes -	20	7	3	1	1	2	14	1	-	-	1	1	1	1	1	1	1	-
Phthisis -	94	4	1	-	1	-	6	-	1	14	13	28	10	5	10	-	-	-
Hydrocephalus -	15	4	3	1	1	3	12	2	-	-	1	-	-	-	-	-	-	-
Dis. of Brain -	140	80	7	3	3	1	64	4	4	3	1	1	4	6	11	18	23	1
Dis. of Heart & Dropsy -	75	-	1	1	-	-	2	2	-	4	2	6	3	7	12	21	28	1
Dis. of Lungs -	155	35	13	10	6	-	64	4	-	-	-	1	4	7	12	29	28	1
Dis. of Stom. and Liver -	68	7	2	2	-	1	12	3	1	1	1	6	2	7	15	6	6	1
Dis. of Kidneys -	21	-	-	-	-	-	-	-	-	-	-	1	1	6	5	6	1	-
Dis. of Gener.Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	8	-	1	-	1	-	2	-	2	1	-	1	1	-	1	-	-	-
Dis. of Skin -	6	1	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	6	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	-	-
Other Violent Deaths -	24	2	1	2	-	1	6	2	1	2	1	3	3	3	3	1	2	-
Other Causes -	304	177	15	6	1	1	209	3	3	2	1	1	1	2	9	23	45	10
183.—LEIGHTON BUZZARD.																		
Mean Popul ⁿ , 1861-71 - }	8740	281	250	246	253	260	1290	1121	1061	847	701	1050	893	789	527	335	113	13
TOTAL DEATHS -	1839	571	124	63	41	25	824	76	47	49	50	81	76	109	135	164	100	30
Small-pox -	53	6	-	1	-	-	7	1	1	5	1	3	3	5	4	5	1	1
Measles -	18	2	7	3	1	1	14	4	-	-	-	-	-	-	-	-	-	-
Scarlatina -	66	4	10	11	15	3	43	16	4	1	1	1	-	-	-	-	-	-
Diphtheria -	27	4	3	5	5	4	21	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough -	32	21	7	3	1	-	32	-	-	-	-	-	-	-	-	-	-	-
Typhus -	102	8	8	3	2	1	22	18	10	9	9	12	3	8	3	2	5	1
Diarrhea & Dysentery -	63	46	9	2	-	-	57	9	-	-	-	-	-	-	2	1	1	-
Cholera -	14	3	2	1	-	-	6	-	1	3	-	1	2	1	3	1	1	-
Other Zymotic Dis. -	59	14	9	4	3	1	31	4	3	3	2	1	2	3	3	4	3	-
Cancer -	17	-	-	-	-	-	-	-	-	1	-	1	1	4	4	1	1	-
Scrofula and Tabes -	37	13	7	3	-	1	24	1	4	1	2	3	1	1	1	1	-	-
Phthisis -	139	3	1	-	-	-	4	-	4	11	24	35	1	22	14	3	-	-
Hydrocephalus -	19	6	5	2	-	1	14	4	-	-	-	1	-	-	-	-	-	-
Dis. of Brain -	234	68	12	7	2	4	93	6	5	2	1	4	6	13	21	45	30	1
Dis. of Heart & Dropsy -	90	1	1	1	-	1	4	1	4	2	2	3	6	9	13	26	20	1
Dis. of Lungs -	240	70	21	9	8	1	109	1	3	3	4	4	11	14	22	29	34	1
Dis. of Stom. and Liver -	73	7	1	2	1	3	14	4	2	2	-	1	8	11	17	11	2	-
Dis. of Kidneys -	37	1	-	-	-	-	1	2	-	-	-	3	1	3	4	10	11	-
Dis. of Gener.Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	8	-	-	-	2	-	2	-	-	2	1	-	1	1	-	1	1	-
Dis. of Skin -	9	4	1	-	-	-	5	-	-	-	-	-	-	2	-	1	1	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	6	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-
Other Violent Deaths -	61	5	4	1	-	1	11	5	4	8	3	5	9	4	7	2	3	-
Other Causes -	445	285	16	5	1	3	310	2	1	1	-	3	1	8	7	22	65	2
184.—LUTON.																		
Mean Popul ⁿ , 1861-71 - }	14214	491	401	415	403	421	2131	1916	1675	1377	1096	1928	1593	1204	770	401	112	1
TOTAL DEATHS -	3367	1235	312	128	78	50	1803	135	59	59	64	162	189	173	235	281	179	3
Small-pox -	53	12	1	5	2	3	23	3	4	2	2	4	6	4	5	-	-	-
Measles -	57	9	24	11	5	2	51	4	-	1	-	-	-	1	-	-	-	-
Scarlatina -	143	17	19	21	23	15	95	24	10	3	-	1	-	-	-	-	-	-
Diphtheria -	19	-	2	2	3	-	7	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough -	65	23	27	9	4	1	64	1	-	-	-	-	-	-	-	-	-	-
Typhus -	131	2	7	5	3	3	20	20	8	12	11	13	16	10	14	6	1	-
Diarrhea & Dysentery -	235	182	83	4	-	-	219	-	-	-	-	-	2	1	4	2	5	-
Cholera -	5	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	81	24	13	10	2	1	59	7	2	1	1	3	2	1	5	5	4	-
Cancer -	28	-	-	-	-	-	1	-	-	-	-	8	1	8	8	6	1	-
Scrofula and Tabes -	33	12	10	2	1	1	26	6	-	-	-	1	1	2	-	-	-	-
Phthisis -	330	41	28	13	3	1	86	41	5	14	27	75	68	67	26	12	-	-
Hydrocephalus -	74	30	21	8	3	4	69	7	-	-	-	1	-	-	-	-	-	-
Dis. of Brain -	421	174	29	8	10	4	225	13	4	4	4	10	13	14	40	65	28	-
Dis. of Heart & Dropsy -	184	9	5	-	2	-	16	7	5	1	4	7	27	17	37	47	16	-
Dis. of Lungs -	423	161	55	20	11	6	255	17	6	4	1	11	14	32	37	49	26	-
Dis. of Stom. and Liver -	150	36	4	-	-	-	41	3	1	5	1	11	12	12	30	6	10	-
Dis. of Kidneys -	40	-	1	-	1	-	2	2	-	1	1	4	5	6	6	10	3	-
Dis. of Gener.Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	5	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin -	8	3	1	-	-	-	4	-	1	-	-	-	-	-	1	1	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.
		1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.	1861-71.
182.—WOBURN.																		
Populn. 1861-71.		6083	146	140	140	153	140	719	736	649	604	531	836	687	532	397	279	101
L DEATHS -		1164	226	72	28	15	18	359	44	29	52	44	75	78	70	95	146	141
Cancer -		1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Consumption -		7	2	3	-	-	6	1	1	-	-	-	-	-	-	-	-	-
Diphtheria -		20	1	2	5	3	4	15	10	2	2	1	-	-	-	-	-	-
Erysipelas -		8	-	1	1	1	2	5	3	-	-	-	-	-	-	-	-	-
Whooping-cough -		33	14	11	3	2	2	32	1	-	-	-	-	-	-	-	-	-
Scarlet Fever -		48	1	1	-	-	2	3	13	0	6	3	6	4	4	3	-	-
Typhoid & Dysentery -		47	19	3	2	1	25	3	1	-	-	1	2	1	3	8	6	
Typhus -		2	1	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-
Symptomatic Dis. -		19	4	1	1	-	1	7	3	1	1	-	-	-	2	2	1	-
Smallpox -		32	-	-	-	-	-	-	-	-	-	-	1	4	7	11	4	1
Measles and Tabes -		18	2	5	-	1	-	9	2	2	1	1	1	1	2	-	-	-
Typhoid -		152	1	1	1	-	3	1	6	8	22	41	93	14	4	-	-	-
Erysipelas -		5	-	3	-	-	1	4	1	-	-	-	-	-	-	-	-	-
Brain -		118	31	6	5	1	-	43	2	2	-	2	1	5	10	14	23	15
Heart & Dropsy -		105	1	-	-	-	-	2	1	2	-	-	4	6	12	7	31	18
Lungs -		183	31	16	5	4	2	58	3	1	-	1	1	4	4	15	32	32
Stomach and Liver -		51	1	-	-	1	-	2	-	-	2	1	1	3	9	10	15	8
Kidneys -		14	-	-	-	-	-	-	-	2	1	2	3	1	2	1	2	-
Genital Organs -		7	-	-	-	-	-	-	-	-	-	-	2	2	3	1	1	-
Joints -		5	-	1	-	-	-	1	-	-	1	-	2	-	-	-	1	1
Skin -		3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Birth and Metria -		21	-	-	-	-	-	-	-	-	1	5	9	6	-	-	-	-
Violent Deaths -		9	-	1	1	-	-	2	3	-	-	-	-	1	-	1	-	2
Total -		276	117	16	4	-	2	139	-	2	1	2	3	9	6	9	24	61
183.—LEIGHTON BUZZARD.																		
Populn. 1861-71.		9417	284	245	248	249	241	1267	1156	1029	959	902	1318	1031	805	523	313	101
L DEATHS -		1844	389	160	71	38	28	686	82	43	64	72	186	121	109	122	209	147
Cancer -		13	4	-	-	-	-	4	1	1	-	-	2	2	2	-	1	-
Consumption -		27	3	13	5	3	-	25	9	-	-	-	-	-	-	-	-	-
Diphtheria -		56	3	11	7	10	6	37	13	-	1	2	-	-	-	-	-	-
Erysipelas -		24	1	6	2	1	1	11	11	3	-	1	1	-	-	-	-	-
Whooping-cough -		31	9	16	2	1	1	20	2	-	-	-	-	-	-	-	-	-
Scarlet Fever -		129	1	11	7	3	-	27	22	10	-	9	8	9	5	5	4	6
Typhoid & Dysentery -		47	44	10	4	-	3	61	1	2	-	1	1	2	2	1	7	6
Typhus -		15	3	1	-	1	-	5	1	1	1	1	1	3	-	1	1	-
Symptomatic Dis. -		61	12	9	0	5	2	34	3	1	2	2	2	5	-	4	2	6
Smallpox -		44	-	-	-	-	-	-	-	-	-	-	4	7	11	9	10	3
Measles and Tabes -		37	14	6	3	-	1	24	4	3	1	-	3	1	1	1	-	-
Typhoid -		224	1	1	-	-	-	2	2	10	32	37	60	40	20	17	3	1
Erysipelas -		9	3	5	-	-	-	8	1	-	-	-	-	-	-	-	-	-
Brain -		208	46	21	2	1	3	73	3	-	2	4	3	5	11	20	49	28
Heart & Dropsy -		135	2	1	1	1	1	6	2	5	1	4	10	9	14	22	38	20
Lungs -		217	45	33	13	7	5	103	4	4	2	2	10	8	17	15	38	11
Stomach and Liver -		93	4	-	-	2	-	6	4	2	2	4	5	7	17	19	19	7
Kidneys -		15	-	-	-	-	-	-	1	-	-	1	3	2	1	1	4	2
Genital Organs -		8	-	-	-	-	-	-	-	-	-	1	4	2	-	1	1	-
Joints -		8	-	1	-	1	-	2	-	-	2	-	1	-	-	1	1	-
Skin -		8	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-
Birth and Metria -		31	-	-	-	-	-	-	-	3	-	3	15	10	-	-	-	-
Violent Deaths -		2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1
Total -		338	187	19	11	1	-	218	4	1	-	-	-	4	8	7	4	55
184.—LUTON.																		
Populn. 1861-71.		18276	459	447	435	424	399	2164	1942	1911	2200	2087	2887	2077	1474	885	483	146
L DEATHS -		3543	995	295	131	83	53	1557	133	67	139	141	249	233	215	242	293	228
Cancer -		53	15	7	3	2	1	28	6	-	4	5	2	3	3	-	1	-
Consumption -		61	10	22	14	6	3	55	5	-	-	1	1	-	-	-	-	-
Diphtheria -		150	14	27	23	16	15	97	36	6	4	2	2	3	-	-	-	-
Erysipelas -		20	3	3	1	1	1	9	4	2	1	-	4	-	-	-	-	-
Whooping-cough -		89	41	25	11	7	2	86	3	-	-	-	-	-	-	-	-	-
Scarlet Fever -		189	5	7	9	11	6	38	17	19	33	16	21	20	13	9	2	1
Typhoid & Dysentery -		219	146	35	8	-	-	194	3	-	1	-	2	2	3	3	8	2
Typhus -		3	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Symptomatic Dis. -		69	14	4	10	3	3	34	7	2	2	1	4	3	5	4	4	3
Smallpox -		75	-	-	1	-	-	1	-	-	-	-	1	10	22	23	15	3
Measles and Tabes -		30	12	6	3	1	1	23	-	-	-	-	2	1	1	2	1	-
Typhoid -		478	35	24	8	2	3	72	8	13	61	60	107	75	43	25	13	1
Erysipelas -		53	28	15	3	3	-	49	3	1	-	-	-	-	-	-	-	-
Brain -		419	122	32	8	6	2	170	9	5	9	8	7	24	31	41	77	37
Heart & Dropsy -		272	10	2	3	2	2	19	6	6	6	15	19	33	32	53	60	20
Lungs -		373	114	39	16	16	7	192	10	3	5	5	15	15	16	36	41	34
Stomach and Liver -		157	17	5	1	2	-	25	3	5	2	7	20	17	23	19	23	11
Kidneys -		13	-	1	-	-	-	1	-	-	-	1	-	2	5	1	3	-
Genital Organs -		9	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-
Joints -		8	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Skin -		8	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Birth and Metria -		57	-	-	-	-	-	-	-	-	7	-	14	27	8	-	-	-
Violent Deaths -		43	11	7	3	2	1	24	4	-	1	-	1	1	1	3	3	3
Total -		691	394	30	4	3	4	435	8	1	3	3	1	9	21	10	19	40

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80-
		185.—CAXTON.																
Mean Popul ⁿ , 1861-71	5488	158	173	156	152	157	795	746	636	469	408	699	571	476	361	228	83	16
TOTAL DEATHS	993	233	69	33	11	6	352	28	30	34	30	57	56	45	77	114	124	46
Pox	-	-	-	-	-	-	5	2	-	-	1	-	-	-	-	-	-	-
Influenza	31	6	9	6	-	2	23	4	3	-	1	-	-	-	-	-	-	-
Erysipelas	14	1	2	3	1	1	8	5	-	-	1	-	-	-	-	-	-	-
Croup	27	16	4	3	3	1	27	-	-	-	-	-	-	-	-	-	-	-
Whooping Cough	45	-	-	-	-	-	3	6	10	7	2	4	4	2	4	2	1	1
Diarrhoea & Dysentery	42	21	8	1	-	1	30	-	-	-	-	1	1	2	5	1	2	1
Zymotic Dis.	17	1	1	-	1	1	4	3	2	1	2	-	3	-	1	3	-	-
Scrophulous	23	-	-	-	-	-	-	-	-	-	-	1	2	4	10	3	2	-
Consumption	16	4	1	1	1	-	7	-	2	-	-	2	2	1	1	1	-	-
Phthisis	123	7	7	1	1	-	16	1	3	18	16	27	19	12	6	4	1	-
Brain	7	4	1	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Heart & Dropsy	93	18	1	7	-	-	26	2	4	3	-	6	1	8	4	18	19	4
Lungs	88	-	-	-	-	-	1	1	1	-	1	1	8	5	10	18	9	4
Stomach and Liver	92	30	11	4	1	-	46	1	3	2	1	2	1	3	6	15	11	1
Kidneys	71	8	2	-	-	-	10	-	-	-	-	6	5	4	21	15	10	-
General Organs	12	1	-	-	-	-	1	-	-	1	-	2	1	-	1	3	3	-
Joints	9	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-
Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	4	-	-	2	-
Birth and Metris	13	-	-	-	-	-	-	-	-	2	3	5	3	-	-	-	-	-
Violent Deaths	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes	20	6	1	-	3	-	10	2	1	-	-	-	1	-	5	5	1	-
	237	104	14	3	-	-	123	-	1	-	-	-	2	-	-	27	62	36
186.—CHESTERTON.																		
Mean Popul ⁿ , 1861-71	13143	388	356	377	369	346	1836	1624	1389	1052	1030	1761	1499	1167	901	594	247	43
TOTAL DEATHS	2593	558	189	70	55	53	925	126	60	99	91	155	169	148	173	265	276	106
Pox	4	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-
Influenza	33	6	8	6	6	2	24	5	-	-	-	-	-	-	-	-	-	-
Erysipelas	86	6	8	13	11	10	48	31	5	1	-	-	1	-	-	-	-	-
Croup	90	14	4	2	11	10	41	31	7	4	1	1	1	1	2	1	-	-
Whooping Cough	33	32	14	3	2	1	53	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea & Dysentery	72	1	4	-	2	3	10	20	7	8	-	9	2	1	3	2	2	-
Zymotic Dis.	114	66	18	2	-	-	86	1	-	-	8	2	4	2	-	7	8	4
Scrophulous	9	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Consumption	54	6	5	4	5	4	24	6	5	5	1	-	1	1	2	3	6	1
Phthisis	69	-	-	-	-	-	-	-	-	-	1	-	9	9	21	24	6	5
Brain	49	10	12	5	-	2	29	4	1	1	1	9	1	2	2	1	-	-
Heart & Dropsy	382	20	9	2	1	1	33	9	16	47	46	85	52	47	20	20	7	-
Lungs	25	5	11	3	3	-	22	1	2	-	-	-	-	-	-	-	-	-
Stomach and Liver	273	35	6	7	2	2	52	4	3	9	4	12	33	26	37	51	36	6
Kidneys	149	3	-	-	1	1	5	-	3	2	5	6	10	12	31	45	27	5
General Organs	283	79	39	18	5	9	150	5	1	2	2	5	8	11	18	42	32	5
Joints	124	12	2	-	2	2	18	2	3	4	4	9	12	11	16	29	14	2
Skin	21	-	1	-	-	-	1	-	1	2	-	-	5	4	4	3	1	-
Birth and Metris	14	-	-	-	-	-	-	-	-	-	1	-	6	4	1	2	-	-
Violent Deaths	5	2	-	-	1	-	3	1	-	-	1	2	1	-	2	-	-	-
Causes	51	-	-	-	-	-	-	-	-	5	13	13	20	-	-	-	-	-
	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	586	249	42	5	2	4	392	5	3	-	3	2	2	3	12	42	132	80
187.—CAMBRIDGE.																		
Mean Popul ⁿ , 1861-71	15199	374	327	317	335	326	1679	1485	1473	1748	1527	2268	1710	1349	1049	640	234	37
TOTAL DEATHS	2907	523	199	103	76	46	947	85	57	81	92	218	213	232	260	374	306	102
Pox	13	3	-	-	1	-	4	1	-	1	-	3	1	2	-	1	-	-
Influenza	51	12	21	13	4	1	51	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	87	4	15	19	12	10	63	18	4	-	1	1	1	-	1	-	-	-
Croup	23	2	1	4	1	-	8	7	4	1	-	-	-	-	-	-	-	-
Whooping Cough	78	27	21	12	8	4	72	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea & Dysentery	73	1	2	2	6	3	14	7	14	11	3	8	4	6	3	1	2	-
Zymotic Dis.	132	83	18	3	2	-	106	-	1	-	-	2	4	2	3	5	8	1
Scrophulous	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Consumption	70	3	6	5	7	5	26	5	3	-	3	9	7	5	5	5	1	1
Phthisis	123	-	-	-	-	-	-	-	-	2	2	5	9	34	31	28	10	1
Brain	77	20	14	8	4	2	48	5	6	6	3	2	4	2	1	2	-	-
Heart & Dropsy	399	7	10	2	1	22	6	7	37	49	106	59	89	52	21	10	-	-
Lungs	45	2	12	6	5	4	36	9	-	-	-	-	-	-	-	-	-	-
Stomach and Liver	273	37	11	6	3	4	61	3	7	6	9	9	11	26	35	62	40	4
Kidneys	222	-	-	-	-	-	3	3	4	5	3	10	22	25	51	65	51	5
General Organs	410	85	43	14	17	9	166	3	3	8	1	11	15	24	40	80	62	7
Joints	169	10	1	1	1	1	14	8	1	3	4	21	17	25	32	29	13	2
Skin	43	-	-	1	-	-	1	2	-	1	5	5	7	6	10	5	1	-
Birth and Metris	19	-	-	-	-	-	-	-	-	-	-	3	4	4	4	1	-	-
Violent Deaths	11	4	-	-	-	-	4	-	1	-	-	1	1	1	1	1	-	-
Causes	26	-	-	-	-	-	-	-	-	-	4	12	9	1	3	3	2	-
	42	19	-	1	2	-	15	6	-	-	-	2	5	2	3	19	78	146
	572	206	21	5	1	2	235	1	2	-	2	2	2	5	13	28	146	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85+	Total.	
188.—LINTON.																				
Populn. 61-71		6891	195	211	219	193	193	1011	903	777	568	518	846	716	590	491	324	126	21	
DEATHS -		1227	202	69	32	23	23	349	51	33	56	44	70	85	77	95	146	150	71	
x - - -		2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
a - - -		9	1	3	1	-	8	8	1	-	-	-	-	-	-	-	-	-	-	
ia - - -		60	6	7	9	10	40	10	3	-	-	4	2	-	-	1	-	-	-	
g-cough -		27	14	9	1	-	25	2	-	-	-	-	-	-	-	-	-	-	-	
& Dysentery		41	18	4	1	-	25	4	-	4	-	6	-	5	6	1	1	7	4	1
motie Dis.		31	2	3	3	1	10	2	3	-	2	-	-	-	2	3	4	4	-	-
and Tabes		37	-	-	-	-	-	-	-	-	-	-	1	5	6	8	9	5	8	
phalus -		210	2	5	3	1	13	6	9	3	26	34	39	24	15	9	1	-	-	
rain -		9	3	2	1	1	8	1	-	-	-	-	-	-	-	-	-	-	-	
cart & Dropsy		126	17	6	2	2	28	2	4	-	-	1	4	12	17	20	20	20	8	6
ungs -		96	3	3	-	-	6	-	2	3	-	8	6	6	17	26	26	19	5	2
om. and Liver		161	38	13	4	4	62	5	-	4	3	3	4	5	20	30	31	4	-	
idneys -		53	5	-	-	-	5	1	2	-	2	5	4	6	2	18	7	-	-	
ener. Organs		8	1	-	-	-	1	-	2	-	-	-	1	1	1	2	1	-	-	
oints -		7	-	-	-	-	2	-	-	-	-	-	1	2	1	2	1	-	-	
kin -		7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
h and Metria		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ient Deaths		23	-	-	-	-	-	-	-	-	1	3	8	11	-	-	-	-	-	
uses -		21	6	1	2	2	12	3	-	1	-	-	-	-	1	1	1	3	-	
		223	79	11	2	1	93	3	1	-	-	-	-	1	1	4	17	64	49	
189.—NEWMARKET.																				
Populn. 61-71		14511	424	386	386	381	394	1971	1793	1659	1287	1108	1809	1604	1258	967	635	255	45	
DEATHS -		2758	559	207	76	67	45	954	125	77	113	98	177	176	151	191	289	284	123	
x - - -		3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	
a - - -		49	5	17	10	5	2	30	7	2	-	-	-	1	-	-	-	-	-	
ia - - -		88	3	8	16	15	4	51	10	10	1	3	1	3	-	-	-	-	-	
g-cough -		52	23	17	5	5	1	51	1	-	-	-	-	-	-	-	-	-	-	
& Dysentery		103	2	2	5	6	1	15	19	12	14	9	11	8	7	2	8	3	2	
motie Dis.		109	60	17	4	-	1	81	1	-	2	1	-	-	2	1	6	7	2	
and Tabes		5	4	-	-	-	-	4	-	1	5	2	1	1	4	6	7	3	2	
phalus -		49	2	5	3	2	14	1	-	-	-	-	-	-	-	-	-	-	-	
rain -		88	-	-	1	-	-	1	-	-	-	1	6	9	18	28	14	9	2	
cart & Dropsy		61	17	8	1	1	1	28	3	5	5	4	6	3	1	1	-	-	-	
ungs -		400	13	5	5	1	24	12	14	57	59	95	65	43	21	10	-	-	-	
om. and Liver		29	9	5	1	2	2	19	8	2	-	-	-	-	-	-	-	-	-	
idneys -		249	29	15	4	3	3	54	10	8	5	2	8	12	17	32	49	45	6	
ener. Organs		190	2	4	2	-	-	8	3	6	8	2	6	12	18	33	38	32	4	
oints -		336	98	52	14	8	4	176	9	2	4	4	9	9	7	14	57	38	12	
kin -		134	4	1	2	4	1	12	5	4	5	2	7	15	20	30	20	12	2	
h and Metria		25	2	1	-	-	-	3	3	-	-	2	5	2	-	5	2	3	-	
ient Deaths		15	-	-	-	-	-	-	-	-	-	2	1	6	3	1	2	-	-	
uses -		14	-	1	1	-	-	2	-	1	1	2	2	2	1	1	8	-	-	
		12	3	2	1	-	6	-	1	-	-	-	-	1	1	-	2	1	-	
		31	-	-	-	-	-	-	-	-	1	2	12	16	-	-	-	-	-	
		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		41	9	2	2	2	15	5	-	3	1	-	2	1	2	2	2	8	-	
		641	276	44	8	5	4	337	4	2	-	-	2	4	3	11	57	127	92	
190.—ELY.																				
Populn. 61-71		11238	340	277	310	330	285	1542	1383	1263	1074	902	1396	1240	1012	703	489	197	37	
DEATHS -		2194	551	154	57	37	27	826	85	55	63	72	135	116	132	162	234	240	84	
x - - -		4	2	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	
a - - -		35	8	13	6	3	-	30	2	3	-	-	-	-	-	-	-	-	-	
ia - - -		43	2	9	4	5	2	26	12	3	-	-	-	-	-	1	-	-	-	
g-cough -		29	-	2	2	5	4	13	7	3	-	3	1	-	-	-	-	-	-	
& Dysentery		49	33	8	6	1	1	49	-	-	-	-	-	-	-	-	-	-	-	
motie Dis.		97	-	2	1	6	3	12	12	18	6	7	11	10	2	3	12	4	-	
and Tabes		77	35	13	1	3	55	1	-	-	-	1	-	1	1	3	2	8	2	
phalus -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
rain -		37	9	4	2	1	2	18	4	-	1	-	1	1	1	3	2	4	2	
cart & Dropsy		64	-	-	-	1	1	2	-	-	-	1	4	6	20	16	13	2	-	
ungs -		44	12	5	-	1	1	19	7	1	4	3	3	4	3	-	-	-	-	
om. and Liver		285	18	8	2	2	2	32	11	20	29	88	70	39	28	11	7	-	-	
idneys -		16	7	4	2	-	-	13	3	-	-	-	-	-	-	-	-	-	-	
ener. Organs		186	35	11	5	2	2	55	3	1	6	5	9	2	14	23	37	28	5	
oints -		124	2	-	-	1	-	3	2	2	4	1	7	11	19	21	32	22	-	
kin -		251	61	30	4	4	1	100	10	-	4	2	2	11	10	30	40	36	6	
h and Metria		113	8	2	-	-	-	10	-	1	3	3	7	5	16	27	30	10	1	
ient Deaths		9	-	-	1	-	-	1	-	-	-	-	1	2	1	2	4	-	-	
uses -		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	3	1	-	-	-	1	-	-	-	-	3	2	1	1	1	1	-	
		27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		45	10	3	5	2	2	22	7	1	1	2	5	10	1	1	2	2	1	
		629	206	43	8	3	2	360	4	1	1	2	-	3	2	5	10	48	12	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80+
191.—NORTH WITCHFORD.																		
Mean Popul ⁿ , 1861-71	7546	223	208	206	203	204	1043	946	852	778	585	892	784	682	525	323	121	15
TOTAL DEATHS -	1574	418	153	59	28	20	678	77	30	34	42	70	66	78	140	181	143	20
Small-pox -	16	1	-	2	-	-	3	-	-	2	1	2	-	2	-	-	-	-
Measles -	56	10	16	11	9	4	43	6	2	-	-	-	-	-	-	-	-	-
Scarlatina -	38	19	13	6	9	4	41	15	2	-	-	-	-	-	-	-	-	-
Diphtheria -	16	2	1	1	2	3	9	5	-	1	-	-	1	-	-	-	-	-
Whooping-cough -	17	9	7	1	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus -	56	2	2	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Diarrhea & Dysentery -	77	47	7	2	-	2	56	8	3	4	-	4	-	5	10	6	1	1
Cholera -	10	3	-	-	1	-	4	-	-	-	-	-	2	2	2	1	-	-
Other Zymotic Dis. -	40	3	2	4	1	2	12	11	-	1	-	1	3	-	4	3	3	3
Cancer -	39	-	-	-	-	-	-	-	-	-	1	-	3	3	7	15	2	-
Scrofula and Tubercles -	31	6	7	2	-	-	15	1	2	-	1	1	-	-	-	-	-	-
Phthisis -	121	4	4	-	-	-	5	5	2	11	20	25	21	15	10	2	1	-
Hydrocephalus -	27	6	0	1	1	2	10	7	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	185	25	15	3	1	1	43	6	3	2	2	1	7	9	14	20	19	1
Dis. of Heart & Dropsy -	89	1	3	-	-	-	4	1	2	1	1	0	7	10	23	17	14	1
Dis. of Lungs -	263	87	35	17	4	2	142	6	2	5	4	19	6	9	25	40	16	3
Dis. of Stom. and Liver -	63	9	2	1	1	-	13	1	3	-	-	2	2	6	15	8	9	1
Dis. of Kidneys -	36	-	1	1	-	-	2	-	-	-	3	1	3	3	6	15	6	-
Dis. of Genes. Organs -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	7	-	1	-	-	-	1	-	1	3	1	-	1	-	-	-	-	-
Dis. of Skin -	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fetide -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	68	4	3	5	3	2	17	3	5	1	7	9	3	4	9	11	23	27
Other Causes -	370	100	80	1	1	-	223	2	2	-	-	2	3	9	11	33	39	47

192.—WHITTLESEY.																		
Mean Popul ⁿ , 1861-71	3389	109	92	101	93	97	492	439	417	317	225	364	369	303	246	154	55	8
TOTAL DEATHS -	766	214	60	19	18	11	317	26	25	26	24	41	59	46	48	93	65	15
Small-pox -	4	1	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-
Measles -	29	5	6	4	2	-	17	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -	24	1	3	4	2	2	12	11	1	-	-	-	-	-	-	-	-	-
Diphtheria -	6	-	2	-	1	1	4	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	18	9	7	2	-	-	18	-	-	-	-	-	-	-	-	-	-	-
Typhus -	33	1	1	3	1	-	6	3	5	4	1	3	1	3	2	4	1	-
Diarrhea & Dysentery -	40	33	2	-	-	-	35	-	1	-	-	-	-	-	-	4	-	-
Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	12	3	3	-	-	-	6	-	-	-	-	-	-	-	2	1	2	1
Cancer -	14	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	2	3
Scrofula and Tubercles -	13	3	1	-	-	-	9	1	-	-	1	-	-	-	1	4	2	3
Phthisis -	91	3	1	-	1	1	6	1	2	13	16	21	15	11	4	3	1	-
Hydrocephalus -	12	2	4	1	1	1	9	-	-	1	-	-	1	1	-	-	-	-
Dis. of Brain -	75	21	2	1	2	2	28	3	3	1	1	3	1	4	8	11	11	1
Dis. of Heart & Dropsy -	41	2	-	-	-	-	9	-	2	-	1	2	1	3	6	9	13	2
Dis. of Lungs -	73	25	7	2	-	1	33	-	-	1	-	2	1	5	6	12	6	2
Dis. of Stom. and Liver -	43	4	-	2	-	-	6	-	-	1	2	4	9	3	9	6	3	1
Dis. of Kidneys -	11	-	-	-	-	-	-	-	1	-	-	-	-	-	-	4	1	-
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Dis. of Joints -	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
Dis. of Skin -	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fetide -	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths -	36	1	2	-	3	2	8	2	5	3	2	2	1	2	4	2	2	10
Other Causes -	186	95	19	-	-	1	116	1	-	1	-	1	1	4	4	25	25	10

193.—WISBECH.																		
Mean Popul ⁿ , 1861-71	16257	478	442	434	397	408	2159	1982	1865	1636	1253	1960	1698	1526	1174	711	259	34
TOTAL DEATHS -	3465	971	233	104	57	55	1420	144	77	90	89	169	161	219	246	406	342	105
Small-pox -	22	5	3	1	1	-	10	-	1	2	2	3	1	2	2	-	-	-
Measles -	51	6	17	11	3	8	45	4	-	-	-	1	-	-	-	-	-	-
Scarlatina -	60	5	15	9	9	5	49	14	6	1	-	2	1	2	-	-	-	-
Diphtheria -	60	3	1	3	8	7	22	25	5	6	-	1	1	-	-	-	-	-
Whooping-cough -	47	22	15	4	7	1	46	1	-	-	-	-	-	-	-	-	-	-
Typhus -	135	7	5	6	7	3	28	18	12	9	12	9	-	9	11	11	9	-
Diarrhea & Dysentery -	187	65	19	2	4	1	91	4	-	1	1	-	2	2	5	14	15	-
Cholera -	8	2	1	2	-	-	5	-	-	-	-	-	-	1	1	1	-	-
Other Zymotic Dis. -	59	7	-	5	3	1	16	6	2	2	4	1	5	3	4	8	8	-
Cancer -	46	-	-	-	-	-	-	-	-	-	1	-	5	12	8	14	4	-
Scrofula and Tubercles -	60	27	5	-	1	1	34	5	5	2	2	1	4	3	1	2	1	-
Phthisis -	241	3	2	1	-	2	8	9	9	16	37	68	38	27	21	6	1	-
Hydrocephalus -	45	17	16	4	1	-	38	4	1	-	2	-	-	-	-	-	-	-
Dis. of Brain -	385	132	29	8	1	7	177	6	8	6	1	9	13	18	20	55	55	-
Dis. of Heart & Dropsy -	241	18	3	2	1	-	27	6	2	7	2	18	15	28	46	64	32	-
Dis. of Lungs -	820	134	44	23	5	7	215	5	4	6	8	21	24	46	42	99	44	-
Dis. of Stom. and Liver -	136	12	1	-	-	1	14	6	3	4	2	4	12	16	20	33	11	-
Dis. of Kidneys -	61	-	-	1	-	1	2	3	2	-	-	3	1	13	10	11	14	-
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Dis. of Joints -	7	2	-	-	-	-	3	-	-	1	-	-	-	-	1	1	-	-
Dis. of Skin -	10	5	-	-	1	-	6	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
191.—NORTH WITCHFORD.																	
an Popul ⁿ , 1861-71 }	7641	213	194	205	196	203	1011	937	809	762	638	992	825	705	494	331	119
AL DEATHS -	1531	356	121	55	30	22	584	62	33	64	57	92	108	67	108	156	127
-pox - - -	3	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-
les - - -	45	8	10	13	4	2	43	2	-	-	-	-	-	-	-	-	-
stina - - -	48	-	8	9	8	7	33	13	2	1	-	-	-	-	-	-	-
heria - - -	23	3	4	3	1	-	11	8	3	-	1	1	-	1	-	-	-
ping-cough -	27	9	9	4	3	1	28	1	-	-	-	-	-	-	-	-	-
is - - -	72	2	2	2	3	2	11	10	9	14	4	3	7	3	4	4	1
hna & Dysentery	66	31	12	-	-	-	43	-	-	-	1	3	2	-	-	8	6
ra - - -	5	3	-	1	-	-	4	2	2	-	-	-	3	1	1	4	3
Zymotic Dis.	36	4	5	4	3	1	17	-	-	-	-	-	-	-	-	-	-
r - - -	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ila and Tabes	17	7	3	2	-	1	13	1	-	2	1	2	9	7	11	13	6
is - - -	179	1	2	1	-	-	6	9	6	25	25	45	34	17	6	4	2
occephalus -	23	6	7	3	1	-	17	5	-	-	-	-	-	-	-	-	-
f Brain - - -	94	16	6	1	-	1	24	3	1	5	1	-	6	3	15	18	17
f Heart & Droopy	97	5	-	-	-	-	5	-	4	9	-	5	9	8	22	25	19
f Lungs - - -	242	79	27	7	3	4	120	2	2	6	9	11	8	6	13	30	31
f Stom. and Liver	79	5	2	-	-	-	7	1	1	3	2	7	7	9	17	15	10
f Kidneys - -	15	-	1	-	-	-	1	1	-	1	1	1	2	2	2	3	1
f Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	1	6	-	3	1	-
f Joints - - -	6	2	1	-	-	-	3	-	1	-	-	-	1	-	-	-	-
f Skin - - -	6	1	2	1	-	-	4	-	-	-	-	-	2	-	-	-	-
birth and Metria	16	-	-	-	-	-	-	-	-	-	4	4	7	1	-	-	-
le - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	23	3	2	1	-	1	7	3	1	2	-	2	1	3	4	1	1
Causes - - -	340	171	13	1	4	-	180	1	2	1	2	4	4	2	9	29	67
192.—WHITTLESEY.																	
an Popul ⁿ , 1861-71 }	3594	106	97	98	96	91	488	422	413	319	269	440	386	341	254	179	74
AL DEATHS -	716	140	46	23	13	9	231	30	25	30	25	40	45	32	49	84	31
-pox - - -	8	3	1	-	1	-	5	-	1	-	-	-	1	-	-	-	-
les - - -	12	3	3	2	1	2	11	1	-	-	-	-	-	-	-	-	-
stina - - -	18	-	1	1	3	3	8	8	2	-	-	-	-	-	-	-	-
heria - - -	7	-	-	-	-	-	-	4	-	-	-	-	1	-	-	-	-
ping-cough -	27	16	5	3	1	2	27	-	3	-	-	3	1	2	2	-	-
is - - -	30	2	1	2	2	1	7	5	-	3	5	3	1	2	2	4	5
hna & Dysentery	42	14	6	2	-	-	23	-	1	-	-	1	2	-	-	-	-
ra - - -	2	-	1	-	-	-	3	-	-	-	-	-	-	1	-	-	-
Zymotic Dis.	15	2	1	1	1	-	5	2	-	2	1	-	-	2	2	1	-
r - - -	21	-	-	-	-	-	-	-	-	-	-	3	5	5	2	5	1
ila and Tabes	11	4	3	-	-	-	7	-	1	3	-	-	-	-	-	-	-
is - - -	99	2	4	-	1	-	7	2	8	13	15	27	18	4	3	2	-
occephalus -	11	2	1	2	1	1	7	2	1	1	-	-	-	-	-	-	-
f Brain - - -	75	15	2	-	-	-	17	2	2	4	1	1	3	3	5	19	14
f Heart & Droopy	45	-	-	-	-	-	2	2	1	-	-	1	5	9	10	13	2
f Lungs - - -	63	18	8	3	-	-	29	1	1	-	-	1	1	1	9	13	8
f Stom. and Liver	27	1	-	-	-	-	1	1	1	-	1	1	1	2	8	6	3
f Kidneys - -	5	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	1
f Gener. Organs	5	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-
f Joints - - -	5	-	-	-	-	-	-	-	-	2	-	2	-	-	-	1	-
f Skin - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
birth and Metria	7	-	-	-	-	-	-	-	-	1	-	3	3	-	-	-	-
le - - -	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Violent Deaths	15	1	-	2	-	-	3	-	-	-	-	2	3	-	1	2	5
Causes - - -	162	37	10	6	-	-	73	-	-	-	1	2	1	1	4	16	45
193.—WISBECH.																	
an Popul ⁿ , 1861-71 }	17509	450	436	466	432	426	2210	2057	1880	1643	1530	2274	1943	1631	1198	787	313
AL DEATHS -	3284	778	236	110	66	55	1245	139	76	100	117	192	147	171	255	338	136
-pox - - -	16	3	1	1	2	-	7	1	1	-	-	5	1	-	1	-	-
les - - -	52	9	15	11	5	2	42	6	1	1	-	-	-	-	1	-	-
stina - - -	82	4	5	14	11	7	41	34	5	1	1	-	-	-	-	-	-
heria - - -	76	2	6	8	6	9	31	24	11	3	3	1	-	1	1	1	-
ping-cough -	73	31	29	6	3	2	71	2	-	-	-	-	-	-	-	-	-
is - - -	118	5	6	5	5	5	26	13	17	6	6	12	7	4	9	10	8
hna & Dysentery	125	53	14	3	1	1	72	2	-	2	2	1	3	3	4	10	5
ra - - -	5	3	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-
Zymotic Dis.	61	4	4	6	1	2	17	7	7	7	3	7	-	3	4	4	1
r - - -	107	-	-	-	-	-	-	-	-	1	1	4	15	27	30	24	4
ila and Tabes	37	13	6	3	3	-	23	3	-	1	1	2	1	2	-	-	-
is - - -	287	5	2	3	-	-	10	3	10	45	67	72	46	23	9	1	-
occephalus -	37	10	1	3	2	-	28	6	-	-	-	1	-	-	-	-	-
f Brain - - -	226	88	29	10	3	7	137	6	5	4	3	4	8	20	37	47	7
f Heart & Droopy	220	13	2	3	1	-	19	2	5	7	4	13	21	24	54	54	18
f Lungs - - -	479	109	48	19	12	8	187	10	6	9	7	22	14	19	40	79	12
f Stom. and Liver	113	13	2	3	1	1	20	6	2	6	2	8	3	16	21	19	8
f Kidneys - -	20	-	-	-	-	-	2	1	1	1	2	2	1	1	4	4	1
f Gener. Organs	25	1	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-
f Joints - - -	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f Skin - - -	8	2	1	-	-	-	3	-	-	-	-	1	-	-	-	-	-
birth and Metria	35	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-
le - - -	3	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-
Violent Deaths	61	10	3	5	5	7	30	7	3	1	3	2	1	2	4	2	5
Causes - - -	910	409	51	8	4	2	474	5	4	5	1	1	12	2	13	29	77

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL Ages.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
194.—WEST HAM.																		
Mean Popul ⁿ , 1861-71		40482	1240	1101	1145	1133	1074	5693	5377	4623	3498	3415	6280	4897	3237	1902	1103	396
TOTAL DEATHS		7780	1880	788	419	265	204	3556	399	212	175	201	481	529	402	477	602	407
Small-pox		80	20	10	5	-	1	42	8	1	9	4	11	3	1	-	1	-
Measles		130	17	51	40	17	16	141	7	2	-	-	-	-	-	-	-	
Scarlatina		407	25	69	69	85	54	300	143	37	6	6	5	-	-	-	-	
Diphtheria		52	-	2	11	4	8	25	16	4	1	3	-	2	1	-	-	
Whooping-cough		233	81	85	34	14	8	222	15	1	-	-	-	-	-	-	-	
Typhus		330	9	12	22	12	16	71	41	39	21	19	37	23	20	14	18	
Diarrhoea & Dysentery		361	293	49	11	7	3	303	4	3	2	1	7	5	5	7	8	
Cholera		219	21	11	11	4	9	56	13	11	6	16	32	24	24	11	15	
Other Zymotic Dis.		214	25	44	28	25	24	145	15	6	3	2	4	5	7	4	8	
Cancer		225	-	-	-	-	-	-	-	-	-	1	16	41	70	42	44	
Scrophula and Tuberc.		214	78	69	20	17	2	177	20	5	3	1	5	3	-	3	-	
Phthisis		722	24	15	8	9	7	65	12	40	66	89	190	147	85	80	7	
Hydrocephalus		135	69	27	20	10	6	132	2	-	-	-	-	1	-	-	-	
Dis. of Brain		912	257	66	42	19	11	305	29	13	9	12	24	33	49	61	118	
Dis. of Heart & Dropsy		427	6	4	2	1	6	21	14	15	12	8	35	69	58	77	89	
Dis. of Lungs		1240	337	182	65	32	23	639	33	13	13	11	24	37	67	95	174	
Dis. of Stom. and Liver		291	18	3	1	2	1	25	7	7	5	10	28	45	36	69	37	
Dis. of Kidneys		62	-	-	-	1	1	2	4	5	4	3	5	9	12	7	6	
Dis. of Genes. Organs		42	-	1	-	-	-	1	-	1	1	1	1	14	7	5	4	
Dis. of Joints		30	1	-	-	-	2	3	5	6	1	3	3	4	2	2	1	
Dis. of Skin		20	6	2	1	-	-	9	1	-	-	-	-	1	1	2	2	
Childbirth and Metris		95	-	-	-	-	-	-	-	-	3	9	39	40	4	-	-	
Suicide		13	-	-	-	-	-	-	-	-	-	2	4	1	2	1	-	
Other Violent Deaths		80	15	15	5	8	3	41	5	1	3	1	2	3	10	6	2	
Other Causes		1143	630	80	24	12	3	749	7	2	3	4	10	12	24	25	71	
195.—EPPING.																		
Mean Popul ⁿ , 1861-71		9194	262	232	234	261	255	1244	1153	1000	764	719	1285	1034	823	597	402	146
TOTAL DEATHS		1534	282	80	40	22	28	452	60	45	43	51	99	83	104	115	201	194
Small-pox		17	5	2	-	1	1	9	1	-	1	-	-	4	2	-	-	-
Measles		20	4	6	3	-	2	15	4	1	-	-	-	-	-	-	-	-
Scarlatina		37	2	2	3	5	3	15	9	6	1	2	3	1	-	-	-	-
Diphtheria		9	-	1	-	1	2	4	3	-	1	1	-	-	-	-	-	-
Whooping-cough		35	15	10	2	1	5	33	1	-	-	-	1	-	-	-	-	-
Typhus		49	1	-	-	-	-	6	7	-	5	4	5	4	1	5	3	2
Diarrhoea & Dysentery		60	31	7	-	2	1	40	1	-	3	1	-	1	1	3	4	7
Cholera		12	3	-	1	1	-	4	3	-	-	-	1	-	3	-	-	-
Other Zymotic Dis.		42	7	3	7	2	1	20	6	2	1	2	-	1	2	2	5	-
Cancer		65	-	1	-	-	-	1	-	-	-	-	3	4	15	20	12	9
Scrophula and Tuberc.		24	7	2	-	1	-	10	5	1	2	1	-	1	1	1	1	1
Phthisis		156	2	1	-	1	-	4	4	7	19	20	49	25	15	4	6	2
Hydrocephalus		26	7	6	5	3	3	24	1	1	-	-	-	-	-	-	-	-
Dis. of Brain		180	39	12	3	1	1	56	4	6	3	5	11	5	14	14	34	25
Dis. of Heart & Dropsy		165	7	1	1	-	1	10	-	3	1	5	3	14	19	25	31	23
Dis. of Lungs		304	59	17	10	1	6	90	3	5	3	4	5	5	10	14	38	24
Dis. of Stom. and Liver		87	7	2	-	-	1	10	2	2	-	1	3	7	13	17	20	11
Dis. of Kidneys		8	-	-	-	-	-	-	-	2	-	2	1	1	-	2	-	-
Dis. of Genes. Organs		4	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-
Dis. of Joints		4	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-
Dis. of Skin		3	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-
Childbirth and Metris		19	-	-	-	-	-	-	-	-	2	2	9	6	-	-	-	-
Suicide		3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Other Violent Deaths		14	2	2	1	-	-	5	4	-	1	-	-	1	-	1	1	-
Other Causes		222	87	5	1	1	1	93	1	2	1	2	-	3	4	8	24	90
196.—ONGAR.																		
Mean Popul ⁿ , 1861-71		5436	147	148	161	143	152	751	706	598	434	391	686	603	508	375	257	111
TOTAL DEATHS		1003	182	49	37	23	25	315	27	27	46	37	53	42	61	76	130	138
Small-pox		5	8	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-
Measles		6	-	2	-	1	-	5	1	-	-	-	-	-	-	-	-	-
Scarlatina		34	-	-	3	4	6	13	10	3	2	1	2	3	-	-	-	-
Diphtheria		21	1	-	4	3	3	11	5	2	1	-	-	1	-	-	1	-
Whooping-cough		19	7	6	4	1	1	19	-	-	-	-	-	-	-	-	-	-
Typhus		38	2	-	1	1	1	5	1	7	5	3	2	4	2	6	2	1
Diarrhoea & Dysentery		27	17	2	-	-	-	19	-	-	1	-	-	-	1	1	4	1
Cholera		3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1
Other Zymotic Dis.		26	2	2	3	1	1	9	3	1	-	-	2	-	-	4	3	5
Cancer		22	-	-	-	-	-	-	-	-	-	-	-	3	7	6	5	-
Scrophula and Tuberc.		21	6	2	3	2	1	14	-	1	1	1	1	1	1	2	-	-
Phthisis		92	4	-	-	-	-	4	1	3	20	16	18	9	14	3	4	-
Hydrocephalus		16	8	2	1	1	1	13	-	2	1	-	-	-	-	-	-	-
Dis. of Brain		108	18	6	2	3	1	30	1	1	4	3	5	-	7	12	27	16
Dis. of Heart & Dropsy		89	3	-	-	1	1	5	2	1	2	2	6	7	8	12	28	14
Dis. of Lungs		136	27	19	10	4	5	65	2	2	6	4	6	4	7	8	18	14
Dis. of Stom. and Liver		65	5	-	-	-	1	6	-	2	-	2	4	5	6	9	9	10
Dis. of Kidneys		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dis. of Genes. Organs		6	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-
Dis. of Joints		4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris		8	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
Suicide		12	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		23	3	2	1	-	-	8	-	-	-	-	-	-	-	-	13	2
Other Causes		239	74	6	3	-	2	84	3	1	1	-	-	2	-	2	13	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		197.—ROMFORD.																
Mean Popul ⁿ , 1861-71	14447	433	401	441	421	406	2102	1891	1668	1360	1130	1886	1593	1203	861	529	195	29
TOTAL DEATHS -	3065	797	233	103	62	54	1240	115	51	63	86	173	170	200	261	336	281	29
Small-pox -	21	4	2	1	-	-	7	-	2	-	5	4	1	2	-	-	-	-
Measles -	48	14	18	9	2	1	44	4	-	-	-	-	-	-	-	-	-	-
Scarlatina -	106	6	16	18	18	12	70	28	5	1	1	-	-	1	-	-	-	-
Diphtheria -	23	1	2	4	2	4	13	7	5	-	-	-	-	-	-	-	-	-
Whooping-cough -	69	37	18	9	2	2	68	1	18	10	9	10	6	5	6	8	12	4
Typhus -	92	1	4	3	2	6	16	11	5	-	-	-	-	-	-	-	-	-
Diarrhoea & Dysentery -	150	114	29	4	3	1	151	3	-	-	-	-	-	1	3	2	3	5
Cholera -	14	3	3	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	69	4	10	7	8	8	32	3	1	2	2	2	2	2	3	5	5	1
Cancer -	35	-	-	-	-	-	-	-	-	-	-	5	5	6	11	8	1	-
Scrophula and Tuberc. -	75	35	16	2	1	3	57	5	2	1	1	3	1	1	2	1	1	-
Phthisis -	277	3	3	2	3	-	11	3	5	18	23	67	62	50	32	9	1	-
Hydrocephalus -	52	19	15	6	5	2	47	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain -	424	145	24	11	7	3	199	6	5	3	11	17	19	13	37	69	34	3
Dis. of Heart & Dropsy -	210	-	9	1	-	-	3	9	-	1	4	8	14	31	45	38	24	3
Dis. of Lungs -	432	107	40	18	5	6	176	10	1	-	5	15	17	31	48	70	30	10
Dis. of Stom. and Liver -	145	19	2	3	2	-	30	3	1	8	3	7	15	21	26	24	11	-
Dis. of Kidneys -	49	1	-	1	-	-	9	-	1	1	-	3	1	8	5	5	1	-
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Joints -	15	1	-	-	2	-	3	2	-	1	1	-	3	-	2	2	1	-
Dis. of Skin -	19	2	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	22	-	-	-	-	-	-	-	-	1	-	6	4	8	3	-	-	-
Other Violent Deaths -	130	7	2	-	8	5	17	8	9	15	11	19	11	11	11	10	8	2
Other Causes -	577	274	27	3	2	1	307	5	-	-	-	7	8	16	29	70	25	24

198.—ORSETT.																		
Mean Popul ⁿ , 1861-71	6891	168	161	173	169	160	831	783	865	832	544	919	795	591	409	231	81	10
TOTAL DEATHS -	1290	300	72	37	20	19	448	55	25	43	38	63	87	92	102	128	92	27
Small-pox -	19	5	-	-	-	-	5	-	-	-	-	1	2	1	1	-	-	-
Measles -	48	8	3	-	1	1	8	-	-	-	-	-	-	-	-	-	-	-
Scarlatina -	45	-	10	7	6	2	25	17	1	2	-	-	-	-	-	-	-	-
Diphtheria -	15	3	-	1	1	5	6	3	-	1	-	2	-	1	-	-	-	-
Whooping-cough -	35	16	12	3	2	1	34	1	-	-	-	-	-	-	-	-	-	-
Typhus -	54	2	2	4	1	2	11	7	1	3	5	3	5	6	6	3	6	6
Diarrhoea & Dysentery -	69	45	8	2	-	-	65	-	1	-	-	1	1	1	2	3	6	6
Cholera -	8	-	1	-	-	-	1	-	-	1	2	1	1	1	2	2	3	3
Other Zymotic Dis. -	50	6	2	3	-	2	13	6	-	2	1	1	-	-	-	-	-	-
Cancer -	18	-	-	-	-	-	-	-	-	-	-	-	1	5	4	8	5	5
Scrophula and Tuberc. -	22	6	2	-	-	2	10	1	1	3	-	2	-	1	2	1	-	-
Phthisis -	105	9	1	-	1	3	14	1	2	11	9	23	20	12	10	3	-	-
Hydrocephalus -	28	15	6	2	1	-	24	3	-	1	-	-	-	-	-	-	-	-
Dis. of Brain -	98	32	2	4	3	1	42	3	4	2	2	2	4	7	4	14	11	3
Dis. of Heart & Dropsy -	79	1	-	1	-	-	2	-	1	2	4	1	7	15	28	11	1	-
Dis. of Lungs -	191	43	16	6	4	2	71	3	1	5	3	8	12	21	24	27	12	4
Dis. of Stom. and Liver -	56	5	-	1	-	-	6	3	4	1	3	2	7	11	10	9	2	-
Dis. of Kidneys -	21	-	-	1	-	-	1	-	-	-	-	2	1	1	3	6	4	2
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	6	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Dis. of Skin -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	97	2	1	2	-	-	5	4	8	7	9	12	22	14	6	4	2	1
Other Causes -	175	108	5	-	-	-	111	1	1	-	-	2	6	4	6	10	22	12

199.—BILLERICAY.																		
Mean Popul ⁿ , 1861-71	8527	201	185	194	189	190	959	1007	944	937	856	1106	960	769	521	329	123	17
TOTAL DEATHS -	1719	301	94	43	26	29	498	61	23	44	68	141	170	137	173	198	165	46
Small-pox -	4	1	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
Measles -	20	2	0	4	3	3	18	2	-	-	-	-	-	-	-	-	-	-
Scarlatina -	51	2	5	8	7	7	29	14	6	1	1	-	-	-	-	-	-	-
Diphtheria -	10	1	5	-	2	-	8	-	1	-	-	1	-	-	-	-	-	-
Whooping-cough -	27	12	8	5	-	1	26	1	-	-	-	-	-	-	-	-	-	-
Typhus -	58	1	4	1	1	2	9	5	3	7	4	12	6	3	2	4	3	5
Diarrhoea & Dysentery -	62	37	8	-	-	-	45	2	-	-	-	1	-	2	2	5	1	-
Cholera -	7	1	-	-	-	-	1	2	-	1	-	-	-	5	2	7	9	9
Other Zymotic Dis. -	66	5	4	8	2	2	21	7	-	2	-	3	-	-	-	-	-	-
Cancer -	24	-	-	-	-	-	1	-	-	-	1	1	-	5	7	5	3	3
Scrophula and Tuberc. -	29	4	-	1	1	1	12	5	1	1	4	8	1	1	1	1	-	-
Phthisis -	172	-	1	-	-	-	2	-	3	8	22	42	37	26	20	5	1	-
Hydrocephalus -	21	5	5	2	1	2	15	6	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	329	34	14	2	3	-	53	2	2	10	10	33	62	43	41	30	1	-
Dis. of Heart & Dropsy -	109	3	-	1	-	-	4	2	-	4	5	10	10	11	24	25	12	-
Dis. of Lungs -	231	60	18	5	2	3	88	4	3	1	8	17	17	15	25	41	18	5
Dis. of Stom. and Liver -	57	6	2	-	-	-	8	-	-	4	2	5	4	4	11	16	9	2
Dis. of Kidneys -	40	-	-	1	-	-	1	1	-	-	-	5	6	4	7	11	5	5
Dis. of Gener. Organs -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths -	65	4	1	2	2	2	11	5	2	2	-	8	2	2	2	2	2	2
Other Causes -	208	123	9	2	2	3	130	3	2	1	-	3	5	3	3	3	3	3

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		197.—ROMFORD.															
Mean Popul., 1861-71	14530	463	407	396	411	416	2093	1900	1591	1206	1160	2005	1642	1255	688	547	211
TOTAL DEATHS -	2714	644	220	118	76	51	1118	116	58	76	80	143	146	154	217	260	258
Small-pox - - -	12	6	1	1	2	-	10	1	-	-	-	-	-	1	-	-	-
Measles - - -	46	6	16	12	6	3	43	2	1	-	-	-	-	-	-	-	-
Scarlatina - - -	122	10	16	21	19	14	80	27	10	4	-	-	-	1	-	-	-
Diphtheria - - -	39	4	4	7	6	4	25	10	3	1	-	-	-	-	-	-	-
Whooping-cough -	72	29	27	9	4	2	71	-	1	-	-	-	-	-	-	-	-
Typhus - - -	89	1	4	2	2	5	14	12	7	15	13	9	5	6	2	4	2
Diarrhoea & Dysentery	189	101	48	5	3	-	157	3	-	-	-	2	2	2	3	8	13
Cholera - - -	27	6	2	2	2	2	14	4	2	1	1	2	1	1	1	5	2
Other Zymotic Dis.	58	5	6	11	5	3	30	7	3	4	-	2	-	4	1	5	2
Cancer - - -	87	-	-	-	-	-	-	-	-	-	1	4	12	18	33	13	5
Scrofula and Tuberc.	63	29	8	6	3	2	48	4	3	3	-	1	1	1	1	1	1
Phthisis - - -	243	3	2	3	2	-	10	7	7	28	33	62	53	29	10	4	-
Hydrocephalus - -	39	17	10	2	1	1	31	4	4	-	-	-	-	-	-	-	-
Dis. of Brain - - -	317	90	15	12	5	2	124	8	6	3	4	10	13	16	40	51	80
Dis. of Heart & Dropsy	103	3	3	1	-	-	6	4	3	3	4	11	12	19	31	44	24
Dis. of Lungs - - -	398	95	39	14	11	6	165	7	1	5	6	4	17	15	38	54	43
Dis. of Stom. and Liver	132	13	2	4	2	2	23	3	5	3	5	7	9	17	32	18	8
Dis. of Kidneys - -	16	-	-	-	-	-	-	-	-	3	-	2	1	4	1	4	1
Dis. of Genes. Organs	15	-	-	-	-	-	-	-	-	1	1	4	1	4	3	1	1
Dis. of Joints - - -	8	-	-	-	-	-	-	-	-	1	-	1	-	1	1	3	-
Dis. of Skin - - -	8	-	2	-	-	1	3	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	42	-	-	-	-	-	-	-	-	3	11	13	14	1	-	-	-
Suicide - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Other Violent Deaths	39	10	5	2	1	1	19	8	1	-	-	3	1	2	2	1	1
Other Causes - - -	518	216	20	4	2	3	245	5	1	-	-	6	5	10	16	49	127
198.—ORSETT.																	
Mean Popul., 1861-71	5492	188	169	159	168	146	830	749	633	424	429	720	658	481	302	185	75
TOTAL DEATHS -	1034	237	88	43	32	17	417	57	27	22	36	54	78	62	64	84	97
Small-pox - - -	8	2	2	-	1	-	5	1	-	-	1	1	-	1	-	-	-
Measles - - -	8	-	4	3	-	-	7	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	36	3	4	5	6	4	22	9	4	1	-	-	-	-	-	-	-
Diphtheria - - -	12	2	-	1	-	1	4	6	1	-	1	-	-	-	-	-	-
Whooping-cough -	47	29	16	2	3	2	45	2	-	-	-	-	-	-	-	-	-
Typhus - - -	60	1	3	3	3	1	11	9	4	3	5	2	3	6	4	1	2
Diarrhoea & Dysentery	60	33	10	3	1	1	48	2	-	1	-	-	1	-	-	2	4
Cholera - - -	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	46	2	2	3	4	3	14	4	1	1	1	4	4	2	1	4	7
Cancer - - -	25	-	-	-	-	-	-	-	-	-	-	-	2	7	6	7	5
Scrofula and Tuberc.	19	4	3	1	1	2	11	2	3	-	-	1	1	1	-	-	-
Phthisis - - -	130	19	5	2	2	-	28	3	9	10	13	27	25	5	6	3	1
Hydrocephalus - -	22	4	8	5	2	-	19	2	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	97	15	3	5	1	-	24	3	-	2	2	4	4	6	15	12	21
Dis. of Heart & Dropsy	73	1	-	-	1	-	2	-	-	-	1	3	8	10	9	18	19
Dis. of Lungs - - -	123	36	12	3	3	1	55	4	-	-	1	1	9	6	10	15	16
Dis. of Stom. and Liver	45	-	1	-	-	1	2	3	-	-	3	1	5	11	6	11	2
Dis. of Kidneys - -	9	-	-	1	1	-	2	1	-	-	-	1	2	1	1	-	1
Dis. of Genes. Organs	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1
Dis. of Joints - - -	4	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
Dis. of Skin - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	25	-	-	-	-	-	-	-	-	2	8	4	11	-	-	-	-
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	20	3	3	2	2	1	11	5	-	1	-	-	-	1	2	1	1
Other Causes - - -	168	89	12	4	1	-	106	1	1	-	-	3	1	3	4	11	19
199.—BILLERICAY.																	
Mean Popul., 1861-71	7919	197	213	186	205	208	1009	971	941	641	644	1075	947	748	514	306	109
TOTAL DEATHS -	1485	221	71	49	35	17	393	56	39	46	50	98	122	133	139	193	165
Small-pox - - -	4	-	-	1	-	1	2	-	-	1	-	-	-	-	1	-	-
Measles - - -	22	3	6	3	1	2	15	6	1	-	-	-	-	-	-	-	-
Scarlatina - - -	45	2	2	5	6	4	19	16	4	1	1	3	1	-	-	-	-
Diphtheria - - -	14	1	4	2	1	2	10	2	1	1	-	-	-	-	-	-	-
Whooping-cough -	88	17	6	5	5	3	36	2	-	-	-	-	-	-	-	-	-
Typhus - - -	51	-	2	-	2	-	4	5	4	5	5	2	5	6	8	5	2
Diarrhoea & Dysentery	54	39	5	1	3	-	41	2	-	-	2	-	-	1	1	3	3
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	33	1	3	3	3	2	12	3	2	-	-	2	4	3	2	3	1
Cancer - - -	44	-	-	-	-	-	-	-	-	-	-	3	9	9	8	8	7
Scrofula and Tuberc.	20	5	1	1	2	-	9	-	4	1	-	-	-	1	8	7	1
Phthisis - - -	132	1	2	1	-	-	4	3	8	11	23	35	25	15	7	3	-
Hydrocephalus - -	15	4	1	3	-	2	10	4	1	-	-	-	-	-	-	-	-
Dis. of Brain - - -	277	23	5	4	1	-	33	3	2	8	5	23	41	38	44	40	26
Dis. of Heart & Dropsy	102	1	2	2	1	-	5	2	3	4	2	6	4	16	23	25	9
Dis. of Lungs - - -	175	28	15	8	5	1	57	4	5	2	2	4	7	13	15	23	27
Dis. of Stom. and Liver	63	6	2	2	-	-	10	1	2	2	2	5	8	6	7	8	11
Dis. of Kidneys - -	11	-	-	-	-	-	-	-	-	1	1	1	-	4	1	5	-
Dis. of Genes. Organs	10	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Dis. of Joints - - -	3	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Dis. of Skin - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	25	-	-	-	-	-	-	-	-	2	4	-	6	12	-	-	-
Suicide - - -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	17	2	1	2	2	-	7	-	-	-	-	-	-	1	2	1	1
Other Causes - - -	323	94	14	6	3	-	117	2	2	2	2	2	6	1	12	16	56

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.				Total under 5 Years.													
		1	2	3	4	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--			
200.—CHELMSFORD.																			
Mean Popul ⁿ , 1861-71	16608	467	429	445	432	457	2230	2091	1933	1615	1266	2029	1789	1543	1106	704	262	40	1
TOTAL DEATHS	3176	601	206	80	74	54	1105	148	72	72	91	168	188	232	268	401	342	89	1
Small-pox	15	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
Measles	20	4	8	2	3	1	17	3	1	1	1	1	1	1	1	1	1	1	1
Scarlatina	25	7	8	11	13	4	47	34	10	1	2	1	1	1	1	1	1	1	1
Diphtheria	86	5	16	8	12	8	49	23	2	4	2	1	1	1	1	1	1	1	1
Whooping-cough	53	27	14	8	2	2	51	1	1	1	1	1	1	1	1	1	1	1	1
Typhus	108	1	3	1	2	1	8	10	7	12	9	14	13	13	13	5	3	2	1
Diarrhoea & Dysentery	96	45	14	6	6	1	72	2	1	1	1	1	1	1	1	1	1	1	1
Cholera	11	7	2	1	1	1	9	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	75	12	8	7	7	7	41	4	4	1	1	3	4	1	9	5	4	1	1
Cancer	34	1	1	1	1	1	5	3	3	4	2	3	2	8	7	10	4	1	1
Scrophula and Tuberc.	56	29	12	3	1	1	37	5	3	4	2	2	2	1	1	2	1	1	1
Phthisis	577	6	6	1	3	1	17	12	13	20	46	78	69	62	41	18	1	1	1
Hydrocephalus	67	23	13	2	6	4	55	12	1	1	1	1	1	1	1	1	1	1	1
Dis. of Brain	403	108	17	6	4	4	129	9	4	7	3	13	13	32	26	33	27	7	1
Dis. of Heart & Dropsy	278	4	1	2	2	4	13	6	8	6	6	11	34	28	51	79	44	2	1
Dis. of Lungs	408	114	43	12	10	3	183	5	3	4	2	16	13	23	41	61	33	10	1
Dis. of Stom. and Liver	131	29	3	3	2	1	29	1	5	4	5	4	11	21	16	27	8	1	1
Dis. of Kidneys	70	1	1	1	1	1	2	1	1	1	1	3	9	13	11	23	11	1	1
Dis. of Gen. Organs	12	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	16	4	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	16	4	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Female	9	3	3	3	3	3	16	13	5	8	8	12	13	6	3	2	4	1	1
Other Violent Deaths	650	275	81	6	1	1	314	3	2	3	2	5	8	11	25	66	132	65	1
Other Causes	650	275	81	6	1	1	314	3	2	3	2	5	8	11	25	66	132	65	1
201.—ROCHFORD.																			
Mean Popul ⁿ , 1861-71	10369	282	255	267	282	254	1340	1191	1087	1025	995	1506	1201	922	652	330	104	16	1
TOTAL DEATHS	1955	510	135	71	36	35	787	75	40	38	45	116	124	141	156	209	174	44	1
Small-pox	12	1	2	1	1	1	4	1	1	1	1	3	1	2	1	1	1	1	1
Measles	21	5	8	2	3	1	19	2	1	1	1	1	1	1	1	1	1	1	1
Scarlatina	59	3	9	5	3	9	29	16	5	1	3	1	1	1	1	1	1	1	1
Diphtheria	30	2	3	4	3	5	17	5	1	1	3	1	1	1	2	1	1	1	1
Whooping-cough	51	34	9	5	3	1	51	6	8	5	4	13	10	10	9	3	2	1	1
Typhus	83	3	3	4	2	1	13	1	1	1	1	1	1	1	1	1	1	1	1
Diarrhoea & Dysentery	98	63	14	5	1	1	84	3	3	4	1	1	3	3	2	1	1	1	1
Cholera	16	1	1	1	1	1	1	2	3	4	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	53	6	2	4	5	5	23	5	4	3	1	1	2	5	4	5	1	1	1
Cancer	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	29	9	5	1	1	1	16	2	2	1	5	1	1	1	1	1	1	1	1
Phthisis	169	4	5	2	1	1	19	3	4	1	13	36	36	30	13	5	1	1	1
Hydrocephalus	22	11	3	2	3	1	19	2	1	1	1	1	1	1	1	1	1	1	1
Dis. of Brain	232	81	21	14	5	2	123	9	2	1	1	7	19	11	15	30	14	1	1
Dis. of Heart & Dropsy	145	1	2	1	1	1	15	1	3	1	4	6	15	18	29	40	26	1	1
Dis. of Lungs	296	70	25	8	3	3	117	5	3	4	4	14	17	27	35	37	17	1	1
Dis. of Stom. and Liver	95	11	3	4	1	1	19	1	2	2	1	7	4	20	14	17	9	1	1
Dis. of Kidneys	34	1	1	1	1	1	1	1	1	1	1	3	2	2	5	11	6	1	1
Dis. of Gen. Organs	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	4	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Female	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	60	3	4	2	2	1	12	8	4	8	6	17	16	8	9	7	4	1	1
Other Causes	400	196	17	6	1	1	221	2	1	1	2	5	3	3	10	29	84	41	1
202.—MALDON.																			
Mean Popul ⁿ , 1861-71	11861	374	340	315	334	325	1688	1506	1377	1122	865	1395	1260	1133	838	490	170	17	1
TOTAL DEATHS	2240	526	159	74	55	33	847	79	55	63	54	110	124	160	198	285	219	55	1
Small-pox	15	3	2	1	1	1	6	1	1	1	2	1	3	1	1	1	1	1	1
Measles	25	3	9	5	3	2	22	15	8	2	1	1	1	1	1	1	1	1	1
Scarlatina	49	3	2	3	10	7	25	3	3	1	1	1	1	1	1	1	1	1	1
Diphtheria	18	1	1	5	3	1	9	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough	41	15	13	7	5	1	41	4	11	11	9	6	10	7	14	5	3	1	1
Typhus	80	3	3	5	1	1	12	1	1	1	1	1	1	1	1	1	1	1	1
Diarrhoea & Dysentery	82	54	12	4	1	2	73	1	1	1	1	1	1	1	1	1	1	1	1
Cholera	6	5	8	2	4	0	25	5	2	1	1	1	1	3	4	5	2	1	1
Other Zymotic Dis.	49	5	8	2	4	0	25	5	2	1	1	1	1	3	4	5	2	1	1
Cancer	24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	65	31	8	4	1	1	44	2	2	4	1	2	5	5	7	7	1	1	1
Phthisis	217	9	2	4	1	2	18	8	8	16	27	45	32	35	18	8	2	1	1
Hydrocephalus	62	32	16	7	1	1	57	4	1	1	1	1	1	1	1	1	1	1	1
Dis. of Brain	233	57	23	7	7	2	96	7	3	4	3	8	11	26	32	40	34	1	1
Dis. of Heart & Dropsy	162	3	2	1	1	1	7	2	3	4	3	8	14	20	27	33	13	1	1
Dis. of Lungs	294	72	34	8	8	2	124	9	2	4	3	15	15	31	35	27	13	1	1
Dis. of Stom. and Liver	85	8	1	1	2	1	13	4	1	4	1	4	8	13	14	21	5	1	1
Dis. of Kidneys	37	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Gen. Organs	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	6	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	6	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Female	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

IV.] *Causes of Death in the Ten Years 1861-70.—Females.*

155

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	80 upwards.		
		Year.					Years.													
200.—CHELMSFORD.																				
Popul ⁿ , 1861-71		16661	452	454	445	419	427	2197	2102	1900	1433	1284	2161	1857	1521	1105	726	322	53	
L. DEATHS—		3165	532	184	105	62	40	923	140	82	110	120	187	186	103	275	389	405	155	
ox - - -		9	1	1	-	-	-	2	-	3	-	2	1	1	-	-	-	-	-	
na - - -		30	2	10	6	5	2	25	4	-	-	-	-	-	-	-	1	-	-	
ria - - -		105	5	13	13	9	8	48	34	14	3	2	1	1	-	-	1	-	-	
ng-cough -		84	2	12	9	12	6	41	28	10	3	-	1	-	1	-	-	-	-	
m & Dysentery		87	44	23	12	5	2	86	1	-	-	-	-	-	-	-	-	-	-	
ymotic Dis.		112	4	1	7	4	3	19	13	11	15	7	12	6	11	12	4	3	-	
and Tabes		68	28	8	1	3	1	41	2	-	-	1	1	1	3	2	6	6	5	
phalus -		15	8	3	2	-	-	13	1	-	-	-	2	2	1	8	5	1	-	
Brain		40	2	4	1	5	2	14	6	1	1	-	2	2	-	-	-	-	-	
Heart & Dropsy		105	-	-	-	-	-	-	-	-	-	1	5	13	25	26	22	2	4	
Lungs		38	30	8	3	1	1	36	7	1	4	3	2	1	1	2	2	2	-	
Stom. and Liver		44	19	5	4	6	2	38	5	2	1	-	-	-	45	24	9	-	-	
Kidneys		362	74	23	10	1	4	119	7	3	4	7	8	17	23	60	67	69	5	
Gener. Organs		362	4	3	3	1	-	11	2	5	3	7	10	22	62	101	47	6	-	
Joints		321	76	41	14	6	3	140	5	1	2	1	5	9	15	26	31	12	-	
Skin		132	16	1	-	-	-	18	6	7	3	5	6	17	19	23	23	17	3	
rth and Metria		33	-	-	-	-	-	2	2	2	2	1	5	7	2	5	4	1	-	
Tolent Deaths		16	-	-	-	-	-	-	-	-	-	1	2	5	5	2	2	-	-	
causes		13	-	-	-	-	1	1	2	-	3	-	1	1	3	2	-	-	-	
Total Deaths		11	4	-	-	-	-	4	-	2	-	-	3	-	-	2	-	-	-	
causes		60	-	-	-	-	-	-	-	1	18	31	13	2	-	-	-	-	-	
Total Deaths		5	-	-	-	-	-	-	-	-	-	2	1	1	1	1	8	8	2	
causes		39	7	5	4	1	2	16	2	-	1	-	4	1	1	1	8	8	2	
Total Deaths		684	208	21	10	1	2	212	7	1	2	2	-	6	6	21	85	105	118	
201.—ROCHFORD.																				
Popul ⁿ , 1861-71		9062	282	275	269	248	241	1315	1164	984	814	764	1273	1003	755	547	306	118	19	
L. DEATHS—		1664	398	119	68	55	34	674	74	39	43	52	89	117	103	115	100	150	48	
ox - - -		9	3	-	1	2	-	6	-	1	-	1	1	1	-	-	-	-	-	
na - - -		24	2	7	4	3	2	18	3	-	-	-	-	-	-	-	-	-	-	
ria - - -		54	3	10	5	11	5	34	11	6	1	2	1	1	-	-	-	-	-	
ng-cough -		31	1	1	3	5	5	15	11	1	2	-	-	-	1	-	-	-	-	
m & Dysentery		48	25	14	1	5	2	47	1	-	-	-	-	-	-	-	-	-	-	
ymotic Dis.		82	1	1	3	2	-	12	10	6	6	5	8	4	10	19	7	2	-	
and Tabes		95	54	15	5	-	3	77	1	-	1	1	2	2	2	2	4	3	1	
phalus -		17	1	1	1	1	1	5	2	-	1	1	1	1	1	1	1	1	1	
Brain		45	6	2	4	4	2	18	4	3	2	-	1	4	2	6	4	1	-	
Heart & Dropsy		51	-	-	-	-	-	-	-	-	-	-	-	8	15	10	8	-	-	
Lungs		37	14	4	3	-	-	21	1	-	3	-	-	1	1	1	1	-	-	
Stom. and Liver		138	3	4	2	-	1	10	4	6	17	22	33	24	12	7	3	-	-	
Kidneys		25	2	7	9	3	3	24	1	-	-	-	-	-	-	-	-	-	-	
Gener. Organs		182	43	10	8	6	1	68	7	6	3	1	5	13	12	18	25	21	3	
Joints		110	4	1	2	-	-	7	-	2	2	3	8	18	12	22	25	10	1	
Skin		200	47	25	9	7	2	90	8	2	1	4	4	8	11	15	33	21	3	
rth and Metria		66	4	-	-	2	-	6	2	1	1	5	4	10	13	10	11	1	2	
Tolent Deaths		14	-	-	1	1	-	2	1	-	1	-	4	1	1	-	3	1	-	
causes		12	-	-	-	-	-	-	-	-	-	1	3	7	-	-	-	-	-	
Total Deaths		3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	
causes		8	2	-	-	-	-	2	-	1	-	-	-	-	-	1	2	-	-	
Total Deaths		26	-	-	-	-	-	-	-	-	-	3	14	9	-	-	-	-	-	
causes		8	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	
Total Deaths		23	7	1	3	-	-	11	4	1	-	-	-	-	-	2	1	2	3	
causes		371	176	17	5	1	2	201	2	3	1	2	3	6	2	9	29	78	83	
202.—MALDON.																				
Popul ⁿ , 1861-71		11283	345	299	320	335	314	1613	1483	1270	996	871	1456	1265	1034	693	430	152	21	
L. DEATHS—		2052	383	149	78	55	34	699	63	52	73	90	127	116	150	167	230	201	66	
ox - - -		6	1	-	-	-	-	1	-	-	1	-	2	2	-	-	-	-	-	
na - - -		17	3	6	4	2	1	16	1	-	-	-	-	-	-	-	-	-	-	
ria - - -		27	5	2	3	5	2	17	4	3	1	2	-	-	-	-	-	-	-	
ng-cough -		30	-	-	4	8	6	18	9	2	-	-	-	1	-	-	-	-	-	
m & Dysentery		51	17	13	10	6	3	49	2	-	-	-	-	-	-	-	-	-	-	
ymotic Dis.		77	-	3	4	5	4	16	9	10	11	5	7	7	5	3	3	1	-	
and Tabes		46	23	8	3	1	1	36	-	-	-	-	1	1	1	1	1	1	1	
phalus -		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Brain		38	4	8	5	5	2	24	3	-	1	-	-	-	1	1	5	3	-	
Heart & Dropsy		58	-	-	-	-	-	-	-	-	-	-	3	4	22	13	12	2	-	
Lungs		44	18	7	2	2	2	31	1	1	2	3	5	1	4	1	-	-	-	
Stom. and Liver		288	7	3	3	1	-	14	6	16	36	49	76	40	35	10	6	-	-	
Kidneys		31	14	7	5	1	1	28	2	1	-	-	-	-	-	-	-	-	-	
Gener. Organs		225	51	22	13	3	3	92	10	3	6	4	5	13	16	28	29	14	5	
Joints		161	4	-	1	-	-	6	2	4	4	4	6	15	23	31	51	14	1	
Skin		257	82	39	11	10	5	117	5	7	5	3	6	7	21	25	32	23	4	
rth and Metria		104	7	1	-	-	-	8	2	4	2	6	9	9	13	24	23	4	-	
Tolent Deaths		9	-	-	-	-	-	-	1	-	-	2	1	1	1	-	2	2	-	
causes		13	-	-	-	-	-	-	-	-	-	1	2	-	-	3	1	-	-	
Total Deaths		4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
causes		33	-	-	-	-	-	-	-	-	-	7	-	8	-	-	-	-	-	
Total Deaths		19	3	-	-	-	-	7	3	-	1	-	-	-	-	-	-	-	-	
causes		513	172	80	1	1	2	217	3	-	2	-	1	2	2	9	23	71	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
203.—TENDRING.																			
Mean Popul ⁿ , 1861-71	14222	407	381	387	358	372	1905	1772	1695	1315	1003	1719	1558	1360	977	634	248	98	
TOTAL DEATHS	2726	643	170	82	52	36	983	97	44	77	91	156	139	166	216	330	327	100	
Small-pox	13	2	1	1	1	1	6	2	1	1	1	2	1	1	1	1	1	1	
Measles	20	11	5	1	1	1	23	10	1	1	1	2	1	1	1	1	1	1	
Scarlatina	20	6	1	1	1	1	32	10	1	1	1	2	1	1	1	1	1	1	
Diphtheria	22	1	1	1	1	1	12	5	1	1	1	1	1	1	1	1	1	1	
Whooping-cough	43	23	11	3	2	2	41	1	1	1	1	1	1	1	1	1	1	1	
Typhus	89	1	1	1	1	1	21	14	1	1	1	1	1	1	1	1	1	1	
Diarrhoea & Dysentery	140	38	11	3	3	2	76	23	1	1	1	1	1	1	1	1	1	1	
Cholera	57	7	5	6	6	6	30	4	1	1	1	1	1	1	1	1	1	1	
Other Zymotic Dis.	35	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Cancer	61	21	8	5	2	2	38	1	1	1	1	1	1	1	1	1	1	1	
Serofula and Tuberc.	284	7	6	1	1	1	14	11	5	32	43	73	56	41	24	4	1	1	
Phthisis	34	19	7	2	1	1	28	2	1	1	1	1	1	1	1	1	1	1	
Hydrocephalus	346	90	19	13	7	8	132	9	6	2	6	13	18	26	20	20	47	1	
Dis. of Brain	175	1	1	1	1	1	3	4	3	1	1	6	12	17	43	55	20	1	
Dis. of Heart & Dropsy	404	102	44	19	10	6	181	15	1	4	4	10	15	20	39	37	20	1	
Dis. of Lungs	151	16	1	1	1	1	18	4	3	2	3	7	17	12	19	12	1	1	
Dis. of Stom. and Liver	66	1	1	1	1	1	1	2	2	2	2	2	7	5	13	17	1	1	
Dis. of Kidneys	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Gen. Organs	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Joints	7	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Skin	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Childbirth and Metria	110	6	3	1	1	1	11	4	6	14	11	16	11	20	8	5	5	1	
Suicide	635	276	31	7	1	1	313	5	1	1	4	4	8	5	15	60	141	57	
Other Violent Deaths																			
Other Causes																			
204.—COLCHESTER.																			
Mean Popul ⁿ , 1861-71	12710	341	295	289	298	280	1503	1351	1182	1665	1380	2072	1457	919	646	393	123	18	
TOTAL DEATHS	2769	673	225	106	65	50	1100	108	52	100	82	207	218	167	216	248	292	89	
Small-pox	22	5	1	1	1	1	30	1	2	2	1	2	2	2	1	1	1	1	
Measles	44	9	16	12	3	1	41	2	1	1	1	1	1	1	1	1	1	1	
Scarlatina	102	5	12	17	7	15	56	32	10	2	1	1	1	1	1	1	1	1	
Diphtheria	32	1	5	6	7	5	23	6	1	1	1	1	1	1	1	1	1	1	
Whooping-cough	55	50	14	6	2	2	54	1	1	1	1	1	1	1	1	1	1	1	
Typhus	103	1	1	8	5	2	17	11	7	16	7	13	7	7	8	8	1	1	
Diarrhoea & Dysentery	109	33	23	2	4	1	82	2	1	1	1	2	4	1	3	6	9	1	
Cholera	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
Other Zymotic Dis.	61	12	9	3	5	5	34	4	1	4	1	4	4	2	3	2	1	1	
Cancer	29	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Serofula and Tuberc.	41	19	7	5	1	1	31	2	2	2	1	2	2	1	1	1	1	1	
Phthisis	356	4	4	1	1	2	12	7	7	44	26	94	81	43	25	1	1	1	
Hydrocephalus	48	17	16	4	4	4	45	3	1	1	1	1	1	1	1	1	1	1	
Dis. of Brain	319	97	24	9	4	2	136	12	5	6	5	13	17	29	21	30	24	1	
Dis. of Heart & Dropsy	219	2	1	1	1	1	5	5	5	4	9	24	33	27	42	37	23	4	
Dis. of Lungs	381	104	32	12	8	7	183	10	2	9	6	20	23	29	42	38	23	4	
Dis. of Stom. and Liver	99	10	3	1	1	1	14	1	1	1	1	9	19	14	20	14	4	1	
Dis. of Kidneys	49	1	1	1	1	1	1	1	1	1	1	3	4	6	7	18	6	1	
Dis. of Gen. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Joints	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Skin	11	4	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	
Childbirth and Metria	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Suicide	79	11	5	5	1	1	22	5	6	2	4	11	7	5	5	7	5	1	
Other Violent Deaths	577	289	33	11	1	2	320	3	1	3	5	7	4	5	22	30	194	38	
Other Causes																			
205.—LEXDEN.																			
Mean Popul ⁿ , 1861-71	11539	355	354	341	331	324	1705	1624	1407	1038	786	1261	1141	1032	803	525	190	27	
TOTAL DEATHS	2233	529	143	82	56	30	840	93	62	59	61	100	91	123	159	288	289	63	
Small-pox	7	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	
Measles	85	9	15	3	4	1	32	2	1	1	1	1	1	1	1	1	1	1	
Scarlatina	76	5	6	10	16	8	45	23	5	1	1	1	1	1	1	1	1	1	
Diphtheria	26	2	3	6	1	1	12	7	2	1	1	1	1	1	1	1	1	1	
Whooping-cough	65	40	14	6	1	1	62	3	1	1	1	1	1	1	1	1	1	1	
Typhus	85	1	2	5	4	1	13	8	9	10	5	7	9	6	4	10	4	1	
Diarrhoea & Dysentery	68	37	4	4	2	2	49	2	1	1	1	1	1	1	1	1	1	1	
Cholera	66	4	4	4	8	1	21	9	9	2	2	5	1	2	5	4	5	1	
Other Zymotic Dis.	41	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Cancer	36	2	5	3	2	1	14	2	3	1	1	2	4	9	6	15	4	1	
Serofula and Tuberc.	196	1	1	1	1	1	19	3	4	3	3	8	9	15	24	28	25	1	
Phthisis	25	9	8	2	2	2	21	4	5	30	27	52	23	18	19	6	1	1	
Hydrocephalus	297	61	15	3	7	1	85	3	7	3	4	6	9	18	23	41	34	4	
Dis. of Brain	163	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Heart & Dropsy	336	94	37	19	7	5	155	9	1	1	1	11	11	22	16	22	1	1	
Dis. of Lungs	116	9	5	2	1	1	18	1	3	3	3	10	10	13	18	37	17	1	
Dis. of Stom. and Liver	46	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Kidneys	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Gen. Organs	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Joints	13	5	1	1	1	1	6	2	1	1	1	1	1	1	1	1	1	1	
Dis. of Skin	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Childbirth and Metria	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Suicide	90	4	2	6	1	1	15	6	3	12	1	1	1	1	1	1	1	1	
Other Violent Deaths	497	234	29	13	1	1	269	3	9	3	1	1	1	1	1	1	1	1	
Other Causes																			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & over.
		203.—TENDRING.																
Mean Popul ⁿ , 1861-71	13867	414	365	344	366	367	1856	1783	1524	1122	1033	1741	1518	1305	937	601	235	32
TOTAL DEATHS	2530	529	154	80	39	27	829	107	65	80	114	170	167	152	182	284	288	92
pox	6	3	-	-	-	-	3	-	-	1	1	-	-	1	-	-	-	-
sc	21	1	10	2	2	2	17	3	-	-	-	-	-	-	-	-	-	-
ina	50	3	4	12	6	7	32	6	6	3	2	2	-	-	-	-	-	-
eria	37	3	-	2	1	2	8	14	7	3	1	1	-	1	-	1	-	-
ing-cough	65	34	17	8	2	1	62	3	-	-	-	-	-	-	-	-	-	-
ra & Dysentery	97	1	2	4	6	2	15	13	11	13	10	14	3	12	2	2	2	2
ymotic Dis.	123	53	19	3	2	-	76	3	2	-	1	1	1	1	3	10	21	2
	6	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
	47	3	5	4	5	5	22	6	3	1	2	1	1	-	-	-	-	-
a and Tabes	68	-	-	-	-	-	-	-	-	-	-	2	11	16	17	17	1	1
s	53	20	3	2	1	1	27	7	4	3	3	3	1	4	-	-	-	-
sphalus	332	10	2	1	-	-	13	12	16	40	64	95	67	25	20	-	-	-
	23	5	6	8	1	-	20	2	1	-	-	-	-	-	-	-	-	-
Brain	265	54	10	11	5	-	80	10	4	4	11	8	9	18	25	44	44	8
Heart & Dropsy	201	7	1	2	-	-	10	3	3	2	4	10	20	19	30	69	25	8
Lungs	322	73	36	17	3	4	133	10	2	2	3	7	10	17	27	47	56	8
Stom. and Liver	118	5	-	-	1	3	9	1	2	5	4	9	10	17	27	26	6	2
Kidneys	17	-	-	-	-	-	-	2	2	-	-	1	5	2	5	-	-	-
Gener. Organs	24	-	-	-	-	-	-	-	-	-	-	2	4	6	3	5	4	-
Joints	6	-	-	-	-	-	-	1	-	-	-	2	3	1	-	-	-	-
Skin	8	2	-	-	-	-	2	1	-	-	-	1	-	-	1	1	-	-
irth and Metris	16	-	-	-	-	-	-	-	-	-	1	7	7	1	-	-	-	-
Violent Deaths	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	1
causes	24	2	4	-	-	-	6	5	2	-	2	1	1	1	1	1	4	1
	260	251	34	4	3	-	292	4	-	3	3	2	10	14	11	55	124	62
204.—COLCHESTER.																		
Mean Popul ⁿ , 1861-71	12370	349	300	282	292	290	1513	1286	1259	1303	1248	1853	1418	1048	747	497	171	27
TOTAL DEATHS	2513	402	170	91	58	41	852	118	61	89	89	167	169	171	207	276	239	75
pox	10	2	-	1	-	-	3	-	-	3	1	2	1	-	-	-	-	-
sc	87	2	10	6	3	5	31	6	-	-	-	-	-	-	-	-	-	-
ina	84	5	7	11	12	5	40	32	6	2	1	2	1	-	-	-	-	-
eria	30	3	2	2	10	1	18	8	1	-	-	1	1	1	-	-	-	-
ing-cough	72	32	24	8	5	2	71	1	-	-	-	-	-	-	-	-	-	-
ra & Dysentery	107	1	1	1	2	6	11	17	17	12	8	10	5	15	4	6	2	2
ymotic Dis.	123	55	14	6	-	4	79	3	1	1	2	3	2	4	8	7	11	4
	5	1	1	-	-	-	2	-	-	-	1	1	-	-	1	-	-	-
	39	7	1	7	2	-	17	6	1	1	1	3	3	1	-	5	1	-
a and Tabes	87	-	-	-	-	-	-	-	-	-	-	1	4	13	24	28	9	6
s	38	9	8	7	2	-	26	3	3	2	1	1	1	-	-	1	1	-
s	326	5	3	4	1	-	13	5	15	40	45	80	69	41	12	6	-	-
sphalus	86	11	8	6	2	3	30	5	1	-	-	-	-	-	-	-	-	-
Brain	300	75	22	10	5	5	117	6	4	7	7	7	13	19	38	54	25	3
Heart & Dropsy	205	-	-	-	1	2	3	3	4	3	6	14	17	24	41	65	25	-
Lungs	295	71	32	10	9	6	128	14	4	4	3	7	16	14	33	35	28	9
Stom. and Liver	93	1	2	-	-	-	3	-	-	4	-	5	9	16	20	22	13	1
Kidneys	25	-	-	-	1	-	1	2	-	5	2	5	2	3	2	1	2	-
Gener. Organs	17	-	-	-	-	-	-	-	-	-	-	5	6	-	4	2	-	-
Joints	13	1	1	-	-	-	2	1	2	-	2	1	-	-	4	-	1	-
Skin	7	-	2	1	-	-	3	-	-	-	1	1	1	-	1	-	-	-
irth and Metris	17	-	-	-	-	-	-	-	-	1	3	6	6	1	-	-	-	-
Violent Deaths	30	1	4	2	-	1	8	3	2	1	3	3	-	3	1	1	3	2
causes	510	205	28	9	3	1	246	3	-	1	1	4	3	4	10	61	121	56
205.—LEXDEN.																		
Mean Popul ⁿ , 1861-71	11991	349	312	345	334	351	1691	1572	1351	1011	925	1559	1327	1076	760	491	198	30
TOTAL DEATHS	2046	373	123	55	42	33	626	92	74	72	91	134	112	105	173	243	262	62
pox	4	1	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-
sc	21	4	7	2	-	1	14	5	-	1	-	1	-	-	-	-	-	-
ina	77	3	11	5	13	10	42	21	10	1	1	1	1	-	-	-	-	-
eria	31	-	4	1	4	2	11	11	8	-	-	-	1	-	-	-	-	-
ing-cough	55	28	23	2	-	1	54	1	-	-	-	-	-	-	-	-	-	-
ra & Dysentery	89	2	2	3	4	3	14	18	7	7	3	11	5	2	10	8	4	-
ymotic Dis.	78	29	9	5	3	-	46	2	-	2	-	1	2	3	3	2	16	1
	63	8	6	6	-	4	24	8	2	1	4	2	2	-	5	7	7	1
a and Tabes	83	-	-	-	-	-	-	-	1	2	-	3	12	15	23	21	6	1
s	47	6	5	2	3	1	17	1	2	6	6	6	5	1	2	1	-	-
s	278	7	4	3	-	1	15	9	15	36	57	64	44	20	12	6	-	-
sphalus	20	8	3	2	1	2	16	1	3	-	-	-	-	-	-	-	-	-
Brain	207	36	13	6	6	-	61	2	3	7	2	11	7	10	29	43	27	5
Heart & Dropsy	139	2	1	1	-	-	4	1	6	2	8	6	4	16	27	36	30	4
Lungs	244	51	15	8	7	3	84	3	6	1	2	7	5	29	45	51	9	2
Stom. and Liver	109	4	2	1	1	2	10	2	6	2	1	6	8	14	20	29	9	2
Kidneys	20	-	-	-	-	-	-	2	-	-	-	-	4	5	2	5	2	-
Gener. Organs	14	1	-	-	-	-	1	-	-	-	-	-	2	2	2	2	-	-
Joints	7	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Skin	10	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
irth and Metris	34	-	-	-	-	-	-	-	-	3	-	12	11	-	-	-	-	-
Violent Deaths	22	5	3	4	-	-	12	3	2	1	-	2	-	1	5	5	24	12
causes	302	177	14	3	-	3	107	1	-	2	-	2	-	1	5	5	34	12

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	80 and upwards.	
206.—WITHAM.																			
Popul ⁿ , 1861-71		8191	234	204	213	216	224	1091	1022	949	715	643	1080	891	726	531	380	138	25
L DEATHS -		1613	270	94	62	32	32	490	71	51	55	60	101	116	80	109	206	202	63
ox - - -		4	2	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
na - - -		22	1	6	9	2	1	19	2	-	1	-	-	-	-	-	-	-	-
ria - - -		75	1	4	13	14	12	44	17	19	2	-	1	-	-	-	-	-	-
ng-cough -		22	1	4	4	1	2	12	7	2	1	-	-	-	-	-	-	-	-
na & Dysentery		54	28	12	7	4	1	62	2	8	7	7	9	5	3	4	3	1	1
ymotic Dis.		56	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
and Tabes		59	23	8	2	1	-	34	-	1	1	-	-	2	-	2	7	1	1
phalus -		4	1	-	-	-	-	1	1	-	-	-	-	1	-	2	1	1	1
Brain		24	6	2	1	1	-	10	3	2	1	-	-	-	2	2	2	2	2
Heart & Dropsy		50	-	-	-	-	-	-	-	-	-	-	3	5	14	9	10	7	2
Lungs		42	9	9	4	1	-	23	4	3	3	1	3	2	2	1	-	-	-
Stom. and Liver		229	7	6	-	-	2	15	5	8	27	33	60	44	22	10	3	-	-
Kidneys		24	6	5	2	-	-	15	7	2	-	-	-	-	-	-	-	-	-
Gener. Organs		171	19	5	6	3	2	35	5	5	1	4	5	7	11	20	28	26	4
Joints		139	-	-	-	-	-	-	-	2	4	2	6	5	15	17	46	39	2
Skin		207	48	19	7	2	4	80	5	3	2	2	12	4	14	38	37	6	1
rth and Metria		79	3	-	1	1	-	5	1	1	1	3	2	4	8	28	9	1	1
olent Deaths		21	-	-	2	-	-	2	1	-	3	2	1	7	-	3	2	-	-
causes		11	-	-	-	-	-	-	-	-	1	-	1	2	2	2	1	-	-
Total		8	7	1	-	-	1	9	-	-	-	-	2	3	-	2	-	-	-
Total		17	-	-	-	-	-	-	-	-	-	2	6	9	-	-	-	-	-
Total		3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Total		22	4	4	-	1	-	9	5	1	1	-	-	9	-	-	-	-	-
Total		261	104	9	4	1	1	119	2	1	-	2	-	1	2	7	23	66	38
207.—HALSTEAD.																			
Popul ⁿ , 1861-71		9803	256	260	253	245	255	1269	1149	1086	944	850	1375	1093	836	614	400	160	27
L DEATHS -		1855	336	115	55	33	38	577	83	51	90	89	139	119	96	138	213	204	56
ox - - -		7	1	1	1	-	-	3	-	-	-	1	2	1	-	-	-	-	-
na - - -		32	3	9	4	7	3	26	5	1	-	-	-	-	-	-	-	-	-
ria - - -		76	2	4	10	9	15	40	28	6	-	2	-	-	-	-	-	-	-
ng-cough -		7	-	-	2	1	-	3	3	-	1	-	-	-	-	-	-	-	-
na & Dysentery		34	19	8	3	2	2	34	-	-	-	-	-	-	-	-	-	-	-
ymotic Dis.		77	1	3	-	-	2	6	13	9	8	4	8	9	2	9	6	3	3
and Tabes		47	19	5	1	-	1	26	2	-	-	1	-	1	1	5	9	3	3
phalus -		6	4	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-
Brain		47	6	5	6	1	2	20	3	2	4	-	4	1	2	3	7	1	1
Heart & Dropsy		50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lungs		49	13	7	8	1	-	29	4	1	1	2	2	9	15	11	9	2	1
Stom. and Liver		501	5	4	-	1	-	10	6	20	58	58	71	48	15	10	4	1	-
Kidneys		13	8	1	-	1	-	10	2	1	-	-	-	-	-	-	-	-	-
Gener. Organs		228	36	20	5	3	4	68	4	1	3	5	7	9	13	26	41	48	3
Joints		169	3	2	2	-	-	7	2	5	3	4	6	10	21	31	51	24	5
Skin		211	40	24	6	5	3	78	4	3	5	3	4	11	9	13	17	9	-
rth and Metria		83	7	4	1	-	3	15	-	1	1	2	4	5	2	3	3	-	-
olent Deaths		21	-	-	-	-	-	-	1	1	-	2	4	5	2	3	3	-	-
causes		10	-	-	-	-	-	-	-	-	-	-	4	1	2	2	2	-	-
Total		8	-	-	1	-	-	1	1	-	2	1	-	-	-	1	1	1	1
Total		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		21	-	-	-	-	-	-	-	1	2	10	8	-	-	-	-	-	-
Total		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		19	2	4	-	1	2	9	3	-	1	-	2	-	-	-	-	-	-
Total		334	167	14	5	1	-	157	1	-	1	2	-	2	1	4	26	74	36
208.—BRAINTREE.																			
Popul ⁿ , 1861-71		8943	260	220	212	220	206	1118	1013	970	899	790	1170	1006	820	594	379	160	25
L DEATHS -		1798	329	120	59	33	33	574	57	48	83	64	139	112	106	121	202	228	73
ox - - -		2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
na - - -		29	4	11	5	1	4	25	2	2	-	-	-	-	-	-	-	-	-
ria - - -		47	5	6	9	3	9	32	12	3	-	-	-	-	-	-	-	-	-
ng-cough -		27	1	1	1	3	2	8	11	3	3	1	-	-	1	-	-	-	-
na & Dysentery		59	23	20	8	4	3	58	1	-	-	-	-	-	-	-	-	-	-
ymotic Dis.		47	-	1	2	1	3	7	6	7	7	4	3	2	6	4	1	8	1
and Tabes		68	24	8	2	3	-	37	-	-	-	-	1	-	2	1	8	11	6
phalus -		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Brain		43	6	2	2	1	1	12	5	3	1	-	3	2	1	5	5	5	1
Heart & Dropsy		65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lungs		62	21	4	4	1	-	30	-	7	7	1	4	8	13	21	10	6	1
Stom. and Liver		270	8	9	1	3	1	22	2	12	47	34	70	41	20	14	5	3	-
Kidneys		12	4	1	2	1	1	9	2	1	-	-	-	-	-	-	-	-	-
Gener. Organs		230	33	16	10	5	3	67	8	3	5	3	6	4	16	19	33	41	5
Joints		121	3	2	-	1	-	6	1	-	1	2	11	8	12	16	41	24	-
Skin		214	61	24	6	4	3	98	1	2	5	3	2	12	8	13	34	32	4
rth and Metria		102	5	1	1	-	1	8	-	-	6	-	9	9	15	19	15	12	3
olent Deaths		11	-	-	-	-	-	-	-	1	-	1	2	3	1	2	1	-	-
causes		8	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-
Total		10	1	1	-	-	-	2	1	-	-	-	1	1	1	2	-	-	-
Total		27	-	-	-	-	-	-	-	-	-	5	8	-	13	2	-	-	-
Total		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		25	4	9	3	1	1	11	4	1	-	-	2	-	-	-	-	-	-
Total		814	125	11	2	1	1	140	1	1	-	-	2	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75		
		209.—DUNMOW.															
Mean Popul ⁿ , 1861-71	10157	259	263	263	270	255	1309	1249	1237	1077	683	1125	1050	969	760	506	173
TOTAL DEATHS -	1960	398	122	38	48	16	622	92	46	44	39	107	90	117	184	286	251
Small-pox -	7	1	-	1	-	-	2	1	-	-	-	2	-	1	-	1	-
Measles -	16	1	5	5	5	-	10	-	-	-	-	-	-	-	-	-	-
Scarlatina -	63	3	6	4	11	12	26	26	5	2	1	1	1	1	-	-	-
Diphtheria -	10	-	1	-	1	-	2	3	2	-	-	-	-	-	-	-	-
Whooping-cough -	36	24	8	2	1	-	35	1	-	-	-	-	-	-	-	-	-
Typhus -	56	1	1	1	2	4	9	14	4	7	4	2	5	5	2	2	1
Diarrhoea & Dysentery -	59	24	7	1	2	-	34	1	2	-	-	1	-	-	3	6	11
Cholera -	5	1	-	-	-	-	1	2	-	-	-	-	-	-	2	2	1
Other Zymotic Dis. -	49	3	1	2	1	2	9	4	2	-	1	4	-	6	3	4	2
Cancer -	42	-	-	-	-	-	-	-	-	1	-	-	1	6	11	24	-
Scrophula and Tubercles -	66	29	12	1	3	2	47	5	7	-	2	2	2	1	-	-	-
Phthisis -	227	5	1	1	2	1	10	5	11	16	34	60	33	32	17	9	-
Hydrocephalus -	33	14	13	2	2	-	31	1	1	-	-	-	-	-	-	-	-
Dis. of Brain -	234	54	18	6	1	-	79	4	3	3	2	6	7	14	23	23	29
Dis. of Heart & Dropsy -	125	2	30	7	1	-	3	2	2	1	3	5	6	14	28	36	22
Dis. of Lungs -	288	57	30	7	8	2	104	15	1	1	6	6	8	15	29	41	28
Dis. of Stom. and Liver -	128	10	2	1	-	1	14	4	1	3	3	4	11	16	25	38	26
Dis. of Kidneys -	37	1	1	-	-	-	2	1	1	1	-	-	-	4	7	4	-
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints -	6	-	-	-	-	-	-	-	2	2	-	-	-	-	1	1	-
Dis. of Skin -	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	48	6	4	1	3	2	16	1	6	1	-	5	2	2	3	4	3
Other Causes -	414	161	12	3	5	-	181	1	-	2	1	2	7	2	12	23	109
210.—SAFFRON WALDEN.																	
Mean Popul ⁿ , 1861-71	9843	278	272	263	263	265	1341	1219	1176	985	688	1109	1007	913	720	478	183
TOTAL DEATHS -	1941	441	110	53	34	19	657	75	50	42	54	95	89	112	197	264	237
Small-pox -	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Measles -	13	2	6	1	2	-	11	2	-	-	-	-	-	-	-	-	-
Scarlatina -	47	1	6	8	6	2	23	13	6	3	-	1	-	-	1	-	-
Diphtheria -	28	2	2	4	3	-	11	9	4	2	-	1	-	-	-	1	-
Whooping-cough -	41	24	10	3	4	-	41	-	-	-	-	-	-	-	-	-	-
Typhus -	38	1	1	2	-	2	6	2	4	5	5	6	1	4	1	4	1
Diarrhoea & Dysentery -	60	39	6	-	-	-	45	1	-	-	-	-	1	-	2	5	1
Cholera -	36	6	-	-	2	1	15	4	-	-	1	-	-	2	5	4	2
Other Zymotic Dis. -	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer -	80	4	3	3	-	2	12	2	5	2	-	2	3	3	7	11	4
Scrophula and Tubercles -	226	2	1	1	1	-	5	9	5	17	34	42	41	31	22	10	-
Phthisis -	31	11	6	5	2	2	25	4	-	-	-	-	1	-	-	-	-
Dis. of Brain -	233	70	18	5	4	1	98	6	4	3	2	8	8	4	29	44	49
Dis. of Heart & Dropsy -	161	3	2	2	-	-	7	3	3	3	3	11	9	7	38	46	30
Dis. of Lungs -	232	53	16	5	4	7	85	13	4	-	3	7	7	19	31	41	35
Dis. of Stom. and Liver -	109	16	5	2	1	-	24	1	1	4	1	2	7	7	23	19	17
Dis. of Kidneys -	39	-	1	-	-	-	1	1	3	-	-	-	-	5	4	12	10
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	4	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
Dis. of Skin -	6	2	1	-	-	-	3	-	-	-	-	-	-	-	-	3	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	62	3	5	2	2	1	13	1	7	3	3	8	2	8	9	1	1
Other Causes -	455	202	21	4	3	1	231	3	3	-	-	3	3	2	20	23	94
211.—RISBRIDGE.																	
Mean Popul ⁿ , 1861-71	8904	284	254	274	251	255	1318	1200	1097	857	601	986	868	803	618	381	158
TOTAL DEATHS -	1762	420	116	50	45	23	654	78	39	50	41	84	92	97	139	215	223
Small-pox -	5	-	-	-	1	-	1	-	-	1	-	-	1	-	-	2	-
Measles -	17	3	8	2	1	3	14	1	2	-	-	-	-	-	-	-	-
Scarlatina -	73	3	8	7	11	4	33	21	10	-	-	4	-	-	-	-	-
Diphtheria -	17	1	1	4	2	1	9	7	1	-	-	-	-	-	-	-	-
Whooping-cough -	49	23	17	5	4	-	49	-	-	-	-	-	-	-	-	-	-
Typhus -	68	1	4	1	5	2	13	8	6	12	4	6	2	5	6	3	5
Diarrhoea & Dysentery -	60	37	6	6	2	-	50	2	-	1	1	1	2	4	5	7	6
Cholera -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	41	5	4	1	2	3	15	5	2	3	1	1	3	1	4	3	3
Cancer -	21	-	-	-	-	-	-	1	-	-	-	-	2	1	1	6	7
Scrophula and Tubercles -	63	16	8	3	2	1	30	5	1	2	-	7	3	1	1	1	1
Phthisis -	150	1	3	-	-	1	5	4	6	12	19	33	38	23	8	12	1
Hydrocephalus -	17	2	9	3	-	-	14	2	1	-	-	-	-	-	-	-	-
Dis. of Brain -	156	36	10	4	4	2	56	4	2	5	6	8	6	9	12	32	18
Dis. of Heart & Dropsy -	87	4	1	-	1	-	6	1	1	1	-	3	4	11	12	25	22
Dis. of Lungs -	246	51	23	7	7	1	89	5	2	4	4	6	14	17	29	41	39
Dis. of Stom. and Liver -	81	9	1	-	-	-	11	2	1	1	1	7	8	11	30	12	7
Dis. of Kidneys -	22	-	-	1	-	-	-	-	-	-	-	1	-	1	9	4	5
Dis. of Gen. Organs -	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	10	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-
Dis. of Skin -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	61	3	9	4	1	-	10	7	3	-	-	-	-	-	-	-	-
Other Causes -	607	224	14	3	2	4	247	3	-	1	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & above.	
209.—DUNMOW.																			
an Popul ⁿ , 1861-71	9572	290	262	285	245	241	1313	1241	1136	742	644	1144	1064	931	690	455	188	24	
TOTAL DEATHS	1786	306	103	59	32	27	527	90	43	73	88	112	106	112	130	206	229	70	
I-pox	3	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	
lea	21	4	4	4	4	2	18	2	-	1	-	-	-	-	-	-	-	-	
atina	67	-	4	12	2	6	24	28	10	2	1	1	1	-	-	-	-	-	
heria	17	1	-	2	3	2	8	7	-	1	-	1	-	-	-	-	-	-	
oping-cough	31	14	6	5	4	1	30	1	-	-	-	-	-	-	-	-	-	-	
as	47	-	1	1	1	-	3	11	4	7	4	5	4	4	2	2	1	3	
hosa & Dysentery	47	16	4	-	-	3	23	-	1	1	1	1	1	1	2	4	11	8	
ra	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Zymotic Dis.	49	6	4	1	5	4	20	6	4	3	-	1	1	4	7	1	1	1	
r	59	-	-	-	1	-	1	-	-	-	2	2	5	14	16	12	4	3	
ala and Tabes	84	31	14	6	4	-	55	5	4	3	4	2	3	3	3	2	-	-	
sis	251	1	2	2	-	1	5	8	7	36	55	55	96	98	14	8	-	-	
ocephalus	15	5	7	2	-	-	15	-	-	-	-	-	-	-	-	-	-	-	
f Brain	198	29	12	9	2	-	59	7	4	2	5	10	2	14	25	40	35	2	
f Heart & Dropsy	110	1	-	-	-	1	2	-	2	4	3	3	12	10	16	35	19	3	
f Lungs	232	61	35	9	2	4	111	6	1	2	1	6	7	4	16	31	29	8	
f Stom. and Liver	114	8	1	3	-	-	12	5	1	5	2	12	7	16	19	26	6	3	
f Kidneys	15	-	-	-	1	-	1	-	1	-	1	2	3	4	1	2	-	-	
f Gener. Organs	19	-	-	-	-	-	-	-	-	-	1	3	3	4	1	-	-	-	
of Joints	10	-	-	-	-	-	-	-	-	-	1	2	1	3	1	2	-	-	
f Skin	5	1	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-	
birth and Metris	27	-	-	-	-	-	-	-	-	1	4	6	16	-	-	-	-	-	
de	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	21	2	3	1	2	1	9	-	3	1	1	-	2	-	-	2	3	-	
Causes	347	124	6	2	-	1	133	4	1	1	3	-	2	5	7	36	108	47	

210.—SAFFRON WALDEN.

an Popul ⁿ , 1861-71	9788	269	273	264	244	260	1310	1212	1171	794	722	1230	1049	914	688	477	193	28
TOTAL DEATHS	1833	300	105	53	30	21	569	68	54	73	67	120	114	94	138	215	225	96
I-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
les	24	3	6	5	2	3	21	2	-	-	-	-	-	-	-	-	-	-
atina	38	6	1	4	6	1	18	8	7	2	1	2	-	-	-	-	-	-
theria	23	-	2	4	2	2	10	7	4	1	-	-	-	-	-	-	-	-
oping-cough	33	18	8	4	1	2	33	-	-	-	-	-	-	-	-	-	-	-
as	62	3	-	-	3	1	33	11	5	9	5	4	2	4	7	5	3	3
hosa & Dysentery	53	23	6	4	-	-	33	2	1	-	-	-	4	2	1	3	4	3
ra	5	1	-	-	-	-	1	1	-	-	1	1	1	1	1	2	-	-
Zymotic Dis.	31	4	4	3	-	3	14	1	-	1	1	2	5	2	1	2	2	-
r	49	-	1	-	-	-	1	-	1	-	-	2	4	10	19	11	1	-
ala and Tabes	84	6	2	3	1	1	13	3	5	1	2	5	4	-	-	-	-	-
sis	251	4	5	2	1	1	13	4	15	33	36	56	49	25	15	6	1	-
ocephalus	33	11	9	1	2	1	24	4	3	-	-	1	1	-	-	-	-	-
f Brain	220	57	14	4	4	1	80	5	2	6	4	2	8	14	25	29	27	8
f Heart & Dropsy	157	1	-	-	1	-	2	4	2	6	2	13	9	11	26	44	35	3
f Lungs	219	48	27	19	3	3	93	3	3	6	4	9	4	3	22	31	31	10
f Stom. and Liver	117	7	2	4	-	1	14	3	4	5	6	7	7	9	15	30	16	1
f Kidneys	15	-	-	-	-	-	-	1	-	1	-	1	4	2	3	1	2	-
f Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-
of Joints	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-
of Skin	6	3	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-
birth and Metris	26	-	-	-	-	-	-	-	-	1	4	13	8	-	-	-	-	-
de	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	24	3	2	1	4	-	10	2	2	-	1	1	-	-	-	4	2	1
Causes	369	165	11	2	-	1	179	5	-	-	-	1	4	2	3	44	91	70

211.—RISBRIDGE.

an Popul ⁿ , 1861-71	9021	280	251	260	241	251	1283	1164	1051	822	740	1098	962	758	542	389	188	24
TOTAL DEATHS	1742	343	108	53	43	27	574	76	51	72	83	117	85	112	111	183	207	71
I-pox	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
les	13	1	2	3	2	1	9	2	1	-	-	-	1	-	-	-	-	-
atina	63	2	4	11	10	7	34	29	3	5	-	1	-	-	-	-	-	-
theria	13	1	1	3	1	1	7	4	1	-	1	-	-	-	-	-	-	-
oping-cough	53	34	13	5	3	1	56	2	-	-	-	-	-	-	-	-	-	-
as	78	2	1	1	6	3	13	6	10	11	9	9	3	9	5	1	1	1
hosa & Dysentery	62	22	13	-	1	1	37	4	-	1	2	2	-	1	1	6	6	2
ra	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.	29	4	2	4	1	-	11	4	2	1	1	1	1	1	1	4	2	-
r	39	-	-	-	-	-	-	1	-	-	-	-	4	15	11	4	4	-
ala and Tabes	71	15	10	6	1	-	32	5	7	6	2	7	3	7	1	1	-	-
sis	244	3	4	1	-	1	9	6	15	28	49	56	87	23	11	2	-	-
ocephalus	15	1	8	-	2	2	15	1	1	-	-	-	-	-	-	-	-	-
f Brain	118	27	5	4	3	-	39	3	3	2	3	4	3	8	17	18	15	3
f Heart & Dropsy	88	2	-	-	-	-	2	2	-	1	2	5	9	12	14	32	18	1
f Lungs	209	36	22	9	7	5	79	6	2	3	3	6	3	8	22	39	25	4
f Stom. and Liver	76	10	3	-	-	3	16	1	-	1	1	7	3	11	11	20	5	-
f Kidneys	5	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	-	-
f Gener. Organs	6	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-
of Joints	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
of Skin	4	1	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
birth and Metris	39	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
de	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	18	4	1	-	1	-	6	5	-	-	-	1	1	-	-	2	1	-
Causes	482	177	18	6	5	1	207	2	2	-	6	1	4	3	3	11	33	13

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.																
		1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
212.—SUDBURY.																		
Mean Popul ⁿ , 1861-71	15502	443	445	440	405	445	2178	1945	1823	1463	1091	1827	1667	1417	1080	721	263	28
TOTAL DEATHS	3212	748	192	92	82	40	1163	140	92	85	96	155	159	182	248	418	568	89
Small-pox	19	2	-	-	1	-	3	3	1	2	4	1	1	3	-	1	-	-
Measles	69	7	21	7	11	5	51	8	1	-	-	-	-	-	-	-	-	-
Scarlatina	175	8	14	13	25	15	75	47	89	5	4	4	1	-	-	-	-	-
Diphtheria	18	2	1	1	2	3	9	4	-	1	-	-	-	-	-	-	-	-
Whooping-cough	53	31	11	5	3	2	52	1	-	-	-	-	-	-	-	-	-	-
Typhus	90	3	3	9	2	1	15	14	5	12	4	7	7	7	5	3	2	4
Diarrhoea & Dysentery	123	69	18	2	-	-	74	1	1	-	-	1	1	2	6	13	4	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	77	5	5	9	6	4	29	9	3	5	2	3	2	3	3	11	4	1
Cancer	49	-	-	-	-	-	-	-	-	1	-	1	1	6	19	14	8	1
Scrofula and Tuberc.	60	14	13	4	3	2	35	2	3	2	4	3	1	2	5	14	1	-
Phthisis	321	15	3	3	2	-	23	8	6	37	59	69	60	58	29	7	-	-
Hydrocephalus	81	29	22	4	9	-	64	13	3	-	1	-	-	-	-	-	-	-
Dis. of Brain	411	75	27	8	5	6	121	13	9	4	4	19	9	23	32	94	64	13
Dis. of Heart & Dropsy	163	4	1	-	-	-	6	2	5	2	1	5	9	15	32	35	42	4
Dis. of Lungs	415	123	27	8	7	4	169	5	2	1	3	10	22	26	46	79	48	11
Dis. of Stom. and Liver	149	15	-	2	-	1	16	3	4	-	2	7	18	23	23	40	12	3
Dis. of Kidneys	68	1	-	1	-	-	2	3	1	1	1	2	5	7	8	24	13	1
Dis. of Gen. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-
Dis. of Skin	14	3	-	-	-	-	4	-	-	-	-	-	-	3	2	3	2	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	13	-	-	-	-	-	-	-	-	-	-	1	1	-	5	3	5	-
Other Violent Deaths	127	7	3	8	1	4	23	10	6	9	11	15	19	13	14	5	5	-
Other Causes	696	347	28	11	4	-	390	8	3	2	4	1	7	7	13	27	146	32
213.—COSFORD.																		
Mean Popul ⁿ , 1861-71	8641	258	233	239	247	251	1238	1067	1016	816	602	978	894	782	656	414	172	16
TOTAL DEATHS	1639	356	94	55	32	37	574	85	46	37	42	64	74	85	158	228	195	23
Small-pox	2	-	-	-	-	-	21	1	-	-	-	1	-	-	-	-	-	-
Measles	27	3	5	6	4	3	21	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	82	2	7	11	5	13	39	20	11	-	2	1	-	-	-	-	-	-
Diphtheria	25	-	3	-	2	3	8	9	6	2	-	-	-	-	-	-	-	-
Whooping-cough	42	23	10	6	-	1	40	2	-	-	-	-	-	-	-	-	-	-
Typhus	38	-	-	-	1	3	4	4	3	1	6	1	3	6	4	1	3	3
Diarrhoea & Dysentery	38	18	1	5	1	2	27	1	-	-	1	2	-	-	1	1	3	3
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	39	1	-	2	3	4	10	8	2	2	-	-	2	3	3	5	4	1
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	50	13	6	5	2	-	26	4	1	4	3	1	3	3	3	9	4	1
Phthisis	127	3	1	2	-	-	6	2	3	11	20	29	21	16	15	25	11	-
Hydrocephalus	24	12	7	-	2	1	22	1	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	152	20	12	2	1	3	38	4	2	2	2	2	7	5	25	42	25	3
Dis. of Heart & Dropsy	102	4	-	-	-	1	5	-	3	-	1	5	5	8	23	20	13	1
Dis. of Lungs	247	62	21	6	6	2	97	6	2	5	3	9	11	13	23	40	39	5
Dis. of Stom. and Liver	91	11	2	2	-	-	15	1	5	1	-	5	8	9	22	23	5	-
Dis. of Kidneys	68	-	-	1	1	1	3	1	2	4	1	3	5	9	8	24	6	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	-	-	1	-	-	1	2	1	-	-	-	1	1	-	1	1	-
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	50	4	2	2	2	-	10	3	-	3	1	3	6	7	21	32	1	-
Other Causes	387	189	17	4	2	-	203	1	3	1	2	2	1	2	6	27	102	42
214.—THINGOE.																		
Mean Popul ⁿ , 1861-71	8981	224	238	244	230	235	1171	1147	1073	908	662	969	919	841	678	429	163	22
TOTAL DEATHS	1554	395	77	26	24	22	544	56	35	43	53	92	69	89	122	195	183	66
Small-pox	7	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	11	3	3	-	-	2	8	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	41	4	1	6	4	8	23	13	2	-	1	-	1	-	-	-	-	-
Diphtheria	18	2	2	-	2	4	10	5	2	-	-	1	-	-	-	-	-	-
Whooping-cough	25	21	4	-	-	-	25	-	-	-	-	-	-	-	-	-	-	-
Typhus	38	1	-	-	1	1	3	3	9	6	2	3	-	3	1	2	2	3
Diarrhoea & Dysentery	36	17	2	1	-	-	20	-	-	1	-	-	-	-	1	6	6	3
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	28	3	3	5	5	1	17	5	1	-	-	1	-	-	2	2	2	2
Cancer	31	-	-	-	-	-	-	-	-	1	-	1	-	6	11	8	4	-
Scrofula and Tuberc.	36	10	5	-	3	-	18	2	2	4	2	3	3	1	-	1	1	-
Phthisis	187	11	4	-	-	-	15	3	6	13	33	55	30	17	9	6	6	-
Hydrocephalus	41	11	15	4	4	1	35	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	175	20	7	1	-	-	38	3	4	5	5	6	5	7	21	33	39	11
Dis. of Heart & Dropsy	124	1	-	-	-	1	2	4	1	3	1	3	2	11	25	41	35	5
Dis. of Lungs	187	45	11	4	3	2	65	4	-	1	4	3	5	14	17	37	36	9
Dis. of Stom. and Liver	74	16	1	-	-	1	19	-	-	-	2	3	5	9	13	13	13	3
Dis. of Kidneys	42	-	-	-	-	-	-	-	1	1	-	2	4	5	2	13	12	2
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	6	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	45	1	3	1	-	-	5	6	-	5	-	2	5	5	2	5	5	-
Other Causes	384	216	16	4	1	1	238	1	-	-	-	1	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
212.—SUDBURY.																			
Population, 1861-71.		16102	453	414	413	428	412	2120	1962	1761	1459	1332	2098	1805	1444	1078	683	304	56
L DEATHS -		8150	569	191	81	72	55	968	148	100	114	131	222	214	177	220	355	342	159
pox -		12	3	-	-	1	-	4	-	1	3	1	1	1	-	1	-	-	-
influenza -		60	14	17	9	7	3	50	7	3	-	-	-	-	-	-	-	-	-
scarlet fever -		169	12	15	15	17	19	78	50	26	6	4	1	2	-	1	1	-	-
diphtheria -		50	1	1	-	2	4	8	9	6	-	-	-	1	2	-	-	-	-
croup -		75	39	16	8	2	4	69	5	-	1	-	-	-	-	-	-	-	-
cough -		105	2	4	8	6	2	22	13	14	9	6	9	12	9	5	4	1	1
cholera & Dysentery -		127	40	15	5	2	3	65	2	-	1	4	2	3	3	9	15	13	10
typhoid fever -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
typhotic Dis. -		69	7	7	3	1	3	21	6	1	2	3	4	7	10	4	4	4	3
measles -		119	-	-	-	1	-	1	-	-	-	-	4	19	23	35	25	12	-
scarlet fever and Tabes -		58	10	12	-	2	1	25	5	3	2	6	4	19	23	35	5	1	-
typhoid fever -		457	14	11	1	8	1	39	13	23	65	68	123	65	30	14	5	1	-
cephalitis -		38	9	6	4	6	3	28	7	8	-	-	-	-	-	-	-	-	-
Brain -		807	44	14	7	11	2	78	11	8	5	1	11	23	18	26	69	49	13
Heart & Dropsy -		180	2	2	-	1	-	5	3	1	4	5	11	17	15	38	54	34	3
Lungs -		326	74	35	14	2	5	128	5	2	3	6	9	10	15	30	54	47	16
Stom. and Liver -		182	9	3	2	1	4	19	6	1	6	10	10	10	29	25	47	14	5
Kidneys -		30	-	-	-	1	-	1	1	2	-	1	3	5	2	6	6	3	-
Gener. Organs -		17	-	-	-	-	-	-	-	1	-	-	1	3	5	4	3	-	-
Joints -		17	-	1	-	1	-	2	-	-	-	-	1	4	2	2	1	-	-
Skin -		7	1	-	-	-	-	1	-	2	-	1	-	2	-	1	1	-	-
rth and Metria -		53	-	-	-	-	-	-	-	-	3	9	23	18	-	-	-	-	-
Violent Deaths -		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes -		22	3	-	2	1	1	7	3	2	-	1	1	2	1	-	2	1	2
		695	285	84	3	4	-	326	2	5	3	2	4	8	11	14	27	157	105
213.—COSFORD.																			
Population, 1861-71.		8594	230	228	241	231	227	1157	1040	955	708	680	1083	969	763	506	428	189	26
L DEATHS -		1697	297	81	45	30	26	479	64	56	62	61	124	99	103	130	193	228	98
pox -		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
influenza -		20	-	9	4	2	2	17	3	-	-	-	-	-	-	-	-	-	-
scarlet fever -		62	5	5	9	9	9	37	12	4	4	1	2	1	-	-	1	-	-
diphtheria -		33	-	5	1	1	3	9	10	8	3	2	-	1	-	-	-	-	-
croup -		33	17	9	5	-	2	33	-	-	-	-	-	-	-	-	-	-	-
cough -		42	-	1	1	2	1	5	5	8	1	4	4	6	4	1	3	1	-
cholera & Dysentery -		33	16	7	1	-	-	24	-	1	-	1	1	1	-	3	2	1	-
typhoid fever -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
typhotic Dis. -		25	1	2	3	2	-	8	3	2	2	-	1	1	3	1	2	3	-
measles -		47	-	-	-	-	-	-	-	-	-	-	2	7	13	10	10	3	1
scarlet fever and Tabes -		50	16	3	-	1	-	20	1	3	3	2	3	8	3	4	3	1	2
typhoid fever -		218	1	-	1	1	1	4	7	19	1	20	36	60	34	20	9	-	-
cephalitis -		9	1	1	3	2	-	7	1	1	-	-	-	-	-	-	-	-	-
Brain -		174	15	4	4	2	4	29	2	5	7	3	13	9	14	34	35	20	3
Heart & Dropsy -		109	2	-	-	-	-	3	-	1	2	1	6	9	5	18	34	27	3
Lungs -		257	49	23	10	5	3	90	8	2	5	7	6	16	15	11	42	29	6
Stom. and Liver -		96	4	1	-	1	-	6	3	2	2	3	3	6	16	19	24	11	2
Kidneys -		19	-	-	-	-	-	1	-	-	1	1	4	-	3	6	1	2	-
Gener. Organs -		13	-	-	-	-	-	-	-	-	-	-	2	-	4	2	1	-	-
Joints -		3	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	-
Skin -		3	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
rth and Metria -		11	-	-	-	-	-	-	-	2	-	-	6	3	-	-	-	-	-
Violent Deaths -		4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-
Causes -		16	4	-	2	1	-	7	4	-	-	-	1	1	-	2	3	2	-
		438	164	11	2	1	-	178	4	-	-	-	4	1	1	8	34	125	83
214.—THINGOE.																			
Population, 1861-71.		8938	263	239	242	210	247	1201	1132	1023	738	660	1114	967	846	632	424	175	26
L DEATHS -		1564	291	76	38	31	9	439	57	48	79	76	106	86	77	119	209	191	77
pox -		2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
influenza -		15	4	4	4	1	1	14	1	-	-	-	-	-	-	-	-	-	-
scarlet fever -		39	2	2	9	5	1	19	11	5	-	-	2	-	1	-	-	-	-
diphtheria -		38	-	1	3	7	2	13	9	9	1	1	1	2	1	1	-	-	-
croup -		32	19	8	3	1	-	31	-	1	-	-	-	-	-	-	-	-	-
cough -		41	-	1	2	1	-	4	8	3	6	3	4	3	3	6	1	3	-
cholera & Dysentery -		25	9	1	-	2	-	12	-	-	-	-	-	1	-	-	3	6	3
typhoid fever -		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
typhotic Dis. -		25	1	2	3	2	3	11	2	-	-	1	1	1	1	1	5	1	2
measles -		63	-	-	-	-	-	-	-	-	-	-	3	11	6	18	17	8	-
scarlet fever and Tabes -		20	1	3	-	-	-	4	3	1	4	5	1	11	1	1	1	6	-
typhoid fever -		236	7	4	1	-	-	15	8	17	42	43	60	39	25	11	6	1	-
cephalitis -		25	9	6	2	2	-	19	3	3	-	-	-	-	-	-	-	-	-
Brain -		167	21	4	4	1	-	30	4	3	10	4	5	6	8	23	41	22	11
Heart & Dropsy -		147	2	-	-	-	-	2	1	2	4	4	6	3	12	38	46	37	4
Lungs -		188	37	17	4	3	1	62	3	1	1	3	3	9	7	9	39	39	12
Stom. and Liver -		87	14	1	-	1	-	16	3	1	3	3	8	5	7	12	18	10	1
Kidneys -		16	1	-	-	1	-	-	-	1	2	-	-	1	1	4	4	1	-
Gener. Organs -		6	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Joints -		9	-	1	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-
Skin -		6	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
rth and Metria -		22	-	-	-	-	-	-	-	-	1	4	11	-	-	-	-	-	-
Violent Deaths -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes -		17	2	1	-	3	-	6	-	1	-	-	-	-	-	-	-	-	-
		316	157	14	3	1	-	173	1	-	3	2	1	1	1	1	6	21	10

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85— and above.	
		215.—BURY ST. EDMUNDS.																	
Mean Populn., 1861-71		7859	182	178	165	154	161	840	807	804	851	721	1084	845	694	519	336	140	18
ALL DEATHS		1566	308	101	41	38	16	504	65	25	44	52	77	108	104	135	185	209	58
Pox		9	1	-	-	-	-	1	-	2	1	1	1	3	-	-	-	-	-
Smallpox		39	7	14	7	6	-	34	5	-	-	-	-	-	-	-	-	-	-
Diphtheria		38	4	5	5	6	2	22	9	4	-	-	2	-	-	1	-	-	-
Erysipelas		12	-	2	-	2	2	6	4	-	-	1	-	-	-	1	-	-	-
Croup		49	15	20	6	4	-	45	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough		51	-	8	2	2	1	8	3	-	1	3	4	6	3	3	9	7	-
Scarlatina		61	31	7	1	-	-	39	-	-	-	-	-	-	2	-	4	13	3
Measles		4	1	-	-	1	-	2	-	-	-	-	1	-	-	-	-	1	1
Zymotic Dis.		34	1	6	-	2	1	10	9	2	-	1	1	-	1	1	7	2	-
Consumption		59	-	-	-	-	-	-	-	-	2	-	1	10	18	16	9	3	-
Phthisis		22	11	3	2	-	-	16	-	2	-	-	2	1	1	-	-	-	-
Ischemic		212	5	6	7	1	-	19	8	6	21	33	39	42	25	12	6	1	-
Cerebral		19	6	1	-	3	4	14	2	3	-	-	-	-	-	-	-	-	-
Brain		193	26	6	1	2	2	37	6	-	3	3	6	2	10	25	51	41	9
Heart & Dropsy		128	3	-	-	-	-	4	6	-	4	2	3	12	15	25	27	26	6
Lungs		200	50	14	6	4	2	76	4	-	3	-	5	8	8	21	30	39	4
Stomach and Liver		80	8	1	-	1	-	10	-	1	3	3	3	9	9	19	15	7	1
Kidneys		17	-	-	-	-	-	-	-	-	-	1	1	3	-	3	3	6	-
General Organs		14	-	-	-	-	-	-	-	-	-	-	-	1	6	2	3	-	-
Joints		4	-	-	-	1	-	1	-	-	-	-	-	1	-	2	2	-	-
Skin		7	2	-	-	-	1	3	-	-	-	-	-	-	-	1	1	2	-
Birth and Metris		20	-	-	-	-	-	-	-	-	1	3	6	9	1	-	-	-	-
Violent Deaths		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Causes		23	4	1	-	-	1	6	2	1	2	1	2	-	-	2	-	5	2
		270	133	12	3	3	-	151	3	-	1	-	-	1	5	2	18	37	32
216.—MILDENHALL.																			
Mean Populn., 1861-71		4754	122	133	132	130	121	638	615	577	420	352	584	509	418	336	205	85	15
ALL DEATHS		915	185	52	11	19	11	278	38	27	37	35	64	59	55	60	105	116	41
Pox		12	4	2	1	1	1	9	2	-	-	1	-	-	-	-	-	-	-
Smallpox		30	4	7	-	6	3	20	5	3	-	1	1	-	-	-	-	-	-
Diphtheria		13	-	-	1	1	2	4	5	2	1	1	-	-	-	-	-	-	-
Erysipelas		18	12	3	1	-	-	16	2	-	-	-	-	-	-	-	-	-	-
Croup		41	2	1	-	-	1	4	4	4	5	7	2	3	6	1	2	2	1
Scarlatina		14	5	4	-	-	-	9	-	-	-	-	1	-	-	-	1	3	-
Zymotic Dis.		14	1	-	1	-	-	2	3	1	2	-	1	-	2	1	1	1	-
Consumption		35	-	-	-	-	-	-	-	1	-	-	-	4	7	12	8	3	-
Phthisis		12	1	-	-	-	1	2	-	1	2	1	-	2	2	-	1	1	-
Ischemic		132	8	1	-	2	1	12	2	8	15	16	38	23	8	5	4	1	-
Cerebral		5	3	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Brain		75	14	1	1	-	-	16	7	-	2	1	3	1	6	9	12	14	4
Heart & Dropsy		90	3	2	1	1	-	7	-	2	5	-	7	9	11	18	21	9	1
Lungs		72	20	7	1	3	-	31	4	1	2	-	2	5	3	3	12	7	2
Stomach and Liver		44	5	2	1	2	-	10	1	2	-	2	4	2	3	6	11	5	-
Kidneys		3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
General Organs		3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Joints		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Skin		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Birth and Metris		13	-	-	-	-	-	-	-	-	-	1	4	8	-	-	-	-	-
Violent Deaths		16	2	2	1	2	1	8	-	-	1	-	1	1	-	-	2	2	1
Causes		272	100	20	1	1	1	123	2	2	-	4	1	1	5	4	28	70	32
217.—STOW.																			
Mean Populn., 1861-71		10591	307	276	294	283	283	1443	1302	1238	929	857	1343	1135	927	695	481	207	34
ALL DEATHS		1997	372	120	47	31	33	603	74	49	76	78	164	115	117	151	206	268	96
Pox		7	1	-	-	-	1	2	-	-	2	-	-	1	-	-	-	2	-
Smallpox		19	4	7	1	2	2	16	3	-	-	-	-	-	-	-	-	-	-
Diphtheria		61	2	5	8	7	11	33	20	5	-	-	2	-	-	-	1	-	-
Erysipelas		26	2	2	2	3	2	11	7	4	1	1	-	-	-	1	1	-	-
Croup		48	25	13	5	4	1	48	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough		86	4	1	4	4	-	13	8	3	10	8	12	7	8	7	6	4	-
Scarlatina		59	25	5	1	1	1	35	2	-	-	-	4	-	1	2	6	9	2
Measles		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.		22	6	3	2	1	3	15	2	-	1	-	1	-	2	1	1	-	-
Consumption		70	-	-	-	-	-	-	-	-	1	-	4	6	20	20	10	8	1
Phthisis		61	17	10	3	1	2	33	3	4	3	2	7	4	4	4	1	-	-
Ischemic		274	6	3	2	-	3	14	8	12	41	47	77	35	27	11	2	-	-
Cerebral		12	1	5	3	1	-	10	2	-	-	-	-	-	-	-	-	-	-
Brain		191	16	10	4	1	1	32	7	9	3	3	10	9	9	19	40	43	7
Heart & Dropsy		145	5	-	-	-	-	5	-	2	4	7	8	15	9	25	42	24	3
Lungs		192	47	23	6	3	3	88	5	6	4	3	10	9	16	26	34	4	6
Stomach and Liver		118	12	1	-	1	1	15	2	1	-	1	11	7	12	22	20	17	6
Kidneys		17	-	-	-	-	1	1	-	-	1	1	4	2	1	2	3	1	1
General Organs		19	-	-	-	-	-	-	-	-	-	-	1	1	5	2	2	-	-
Joints		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin		7	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Birth and Metris		28	-	-	-	-	-	-	-	-	-	4	16	-	-	-	-	-	-
Violent Deaths		27	-	3	5	1	1	10	2	1	-	-	-	2	-	-	-	-	-
Causes		496	199	23	1	1	-	224	3	2	-	1	1	2	7	6	12	38	32

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
218.—HARTISMERE.																		
Mean Populⁿ, 1861-71		8585	248	231	227	227	239	1172	1089	1070	839	608	922	858	789	630	456	177
TOTAL DEATHS		1787	448	118	50	51	25	678	66	50	42	51	73	76	102	134	206	25
Small-pox		3	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-
Measles		17	3	0	5	1	1	12	8	-	-	-	-	-	-	-	-	-
Scarlatina		32	4	0	11	5	7	32	10	4	3	2	1	-	-	-	-	-
Diphtheria		36	1	1	4	4	5	13	13	5	1	1	-	-	-	-	-	-
Whooping-cough		20	17	8	4	-	1	50	-	-	-	-	-	-	-	-	-	-
Typhus		45	-	-	1	0	-	4	4	-	7	8	6	-	5	3	1	1
Diarrhoea & Dysentery		29	12	4	1	-	-	17	-	-	-	-	-	1	1	2	1	4
Cholera		1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.		35	5	4	4	2	2	17	2	6	1	-	-	3	1	-	4	1
Cancer		28	-	-	1	-	-	1	-	-	-	-	2	1	5	7	4	1
Serofula and Tabes		53	31	4	3	4	-	42	-	1	-	2	-	-	-	3	1	1
Phthisis		201	5	7	2	-	-	14	7	4	15	27	38	35	24	25	6	1
Hydrocephalus		32	11	7	6	1	2	28	5	1	-	-	-	-	-	-	-	-
Dis. of Brain		189	63	11	4	1	1	89	4	3	3	1	3	5	10	15	24	25
Dis. of Heart & Dropsy		102	3	1	-	-	1	5	2	2	-	1	4	7	7	19	28	20
Dis. of Lungs		223	65	30	8	6	3	112	23	1	1	4	6	5	17	21	41	23
Dis. of Stom. and Liver		88	14	3	1	1	-	21	1	4	1	1	2	5	9	14	13	13
Dis. of Kidneys		51	-	-	-	-	-	-	1	3	-	1	4	4	8	6	14	4
Dis. of Genes. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		6	-	-	-	-	-	-	1	-	-	-	-	-	2	-	13	1
Dis. of Skin		10	3	2	-	-	-	3	1	-	-	-	-	-	1	-	2	1
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		11	-	-	-	-	-	-	-	-	1	1	1	1	2	1	2	1
Other Violent Deaths		61	7	5	-	2	1	15	6	10	5	5	5	3	2	1	2	1
Other Causes		454	201	15	5	1	1	223	2	2	2	-	3	8	3	35	54	107
219.—HOXNE.																		
Mean Populⁿ, 1861-71		7318	229	211	213	209	197	1059	948	877	686	404	761	746	644	546	373	137
TOTAL DEATHS		1350	354	92	29	24	14	513	45	17	55	43	58	58	57	280	177	105
Small-pox		2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Measles		12	0	5	-	-	1	9	2	-	-	-	-					

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-

218.—HARTISMERE.																	
Mean Popul., 1861-71	8619	245	225	233	227	230	1160	1050	983	756	642	1039	905	800	613	419	210
TOTAL DEATHS	1698	346	93	88	24	25	526	73	48	57	79	100	94	79	123	175	235
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	22	4	8	1	2	2	17	3	-	-	-	1	1	-	-	-	-
Scarlatina	29	1	2	2	2	2	19	14	6	-	-	-	-	-	-	-	-
Diphtheria	47	6	1	2	-	10	19	18	5	2	-	1	2	-	-	-	-
Whooping-cough	34	18	6	5	1	2	32	2	-	-	-	-	-	-	-	-	-
Typhus	55	-	1	1	4	-	5	5	-	7	5	4	7	4	3	3	3
Diarrhoea & Dysentery	29	10	1	1	-	-	18	5	-	-	1	-	-	-	-	-	-
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	38	5	4	6	2	2	19	1	1	-	-	2	1	-	4	4	6
Cancer	47	-	-	-	-	-	-	-	-	-	1	3	3	12	8	11	8
Scrophula and Tuberc.	48	12	7	1	1	-	21	6	2	4	3	3	2	3	3	2	2
Phtisis	251	11	9	-	1	1	22	5	15	27	43	58	37	21	16	1	1
Hydrocephalus	27	9	9	2	3	-	23	4	-	-	-	-	-	-	-	-	-
Dis. of Brain	155	19	5	4	1	1	30	5	3	7	3	3	7	7	17	28	37
Dis. of Heart & Dropsy	107	-	-	-	-	-	1	2	2	2	2	9	8	7	17	38	20
Dis. of Lungs	214	52	26	6	2	2	88	3	2	1	4	5	5	9	20	32	37
Dis. of Stom. and Liver	97	11	3	-	2	1	17	2	2	1	6	3	4	9	17	20	16
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	1	-	-	2	5	-	5	3
Dis. of Genes. Organs	13	-	-	-	-	-	-	-	-	-	-	1	2	2	4	3	1
Dis. of Joints	5	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Dis. of Skin	8	2	2	1	-	-	5	-	-	-	-	-	1	-	-	-	-
Childbirth and Metris.	18	-	-	-	-	-	-	-	-	1	3	6	8	1	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	21	1	-	3	2	1	7	2	1	1	1	1	-	1	2	2	5
Other Causes	412	177	10	3	1	1	192	2	-	1	1	-	2	1	7	25	96

219.—HOXNE.																	
Mean Popul., 1861-71	7231	203	231	186	199	197	1016	937	818	583	535	856	760	667	503	353	175
TOTAL DEATHS	1357	265	83	80	26	21	425	75	35	45	50	87	82	65	88	153	168
Small-pox	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Measles	12	3	2	3	2	1	11	9	-	-	-	-	-	-	-	-	-
Scarlatina	20	4	-	1	3	8	18	9	2	-	-	1	-	-	-	-	-
Diphtheria	49	2	3	5	3	5	28	25	2	-	2	1	-	1	-	-	-
Whooping-cough	35	12	12	3	4	2	33	2	-	-	-	-	-	-	-	-	-
Typhus	38	-	-	1	1	2	4	2	6	3	3	-	4	3	2	1	3
Diarrhoea & Dysentery	41	10	5	1	-	-	25	2	1	-	-	2	-	-	1	3	5
Cholera	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	38	7	4	1	4	-	16	4	5	-	-	-	3	1	1	4	3
Cancer	39	-	-	-	-	-	-	-	-	-	-	2	3	12	9	10	3
Scrophula and Tuberc.	27	5	3	2	1	1	12	2	3	1	3	1	1	1	1	2	1
Phtisis	178	8	3	1	1	-	12	3	10	21	29	44	29	15	8	2	-
Hydrocephalus	39	18	7	5	2	1	33	6	-	-	-	-	-	-	-	-	-
Dis. of Brain	112	15	8	1	2	-	26	4	1	4	3	2	2	8	7	39	21
Dis. of Heart & Dropsy	100	1	-	-	-	1	2	-	-	1	1	4	5	2	20	33	24
Dis. of Lungs	151	29	17	4	3	2	55	4	1	7	1	3	7	5	6	22	25
Dis. of Stom. and Liver	88	8	-	-	-	1	9	5	-	1	-	4	8	10	14	23	12
Dis. of Kidneys	12	1	-	-	-	-	1	-	-	2	-	1	-	1	1	2	4
Dis. of Genes. Organs	15	-	1	-	-	-	1	-	-	-	1	-	4	1	3	4	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	5	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
Childbirth and Metris.	29	-	-	-	-	-	-	-	-	-	4	15	10	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	25	3	1	1	-	1	6	2	3	1	-	-	2	2	1	3	4
Other Causes	300	133	13	4	1	-	151	4	-	-	1	-	3	2	10	17	61

220.—BOSMERE.																	
Mean Popul., 1861-71	7910	216	203	227	223	205	1074	980	891	655	580	990	902	728	542	376	181
TOTAL DEATHS	1508	261	86	41	28	15	431	57	44	63	62	106	111	84	106	180	190
Small-pox	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Measles	13	2	5	-	1	2	10	2	-	-	-	-	-	-	-	-	-
Scarlatina	59	-	5	10	5	3	23	9	4	2	1	-	-	-	-	-	-
Diphtheria	11	-	1	2	1	1	5	3	1	-	-	-	-	1	-	-	-
Whooping-cough	26	12	4	4	4	1	25	1	-	-	-	-	-	-	-	-	-
Typhus	57	4	3	-	-	1	8	7	3	9	5	1	6	1	5	1	4
Diarrhoea & Dysentery	47	14	6	2	3	-	25	2	-	-	1	-	-	-	-	7	5
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	42	3	2	-	2	-	7	3	-	-	-	2	-	5	12	8	5
Cancer	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	55	13	7	7	2	2	31	4	5	1	1	1	4	13	12	6	4
Phtisis	224	1	7	2	2	-	12	5	15	31	24	43	46	19	12	1	2
Hydrocephalus	13	4	1	1	1	-	7	1	3	1	-	-	-	-	-	-	-
Dis. of Brain	120	11	7	-	1	-	19	3	5	8	3	13	5	8	14	27	21
Dis. of Heart & Dropsy	111	1	-	-	-	-	1	2	1	-	1	7	11	9	20	37	20
Dis. of Lungs	182	47	18	9	3	3	80	5	2	6	4	9	8	4	8	22	25
Dis. of Stom. and Liver	84	7	-	-	1	2	10	1	2	1	1	4	10	8	10	30	5
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	-	1	2	-	3	2	4	1
Dis. of Genes. Organs	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Dis. of Skin	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	37	-	-	-	-	-	-	-	-	-	-	8	14	13	2	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	26	3	4	3	2	-	12	6	1	-	-	1	-	-	-	-	-
Other Causes	330	137	13	1	-	-	151	2	-	1	2	1	1	1	5	6	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and over.
221.—SAMFORD.																		
Popul ⁿ , 1861-71	6151	162	163	174	167	162	828	777	705	461	438	795	724	578	439	279	109	18
DEATHS	1192	200	64	31	32	19	355	40	46	46	42	75	73	76	104	123	159	53
Ex - - -	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
Sc - - -	7	1	4	-	1	6	-	-	-	-	1	-	-	-	-	-	-	-
ria - - -	39	1	2	6	7	5	21	6	6	4	-	1	-	1	-	-	1	1
ig-cough	23	1	-	-	2	1	6	7	-	2	-	-	-	-	-	-	-	-
a & Dysentery	18	7	5	2	3	1	18	-	7	4	3	6	7	6	1	5	4	2
remote Dis.	58	1	1	1	3	3	8	7	-	-	-	1	-	-	1	3	2	4
and Tuberc.	33	16	2	2	2	-	22	-	-	-	-	1	-	-	1	1	-	-
phalus -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain	21	1	-	3	3	2	9	2	1	1	1	1	3	9	5	4	3	-
Heart & Dropsy	26	-	-	-	-	-	-	1	-	-	-	1	2	4	2	2	-	-
ungs	21	3	8	1	-	-	7	-	-	1	1	2	4	9	2	2	-	-
tom. and Liver	171	4	5	2	1	-	19	1	11	26	24	36	29	13	11	7	1	-
Kidneys	8	4	1	2	-	-	7	-	-	-	-	-	-	-	1	-	-	-
Jeener. Organs	101	11	6	2	1	2	22	5	1	1	1	4	3	9	20	15	15	5
oints	73	1	-	-	-	-	2	-	-	2	1	3	5	10	19	22	9	-
skin	156	29	16	5	3	-	53	5	1	1	1	3	7	11	13	29	28	4
th and Metria	56	4	1	-	-	1	6	-	2	-	2	3	3	6	14	10	10	-
olent Deaths	7	-	-	-	-	-	-	1	2	-	-	1	-	1	1	1	-	-
uses	7	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-
	5	-	1	-	-	-	1	1	-	-	1	1	-	-	1	-	-	-
	15	-	-	-	-	-	-	-	-	-	3	6	6	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	16	-	1	1	1	2	5	2	3	-	1	-	-	1	2	1	2	-
	324	126	15	2	6	1	150	2	3	4	1	6	8	7	7	22	32	37
222.—IPSWICH.																		
Popul ⁿ , 1861-71	21543	568	505	517	480	516	2586	2309	2160	2167	2051	3177	2582	1964	1312	861	322	52
DEATHS	4476	983	335	139	106	72	1635	171	117	132	106	286	321	308	338	442	422	138
Ex - - -	32	6	2	1	1	-	10	7	3	1	1	2	1	5	1	-	1	-
Sc - - -	27	6	12	8	5	3	34	1	-	-	-	-	-	1	-	-	-	-
ria - - -	150	1	14	23	24	22	84	42	20	-	2	2	-	-	-	-	-	-
ig-cough	43	3	4	2	4	6	21	11	4	3	1	1	1	1	-	-	-	-
a & Dysentery	96	33	26	12	15	7	93	5	-	-	-	-	-	-	-	-	-	-
remote Dis.	108	2	1	3	4	3	13	15	12	10	8	9	11	9	6	12	2	1
and Tuberc.	203	121	20	2	1	1	145	2	1	3	2	2	5	2	5	13	18	5
phalus -	4	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
Brain	64	6	1	4	8	4	23	5	5	1	4	3	6	4	5	7	1	-
Heart & Dropsy	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ungs	101	37	24	6	2	1	70	6	3	6	1	1	1	4	5	3	-	-
tom. and Liver	616	7	13	1	5	2	28	13	27	73	100	161	127	58	26	3	-	-
Kidneys	51	16	12	7	3	1	39	10	1	1	-	-	-	-	-	-	-	-
Jeener. Organs	512	90	40	22	11	6	169	20	12	9	10	17	24	27	28	20	35	10
oints	310	4	2	1	-	2	9	3	12	3	9	16	24	43	39	67	60	5
skin	633	145	100	30	17	7	299	17	4	6	5	16	23	29	60	92	70	12
th and Metria	176	15	3	2	1	-	21	2	6	3	2	8	14	23	37	39	20	1
olent Deaths	43	1	1	-	-	-	2	1	-	1	2	4	5	9	7	9	2	1
uses	46	-	-	-	-	-	-	-	-	-	-	1	6	9	17	6	5	-
	11	-	1	1	-	-	2	1	-	1	1	1	-	1	3	1	-	-
	10	2	1	1	-	-	4	-	-	-	-	-	-	-	1	2	-	-
	47	-	-	-	-	-	-	-	-	1	6	18	20	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	2	1	-	3	-	1	1	-
	51	12	5	2	1	-	20	4	3	5	-	1	4	2	2	3	5	4
	981	475	53	11	4	5	548	7	4	5	6	8	20	14	21	72	178	86
223.—WOODBRIDGE.																		
Popul ⁿ , 1861-71	11547	281	288	297	299	289	1454	1402	1259	936	861	1451	1319	1120	834	600	265	46
DEATHS	2374	362	107	44	33	23	569	67	61	87	77	171	177	200	208	315	314	128
Ex - - -	7	2	-	-	1	-	3	1	-	-	-	-	-	1	1	-	1	-
Sc - - -	18	1	9	3	-	2	15	3	-	-	-	-	-	-	-	-	-	-
ria - - -	24	3	2	3	3	1	12	7	1	3	-	1	-	-	-	-	-	-
ig-cough	24	-	-	-	2	3	5	9	4	1	1	-	3	-	-	1	-	-
a & Dysentery	42	18	13	7	2	-	40	2	-	-	-	-	-	-	-	-	-	-
remote Dis.	66	1	2	1	-	-	4	5	5	4	8	8	5	5	6	7	6	-
and Tuberc.	77	25	4	4	2	-	35	-	1	1	1	3	2	4	8	5	12	5
phalus -	45	12	3	2	4	3	24	2	-	-	-	1	-	4	-	6	3	-
Brain	69	-	-	-	-	-	-	-	-	-	-	1	6	13	18	18	12	1
Heart & Dropsy	50	8	3	3	1	1	16	3	8	3	2	1	3	5	4	5	-	-
ungs	828	11	6	3	-	2	22	3	18	45	43	85	49	41	13	9	-	-
tom. and Liver	16	3	5	-	1	1	10	3	3	-	-	-	-	-	-	-	-	-
Kidneys	322	29	17	4	5	2	37	9	7	10	9	24	23	37	32	25	50	9
Jeener. Organs	170	1	-	-	-	-	1	3	4	4	1	7	16	20	27	49	34	4
oints	333	59	23	7	6	5	100	6	2	6	5	19	29	31	33	28	26	3
skin	136	9	-	-	-	1	10	4	1	3	-	7	14	14	22	24	19	3
th and Metria	11	-	-	-	-	-	-	-	-	-	-	1	1	1	6	1	1	-
olent Deaths	26	-	-	-	-	-	-	-	-	-	-	1	1	3	5	2	-	-
uses	9	-	1	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-
	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	27	-	-	-	-	-	-	-	-	1	2	9	1	1	3	2	15	-
	8	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	26	8	2	1	3	-	14	2	3	1	-	1	2	11	3	2	15	-
	542	170	17	7	2	2	198	4	2	5	-	10	-	11	21	26	75	-

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-	
224.—PLOMESGATE.																				
Mean Popul ⁿ , 1861-71	10242	287	273	290	269	278	1306	1239	1289	979	715	1117	1032	932	770	510	236	106	47	
TOTAL DEATHS -	1910	444	99	45	24	32	644	64	42	42	45	115	80	120	165	218	238	168	106	
Small-pox -	18	1	-	-	-	-	17	-	-	-	-	-	-	-	-	-	-	-	-	
Measles -	38	7	4	2	2	2	17	1	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	34	3	4	5	4	0	22	5	3	-	-	-	-	-	-	-	-	-	-	
Diphtheria -	9	-	1	1	-	-	8	5	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough -	21	11	7	1	1	-	20	1	-	-	-	-	-	-	-	-	-	-	-	
Typhus -	35	-	-	-	-	18	9	7	2	-	-	5	2	1	1	3	2	1	1	
Diarrhoea & Dysentery -	45	9	2	-	-	-	11	1	-	-	1	4	1	2	3	7	5	1	1	
Cholera -	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	50	5	-	7	2	7	21	5	-	1	2	-	1	-	5	7	5	1	1	
Cancer -	28	-	-	-	-	-	-	1	-	-	-	1	1	4	13	4	4	4	4	
Scrofula and Tubercles -	45	17	6	6	3	1	35	1	2	2	1	1	1	1	1	2	2	2	2	
Phthisis -	220	7	3	1	1	-	12	7	10	22	20	54	38	26	17	5	5	5	5	
Hydrocephalus -	29	18	8	2	-	2	25	3	-	-	1	-	-	-	-	-	-	-	-	
Dis. of Brain -	191	30	6	2	2	5	45	7	4	3	1	9	4	15	22	22	22	22	22	
Dis. of Heart & Dropsy -	108	-	-	-	-	-	2	1	1	1	1	2	4	12	19	24	25	25	25	
Dis. of Lungs -	226	88	29	5	3	4	129	8	2	2	2	8	12	16	22	22	22	22	22	
Dis. of Stom. and Liver -	125	18	1	2	-	1	21	4	-	1	-	6	7	20	24	21	21	21	21	
Dis. of Kidneys -	45	-	1	1	-	-	2	-	5	-	-	2	2	8	4	13	7	7	7	
Dis. of Gener. Organs -	5	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	1	1	1	
Dis. of Joints -	7	1	1	-	-	-	2	-	1	1	-	-	-	-	2	1	1	1	1	
Dis. of Skin -	11	-	-	-	-	-	-	-	-	-	-	1	-	5	2	2	2	2	2	
Childbirth and Metris -	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	63	9	2	1	1	-	13	3	6	3	4	10	7	6	3	3	3	3	3	
Other Violent Deaths -	490	225	29	6	-	-	204	7	-	2	1	7	8	6	14	27	29	29	29	
Other Causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
225.—BLYTHING.																				
Mean Popul ⁿ , 1861-71	13207	394	358	386	363	374	1875	1657	1562	1276	920	1443	1353	1193	959	656	377	161	67	
TOTAL DEATHS -	2474	537	140	61	48	31	837	96	61	67	91	107	117	139	206	298	323	112	47	
Small-pox -	7	-	-	-	-	-	18	-	-	-	-	1	3	1	2	-	-	-	-	
Measles -	21	4	2	4	6	2	18	3	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	54	6	4	7	8	6	31	11	5	4	1	2	-	-	-	-	-	-	-	
Diphtheria -	38	4	2	3	1	3	13	14	7	1	-	-	1	1	-	-	-	-	-	
Whooping-cough -	55	25	17	4	3	2	51	3	1	-	-	-	-	-	-	-	-	-	-	
Typhus -	68	2	-	-	1	3	6	6	4	8	3	6	11	9	5	6	1	1	1	
Diarrhoea & Dysentery -	66	32	6	2	-	-	40	2	-	-	-	-	-	-	5	6	11	9	9	
Cholera -	3	1	1	-	-	-	2	-	-	-	-	-	-	-	1	4	1	1	1	
Other Zymotic Dis. -	61	7	1	5	3	2	18	6	6	1	2	2	3	3	5	10	4	1	1	
Cancer -	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tubercles -	55	16	5	4	3	1	29	8	1	2	6	2	1	1	1	4	4	4	4	
Phthisis -	252	7	4	4	1	4	29	8	5	20	63	44	33	31	22	6	1	1	1	
Hydrocephalus -	38	12	10	2	5	-	29	8	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain -	219	39	13	9	5	3	82	4	5	3	5	7	10	8	25	30	31	31	31	
Dis. of Heart & Dropsy -	171	-	-	-	3	-	4	2	1	2	4	2	11	13	27	34	35	35	35	
Dis. of Lungs -	365	101	36	10	9	2	151	4	8	3	3	6	14	28	31	37	40	40	40	
Dis. of Stom. and Liver -	123	11	2	2	3	1	19	4	6	1	2	10	9	19	27	31	31	31	31	
Dis. of Kidneys -	70	-	-	-	1	-	1	-	-	1	-	4	4	6	14	22	15	15	15	
Dis. of Gener. Organs -	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	8	1	-	-	-	-	1	1	-	2	2	1	-	-	-	1	1	1	1	
Dis. of Skin -	4	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	
Childbirth and Metris -	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Suicide -	68	1	1	3	3	2	10	9	10	7	9	12	10	7	6	6	6	6	6	
Other Violent Deaths -	659	275	35	9	-	-	312	2	1	-	-	1	3	4	17	64	105	67	67	
Other Causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
226.—WANGFORD.																				
Mean Popul ⁿ , 1861-71	6714	205	186	188	199	177	955	822	822	622	471	762	673	622	475	322	135	20	10	
TOTAL DEATHS -	1320	302	63	34	24	20	443	48	33	47	50	60	60	81	91	161	181	64	20	
Small-pox -	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	
Measles -	7	3	2	1	1	-	7	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina -	20	3	1	7	2	3	15	8	1	-	-	1	-	-	-	-	-	-	-	
Diphtheria -	24	-	2	2	1	3	8	6	4	4	-	-	1	-	1	-	-	-	-	
Whooping-cough -	18	11	3	2	1	1	18	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus -	52	-	2	2	2	2	5	3	3	5	1	7	6	4	4	6	7	7	7	
Diarrhoea & Dysentery -	48	26	3	1	1	-	31	-	-	-	-	-	-	-	2	1	1	1	1	
Cholera -	90	2	2	-	1	-	5	3	-	1	-	-	3	3	1	2	2	2	2	
Other Zymotic Dis. -	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer -	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tubercles -	56	24	7	6	1	1	59	5	4	2	1	3	2	5	2	8	8	8	8	
Phthisis -	152	1	3	-	1	1	7	7	3	6	16	32	27	20	15	12	8	8	8	
Hydrocephalus -	24	7	5	1	1	1	19	6	2	-	-	1	-	-	-	-	-	-	-	
Dis. of Brain -	135	32	7	1	1	-	41	1	3	6	2	6	6	6	11	25	28	28	28	
Dis. of Heart & Dropsy -	87	1	-	1	-	1	3	-	-	-	1	6	6	9	15	27	33	33	33	
Dis. of Lungs -	184	42	16	8	5	2	73	-	2	2	1	6	6	9	19	27	30	30	30	
Dis. of Stom. and Liver -	71	10	-	-	-	-	11	-	2	1	2	7	6	6	13	19	22	22	22	
Dis. of Kidneys -	57	2	-	-	-	-	2	-	2	2	1	5	1	8	6	11	16	16	16	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	8	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	
Dis. of Skin -	5	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	4	2	1	4	4	1	15	7	1	1	-	1	1	1	1	1	1	1	1	
Other Violent Deaths -	133	7	1	-	-	-	143	1	-	-	-	1	1	1	1	1	1	1	1	
Other Causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Div. IV.] Causes of Death in the Ten Years 1861-70.—Females.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	
224.—PLOMESGATE.																		
Mean Popul ⁿ 1861-71	10477	295	235	247	270	266	1313	1243	1123	939	839	1309	1146	997	755	518	344	
TOTAL DEATHS	1873	296	84	44	27	19	470	74	45	65	88	151	97	115	157	234	254	
Small-pox	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
Measles	10	5	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	
Scarlatina	37	3	1	1	2	2	15	17	3	1	1	-	-	-	-	-	-	
Diphtheria	14	1	1	1	-	1	4	6	-	-	-	-	-	1	-	-	-	
Whooping-cough	26	11	10	4	-	-	25	1	-	-	-	-	-	-	-	-	-	
Typhus	24	1	1	-	-	1	4	7	-	4	-	3	-	3	3	4	11	
Diarrhoea & Dysentery	43	13	3	1	-	1	18	1	8	1	1	-	-	2	4	1	-	
Cholera	3	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	35	5	1	2	1	2	11	3	-	-	1	-	-	2	3	9	5	
Cancer	70	-	-	-	-	-	-	-	-	-	1	1	6	15	19	15	10	
Scrofula and Tubes	25	5	2	2	1	2	12	5	1	1	2	3	-	2	-	-	-	
Phthisis	329	2	5	1	4	1	13	7	17	44	57	86	44	38	16	5	2	
Hydrocephalus	16	6	5	1	3	-	15	-	-	-	1	-	-	-	-	-	-	
Dis. of Brain	181	20	8	8	4	4	44	7	3	2	1	5	12	7	22	40	32	
Dis. of Heart & Dropsy	123	1	1	-	1	-	3	-	1	-	1	7	7	11	24	38	27	
Dis. of Lungs	270	50	26	11	4	9	93	4	4	6	7	7	6	10	22	42	31	
Dis. of Stom. and Liver	112	11	-	-	2	-	13	4	2	2	1	11	4	9	18	29	16	
Dis. of Kidneys	20	1	-	-	1	-	2	-	-	-	2	4	1	2	3	4	2	
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	1	
Dis. of Joints	10	-	-	-	-	-	-	-	-	1	-	-	1	2	2	2	-	
Dis. of Skin	5	-	1	-	-	-	1	-	-	-	-	-	-	1	1	2	-	
Childbirth and Metris	26	-	-	-	-	-	-	-	-	-	5	12	8	1	-	-	-	
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	
Other Violent Deaths	26	4	3	1	1	3	12	1	-	-	1	1	-	1	2	3	3	
Other Causes	433	137	13	3	3	-	176	7	3	2	3	6	3	5	14	42	98	
225.—BLYTHING.																		
Mean Popul ⁿ 1861-71	13429	373	346	358	338	368	1783	1646	1484	1113	1018	1652	1472	1295	942	662	296	
TOTAL DEATHS	2400	430	130	73	50	31	714	100	73	91	101	171	144	133	156	280	372	
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Measles	31	5	12	5	3	1	26	4	-	3	-	1	-	-	-	-	-	
Scarlatina	61	2	5	6	15	4	32	14	6	3	1	1	3	1	-	-	-	
Diphtheria	55	2	2	6	4	4	18	19	11	1	1	-	3	1	-	1	-	
Whooping-cough	53	27	16	5	-	-	50	3	-	-	-	-	-	-	-	-	-	
Typhus	44	-	-	-	-	4	4	1	7	2	5	3	6	5	3	3	4	
Diarrhoea & Dysentery	68	26	7	2	2	-	37	1	1	-	-	-	1	1	4	6	10	
Cholera	6	-	-	2	-	-	2	3	-	-	1	-	-	-	-	-	-	
Other Zymotic Dis.	50	7	10	2	1	5	25	8	2	1	1	2	-	-	5	3	3	
Cancer	92	-	-	-	-	-	-	-	-	1	-	2	14	20	25	21	7	
Scrofula and Tubes	39	9	6	3	-	-	18	-	3	2	-	5	3	-	4	1	1	
Phthisis	401	7	4	4	1	5	19	9	20	56	65	99	68	34	19	12	2	
Hydrocephalus	26	7	5	3	4	-	19	3	1	3	-	-	-	-	-	-	-	
Dis. of Brain	237	32	12	4	7	2	57	8	4	6	4	13	10	14	17	47	30	
Dis. of Heart & Dropsy	188	2	1	-	-	-	3	1	1	5	2	6	11	17	26	33	25	
Dis. of Lungs	291	72	22	16	7	3	199	11	3	6	5	6	10	13	10	61	41	
Dis. of Stom. and Liver	115	10	1	-	1	2	14	2	4	3	-	7	5	12	18	26	21	
Dis. of Kidneys	22	1	-	-	-	-	1	-	1	-	-	1	6	5	4	3	1	
Dis. of Gener. Organs	16	-	-	-	-	-	-	1	-	-	1	2	2	2	4	3	1	
Dis. of Joints	7	-	1	-	-	-	1	-	-	2	-	2	-	2	1	1	-	
Dis. of Skin	6	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	
Childbirth and Metris	35	-	-	-	-	-	-	-	-	-	9	17	6	1	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Other Violent Deaths	54	3	6	2	-	-	11	6	2	-	1	3	-	-	2	1	1	
Other Causes	662	218	24	9	3	1	255	2	1	-	3	3	4	7	12	52	108	
226.—WANGFORD.																		
Mean Popul ⁿ 1861-71	7114	193	162	169	166	164	854	786	740	660	610	925	799	685	515	349	161	
TOTAL DEATHS	1282	265	34	30	23	12	364	32	31	38	51	79	84	86	94	159	176	
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
Measles	12	4	3	-	-	1	8	4	-	-	-	-	-	-	-	-	-	
Scarlatina	24	-	1	5	5	4	15	5	2	-	-	-	1	-	-	1	-	
Diphtheria	20	-	1	3	3	2	9	3	4	-	-	1	2	-	1	-	-	
Whooping-cough	17	6	6	5	-	-	17	-	-	-	-	-	-	-	-	-	-	
Typhus	48	-	1	-	1	-	2	3	9	7	5	3	7	2	3	5	2	
Diarrhoea & Dysentery	40	18	3	1	-	-	22	1	-	-	-	1	-	1	1	4	3	
Cholera	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	21	3	1	3	1	1	9	-	-	1	-	2	-	3	1	3	2	
Cancer	58	-	-	1	-	-	1	-	-	-	-	2	7	14	8	17	7	
Scrofula and Tubes	158	32	3	4	2	1	42	1	-	2	2	6	3	25	10	7	1	
Phthisis	193	2	1	1	1	-	10	3	7	39	25	44	28	25	10	7	1	
Hydrocephalus	14	7	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	
Dis. of Brain	136	13	1	1	1	1	17	2	2	2	3	7	6	12	20	21	25	
Dis. of Heart & Dropsy	101	2	-	-	-	-	2	-	-	2	2	-	3	9	18	35	25	
Dis. of Lungs	169	32	5	3	7	1	45	1	1	-	-	7	7	5	12	23	44	
Dis. of Stom. and Liver	60	7	-	-	-	-	7	1	-	-	4	4	4	7	11	13	9	
Dis. of Kidneys	16	-	-	-	-	-	-	-	1	2	-	-	1	2	2	4	1	
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	-	
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Childbirth and Metris	20	-	-	-	-	-	-	-	-	-	1	4	6	8	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	29	4	2	1	1	1	9	2	1	-	-	-	-	-	-	1	3	
Other Causes	154	135	3	2	-	-	140	1	1	-	2	2	1	1	1	1	1	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
		227.—MUTFORD.																	
Mean Popul ⁿ , 1861-71	13231	404	386	379	385	381	1935	1696	1475	1283	1092	1718	1419	1164	799	466	180	24	
TOTAL DEATHS	2520	706	166	73	54	40	1099	120	53	64	93	146	144	141	189	309	351	81	
Small-pox	30	8	1	3	2	-	14	3	1	3	1	4	2	1	-	1	-	-	
Measles	45	8	11	7	7	3	66	9	-	-	-	-	-	-	-	-	-	-	
Scarlatina	96	6	14	10	14	14	68	21	5	1	1	2	1	1	1	-	-	-	
Diphtheria	28	3	-	-	3	3	9	10	2	1	1	2	1	1	1	-	-	-	
Whooping-cough	45	22	17	4	-	-	43	1	-	1	-	-	-	-	-	-	-	-	
Typhus	84	4	6	5	-	3	18	6	6	4	6	5	9	6	9	3	4	1	
Diarrhoea & Dysentery	132	112	8	-	-	-	120	1	-	-	-	2	2	1	-	-	-	-	
Cholera	9	1	-	-	-	-	1	-	1	1	1	2	3	1	6	4	3	3	
Other Zymotic Dis.	54	9	5	7	3	4	28	2	2	2	1	2	3	1	1	1	1	1	
Cancer	31	1	-	-	-	-	1	-	-	-	-	2	2	2	9	11	2	2	
Scrophula and Tuberc.	62	28	10	3	2	1	44	7	2	2	1	1	3	2	3	3	2	2	
Phthisis	228	10	-	1	-	1	12	2	3	17	34	65	69	25	20	10	2	2	
Hydrocephalus	21	11	3	2	2	1	30	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	241	63	20	6	4	3	96	9	6	4	7	3	9	14	28	23	23	23	
Dis. of Heart & Dropsy	157	9	1	-	-	1	14	5	2	2	2	11	17	26	21	29	22	22	
Dis. of Lungs	274	72	20	8	8	2	120	6	3	3	7	8	16	17	29	29	21	21	
Dis. of Stom. and Liver	163	27	4	2	1	1	33	2	2	2	3	6	3	16	12	15	7	7	
Dis. of Kidneys	76	-	3	-	-	1	4	1	-	1	2	2	5	11	19	19	17	17	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	12	-	1	1	-	-	2	2	2	-	2	-	1	-	1	2	2	2	
Dis. of Skin	13	7	-	1	-	-	8	1	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	10	-	-	-	-	-	-	-	-	-	-	1	4	3	3	3	1	1	
Other Violent Deaths	151	5	3	4	2	3	19	13	19	17	17	21	21	16	11	2	1	1	
Other Causes	618	309	27	6	3	2	308	4	4	4	4	9	4	11	13	27	74	24	
228.—YARMOUTH.																			
Mean Popul ⁿ , 1861-71	14900	466	419	403	397	385	2070	1766	1627	1389	1267	2106	1733	1300	899	537	183	23	
TOTAL DEATHS	4058	1306	296	133	92	65	1892	112	53	77	102	231	290	281	284	340	250	79	
Small-pox	27	5	2	2	1	1	11	6	-	3	4	1	1	1	-	-	-	-	
Measles	99	16	22	11	6	4	59	10	-	-	-	-	-	-	-	-	-	-	
Scarlatina	143	11	18	31	22	22	104	25	8	2	1	1	2	-	-	-	-	-	
Diphtheria	17	1	3	1	2	3	10	4	2	-	-	-	1	-	-	-	-	-	
Whooping-cough	32	20	20	6	2	3	51	1	-	-	-	-	-	-	-	-	-	-	
Typhus	117	9	6	7	2	2	30	10	10	9	9	9	7	13	9	11	4	1	
Diarrhoea & Dysentery	340	255	26	11	1	3	296	3	1	1	1	2	1	5	7	13	9	1	
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	74	14	11	3	4	-	32	6	2	1	-	2	6	6	8	8	3	-	
Cancer	43	-	-	-	-	-	-	-	-	-	-	-	4	7	11	14	5	1	
Scrophula and Tuberc.	215	175	40	9	8	3	235	5	2	3	1	4	1	2	2	2	2	2	
Phthisis	336	6	5	2	1	2	16	5	4	20	35	35	83	51	28	19	3	1	
Hydrocephalus	52	20	20	4	5	-	49	2	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	511	108	39	9	8	7	164	13	3	6	7	44	39	43	54	67	46	5	
Dis. of Heart & Dropsy	210	4	1	1	-	-	7	3	2	4	4	8	29	28	48	20	22	2	
Dis. of Lungs	541	108	68	25	24	5	320	4	3	3	8	18	13	37	26	52	31	13	
Dis. of Stom. and Liver	137	16	-	1	-	1	18	2	2	2	6	4	13	26	22	29	12	-	
Dis. of Kidneys	84	1	-	-	1	-	2	1	1	2	2	3	13	7	15	18	13	5	
Dis. of Gener. Organs	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	7	-	-	-	-	1	1	1	-	2	1	-	-	-	1	1	-	-	
Dis. of Skin	8	3	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	20	-	-	-	-	-	-	-	-	-	-	1	5	3	7	1	1	-	
Other Violent Deaths	184	9	7	2	-	7	25	7	11	10	18	30	43	20	13	2	1	1	
Other Causes	797	494	15	8	3	1	461	3	1	3	4	5	17	29	26	67	131	30	
229.—FLEGG.																			
Mean Popul ⁿ , 1861-71	4474	135	141	133	138	124	671	577	533	414	296	506	470	417	293	200	82	15	
TOTAL DEATHS	818	260	38	23	17	13	351	36	16	26	26	27	28	33	52	85	163	35	
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Measles	5	-	3	1	1	-	5	3	1	-	-	-	-	-	-	-	-	-	
Scarlatina	10	-	1	2	1	1	5	3	-	-	-	1	-	-	-	-	-	-	
Diphtheria	26	3	-	2	2	2	9	9	5	1	2	-	-	-	-	-	-	-	
Whooping-cough	10	6	3	-	1	-	10	-	-	-	-	-	-	-	-	-	-	-	
Typhus	32	1	1	-	1	3	6	3	2	5	2	3	-	3	4	3	2	1	
Diarrhoea & Dysentery	58	37	1	-	1	1	30	-	-	-	-	-	-	1	-	2	3	1	
Cholera	6	-	-	1	-	-	2	-	1	-	-	-	-	-	1	-	-	-	
Other Zymotic Dis.	18	-	2	2	2	-	9	2	-	1	-	-	2	-	2	5	1	1	
Cancer	18	-	-	-	-	-	-	-	-	-	-	2	2	1	2	7	4	-	
Scrophula and Tuberc.	10	6	1	1	-	-	8	-	-	1	-	-	2	1	-	-	-	-	
Phthisis	66	-	1	-	-	-	3	1	4	9	12	14	10	9	4	2	-	-	
Hydrocephalus	4	-	2	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-	
Dis. of Brain	60	20	4	4	2	-	30	5	2	1	1	-	3	4	9	9	13	3	
Dis. of Heart & Dropsy	47	5	-	-	-	1	4	1	-	-	-	1	3	8	4	10	14	2	
Dis. of Lungs	124	33	11	7	4	1	66	5	-	-	-	-	7	10	22	13	4	4	
Dis. of Stom. and Liver	36	14	-	-	-	-	14	1	-	-	-	-	2	1	9	2	6	-	
Dis. of Kidneys	19	-	-	-	-	-	-	2	-	1	-	1	-	-	-	5	6	2	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Other Violent Deaths	164	9	7	2	-	7	25	7	11	10	18	30	43	20	13	2	1	1	
Other Causes	797	494	15	8	3	1	461	3	1	3	4	5	17	29	26	67	131	30	

IV.] *Causes of Death in the Ten Years 1861-70.—Females.*

173

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.		
		227.—MUTFORD.																		
Popul ⁿ , 1861-71	14476	407	375	395	404	372	1953	1742	1514	1334	1310	2059	1636	1279	848	545	216	40		
DEATHS	2413	635	120	90	69	44	964	94	55	56	78	156	144	145	161	223	220	117		
xx - - -	19	6	-	3	2	1	12	2	1	-	2	2	-	-	-	-	-	-		
xx - - -	41	7	15	7	3	3	34	5	1	-	1	1	-	-	-	-	-	-		
xx - - -	118	11	11	20	20	18	75	25	9	-	1	7	1	-	-	-	-	-		
xx - - -	32	4	1	2	5	5	17	3	5	3	-	1	-	1	1	1	-	-		
xx - - -	39	20	9	4	5	1	39	-	11	-	6	11	10	3	6	3	3	-		
xx - - -	84	4	1	2	3	4	14	13	11	4	-	11	1	-	5	4	7	1		
xx - - -	122	65	10	4	3	-	102	1	-	-	-	1	1	-	1	1	2	-		
xx - - -	3	-	-	-	-	-	80	5	6	1	1	1	3	-	1	4	2	-		
xx - - -	89	-	-	-	-	-	-	-	-	-	-	1	17	22	24	17	6	2		
xx - - -	41	21	3	3	1	-	28	4	1	2	1	1	3	2	17	5	-	-		
xx - - -	271	2	1	1	2	1	7	2	9	28	47	75	46	35	17	5	-	-		
xx - - -	19	8	2	3	-	1	14	2	1	1	-	-	-	-	1	-	-	-		
xx - - -	222	35	15	7	6	4	67	7	3	4	2	7	14	12	25	41	53	7		
xx - - -	148	5	1	1	-	1	8	5	4	1	2	7	6	21	26	47	29	1		
xx - - -	257	76	22	15	5	4	122	5	1	4	3	8	14	16	24	39	22	9		
xx - - -	105	16	2	1	2	1	22	2	-	4	3	13	5	17	13	14	11	1		
xx - - -	26	-	1	1	-	-	2	-	1	1	-	3	7	3	5	2	2	-		
xx - - -	16	-	-	-	-	-	-	1	-	-	-	2	2	5	4	2	-	-		
xx - - -	5	-	-	-	-	-	-	2	-	-	-	1	-	-	1	1	-	-		
xx - - -	9	4	-	-	1	-	5	-	-	-	-	-	-	-	1	2	-	-		
xx - - -	22	-	-	-	-	-	-	-	-	1	4	10	6	1	-	-	-	-		
xx - - -	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-		
xx - - -	30	6	4	4	1	1	16	4	-	-	-	-	2	-	2	3	2	1		
xx - - -	623	319	19	8	1	3	350	5	2	1	2	5	6	6	6	36	109	95		
228.—YARMOUTH.																				
Popul ⁿ , 1861-71	17852	447	393	384	396	370	1990	1826	1658	1767	1700	2752	2225	1676	1152	757	295	54		
DEATHS	3792	968	259	135	96	62	1520	135	61	73	108	228	251	233	295	308	374	146		
xx - - -	26	7	1	3	1	2	14	2	2	-	2	4	2	-	-	-	-	-		
xx - - -	67	11	19	15	9	4	68	8	-	-	1	3	-	-	-	-	-	-		
xx - - -	153	9	15	23	26	17	93	44	10	-	5	3	-	-	-	-	-	-		
xx - - -	22	4	1	4	1	5	15	5	1	-	-	1	-	-	-	-	-	-		
xx - - -	81	33	22	16	8	1	80	1	-	-	-	-	-	-	-	-	-	-		
xx - - -	161	6	8	9	8	7	38	19	15	17	5	18	14	8	7	12	6	2		
xx - - -	294	191	30	2	2	2	227	-	-	-	2	7	6	4	11	12	20	5		
xx - - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	60	6	4	3	8	4	25	6	4	3	-	5	2	4	5	4	2	-		
xx - - -	113	-	-	-	-	-	-	1	-	-	2	8	15	22	38	18	8	1		
xx - - -	193	121	32	14	3	-	170	8	2	1	-	5	2	2	3	3	-	-		
xx - - -	379	3	6	2	2	-	13	2	8	33	50	105	71	62	24	10	1	-		
xx - - -	39	9	12	4	4	3	32	4	2	1	-	-	-	-	-	-	-	-		
xx - - -	370	74	17	11	5	4	111	14	8	5	8	14	24	28	43	70	38	7		
xx - - -	182	6	-	1	1	-	8	1	2	1	4	7	19	23	38	50	26	1		
xx - - -	509	125	63	20	16	8	232	12	2	3	10	6	21	21	47	75	70	10		
xx - - -	180	15	1	2	-	2	20	1	-	1	7	12	28	26	38	20	18	3		
xx - - -	35	-	-	-	-	-	-	-	1	-	1	2	8	6	7	8	2	-		
xx - - -	27	-	-	-	-	1	-	-	-	-	1	3	10	5	5	3	1	-		
xx - - -	15	-	-	-	-	-	1	-	2	1	-	1	2	2	3	1	2	-		
xx - - -	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	50	-	-	-	-	-	-	-	-	4	11	19	16	-	1	1	2	-		
xx - - -	48	4	4	-	-	1	9	5	2	2	-	4	2	6	5	7	2	-		
xx - - -	776	341	24	3	2	1	371	2	-	-	1	4	9	15	22	71	129	115		
229.—FLEGG.																				
Popul ⁿ , 1861-71	4533	127	106	118	120	127	598	578	492	367	368	598	521	415	284	193	101	18		
DEATHS	767	215	26	13	21	13	288	37	18	24	30	50	44	43	44	72	75	42		
xx - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	4	1	2	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	24	-	1	3	5	1	10	8	2	-	1	2	-	-	1	-	-	-		
xx - - -	22	-	-	-	1	2	3	10	4	2	2	-	-	-	1	-	-	-		
xx - - -	6	5	1	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	25	-	1	2	-	3	6	5	-	3	1	3	-	3	3	1	-	-		
xx - - -	52	37	1	1	-	-	39	-	1	-	-	1	1	-	-	4	6	1		
xx - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	10	2	-	-	3	-	5	1	1	1	-	-	-	1	-	1	1	-		
xx - - -	28	-	-	-	-	-	-	-	-	-	-	1	3	10	9	4	1	-		
xx - - -	17	9	1	-	-	2	12	1	1	2	-	1	1	13	2	4	-	-		
xx - - -	99	-	-	1	2	-	13	2	3	8	19	29	16	-	-	-	-	-		
xx - - -	4	3	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	66	16	2	-	4	-	22	1	2	3	1	1	4	3	5	11	9	4		
xx - - -	35	-	-	-	-	-	45	5	1	-	-	3	1	5	6	10	8	-		
xx - - -	107	29	5	5	3	3	8	2	-	1	2	1	2	4	9	21	14	3		
xx - - -	41	8	-	-	-	-	8	-	-	-	-	5	7	4	7	4	1	-		
xx - - -	6	-	1	-	-	-	1	1	-	-	1	-	-	1	1	-	1	-		
xx - - -	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
xx - - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	10	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-		
xx - - -	2	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-		
xx - - -	12	2	1	1	-	1	5	-	1	-	-	-	-	1	-	1	1	-		
xx - - -	192	102	10	-	1	1	114	-	1	3	-	-	3	-	1	2	1	61		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85+
		230.—SMALLBURGH.																
Popul ⁿ , 1861-71	7231	202	184	183	184	191	944	875	749	570	561	961	816	666	509	378	166	36
DEATHS	1356	294	58	23	19	19	413	45	30	54	65	95	72	80	92	141	191	78
Cancer	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Consumption	8	2	2	1	-	1	6	2	-	-	-	-	-	-	-	-	-	-
Diphtheria	43	5	4	1	7	3	29	11	10	-	-	1	-	-	-	-	-	-
Whooping-cough	26	1	4	-	2	3	19	5	-	3	2	1	1	2	1	1	-	-
Scarlet & Dysentery	29	14	6	5	1	3	29	-	-	-	-	-	-	-	-	-	-	-
Remote Dis.	88	2	1	-	1	-	4	4	4	6	6	1	3	5	5	1	1	1
Typhoid Dis.	39	18	1	1	-	1	21	2	-	-	-	1	1	2	1	3	5	1
Typhoid Dis.	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Typhoid Dis.	22	6	-	3	-	1	10	2	2	-	-	2	-	1	-	3	2	-
Typhus	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid and Typhus	25	8	4	1	1	1	15	-	1	2	1	2	5	14	14	4	7	-
Typhoid and Typhus	212	6	3	-	-	1	10	5	8	31	42	58	33	11	10	4	-	-
Typhoid and Typhus	11	1	2	-	1	2	6	14	-	1	-	-	-	-	-	-	-	-
Typhoid and Typhus	111	22	8	3	2	2	37	1	1	4	-	3	5	6	12	20	16	6
Typhoid and Typhus	74	-	-	-	-	-	1	1	1	1	4	5	9	9	9	15	20	1
Typhoid and Typhus	104	19	5	2	3	-	29	3	1	2	1	6	1	9	10	18	21	3
Typhoid and Typhus	57	1	1	-	1	-	3	1	-	-	1	2	4	9	14	16	5	-
Typhoid and Typhus	10	2	1	-	-	-	3	-	-	-	-	-	3	1	1	1	1	-
Typhoid and Typhus	10	-	-	-	-	-	-	-	-	-	-	1	-	3	5	5	1	-
Typhoid and Typhus	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-
Typhoid and Typhus	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Typhoid and Typhus	18	-	-	-	-	-	-	-	-	-	4	9	4	1	-	-	-	-
Typhoid and Typhus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	21	4	1	2	-	1	8	2	-	3	-	1	-	1	1	1	3	1
Violent Deaths	440	181	15	4	-	-	200	2	1	1	2	-	1	6	8	45	108	66
231.—ERPINGHAM.																		
Popul ⁿ , 1861-71	10437	267	224	252	258	251	1252	1158	1080	904	799	1370	1229	1019	774	560	251	41
DEATHS	2010	423	83	52	36	43	637	86	59	75	67	147	124	111	126	210	232	116
Cancer	10	3	-	-	-	1	4	3	-	1	-	-	2	-	-	-	-	-
Consumption	18	4	5	2	1	1	13	4	-	-	1	-	-	-	-	-	-	-
Diphtheria	75	5	5	13	11	13	47	19	4	8	1	1	-	-	-	-	-	-
Whooping-cough	55	5	3	4	5	6	23	14	8	1	3	5	-	1	-	-	-	-
Scarlet & Dysentery	39	21	6	4	2	4	37	2	-	-	-	-	-	-	-	-	-	-
Remote Dis.	75	4	1	1	4	3	13	8	8	11	1	12	6	3	3	7	3	-
Typhoid Dis.	40	12	1	2	1	1	17	2	-	1	-	2	2	2	1	5	4	4
Typhoid Dis.	6	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Typhoid Dis.	41	11	3	1	2	1	18	1	3	-	2	3	2	2	4	4	2	-
Typhoid Dis.	46	-	-	-	-	1	1	-	-	-	-	2	3	9	14	12	4	1
Typhoid Dis.	42	19	6	2	-	-	27	2	2	1	-	3	3	1	1	1	1	-
Typhoid Dis.	313	8	3	2	-	3	16	9	19	46	38	81	56	30	16	2	-	-
Typhoid Dis.	16	5	-	2	2	2	11	2	2	1	-	-	-	-	-	-	-	-
Typhoid Dis.	190	41	7	6	1	-	55	2	1	2	3	4	11	11	16	33	44	6
Typhoid Dis.	113	2	-	-	-	1	3	-	1	1	3	3	8	14	21	29	26	4
Typhoid Dis.	221	60	19	6	1	4	89	4	2	2	3	3	3	11	16	42	40	15
Typhoid Dis.	95	8	1	-	1	-	10	1	1	4	1	4	5	17	18	21	10	3
Typhoid Dis.	21	-	-	1	-	-	1	1	1	1	-	-	-	3	4	2	5	3
Typhoid Dis.	15	-	-	-	-	-	-	-	-	-	-	-	3	3	4	1	-	-
Typhoid Dis.	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
Typhoid Dis.	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Dis.	59	-	-	-	-	-	-	-	-	-	8	16	15	-	-	-	-	-
Typhoid Dis.	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Violent Deaths	26	4	1	1	2	1	9	5	3	-	-	2	2	2	1	1	1	-
Violent Deaths	505	218	22	6	2	-	247	5	2	-	2	8	3	2	6	46	111	78
232.—AYLSHAM.																		
Popul ⁿ , 1861-71	9405	249	225	243	249	252	1218	1116	986	782	677	1209	1032	905	707	493	226	54
DEATHS	1801	365	60	48	28	25	526	89	50	53	68	116	89	85	131	210	242	133
Cancer	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Consumption	10	1	4	1	-	2	8	2	-	-	-	-	-	-	-	-	-	-
Diphtheria	79	4	4	12	4	9	33	32	6	2	2	3	1	-	1	-	-	-
Whooping-cough	53	2	2	-	8	4	16	21	7	2	3	1	1	2	-	-	-	-
Scarlet & Dysentery	33	16	10	3	2	1	32	1	-	-	-	-	-	-	-	-	-	-
Remote Dis.	63	2	-	-	2	2	6	6	5	5	-	8	6	5	10	-	1	-
Typhoid Dis.	52	18	3	1	-	-	22	1	-	1	-	2	1	3	1	7	14	4
Typhoid Dis.	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Typhoid Dis.	39	5	2	1	1	1	10	2	2	1	2	-	3	-	5	6	5	3
Typhoid Dis.	58	-	-	-	-	-	-	-	-	-	-	2	7	9	19	14	6	1
Typhoid Dis.	23	4	-	2	-	1	7	2	3	1	2	2	1	1	2	1	1	-
Typhoid Dis.	225	-	1	-	-	-	1	3	17	1	33	62	42	21	8	11	-	-
Typhoid Dis.	12	5	3	2	-	-	10	1	1	-	-	-	-	-	-	-	-	-
Typhoid Dis.	188	40	8	2	2	-	52	5	3	2	3	7	4	7	17	39	64	15
Typhoid Dis.	108	1	-	1	-	1	3	-	-	1	3	4	1	14	20	29	21	1
Typhoid Dis.	189	31	10	5	4	-	60	8	2	4	2	3	1	5	15	40	35	11
Typhoid Dis.	85	10	2	-	-	-	12	-	2	1	3	3	7	9	14	19	12	3
Typhoid Dis.	19	-	-	-	-	-	-	-	-	1	3	1	-	2	4	7	1	-
Typhoid Dis.	15	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	-	-
Typhoid Dis.	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Typhoid Dis.	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Dis.	27	-	-	-	-	-	-	-	-	3	-	10	6	-	-	-	-	-
Typhoid Dis.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	21	3	-	4	1	-	8	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths	429	222	11	8	2	-	243	3	1	1	-	3	1	3	1	1	1	3

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
		Year.					Years.											
233.—ST. FAITHS.																		
Mean Popul ⁿ , 1861-71	5444	137	147	138	145	129	696	686	632	543	402	607	555	504	422	272	104	21
TOTAL DEATHS	1075	290	53	25	13	7	388	40	18	23	42	43	59	44	77	164	121	26
Small-pox	4	1	—	1	—	—	2	—	—	—	—	1	1	—	—	—	—	—
Measles	16	2	6	2	1	—	11	6	—	—	—	—	—	—	—	—	—	—
Scarlatina	27	4	3	4	3	1	15	7	3	1	—	—	1	—	—	—	—	—
Diphtheria	16	—	5	2	1	—	8	4	1	1	2	—	—	—	—	—	—	—
Whooping-cough	21	10	4	—	—	—	20	1	—	—	—	—	—	—	—	—	—	—
Typhus	35	—	—	—	—	1	1	4	2	—	9	3	3	—	1	7	3	—
Diarrhoea & Dysentery	19	7	2	—	1	—	10	—	—	—	1	—	—	2	2	3	1	—
Cholera	3	—	—	—	—	1	1	—	—	—	—	—	—	—	1	1	—	—
Other Zymotic Dis.	15	—	1	2	1	1	5	2	—	—	—	—	5	—	—	1	—	—
Cancer	10	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	2	—
Scrophula and Tubes	14	4	2	—	—	—	6	4	2	—	1	—	—	—	—	—	—	—
Phthisis	123	3	—	1	—	—	4	4	3	13	20	31	23	12	8	5	—	—
Hydrocephalus	9	2	2	1	2	1	8	1	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	125	37	5	2	—	—	44	1	—	3	2	3	6	4	11	21	19	1
Dis. of Heart & Dropsy	59	—	—	—	—	—	—	2	—	—	—	1	4	8	9	22	11	2
Dis. of Lungs	120	38	11	3	3	2	57	2	1	1	4	3	4	5	17	24	14	4
Dis. of Stom. and Liver	35	8	1	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—
Dis. of Kidneys	37	—	—	—	—	—	—	—	1	—	—	—	2	2	7	14	7	4
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	4	—	—	—	—	—	—	—	1	—	—	—	1	—	1	1	—	—
Dis. of Skin	8	1	—	—	—	—	1	—	—	—	1	—	1	2	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	24	—	1	2	1	—	4	1	1	4	1	1	1	2	5	6	1	—
Other Causes	232	107	10	5	—	—	182	2	1	—	—	1	6	3	9	20	30	43
234.—NORWICH.																		
Mean Popul ⁿ , 1861-71	35246	1093	937	975	926	900	4831	4187	3858	3272	2704	4714	4119	3239	2283	1508	477	54
TOTAL DEATHS	9433	2698	701	373	230	138	4140	368	157	190	234	411	527	604	728	1078	791	166
Small-pox	32	12	8	2	5	2	29	8	1	1	5	4	1	2	1	—	—	—
Measles	133	39	49	29	18	6	151	2	—	—	—	—	—	—	—	—	—	—
Scarlatina	336	23	40	55	46	44	210	95	19	5	2	4	1	—	—	—	—	—
Diphtheria	70	4	8	9	10	6	97	25	4	—	1	—	2	1	—	—	—	—
Whooping-cough	169	90	48	12	12	4	166	3	—	—	—	—	—	—	—	—	—	—
Typhus	340	19	18	21	30	15	106	55	25	18	20	26	34	19	21	21	5	—
Diarrhoea & Dysentery	292	390	62	15	4	1	478	4	2	—	—	3	9	6	24	33	20	4
Cholera	13	2	2	—	—	—	4	2	—	—	—	—	1	1	2	1	—	—
Other Zymotic Dis.	189	16	16	24	15	13	84	11	3	3	3	10	6	9	16	14	8	—
Cancer	116	—	—	1	—	1	2	1	1	—	—	2	11	19	37	31	11	—
Scrophula and Tubes	173	72	27	11	5	1	116	18	12	6	2	7	8	3	4	2	—	—
Phthisis	928	21	11	7	4	3	46	16	24	95	125	194	173	128	94	32	—	—
Hydrocephalus	98	43	22	14	3	3	85	8	3	1	—	1	—	—	—	—	—	—
Dis. of Brain	1138	323	57	31	13	5	429	26	9	10	11	29	68	91	115	216	123	11
Dis. of Heart & Dropsy	433	12	5	2	2	—	21	9	5	5	6	24	38	54	84	117	56	19
Dis. of Lungs	1265	313	163	82	43	17	620	28	8	11	11	27	45	79	117	191	123	11
Dis. of Stom. and Liver	403	41	7	4	4	2	68	13	7	11	8	15	42	67	71	81	34	5
Dis. of Kidneys	229	—	1	—	—	—	1	7	4	2	7	15	25	18	22	59	37	4
Dis. of Genes. Organs	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	28	—	1	1	1	—	3	3	7	1	2	2	2	2	1	2	3	—
Dis. of Skin	46	18	1	1	1	1	22	1	—	—	3	1	3	2	6	8	2	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	58	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	297	12	11	10	6	5	44	24	17	23	23	27	29	40	37	25	7	1
Other Causes	2320	1242	142	32	6	6	1428	9	2	3	4	14	34	48	76	227	237	126
235.—FOREF.OE.																		
Mean Popul ⁿ , 1861-71	6159	166	159	145	161	159	790	765	744	590	411	657	647	594	493	338	111	19
TOTAL DEATHS	1259	331	55	31	26	16	459	42	29	33	38	52	61	76	105	159	147	26
Small-pox	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	9	—	2	3	—	1	6	3	—	—	—	—	—	—	—	—	—	—
Scarlatina	27	1	—	7	4	4	16	8	2	—	—	1	—	—	—	—	—	—
Diphtheria	22	1	—	5	3	—	9	4	3	2	1	1	1	1	—	—	—	—
Whooping-cough	24	16	1	3	1	—	21	3	—	—	—	—	—	—	—	—	—	—
Typhus	52	1	—	—	4	3	8	4	7	7	4	4	7	3	3	3	3	—
Diarrhoea & Dysentery	87	22	3	—	—	—	25	—	—	—	—	—	1	—	1	3	1	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	51	4	2	1	1	—	8	1	1	3	—	1	1	3	4	5	—	—
Cancer	10	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Scrophula and Tubes	14	2	2	2	—	—	6	1	1	1	1	—	—	1	4	2	—	—
Phthisis	116	3	1	—	1	—	5	2	3	14	23	26	20	16	7	2	—	—
Hydrocephalus	7	2	3	1	—	1	7	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	137	35	8	2	4	1	60	2	1	—	5	1	8	7	14	24	23	—
Dis. of Heart & Dropsy	57	3	—	—	—	—	3	1	2	—	—	1	7	4	12	14	13	—
Dis. of Lungs	148	29	12	5	3	1	47	4	—	—	—	1	5	15	18	24	15	—
Dis. of Stom. and Liver	59	7	1	2	—	—	10	—	1	—	—	1	4	11	6	19	12	—
Dis. of Kidneys	38	1	—	—	—	—	1	—	—	1	1	—	2	2	7	17	—	—
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Dis. of Skin	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	11	—	2	1	—	—	5	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	39	1	1	1	1	—	5	—	—	—	—	—	—	—	—	—	—	—
Other Causes	421	206	18	4	2	2	232	3	4	3	3	—	—	—	—	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 5 Years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		Total under 1 Year.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		233.—ST. FAITHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Popul ⁿ , 61-71	5656	147	132	145	131	145	700	642	590	482	472	767	643	537	398	284	122	19																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			</

Div. IV.] Causes of Death in the Ten Years 1861-70.—Females.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
236.—HENSTEAD.																		
Mean Popul ⁿ , 1861-71		5553	148	134	136	138	135	691	630	586	454	448	718	646	526	432	290	110
TOTAL DEATHS		1033	215	45	17	20	21	318	31	22	30	45	73	61	62	86	111	182
Small-pox		1	-	-	-	-	-	7	1	1	-	-	-	1	-	-	-	-
Measles		9	1	1	2	1	2	11	7	2	1	-	1	1	-	-	-	-
Scarlatina		23	-	12	4	2	3	11	7	1	-	-	1	-	2	1	-	-
Diphtheria		17	-	-	-	3	2	5	7	-	-	-	-	-	-	-	-	-
Whooping-cough		15	6	7	1	1	1	15	-	-	-	-	-	-	-	-	-	-
Typhus		46	2	2	1	3	2	19	4	2	3	8	2	5	4	6	2	2
Diarrhoea & Dysentery		19	9	2	-	-	-	11	-	-	-	-	1	-	-	2	-	-
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		16	2	-	1	1	2	6	-	2	2	-	1	-	-	-	2	1
Cancer		32	-	-	-	-	-	-	-	-	-	-	-	6	6	14	4	1
Scrofula and Tuberc.		27	14	3	1	-	1	19	-	1	-	1	3	1	-	1	1	-
Phthisis		146	3	1	-	-	2	6	5	9	18	24	34	23	15	9	3	-
Hydrocephalus		3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		90	20	5	2	1	2	30	2	-	1	-	3	4	6	6	13	21
Dis. of Heart & Dropsy		61	1	-	-	-	-	1	-	-	1	-	3	4	6	14	18	7
Dis. of Lungs		129	22	11	4	3	3	43	3	1	1	-	3	3	7	12	30	24
Dis. of Stom. and Liver		54	6	1	-	-	2	9	1	2	-	-	7	2	3	14	9	5
Dis. of Kidneys		8	1	-	-	-	-	1	-	-	-	-	1	1	2	2	1	-
Dis. of Gen. Organs		8	-	-	-	-	-	-	-	-	-	-	1	1	4	1	-	1
Dis. of Joints		1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
Childbirth and Metris		24	-	-	-	-	-	-	-	-	1	6	10	6	1	-	-	-
Suicide		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths		11	1	2	-	4	-	7	-	-	-	-	1	-	-	1	1	1
Other Causes		289	125	7	-	-	-	123	1	-	3	-	4	2	4	3	24	69
237.—BLOFIELD.																		
Mean Popul ⁿ , 1861-71		5768	151	133	143	134	140	701	676	604	444	448	792	718	540	418	288	116
TOTAL DEATHS		1201	212	43	23	20	14	312	40	24	43	52	84	100	65	119	154	147
Small-pox		4	1	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-
Measles		12	6	3	2	-	1	12	-	-	-	-	-	-	-	-	-	-
Scarlatina		24	-	2	3	4	2	11	4	1	5	-	1	1	1	-	-	-
Diphtheria		26	1	2	1	1	2	7	12	2	1	-	1	2	1	-	-	-
Whooping-cough		19	8	7	3	-	1	19	-	-	-	-	-	-	-	-	-	-
Typhus		46	-	-	-	2	1	13	8	5	8	4	6	4	1	4	2	1
Diarrhoea & Dysentery		26	11	2	-	-	-	13	-	-	-	-	-	1	1	1	6	4
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		17	3	-	-	1	-	4	1	1	-	-	-	-	3	2	3	3
Cancer		24	-	-	-	2	-	2	-	-	-	-	1	3	4	6	5	3
Scrofula and Tuberc.		18	8	3	1	-	-	12	-	2	-	-	1	1	-	2	-	-
Phthisis		191	4	3	1	3	-	11	5	9	19	37	40	37	18	11	4	-
Hydrocephalus		2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain		179	24	4	1	2	3	34	1	1	1	2	16	25	14	34	30	21
Dis. of Heart & Dropsy		73	-	-	-	-	-	1	1	2	1	-	3	8	5	13	17	16
Dis. of Lungs		122	21	7	5	1	1	35	5	-	1	-	4	9	5	9	25	23
Dis. of Stom. and Liver		48	2	-	-	-	1	3	2	-	1	-	2	7	9	11	11	2
Dis. of Kidneys		10	1	-	-	-	-	1	-	-	1	-	1	2	-	3	2	-
Dis. of Gen. Organs		11	-	-	-	-	-	-	-	-	1	-	1	1	2	2	3	1
Dis. of Joints		5	-	-	-	-	-	-	1	1	-	-	-	-	-	2	2	-
Dis. of Skin		5	1	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1
Childbirth and Metris		12	-	-	-	-	-	-	-	-	1	2	3	5	1	-	-	-
Suicide		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		17	3	3	4	1	2	13	-	-	-	-	-	1	-	1	1	1
Other Causes		307	116	7	2	3	-	123	-	-	1	2	4	2	-	11	43	71
238.—LODDON.																		
Mean Popul ⁿ , 1861-71		7140	180	169	166	168	169	852	858	748	617	538	917	844	689	532	348	161
TOTAL DEATHS		1341	228	39	21	12	14	314	42	33	47	63	88	74	70	110	155	171
Small-pox		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scarlatina		19	3	-	2	2	3	10	4	3	1	-	-	-	-	1	-	-
Diphtheria		40	1	2	3	5	4	15	11	4	2	-	2	-	2	3	1	-
Whooping-cough		17	11	3	1	1	1	17	-	-	-	-	-	-	-	-	-	-
Typhus		50	-	-	1	-	1	2	7	8	7	3	4	4	4	4	4	1
Diarrhoea & Dysentery		38	13	3	1	-	-	17	2	1	-	-	1	1	-	5	6	-
Cholera		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		21	2	1	1	1	-	5	1	-	-	-	1	-	3	5	2	1
Cancer		43	-	-	-	-	-	-	-	-	-	-	1	6	9	18	6	1
Scrofula and Tuberc.		28	14	3	4	-	-	21	2	-	3	-	1	1	1	-	-	-
Phthisis		188	1	1	-	-	-	2	3	5	26	41	49	32	19	10	1	-
Hydrocephalus		11	2	3	-	-	1	6	2	1	2	-	-	-	-	-	-	-
Dis. of Brain		107	17	3	2	1	-	23	1	3	1	1	6	5	6	10	33	1
Dis. of Heart & Dropsy		89	-	-	-	-	-	1	2	2	2	1	2	2	4	19	22	1
Dis. of Lungs		155	36	16	3	1	1	58	2	2	-	3	1	7	8	12	27	2
Dis. of Stom. and Liver		36	5	-	-	-	1	7	-	1	-	-	2	1	5	14	16	-
Dis. of Kidneys		13	1	-	-	-	-	1	-	1	-	-	1	4	1	2	2	-
Dis. of Gen. Organs		11	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
Dis. of Joints		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		5	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Childbirth and Metris		16	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Suicide		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		11	2	-	-	-	1	3	2	-	-	-	1	-	-	-	-	-
Other Causes		322	116	4	3	-	-	133	2	-	-	2	4	2	2	5	6	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80-
		239.—DEPWADE.																
Mean Popul ⁿ , 1861-71	12123	356	300	326	305	328	1615	1533	1383	1176	868	1326	1227	1139	931	610	270	48
TOTAL DEATHS	2491	606	117	57	52	41	873	114	55	73	81	120	95	119	205	303	326	12
Small-pox	9	1	-	-	-	-	1	1	-	2	1	-	1	2	1	-	-	4
Measles	15	4	6	2	1	-	13	2	-	-	-	-	-	-	-	-	-	2
Scarlatina	49	2	4	11	8	8	33	14	1	-	-	1	-	-	-	-	-	1
Diphtheria	95	4	5	5	10	11	35	36	11	8	3	2	-	-	-	-	-	1
Whooping-cough	40	20	13	1	2	2	38	2	-	-	-	-	-	-	-	-	-	1
Typhus	73	-	-	2	2	3	7	11	9	5	8	5	6	9	5	7	2	1
Diarrhoea & Dysentery	55	29	2	1	-	-	32	-	1	-	1	1	-	1	2	5	10	1
Cholera	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	66	3	2	4	5	2	16	4	-	1	-	1	5	4	7	16	11	1
Cancer	44	-	-	-	-	-	-	-	-	-	-	1	5	7	12	17	2	-
Scrofula and Tuberc.	75	37	11	3	1	1	53	5	5	4	1	3	5	7	12	17	2	-
Phthisis	254	13	5	2	1	2	23	5	9	29	46	65	28	19	17	11	2	-
Hydrocephalus	20	5	4	4	2	-	15	4	-	-	-	-	-	-	1	-	-	-
Dis. of Brain	235	40	12	6	1	2	61	6	4	5	5	6	6	10	35	47	46	1
Dis. of Heart & Dropsy	161	3	-	-	-	-	3	2	2	5	1	5	6	15	35	51	32	1
Dis. of Lungs	250	80	32	9	9	3	133	8	-	3	4	10	11	11	27	44	38	1
Dis. of Stom. and Liver	121	15	1	-	1	1	18	3	1	2	2	7	8	10	29	24	23	1
Dis. of Kidneys	61	-	-	-	-	-	-	2	2	3	3	1	4	3	8	15	17	1
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	1	-	-	1	-	2	-	1	2	2	-	-	-	1	1	1	-
Dis. of Skin	10	3	1	-	-	-	4	-	1	-	-	1	-	-	-	3	2	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	1	-	-	1	4	1	3	-	-
Other Violent Deaths	64	2	3	3	5	5	18	5	5	4	-	8	6	7	4	3	6	-
Other Causes	721	344	16	4	3	1	398	5	2	1	4	5	6	11	20	57	145	60
240.—GUILTCROSS.																		
Mean Popul ⁿ , 1861-71	5682	143	153	147	145	164	752	727	658	550	385	617	558	524	440	300	144	27
TOTAL DEATHS	1135	279	54	21	19	18	391	30	33	23	43	48	50	48	84	107	144	75
Small-pox	2	-	-	-	-	-	7	-	1	-	-	1	1	-	-	-	-	-
Measles	18	1	2	2	2	2	9	3	4	-	-	2	-	-	-	-	-	-
Scarlatina	59	1	3	2	4	4	14	15	4	2	-	1	2	1	-	-	-	-
Diphtheria	15	9	4	2	-	-	15	2	4	5	3	-	-	-	-	-	-	-
Whooping-cough	25	-	-	1	-	1	2	2	-	-	3	-	1	-	1	1	2	1
Typhus	13	3	1	1	-	-	5	-	-	-	1	-	-	1	-	2	2	1
Diarrhoea & Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	34	-	2	3	1	1	7	1	2	1	-	1	1	5	1	4	1	-
Other Zymotic Dis.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	1	-
Cancer	35	16	3	-	1	-	20	1	2	-	1	1	1	1	1	1	1	-
Scrofula and Tuberc.	107	2	1	1	-	1	5	6	6	9	29	24	12	8	8	-	-	-
Phthisis	11	4	1	1	-	-	9	1	1	-	-	-	-	-	-	-	-	-
Hydrocephalus	97	20	2	-	-	2	24	-	4	-	2	3	5	4	15	21	18	1
Dis. of Brain	60	3	-	-	-	-	3	-	-	1	1	2	4	3	15	24	7	-
Dis. of Heart & Dropsy	150	31	11	2	5	3	52	6	1	-	1	2	10	10	16	28	19	1
Dis. of Lungs	50	6	1	1	-	-	8	-	-	1	1	1	2	2	9	18	8	-
Dis. of Stom. and Liver	22	-	-	-	-	-	-	-	-	3	1	-	2	1	2	10	2	1
Dis. of Kidneys	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
Other Violent Deaths	33	3	3	2	3	2	13	1	2	-	2	3	2	3	2	2	2	-
Other Causes	410	179	15	5	3	1	198	3	1	1	1	4	6	7	27	32	80	65
241.—WAYLAND.																		
Mean Popul ⁿ , 1861-71	5602	143	156	163	142	148	752	683	650	535	377	617	619	544	409	274	131	21
TOTAL DEATHS	1143	297	68	30	19	18	432	35	18	32	34	41	49	67	77	164	140	54
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	7	1	3	3	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	2	3	6	2	3	16	8	3	1	1	1	-	-	-	-	-	-
Diphtheria	17	-	1	2	3	-	6	7	2	-	-	-	1	-	-	-	1	-
Whooping-cough	23	12	3	3	2	3	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	41	1	-	-	2	2	5	4	4	5	3	-	6	3	2	8	1	-
Diarrhoea & Dysentery	26	8	-	2	2	-	12	2	-	-	-	-	-	-	1	3	8	-
Cholera	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-
Other Zymotic Dis.	16	2	1	-	-	-	3	2	1	3	-	-	-	1	1	3	2	-
Cancer	15	-	-	-	-	-	-	-	-	-	1	1	-	4	3	4	2	-
Scrofula and Tuberc.	21	2	4	-	3	3	12	3	-	1	2	2	1	1	1	-	-	-
Phthisis	116	6	1	1	1	-	17	-	2	12	23	20	18	16	5	-	-	-
Hydrocephalus	4	-	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	108	17	7	3	1	-	28	-	-	-	1	3	2	8	14	29	20	1
Dis. of Heart & Dropsy	53	-	-	-	-	-	-	2	-	-	-	-	3	6	13	22	7	-
Dis. of Lungs	158	37	10	5	1	5	58	5	1	-	2	1	2	8	12	36	28	1
Dis. of Stom. and Liver	66	6	1	1	-	-	8	1	2	1	2	2	4	6	9	23	7	-
Dis. of Kidneys	20	-	-	-	-	-	-	-	1	-	-	1	-	2	4	7	4	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	42	1	-	-	-	1	2	1	2	4	1	3	6	8	3	7	3	-
Other Causes	371	203	22	4	2	1	231	-	-	-	-	-	5	6	3	16	38	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and upward.
239.—DEPWADE.																		
Popul'n, 861-71	12637	313	312	324	335	315	1599	1497	1399	1125	973	1577	1335	1210	922	639	296	65
L DEATHS -	2528	470	129	57	37	42	735	142	88	108	81	161	142	130	169	275	321	176
Cox	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
na	44	3	5	6	4	6	24	12	3	-	-	-	-	-	-	-	-	-
ria	137	2	3	10	11	11	37	51	23	7	1	6	1	3	2	-	-	-
ng-cough	48	28	19	7	1	-	48	-	-	-	-	-	-	-	-	-	-	-
na & Dysentery	70	1	1	-	1	4	7	14	11	7	3	8	8	3	5	6	9	4
ymotic Dis.	37	21	1	-	-	2	94	3	-	-	1	2	-	-	2	11	10	4
	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	63	7	6	3	3	2	21	5	2	3	-	3	3	4	5	9	6	2
	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and Tabes	76	26	6	3	1	2	38	6	11	3	3	5	3	16	14	16	18	8
	324	6	4	1	2	3	16	11	23	50	53	81	45	24	14	7	-	-
phalus	19	4	4	2	2	1	18	4	1	1	-	-	-	-	-	-	-	-
Brain	236	29	15	3	-	2	49	6	1	9	2	7	8	17	30	54	42	11
Heart & Dropsy	163	1	1	-	1	-	3	-	3	1	3	8	14	14	36	48	29	4
Lungs	264	56	31	12	6	3	108	10	4	6	6	5	7	13	20	40	39	6
Stom. and Liver	113	6	3	1	1	1	12	4	2	7	-	9	9	16	13	23	17	1
Kidneys	27	-	-	-	-	-	-	2	-	1	-	3	4	4	5	5	3	-
Jener. Organs	17	-	-	-	-	-	-	-	-	2	2	3	4	1	4	1	1	-
Joints	12	-	1	1	-	-	2	-	2	2	1	3	4	1	3	1	-	-
Skin	5	-	1	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-
th and Metria	29	-	-	-	-	-	-	-	-	1	4	18	9	2	-	-	-	-
olent Deaths	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
auses	31	3	3	2	2	1	11	2	1	-	-	-	1	1	2	3	4	5
	690	272	25	4	2	3	306	4	-	3	2	5	5	7	11	44	162	141
240.—GUILTCROSS.																		
Popul'n, 861-71	5717	140	147	149	150	161	747	703	626	464	419	701	628	545	412	306	142	24
L DEATHS -	1123	211	55	32	18	20	336	46	35	43	49	82	40	56	65	121	161	80
Cox	1	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-
na	12	-	6	1	1	1	9	9	-	-	-	2	-	-	-	-	-	-
ria	19	-	2	3	2	-	7	9	1	-	-	2	-	-	-	-	-	-
ng-cough	53	2	1	4	4	4	15	14	9	6	1	2	3	3	-	-	-	-
na & Dysentery	22	8	7	3	1	-	19	2	1	-	-	-	-	-	-	-	-	-
ymotic Dis.	34	-	2	1	-	-	3	1	4	6	4	4	2	1	2	2	3	2
	11	3	-	-	-	-	3	1	-	-	-	2	1	-	-	1	1	1
	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	20	2	-	1	-	2	5	2	-	2	1	-	-	-	-	3	3	-
and Tabes	29	-	-	-	-	-	-	-	-	-	1	3	3	7	3	7	4	1
	33	11	4	4	-	-	19	-	1	25	2	2	2	3	2	2	2	-
phalus	141	-	1	2	1	1	4	1	11	25	26	40	21	11	4	-	-	-
Brain	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart & Dropsy	81	12	3	1	2	1	19	2	5	1	-	7	2	3	5	18	14	6
Lungs	74	-	3	-	-	-	3	3	1	-	2	3	3	6	19	17	17	4
Stom. and Liver	117	13	8	4	4	5	34	4	1	1	2	2	2	7	13	27	25	4
	53	3	-	-	-	1	4	-	1	1	-	4	4	3	3	6	5	1
Kidneys	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	-
Jener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-
Joints	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
th and Metria	20	-	-	-	-	-	-	-	-	-	7	5	7	1	-	-	-	-
olent Deaths	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
auses	23	-	5	3	2	-	10	2	1	1	-	1	1	-	2	3	2	1
	378	137	18	8	1	3	182	2	1	-	3	1	4	6	4	30	83	62
241.—WAYLAND.																		
Popul'n, 861-71	5726	146	129	154	145	147	721	687	620	497	420	719	675	553	393	280	131	30
L DEATHS -	1099	216	55	17	20	20	328	53	31	39	37	79	66	49	84	124	148	61
Cox	7	2	1	-	-	2	5	2	-	-	-	-	-	-	-	-	-	-
na	81	2	3	2	4	4	15	9	4	-	1	-	-	-	-	-	-	-
ria	29	-	2	3	3	2	10	8	5	1	-	2	1	-	2	-	-	-
ng-cough	23	10	6	1	4	2	23	8	4	2	3	5	4	1	1	5	2	-
na & Dysentery	41	1	-	4	1	2	8	-	-	-	-	-	-	-	-	-	-	-
ymotic Dis.	21	1	-	-	2	-	8	2	1	-	-	1	-	2	2	5	2	-
	19	1	2	1	1	1	6	1	-	1	1	1	1	-	1	1	1	1
and Tabes	19	5	1	1	-	-	7	1	1	2	-	1	4	3	6	2	1	-
	144	6	1	1	1	1	10	2	8	21	25	39	19	10	1	-	-	-
phalus	8	3	3	1	-	-	7	-	1	-	-	-	-	-	-	-	-	-
Brain	101	12	3	-	1	2	18	-	3	2	-	2	3	4	15	25	20	5
Heart & Dropsy	70	-	-	-	-	-	-	-	1	2	-	3	3	6	19	18	17	2
Lungs	148	39	10	2	1	-	45	5	1	3	1	6	5	5	9	32	30	8
Stom. and Liver	53	-	1	-	-	1	2	-	-	1	-	1	-	-	1	13	6	1
Kidneys	5	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Jener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joints	4	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
th and Metria	25	-	-	-	-	-	-	-	-	-	5	-	10	9	1	-	-	-
olent Deaths	17	-	1	1	1	1	3	5	-	-	1	-	-	-	1	3	16	3
auses	305	141	21	1	1	2	166	5	-	-	1	-	1	4	1	18	16	3

IV.] Causes of Death in the Ten Years 1861-70.—Females.

183

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85	95			
242.—MITFORD.																				
Popul ⁿ , 1861-71	14131	354	323	370	363	356	1766	1654	1574	1178	1086	1790	1590	1337	1016	766	331	63		
DEATHS—	2561	481	108	55	29	38	711	119	94	88	90	188	145	140	181	281	363	161		
xx - - -	4	1	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-		
xx - - -	13	4	4	2	1	-	11	1	-	1	-	-	1	-	-	-	-	-		
xx - - -	71	2	9	8	7	16	42	15	9	3	-	1	1	-	-	-	-	-		
xx - - -	57	3	8	2	2	5	15	28	6	3	-	2	1	-	1	1	-	-		
xx - - -	86	13	11	5	1	2	32	4	-	-	-	-	-	-	-	-	-	-		
xx - - -	72	1	1	1	1	2	6	11	10	7	5	10	4	7	4	5	9	4		
xx - - -	47	23	3	2	-	1	29	1	1	1	-	-	1	-	3	4	-	-		
xx - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
xx - - -	50	2	5	3	2	4	16	2	6	-	2	1	2	3	7	5	5	5		
xx - - -	99	-	-	1	-	-	1	1	-	-	-	1	13	17	20	33	11	-		
xx - - -	33	11	5	-	-	-	16	5	2	1	1	2	13	17	20	33	11	-		
xx - - -	882	8	9	1	1	2	21	5	34	32	53	108	53	35	14	4	-	-		
xx - - -	15	5	1	-	-	-	11	4	-	-	-	-	-	-	-	-	-	-		
xx - - -	247	49	16	7	1	-	73	8	8	5	8	9	8	17	30	40	27	4		
xx - - -	149	1	1	-	2	-	4	2	6	2	1	6	12	10	25	45	25	4		
xx - - -	256	59	15	11	7	15	97	12	3	3	-	10	7	7	29	41	37	10		
xx - - -	99	6	2	2	-	-	10	3	3	4	1	7	10	9	10	20	10	-		
xx - - -	13	-	-	-	-	-	-	-	2	1	-	1	1	3	3	9	3	-		
xx - - -	18	-	-	-	-	-	-	-	-	-	-	2	3	3	4	9	3	-		
xx - - -	2	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-		
xx - - -	7	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-		
xx - - -	48	-	-	-	-	-	-	-	-	3	10	17	17	1	1	1	1	-		
xx - - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	32	2	1	2	1	1	6	7	2	1	1	-	2	2	2	1	1	8		
xx - - -	806	290	18	7	1	1	317	9	3	-	3	4	10	13	20	72	218	-		
243.—WALSINGHAM.																				
Popul ⁿ , 1861-71	10747	267	246	261	257	280	1311	1223	1136	958	863	1395	1186	1011	801	560	2			
DEATHS—	2220	445	106	73	44	48	716	113	65	81	80	128	113	113	152	238	277	142		
xx - - -	10	2	-	-	1	-	5	-	1	2	2	-	1	1	-	-	-	-		
xx - - -	28	9	8	5	2	1	25	3	-	-	-	-	-	-	-	-	-	-		
xx - - -	104	7	7	18	15	11	38	39	6	-	-	1	-	-	-	-	-	-		
xx - - -	60	1	2	5	4	10	22	23	8	2	2	1	1	1	-	-	-	-		
xx - - -	47	24	11	6	1	2	44	3	-	-	-	-	-	-	-	-	-	-		
xx - - -	94	2	2	7	7	7	25	17	14	7	11	5	2	4	7	2	2	2		
xx - - -	40	18	4	-	-	-	22	1	-	-	1	1	2	4	4	3	3	2		
xx - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	45	10	4	4	2	-	20	3	2	2	1	2	2	3	3	3	4	4		
xx - - -	62	-	-	-	-	-	-	-	1	-	-	3	10	14	13	16	4	1		
xx - - -	45	10	1	1	1	2	15	4	5	2	4	3	3	4	2	5	4	1		
xx - - -	292	4	3	-	1	1	9	9	14	51	44	72	40	25	24	2	2	-		
xx - - -	11	3	3	1	1	1	9	-	2	-	-	-	-	-	-	-	-	-		
xx - - -	187	40	10	6	4	1	61	2	1	3	3	5	6	12	20	41	20	4		
xx - - -	151	7	3	3	-	-	13	-	3	1	1	5	10	16	30	44	23	5		
xx - - -	145	32	15	4	4	7	62	5	-	3	3	4	3	5	16	25	17	4		
xx - - -	93	5	1	1	-	-	7	1	3	3	3	5	7	11	21	20	8	4		
xx - - -	10	-	-	-	-	1	1	-	-	-	-	1	3	2	2	1	1	-		
xx - - -	13	-	-	-	-	-	-	-	-	-	-	3	6	1	-	-	-	-		
xx - - -	8	-	-	1	-	-	-	-	2	1	-	1	1	1	-	1	1	-		
xx - - -	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	29	-	-	-	-	-	-	-	-	2	3	10	13	1	-	-	-	-		
xx - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	18	2	2	2	-	1	7	1	1	1	1	-	-	-	1	2	4	1		
xx - - -	722	268	29	9	1	3	310	2	2	2	1	6	3	6	12	72	182	123		
244.—DOCKING.																				
Popul ⁿ , 1861-71	8884	253	209	214	215	233	1124	1048	960	744	688	1159	1040	841	617	445	186	32		
DEATHS—	1847	438	94	38	38	32	640	109	61	61	61	113	91	107	109	195	212	88		
xx - - -	16	5	4	2	-	-	11	5	-	-	-	-	-	-	-	-	-	-		
xx - - -	44	1	4	4	4	3	16	20	4	2	-	-	-	1	1	-	-	-		
xx - - -	51	5	2	3	2	5	17	14	13	1	1	2	2	-	-	1	-	-		
xx - - -	55	26	16	3	6	1	52	2	-	1	-	-	-	-	-	-	-	-		
xx - - -	66	3	1	-	5	5	14	14	7	7	4	9	1	5	1	5	1	-		
xx - - -	34	25	2	-	-	-	27	2	-	-	-	1	1	1	1	1	1	-		
xx - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	43	5	3	2	3	6	19	6	-	1	1	3	3	2	2	4	2	2		
xx - - -	88	-	-	-	-	-	-	-	-	-	-	1	2	4	13	9	4	5		
xx - - -	13	4	2	-	2	-	8	2	2	1	-	2	-	-	-	-	-	-		
xx - - -	198	1	1	2	-	-	3	11	24	32	30	46	27	15	7	3	-	-		
xx - - -	11	1	1	1	2	1	6	3	1	-	-	1	-	-	-	-	-	-		
xx - - -	178	46	7	7	1	-	61	7	3	3	3	6	5	34	27	24	19	4		
xx - - -	121	1	2	1	-	-	4	3	-	2	3	4	11	14	22	44	14	-		
xx - - -	331	29	14	7	3	3	56	7	-	5	4	5	9	10	13	15	6	-		
xx - - -	62	4	1	1	1	2	8	1	1	2	-	6	5	11	11	7	8	-		
xx - - -	7	-	1	-	-	-	1	-	-	-	-	2	1	4	3	2	3	-		
xx - - -	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
xx - - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	10	-	-	1	-	-	2	2	1	-	-	-	1	1	1	1	1	-		
xx - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
xx - - -	25	1	2	2	3	2	10	4	2	-	-	2	-	1	1	1	1	-		
xx - - -	685	281	31	2	6	4	325	6	3	-	-	5	1	7	12	9	8	-		

of Death in the Ten Years 1861-70.—Males. [Div. IV]
1861-71, and Deaths in Districts during the 10 Years 1861-70.

		AGES OF MALES.																												
DEATH.	ALL	Total under 1 Year.																	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
	AGES.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16												
242.—MITTFORD.																														
Mean Popul ⁿ , 1861-71	13663	361	349	343	349	347	1740	1643	1575	1344	996	1507	1496	1288	1011	717	295	42												
TOTAL DEATHS-	2063	684	124	67	86	87	938	114	50	71	72	141	99	132	229	334	353	13												
Small-pox	6	2	-	-	-	-	2	-	1	1	-	1	1	-	-	-	-	-												
Measles	21	7	6	4	1	2	20	16	7	3	1	1	1	2	1	-	-	-												
Scarlatina	63	2	8	10	4	8	32	16	7	3	1	1	1	2	1	-	-	-												
Diphtheria	49	3	4	1	3	6	17	20	6	2	1	1	1	-	-	-	-	-												
Whooping-cough	35	23	10	1	1	1	36	12	-	-	-	-	-	-	-	-	-	-												
Typhus	74	1	2	2	5	2	12	12	2	9	4	7	7	7	5	7	2	-												
Diarrhea & Dysentery	44	23	4	1	1	1	30	1	-	-	-	-	-	-	-	-	-	-												
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-												
Other Zymotic Dis.	41	4	2	2	5	5	18	4	4	1	-	1	3	3	3	4	-	-												
Cancer	57	-	-	-	-	-	-	-	-	1	-	1	1	6	11	10	5	3												
Scrofula and Tuberc.	48	16	7	3	1	-	27	5	1	1	1	2	4	3	2	-	-	-												
Phthisis	299	21	7	3	2	1	34	10	9	23	46	77	32	35	22	11	-	-												
Hydrocephalus	22	4	3	2	-	-	9	10	2	1	-	-	-	-	-	-	-	-												
Dis. of Brain	265	61	14	7	5	2	69	8	2	4	4	13	7	17	27	32	28	5												
Dis. of Heart & Dropsy	128	3	-	-	-	-	3	1	2	2	2	7	1	14	27	36	27	1												
Dis. of Lungs	320	80	30	13	8	3	129	7	2	4	6	8	8	14	28	37	32	9												
Dis. of Stom. and Liver	102	11	-	-	-	1	12	4	-	3	1	7	5	10	28	16	14	2												
Dis. of Kidneys	74	-	-	-	-	-	-	-	-	3	-	5	8	6	13	25	15	1												
Dis. of Gen. Organs	4	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-												
Dis. of Joints	8	-	-	-	-	-	-	-	-	1	1	2	-	-	2	1	3	-												
Dis. of Skin	7	3	1	-	-	-	4	-	-	-	-	-	-	-	2	1	-	-												
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-												
Suicide	14	-	-	-	-	-	-	-	1	1	-	-	1	4	5	-	2	1												
Other Violent Deaths	70	-	1	2	2	2	7	4	4	6	4	5	8	7	15	7	2	1												
Other Causes	919	420	25	6	3	8	457	12	7	8	1	5	10	6	35	86	159	110												
243.—WALSINGHAM.																														
Mean Popul ⁿ , 1861-71	9837	270	256	271	269	250	1316	1242	1121	895	667	1074	1043	925	779	535	206	34												
TOTAL DEATHS-	2215	523	127	80	50	48	828	190	57	85	70	104	101	105	172	240	242	73												
Small-pox	10	4	1	1	-	-	6	-	-	1	3	-	-	-	-	-	-	-												
Measles	26	4	12	7	3	-	26	-	-	-	-	-	-	-	-	-	-	-												
Scarlatina	127	9	14	20	15	17	75	41	8	1	-	2	2	-	-	-	-	-												
Diphtheria	65	5	4	6	4	5	24	16	13	5	1	2	1	2	1	-	-	-												
Whooping-cough	36	22	8	4	-	-	34	2	-	-	-	-	-	-	-	-	-	-												
Typhus	77	3	4	3	2	0	18	13	7	9	7	5	4	8	4	4	3	-												
Diarrhea & Dysentery	35	16	3	5	1	-	25	1	-	-	-	1	-	-	2	4	3	-												
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-												
Other Zymotic Dis.	46	7	1	2	3	3	16	12	4	2	-	-	2	1	5	2	2	-												
Cancer	25	-	-	-	-	-	-	-	-	-	-	-	4	3	6	9	3	-												
Scrofula and Tuberc.	48	21	3	3	1	2	30	4	2	3	1	2	1	2	1	1	1	-												
Phthisis	249	7	6	-	-	-	13	7	5	35	44	56	45	22	19	5	-	-												
Hydrocephalus	28	9	8	4	2	-	23	5	-	-	-	-	-	-	-	-	-	-												
Dis. of Brain	213	55	12	6	4	4	81	6	3	6	2	6	4	10	18	43	29	5												
Dis. of Heart & Dropsy	123	5	2	-	1	1	9	1	1	1	2	7	8	12	32	35	24	1												
Dis. of Lungs	204	50	16	8	6	6	86	5	1	3	4	5	4	14	22	49	16	4												
Dis. of Stom. and Liver	78	2	-	1	-	-	5	-	1	2	1	7	18	32	15	5	-	-												
Dis. of Kidneys	50	-	-	-	1	-	1	3	-	1	1	7	3	6	13	7	8	-												
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-												
Dis. of Joints	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-												
Dis. of Skin	4	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-												
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-												
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-												
Other Violent Deaths	76	1	2	1	6	1	11	6	10	12	4	6	9	4	10	3	1	-												
Other Causes	686	302	31	9	1	3	346	7	-	2	-	4	7	7	10	77	156	63												
244.—DOCKING.																														
Mean Popul ⁿ , 1861-71	8565	224	214	229	224	225	1116	1075	1020	820	599	982	910	801	654	415	153	20												
TOTAL DEATHS-	1834	521	101	43	35	22	722	76	50	56	60	94	68	70	150	224	178	77												
Small-pox	11	4	-	2	-	-	6	-	-	-	4	1	-	-	-	-	-	-												
Measles	12	-	7	3	1	-	11	-	-	-	-	-	-	-	-	-	-	-												
Scarlatina	80	3	1	2	4	3	13	14	3	-	-	-	-	-	-	-	-	-												
Diphtheria	46	4	4	4	10	3	25	10	6	4	-	-	-	-	-	-	-	-												
Whooping-cough	41	21	11	8	-	1	41	-	-	-	-	-	-	-	-	-	-	-												
Typhus	54	-	1	2	4	3	10	4	6	9	5	6	3	2	4	5	1	-												
Diarrhea & Dysentery	37	24	3	1	1	-	29	-	1	-	-	-	-	-	-	-	-	-												
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-												
Other Zymotic Dis.	51	6	3	6	7	1	23	3	1	2	1	4	3	2	4	6	-	-												
Cancer	12	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-												
Scrofula and Tuberc.	19	3	2	1	-	-	6	4	3	-	-	3	3	1	5	1	-	-												
Phthisis	172	1	-	2	-	1	4	10	11	24	34	45	21	10	11	-	-	-												
Hydrocephalus	14	4	3	1	1	2	11	1	1	1	-	-	-	-	-	-	-	-												
Dis. of Brain	166	63	8	2	1	2	76	6	1	2	3	5	4	6	16	30	20	5												
Dis. of Heart & Dropsy	90	6	1	-	-	-	7	3	5	2	3	4	7	10	18	13	5	-												
Dis. of Lungs	162	36	9	2	2	2	51	4	3	1	5	11	6	12	19	18	8	-												

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES DEATH.	ALL AGRS.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
242.—MITFORD.																		
Popul ⁿ , -71-	14131	354	323	370	363	356	1766	1654	1574	1178	1066	1790	1590	1337	1016	766	331	63
DEATHS-	2561	481	108	55	29	38	711	119	94	88	90	188	145	140	181	281	363	161
-	13	4	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-
-	11	4	4	2	1	-	11	1	-	1	-	-	1	-	-	-	-	-
-	71	2	9	8	7	16	42	15	9	3	-	1	1	-	-	1	-	-
-	57	3	3	2	2	5	15	28	6	3	-	2	1	-	1	-	-	-
cough	36	13	11	5	1	2	32	4	-	-	-	-	-	-	-	-	-	-
Dysentery	72	1	1	1	1	2	6	11	10	7	5	10	4	7	4	5	3	8
-	47	23	3	-	-	1	29	1	1	1	-	-	1	-	3	4	4	3
otio Dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	50	2	5	3	2	4	16	2	6	-	3	1	2	3	7	5	5	1
-	99	-	-	1	-	-	1	1	-	-	-	1	2	13	17	20	33	11
d Tabes	33	11	5	-	-	-	16	5	2	1	1	6	-	-	-	1	-	-
-	882	8	9	1	1	2	21	5	34	53	63	108	55	36	14	4	-	-
alus	15	5	5	1	-	-	11	4	-	-	-	-	-	-	-	-	-	-
-	247	49	16	7	1	-	73	8	8	5	8	9	8	17	30	40	37	4
rt & Dropay	142	1	1	-	-	-	4	2	6	2	1	6	12	19	25	45	23	4
gs	246	59	15	11	7	15	97	12	3	3	-	10	7	7	29	41	37	10
n. and Liver	99	6	2	2	-	-	10	3	3	4	1	7	10	9	16	23	19	-
-	13	-	-	-	-	-	-	-	-	2	1	1	1	3	3	2	-	-
er. Organs	18	-	-	-	-	-	-	-	-	-	-	2	3	3	4	3	5	-
its	2	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
a	7	1	-	-	-	-	2	1	1	-	-	-	-	-	-	1	-	-
-	48	-	-	-	-	-	-	-	-	3	10	17	17	1	-	-	-	-
nd Metrin	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-
nt Deaths	32	2	1	2	1	-	6	7	2	1	1	-	-	2	2	1	8	2
se	806	260	18	7	1	1	317	9	3	-	3	4	10	13	20	72	218	137
243.—WALSINGHAM.																		
Popul ⁿ , -71-	10747	267	246	261	257	280	1311	1223	1136	958	863	1395	1186	1011	801	560	256	47
DEATHS-	2220	445	106	73	44	48	716	113	65	81	80	128	113	113	152	238	277	144
-	10	2	-	-	1	-	3	-	1	2	2	-	1	1	-	-	-	-
-	28	9	5	3	2	1	25	3	-	-	-	-	-	-	-	-	-	-
-	104	7	13	15	11	-	58	39	6	-	-	1	-	-	-	-	-	-
-	60	1	2	5	4	10	22	23	8	2	2	1	1	1	-	-	-	-
cough	47	24	11	6	1	2	44	8	-	-	-	-	-	-	-	-	-	-
Dysentery	94	2	2	7	7	-	25	17	14	7	11	5	2	4	7	2	-	-
-	40	18	4	-	-	-	22	1	1	-	1	1	2	-	-	3	2	2
otio Dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	45	10	4	4	2	-	20	3	2	2	1	2	2	3	3	3	4	-
-	62	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
d Tabes	45	10	1	1	1	2	15	4	5	2	4	3	10	14	13	16	4	1
-	292	4	3	-	1	1	9	9	14	51	44	72	40	25	24	2	2	-
alus	11	3	3	1	1	1	9	-	2	-	-	-	-	-	-	-	-	-
-	187	40	10	6	4	1	61	2	1	3	3	5	6	12	20	41	29	4
rt & Dropay	151	7	3	3	-	-	13	3	3	1	1	5	10	16	39	44	23	5
gs	145	32	15	4	4	7	62	5	-	-	3	4	3	5	16	25	17	4
n. and Liver	93	5	1	1	-	-	7	1	3	3	3	5	7	11	21	20	8	4
-	10	-	-	-	-	1	1	-	-	-	-	1	3	2	2	1	-	-
er. Organs	13	-	-	-	-	-	-	-	-	-	-	3	6	2	1	1	-	-
its	8	-	-	1	-	-	1	-	2	1	-	1	1	1	-	1	-	-
a	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
-	29	-	-	-	-	-	-	-	-	2	3	10	13	1	-	-	-	-
nd Metrin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nt Deaths	18	2	2	2	-	1	7	1	1	1	1	-	-	-	1	2	4	1
se	722	268	29	9	1	3	310	2	2	3	1	6	3	6	12	72	132	123
244.—DOCKING.																		
Popul ⁿ , -71-	8884	253	209	214	215	233	1124	1048	960	744	688	1159	1040	841	617	445	186	32
DEATHS-	1847	438	94	38	38	32	640	109	61	61	61	113	91	107	109	195	212	88
-	16	5	4	2	-	-	11	5	-	-	-	-	-	-	-	-	-	-
-	44	1	4	4	4	3	16	16	4	2	-	-	-	1	1	-	-	-
-	51	5	2	3	2	5	17	14	13	1	1	2	2	-	-	1	-	-
cough	55	26	16	3	6	1	52	2	-	1	-	-	-	-	-	-	-	-
Dysentery	66	3	1	-	5	5	14	14	7	7	4	9	1	5	1	5	1	-
-	34	25	2	-	-	-	27	2	-	-	-	1	-	-	-	1	-	-
otio Dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	45	5	3	2	3	6	19	6	-	1	1	3	3	2	2	4	2	-
-	38	-	-	-	-	-	-	-	-	-	-	1	2	4	13	9	4	5
d Tabes	13	4	2	-	2	-	8	2	2	1	-	-	-	-	-	-	-	-
-	198	1	1	2	-	-	3	11	24	32	30	46	27	15	7	3	-	-
alus	11	1	1	1	2	1	6	3	1	-	-	-	-	-	-	-	-	-
-	176	46	7	7	1	-	61	7	3	3	3	6	5	14	27	24	19	4
rt & Dropay	121	1	2	1	-	-	4	3	-	2	3	4	11	14	22	44	34	1
gs	131	29	14	7	3	3	56	7	-	5	4	5	5	10	13	15	6	1
n. and Liver	62	4	1	-	1	2	8	1	-	2	-	6	5	11	11	7	8	-
-	7	-	1	-	-	-	1	-	-	-	-	2	1	-	3	2	-	-
er. Organs	14	-	-	-	-	-	-	-	-	1	-	1	4	-	4	2	-	-
its	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a	10	1	-	1	-	-	2	2	1	-	-	-	1	1	1	1	-	-
-	40	-	-	-	-	-	-	-	-	3	-	9	17	10	-	-	-	-
nd Metrin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths	25	1	2	2	3	2	10	4	2	-	-	2	5	1	1	9	20	15
se	685	281	31	3	6	4	325	6	3	-	-	2	2	7	13	9	80	150

of Death in the Ten Years 1861-70.—Males.

[Div. IV.]

1861-71, and Deaths in Districts during the 10 Years 1861-70.

		AGES OF MALES.																	
ATH.		AGES.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95-
		Year.																	
245.—FREEBRIDGE LYNN.																			
Mean Popul ⁿ , 1861-71	6694	176	155	193	175	184	883	840	764	671	517	778	684	616	507	293	117	14	
TOTAL DEATHS	1207	372	75	40	27	20	534	56	34	31	27	66	40	74	92	151	158	37	
Small-pox	7	1	1	-	-	-	2	1	1	-	1	-	1	-	1	-	-	-	
Measles	24	4	11	5	1	2	23	-	5	-	-	-	-	-	-	-	-	-	
Scarlatina	34	2	3	6	6	5	24	5	5	-	-	-	-	-	-	-	-	-	
Diphtheria	12	-	4	1	2	-	7	1	1	1	2	-	-	-	-	-	-	-	
Whooping-cough	36	24	4	4	2	1	55	1	-	-	-	-	-	-	-	-	-	-	
Typhus	45	1	1	2	4	1	9	6	4	-	5	-	2	4	5	2	3	1	
Diarrhoea & Dysentery	44	24	6	-	-	-	30	-	-	-	-	-	6	1	1	1	3	5	
Cholera	41	7	3	-	-	5	17	7	3	-	-	-	1	-	3	3	4	-	
Other Zymotic Dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tuberc.	24	10	3	1	2	1	17	1	3	-	1	-	2	2	6	6	1	-	
Phthisis	131	9	3	1	1	-	14	5	3	14	17	35	15	13	5	10	-	-	
Hydrocephalus	8	3	1	1	-	-	6	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	127	50	4	-	3	0	60	8	5	2	-	1	5	5	9	19	14	1	
Dis. of Heart & Dropsy	67	7	-	-	-	-	7	1	2	5	1	2	2	8	19	10	1	-	
Dis. of Lungs	135	37	13	5	2	1	58	2	-	1	-	3	3	11	18	24	10	5	
Dis. of Stom. and Liver	40	5	1	-	-	-	6	4	2	1	-	-	1	9	7	11	5	-	
Dis. of Kidneys	21	2	-	-	-	-	2	1	-	-	-	4	2	2	5	4	2	1	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	3	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	52	4	-	2	-	-	6	5	3	1	3	8	5	6	7	6	2	-	
Other Causes	415	182	17	9	1	1	210	5	1	1	1	1	1	9	19	50	82	29	
246.—KING'S LYNN.																			
Mean Popul ⁿ , 1861-71	7629	190	191	191	189	180	941	942	885	761	574	912	826	757	534	354	120	17	
TOTAL DEATHS	1881	438	137	64	40	28	707	70	38	55	53	85	117	131	208	212	161	44	
Small-pox	2	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	
Measles	49	6	22	8	6	2	44	4	1	-	-	-	-	-	-	-	-	-	
Scarlatina	79	7	12	12	6	7	44	23	2	1	-	-	-	-	-	-	-	-	
Diphtheria	19	2	1	4	-	4	11	5	1	-	1	1	-	-	-	-	-	-	
Whooping-cough	46	19	19	5	3	-	46	-	-	-	-	-	-	-	-	-	-	-	
Typhus	51	6	-	6	5	2	19	2	6	1	2	2	3	4	4	4	4	-	
Diarrhoea & Dysentery	46	30	2	-	-	-	33	-	-	-	-	-	-	-	-	-	-	-	
Cholera	15	10	-	1	-	-	11	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	49	4	6	4	6	3	23	3	2	2	-	-	2	4	6	6	1	-	
Cancer	25	-	-	-	-	-	-	-	1	1	-	-	1	4	9	7	1	1	
Scrofula and Tuberc.	46	18	5	3	4	1	51	5	4	3	1	1	1	1	1	1	-	-	
Phthisis	178	1	1	-	-	-	2	3	5	18	27	38	35	25	17	6	2	-	
Hydrocephalus	18	8	2	5	1	1	17	-	-	1	-	-	-	-	-	-	-	-	
Dis. of Brain	261	87	18	6	1	2	114	8	1	4	3	4	9	12	40	32	30	4	
Dis. of Heart & Dropsy	145	2	-	-	-	1	3	2	2	5	1	8	27	21	31	29	16	1	
Dis. of Lungs	215	41	34	4	3	1	83	1	1	3	4	8	8	15	29	36	19	6	
Dis. of Stom. and Liver	97	12	-	-	1	-	15	4	1	1	3	5	6	17	18	20	11	-	
Dis. of Kidneys	20	-	-	-	-	-	-	3	1	-	-	1	5	8	10	12	16	2	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	7	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	1	-	
Dis. of Skin	5	2	-	-	-	-	2	-	-	1	-	-	-	1	1	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	104	7	-	2	1	2	12	7	8	13	9	12	15	10	11	5	5	2	
Other Causes	372	175	15	4	2	1	197	2	1	1	1	4	4	6	21	50	87	24	
247.—DOWNHAM.																			
Mean Popul ⁿ , 1861-71	10120	301	289	288	279	278	1435	1295	1197	1008	707	1119	1055	937	709	447	185	26	
TOTAL DEATHS	2005	606	184	53	40	38	880	93	37	40	53	82	90	96	173	200	181	71	
Small-pox	6	-	-	-	-	-	1	-	1	-	1	2	1	-	-	-	-	-	
Measles	39	4	16	6	4	4	34	3	1	-	1	-	-	-	-	-	-	-	
Scarlatina	74	5	5	6	13	11	40	23	5	1	2	3	-	-	-	-	-	-	
Diphtheria	30	5	1	4	4	4	15	14	3	3	1	-	-	-	-	-	-	-	
Whooping-cough	50	31	12	5	2	-	50	-	-	-	-	-	-	-	-	-	-	-	
Typhus	68	4	2	1	-	-	8	-	6	5	3	9	-	5	10	5	4	-	
Diarrhoea & Dysentery	59	40	7	1	-	1	52	1	-	-	-	-	-	-	3	6	4	-	
Cholera	33	6	3	2	4	2	17	1	-	2	1	-	-	5	2	2	2	-	
Other Zymotic Dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	22	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tuberc.	45	20	8	1	1	2	52	5	2	1	1	3	-	-	-	-	-	-	
Phthisis	197	17	10	3	3	3	36	4	4	17	29	38	28	22	17	10	1	-	
Hydrocephalus	13	8	1	2	-	-	11	1	-	1	-	-	-	-	-	-	-	-	
Dis. of Brain	222	72	15	4	2	2	94	10	1	4	4	3	5	7	22	35	28	10	
Dis. of Heart & Dropsy	136	11	3	1	1	-	16	3	-	2	1	1	9	11	28	35	25	4	
Dis. of Lungs	288	84	28	8	4	6	130	1	-	1	2	6	5	16	25	45	4	-	
Dis. of Stom. and Liver	93	17	5	1	1	-	24	4	1	2	4	3	11	7	16	9	1	-	
Dis. of Kidneys	50	-	-	-	-	-	-	1	-	-	-	2	1	4	5	14	-	-	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	11	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	5	2	-	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	103	5	6	3	4	1	19	12	4	10	7	8	15	10	4	-	-	-	
Other Causes	425	271	14	4	3	3	204	4	1	1	3	1	1	4	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
245.—FREEBRIDGE LYNN.																	
Mean Popul ⁿ , 1861-71	6779	182	173	180	171	179	885	878	728	555	517	694	755	605	476	327	136
TOTAL DEATHS	1332	327	78	46	24	22	497	64	34	32	44	69	77	76	79	146	143
Small-pox	9	2	1	-	1	1	5	-	-	-	1	2	-	1	-	-	-
Measles	20	1	9	3	4	1	18	2	-	-	-	-	-	-	-	-	-
Scarlatina	33	4	1	7	5	5	22	9	1	-	-	1	-	-	-	-	-
Diphtheria	17	-	1	3	-	-	4	7	2	-	-	2	1	1	-	-	-
Whooping-cough	34	19	11	4	-	-	31	-	-	-	-	-	-	-	-	-	-
Typhus	49	-	2	1	1	2	6	13	7	3	2	8	1	3	4	4	2
Diarrhoea & Dysentery	85	19	-	1	1	-	21	1	1	2	-	2	-	-	1	4	3
Cholera	4	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	42	8	4	4	3	2	21	8	3	1	2	1	-	-	2	2	1
Cancer	58	-	-	-	-	-	-	-	-	-	-	1	2	9	9	15	1
Scrofula and Tuberc.	23	8	3	1	-	1	13	2	-	-	3	-	2	-	-	-	-
Phthisis	170	5	5	3	-	1	14	3	12	15	27	80	35	22	6	2	1
Hydrocephalus	13	5	3	-	1	1	10	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	118	43	3	4	-	1	51	2	2	1	2	2	6	8	7	17	19
Dis. of Heart & Dropsy	92	7	1	-	-	-	6	5	-	3	2	7	5	9	17	18	15
Dis. of Lungs	113	24	10	3	2	4	43	2	1	1	1	2	5	6	11	23	17
Dis. of Stom. and Liver	49	1	1	2	-	-	4	-	-	-	-	1	3	4	9	16	7
Dis. of Kidneys	10	-	1	-	1	-	2	1	-	1	-	1	2	-	1	1	1
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Dis. of Joints	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Childbirth and Metris	17	-	-	-	-	-	-	-	-	1	3	5	7	1	-	-	-
Fetide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	20	1	-	3	-	1	5	2	1	1	-	1	1	2	-	4	3
Other Causes	414	177	22	7	5	2	213	3	3	-	1	1	5	8	9	40	69
246.—KING'S LYNN.																	
Mean Popul ⁿ , 1861-71	9287	206	170	196	190	187	949	945	917	1001	812	1266	1139	918	678	452	177
TOTAL DEATHS	1911	340	112	65	44	28	589	63	41	53	57	110	137	127	171	225	253
Small-pox	4	-	1	1	-	1	3	-	-	-	-	-	1	-	-	-	-
Measles	43	8	10	9	6	2	41	15	3	-	-	-	-	-	-	-	-
Scarlatina	64	4	10	8	13	11	46	15	3	1	-	1	-	-	-	-	-
Diphtheria	16	-	1	3	1	2	7	4	1	1	1	1	-	-	-	-	1
Whooping-cough	48	17	8	17	3	2	47	1	-	8	1	7	4	4	6	3	7
Typhus	61	6	4	5	6	2	21	4	1	-	1	-	1	2	2	6	10
Diarrhoea & Dysentery	56	24	3	2	-	-	29	1	-	-	1	-	1	1	2	1	1
Cholera	9	7	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	33	1	5	3	2	1	12	2	1	2	1	1	1	2	4	3	3
Cancer	85	-	-	-	-	-	-	-	-	-	-	7	14	27	16	15	5
Scrofula and Tuberc.	27	8	9	2	1	-	20	2	-	-	-	3	1	1	-	-	-
Phthisis	191	2	1	-	-	-	3	-	17	24	31	43	33	21	11	5	1
Hydrocephalus	18	2	6	3	3	1	15	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	257	72	12	4	2	1	91	7	1	3	4	8	17	8	22	43	59
Dis. of Heart & Dropsy	157	-	-	-	2	-	2	5	6	5	1	11	9	23	36	41	16
Dis. of Lungs	229	32	16	8	3	1	60	4	1	1	2	4	12	13	25	45	47
Dis. of Stom. and Liver	76	7	-	-	-	-	7	2	3	2	1	1	9	9	14	17	10
Dis. of Kidneys	18	-	-	-	1	-	1	1	-	-	2	3	5	3	1	-	2
Dis. of Genes. Organs	34	-	-	-	-	-	-	-	-	3	2	6	9	6	6	2	1
Dis. of Joints	18	-	1	-	-	-	1	-	4	2	2	2	1	1	1	-	-
Dis. of Skin	10	2	-	-	-	-	2	-	1	-	-	1	-	2	1	2	1
Childbirth and Metris	27	-	-	-	-	-	-	-	-	3	3	10	11	-	-	-	-
Fetide	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Other Violent Deaths	36	6	1	-	2	-	9	5	-	-	1	1	2	1	2	4	8
Other Causes	598	147	17	-	-	1	165	6	1	4	3	2	5	3	15	37	102
247.—DOWNHAM.																	
Mean Popul ⁿ , 1861-71	10305	273	253	286	259	277	1348	1294	1151	937	819	1286	1161	926	666	479	197
TOTAL DEATHS	2041	484	120	47	46	33	729	101	67	77	76	112	95	122	121	236	219
Small-pox	7	1	-	1	-	-	2	-	-	2	2	1	-	-	-	-	-
Measles	23	8	1	4	5	2	20	1	2	-	-	-	-	-	-	-	-
Scarlatina	62	1	4	5	13	7	30	19	5	2	4	-	1	1	-	-	-
Diphtheria	74	1	4	4	8	7	24	29	15	3	1	1	-	-	-	1	-
Whooping-cough	50	22	19	5	2	1	49	1	-	-	-	-	-	-	-	-	-
Typhus	70	3	2	1	1	2	9	11	7	12	2	7	3	8	3	6	2
Diarrhoea & Dysentery	64	28	5	1	1	-	35	-	-	-	-	-	-	-	1	3	10
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	39	8	4	-	4	1	17	5	5	1	-	-	-	3	1	4	3
Cancer	72	-	-	-	-	-	-	-	-	-	1	5	9	19	13	19	5
Scrofula and Tuberc.	43	20	9	2	-	-	31	3	1	-	3	2	2	1	1	-	-
Phthisis	287	22	8	3	1	1	35	11	18	36	37	53	36	25	24	12	-
Hydrocephalus	14	3	4	4	-	-	11	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	205	37	13	4	2	1	57	3	6	6	4	12	5	21	19	33	35
Dis. of Heart & Dropsy	142	6	2	-	1	-	9	2	-	2	1	6	8	10	16	42	34
Dis. of Lungs	229	46	18	4	4	6	78	3	-	3	1	5	8	7	16	45	42
Dis. of Stom. and Liver	110	9	3	-	2	2	16	3	1	3	2	5	10	13	10	19	17
Dis. of Kidneys	12	-	1	-	-	-	1	-	-	2	2	-	2	2	3	1	-
Dis. of Genes. Organs	8	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-
Dis. of Joints	10	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
Dis. of Skin	6	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	27	-	-	-	-	-	-	-	-	1	-	7	6	-	-	-	-
Fetide	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	29	5	2	1	1	2	11	4	3	-	1	3	3	-	1	2	3
Other Causes	469	262	21	8	1	-	292	3	2	2	1	3	2	3	1	7	29

of Death in the Ten Years 1861-70.—Males.

[Div. IV.]

1861-71, and Deaths in Districts during the 10 Years 1861-70.

AGES OF MALES.

	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	84 years and over
Year.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
248.—SWAFFHAM.																
Mean Popul ⁿ . 1861-71	6784	180	158	177	159	182	856	866	812	674	508	750	700	644	509	330
TOTAL DEATHS	1340	539	63	35	28	22	487	50	30	34	40	60	63	74	108	139
Small-pox	6	2	-	-	1	-	3	2	-	-	1	-	-	-	-	-
Measles	9	1	3	2	-	1	7	1	-	-	-	-	1	-	-	-
Scarlatina	52	4	5	11	6	-	20	13	7	-	1	-	-	-	2	-
Diphtheria	19	1	1	1	2	2	7	8	3	-	-	1	-	-	-	-
Whooping-cough	20	9	5	3	-	1	18	2	-	-	-	-	-	-	-	-
Typhus	51	1	1	-	1	-	3	7	3	3	1	7	5	8	6	4
Diarrhea & Dysentery	38	13	3	-	-	-	16	-	-	-	-	-	1	-	1	4
Cholera	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	29	5	1	1	1	2	10	-	1	2	1	-	-	2	3	5
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4
Scrophula and Tuberc.	44	22	5	4	2	1	54	-	1	2	2	1	-	-	-	-
Phthisis	112	2	1	-	-	1	4	2	3	-	-	-	-	-	-	-
Hydrocephalus	8	4	2	1	-	1	8	-	-	11	20	28	18	13	6	7
Dis. of Brain	125	24	5	7	-	4	40	2	3	1	1	6	7	3	15	24
Dis. of Heart & Dropsy	93	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Dis. of Lungs	105	51	18	8	7	-	84	3	-	1	3	3	6	16	15	36
Dis. of Stomach and Liver	65	6	1	1	1	1	10	1	-	3	2	2	8	8	14	9
Dis. of Kidneys	109	2	1	-	1	-	4	1	-	2	-	3	2	5	5	10
Dis. of Gen. Organs	6	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	1	-	1	-	-	1	-	-	1	2	-	1	-	-	-
Dis. of Skin	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metritis	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	23	1	-	-	1	1	3	4	3	1	1	3	5	3	4	3
Other Causes	264	103	12	1	-	1	207	2	1	2	2	4	5	6	12	29
249.—THETFORD.																
Mean Popul ⁿ . 1861-71	9138	250	238	243	241	226	1198	1067	1044	921	648	1088	973	891	607	428
TOTAL DEATHS	1941	496	103	42	45	33	689	87	51	59	75	96	92	106	168	233
Small-pox	10	-	-	-	-	-	-	-	1	-	2	4	2	-	1	-
Measles	15	4	2	3	2	1	12	2	1	-	-	-	-	-	-	-
Scarlatina	75	3	5	12	13	-	26	21	6	8	2	1	-	1	-	-
Diphtheria	28	1	2	14	5	-	12	8	2	2	3	1	-	-	-	-
Whooping-cough	36	20	4	4	2	-	36	-	-	-	-	-	-	-	-	-
Typhus	37	1	1	1	2	-	5	6	2	5	4	4	1	1	6	5
Diarrhea & Dysentery	52	18	8	1	4	1	32	4	-	1	1	-	-	2	5	2
Cholera	7	2	-	-	2	-	4	1	-	-	-	-	-	1	1	-
Other Zymotic Dis.	32	1	2	2	1	1	7	8	2	2	1	3	2	-	3	3
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	1	-	9	4
Scrophula and Tuberc.	19	6	2	-	2	1	11	5	2	-	-	-	-	-	1	-
Phthisis	235	6	9	1	1	3	19	7	11	25	38	47	31	32	16	9
Hydrocephalus	21	10	4	1	2	-	17	3	1	-	-	-	-	-	-	-
Dis. of Brain	163	37	6	2	-	2	47	3	4	3	3	5	5	18	19	28
Dis. of Heart & Dropsy	128	2	-	1	-	-	5	2	4	4	4	6	6	11	27	35
Dis. of Lungs	207	93	29	8	8	7	145	44	3	2	4	4	14	15	35	43
Dis. of Stomach and Liver	80	10	1	1	-	-	12	3	3	1	3	3	7	10	18	18
Dis. of Kidneys	56	1	-	1	-	-	2	2	2	-	1	3	5	2	10	20
Dis. of Gen. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1
Childbirth and Metritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	82	3	3	3	1	2	12	4	6	5	5	8	11	4	13	7
Other Causes	529	241	27	4	1	3	273	4	-	1	4	1	4	8	8	46

IV.] *Causes of Death in the Ten Years 1861-70.—Females.* 187

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	Total 5 Years & over.
		Total under 1 Year.	1	2	3	4	5	10	15	20	25	35	45	55	65	75	85				
		248.—SWAFFHAM.																			
Popul ⁿ , 1861-71	6894	185	151	186	172	164	858	815	768	582	566	900	760	662	464	334	154	31			
DEATHS -	1314	271	72	34	18	16	411	56	32	44	50	90	87	69	79	138	179	79			
Influenza -	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-			
Typhoid -	16	2	8	4	1	-	15	-	-	1	-	-	-	-	-	-	-	-			
Typhus -	45	1	9	7	4	6	27	13	3	-	1	-	-	-	-	1	-	-			
Fever -	11	-	-	2	1	4	7	1	-	1	1	1	-	-	-	-	-	-			
Ague -	19	9	6	1	1	-	17	2	-	-	-	-	-	-	-	-	-	-			
Dysentery -	60	1	-	1	1	1	4	10	10	5	5	9	5	7	2	2	1	2			
Malarial Dis. -	23	13	1	-	-	-	14	-	-	2	1	-	-	-	1	4	9	2			
Motile Dis. -	20	1	-	1	3	-	5	2	1	2	-	-	6	-	-	-	-	-			
Scrophulous -	40	-	-	-	-	-	-	-	-	-	-	2	4	2	1	1	2	-			
and Tabes -	38	24	3	2	-	-	29	3	-	1	1	2	-	-	1	-	-	-			
Phthisis -	151	2	2	2	-	2	8	8	10	17	25	37	28	12	5	1	-	-			
Pneumonia -	9	-	5	-	-	-	6	2	1	-	-	-	-	-	-	-	-	-			
Brain -	123	17	-	1	1	-	19	1	2	5	2	7	7	7	8	25	35	5			
Heart & Dropsy -	93	-	-	-	-	-	2	2	1	-	2	3	9	6	20	34	14	1			
Lungs -	178	40	19	7	3	2	71	4	3	2	1	7	10	11	9	21	33	6			
Stomach and Liver -	65	1	-	-	-	-	1	2	-	2	2	3	5	10	10	14	12	4			
Kidneys -	14	-	-	-	1	-	1	-	-	-	-	2	-	4	1	5	1	-			
Gen. Organs -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Joints -	4	1	-	-	-	1	2	-	-	-	-	1	1	3	1	-	-	-			
Skin -	4	2	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-			
Falls and Metria -	33	-	-	-	-	-	-	-	-	3	8	13	9	-	-	-	-	-			
Violent Deaths -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-			
Suicides -	15	-	1	2	-	-	3	2	1	1	-	1	1	-	1	1	3	1			
	333	137	18	4	1	-	180	4	-	2	-	2	1	5	3	17	61	38			
249.—THETFORD.																					
Popul ⁿ , 1861-71	9269	245	241	232	235	240	1193	1065	981	830	740	1218	1045	885	663	431	185	33			
DEATHS -	1908	367	96	54	36	29	582	87	56	61	67	130	123	113	146	198	233	110			
Influenza -	5	1	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-			
Typhoid -	12	2	5	2	2	-	11	1	-	-	-	-	-	-	-	-	-	-			
Typhus -	72	3	9	13	9	9	43	17	11	-	-	1	-	-	-	-	-	-			
Fever -	33	1	1	2	2	4	20	13	7	1	-	-	2	2	-	-	-	-			
Ague -	25	13	4	7	-	-	24	1	-	-	-	-	-	-	-	-	-	-			
Dysentery -	36	-	2	1	-	-	3	9	7	2	3	6	3	2	-	1	-	-			
Malarial Dis. -	43	14	9	1	1	-	25	1	1	-	-	2	1	1	1	4	6	1			
Motile Dis. -	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-			
Scrophulous -	42	5	1	5	2	1	14	3	1	4	-	-	3	4	6	4	3	-			
and Tabes -	68	-	-	-	-	-	-	-	-	-	-	8	7	13	16	15	6	1			
Phthisis -	24	6	3	1	2	1	13	1	-	1	2	-	2	2	1	2	-	-			
Pneumonia -	318	9	4	1	-	3	17	17	22	40	43	71	42	35	21	10	-	-			
Brain -	181	32	7	5	3	1	46	3	3	2	4	7	10	17	19	43	23	5			
Heart & Dropsy -	130	6	-	-	-	1	7	2	-	1	3	7	14	6	30	31	23	6			
Lungs -	224	71	26	6	8	4	115	8	2	4	1	5	7	13	22	25	16	6			
Stomach and Liver -	90	7	1	3	1	3	15	4	1	2	2	4	14	7	12	18	10	1			
Kidneys -	10	-	1	-	-	-	1	1	-	-	-	1	1	1	4	-	1	-			
Gen. Organs -	13	-	-	-	-	-	-	-	-	-	-	4	2	1	3	1	-	-			
Joints -	5	1	-	-	-	-	1	-	-	2	-	1	-	1	1	2	-	-			
Skin -	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-			
Falls and Metria -	29	-	-	-	-	-	-	-	-	-	-	11	10	2	-	-	-	-			
Violent Deaths -	5	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-			
Suicides -	16	2	-	1	1	-	4	2	-	-	1	1	-	-	-	3	3	2			
	502	187	23	3	3	1	217	1	1	-	1	-	2	7	4	39	142	89			

[DIV. V.]

AGES OF MALES.

SEX.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.
250.—HIGHWORTH.																		
Mean Popul ⁿ , 1861-71	11576	368	318	313	323	303	1625	1441	1223	1234	1109	1638	1212	970	626	348	126	24
TOTAL DEATHS	2070	578	170	82	43	36	909	71	45	53	69	113	97	145	168	185	154	61
Small-pox	12	4	-	-	-	-	4	-	-	-	2	1	1	3	1	-	-	-
Measles	52	9	21	11	7	-	48	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	82	5	11	13	10	13	22	17	9	2	-	-	-	-	1	-	-	-
Diphtheria	15	3	4	1	1	1	10	4	-	-	-	1	-	-	-	-	-	-
Whooping-cough	27	15	7	3	-	-	25	2	-	-	-	-	-	-	-	-	-	-
Typhus	104	5	5	4	2	2	18	16	7	8	12	10	6	9	11	7	7	3
Diarrhoea & Dysentery	40	22	6	1	-	-	29	2	-	-	-	-	1	1	1	1	3	-
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	46	4	4	3	1	3	15	4	1	3	2	3	5	7	2	4	1	-
Cancer	24	-	-	-	-	-	-	1	-	1	-	3	1	2	7	8	1	-
Serofula and Tabes	51	20	10	2	3	4	39	2	1	1	1	5	8	25	30	24	18	3
Phthisis	193	7	7	2	1	1	18	2	3	21	29	49	25	30	9	6	1	-
Hydrocephalus	39	25	6	5	-	1	95	-	2	2	-	-	-	-	-	-	-	-
Dis. of Brain	237	79	13	7	3	1	103	5	7	2	7	4	14	6	28	31	21	9
Dis. of Heart & Dropsy	139	-	-	-	-	-	2	2	2	2	1	5	8	25	30	24	18	3
Dis. of Lungs	367	128	44	18	7	4	201	3	1	4	5	9	19	24	20	17	10	3
Dis. of Stom. and Liver	94	14	2	1	1	1	19	1	2	-	3	7	5	8	22	18	8	3
Dis. of Kidneys	51	-	-	-	-	-	1	-	-	-	-	4	4	7	12	17	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	1	1	1	2	-	-	1	1	1	1	-
Dis. of Skin	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	-	1	1	1	3	4	1	-	-
Other Violent Deaths	90	14	2	8	5	2	31	5	6	5	4	6	5	12	4	5	3	3
Other Causes	402	235	28	3	2	2	260	-	1	-	-	5	4	7	5	24	62	23

251.—CRICKLADE.																		
Mean Popul ⁿ , 1861-71	5813	180	170	163	170	175	858	724	708	533	407	648	588	533	422	255	121	16
TOTAL DEATHS	1152	280	79	26	19	25	420	46	27	30	33	56	53	60	111	129	118	60
Small-pox	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles	10	1	3	4	1	1	10	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	44	2	8	3	2	5	29	18	4	1	1	-	-	-	-	-	-	-
Diphtheria	9	1	2	-	-	3	6	-	1	-	-	-	-	-	-	1	-	-
Whooping-cough	7	3	2	1	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	42	-	-	1	1	2	4	5	4	5	3	3	5	3	5	3	2	-
Diarrhoea & Dysentery	25	16	3	-	2	1	22	-	-	-	-	-	-	-	1	-	1	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	37	6	4	6	2	2	29	-	-	-	-	1	-	-	4	1	9	1
Cancer	18	-	-	-	-	-	-	1	-	-	1	-	2	2	4	6	2	-
Serofula and Tabes	21	7	1	-	-	-	8	2	3	2	1	3	-	-	1	1	-	-
Phthisis	99	1	1	1	1	1	4	2	5	12	14	29	12	8	9	4	-	-
Hydrocephalus	8	2	3	1	1	-	7	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	133	52	6	-	2	5	65	3	3	3	3	2	4	2	8	22	14	4
Dis. of Heart & Dropsy	172	-	2	-	-	-	2	1	-	-	-	1	5	3	11	18	27	14
Dis. of Lungs	397	79	23	4	5	2	104	3	-	3	6	2	6	10	23	27	12	4
Dis. of Stom. and Liver	86	10	-	2	-	-	12	2	-	1	1	3	12	13	17	13	8	4
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	-	-	1	1	1	7	6	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	1	-	-	1	-	1	-	-	-	-	-	2	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-
Other Violent Deaths	53	7	5	2	2	3	19	6	5	1	-	4	4	4	6	3	-	1
Other Causes	234	102	16	-	-	-	118	1	1	-	-	2	3	1	7	19	38	44

252.—MALMSBURY.																		
Mean Popul ⁿ , 1861-71	7196	211	189	218	197	196	1011	906	833	673	515	859	745	628	524	345	144	13
TOTAL DEATHS	1340	310	83	37	30	21	481	48	30	29	30	57	69	62	124	172	179	53
Small-pox	2	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
Measles	21	3	14	2	2	1	22	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	41	1	6	6	6	6	25	12	3	-	-	-	-	1	-	-	-	-
Diphtheria	5	-	-	-	1	1	2	2	-	-	-	1	-	-	-	-	-	-
Whooping-cough	19	10	4	2	2	1	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	23	-	1	1	-	4	6	2	1	3	2	1	4	-	3	-	1	-
Diarrhoea & Dysentery	28	9	2	3	1	-	15	1	1	-	1	-	1	1	1	5	1	8
Cholera	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	47	11	2	4	4	3	24	8	2	2	2	2	1	1	5	7	2	-
Cancer	26	-	-	-	-	-	-	-	-	-	-	-	5	2	7	6	7	1
Serofula and Tabes	24	15	4	2	-	-	21	1	2	3	1	1	2	2	2	1	1	-
Phthisis	110	4	-	-	-	-	4	1	7	8	17	27	22	8	11	4	1	-
Hydrocephalus	37	13	9	2	5	-	29	5	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	181	29	13	4	1	-	47	-	1	4	1	5	6	13	13	22	13	1
Dis. of Heart & Dropsy	83	-	-	-	-	-	2	2	2	1	1	2	10	6	18	26	18	-
Dis. of Lungs	222	75	15	4	4	2	109	3	1	2	-	4	8	10	21	40	14	-
Dis. of Stom. and Liver	93	15	2	2	-	2	21	1	2	2	1	6	8	10	17	16	8	-
Dis. of Kidneys	56	-	-	-	-	-	-	-	-	-	-	3	2	-	8	11	1	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-
Dis. of Skin	7	2	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	64	12	3	2	3	1	21	6	2	3	1	1	2	2	6	3	3	3
Other Causes	283	107	8	3	1	-	119	6	2	-	-	1	2	2	6	23	43	23

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
		250.—HIGHWORTH.																
Mean Popul ⁿ , 1861-71		10882	342	336	340	312	321	1651	1444	1198	941	877	1522	1245	896	592	357	139
TOTAL DEATHS -		1946	456	171	78	45	23	773	67	49	63	80	129	129	112	128	189	161
Small-pox -		7	3	-	-	1	-	4	-	1	-	-	1	-	-	-	-	-
Measles -		49	7	23	10	6	1	47	2	-	-	-	-	-	-	-	-	-
Scarlatina -		68	4	8	13	12	6	45	18	4	-	2	-	1	-	-	-	-
Diphtheria -		12	1	3	-	-	-	6	2	1	-	-	1	2	-	-	-	-
Whooping-cough -		39	12	14	7	3	2	38	1	-	-	-	-	-	-	-	-	-
Typhus -		97	5	3	4	2	3	17	13	17	-	8	11	10	6	4	8	2
Diarrhoea & Dysentery -		59	28	7	4	-	-	41	-	-	-	1	-	1	3	2	2	7
Cholera -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		46	3	5	7	6	5	25	5	1	-	-	3	4	3	2	1	1
Cancer -		50	-	-	1	-	-	1	-	-	-	-	1	16	11	11	9	1
Scrofula and Tubercles -		37	14	11	4	1	-	30	2	-	-	-	1	-	-	-	-	-
Phthisis -		225	6	8	2	1	-	17	5	6	31	42	55	45	18	9	2	-
Hydrocephalus -		21	8	5	2	-	-	15	4	2	-	-	-	-	-	-	-	-
Dis. of Brain -		183	58	11	5	1	1	76	3	2	4	5	6	10	9	20	26	17
Dis. of Heart & Dropsy -		155	1	-	-	-	-	1	1	6	2	5	14	10	22	26	30	15
Dis. of Lungs -		299	78	43	16	7	2	146	3	5	3	5	7	8	10	18	40	28
Dis. of Stom. and Liver -		96	12	4	-	2	-	18	2	1	1	3	7	7	16	13	21	6
Dis. of Kidneys -		16	-	-	-	-	-	-	1	1	-	-	1	2	1	2	5	8
Dis. of Gen. Organs -		12	-	-	-	-	-	-	-	-	-	-	2	-	6	1	1	2
Dis. of Joints -		7	1	-	-	-	-	1	-	-	-	-	2	1	2	-	-	-
Dis. of Skin -		7	2	-	-	-	-	2	-	-	-	-	-	-	-	3	1	-
Childbirth and Metris -		38	-	-	-	-	-	-	-	-	4	6	16	12	-	-	-	-
Suicide -		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths -		35	11	2	2	1	1	17	3	-	3	-	-	3	-	3	3	3
Other Causes -		284	202	24	1	-	-	227	1	2	1	1	-	3	4	6	28	65

251.—CRICKLADE.																		
Mean Popul ⁿ , 1861-71		5986	163	168	171	161	160	823	761	675	546	461	761	652	518	400	258	114
TOTAL DEATHS -		1090	189	73	40	26	19	347	43	22	33	40	72	56	62	80	137	141
Small-pox -		1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Measles -		16	3	4	4	3	1	15	1	-	-	-	-	-	-	-	-	-
Scarlatina -		45	2	10	8	7	2	29	12	2	-	1	1	-	-	-	-	-
Diphtheria -		7	-	-	1	-	1	2	3	-	-	1	1	-	-	-	-	-
Whooping-cough -		15	4	7	2	-	-	13	1	1	-	-	-	-	-	-	-	-
Typhus -		33	-	-	2	3	4	9	4	5	4	4	1	1	-	3	1	1
Diarrhoea & Dysentery -		20	7	-	2	-	-	9	-	-	3	-	2	-	1	-	3	1
Cholera -		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		34	4	7	4	3	2	20	1	-	2	-	1	-	-	2	2	5
Cancer -		29	-	-	-	-	-	-	-	-	-	1	-	4	3	8	8	4
Scrofula and Tubercles -		22	2	1	2	2	2	9	2	1	1	2	-	3	1	1	2	-
Phthisis -		122	-	1	-	1	-	2	4	5	16	20	37	16	14	7	1	-
Hydrocephalus -		8	2	3	-	1	-	6	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -		129	26	7	2	2	2	39	1	4	-	1	8	4	7	17	31	14
Dis. of Heart & Dropsy -		83	1	-	1	-	-	2	1	2	1	2	3	8	13	15	19	15
Dis. of Lungs -		158	45	18	10	2	4	79	6	1	4	2	-	5	5	6	26	20
Dis. of Stom. and Liver -		68	4	1	-	2	-	7	-	-	1	-	8	2	10	12	21	6
Dis. of Kidneys -		8	-	-	1	-	-	1	2	-	-	1	1	1	1	1	-	-
Dis. of Gen. Organs -		7	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-
Dis. of Joints -		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Dis. of Skin -		2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metris -		21	-	-	-	-	-	-	-	-	1	4	8	8	-	-	-	-
Suicide -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Violent Deaths -		10	3	-	-	-	1	4	1	-	-	-	-	-	1	-	1	1
Other Causes -		248	85	14	1	-	-	100	2	-	-	-	-	2	2	3	20	74

252.—MALMSBURY.																		
Mean Popul ⁿ , 1861-71		7438	208	196	201	198	207	1010	937	848	657	581	927	803	665	522	329	135
TOTAL DEATHS -		1259	198	69	41	39	19	366	49	25	48	44	73	76	77	107	153	182
Small-pox -		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles -		23	4	8	5	3	1	21	1	1	-	-	-	-	-	-	-	-
Scarlatina -		36	4	6	5	5	7	27	7	2	-	-	-	-	-	-	-	-
Diphtheria -		4	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough -		28	4	13	7	1	1	26	2	-	-	-	-	-	-	-	-	-
Typhus -		39	1	-	1	4	-	6	6	3	3	1	6	5	1	1	3	4
Diarrhoea & Dysentery -		27	14	3	-	-	-	17	-	-	-	-	-	-	-	-	-	-
Cholera -		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		35	5	-	3	5	-	13	5	1	4	-	2	2	1	-	4	3
Cancer -		46	-	-	-	-	-	-	-	-	-	-	3	5	12	15	7	4
Scrofula and Tubercles -		34	9	4	-	3	-	16	4	-	3	4	2	2	1	2	2	-
Phthisis -		141	-	1	2	1	2	6	1	6	27	22	22	24	19	11	3	-
Hydrocephalus -		23	4	2	2	3	2	13	6	2	-	-	-	-	-	-	-	-
Dis. of Brain -		129	21	3	2	4	1	31	3	1	1	2	7	7	7	16	22	22
Dis. of Heart & Dropsy -		115	-	-	1	-	-	1	1	2	1	1	5	7	9	25	35	24
Dis. of Lungs -		187	52	20	6	8	-	65	4	2	1	1	6	3	7	17	29	16
Dis. of Stom. and Liver -		79	9	1	1	-	-	11	3	-	3	2	4	12	9	9	10	5
Dis. of Kidneys -		11	-	-	-	-	-	-	-	-	-	1	-	2	3	4	1	1
Dis. of Gen. Organs -		8	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Dis. of Joints -		1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
Dis. of Skin -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -		29	-	-	-	-	-	-	-	-	1	8	10	1	-	-	-	-
Suicide -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		35	7	-	-	1	4	13	2	2	-	-	-	-	1	1	2	2
Other Causes -		279	83	8	6	1	-	98	2	2	-	1	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
253.—CHIPPENHAM.																			
Mean Popul ⁿ , 1861-71		10747	315	284	297	273	295	1464	1327	1270	1071	785	1288	1171	974	729	449	190	29
TOTAL DEATHS -		2060	421	118	65	36	20	660	82	46	53	60	110	129	141	198	250	247	84
Small-pox -		4	2	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Measles -		31	8	4	2	2	2	24	6	-	1	-	-	-	-	-	-	-	-
Scarlatina -		41	-	4	8	8	3	23	14	3	1	-	-	-	-	-	-	-	-
Diphtheria -		22	3	6	1	2	-	12	2	2	1	1	1	-	1	1	-	-	-
Whooping-cough -		35	21	6	3	2	3	35	-	-	-	-	-	-	-	-	-	-	-
Typhus -		90	4	4	2	1	1	12	18	12	9	8	10	6	7	7	9	14	1
Diarrhoea & Dysentery -		55	30	3	3	1	1	38	2	1	-	-	-	1	1	1	6	4	1
Cholera -		4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		41	4	5	6	1	2	18	4	1	1	-	2	3	3	4	2	2	1
Cancer -		23	-	-	-	-	-	-	-	-	-	-	-	4	2	3	1	1	1
Scrofula and Tubercles -		34	9	5	6	-	-	20	1	3	1	3	1	1	2	3	1	1	1
Phthisis -		239	3	5	1	1	-	10	5	3	16	32	63	43	28	33	1	1	1
Hydrocephalus -		26	8	9	3	2	-	22	2	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -		254	51	15	8	1	9	77	8	2	6	3	4	13	24	27	47	16	10
Dis. of Heart & Dropsy -		196	1	1	2	1	1	6	1	3	1	2	7	6	19	33	39	17	10
Dis. of Lungs -		275	76	30	13	6	9	127	3	-	7	1	8	10	15	30	49	28	10
Dis. of Stom. and Liver -		85	8	1	-	-	-	9	2	3	3	1	3	12	13	16	14	7	1
Dis. of Kidneys -		42	-	-	-	1	-	1	2	-	-	2	1	4	2	10	12	1	1
Dis. of Gen. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		14	-	-	1	1	-	2	1	2	-	-	-	2	1	2	-	-	-
Dis. of Skin -		3	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		12	-	-	-	-	-	-	-	-	-	1	-	2	3	4	3	1	1
Other Violent Deaths -		99	7	3	-	4	3	17	6	8	4	-	9	15	16	10	6	3	1
Other Causes -		481	185	13	4	2	-	204	2	-	-	-	1	7	5	8	55	126	63
254.—CALNE.																			
Mean Popul ⁿ , 1861-71		4391	130	114	121	125	113	603	516	564	404	312	493	470	395	307	216	98	13
TOTAL DEATHS -		818	178	41	15	11	12	257	39	21	21	24	39	53	50	67	101	107	20
Small-pox -		3	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
Measles -		14	5	4	2	1	-	12	-	-	1	-	-	-	1	-	-	-	-
Scarlatina -		23	-	4	1	2	3	10	6	6	-	-	-	-	1	-	-	-	-
Diphtheria -		5	-	-	-	-	-	3	-	-	-	1	-	-	-	1	-	-	-
Whooping-cough -		20	14	1	4	-	-	19	1	-	-	-	-	-	-	-	-	-	-
Typhus -		24	-	-	1	-	4	5	5	1	5	1	2	1	2	-	1	1	1
Diarrhoea & Dysentery -		21	10	3	-	-	1	14	-	-	-	-	-	-	-	1	1	4	1
Cholera -		19	4	1	-	1	2	8	1	1	3	-	-	2	-	3	-	1	-
Other Zymotic Dis. -		12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer -		23	2	3	-	4	1	10	2	2	2	1	1	5	2	3	4	2	1
Scrofula and Tubercles -		65	1	3	-	-	-	4	4	1	1	12	13	20	7	8	-	-	-
Phthisis -		19	8	5	2	1	1	17	1	-	1	-	-	-	-	-	-	-	-
Hydrocephalus -		101	20	3	-	-	-	21	5	1	2	1	3	3	14	14	16	16	3
Dis. of Brain -		67	-	-	-	-	-	3	3	1	2	1	3	1	5	11	22	19	3
Dis. of Heart & Dropsy -		131	40	8	4	1	-	63	1	1	1	1	3	3	8	16	19	14	5
Dis. of Lungs -		40	3	-	-	-	-	3	1	1	-	2	5	8	6	6	7	1	-
Dis. of Stom. and Liver -		22	-	-	-	-	-	-	-	-	-	-	2	3	2	2	7	6	-
Dis. of Kidneys -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gen. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
Dis. of Skin -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		40	6	2	-	-	-	8	6	4	3	1	3	5	-	5	3	3	1
Other Violent Deaths -		163	65	4	1	-	-	70	-	1	-	1	1	2	2	2	20	26	20
Other Causes -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
255.—MARLBOROUGH.																			
Mean Popul ⁿ , 1861-71		5124	120	118	127	117	124	606	609	800	723	352	535	487	414	315	203	73	7
TOTAL DEATHS -		964	217	55	27	18	16	333	44	26	32	26	44	46	61	85	133	105	2
Small-pox -		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles -		16	7	3	4	-	1	15	-	1	-	-	-	-	-	-	-	-	-
Scarlatina -		54	1	5	3	5	9	23	15	7	6	2	-	-	1	-	-	-	-
Diphtheria -		7	1	-	3	-	-	4	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough -		22	11	3	1	4	1	20	9	-	-	-	-	-	-	-	-	-	-
Typhus -		35	-	-	1	-	1	2	4	3	3	1	4	4	4	3	5	1	1
Diarrhoea & Dysentery -		16	6	2	1	-	-	9	-	-	-	-	1	1	1	2	1	1	1
Cholera -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		17	2	2	1	1	1	7	1	1	2	-	-	-	2	2	1	1	1
Cancer -		11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubercles -		32	7	3	1	3	-	14	6	1	1	1	3	2	1	2	4	1	3
Phthisis -		77	-	1	-	-	-	1	5	2	6	-	13	21	13	8	-	-	-
Hydrocephalus -		20	7	3	2	-	-	17	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -		100	20	4	2	3	-	35	1	2	1	1	2	4	5	11	22	12	7
Dis. of Heart & Dropsy -		66	-	-	1	-	-	1	1	-	2	-	2	2	12	9	20	7	1
Dis. of Lungs -		143	34	9	2	1	2	46	1	-	1	-	6	10	7	22	26	10	5
Dis. of Stom. & Liver -		66	5	2	-	-	-	7	-	1	3	2	2	5	9	12	25	2	2
Dis. of Kidneys -		19	-	-	-	-	-	-	1	-	1	1	1	1	3	4	5	2	2
Dis. of Gen. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -		2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Childbirth and Metris -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		47	10	3	3	1	1	18	3	6	2	1	2	1	2	2	3	2	1
Other Causes -		221	100	10	2	-	-	112	-	1	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 & upwards.	
256.—DEVIZES.																			
Mean Popul ⁿ , 1861-71	10474	259	260	261	275	273	1398	1294	1203	1064	747	1211	1157	1024	782	461	184	19	
TOTAL DEATHS	2237	377	113	50	20	26	505	70	35	67	67	158	193	174	228	318	263	63	
Small-pox	10	2	-	-	-	1	3	-	-	2	2	2	1	-	-	-	-	-	
Measles	26	1	8	4	5	1	21	3	-	-	-	-	-	-	-	-	-	-	
Scarlatina	50	1	8	6	6	1	31	17	5	4	1	-	-	2	-	-	-	-	
Diphtheria	9	1	1	2	-	-	5	3	-	1	-	-	-	-	-	-	-	-	
Whooping-cough	21	17	10	1	1	1	30	1	-	-	-	-	-	-	-	-	-	-	
Typhus	50	-	1	1	1	3	6	9	3	8	5	4	4	2	2	7	2	2	
Diarrhoea & Dysentery	53	17	5	4	-	3	29	1	1	-	2	2	2	2	3	3	9	9	
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	1	
Other Zymotic Dis.	37	3	1	6	4	-	14	-	1	3	2	-	2	3	3	7	2	2	
Cancer	28	-	-	-	-	-	-	-	-	-	-	-	3	3	3	7	7	6	
Scrofula and Tuberc.	42	9	1	3	1	-	14	3	2	6	3	3	3	3	2	2	1	1	
Phthisis	269	1	7	1	-	1	10	6	2	20	31	64	64	33	29	10	-	-	
Hydrocephalus	25	7	2	1	2	1	20	4	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	411	75	15	9	2	4	105	9	5	5	6	33	47	43	43	69	44	38	
Dis. of Heart & Dropsy	170	2	1	-	-	1	4	3	1	1	5	9	11	19	35	34	29	25	
Dis. of Lungs	342	61	33	4	5	2	105	4	2	3	5	12	13	20	33	62	34	31	
Dis. of Stom. and Liver	116	12	-	1	1	-	14	-	-	5	4	7	15	15	18	24	13	13	
Dis. of Kidneys	51	-	-	-	-	-	-	1	1	-	-	1	5	10	9	17	5	5	
Dis. of Gen. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	6	-	-	-	-	-	-	1	-	2	-	1	-	-	1	1	1	1	
Dis. of Skin	11	5	-	-	-	-	5	-	1	1	-	-	-	1	2	1	1	1	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	15	-	-	-	-	-	-	-	-	-	-	2	5	-	4	-	1	1	
Other Violent Deaths	92	7	2	1	1	1	19	10	10	5	-	14	7	8	7	16	7	7	
Other Causes	388	151	19	4	-	-	174	2	-	1	-	1	11	9	11	40	29	49	
257.—MELKSHAM.																			
Mean Popul ⁿ , 1861-71	8278	250	227	226	208	208	1119	983	1008	827	626	981	864	718	575	406	154	17	
TOTAL DEATHS	1950	439	127	78	40	23	716	83	28	40	48	164	118	107	155	262	222	58	
Small-pox	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Measles	48	11	20	13	3	-	47	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	96	8	11	17	13	8	57	33	3	1	1	-	1	-	-	-	-	-	
Diphtheria	6	2	-	1	-	-	3	2	1	-	-	-	-	-	-	-	-	-	
Whooping-cough	41	25	8	5	1	2	41	-	-	-	-	-	-	-	-	-	-	-	
Typhus	63	2	4	3	3	3	15	7	7	9	4	3	8	5	1	2	2	2	
Diarrhoea & Dysentery	60	39	6	2	1	-	48	-	-	-	-	-	1	-	1	3	6	1	
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	49	8	2	2	5	-	17	5	1	3	1	3	2	2	3	5	3	3	
Cancer	23	-	-	-	1	-	1	-	-	1	-	-	-	2	3	7	6	1	
Scrofula and Tuberc.	43	14	9	3	1	-	27	5	2	2	3	2	1	1	2	5	3	3	
Phthisis	179	4	1	-	-	-	2	2	2	10	18	50	44	33	13	5	-	-	
Hydrocephalus	30	4	2	4	3	3	16	3	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	202	68	11	9	7	1	94	9	2	5	6	8	8	8	23	64	39	3	
Dis. of Heart & Dropsy	143	1	-	-	-	-	1	1	1	4	3	10	17	22	27	34	20	2	
Dis. of Lungs	360	66	29	11	6	3	143	4	1	5	4	5	15	14	30	66	49	11	
Dis. of Stom. and Liver	122	23	-	-	1	-	24	1	5	3	2	13	11	7	19	27	31	1	
Dis. of Kidneys	54	-	-	-	-	-	-	-	-	1	1	2	3	5	7	17	13	2	
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	11	-	1	-	-	-	1	-	1	2	-	2	-	-	2	1	2	-	
Dis. of Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	9	-	-	-	-	-	-	-	-	-	1	2	-	2	2	1	1	1	
Other Violent Deaths	82	14	3	4	2	1	24	9	5	3	2	4	5	4	10	11	5	5	
Other Causes	285	121	19	4	2	1	147	1	-	-	2	2	2	2	7	19	12	37	
258.—BRADFORD.																			
Mean Popul ⁿ , 1861-71	5012	128	133	136	145	126	668	626	634	454	338	544	544	457	378	256	104	9	
TOTAL DEATHS	973	163	58	29	17	13	280	25	21	17	30	40	54	72	93	159	134	36	
Small-pox	10	2	7	-	-	1	10	-	-	-	-	-	-	-	-	-	-	-	
Measles	29	3	7	5	6	5	25	2	1	-	-	-	-	-	-	-	-	-	
Scarlatina	5	1	-	-	1	1	3	1	1	-	-	1	-	-	-	-	-	-	
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough	12	7	1	2	1	-	11	1	-	-	-	-	-	-	-	-	-	-	
Typhus	27	16	1	1	1	1	4	1	2	3	8	1	1	3	3	5	1	1	
Diarrhoea & Dysentery	27	16	1	1	1	-	19	-	-	-	-	-	-	-	-	-	-	-	
Cholera	24	2	1	4	-	-	7	2	2	-	-	-	1	1	4	3	3	3	
Other Zymotic Dis.	12	-	1	-	-	-	1	-	-	-	-	-	-	-	2	1	3	5	
Cancer	34	3	4	1	1	-	9	3	2	1	3	3	2	1	1	3	3	3	
Scrofula and Tuberc.	86	-	2	-	-	-	2	2	2	5	14	22	19	14	3	3	-	-	
Phthisis	7	1	1	-	2	1	5	2	-	-	-	-	-	-	-	-	-	-	
Hydrocephalus	114	19	4	2	1	1	27	2	3	2	2	3	4	6	9	29	23	23	
Dis. of Brain	90	-	-	-	-	-	1	1	1	1	1	7	2	9	18	32	34	34	
Dis. of Heart & Dropsy	170	41	13	8	2	1	64	3	1	2	2	2	6	13	23	34	37	37	
Dis. of Lungs	80	3	-	1	-	-	4	1	1	2	2	5	12	13	15	17	8	8	
Dis. of Stom. and Liver	18	-	-	1	-	-	1	-	-	-	-	-	-	1	4	6	6	6	
Dis. of Kidneys	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Gen. Organs	6	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	1	
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	42	4	2	1	-	-	8	-	-	5	1	-	-	-	-	-	-	-	
Other Violent Deaths	182	62	14	3	1	1	79	4	-	-	-	1	-	-	-	-	-	-	
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES DEATH.	ALL Ages.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		259.—WESTBURY.																
Popul ⁿ , 1-71	5936	163	144	167	136	156	766	734	647	510	443	726	667	589	435	292	112	15
DEATHS -	1194	197	66	32	21	15	331	50	24	39	47	48	77	85	105	186	157	45
-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	10	2	3	1	2	-	8	1	1	-	-	-	-	-	-	-	-	-
-	41	-	6	5	4	0	21	14	2	3	1	-	-	-	-	-	-	-
-	11	-	-	-	1	1	2	7	1	-	-	-	-	-	-	-	-	-
-	16	5	7	3	1	-	16	-	5	3	-	-	-	-	-	-	-	-
-	28	-	-	3	1	1	5	-	-	-	-	4	3	-	-	-	-	-
-	28	17	5	1	1	-	24	-	-	-	-	-	1	1	-	1	1	-
-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	21	1	2	0	-	1	10	3	-	-	-	-	-	-	-	-	-	-
-	60	-	1	-	-	-	1	-	-	-	-	-	1	1	-	2	2	-
-	9	3	-	-	1	-	4	1	1	1	1	1	0	12	17	18	4	3
-	95	-	1	-	-	-	1	1	5	1	-	25	15	7	6	2	-	-
-	12	3	1	2	1	-	6	2	1	3	-	-	-	-	-	-	-	-
-	148	18	9	1	-	1	29	3	-	2	9	3	7	12	19	41	21	2
-	132	-	-	-	-	-	24	3	3	3	1	2	7	22	24	53	17	2
-	162	25	14	6	5	4	54	2	-	1	3	5	10	9	15	29	24	1
-	79	5	1	-	3	1	10	4	4	2	2	5	6	11	18	8	1	-
-	13	-	-	-	-	-	-	1	-	1	-	-	2	2	2	4	-	-
-	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
-	9	-	-	-	-	-	-	1	2	-	2	-	1	1	1	2	-	-
-	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
-	19	-	-	-	-	-	-	-	-	-	4	0	9	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	19	5	1	2	1	-	9	3	-	1	-	2	2	-	-	1	1	-
-	278	118	13	1	-	-	137	2	1	-	1	2	-	4	6	19	37	2

260.—WARMINSTER.																	
Popul ⁿ , 61-71	7996	191	193	194	187	193	958	933	895	733	589	1009	910	801	572	426	146
DEATHS -	1428	177	68	45	28	15	333	41	32	38	48	86	104	100	138	230	217
-	6	3	9	2	5	2	3	-	-	-	-	2	1	-	-	-	-
-	31	3	2	2	3	2	26	5	-	-	-	-	-	-	-	-	-
-	26	2	2	4	3	2	13	10	1	1	-	-	-	-	-	-	-
-	5	-	2	-	-	-	2	2	-	-	-	-	1	-	-	-	-
-	16	6	7	2	1	-	16	-	3	5	3	-	-	-	2	1	-
-	23	-	1	2	3	3	6	2	-	-	-	1	4	-	1	3	5
-	21	6	2	-	1	1	9	-	-	-	-	-	3	-	1	1	-
-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	2	-
-	28	5	3	3	4	2	15	3	1	1	-	2	-	-	2	2	-
-	51	-	-	-	-	-	-	-	-	-	-	2	5	12	9	11	10
-	42	8	2	4	5	1	20	-	2	3	1	3	3	2	4	3	-
-	185	-	1	1	1	1	2	2	7	14	28	39	22	15	0	-	-
-	12	1	5	5	1	-	12	-	-	-	-	-	-	-	-	-	-
-	193	18	9	6	2	-	35	1	8	3	-	6	17	17	24	42	35
-	176	-	-	-	-	-	4	4	1	3	-	4	10	19	57	67	23
-	216	36	9	10	2	1	58	2	5	-	5	3	8	7	21	41	37
-	111	1	-	1	-	-	2	4	2	4	2	6	18	16	18	28	16
-	14	-	-	-	-	-	-	-	2	1	1	1	2	4	1	-	-
-	12	-	-	-	-	-	-	-	-	-	-	1	2	1	3	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1
-	28	-	-	-	-	-	-	-	-	2	-	12	12	-	-	-	-
-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	28	5	-	1	2	2	10	6	-	-	-	1	-	1	3	4	3
-	240	79	18	4	1	-	102	-	-	1	1	1	-	3	6	25	38

261.—PEWSEY.																	
Popul ⁿ , 61-71	6044	171	169	163	145	175	823	790	668	508	447	712	664	561	438	303	111
DEATHS -	1175	176	73	53	25	18	328	50	35	41	35	84	84	68	105	151	140
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	20	2	8	4	1	2	17	3	-	-	-	-	-	-	-	-	-
-	46	2	4	7	4	5	22	15	7	2	-	-	-	-	-	-	-
-	6	-	1	-	1	-	2	2	-	1	-	-	-	-	-	1	-
-	16	6	5	4	-	-	15	1	-	-	-	-	-	-	-	-	-
-	41	-	-	2	2	2	6	5	4	8	-	7	0	2	-	1	-
-	21	2	-	2	4	-	8	1	-	-	-	-	-	-	-	2	6
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	24	5	-	2	-	1	8	1	4	3	1	-	1	-	3	2	1
-	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	16	2	5	2	-	-	9	2	8	19	-	4	-	8	10	8	5
-	139	2	3	1	-	-	3	5	-	-	18	40	29	7	11	9	1
-	9	-	3	-	1	-	7	1	1	-	-	-	-	-	-	-	-
-	100	23	7	1	1	1	33	4	3	1	5	7	8	11	16	39	27
-	117	-	2	-	1	-	5	1	5	1	3	2	8	16	29	32	17
-	168	39	19	5	4	3	70	3	-	1	1	5	6	10	13	28	17
-	97	2	-	-	1	1	4	1	3	1	1	3	4	6	10	18	5
-	19	-	1	1	-	-	2	-	-	-	1	4	1	1	2	3	1
-	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
-	5	1	1	-	-	1	3	1	-	-	-	-	-	-	-	-	-
-	18	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	25	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
-	225	79	17	3	3	1	103	3	1	1	1	-	4	1	5	4	13

[DIV. V]

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and upwards.
262.—AMESBURY.																		
Mean Popul ⁿ , 1861-71	3989	106	107	107	94	94	508	517	430	313	307	545	472	391	268	165	66	7
TOTAL DEATHS	703	102	34	22	9	13	180	29	17	18	18	59	57	40	64	111	91	19
-pox	5	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-
-typhoid	22	1	2	5	3	2	13	7	2	-	-	-	-	-	-	-	-	-
-beria	14	2	1	3	1	4	11	2	-	-	-	-	1	-	-	-	-	-
-ping-cough	11	5	3	2	-	1	11	-	4	2	1	3	2	2	1	-	-	-
-us	20	-	1	-	2	-	3	2	-	-	-	-	-	-	-	-	-	-
-hem & Dysentery	5	2	1	-	-	-	3	1	-	-	1	-	-	1	-	-	-	-
-ra	19	-	-	2	1	1	4	5	-	-	-	1	2	2	2	3	1	-
-Zymotic Dis.	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-r	12	3	2	1	-	-	6	3	1	-	-	1	3	2	3	4	1	-
-ula and Tabes	117	1	2	1	-	-	4	-	4	12	9	27	22	17	8	4	-	-
-sis	5	3	2	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
-occephalus	84	14	2	1	-	1	18	1	3	2	4	6	3	3	11	22	13	1
-f Brain	70	-	-	-	-	-	1	-	1	1	1	1	8	4	21	21	9	2
-f Heart & Dropsy	102	22	10	5	1	1	29	3	1	-	2	2	1	3	7	24	18	2
-f Lungs	27	1	-	-	-	-	1	1	1	-	-	3	1	3	8	7	1	1
-f Stom. and Liver	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
-f Kidneys	7	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	1	-
-f Gener. Organs	3	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
-f Joints	8	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
-f Skin	16	-	-	-	-	-	-	-	-	1	-	5	9	1	-	-	-	-
-birth and Metria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-le	7	1	-	1	-	1	3	2	-	-	-	-	-	-	-	-	2	-
-Violent Deaths	134	43	4	-	-	-	49	-	-	-	-	1	1	1	1	23	49	13
-Causes																		
263.—ALDERBURY.																		
Mean Popul ⁿ , 1861-71	7951	218	197	207	186	181	989	914	858	732	672	1058	944	751	554	335	127	17
TOTAL DEATHS	1547	213	68	30	32	16	359	43	33	46	63	121	111	137	163	230	196	45
-pox	4	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-
-typhoid	28	-	10	8	3	4	25	1	1	1	-	-	-	-	-	-	-	-
-beria	38	2	1	5	11	1	23	10	2	-	1	1	-	-	-	-	-	-
-ping-cough	8	-	1	-	2	-	3	2	1	-	-	-	-	-	-	1	-	-
-us	20	11	5	3	1	-	20	-	-	-	-	-	-	-	-	-	-	-
-hem & Dysentery	40	-	1	1	1	1	4	6	5	7	2	3	1	3	5	4	4	-
-ra	47	19	2	1	1	-	23	1	-	-	1	2	2	2	4	4	6	-
-Zymotic Dis.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-r	22	1	5	-	-	-	6	-	5	1	2	-	4	1	2	1	-	-
-ula and Tabes	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-sis	19	5	5	1	1	-	12	1	2	1	1	2	4	12	12	3	0	-
-occephalus	191	-	-	-	1	-	1	6	6	10	29	50	31	27	12	4	-	-
-f Brain	10	5	-	-	2	-	7	1	2	-	-	-	-	-	-	-	-	-
-f Heart & Dropsy	222	23	5	-	1	-	29	3	1	3	5	24	18	28	39	51	33	7
-f Lungs	172	1	1	-	-	1	3	1	1	2	6	6	12	22	37	31	29	2
-f Stom. and Liver	181	24	16	4	5	5	64	7	2	2	-	5	6	10	21	40	21	3
-f Kidneys	86	6	1	1	1	1	10	1	1	-	3	5	11	12	19	15	9	-
-f Gener. Organs	23	-	-	-	-	-	-	-	1	1	3	4	2	5	3	4	-	-
-f Joints	12	-	-	-	-	-	-	-	-	-	-	-	5	2	4	-	1	-
-f Skin	6	-	1	-	-	-	1	-	-	1	1	1	1	1	-	-	-	-
-birth and Metria	5	2	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
-le	22	-	-	-	-	-	-	-	-	-	5	8	7	2	-	-	-	-
-Violent Deaths	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-Causes	24	4	2	1	1	3	11	1	-	2	1	-	-	-	2	3	3	1
	323	109	11	2	1	-	114	-	2	3	2	4	2	6	12	49	97	32
264.—SALISBURY.																		
Mean Popul ⁿ , 1861-71	4910	116	105	122	120	103	566	529	524	531	428	670	566	465	323	221	77	10
TOTAL DEATHS	919	147	63	41	24	15	232	35	20	22	20	44	70	61	92	117	113	33
-pox	9	4	-	-	-	-	4	1	-	2	-	1	1	-	-	-	-	-
-typhoid	23	5	4	9	4	1	23	-	-	-	-	-	-	-	-	-	-	-
-beria	49	-	9	7	8	5	29	16	2	1	1	-	-	-	-	-	-	-
-ping-cough	5	1	-	-	-	1	2	2	-	-	-	-	-	-	-	1	-	-
-us	18	7	7	1	3	-	18	-	-	-	-	-	-	-	-	-	-	-
-hem & Dysentery	13	-	-	1	1	1	3	2	1	2	1	-	-	1	2	-	1	-
-ra	21	13	2	1	-	1	17	1	-	-	-	-	-	-	-	-	-	-
-Zymotic Dis.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-r	22	1	2	4	1	1	9	2	1	-	1	-	1	2	2	4	1	-
-ula and Tabes	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-sis	18	5	4	2	1	-	12	2	2	-	1	3	4	7	6	3	2	-
-occephalus	105	2	2	1	-	1	6	1	5	9	9	24	26	16	6	5	-	-
-f Brain	17	4	6	4	3	-	17	-	-	-	-	-	-	-	-	-	-	-
-f Heart & Dropsy	119	24	4	-	1	1	30	1	4	3	2	1	5	11	16	26	21	2
-f Lungs	84	-	1	-	-	1	3	2	3	1	1	3	5	6	18	27	14	4
-f Stom. and Liver	144	36	13	7	2	2	62	3	1	1	2	1	5	7	23	21	14	4
-f Kidneys	37	2	-	-	-	-	2	1	-	1	-	2	8	7	5	7	-	-
-f Gener. Organs	17	-	-	-	-	-	-	-	1	-	1	1	1	2	5	1	-	-
-f Joints	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-f Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-birth and Metria	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-le	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-Violent Deaths	8	2	1	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-
-Causes	133	41	8	2	-	-	51	1	-	1	-	-	-	1	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

		AGES OF FEMALES.																	
CAUSES OF DEATH.		ALL AGES.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
265.—WILTON.																			
Population, 1861-71		5423	149	134	150	146	137	716	682	591	468	392	677	611	517	411	262	66	10
DEATHS		977	145	51	30	21	9	256	32	18	27	40	54	63	57	112	135	141	42
Cancer		2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Consumption		10	3	3	1	-	-	7	3	-	-	-	-	-	-	-	-	-	-
Diphtheria		20	2	4	4	6	-	16	11	2	1	1	1	-	-	-	-	-	-
Typhoid		4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Whooping Cough		13	6	5	1	-	1	13	2	-	2	2	3	2	-	1	4	1	1
Scarlet Fever		20	-	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Typhus		11	2	2	-	-	1	5	-	-	-	-	-	-	-	-	3	9	9
Dysentery		30	1	2	1	3	1	8	2	1	1	1	1	1	1	1	1	1	1
Typhoid		38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus		18	2	3	4	2	1	12	2	1	1	1	1	1	1	1	1	1	1
Typhoid		125	-	-	-	-	-	1	-	-	17	20	32	30	6	6	-	-	-
Typhus		15	7	4	2	1	-	14	1	1	1	-	-	-	-	-	-	-	-
Typhoid		129	35	4	5	1	-	45	2	2	1	1	2	1	10	21	23	18	18
Typhus		143	-	-	-	-	-	1	-	-	4	2	1	4	9	15	36	45	24
Typhoid		113	16	14	5	5	1	41	5	1	1	2	3	1	7	9	15	17	17
Typhus		43	3	2	1	1	1	8	1	-	-	2	1	3	5	15	4	3	3
Typhoid		5	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-
Typhus		2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Typhoid		3	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Typhus		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid		14	-	-	-	-	-	-	-	-	-	2	5	6	1	-	-	-	-
Typhus		3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Typhoid		10	-	2	1	2	1	6	-	-	-	-	1	-	-	1	1	1	1
Typhus		204	67	5	2	-	1	75	1	-	-	-	-	1	1	8	24	63	31
266.—TISBURY.																			
Population, 1861-71		4920	128	139	140	127	131	665	607	534	401	368	646	573	473	352	211	81	9
DEATHS		878	136	56	25	12	8	237	30	21	22	26	52	53	58	98	133	117	31
Cancer		18	3	6	4	1	1	15	1	-	1	1	-	-	-	-	-	-	-
Consumption		10	-	3	1	1	-	5	2	1	1	-	-	-	-	-	-	-	-
Diphtheria		11	2	-	1	-	2	5	5	1	-	-	-	-	1	-	-	-	-
Typhoid		17	9	4	1	1	1	16	1	-	4	3	6	3	3	2	3	1	1
Scarlet Fever		38	1	1	1	-	-	3	5	5	-	-	-	-	-	-	-	-	-
Typhus		13	4	1	-	1	-	6	-	-	-	3	-	1	1	2	2	1	1
Dysentery		30	1	2	3	3	-	9	3	1	1	-	-	1	1	2	2	-	-
Typhoid		33	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1
Typhus		19	5	5	2	2	-	14	-	-	7	9	14	1	1	1	1	1	1
Typhoid		91	4	2	2	-	1	4	1	-	-	14	20	14	11	9	2	-	-
Typhus		8	2	2	2	-	-	7	-	-	-	1	-	-	-	-	-	-	-
Typhoid		79	13	7	5	-	-	25	9	2	2	-	3	4	9	8	17	6	1
Typhus		139	1	-	-	-	-	1	2	2	2	1	3	6	12	33	48	24	6
Typhoid		119	25	13	4	2	1	45	2	2	1	1	2	1	1	10	25	29	6
Typhus		33	2	-	-	-	1	3	1	1	-	-	5	5	1	19	6	3	1
Typhoid		13	-	-	-	-	-	-	-	1	-	-	1	1	2	4	3	1	-
Typhus		4	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
Typhoid		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus		16	-	-	-	-	-	-	-	-	-	1	7	8	-	-	-	-	-
Typhoid		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus		14	4	-	-	-	1	5	1	1	1	-	1	1	-	2	2	2	2
Typhoid		173	60	12	1	1	-	74	3	1	-	1	1	1	-	6	19	53	16
267.—MERE.																			
Population, 1861-71		4166	111	108	91	103	111	529	496	447	373	328	556	449	397	293	208	79	12
DEATHS		783	119	49	19	12	13	212	20	23	26	31	57	50	43	64	128	100	20
Cancer		19	5	5	1	3	3	17	1	-	-	1	-	-	-	-	-	-	-
Consumption		5	1	-	-	1	1	3	1	1	-	-	-	-	-	-	-	-	-
Diphtheria		8	1	1	2	1	1	5	1	-	1	1	-	-	-	-	-	-	-
Typhoid		12	8	2	2	-	-	12	-	12	6	1	6	2	-	6	4	3	1
Scarlet Fever		59	2	6	3	-	1	12	2	-	-	-	-	-	4	-	-	-	-
Typhus		20	5	5	1	-	-	11	-	-	-	-	2	-	-	2	2	2	1
Dysentery		22	-	1	3	-	-	4	1	-	1	-	-	-	-	-	-	-	-
Typhoid		36	-	-	-	-	-	-	2	2	4	1	2	2	2	2	3	3	2
Typhus		33	7	2	1	-	1	10	3	2	6	4	2	3	3	4	1	1	1
Typhoid		78	1	2	1	-	1	5	1	1	1	6	14	29	12	-	-	-	-
Typhus		9	4	2	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhoid		79	18	4	-	3	-	25	1	3	-	2	-	1	3	15	20	9	1
Typhus		57	-	-	-	-	-	1	-	1	-	1	1	3	6	11	25	4	1
Typhoid		160	25	15	2	3	3	48	2	-	2	2	4	8	7	14	35	52	7
Typhus		45	2	1	-	-	-	3	1	-	2	2	2	3	7	14	14	7	1
Typhoid		5	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	1	-
Typhus		7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Typhoid		4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Typhus		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid		39	1	-	-	-	-	-	-	-	1	4	-	7	8	-	-	-	-
Typhus		12	-	1	-	-	2	8	-	-	-	-	-	-	-	1	-	-	-
Typhoid		100	37	2	-	2	-	41	1	-	-	-	-	1	-	-	-	-	-

of Death in the Ten Years 1861-70.—Males.

[DIV. V]

351-71, and Deaths in Districts during the 10 Years 1861-70.

SEX		AGES OF MALES.																
BIRTH.	AGE.	Total under 1 Year.					Total under 5 Years.											
			1	2	3	4		5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
268.—SHAFTESBURY.																		
Mean Popul ⁿ , 1861-71	6264	176	177	167	178	153	851	779	709	592	436	756	691	584	442	291	112	21
TOTAL DEATHS	1147	239	92	38	15	9	391	41	29	32	31	46	64	68	97	148	148	3
Small-pox	14	2	9	2	1	—	14	—	—	—	—	—	—	—	—	—	—	—
Measles	33	2	4	6	3	4	17	11	3	2	—	—	—	—	—	—	—	—
Scarlatina	5	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—
Diphtheria	18	10	6	1	—	1	18	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	22	1	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
Typhus	31	15	2	1	—	—	16	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea & Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	27	4	3	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	27	—	—	—	—	—	17	—	—	—	—	1	1	2	4	11	4	—
Scrofula and Tuberc.	169	3	2	2	—	—	6	2	—	—	10	15	22	22	11	10	3	—
Phthisis	24	—	12	3	1	—	21	3	—	—	—	—	—	—	—	—	—	—
Hydrocephalus	139	39	5	4	—	—	49	1	1	1	2	6	5	6	11	21	21	—
Dis. of Brain	191	5	—	—	—	—	3	2	2	2	—	7	7	13	23	24	14	—
Dis. of Heart & Dropsy	224	51	35	19	4	1	94	6	1	2	2	4	8	8	29	40	29	—
Dis. of Lungs	46	6	1	—	—	—	7	3	—	—	—	—	—	—	—	—	—	—
Dis. of Stom. and Liver	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Kidneys	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	29	2	1	2	—	1	6	—	—	—	—	1	3	4	1	2	1	—
Other Causes	229	85	17	3	1	1	107	1	—	—	—	1	4	4	2	13	41	21
269.—STURMINSTER.																		
Mean Popul ⁿ , 1861-71	5149	128	153	144	142	140	707	657	605	482	379	603	526	465	385	245	107	8
TOTAL DEATHS	912	190	45	28	14	11	288	40	17	19	27	53	36	65	73	118	139	37
Small-pox	8	1	1	—	—	—	8	—	—	1	—	—	—	—	—	—	—	—
Measles	6	1	1	—	1	—	9	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	23	3	3	1	4	4	15	6	2	—	—	—	—	—	—	—	—	—
Diphtheria	10	1	2	—	—	—	4	2	3	1	—	—	—	—	—	—	—	—
Whooping-cough	5	4	1	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
Typhus	18	1	—	4	2	1	8	—	2	—	—	1	1	—	—	2	1	—
Diarrhoea & Dysentery	5	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Cholera	17	3	1	3	—	2	9	2	—	—	1	1	—	1	1	1	1	—
Other Zymotic Dis.	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	31	9	4	3	—	—	16	6	2	1	1	1	2	1	2	6	1	—
Scrofula and Tuberc.	77	1	1	—	—	—	2	5	1	5	12	20	6	9	5	3	—	—
Phthisis	27	10	2	6	—	—	23	3	1	—	—	—	—	—	—	—	—	—
Hydrocephalus	114	42	2	2	2	—	48	1	2	2	2	5	2	10	7	16	19	—
Dis. of Brain	76	1	—	—	—	—	1	1	1	2	2	3	6	9	14	21	14	—
Dis. of Heart & Dropsy	187	27	11	3	3	2	46	2	1	2	3	5	7	10	25	18	8	—
Dis. of Lungs	45	5	2	3	1	—	11	2	1	1	—	2	4	6	9	5	3	—
Dis. of Stom. and Liver	17	—	1	—	—	—	1	—	—	—	1	3	1	2	5	1	—	—
Dis. of Kidneys	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	2	1	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	49	2	4	2	—	1	9	2	—	3	2	6	7	10	2	6	1	—
Other Causes	229	77	4	1	1	—	83	2	1	—	—	—	—	5	3	32	78	21
270.—BLANDFORD.																		
Mean Popul ⁿ , 1861-71	7159	190	191	195	182	186	953	915	861	750	511	834	783	647	471	296	123	13
TOTAL DEATHS	1346	281	104	45	38	15	483	53	32	23	49	73	74	77	100	168	161	41
Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	30	8	12	4	3	1	28	1	1	—	—	1	—	—	—	—	—	—
Scarlatina	44	1	5	5	10	4	23	12	3	2	1	1	—	—	—	—	—	—
Diphtheria	12	—	3	1	2	1	7	4	1	—	—	—	—	—	—	—	—	—
Whooping-cough	22	8	6	5	1	—	20	1	1	—	—	—	—	—	—	—	—	—
Typhus	43	—	—	2	4	1	9	5	19	1	3	2	1	2	5	4	1	—
Diarrhoea & Dysentery	21	10	3	1	1	—	15	1	—	—	—	—	—	—	—	—	—	—
Cholera	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	39	4	6	1	6	—	10	2	1	—	1	5	3	1	5	1	—	—
Cancer	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.	36	2	1	1	—	1	5	5	1	3	2	3	1	2	7	5	—	—
Phthisis	135	—	1	1	1	—	2	2	5	11	20	32	20	17	4	6	—	—
Hydrocephalus	21	9	4	2	—	1	16	2	3	—	—	—	—	—	—	—	—	—
Dis. of Brain	149	46	7	7	1	2	63	6	1	—	2	7	7	12	8	27	—	—
Dis. of Heart & Dropsy	177	3	1	—	1	—	3	3	—	—	—	4	4	12	21	33	—	—
Dis. of Lungs	219	61	25	11	3	3	103	—	—	—	5	7	3	9	19	23	—	—
Dis. of Stom. and Liver	59	5	2	—	1	—	8	2	—	—	1	3	3	9	9	7	—	—
Dis. of Kidneys	26	—	—	—	—	—	—	1	—	1	2	3	3	2	4	—	—	—
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	3	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	43	5	2	2	1	1	11	3	3	—	—	—	—	—	—	—	—	—
Other Causes	328	118	23	2	3	—	146	—	—	—	—	—	—	—	—	—	—	—

Mean Populⁿ,
1861-71 -

TOTAL DEATHS -

Small-pox - - - -

Measles	-	-	-
Scarlatina	-	-	-

Diphtheria - - -

Whooping-cough	-
Typhus	-

Diarrhoea & Dysentery

Other Zymotic Dis. -

Cancer - - - - -

Phthisis

Dis. of Brain -

Dis. of Heart & Dropsy

Dis. of Stom. and Liver

Dis. of Kidneys - - - - -

1918, 9. — *cf.* Organs -
its = =

1000000

and Metrics

Deaths -

100

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.
268.—SHAFTESBURY.																		
Popul ⁿ , 1871	6797	184	162	176	165	167	854	792	709	642	554	918	760	614	471	327	138	18
DEATHS	1295	198	76	39	19	19	351	51	23	44	53	98	84	78	101	169	174	66
-	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
-	8	2	2	2	1	1	7	-	-	-	-	-	-	-	-	-	-	-
-	33	1	1	8	7	4	21	11	1	-	-	-	-	-	-	-	-	-
-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-cough	20	10	4	5	-	1	20	-	-	-	-	-	-	-	-	-	-	-
& Dysentery	59	2	1	3	1	2	9	4	6	10	5	6	2	7	4	2	4	1
notie Dis.	19	4	2	-	-	-	6	1	1	-	-	2	-	-	1	3	2	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	26	3	2	2	1	1	9	4	-	1	1	2	1	2	1	3	2	-
-	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nd Tabes	29	6	5	-	1	-	12	6	1	2	3	1	1	1	1	2	2	-
-	156	3	1	-	-	-	4	4	12	21	25	44	24	16	2	2	2	-
halus	22	8	4	2	1	4	19	-	2	-	-	1	-	-	-	-	-	-
-	131	27	7	5	2	2	43	5	1	1	4	8	5	8	12	23	16	5
art & Dropsy	135	1	1	-	-	-	4	2	-	2	3	4	17	14	24	43	18	4
ngs	210	30	27	6	3	1	69	7	2	3	3	4	5	6	31	39	34	7
m. and Liver	75	6	2	1	1	1	11	3	1	1	3	6	6	7	14	12	10	1
-	8	-	-	-	-	-	-	-	-	-	1	1	4	-	1	1	-	-
ner. Organs	9	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
ints	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
in	4	1	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-
- and Metria	22	-	-	-	-	-	-	-	-	1	4	9	8	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
lent Deaths	18	4	1	1	1	-	7	2	-	-	-	2	-	1	2	1	3	-
ses	272	88	16	2	1	-	107	-	-	1	-	-	2	2	3	24	47	-
269.—STURMINSTER.																		
Popul ⁿ , 1871	5449	142	156	142	136	122	698	633	594	509	446	709	616	509	366	249	107	13
DEATHS	1002	161	59	24	19	13	267	43	32	53	31	73	60	53	61	128	136	45
-	1	-	-	-	-	-	8	1	-	-	1	-	-	-	-	-	-	-
-	4	-	1	2	-	-	1	4	-	-	-	-	-	-	-	-	-	-
-	21	1	3	5	4	1	14	4	1	1	1	-	-	-	-	-	-	-
-	19	1	-	-	4	2	7	10	-	-	-	1	-	-	-	-	-	-
-cough	7	-	6	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-
& Dysentery	28	-	-	-	1	1	3	5	4	3	-	2	3	4	1	1	2	-
notie Dis.	4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-
-	21	5	1	-	-	1	7	2	3	1	-	1	1	-	2	2	2	-
-	35	-	-	-	1	-	1	-	-	1	-	-	4	6	7	10	3	2
nd Tabes	24	4	4	4	3	2	17	1	3	-	-	2	1	-	-	-	-	-
-	160	1	3	-	-	-	4	2	10	32	20	41	26	14	13	4	-	-
halus	12	4	1	2	-	2	9	1	2	-	-	-	-	-	-	-	-	-
-	111	25	8	3	1	2	39	1	4	3	2	3	6	7	11	20	14	1
art & Dropsy	78	1	1	-	-	-	2	1	-	2	2	3	8	17	23	15	1	1
ngs	95	18	9	4	2	-	55	5	2	1	1	2	2	1	13	18	14	1
m. and Liver	49	4	2	-	-	-	8	4	1	3	2	2	2	7	5	10	5	-
-	10	-	-	-	-	-	-	-	-	1	1	2	2	-	3	1	-	-
dneys	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-
ner. Organs	4	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
ints	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
in	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
- and Metria	16	-	-	-	-	-	-	-	-	1	3	8	4	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nt Deaths	14	-	-	2	1	-	3	2	1	-	-	-	-	-	1	3	1	-
ses	271	95	11	-	-	2	108	3	1	-	-	1	4	4	5	31	79	38
270.—BLANDFORD.																		
Popul ⁿ , 1871	7571	186	199	171	192	185	933	887	825	699	601	1015	890	749	500	328	121	23
DEATHS	1305	191	79	49	28	19	366	58	80	35	39	69	71	80	123	182	177	66
-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
-	23	6	6	8	2	2	24	3	-	1	-	-	-	-	-	-	-	-
-	50	1	10	3	6	5	25	14	5	2	-	-	1	2	-	1	-	-
-	12	-	2	3	1	1	7	2	2	-	-	-	-	-	-	-	-	-
-cough	32	11	10	4	5	-	30	2	-	-	-	-	-	-	-	-	-	-
& Dysentery	52	-	2	6	2	1	11	7	1	8	4	3	3	2	6	6	2	-
notie Dis.	18	6	1	-	1	1	9	1	-	-	-	-	-	-	1	4	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	28	7	-	3	1	-	11	1	2	-	2	3	1	3	2	2	1	-
-	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nd Tabes	21	2	4	1	1	-	8	4	3	1	1	4	3	9	13	4	4	-
-	141	-	1	-	-	-	1	3	4	15	20	34	27	24	7	-	-	-
alus	12	4	2	1	-	-	7	3	2	-	-	-	-	-	-	-	-	-
-	135	21	5	5	3	5	49	2	5	2	2	2	4	9	14	30	21	4
ur- & Dropsy	147	-	-	-	-	-	2	3	-	1	1	1	1	1	1	1	1	-
ngs	173	41	14	7	5	1	64	6	1	1	3	2	4	9	21	34	25	6
m. and Liver	43	-	-	-	-	2	10	3	-	1	-	-	-	5	7	8	5	-
-	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
dneys	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
ner. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
in	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
- and Metria	19	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-
-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t Deaths	19	3	3	3	-	2	11	2	-	-	-	-	-	-	-	-	-	-
ses	804	79	23	4	1	1	143	3	2	-	1	-	-	-	7	10	88	18

Mean Population, 1861-71, and Deaths in Districts during the 10 Years, 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80+
271.—WIMBORNE.																		
Mean Popul., 1861-71	8520	241	225	234	201	234	1135	1108	1015	891	599	943	887	777	611	382	152	20
TOTAL DEATHS	1508	289	108	46	25	20	488	50	36	47	53	69	78	97	127	194	209	84
Small-pox	2	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	15	2	3	2	2	3	13	1	2	-	-	-	-	-	-	-	-	-
Scarlatina	58	3	4	12	19	4	53	14	6	6	3	-	-	-	-	-	-	-
Diphtheria	11	1	1	3	-	2	7	1	2	1	-	-	-	-	-	-	-	-
Whooping-cough	21	13	4	2	1	-	20	1	-	-	-	-	-	-	-	-	-	-
Typhus	25	-	-	-	1	1	2	2	5	3	1	2	3	1	2	2	2	2
Diarrhoea & Dysentery	36	10	2	2	1	-	15	1	-	1	1	1	1	1	1	1	1	1
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	7	2	1	1	1	12	4	-	3	2	-	-	-	-	-	-	-
Cancer	25	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	1	1
Scrofula and Tuberc.	26	7	3	1	-	-	11	2	2	2	5	2	1	1	1	1	1	1
Phthisis	154	4	6	-	-	-	10	3	6	17	27	40	20	23	5	1	-	-
Hydrocephalus	32	6	16	4	-	-	25	3	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	156	28	7	8	1	1	83	4	3	2	2	3	4	13	15	27	23	23
Dis. of Heart & Dropsy	106	1	2	-	-	-	4	1	1	-	4	1	8	7	24	24	19	19
Dis. of Lungs	258	25	20	4	5	3	97	3	1	1	5	7	11	16	31	40	38	38
Dis. of Stom. and Liver	91	10	-	-	-	2	12	1	1	4	2	2	13	16	13	18	8	8
Dis. of Kidneys	21	-	-	-	-	-	-	-	2	-	-	1	2	1	5	5	4	4
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	1	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-
Dis. of Skin	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	49	4	1	2	-	-	7	4	5	4	3	4	3	4	10	5	5	5
Other Causes	370	127	25	4	2	3	161	6	1	1	2	3	3	3	5	44	90	32
272.—POOLE.																		
Mean Popul., 1861-71	6786	202	192	192	197	179	962	864	803	649	525	847	1749	591	428	257	93	13
TOTAL DEATHS	1448	292	106	57	54	25	534	74	40	38	44	78	74	95	120	175	137	29
Small-pox	2	-	-	-	-	-	24	2	1	-	-	2	-	-	-	-	-	-
Measles	27	9	6	7	2	-	44	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	110	3	11	17	21	7	89	24	11	4	2	-	-	-	-	-	-	-
Diphtheria	7	-	1	1	-	3	4	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	18	7	7	2	2	-	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	67	1	4	4	9	4	22	12	1	4	4	4	5	5	4	5	5	5
Diarrhoea & Dysentery	26	9	5	1	-	-	15	-	-	-	-	1	-	-	1	3	3	3
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	37	5	2	3	4	-	14	3	2	1	3	2	2	2	3	4	4	4
Cancer	18	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	21	7	1	2	-	1	11	3	3	2	1	3	-	2	2	4	4	4
Phthisis	139	3	2	1	1	2	9	1	6	13	20	30	25	17	12	2	2	2
Hydrocephalus	13	5	7	1	1	-	13	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	190	48	11	4	4	6	73	3	7	4	3	8	9	14	19	37	16	16
Dis. of Heart & Dropsy	92	3	3	-	1	1	10	4	-	-	-	5	6	6	14	24	10	10
Dis. of Lungs	280	31	31	6	6	2	135	2	2	1	4	7	10	21	25	47	29	29
Dis. of Stom. and Liver	99	8	-	1	1	-	19	1	1	1	2	3	5	13	15	9	9	9
Dis. of Kidneys	33	-	-	-	-	-	-	-	-	-	-	1	4	4	4	11	8	8
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Violent Deaths	70	5	3	1	2	-	11	6	5	6	5	8	6	5	9	7	9	9
Other Causes	226	95	11	4	-	-	110	2	-	-	-	3	3	2	11	21	32	34
273.—WAREHAM.																		
Mean Popul., 1861-71	8433	250	215	254	221	233	1173	1093	1026	805	633	995	874	742	572	369	138	15
TOTAL DEATHS	1509	325	97	41	25	17	505	62	29	33	47	97	78	77	122	202	196	60
Small-pox	4	2	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Measles	16	3	6	4	9	2	14	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	52	4	12	5	9	6	36	8	4	1	-	-	-	-	-	-	-	-
Diphtheria	8	1	1	1	1	-	4	3	1	-	-	-	1	-	1	-	-	-
Whooping-cough	26	18	2	2	1	-	23	3	-	-	-	-	-	-	-	-	-	-
Typhus	24	1	2	3	-	3	9	4	6	6	4	8	4	6	3	3	1	1
Diarrhoea & Dysentery	26	12	2	-	1	-	15	1	-	-	-	1	-	1	5	1	1	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	31	6	4	2	1	1	14	-	1	-	2	1	1	3	2	3	1	1
Cancer	25	-	-	-	-	-	-	-	-	-	-	1	-	1	3	6	5	5
Scrofula and Tuberc.	29	15	1	1	1	-	18	3	1	2	1	1	2	1	8	1	1	1
Phthisis	151	1	1	1	-	-	8	3	1	9	26	49	25	14	15	3	1	1
Hydrocephalus	11	2	5	2	1	-	10	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	203	64	17	5	2	1	89	6	-	4	4	5	4	10	20	37	10	10
Dis. of Heart & Dropsy	121	3	-	-	1	1	6	-	3	4	4	3	10	5	20	22	10	10
Dis. of Lungs	262	40	21	6	4	1	79	7	2	1	2	5	6	6	16	30	16	16
Dis. of Stom. and Liver	65	7	1	2	-	1	11	-	2	1	1	5	6	5	11	17	6	6
Dis. of Kidneys	42	-	-	-	-	-	-	-	-	-	1	6	2	3	10	11	8	8
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
Dis. of Skin	2	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	82	3	3	2	3	-	9	10	7	6	3	3	2	11	2	2	2	2
Other Causes	241	144	19	3	1	1	100	-	-	-	-	2	2	11	2	2	2	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

AUSES OF DEATH.		ALL AGES.	AGES OF FEMALES.																
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upward.
271.—WIMBORNE.																			
Popul ⁿ , 61-71		8768	233	228	220	237	221	1139	1107	1031	779	660	1118	968	820	583	385	152	26
DEATHS		1558	217	80	54	27	13	421	46	33	46	75	87	112	101	197	189	223	78
C		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
D		12	2	3	2	2	-	0	1	2	-	-	-	-	-	-	-	-	-
E		35	3	3	6	4	5	21	10	3	-	1	-	-	-	-	-	-	-
F		15	2	-	4	2	1	9	6	-	-	-	-	-	-	-	-	-	-
G		21	11	7	1	1	-	20	1	-	-	-	-	-	-	-	-	-	-
H		49	1	-	-	-	-	2	7	3	8	8	5	6	5	4	1	-	-
I		29	10	2	-	4	-	16	1	-	-	1	1	2	3	4	3	1	1
J		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
K		26	1	1	2	-	3	7	2	-	2	-	2	3	-	-	-	-	-
L		49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M		20	7	3	2	-	-	13	2	1	-	1	2	1	6	8	14	11	7
N		197	6	5	2	-	-	13	5	9	23	36	44	27	26	10	4	-	-
O		22	7	8	1	2	1	19	2	-	-	-	-	-	-	-	-	-	-
P		176	38	9	6	3	1	57	3	5	5	4	6	4	9	21	33	26	3
Q		150	-	-	-	-	-	2	2	2	6	6	14	22	29	40	24	3	
R		212	43	16	16	3	1	79	1	2	2	3	7	7	25	39	36	19	
S		92	3	1	1	-	1	6	1	3	-	3	9	11	11	14	18	15	1
T		9	-	-	-	-	-	-	-	-	-	1	2	1	2	1	1	1	1
U		6	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-
V		4	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
W		29	-	-	-	-	-	-	-	-	1	8	4	15	1	1	1	1	-
X		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y		24	2	3	2	2	-	9	3	1	-	2	1	3	2	2	-	1	1
Z		371	110	17	8	3	-	138	1	1	2	-	2	7	3	18	38	106	65
272.—POOLE.																			
Popul ⁿ , 61-71		7452	195	194	189	190	200	968	853	759	660	648	1047	855	674	494	349	132	13
DEATHS		1481	246	94	44	42	30	456	66	31	52	52	110	87	91	125	189	161	61
C		2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
D		20	2	4	7	4	1	18	1	-	-	-	1	-	-	-	-	-	-
E		89	3	9	8	12	6	38	30	11	5	3	2	-	-	-	-	-	-
F		18	-	1	-	3	4	8	4	3	1	-	1	-	-	1	-	-	-
G		36	12	12	5	3	1	33	3	-	-	-	-	-	-	-	-	-	-
H		46	3	4	2	2	-	11	8	4	6	3	2	2	4	6	3	1	1
I		21	6	1	-	-	-	7	1	1	-	-	-	-	1	3	4	1	1
J		31	4	3	-	1	5	13	3	2	3	-	3	-	2	3	1	1	1
K		46	-	-	-	-	-	-	-	-	-	-	3	5	12	15	7	4	-
L		21	1	3	2	3	1	10	2	3	-	-	1	3	1	1	1	4	-
M		177	2	5	2	1	1	11	-	6	21	30	53	32	19	7	-	-	-
N		12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
O		150	31	6	1	5	2	45	3	-	3	5	4	8	11	13	31	21	6
P		121	2	1	-	2	6	1	1	2	2	-	12	14	9	26	36	13	1
Q		290	73	35	7	3	3	121	2	1	4	2	6	6	10	12	16	10	10
R		69	12	1	-	1	-	14	1	-	1	2	3	1	10	12	16	9	-
S		9	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	1	-
T		13	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-	-
U		5	1	-	1	1	1	5	-	1	1	1	1	1	1	-	-	-	-
V		3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
W		17	-	-	-	-	-	-	-	-	-	4	11	2	-	-	-	-	-
X		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y		20	5	2	4	1	1	13	3	1	2	1	-	1	1	5	2	1	1
Z		278	91	7	1	2	-	101	-	-	1	1	3	9	3	6	28	86	41
273.—WAREHAM.																			
Popul ⁿ , 61-71		8716	244	239	236	220	227	1166	1101	976	726	637	1154	938	796	619	421	152	30
DEATHS		1434	227	72	48	33	21	401	50	33	39	52	104	90	86	125	194	193	67
C		2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
D		16	3	4	-	-	5	14	1	-	-	-	-	-	-	-	-	-	-
E		47	2	5	6	5	8	28	11	3	-	-	2	3	-	-	-	-	-
F		10	-	1	1	4	2	8	-	-	-	-	-	-	-	-	-	-	-
G		33	15	12	4	1	-	32	1	-	-	-	5	1	5	4	2	2	1
H		62	2	1	2	6	-	11	9	5	7	8	-	4	-	2	-	-	-
I		19	6	-	2	1	-	9	1	-	-	-	1	1	-	-	-	-	-
J		37	7	1	2	4	2	16	1	2	-	-	-	1	2	1	4	5	5
K		56	-	-	-	-	-	1	-	-	-	-	1	-	-	10	13	19	4
L		33	11	3	2	1	-	17	3	4	4	-	5	1	-	13	-	-	-
M		189	1	3	3	1	1	29	5	9	19	28	45	39	17	10	6	2	-
N		11	3	4	-	2	-	9	2	-	-	-	-	-	-	-	-	-	-
O		147	33	8	3	2	-	46	2	1	1	5	6	5	10	15	32	20	4
P		168	2	1	1	-	-	4	2	2	6	4	9	12	13	32	46	34	1
Q		136	20	14	5	2	2	43	4	2	1	-	6	5	8	19	30	33	1
R		59	4	-	1	1	1	6	1	-	-	2	6	3	9	14	8	8	-
S		8	-	-	-	1	-	1	-	-	-	-	3	1	2	1	1	-	-
T		8	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
U		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W		19	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-
X		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y		22	6	-	4	-	-	10	4	-	-	-	1	-	-	1	-	-	-
Z		332	111	16	8	1	-	156	1	1	-	-	1	4	1	5	2	40	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80-	
274.—WEYMOUTH.																			
Mean Popul ⁿ , 1861-71	14863	387	365	335	336	330	1753	1573	1371	1568	1632	2633	1700	1192	777	422	167	25	
TOTAL DEATHS—	2587	622	186	85	50	36	979	91	49	60	111	207	205	175	204	242	199	6	
Small-pox	5	1	—	—	1	—	2	—	1	—	—	2	—	—	—	—	—	—	
Measles	29	8	19	6	2	—	26	1	—	—	—	—	—	—	—	—	—	—	
Scarlatina	110	9	17	22	10	10	77	23	4	3	1	—	2	—	—	—	—	—	
Diphtheria	30	4	7	5	2	2	20	7	—	—	—	1	—	—	—	—	—	—	
Whooping-cough	21	8	7	5	—	1	21	—	—	—	—	—	—	—	—	—	—	—	
Typhus	54	3	2	1	1	3	10	8	3	5	6	6	2	4	6	4	—	—	
Diarrhoea & Dysentery	94	62	8	2	—	1	73	—	—	1	1	2	1	1	3	6	—	—	
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	74	13	7	7	4	6	37	4	5	—	2	7	4	7	4	4	—	—	
Cancer	34	—	—	—	—	2	2	2	—	—	1	1	1	4	7	6	—	—	
Scrophula and Tabes	42	20	5	3	—	2	30	1	6	1	2	—	—	—	—	—	—	—	
Phthisis	214	6	6	1	—	—	13	1	5	11	44	76	53	33	14	—	—	—	
Hydrocephalus	43	14	13	4	3	1	35	6	2	—	—	—	—	—	—	—	—	—	
Dis. of Brain	310	103	16	4	3	2	128	6	1	8	9	19	22	20	37	25	—	—	
Dis. of Heart & Dropsy	167	2	—	—	—	—	4	2	1	4	3	18	24	18	33	43	15	—	
Dis. of Lungs	459	127	54	17	9	3	210	11	1	4	8	16	20	30	49	39	43	—	
Dis. of Stom. and Liver	148	17	—	2	1	—	20	6	5	5	9	11	15	14	26	25	9	—	
Dis. of Kidneys	54	—	—	—	—	—	—	1	—	—	1	6	8	12	5	14	7	—	
Dis. of Gener. Organs	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	9	1	—	—	—	—	1	—	1	2	2	1	—	1	—	—	—	—	
Dis. of Skin	11	8	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	17	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Deaths	175	7	3	5	2	2	19	10	11	12	24	37	39	16	8	9	1	—	
Other Causes	445	200	28	1	1	1	240	2	1	3	1	2	14	9	12	29	35	6	
275.—DORCHESTER.																			
Mean Popul ⁿ , 1861-71	12575	328	343	326	338	331	1656	1437	1451	1285	1046	1610	1375	1174	841	433	196	21	
TOTAL DEATHS—	2503	533	155	82	41	37	848	92	52	57	89	156	170	182	249	265	261	8	
Small-pox	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	
Measles	26	5	10	5	1	2	23	2	—	—	—	1	—	—	—	—	—	—	
Scarlatina	29	4	15	9	11	8	47	37	9	3	2	—	1	—	—	—	—	—	
Diphtheria	25	1	2	6	3	5	17	6	1	—	—	—	—	—	1	—	—	—	
Whooping-cough	27	12	9	5	1	—	27	—	—	—	—	—	—	—	—	—	—	—	
Typhus	43	1	1	2	2	2	8	3	5	3	4	7	4	4	6	7	2	—	
Diarrhoea & Dysentery	45	25	4	—	1	4	34	1	—	—	1	1	—	1	1	2	4	—	
Cholera	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	50	3	4	5	1	3	16	6	3	2	1	1	3	1	6	6	3	—	
Cancer	34	—	—	—	—	—	—	—	1	—	—	2	4	8	9	6	4	—	
Scrophula and Tabes	73	27	10	5	3	1	43	7	3	3	5	3	3	3	1	1	1	—	
Phthisis	232	2	5	2	3	—	12	4	9	17	41	58	44	30	22	7	—	—	
Hydrocephalus	31	10	14	1	—	—	25	4	2	—	—	—	—	—	—	—	—	—	
Dis. of Brain	332	71	17	7	4	3	102	1	5	10	3	18	32	30	47	45	41	—	
Dis. of Heart & Dropsy	263	5	1	—	—	—	6	2	4	—	2	14	15	31	34	34	23	—	
Dis. of Lungs	375	102	40	10	4	3	165	5	2	2	5	13	17	14	39	37	40	—	
Dis. of Stom. and Liver	114	5	1	2	2	1	11	5	—	5	3	8	17	17	31	12	5	—	
Dis. of Kidneys	62	—	—	—	—	—	—	1	1	4	3	10	8	9	8	10	5	—	
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	15	—	—	—	—	—	—	1	2	1	2	3	1	1	3	1	—	—	
Dis. of Skin	9	3	—	2	—	—	5	—	—	—	—	1	—	2	1	—	—	—	
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	12	—	—	—	—	—	—	—	—	—	—	3	2	4	3	—	—	—	
Other Violent Deaths	98	6	3	2	2	2	15	4	4	4	10	10	11	16	19	7	6	—	
Other Causes	564	230	19	13	3	3	298	2	1	3	2	3	8	7	19	49	128	6	
276.—SHERBORNE.																			
Mean Popul ⁿ , 1861-71	6565	190	176	195	165	182	908	767	821	690	472	776	688	579	463	283	105	1	
TOTAL DEATHS—	1284	297	79	43	14	22	455	30	26	35	38	77	58	82	126	173	136	3	
Small-pox	2	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Measles	16	4	6	1	1	2	14	2	—	—	—	—	—	—	—	—	—	—	
Scarlatina	37	2	4	8	5	7	26	7	2	2	—	—	—	—	—	—	—	—	
Diphtheria	9	—	3	1	—	1	5	2	1	—	—	1	—	—	—	—	—	—	
Whooping-cough	18	8	6	3	—	1	18	—	—	—	—	—	—	—	—	—	—	—	
Typhus	45	—	2	1	2	1	6	7	5	6	2	3	5	3	6	2	3	—	
Diarrhoea & Dysentery	24	11	3	1	2	—	17	—	1	—	—	—	—	—	—	—	—	—	
Cholera	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	41	9	5	5	—	3	22	4	—	1	—	2	2	3	1	1	6	—	
Cancer	23	—	—	—	—	—	—	—	—	—	—	1	1	6	3	10	3	—	
Scrophula and Tabes	25	12	4	—	1	—	17	—	1	5	2	2	—	—	—	—	—	—	
Phthisis	119	1	—	2	—	—	4	2	2	10	22	34	15	14	9	9	—	—	
Hydrocephalus	15	6	4	1	—	2	13	1	1	—	—	—	—	—	—	—	—	—	
Dis. of Brain	191	54	11	8	1	1	75	4	2	4	1	4	6	6	15	25	17	—	
Dis. of Heart & Dropsy	109	2	—	—	—	—	2	4	1	5	1	4	7	5	21	24	20	—	
Dis. of Lungs	161	38	9	4	1	1	53	2	2	—	1	6	11	20	21	34	13	—	
Dis. of Stom. and Liver	73	7	—	—	1	1	9	2	—	1	2	5	3	11	13	18	4	—	
Dis. of Kidneys	35	1	—	—	—	—	1	—	1	—	—	7	3	5	10	8	—	—	
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	3	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
Dis. of Skin	4	2	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	6	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Deaths	45	2	2	2	—	—	6	1	6	2	—	10	8	4	1	3	—	—	
Other Causes	303	137	19	6	—	1	163	3	—	—	—	2	4	2	11	35	38	—	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85			
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85			
274.—WEYMOUTH.																			
Mean Popul ⁿ , 1861-71	14409	384	380	394	352	296	1806	1599	1419	1364	1409	2166	1663	1304	916	530	210	33	
AL DEATHS	2445	457	179	75	50	23	784	79	46	64	73	161	148	175	212	289	301	113	
-pox	4	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-	
sc	27	6	10	3	3	1	23	3	-	-	-	1	-	-	-	-	-	-	
stina	106	9	18	16	21	7	71	23	6	-	2	2	1	-	-	1	-	-	
beria	98	2	3	5	2	5	17	6	4	-	-	1	-	-	-	-	-	-	
ping-cough	56	13	19	5	2	1	35	1	-	-	-	-	-	-	-	-	-	-	
is	50	2	-	-	-	-	7	3	8	7	5	8	4	3	2	1	2	-	
hoes & Dysentery	61	37	4	-	-	-	41	-	-	-	1	2	3	1	4	2	5	-	
ra	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Zymotic Dis.	50	6	6	4	4	1	21	6	2	2	-	1	1	1	7	3	4	-	
r	83	-	-	-	-	-	-	-	-	-	-	5	9	17	28	17	6	1	
is and Tabes	50	8	1	3	-	2	14	2	4	2	1	1	1	3	1	1	1	-	
is	258	7	11	2	2	-	22	6	7	27	32	71	32	30	9	1	1	-	
cephalus	27	8	11	2	-	-	21	4	1	1	-	-	-	-	-	-	-	-	
f Brain	311	79	23	6	2	3	115	4	3	4	4	7	13	26	20	43	48	14	
f Heart & Dropsy	224	-	1	1	-	-	2	4	3	5	6	9	18	32	47	60	32	6	
f Lungs	421	95	46	30	6	2	169	6	4	7	5	13	8	15	39	71	71	11	
f Stom. and Liver	117	10	2	-	-	-	14	3	1	3	3	8	5	26	18	23	11	-	
f Kidneys	29	-	-	-	-	-	-	1	-	-	2	2	5	1	8	6	4	-	
f Gener. Organs	18	-	-	-	-	-	-	-	-	-	-	3	5	4	2	3	1	-	
f Joints	7	-	-	-	-	-	-	1	-	-	-	1	1	3	2	1	-	-	
f Skin	9	1	2	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	
birth and Metria	37	-	-	-	-	-	-	-	-	3	3	17	13	1	-	-	-	-	
o	4	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	
Violent Deaths	35	6	4	1	1	-	12	4	1	1	2	2	-	2	2	3	2	4	
Causes	471	163	25	3	2	-	193	2	-	2	3	5	6	6	12	53	109	77	
275.—DORCHESTER.																			
Mean Popul ⁿ , 1861-71	12833	331	324	326	297	305	1583	1490	1313	1204	1101	1763	1463	1266	872	545	202	31	
AL DEATHS	2441	409	136	62	58	38	703	90	51	84	100	174	156	184	228	293	278	88	
-pox	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
les	22	4	7	6	4	-	21	-	-	-	1	-	-	-	-	-	-	-	
stina	104	4	12	6	14	9	45	35	17	2	3	2	-	-	-	-	-	-	
beria	19	2	3	3	-	1	9	7	1	-	-	1	-	-	-	-	1	-	
ping-cough	29	16	13	5	4	-	38	1	-	-	-	-	-	-	-	-	-	-	
is	63	1	2	5	-	3	11	8	5	10	12	10	5	9	9	3	1	-	
hoes & Dysentery	29	19	1	-	-	-	20	2	1	-	-	-	-	1	2	2	1	-	
ra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Zymotic Dis.	47	7	3	5	2	4	21	5	6	-	-	2	4	5	1	3	-	-	
r	70	-	-	-	-	-	-	-	-	-	1	5	7	20	20	12	3	2	
is and Tabes	79	33	11	4	4	1	53	4	2	3	2	6	2	3	3	1	1	-	
is	332	1	1	2	2	1	7	5	10	43	58	83	60	36	21	6	-	-	
cephalus	19	1	5	2	1	1	10	5	3	1	-	-	-	-	-	-	-	-	
f Brain	311	49	12	5	8	2	76	3	3	6	6	17	29	31	53	60	24	3	
f Heart & Dropsy	242	6	1	1	1	1	9	4	1	6	5	6	12	31	51	63	30	4	
f Lungs	291	72	37	8	10	8	133	7	2	5	3	9	6	19	28	39	31	7	
f Stom. and Liver	83	6	1	-	-	2	9	1	-	2	2	9	7	14	12	17	9	-	
f Kidneys	25	-	-	-	1	-	1	3	2	-	1	4	2	3	4	3	2	-	
f Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	-	
f Joints	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
f Skin	11	4	-	-	-	-	4	-	-	-	-	1	3	-	2	1	1	-	
birth and Metria	19	-	-	-	-	-	-	-	-	-	3	8	8	-	3	-	-	-	
o	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	19	2	1	4	1	1	6	3	1	-	-	1	-	2	3	1	3	-	
Causes	578	182	24	7	5	4	224	5	-	3	3	7	10	9	17	78	151	77	
276.—SHERBORNE.																			
Mean Popul ⁿ , 1861-71	7158	200	167	180	179	178	904	795	727	684	644	1018	775	681	478	315	119	18	
AL DEATHS	1346	254	89	41	25	19	429	45	28	37	43	80	76	97	134	179	146	53	
-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
les	27	3	9	6	3	3	24	3	-	-	-	-	-	-	-	-	-	-	
stina	29	3	7	6	2	4	22	6	1	-	-	-	-	-	-	-	-	-	
beria	5	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	
ping-cough	21	8	12	3	1	-	24	-	-	7	-	-	-	-	-	-	-	-	
is	33	1	4	3	2	2	12	8	4	-	6	4	3	4	3	2	5	-	
hoes & Dysentery	34	17	2	1	1	-	21	-	-	-	-	1	-	-	-	-	-	-	
ra	6	2	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	
Zymotic Dis.	55	8	6	3	5	2	24	4	1	1	1	2	2	2	4	8	6	-	
r	56	-	-	-	-	-	-	-	-	-	-	-	5	12	15	12	13	-	
is and Tabes	19	5	4	1	1	-	11	-	-	5	-	2	5	15	1	12	19	-	
is	164	5	3	3	1	-	13	3	6	-	17	24	20	18	10	10	1	-	
cephalus	15	6	1	1	2	2	12	2	1	-	-	41	-	-	-	-	-	-	
f Brain	151	40	7	3	1	-	51	3	-	-	1	3	6	15	18	33	20	1	
f Heart & Dropsy	120	1	2	-	-	-	3	3	-	1	4	9	9	13	28	35	12	-	
f Lungs	137	27	11	2	1	2	43	3	2	-	3	1	7	10	22	26	17	3	
f Stom. and Liver	75	5	-	-	1	1	7	1	4	3	2	6	9	9	15	15	4	-	
f Kidneys	17	-	-	-	-	-	-	1	-	1	-	1	3	4	3	2	1	-	
f Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	
f Joints	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
f Skin	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
birth and Metria	30	-	-	-	-	-	-	-	-	1	2	9	-	-	-	-	-	-	
o	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	19	2	1	3	1	-	7	3	1	1	-	-	-	1	5	3	5	-	
Causes	308	120	19	5	1	1	145	1	4	1	-	-	1	2	16	25	59	-	

an Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85				
277.—BEAMINSTER.																				
1861-70	6852	191	163	180	181	154	869	842	738	599	570	874	721	676	478	312	149	24		
1861-70	1282	225	78	48	31	26	408	50	24	40	43	68	54	73	91	171	198	69		
1861-70	1	4	9	5	1	1	19	4	1	2	1	2	1	2	1	1	1	1		
1861-70	24	1	5	5	5	4	20	12	3	2	1	2	3	3	3	3	3	3		
1861-70	17	2	2	2	2	2	6	3	2	2	1	3	3	3	3	3	3	3		
1861-70	20	11	5	1	1	2	29	2	2	3	4	1	2	2	3	1	1	1		
1861-70	32	1	3	4	6	6	14	2	2	3	4	1	2	2	3	1	1	1		
1861-70	19	8	1	1	1	1	10	1	1	1	1	1	1	1	1	1	1	1		
1861-70	34	4	5	4	8	6	27	2	1	1	1	1	1	1	1	1	1	1		
1861-70	23	4	4	4	4	4	10	4	1	1	1	1	1	1	1	1	1	1		
1861-70	24	4	4	4	4	4	10	4	1	1	1	1	1	1	1	1	1	1		
1861-70	134	1	1	1	1	1	2	4	1	1	1	1	1	1	1	1	1	1		
1861-70	11	5	2	1	1	1	8	2	1	1	1	1	1	1	1	1	1	1		
1861-70	131	27	8	4	1	1	40	4	4	6	9	4	6	10	10	25	17	3		
1861-70	139	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	182	34	20	12	5	2	73	3	1	3	1	5	5	6	11	33	40	2		
1861-70	65	2	2	2	2	2	4	4	4	2	2	3	4	12	14	10	10	2		
1861-70	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	17	2	1	1	1	1	4	1	2	1	1	3	5	5	1	1	1	1		
1861-70	341	120	15	8	1	3	147	2	2	2	1	3	3	5	6	31	90	61		
278.—BRIDPORT.																				
1861-70	8951	242	231	228	229	221	1151	1024	959	868	779	1199	949	812	605	400	174	31		
1861-70	1767	520	121	66	47	32	586	63	37	51	61	116	106	113	121	207	216	90		
1861-70	1	8	15	12	12	8	31	4	1	1	1	1	1	1	1	1	1	1		
1861-70	58	2	5	6	7	7	27	12	5	1	1	1	1	1	1	1	1	1		
1861-70	66	1	3	3	2	1	10	2	1	1	1	1	1	1	1	1	1	1		
1861-70	13	1	3	3	2	1	10	2	1	1	1	1	1	1	1	1	1	1		
1861-70	34	8	12	4	3	3	30	3	1	1	1	1	1	1	1	1	1	1		
1861-70	29	1	2	1	1	1	8	6	9	14	7	6	1	5	4	2	1	1		
1861-70	29	10	4	1	1	1	16	1	1	1	1	1	1	1	1	1	1	1		
1861-70	49	5	6	9	4	4	24	2	1	5	1	1	2	4	1	3	4	1		
1861-70	48	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	51	20	5	2	2	2	29	2	3	2	2	2	6	5	13	8	9	2		
1861-70	206	2	4	1	1	3	10	2	10	13	32	60	33	33	7	5	1	1		
1861-70	8	1	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1		
1861-70	206	48	11	6	3	3	71	4	1	3	5	7	8	12	14	34	41	6		
1861-70	148	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
1861-70	281	66	25	13	11	1	116	9	1	2	3	6	13	14	22	59	28	8		
1861-70	62	8	1	1	1	1	11	1	1	2	2	4	8	8	19	16	9	1		
1861-70	27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	11	4	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1		
1861-70	23	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	22	4	2	3	3	3	12	3	1	3	1	3	1	3	1	1	1	1		
1861-70	535	126	23	3	3	3	152	2	1	1	1	3	5	2	7	21	89	61		
279.—AXMINSTER.																				
1861-70	10433	283	244	261	247	250	1285	1241	1069	966	822	1376	1139	1009	730	533	222	41		
1861-70	1974	270	124	77	55	29	535	74	52	75	55	126	111	114	167	273	286	107		
1861-70	43	9	15	6	4	3	37	5	7	1	1	1	1	1	1	1	1	1		
1861-70	25	3	2	2	2	2	12	2	2	1	1	1	1	1	1	1	1	1		
1861-70	32	1	6	4	3	4	18	9	4	1	1	1	1	1	1	1	1	1		
1861-70	41	21	7	5	3	2	38	3	3	1	1	1	1	1	1	1	1	1		
1861-70	71	1	3	3	2	6	15	7	9	12	4	4	4	5	3	5	2	4		
1861-70	48	14	5	4	2	1	26	1	1	1	1	1	1	1	1	1	1	1		
1861-70	5	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1		
1861-70	57	8	9	10	7	2	36	5	1	3	1	4	1	1	3	1	1	1		
1861-70	57	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	41	5	4	5	1	1	15	5	4	7	1	2	8	11	16	17	2	1		
1861-70	245	4	6	2	2	1	16	2	10	31	36	61	47	20	11	7	1	1		
1861-70	18	4	6	2	1	1	14	2	2	1	1	1	1	1	1	1	1	1		
1861-70	239	53	4	4	1	2	64	6	1	7	3	9	8	14	27	36	45	9		
1861-70	229	1	2	1	1	1	4	2	4	1	1	1	1	1	1	1	1	1		
1861-70	226	24	20	12	5	1	72	3	3	3	1	1	1	1	1	1	1	1		
1861-70	98	7	2	1	1	1	11	3	1	1	1	1	1	1	1	1	1	1		
1861-70	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1861-70	415	110	17	10	7	3	141	6	2	2	1	3	4	2	6	1	6	121		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
277.—BEAMINSTER.																			
Mean Popul ⁿ , 1861-71	6497	184	188	170	177	160	888	853	754	643	472	729	649	605	454	299	132	10	
TOTAL DEATHS	1300	301	101	38	21	18	473	40	26	20	24	53	57	97	116	143	183	10	
Small-pox	1	-	-	-	-	-	12	6	2	-	1	-	-	-	-	-	-	-	
Measles	29	3	5	4	-	-	19	11	1	-	-	-	-	-	-	-	-	-	
Scarlatina	31	-	6	5	5	3	19	11	1	-	-	-	-	-	-	-	-	-	
Diphtheria	7	1	1	-	1	1	4	2	1	-	-	-	-	-	-	-	-	-	
Whooping-cough	13	7	4	1	1	-	13	-	-	-	-	-	-	-	-	-	-	-	
Typhus	37	-	1	4	-	2	7	8	7	8	1	1	1	4	-	3	2	-	
Diarrhoea & Dysentery	20	9	1	-	-	-	10	-	-	-	1	-	-	1	-	3	4	1	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	23	8	1	3	2	4	13	2	1	-	1	-	-	2	1	2	-	-	
Cancer	24	-	-	-	-	-	-	-	1	-	-	-	-	1	5	6	8	5	
Scrofula and Tuberc.	37	11	3	4	3	2	23	3	1	2	-	2	3	8	1	1	1	-	
Phthisis	91	-	-	2	-	-	2	-	4	4	17	19	17	18	9	1	-	-	
Hydrocephalus	15	3	6	1	-	1	11	3	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	112	24	7	1	2	-	24	2	-	2	-	8	5	8	13	21	31	1	
Dis. of Heart & Dropsy	104	1	3	-	1	1	6	-	-	2	-	3	5	10	22	30	35	3	
Dis. of Lungs	268	74	28	8	3	3	125	3	2	1	-	8	9	16	26	29	34	4	
Dis. of Stom. and Liver	74	6	1	2	1	-	10	3	1	1	1	4	5	13	16	7	13	1	
Dis. of Kidneys	22	-	-	-	-	-	-	-	-	1	1	-	2	5	3	1	5	1	
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	40	2	1	2	-	-	5	2	3	4	-	4	6	1	7	1	8	4	
Other Causes	330	130	23	1	2	1	183	8	1	-	-	5	6	6	9	28	73	4	
278.—BRIDPORT.																			
Mean Popul ⁿ , 1861-71	7829	246	229	225	232	216	1148	1011	900	784	569	901	781	667	541	326	128	1	
TOTAL DEATHS	1706	427	142	65	34	33	701	52	33	44	31	84	102	89	134	204	183	1	
Small-pox	2	-	-	-	-	-	47	6	1	1	-	-	-	-	-	-	-	-	
Measles	53	9	17	10	4	7	47	6	-	-	-	-	-	-	-	-	-	-	
Scarlatina	48	2	11	8	5	6	32	9	6	-	-	-	-	-	1	-	-	-	
Diphtheria	5	-	1	1	-	-	2	2	1	-	-	-	-	-	-	-	-	-	
Whooping-cough	31	29	5	3	1	2	31	-	-	-	-	-	-	-	-	-	-	-	
Typhus	49	-	4	3	5	-	12	4	7	5	1	7	4	2	4	2	3	-	
Diarrhoea & Dysentery	30	18	1	2	-	2	23	-	-	-	-	1	-	1	2	1	2	-	
Cholera	42	7	6	8	3	1	25	2	1	2	1	-	2	1	1	4	3	-	
Other Zymotic Dis.	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tuberc.	66	33	14	3	1	1	53	2	1	2	1	2	3	4	8	6	5	-	
Phthisis	153	3	14	3	1	-	8	8	3	17	12	38	34	10	8	9	2	-	
Hydrocephalus	17	8	5	1	-	-	14	1	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain	192	65	9	6	1	4	85	4	2	5	3	7	7	6	11	33	27	-	
Dis. of Heart & Dropsy	133	5	-	-	-	-	9	4	5	3	3	4	8	9	27	37	27	-	
Dis. of Lungs	322	77	48	8	7	6	146	1	5	3	3	9	18	18	33	55	27	-	
Dis. of Stom. and Liver	81	12	-	-	-	1	13	2	1	1	3	2	7	11	17	19	8	-	
Dis. of Kidneys	27	-	-	-	1	-	1	-	-	-	-	-	1	3	1	9	11	-	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	2	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	85	4	-	5	1	11	13	8	6	5	4	6	12	7	12	0	5	-	
Other Causes	331	101	19	6	-	-	186	2	-	-	3	4	2	7	7	21	68	-	
279.—AXMINSTER.																			
Mean Popul ⁿ , 1861-71	9475	283	253	256	257	268	1317	1241	1163	894	631	1000	962	912	671	471	190	2	
TOTAL DEATHS	1866	346	131	60	32	21	509	76	30	68	49	85	73	128	150	246	275	7	
Small-pox	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Measles	50	9	13	12	6	4	44	6	-	-	-	-	-	-	-	-	-	-	
Scarlatina	47	-	11	6	2	3	21	15	4	-	-	-	-	-	-	-	-	-	
Diphtheria	21	1	3	6	4	1	15	4	1	1	-	1	-	1	-	-	-	-	
Whooping-cough	31	11	7	6	2	2	28	3	-	-	-	-	-	-	-	-	-	-	
Typhus	41	1	4	1	1	1	8	3	4	6	2	1	1	7	3	3	1	-	
Diarrhoea & Dysentery	55	24	4	2	-	-	39	1	1	-	-	3	3	2	4	4	8	-	
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	63	10	8	9	2	-	29	7	1	5	2	2	1	2	2	4	4	-	
Cancer	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tuberc.	40	8	3	3	1	1	16	6	5	5	2	8	3	1	12	10	10	-	
Phthisis	142	3	4	3	1	-	11	2	3	17	23	31	20	16	11	2	-	-	
Hydrocephalus	20	7	8	3	-	3	21	6	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain	209	64	12	4	1	2	83	8	-	6	4	8	6	15	23	38	23	-	
Dis. of Heart & Dropsy	173	-	1	-	-	1	2	2	-	3	3	6	12	21	25	28	29	-	
Dis. of Lungs	299	60	25	7	7	2	101	3	1	1	1	7	7	15	33	33	27	-	
Dis. of Stom. and Liver	104	0	1	2	-	-	12	1	2	7	2	5	7	17	14	27	10	-	
Dis. of Kidneys	46	-	-	-	-	-	-	-	-	-	1	-	8	-	4	7	7	-	
Dis. of Genes. Organs	1	-	-	-	1	-	1	-	-	-	-	4	-	-	-	-	-	-	
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	71	2	4	2	2	-	10	5	3	9	1	5	3	1	7	8	8	-	
Other Causes	332	137	23	4	1	1	166	2	3	3	3	1	1	1	14	7	33	1	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
277.—BEAMINSTER.																			
an Popul ⁿ , 1861-71	6852	191	163	180	181	154	869	842	738	599	570	874	721	676	478	312	149	24	
AL DEATHS	1282	225	78	48	31	26	408	50	24	40	43	68	54	73	91	171	198	62	
-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
es	24	4	9	5	-	1	19	4	1	-	-	-	-	-	-	-	-	-	
tina	40	1	5	5	5	4	20	12	3	-	1	2	-	-	-	-	-	-	
heria	17	-	2	-	-	2	6	8	2	2	1	3	-	-	-	-	-	-	
ping-cough	29	11	5	1	1	2	23	-	-	-	-	-	-	-	-	-	-	-	
is	32	1	-	3	4	6	14	-	2	2	4	1	2	-	3	1	-	-	
is & Dysentery	19	8	1	1	-	-	10	-	1	-	-	-	1	-	-	5	1	2	
ra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Zymotic Dis.	34	4	5	4	8	6	27	3	1	1	-	-	-	-	1	-	-	-	
r	23	-	-	-	-	-	-	-	-	-	-	1	2	4	7	8	1	-	
is and Tabes	24	2	4	3	1	-	10	4	1	-	1	4	3	-	-	1	-	-	
is	134	1	-	1	1	-	2	4	5	23	25	31	13	14	10	2	2	-	
cephalus	11	5	2	1	-	-	8	2	1	-	-	-	-	-	-	-	-	-	
f Brain	131	27	8	4	1	-	40	4	4	3	2	4	6	10	13	25	17	3	
f Heart & Droopy	139	1	-	-	-	-	1	1	1	1	1	2	8	18	24	47	33	2	
f Lungs	182	34	20	12	5	2	73	3	-	3	1	5	5	6	11	33	40	2	
f Stom. and Liver	65	2	-	-	2	-	4	4	-	-	2	3	4	12	12	14	10	-	
f Kidneys	11	-	1	-	-	-	1	1	-	-	1	-	1	-	2	3	2	-	
f Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	
f Joints	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
f Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
irth and Metria	13	-	-	-	-	-	-	-	-	-	3	5	5	-	-	-	-	-	
le	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	72	2	1	1	-	-	4	1	2	-	-	-	-	1	-	1	2	2	
Causes	341	120	15	8	1	3	147	2	-	2	1	3	3	5	6	31	90	51	
278.—BRIDPORT.																			
an Popul ⁿ , 1861-71	8951	242	231	228	229	221	1151	1024	959	868	779	1199	949	812	605	400	174	31	
AL DEATHS	1767	320	121	66	47	32	586	63	37	51	61	116	106	113	121	207	216	90	
-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
es	58	8	18	12	12	3	53	4	-	1	-	-	-	-	-	-	-	-	
tina	56	2	5	6	7	7	27	23	5	-	-	-	-	1	-	-	-	-	
heria	13	1	3	3	2	1	10	2	-	-	-	1	-	-	-	-	-	-	
ping-cough	34	5	12	4	3	3	30	3	1	-	-	-	-	-	-	-	-	-	
is	39	1	2	1	4	-	8	6	9	14	7	6	-	3	4	2	-	-	
is & Dysentery	29	10	4	1	-	1	10	-	-	-	-	1	1	-	3	1	6	1	
ra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Zymotic Dis.	49	5	6	9	-	4	24	2	1	5	1	1	2	4	1	3	4	1	
r	48	-	-	-	-	-	-	-	-	-	-	2	6	8	13	8	9	2	
is and Tabes	51	20	5	2	-	2	29	2	3	-	2	5	3	6	-	-	-	-	
is	206	2	4	-	1	3	10	2	10	13	32	60	33	33	7	5	1	-	
cephalus	8	5	1	1	-	-	7	1	-	-	-	-	-	-	-	-	-	-	
f Brain	206	48	11	6	3	3	71	4	1	3	5	7	8	12	14	34	41	6	
f Heart & Droopy	144	2	-	-	-	-	2	-	2	2	6	5	9	12	23	45	30	9	
f Lungs	281	66	25	13	11	1	116	9	1	2	3	6	13	11	22	69	28	8	
f Stom. and Liver	62	8	1	1	-	1	11	1	1	2	2	4	8	8	19	16	9	1	
f Kidneys	27	-	-	-	1	-	1	1	1	1	-	5	3	3	3	3	1	-	
f Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	-	2	2	-	3	1	-	
f Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
f Skin	11	4	1	1	-	-	-	-	-	-	-	1	-	2	1	1	1	-	
irth and Metria	25	-	-	-	-	-	-	-	-	2	2	8	12	1	-	-	-	-	
le	6	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	
Violent Deaths	22	4	-	2	3	3	12	6	1	3	-	1	1	3	1	1	1	1	
Causes	355	126	23	3	-	-	152	-	1	1	-	3	5	2	7	21	82	61	
279.—AXMINSTER.																			
an Popul ⁿ , 1861-71	10433	283	244	261	247	250	1285	1241	1069	966	822	1376	1139	1009	730	533	222	41	
AL DEATHS	1974	270	124	77	35	29	535	74	52	75	55	126	111	114	167	273	286	107	
-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
es	43	9	15	6	4	3	37	5	-	-	-	-	-	-	-	-	-	-	
tina	25	3	2	2	3	2	12	6	7	-	-	-	-	-	-	-	-	-	
heria	32	1	6	4	3	4	18	9	4	1	-	-	-	-	-	-	-	-	
ping-cough	41	21	7	5	3	2	38	3	-	-	-	-	-	-	-	-	-	-	
is	71	1	3	3	2	6	15	7	9	12	4	4	-	5	4	3	2	-	
is & Dysentery	48	14	5	4	2	1	26	-	1	1	-	1	-	3	1	3	1	-	
ra	5	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Zymotic Dis.	57	8	9	10	7	2	86	5	1	3	-	4	-	1	3	1	-	-	
r	57	-	-	-	-	-	-	-	-	-	-	2	8	11	16	17	2	1	
is and Tabes	41	5	4	5	1	-	15	5	4	7	-	1	4	2	2	-	-	-	
is	245	4	8	2	2	-	16	6	10	31	36	61	47	20	11	7	-	-	
cephalus	18	3	8	2	-	1	14	2	2	-	-	-	-	-	-	-	-	-	
f Brain	229	53	4	4	1	2	64	6	1	7	3	9	8	14	27	36	45	9	
f Heart & Droopy	229	1	2	1	-	-	4	2	4	1	6	13	15	20	52	65	40	7	
f Lungs	228	24	20	12	5	1	72	5	3	2	-	4	6	16	20	40	52	8	
f Stom. and Liver	98	7	2	1	-	1	11	3	-	3	-	7	6	12	18	23	14	1	
f Kidneys	19	-	1	-	-	-	1	-	-	2	-	1	4	3	2	3	1	2	
f Gener. Organs	10	-	-	-	1	-	1	-	-	-	-	1	2	3	3	-	-	-	
f Joints	10	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	
f Skin	3	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
irth and Metria	20	-	-	-	-	-	-	-	-	3	-	8	6	-	-	-	-	-	
le	3	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	
Violent Deaths	27	6	1	4	-	-	10	6	2	-	-	2	2	-	-	1	1	1	
Causes	415	110	17	10	1	3	141	3	2	-	-	3	4	-	2	6	59	123	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		280.—HONITON.																
Mean Popul ⁿ , 1861-71	10696	315	263	300	289	294	1461	1354	1305	1048	747	1159	1056	987	783	541	232	24
TOTAL DEATHS	2055	431	121	63	42	24	684	70	39	58	56	136	107	122	170	208	263	62
Small-pox	5	-	1	-	-	2	3	1	-	-	1	-	-	-	-	-	-	-
Measles	28	4	6	6	4	3	26	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	50	4	5	12	10	4	35	13	2	-	-	-	-	-	-	-	-	-
Diphtheria	12	1	2	2	2	1	8	2	-	1	1	-	-	-	-	-	-	-
Whooping-cough	34	15	12	4	1	1	33	1	-	-	-	-	-	-	-	-	-	-
Typhus	72	2	3	2	4	1	12	9	5	7	8	9	8	5	2	7	6	1
Diarrhoea & Dysentery	48	23	6	3	-	-	34	-	1	1	-	1	1	-	-	-	-	-
Cholera	4	1	-	-	-	-	1	-	-	-	-	1	1	-	1	5	2	6
Other Zymotic Dis.	33	5	4	2	3	1	15	3	1	-	1	-	-	-	1	2	6	1
Cancer	29	-	-	-	-	-	-	-	-	-	-	1	1	6	12	7	1	1
Scrofula and Tuberc.	40	15	6	4	1	-	24	-	-	1	4	10	-	-	-	-	-	-
Phthisis	198	1	2	2	1	2	8	3	6	10	24	65	36	17	16	2	-	-
Hydrocephalus	38	14	7	5	5	-	31	4	2	-	1	-	-	-	-	-	-	-
Dis. of Brain	275	62	17	6	2	4	121	8	5	4	2	6	15	20	27	44	22	1
Dis. of Heart & Dropsy	172	2	-	-	-	-	3	1	4	1	-	1	7	23	35	22	27	1
Dis. of Lungs	264	60	18	9	3	1	91	5	-	5	6	10	10	25	29	55	24	1
Dis. of Stom. and Liver	98	5	-	-	1	-	6	1	3	6	-	5	13	12	19	20	11	1
Dis. of Kidneys	34	-	-	-	-	-	-	1	1	3	1	4	2	2	5	6	5	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	1	1	-	-	1	1	-	2	1	-	-
Dis. of Skin	8	2	-	-	1	-	3	-	-	-	1	-	-	-	1	2	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	83	11	6	2	2	3	24	8	6	8	4	5	6	8	4	4	6	1
Other Causes	516	174	33	7	1	1	206	4	5	1	2	3	2	2	12	62	143	71
281.—ST. THOMAS.																		
Mean Popul ⁿ , 1861-71	22592	622	591	598	577	592	2980	2835	2683	2209	1507	2588	2281	2133	1698	1112	425	51
TOTAL DEATHS	4971	938	251	123	89	77	1477	190	111	123	124	309	349	367	514	659	587	161
Small-pox	17	3	-	-	2	-	5	-	2	2	3	4	1	-	-	-	-	-
Measles	29	16	19	10	10	6	61	6	-	1	1	-	-	-	-	-	-	-
Scarlatina	135	9	18	22	13	13	75	47	5	5	1	2	-	-	-	-	-	-
Diphtheria	43	8	4	4	5	7	28	11	2	2	1	-	-	-	-	-	-	-
Whooping-cough	45	23	16	5	2	1	52	3	-	-	-	-	-	-	-	-	-	-
Typhus	192	3	5	8	9	9	50	23	21	10	9	9	10	3	17	23	6	1
Diarrhoea & Dysentery	192	114	10	6	2	-	132	2	2	2	2	3	5	6	14	10	15	3
Cholera	75	4	1	3	1	2	11	7	3	3	3	6	17	8	7	10	7	3
Other Zymotic Dis.	123	10	16	14	3	7	50	12	6	-	5	5	5	13	7	10	7	3
Cancer	80	-	-	-	-	-	-	-	-	1	-	-	8	14	19	25	12	1
Scrofula and Tuberc.	62	19	10	2	1	1	33	4	6	2	2	8	1	1	4	1	1	-
Phthisis	216	11	6	2	4	3	26	7	10	32	54	129	96	73	60	24	3	-
Hydrocephalus	56	21	15	2	3	3	44	11	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	771	129	34	8	5	8	194	9	11	11	17	46	94	88	101	112	73	16
Dis. of Heart & Dropsy	328	2	3	2	1	2	10	9	8	7	5	17	30	71	94	62	8	-
Dis. of Lungs	757	165	54	18	12	8	257	13	6	10	7	29	34	50	83	121	105	18
Dis. of Stom. and Liver	216	27	1	1	1	2	32	5	4	2	3	11	14	28	42	46	24	3
Dis. of Kidneys	115	-	-	-	-	-	-	4	1	2	-	6	9	10	23	30	29	1
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	28	-	-	-	1	-	1	1	1	4	-	4	7	5	1	3	-	-
Dis. of Skin	13	4	1	-	-	-	5	-	-	-	-	3	1	-	1	3	4	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	78	-	-	-	-	-	-	-	1	1	-	4	5	9	13	3	2	-
Other Violent Deaths	194	7	8	5	7	4	31	11	18	20	13	27	17	14	21	12	8	-
Other Causes	1034	340	73	10	7	2	460	5	2	-	-	6	6	12	30	102	239	16
282.—EXETER.																		
Mean Popul ⁿ , 1861-71	15229	444	390	396	356	342	1928	1763	1701	1531	1289	2099	1088	1413	1021	587	188	21
TOTAL DEATHS	4288	1011	343	188	97	61	1700	126	90	102	120	267	314	333	416	433	512	65
Small-pox	62	14	12	6	6	6	44	9	2	-	1	4	2	-	-	-	-	-
Measles	112	17	44	27	8	3	109	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	85	7	14	10	9	10	50	20	9	4	-	2	-	-	-	-	-	-
Diphtheria	12	3	1	3	2	1	10	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	85	36	25	15	8	1	85	-	-	-	-	-	-	-	-	-	-	-
Typhus	102	2	6	11	3	4	29	9	8	6	7	15	9	8	2	9	3	-
Diarrhoea & Dysentery	197	144	16	6	-	1	167	-	-	-	-	1	3	5	7	4	6	3
Cholera	59	2	7	5	4	1	19	3	3	3	1	7	8	7	4	3	2	1
Other Zymotic Dis.	91	16	17	10	5	4	52	6	2	3	1	7	4	2	8	3	2	1
Cancer	60	-	-	-	-	-	-	-	-	2	1	4	2	13	19	13	6	-
Scrofula and Tuberc.	106	30	18	7	3	2	60	10	6	8	5	9	5	2	2	3	-	-
Phthisis	446	8	5	2	3	3	16	3	15	31	54	93	91	70	46	22	3	-
Hydrocephalus	70	23	13	9	8	5	68	7	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	543	163	44	18	12	6	243	11	6	9	7	21	33	35	60	70	42	1
Dis. of Heart & Dropsy	328	4	1	1	2	-	8	8	6	4	3	33	46	44	74	68	25	1
Dis. of Lungs	685	103	71	22	15	6	294	13	2	6	10	23	32	48	87	107	55	11
Dis. of Stom. and Liver	177	13	2	2	2	-	19	4	3	5	4	9	20	35	42	20	16	-
Dis. of Kidneys	118	-	-	-	1	-	1	2	4	-	10	8	16	17	20	24	14	1
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	34	-	-	-	1	2	3	5	4	-	6	2	4	2	3	4	-	-
Dis. of Skin	20	1	2	1	-	1	5	2	-	1	-	-	3	3	3	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	17	-	-	-	-	-	-	-	-	-	-	1	2	5	4	-	-	-
Other Violent Deaths	164	11	8	6	6	4	37	6	10	13	20	20	11	15	21	11	1	-
Other Causes	695	354	83	5	1	1	394	2	-	-	-	2	3	13	24	28	63	123

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
280.—HONITON.																	
Mean Popul ⁿ , 1861-71	11815	288	280	285	279	277	1409	1314	1186	1129	974	1572	1333	1148	868	596	247
TOTAL DEATHS	2112	306	115	53	25	21	520	57	42	83	77	135	136	143	170	324	307
Small-pox	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	32	3	17	7	2	—	29	3	—	—	—	—	—	—	—	—	—
Scarlatina	38	3	8	9	2	4	26	8	2	—	—	—	1	—	—	—	—
Diphtheria	9	1	1	2	2	—	6	2	—	—	1	—	—	—	—	—	—
Whooping-cough	27	16	12	3	1	3	35	2	—	—	—	—	—	—	—	—	—
Typhus	85	—	3	4	1	—	8	10	8	18	9	7	10	2	5	6	2
Diarrhoea & Dysentery	44	21	7	1	—	—	29	2	—	—	—	1	1	—	3	6	2
Cholera	5	2	—	—	—	—	2	—	—	—	—	1	1	—	—	1	—
Other Zymotic Dis.	33	4	4	3	4	3	18	1	2	1	1	—	3	2	1	2	2
Cancer	67	—	—	—	—	—	—	—	—	—	1	—	—	6	15	20	16
Scrofula and Tubes	32	9	2	1	1	—	13	1	1	6	4	4	2	1	—	—	—
Phthisis	278	6	2	1	2	1	12	1	14	34	45	69	51	29	17	7	1
Hydrocephalus	24	7	5	4	—	1	17	6	—	—	—	—	—	—	—	—	—
Dis. of Brain	262	67	12	5	3	2	89	5	5	5	4	9	8	16	27	63	62
Dis. of Heart & Dropsy	229	2	3	—	—	1	6	3	2	4	4	10	17	20	38	69	40
Dis. of Lungs	223	44	20	6	3	4	77	6	3	7	3	7	9	11	21	44	25
Dis. of Stom. and Liver	83	4	3	—	1	—	8	1	2	3	—	5	6	13	16	18	9
Dis. of Kidneys	17	—	—	—	—	—	—	—	—	—	2	1	2	3	4	3	2
Dis. of Genes. Organs	9	—	—	—	—	—	—	—	—	1	—	—	1	1	4	1	1
Dis. of Joints	6	—	—	—	1	—	1	1	1	—	—	1	1	—	—	1	—
Dis. of Skin	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	31	—	—	—	—	—	—	—	—	1	2	15	10	3	—	—	—
Suicide	4	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1
Other Violent Deaths	28	5	—	1	1	1	8	2	2	3	1	—	1	3	2	2	3
Other Causes	530	112	16	6	1	1	136	3	2	—	1	5	5	8	15	24	176
281.—ST. THOMAS.																	
Mean Popul ⁿ , 1861-71	26264	637	586	600	586	554	2963	2857	2603	2302	2301	3609	2991	2619	2035	1330	559
TOTAL DEATHS	5024	752	261	126	93	75	1307	168	101	142	153	319	317	354	443	718	738
Small-pox	8	3	—	1	—	—	4	1	—	1	2	—	—	—	—	—	—
Measles	60	12	18	13	7	4	54	5	1	—	—	—	—	—	—	—	—
Scarlatina	155	11	22	28	18	19	98	29	10	2	—	2	3	1	—	—	—
Diphtheria	59	4	10	2	8	10	34	19	2	—	—	—	1	2	—	1	—
Whooping-cough	64	30	10	6	4	2	61	2	1	—	—	—	—	—	—	—	—
Typhus	191	7	9	10	6	3	32	21	26	23	10	14	14	17	11	13	7
Diarrhoea & Dysentery	158	78	14	5	1	—	98	3	2	2	—	5	4	4	4	17	14
Cholera	42	2	3	1	—	5	12	5	—	1	1	2	4	6	6	6	6
Other Zymotic Dis.	119	10	7	10	13	8	48	18	5	3	1	3	5	7	7	14	7
Cancer	154	—	—	—	—	—	—	—	—	—	—	2	16	30	41	40	20
Scrofula and Tubes	57	15	7	—	—	2	24	4	6	5	6	4	3	—	3	1	1
Phthisis	647	9	10	1	2	2	24	15	25	58	82	167	100	93	54	21	8
Hydrocephalus	37	10	9	6	4	1	30	3	1	—	—	1	—	—	—	—	—
Dis. of Brain	613	104	25	10	6	3	148	10	10	9	10	39	34	59	69	113	89
Dis. of Heart & Dropsy	403	6	1	—	—	—	7	4	8	7	6	12	31	40	76	131	78
Dis. of Lungs	667	131	55	17	13	6	222	6	2	7	9	9	13	31	65	155	123
Dis. of Stom. and Liver	235	14	3	3	1	4	25	3	—	7	6	12	19	29	46	66	28
Dis. of Kidneys	50	1	—	—	1	—	2	1	—	2	2	5	7	11	6	9	4
Dis. of Genes. Organs	30	—	—	—	—	—	—	—	—	—	—	2	9	4	8	7	—
Dis. of Joints	24	1	2	2	—	1	6	—	1	3	—	3	4	—	4	2	1
Dis. of Skin	11	4	1	—	—	—	5	—	—	—	—	—	—	1	1	1	3
Childbirth and Metris	90	—	—	—	—	—	—	—	—	4	12	37	35	2	—	—	—
Suicide	8	—	—	—	—	—	—	—	—	2	1	1	—	—	2	—	—
Other Violent Deaths	62	10	8	4	1	—	23	6	1	2	2	1	5	2	5	3	9
Other Causes	1070	297	49	8	3	2	359	3	—	4	2	4	8	12	31	128	240
282.—EXETER.																	
Mean Popul ⁿ , 1861-71	18968	434	386	377	381	356	1934	1739	1753	1965	1895	2863	2236	1842	1386	927	371
TOTAL DEATHS	4370	805	311	166	96	52	1430	124	108	102	134	284	291	298	386	518	537
Small-pox	47	5	11	5	5	2	28	4	4	4	3	—	3	1	—	—	—
Measles	120	21	37	26	17	9	110	8	1	—	—	—	—	—	—	—	—
Scarlatina	89	5	17	16	9	11	58	20	6	1	1	2	1	—	—	—	—
Diphtheria	29	2	3	5	5	3	18	8	—	1	1	—	—	1	—	—	—
Whooping-cough	90	32	33	16	6	2	89	1	—	—	—	—	—	—	—	—	—
Typhus	121	2	4	9	4	2	21	14	20	12	12	7	7	7	9	11	1
Diarrhoea & Dysentery	169	110	11	7	1	—	129	1	—	—	—	3	4	2	2	7	15
Cholera	60	2	2	2	1	1	8	2	4	1	3	11	8	10	8	3	2
Other Zymotic Dis.	81	8	8	9	11	1	37	5	2	3	2	3	6	7	3	7	5
Cancer	114	—	—	—	—	—	—	—	—	—	—	10	17	36	36	32	12
Scrofula and Tubes	88	31	17	5	4	1	58	6	7	7	3	1	2	1	3	—	—
Phthisis	461	6	8	10	3	2	48	10	29	44	58	115	88	58	25	13	—
Hydrocephalus	53	25	8	10	3	2	48	4	1	—	—	—	—	—	—	—	—
Dis. of Brain	507	105	26	11	9	4	155	9	8	5	8	18	22	24	74	84	80
Dis. of Heart & Dropsy	386	5	2	—	—	—	9	6	4	8	14	36	32	32	90	96	69
Dis. of Lungs	648	111	76	27	13	9	236	8	6	6	8	28	24	37	74	118	86
Dis. of Stom. and Liver	204	11	2	4	1	—	18	3	4	2	10	18	27	29	25	42	25
Dis. of Kidneys	39	—	—	—	—	—	—	3	2	2	2	3	8	5	9	4	3
Dis. of Genes. Organs	24	—	—	—	—	—	—	—	—	1	2	5	2	6	7	1	—
Dis. of Joints	19	—	—	1	—	1	2	2	4	2	2	2	2	—	2	—	—
Dis. of Skin	12	4	—	1	—	1	6	—	—	1	—	2	1	—	—	—	—
Childbirth and Metris	49	—	—	—	—	—	—	—	—	1	5	24	19	—	—	—	—
Suicide	9	—	—	—	—	—	—	—	—	1	—	2	—	—	1	—	—
Other Violent Deaths	70	11	7	1	1	2	22	6	4	—	—	1	1	—	—	—	—
Other Causes	851	309	39	6	2	1	337	4	—	2	2	—	10	7	4	13	95

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		283.—NEWTON ABBOT.																
Mean Popul ⁿ , 1861-71	28515	854	759	803	746	751	3913	3567	3237	2636	2142	3519	3142	2691	1953	1216	447	5
TOTAL DEATHS	6250	1361	431	212	155	84	2245	222	127	155	213	422	396	405	408	731	687	10
Small-pox	45	10	5	1	5	3	24	3	1	4	3	5	3	1	-	1	-	-
Measles	133	25	49	29	23	4	130	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	228	19	31	35	35	20	147	59	18	6	2	-	-	-	-	-	-	-
Diphtheria	33	7	6	5	2	2	20	7	3	1	-	1	-	-	1	-	-	-
Whooping-cough	105	22	26	15	7	2	102	3	1	-	-	-	-	-	-	-	-	-
Typhus	214	1	12	9	11	7	40	34	21	24	26	17	9	10	16	7	10	10
Diarrhoea & Dysentery	189	113	20	4	-	1	139	1	-	-	5	1	2	6	1	17	13	13
Cholera	30	3	1	1	-	-	6	4	1	-	-	4	2	3	3	4	2	2
Other Zymotic Dis.	132	18	10	11	17	9	65	5	4	5	1	7	7	10	6	14	7	7
Cancer	82	-	1	1	-	-	2	-	-	1	1	1	5	9	23	25	6	1
Scrofula and Tabes	105	48	14	2	3	2	69	12	2	6	2	2	2	2	3	4	1	-
Phthisis	794	15	21	6	6	3	61	11	17	54	111	230	161	76	67	25	1	-
Hydrocephalus	93	37	23	11	2	2	75	12	2	2	1	1	-	-	-	-	-	-
Dis. of Brain	821	250	49	17	12	2	690	16	13	10	20	29	39	66	80	129	99	10
Dis. of Heart & Dropsy	451	4	2	4	1	1	12	4	8	16	7	32	40	54	69	129	74	10
Dis. of Lungs	961	241	66	41	18	8	394	10	4	3	8	39	47	67	91	154	123	10
Dis. of Stom. and Liver	290	99	5	2	1	3	60	8	5	11	16	22	32	32	41	72	29	10
Dis. of Kidneys	112	2	2	1	-	-	5	1	1	2	3	4	7	13	23	29	20	10
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	25	2	1	1	-	-	4	4	4	-	-	3	-	-	3	4	2	2
Dis. of Skin	29	5	1	-	-	-	6	-	1	1	-	-	1	2	1	4	6	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	227	9	12	9	8	7	45	15	19	14	18	19	23	27	24	13	7	7
Other Causes	1140	461	54	8	3	2	528	15	1	1	1	6	22	18	26	110	294	10
284.—TOTNES.																		
Mean Popul ⁿ , 1861-71	16110	471	452	459	449	421	2252	2054	1866	1484	1163	1889	1648	1474	1174	771	301	30
TOTAL DEATHS	3423	664	240	116	72	47	1148	134	78	87	110	208	184	240	266	455	403	12
Small-pox	19	2	3	2	-	1	8	1	-	1	2	3	2	1	1	-	-	-
Measles	37	3	27	7	10	5	62	3	1	-	-	1	-	-	-	-	-	-
Scarlatina	114	7	19	16	19	12	73	25	8	2	2	2	2	-	-	-	-	-
Diphtheria	22	1	2	4	3	1	11	6	1	2	-	1	-	-	-	-	1	-
Whooping-cough	45	14	18	9	2	-	43	2	-	-	-	-	-	-	-	-	-	-
Typhus	156	6	8	10	7	4	33	21	19	14	12	10	8	12	9	6	6	6
Diarrhoea & Dysentery	82	28	13	2	1	-	54	2	2	1	1	2	2	-	7	4	5	1
Cholera	81	1	5	3	5	5	22	9	5	2	2	7	12	2	8	9	2	2
Other Zymotic Dis.	76	7	7	6	5	2	27	3	-	1	2	3	1	7	6	19	11	1
Cancer	85	-	-	-	-	-	-	-	-	-	-	3	3	8	3	17	1	-
Scrofula and Tabes	35	10	2	2	-	-	14	5	-	-	3	5	2	2	3	1	-	-
Phthisis	332	5	7	8	-	4	24	6	6	28	37	60	28	31	24	6	-	-
Hydrocephalus	41	21	8	4	2	1	36	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	445	122	24	8	5	1	100	6	3	2	5	19	14	26	44	89	69	10
Dis. of Heart & Dropsy	284	5	-	1	1	-	7	4	3	5	4	18	17	30	40	87	54	10
Dis. of Lungs	527	137	46	12	4	3	292	17	3	6	10	19	26	45	56	81	63	10
Dis. of Stom. and Liver	158	19	2	1	-	-	22	5	3	1	3	12	11	26	29	24	19	10
Dis. of Kidneys	51	-	-	-	-	-	-	-	1	-	1	6	7	7	9	12	8	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	1	1	-	-	-	2	-	1	-	-	2	-	2	-	2	1	-
Dis. of Skin	9	3	-	-	-	-	3	-	-	-	-	1	-	-	-	-	4	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	17	-	-	-	-	-	-	-	1	1	1	1	2	3	5	3	-	-
Other Violent Deaths	217	8	9	7	3	6	53	6	17	16	21	27	32	24	20	13	3	3
Other Causes	690	254	48	14	5	2	331	8	2	2	4	6	5	4	17	69	161	10
285.—KINGSBRIDGE.																		
Mean Popul ⁿ , 1861-71	9430	278	243	264	249	256	1290	1212	1072	930	644	1013	919	908	710	511	200	20
TOTAL DEATHS	1929	392	103	62	44	30	601	67	38	48	67	119	101	121	153	268	278	6
Small-pox	3	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
Measles	30	7	10	7	3	1	28	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	72	4	16	9	12	7	48	20	1	1	1	-	-	-	-	-	-	-
Diphtheria	4	2	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	33	15	6	6	5	1	33	-	-	-	-	-	-	-	-	-	-	-
Typhus	45	-	-	4	2	-	10	4	5	8	6	-	7	1	3	3	1	1
Diarrhoea & Dysentery	28	13	2	1	-	1	17	-	-	-	-	1	3	1	1	1	1	1
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	68	10	3	3	-	4	20	1	2	1	1	2	2	4	4	13	13	1
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	-	8	5	8	2	1
Scrofula and Tabes	28	9	1	2	2	1	15	3	2	2	-	5	-	1	-	-	-	-
Phthisis	186	4	4	2	2	-	12	3	6	18	36	50	21	24	9	6	1	-
Hydrocephalus	12	4	1	2	2	1	10	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	208	61	11	6	3	2	83	7	5	1	3	9	4	14	18	34	23	10
Dis. of Heart & Dropsy	143	-	-	3	1	-	4	3	5	3	2	5	4	14	20	43	34	10
Dis. of Lungs	331	60	25	7	5	4	101	6	3	2	5	14	19	18	41	61	35	10
Dis. of Stom. and Liver	90	7	2	1	-	1	11	5	1	2	1	2	11	9	24	19	11	10
Dis. of Kidneys	32	-	-	1	-	-	1	2	-	-	-	4	3	2	4	1	1	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	-	1	-	-	-	1	1	1	-	-	1	-	1	-	-	-	-
Dis. of Skin	6	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	99	5	2	4	2	1	14	3	6	7	9	19	2	15	11	4	3	3
Other Causes	407	158	10	4	6	1	189	5	1	4	2	7	5	8	13	42	68	10

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 & upwards.	
		283.—NEWTON ABBOT.																	
a Popula ⁿ , 861-71	35117	847	747	776	752	727	3849	3612	3298	3263	3461	5292	4221	3428	2403	1564	624	102	
L DEATHS	6202	1071	887	190	132	94	1874	224	127	195	257	450	361	404	511	736	813	250	
scor	47	14	4	4	1	2	25	4	1	2	4	7	-	-	3	1	-	-	
ina	132	18	47	27	14	13	119	12	-	-	-	1	-	-	-	-	-	-	
eria	222	20	40	33	24	27	144	53	10	8	2	1	-	-	-	-	-	-	
ing-cough	81	1	4	1	2	5	13	11	2	-	1	3	1	-	-	-	-	-	
ea & Dysentery	130	50	42	17	12	5	126	4	-	-	-	-	-	-	-	-	-	-	
ymotic Dia.	273	9	8	14	8	9	48	43	24	39	15	32	16	19	13	22	9	-	
	221	122	20	3	-	1	146	1	2	4	1	4	5	6	9	11	22	10	
	33	1	1	2	1	2	7	4	1	-	2	2	3	6	7	6	2	-	
	112	6	11	12	11	4	44	9	3	5	4	3	6	7	9	12	10	1	
	215	-	-	-	-	-	-	-	-	1	-	8	22	51	60	48	22	3	
a and Tabes	99	33	5	5	3	5	54	6	4	2	2	4	5	1	2	-	-	-	
ephelis	814	14	10	6	4	1	49	15	28	86	148	219	184	86	47	6	-	-	
Brain	66	29	14	5	4	1	53	9	2	-	1	-	-	-	-	-	-	-	
Heart & Dropsy	696	163	28	19	15	9	234	12	12	12	10	29	28	48	83	119	94	15	
Lungs	487	-	2	1	2	2	7	2	8	10	11	24	22	61	96	143	86	5	
Stom. and Liver	825	158	83	26	19	4	290	7	6	13	15	26	24	38	84	148	140	32	
Kidneys	331	25	4	2	1	1	33	7	5	7	14	21	23	49	47	72	48	5	
Geners - Organs	45	1	-	-	-	-	1	2	1	1	5	6	8	5	10	4	1	1	
Joints	40	-	-	-	-	-	-	-	-	-	-	6	8	10	5	10	1	-	
Skin	14	-	-	-	-	-	-	1	-	-	-	2	1	1	4	2	1	-	
Birth and Metris	20	4	1	-	1	-	6	-	-	-	-	-	4	-	2	4	3	1	
	83	-	-	-	-	-	-	-	-	3	15	25	50	-	-	-	-	-	
	14	-	-	-	-	-	-	-	-	1	1	4	2	1	1	2	1	1	
Violent Deaths	99	11	1	2	1	2	17	11	5	3	2	6	2	1	2	7	9	4	
Causes	1200	392	59	11	4	1	467	9	4	10	2	6	8	13	26	123	300	172	

284.—TOTNES.

Population, 1861-71	18140	466	442	461	420	450	2239	2026	1781	1643	1520	2405	2018	1790	1319	939	393	67
L DEATHS	3447	585	187	118	73	41	954	137	83	125	100	195	179	177	294	519	507	177
Pox	16	5	2	1	1	1	11	2	1	1	-	-	1	-	-	-	-	-
Scarlatina	32	8	20	6	11	1	46	5	1	4	-	-	-	-	-	-	-	-
Erysipelas	121	6	16	25	17	12	78	30	6	4	-	5	-	-	-	-	-	-
Whooping-cough	24	2	3	2	-	1	8	11	2	2	-	1	-	-	-	-	-	-
Diphtheria	66	30	16	12	5	2	65	1	-	-	-	-	-	-	-	-	-	-
Measles	176	5	3	7	7	6	30	24	21	23	7	22	13	4	11	11	8	2
Diarrhoea & Dysentery	82	40	13	1	2	1	57	2	1	-	1	1	3	2	6	4	5	5
Fever	72	3	2	4	1	1	11	5	4	3	1	6	11	13	3	13	1	1
Typhoid Fever	76	3	7	4	4	2	20	5	-	2	-	1	3	2	9	20	12	2
Smallpox	108	-	-	-	-	-	-	-	1	1	1	4	9	14	24	34	19	1
Scarlatina	27	7	2	2	-	-	11	1	4	2	2	-	4	1	1	1	-	-
Erysipelas	329	6	8	6	2	2	24	5	12	48	46	75	46	32	24	16	1	-
Whooping-cough	25	12	7	3	1	-	23	1	1	-	-	-	-	-	-	-	-	-
Diphtheria	428	83	21	9	6	1	120	14	7	12	5	16	12	23	37	94	88	10
Measles	299	3	2	-	-	-	6	7	7	8	8	13	17	27	67	90	42	7
Diarrhoea & Dysentery	432	78	36	20	6	4	144	9	6	6	9	12	15	16	52	85	67	11
Fever	190	12	3	2	2	2	21	6	2	6	2	10	16	25	33	39	28	2
Typhoid Fever	24	-	-	1	1	-	2	-	1	1	1	2	5	3	3	2	3	1
Smallpox	17	-	-	-	-	-	-	-	-	-	1	1	2	3	4	5	1	-
Scarlatina	12	-	-	-	-	-	-	2	2	-	2	-	4	1	1	-	-	-
Erysipelas	7	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	41	-	-	-	-	-	-	-	-	-	10	16	13	2	-	-	-	-
Diphtheria	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Measles	44	6	3	2	3	2	16	2	1	3	-	3	2	1	2	5	1	2
Diarrhoea & Dysentery	763	223	23	11	2	1	200	8	4	3	-	3	7	5	21	98	218	133

285.—KINGSBRIDGE.

Population, 1861-71	10121	254	230	250	237	225	1196	1178	1061	943	813	1265	1095	1012	774	526	230	28
L DEATHS	1842	308	97	49	35	30	519	82	40	56	74	130	91	111	145	220	273	101
Pox	4	1	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-
Scarlatina	18	4	2	4	1	-	11	6	-	-	1	-	-	-	-	-	-	-
Erysipelas	98	3	10	11	21	10	55	30	5	2	1	2	2	1	-	-	-	-
Whooping-cough	5	1	2	-	-	2	5	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	24	16	10	1	2	2	31	3	-	-	-	-	-	-	-	-	-	-
Measles	48	1	3	1	-	5	10	7	3	5	5	5	1	4	3	4	2	2
Diarrhoea & Dysentery	23	10	-	-	1	-	11	-	-	-	-	1	1	1	3	5	2	2
Fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever	55	5	2	3	-	1	11	3	1	1	-	1	1	1	3	5	21	7
Smallpox	48	-	-	-	-	-	-	-	-	-	-	1	4	12	14	9	5	3
Scarlatina	23	3	4	4	-	2	13	3	2	1	2	2	2	25	9	4	-	-
Erysipelas	224	5	1	2	-	-	8	4	12	27	37	69	29	-	-	-	-	-
Whooping-cough	11	5	-	1	1	1	8	2	1	-	-	-	-	-	-	-	-	-
Diphtheria	228	47	11	1	1	6	66	8	4	4	4	3	5	15	30	29	50	10
Measles	142	2	-	1	-	-	3	1	1	3	6	2	14	9	29	35	34	5
Diarrhoea & Dysentery	277	51	18	9	3	1	82	11	5	3	5	16	19	16	22	67	37	14
Fever	101	9	1	1	-	-	12	2	1	2	3	5	7	13	20	20	16	-
Typhoid Fever	9	-	-	-	1	-	1	1	-	-	-	1	1	3	1	1	1	-
Smallpox	12	-	-	-	-	-	-	2	1	1	1	1	1	4	1	2	-	-
Scarlatina	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	6	1	1	-	-	-	2	-	-	-	3	-	-	1	-	-	-	-
Whooping-cough	20	-	-	-	-	-	-	-	-	4	-	12	-	7	-	-	-	-
Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	10	2	1	1	1	-	5	3	3	-	1	1	1	1	-	-	-	-
Diarrhoea & Dysentery	490	142	31	9	2	-	134	5	1	3	5	1	7	3	6	40	10	10

of Death in the Ten Years 1861-70.—Males.

[Div. V.]

1861-71, and Deaths in Districts during the 10 Years 1861-70.

AGES OF MALES.

AGES.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	Total	
																	1 Year.
286.—PLYMPTON ST. MARY.																	
Mean Popul ⁿ , 1861-71	10221	320	287	291	267	283	1448	1296	1166	982	745	1153	1042	925	778	481	182
TOTAL DEATHS	2105	457	120	65	54	20	716	66	48	58	70	122	114	147	197	253	244
Small-pox	14	3	-	-	2	-	5	1	-	3	1	3	1	-	-	-	-
Measles	32	4	14	7	5	-	30	2	1	-	-	-	-	-	-	-	-
Scarlatina	53	4	7	10	8	5	34	13	2	2	-	-	-	-	-	-	-
Diphtheria	17	2	1	2	5	-	10	4	3	-	-	-	-	-	-	-	-
Whooping-cough	41	20	11	6	2	1	40	1	-	-	-	-	-	-	-	-	-
Typhus	93	-	4	-	5	6	15	12	8	9	8	14	8	7	3	4	3
Diarrhoea & Dysentery	50	25	5	2	1	-	83	-	2	-	1	-	-	1	-	3	3
Cholera	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	34	3	2	2	-	1	8	5	3	1	-	4	2	4	1	3	2
Cancer	42	-	-	-	-	-	-	-	1	-	-	1	1	6	13	14	3
Scrofula and Tuberc.	47	17	8	6	2	-	35	2	2	3	1	3	3	-	-	-	-
Phthisis	182	6	3	-	1	-	10	3	5	16	27	49	21	26	16	8	1
Hydrocephalus	55	11	10	4	2	2	59	2	3	-	-	-	-	-	-	-	-
Dis. of Brain	250	49	10	2	8	-	69	2	4	5	6	7	17	15	19	40	27
Dis. of Heart & Dropsy	142	1	-	-	-	-	1	4	1	8	2	10	11	15	31	29	29
Dis. of Lungs	348	75	29	11	8	3	121	6	2	1	8	9	14	30	48	58	41
Dis. of Stom. and Liver	83	8	1	-	2	-	11	1	2	1	1	2	4	14	17	23	7
Dis. of Kidneys	52	-	-	1	-	-	1	-	-	1	1	5	9	6	7	9	13
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	-	-	2	2	-	-	2	-	1	1
Dis. of Skin	9	1	2	1	-	-	4	-	-	-	-	-	-	-	3	2	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	18	-	-	-	-	-	-	-	-	-	-	1	2	4	6	5	1
Other Violent Deaths	107	6	2	4	-	1	13	5	9	12	8	11	15	12	13	5	3
Other Causes	445	217	19	7	3	1	247	3	1	1	1	3	7	9	29	28	83

287.—PLYMOUTH.

	30325	892	789	773	777	740	3971	3545	3083	3244	2826	4372	3542	2743	1691	931	332	45
Mean Populⁿ, 1861-71	30325	892	789	773	777	740	3971	3545	3083	3244	2826	4372	3542	2743	1691	931	332	45
TOTAL DEATHS	7533	2040	729	357	200	110	3436	296	147	168	209	436	407	556	562	623	482	131
Small-pox	82	13	11	17	9	3	63	17	1	3	3	1	4	-	-	-	-	-
Measles	209	43	110	70	26	11	259	8	1	-	-	-	-	-	-	-	-	-
Scarlatina	329	25	39	45	35	17	122	52	11	-	2	2	-	-	-	-	-	-
Diphtheria	26	3	5	4	4	5	19	2	1	-	1	2	-	1	-	-	-	-
Whooping-cough	216	100	56	33	12	6	269	5	-	2	-	-	-	-	-	-	-	-
Typhus	299	15	14	29	14	13	82	42	21	19	19	23	50	12	12	15	4	1
Diarrhoea & Dysentery	436	32	48	10	3	2	365	2	1	2	5	6	6	8	8	12	18	3
Cholera	34	20	4	-	-	-	24	2	-	-	1	1	2	3	3	1	1	-
Other Zymotic Dis.	157	29	23	11	11	9	83	4	5	6	5	8	9	7	10	11	8	1
Cancer	109	-	-	-	1	-	1	-	-	2	2	8	23	25	32	14	2	-
Scrofula and Tuberc.	144	48	31	8	8	3	98	10	7	5	2	5	7	4	3	1	2	-
Phthisis	861	64	45	26	8	6	149	24	26	61	99	187	144	102	50	16	3	-
Hydrocephalus	125	41	36	13	12	3	105	15	4	-	1	-	-	-	-	-	-	-
Dis. of Brain	880	256	72	24	20	6	378	35	16	13	6	35	57	63	87	106	72	12
Dis. of Heart & Dropsy	414	5	3	1	3	-	12	7	9	6	7	38	41	71	101	91	28	3
Dis. of Lungs	1164	347	150	42	33	18	580	14	6	8	11	26	42	92	120	146	98	21
Dis. of Stom. and Liver	278	49	5	2	1	-	57	6	3	2	9	16	43	51	35	40	15	1
Dis. of Kidneys	186	1	1	-	2	-	4	5	3	8	6	16	20	32	30	32	25	5
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	49	1	1	1	-	-	3	11	8	6	6	2	3	3	3	4	-	-
Dis. of Skin	16	4	-	2	-	-	6	-	1	1	2	2	-	-	2	1	1	-
Childbirth and Metra.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	27	-	-	-	-	-	-	-	-	3	1	5	5	5	7	1	2	-
Other Violent Deaths	296	20	6	10	3	3	42	20	20	21	20	31	37	39	24	15	6	1
Other Causes	1264	654	78	12	5	5	754	5	3	3	5	10	28	43	42	109	185	76

288.—EAST STONEHOUSE.

	6854	240	199	181	181	187	988	735	565	677	786	1233	820	506	316	160	59	9
Mean Populⁿ, 1861-71	6854	240	199	181	181	187	988	735	565	677	786	1233	820	506	316	160	59	9
TOTAL DEATHS	2250	524	182	88	47	29	870	64	22	139	161	396	193	168	105	117	81	24
Small-pox	15	3	1	1	-	1	6	-	1	1	3	3	-	1	-	-	-	-
Measles	60	13	26	29	3	2	64	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	49	5	8	7	5	3	28	11	2	5	3	-	-	-	-	-	-	-
Diphtheria	17	3	4	3	2	2	14	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	35	15	14	3	3	-	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	107	3	4	6	6	2	21	13	3	19	24	12	5	5	1	2	2	2
Diarrhoea & Dysentery	101	64	14	1	1	1	81	1	-	-	4	3	4	1	2	3	2	1
Cholera	4	1	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	40	2	7	2	8	2	21	3	-	-	1	4	3	2	3	1	2	-
Cancer	34	-	-	-	-	-	-	-	-	-	2	4	6	10	9	3	-	-
Scrofula and Tuberc.	40	7	8	4	-	2	21	1	2	3	5	5	2	5	-	-	-	-
Phthisis	407	6	6	4	1	-	19	7	1	48	63	148	74	36	9	2	-	-
Hydrocephalus	55	14	10	5	1	-	30	3	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	228	83	18	9	3	2	115	8	3	17	12	20	13	10	16	29	14	1
Dis. of Heart & Dropsy	163	1	2	-	-	-	5	1	-	11	6	29	29	45	15	12	10	1
Dis. of Lungs	329	89	23	15	10	4	151	6	1	15	13	35	18	14	28	27	11	1
Dis. of Stom. and Liver	100	17	1	1	-	1	20	2	3	7	5	14	18	10	9	9	3	-
Dis. of Kidneys	44	-	-	-	-	2	2	-	-	2	6	9	5	9	5	4	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	10	-	-	1	-	-	1	-	1	3	-	-	1	-	-	-	-	-
Dis. of Skin	6	2	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-	-
Childbirth and Metra.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	64	9	-	1	2	2	7	3	-	4	3	2	2	5	11	6	1	1
Other Causes	332	192	24	5	2	1	224	-	-	-	-	-	2	7	3	1	4	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		286.—PLYMPTON ST. MARY.															
Mean Popul ⁿ , 1861-71	10221	320	287	291	267	283	1448	1296	1166	982	745	1153	1042	925	778	481	189
TOTAL DEATHS	2105	467	120	65	54	90	716	66	48	58	70	122	114	147	197	253	346
Small-pox	14	3	-	-	2	-	5	1	-	3	1	3	1	-	-	-	-
Measles	32	4	14	7	5	-	30	2	-	-	-	-	-	-	-	-	-
Scarlatina	53	4	7	10	8	5	34	13	2	2	2	-	-	-	-	-	-
Diphtheria	17	2	1	2	5	-	10	4	3	-	-	-	-	-	-	-	-
Whooping-cough	41	20	11	6	2	1	40	1	-	-	-	-	-	-	-	-	-
Typhus	93	-	4	-	5	6	15	12	8	9	8	14	8	7	5	6	1
Diarrhoea & Dysentery	50	25	5	2	1	-	33	-	2	-	1	-	-	1	-	-	-
Cholera	3	1	1	-	-	-	2	-	-	-	-	4	-	4	1	1	-
Other Zymotic Dis.	84	3	2	2	-	1	8	5	3	1	-	-	2	4	1	3	2
Cancer	42	-	-	-	-	-	-	-	1	-	-	1	1	6	15	14	5
Scrophula and Tuberc.	47	17	8	6	2	-	33	2	3	3	1	3	2	-	1	1	1
Phthisis	182	6	-	-	-	-	10	3	5	16	27	49	21	26	15	1	1
Hydrocephalus	35	11	10	4	2	2	29	2	3	-	1	-	-	-	-	-	-
Dis. of Brain	220	49	10	2	8	-	69	2	4	3	6	7	17	15	19	46	33
Dis. of Heart & Dropsy	142	1	-	-	-	-	1	4	1	8	2	10	11	15	31	29	29
Dis. of Lungs	318	79	29	11	8	3	121	6	2	1	8	9	14	20	43	41	14
Dis. of Stom. and Liver	83	8	1	-	2	-	11	1	2	1	1	2	4	14	17	22	7
Dis. of Kidneys	52	-	-	1	-	-	-	-	-	1	1	5	8	6	7	9	13
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	-	-	2	2	-	-	2	-	1	1
Dis. of Skin	9	1	2	1	-	-	4	-	-	-	-	-	-	-	3	2	2
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	18	-	-	-	-	-	-	-	-	-	-	1	2	4	6	2	1
Other Violent Deaths	107	6	2	4	-	1	13	5	9	12	8	11	15	12	13	5	1
Other Causes	445	217	19	7	3	1	247	5	1	1	1	3	7	9	29	28	25

287.—PLYMOUTH.																	
Mean Popul ⁿ , 1861-71	30325	892	789	773	777	740	3971	3545	3083	3244	2826	4372	3542	2743	1691	931	332
TOTAL DEATHS	7533	2040	729	357	200	110	3436	286	147	168	209	436	497	556	562	623	482
Small-pox	82	13	11	17	9	3	55	17	1	3	3	1	4	-	-	-	-
Measles	269	43	110	70	26	11	269	8	-	-	-	-	-	-	-	-	-
Scarlatina	220	25	30	45	35	17	152	22	11	-	2	1	2	-	-	-	-
Diphtheria	26	3	5	4	4	3	19	2	1	-	1	2	-	1	-	-	-
Whooping-cough	216	100	56	33	12	6	209	5	-	2	-	-	-	-	-	-	-
Typhus	289	15	14	26	14	13	32	42	21	19	19	23	50	12	12	15	4
Diarrhoea & Dysentery	436	202	48	10	3	2	365	2	1	1	2	5	6	8	8	12	19
Cholera	84	20	4	-	-	-	24	2	-	-	-	1	1	2	3	1	1
Other Zymotic Dis.	157	29	23	11	11	9	83	4	5	6	5	8	9	7	10	11	6
Cancer	109	-	-	-	1	-	1	-	-	-	2	2	8	23	25	32	14
Scrophula and Tuberc.	144	48	31	8	8	3	96	10	7	5	2	5	7	4	3	1	3
Phthisis	861	64	45	26	8	6	149	24	26	61	99	187	144	102	50	26	3
Hydrocephalus	125	41	36	13	12	3	105	15	4	-	1	-	-	-	-	-	-
Dis. of Brain	880	236	72	24	20	6	378	25	16	13	6	35	57	63	87	106	72
Dis. of Heart & Dropsy	414	5	3	1	3	-	12	7	9	6	7	38	41	71	101	91	26
Dis. of Lungs	1164	347	139	42	23	18	580	14	6	8	11	26	42	92	120	146	95
Dis. of Stom. and Liver	278	49	5	2	1	-	57	6	3	2	9	16	43	51	55	49	15
Dis. of Kidneys	186	1	1	-	2	-	4	5	3	8	6	16	20	32	30	32	25
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	49	1	1	1	-	-	3	11	8	6	6	2	3	3	3	4	1
Dis. of Skin	16	4	-	2	-	-	6	-	1	1	2	2	-	2	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	27	-	-	-	-	-	-	-	-	-	3	1	5	3	7	1	2
Other Violent Deaths	236	90	6	10	3	3	42	29	20	21	29	51	37	39	24	15	6
Other Causes	1264	634	78	12	5	5	754	5	3	3	5	10	38	43	47	109	153

288.—EAST STONEHOUSE.																	
Mean Popul ⁿ , 1861-71	6854	240	199	181	181	187	988	735	565	677	786	1233	820	506	316	160	59
TOTAL DEATHS	2250	524	182	88	47	29	870	64	22	139	161	306	193	168	105	117	81
Small-pox	15	3	1	1	-	1	6	-	1	1	3	3	-	1	-	-	-
Measles	66	13	26	29	3	2	64	1	-	1	-	-	-	-	-	-	-
Scarlatina	49	5	8	7	5	3	28	11	2	5	3	-	-	-	-	-	-
Diphtheria	17	3	4	3	2	2	14	2	1	-	-	-	-	-	-	-	-
Whooping-cough	33	15	14	3	3	-	35	1	-	-	-	-	-	-	-	-	-
Typhus	107	3	4	6	6	1	21	13	3	19	24	12	5	5	1	2	3
Diarrhoea & Dysentery	101	64	14	1	1	1	81	1	-	-	4	3	4	1	2	3	2
Cholera	4	1	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	40	2	7	2	8	2	21	3	-	-	1	4	3	2	3	1	3
Cancer	34	-	-	-	-	-	-	-	-	-	2	4	6	10	9	3	-
Scrophula and Tuberc.	40	7	8	4	-	2	21	1	2	3	3	3	2	5	-	-	-
Phthisis	467	8	6	4	1	-	19	7	1	48	65	148	74	26	9	2	-
Hydrocephalus	35	14	10	5	1	-	30	3	-	1	-	1	-	-	-	-	-
Dis. of Brain	258	83	18	9	3	2	115	8	3	17	12	20	15	10	16	29	14
Dis. of Heart & Dropsy	163	1	2	-	-	2	5	1	-	11	6	29	29	45	15	12	10
Dis. of Lungs	329	89	33	15	10	4	151	6	1	15	15	25	18	14	28	27	11
Dis. of Stom. and Liver	100	17	1	1	-	1	20	2	3	7	5	14	18	10	9	9	3
Dis. of Kidneys	44	-	-	-	-	2	2	-	-	2	6	9	5	9	5	4	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	10	-	-	1	-	-	1	-	1	3	4	-	1	-	-	-	-
Dis. of Skin	6	2	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	-	1	2	3	3	3	3
Suicide	64	2	-	1	2	2	7	3	4	3	2	2	2	1	1	2	1
Other Violent Deaths	332	192	24	5	2	1	224	-	-	-	1	2	2	1	1	2	2
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
		286.—PLYMPTON ST. MARY.																
Mean Popul., 1861-71	11124	292	250	285	263	278	1377	1269	1113	1035	976	1485	1229	1066	813	523	208	
TOTAL DEATHS—	1914	340	129	52	33	34	588	79	44	58	66	125	112	110	155	257	246	
Small-pox	10	3	9	2	-	-	7	-	1	1	-	1	-	-	-	-	-	
Measles	32	6	11	5	3	1	50	5	-	1	1	-	-	-	-	-	-	
Scarlatina	53	3	8	11	7	5	84	13	4	1	1	-	-	-	-	-	-	
Diphtheria	23	-	3	-	3	6	12	7	1	3	-	-	-	-	-	-	-	
Whooping-cough	49	27	12	5	1	3	48	1	-	-	-	-	-	-	-	-	-	
Typhus	88	1	2	4	6	3	16	18	5	6	7	12	6	4	3	5	6	
Diarrhoea & Dysentery	40	19	8	1	1	-	29	-	-	-	1	-	-	2	1	2	4	
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
Other Zymotic Dis.	50	2	3	2	2	1	10	3	3	-	-	-	-	1	5	-	4	
Cancer	75	-	1	1	-	1	3	-	-	-	1	4	13	13	15	17	8	
Scrophula and Tuberc.	43	20	8	3	-	2	33	1	3	2	1	1	-	2	1	-	-	
Phthisis	214	1	4	2	-	1	8	6	13	25	35	49	32	18	19	8	1	
Hydrocephalus	12	5	4	1	-	2	12	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	209	28	9	4	-	3	44	3	4	4	6	7	13	12	21	45	45	
Dis. of Heart & Dropsy	170	1	-	-	-	1	2	4	4	4	4	4	11	21	42	41	27	
Dis. of Lungs	274	50	25	4	2	3	90	7	2	9	1	5	9	11	24	69	43	
Dis. of Stom. and Liver	82	4	-	2	1	-	7	1	-	3	2	11	6	7	11	22	11	
Dis. of Kidneys	13	1	-	-	-	-	1	1	2	-	-	-	2	4	-	5	-	
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	1	-	2	1	-	3	2	2	
Dis. of Joints	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	
Childbirth and Metris	31	-	-	-	-	-	-	-	-	1	4	15	11	-	-	-	-	
Suicide	6	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	
Other Violent Deaths	23	3	4	1	4	1	13	2	1	1	-	4	-	1	-	-	6	
Other Causes	413	159	24	4	3	1	191	7	1	2	4	8	4	8	13	38	87	
287.—PLYMOUTH.																		
Mean Popul., 1861-71	35391	882	784	796	753	771	3986	3578	3265	3357	3570	5447	4393	3466	2336	1411	504	
TOTAL DEATHS—	7649	1704	608	302	192	127	2993	256	160	197	249	556	469	516	552	773	722	
Small-pox	84	22	17	6	8	8	61	15	2	1	2	2	-	1	-	-	-	
Measles	231	43	88	54	22	11	218	13	-	-	-	-	-	-	-	-	-	
Scarlatina	185	15	33	23	29	19	119	44	12	1	3	5	-	-	-	-	1	
Diphtheria	23	1	3	4	2	2	12	7	1	-	1	1	1	-	-	-	-	
Whooping-cough	308	122	95	40	29	9	296	12	-	-	-	-	-	-	-	-	-	
Typhus	382	8	12	17	19	11	67	36	30	24	18	32	24	14	16	12	8	
Diarrhoea & Dysentery	448	265	69	11	1	1	338	5	4	3	2	6	10	7	12	18	37	
Cholera	27	17	-	-	-	2	19	1	1	1	1	-	-	3	1	-	-	
Other Zymotic Dis.	121	13	16	11	9	3	52	5	3	3	7	11	7	8	5	10	10	
Cancer	256	-	-	-	1	-	1	-	2	-	1	14	33	77	54	56	15	
Scrophula and Tuberc.	127	38	23	11	11	3	86	7	12	2	6	5	-	2	3	4	-	
Phthisis	1022	39	46	18	11	7	121	31	44	110	121	240	164	125	48	13	5	
Hydrocephalus	89	24	23	12	4	6	71	10	6	1	-	-	-	-	-	-	-	
Dis. of Brain	884	189	50	19	14	15	287	24	14	11	17	28	47	57	113	148	114	
Dis. of Heart & Dropsy	485	1	3	1	1	2	8	10	8	13	14	33	45	75	68	109	66	
Dis. of Lungs	1115	291	112	50	15	11	479	15	7	2	7	30	41	57	100	200	156	
Dis. of Stom. and Liver	306	28	7	4	-	-	39	2	4	6	9	30	31	40	50	56	36	
Dis. of Kidneys	94	-	-	1	2	1	4	-	2	1	9	28	13	14	8	12	3	
Dis. of Gener. Organs	49	-	-	-	-	-	-	-	-	-	1	8	10	8	12	7	3	
Dis. of Joints	21	1	-	-	-	1	2	3	3	-	3	2	2	5	-	-	1	
Dis. of Skin	22	7	2	-	-	-	9	-	1	-	2	-	-	2	1	2	5	
Childbirth and Metris	82	-	-	-	-	-	-	-	-	6	16	33	25	2	-	-	-	
Suicide	17	-	-	-	-	-	-	-	-	4	1	4	2	2	2	1	1	
Other Violent Deaths	77	11	6	4	6	10	37	9	5	2	-	4	4	1	2	3	7	
Other Causes	1296	569	69	16	8	5	667	7	3	6	8	29	16	16	32	122	254	
288.—EAST STONEHOUSE.																		
Mean Popul., 1861-71	7610	216	212	205	181	186	1000	769	595	582	773	1473	974	649	437	249	93	
TOTAL DEATHS—	1717	423	147	84	60	32	751	59	25	36	59	133	120	91	115	159	132	
Small-pox	9	3	-	-	3	1	7	-	1	-	1	-	-	-	-	-	-	
Measles	40	8	10	8	8	2	56	2	-	-	-	2	-	-	-	-	-	
Scarlatina	41	1	4	13	7	5	50	7	3	-	-	1	-	-	-	-	-	
Diphtheria	13	2	2	2	3	-	9	2	-	-	-	1	-	1	-	-	-	
Whooping-cough	88	14	13	5	3	-	35	2	1	-	-	-	-	-	-	-	-	
Typhus	95	5	7	8	6	6	32	11	3	7	3	7	5	2	6	9	1	
Diarrhoea & Dysentery	100	61	15	1	-	2	79	-	-	-	3	6	5	-	2	5	2	
Cholera	4	1	1	-	-	1	3	-	-	-	-	-	-	1	-	-	-	
Other Zymotic Dis.	35	4	4	5	2	1	16	3	-	-	1	2	2	4	2	4	1	
Cancer	44	-	-	-	-	-	-	1	-	-	-	2	7	13	12	9	1	
Scrophula and Tuberc.	24	15	4	1	1	-	21	1	1	-	-	-	-	-	1	-	-	
Phthisis	195	5	7	3	5	1	21	9	6	11	28	56	35	21	4	-	-	
Hydrocephalus	27	7	6	5	4	2	24	3	-	-	-	-	-	-	-	-	-	
Dis. of Brain	216	65	13	11	6	2	97	7	2	3	5	7	13	10	27	25	16	
Dis. of Heart & Dropsy	105	1	-	-	2	-	3	2	4	3	1	11	12	19	18	32	6	
Dis. of Lungs	295	76	39	15	6	4	140	5	1	2	3	5	17	8	23	32	26	
Dis. of Stom. and Liver	70	5	1	2	-	1	9	1	1	2	4	8	11	9	9	10	5	
Dis. of Kidneys	11	-	-	-	-	-	-	1	-	-	-	-	2	1	2	-	1	
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Dis. of Joints	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
Childbirth and Metris	18	-	-	-	-	-	-	-	-	1	4	-	6	-	-	-	-	
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	17	4	1	-	1	3	9	1	1	-	2	5	1	-	-	7	9	
Other Causes	340	130	20	5	1	1	177	2	-	3	-	13	-	4	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	30--	35--	40--	45--	50--	55--
289.—STOKE DAMMREL.																		
Mean Popul ⁿ , 1861-71	25833	659	572	550	589	567	2937	2449	2063	3342	3263	4751	2934	1997	1155	63	2	1
TOTAL DEATHS—	5217	1398	520	242	140	82	2322	174	87	101	147	390	359	239	384	49	1	1
Small-pox - - -	25	4	5	5	2	1	17	1	-	2	1	3	1	-	-	-	-	-
Measles - - -	177	81	67	41	19	9	167	9	-	-	-	1	1	-	-	-	-	-
Scarlatina - - -	176	12	22	29	25	24	120	43	8	1	2	1	-	1	-	-	-	
Diphtheria - - -	11	2	2	1	5	-	10	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	120	51	45	13	10	6	125	5	-	18	9	18	12	12	11	10	9	8
Typhus - - -	203	8	12	20	11	12	63	25	11	-	-	5	5	5	5	5	5	5
Diarrhoea & Dysentery - - -	250	150	44	13	2	-	218	2	-	-	-	-	-	-	-	-	-	-
Cholera - - -	8	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. - - -	111	13	13	12	6	5	51	6	1	2	5	9	5	5	7	5	5	5
Cancer - - -	79	-	-	-	2	-	5	1	-	-	-	-	12	21	18	15	14	13
Scrophula and Tubercula - - -	101	22	24	13	4	-	63	8	7	1	4	8	5	4	2	1	1	1
Phthisis - - -	573	20	15	12	4	3	53	8	15	43	69	124	102	82	62	51	40	39
Hydrocephalus - - -	89	25	23	11	6	5	89	6	3	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	653	181	82	31	17	7	248	13	6	4	9	43	26	38	29	8	8	8
Dis. of Heart & Dropsy - - -	316	9	7	1	-	-	17	6	5	6	5	43	32	37	43	31	24	23
Dis. of Lungs - - -	875	272	114	54	18	7	445	13	2	7	16	31	44	60	66	55	44	43
Dis. of Stom. and Liver - - -	200	38	4	3	2	1	48	2	5	3	5	28	21	26	25	1	1	1
Dis. of Kidneys - - -	98	-	-	1	2	1	4	3	1	2	2	18	14	13	17	1	1	1
Dis. of Genes. Organs - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	32	-	2	-	-	-	2	6	10	2	2	2	2	1	2	1	1	1
Dis. of Skin - - -	14	4	1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds - - -	25	-	-	-	-	-	-	-	-	-	-	9	3	5	3	1	1	1
Other Violent Deaths - - -	165	15	4	8	2	2	31	13	10	11	7	24	26	15	17	1	1	1
Other Causes - - -	695	409	43	5	3	-	550	3	2	1	7	12	20	14	29	3	3	3
290.—TAVISTOCK.																		
Mean Popul ⁿ , 1861-71	16851	488	429	479	449	463	2308	2224	1941	1717	1275	2094	1845	1544	1109	54	2	1
TOTAL DEATHS—	3317	662	246	99	85	63	1155	202	102	116	104	165	183	224	236	1	1	1
Small-pox - - -	5	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
Measles - - -	68	10	24	9	10	7	60	6	-	1	1	-	-	-	-	-	-	-
Scarlatina - - -	189	6	15	21	25	20	89	74	21	4	2	1	-	-	-	-	-	-
Diphtheria - - -	25	3	1	4	5	2	15	7	2	1	-	-	-	-	-	-	-	-
Whooping-cough - - -	82	38	26	7	4	2	77	5	-	-	-	-	-	-	-	-	-	-
Typhus - - -	126	3	4	6	4	10	27	32	16	18	11	9	6	4	6	6	6	6
Diarrhoea & Dysentery - - -	82	45	13	2	-	1	61	-	1	-	1	1	2	3	2	2	2	2
Cholera - - -	13	6	-	-	1	-	7	-	-	1	1	1	1	1	1	1	1	1
Other Zymotic Dis. - - -	73	6	8	7	8	5	34	11	-	1	1	3	4	5	3	3	3	3
Cancer - - -	43	-	-	-	-	-	-	1	-	1	-	2	3	6	8	1	1	1
Scrophula and Tubercula - - -	57	17	9	6	2	1	85	6	2	3	1	5	2	-	1	1	1	1
Phthisis - - -	351	1	5	4	4	1	15	5	9	42	39	65	51	47	55	5	5	5
Hydrocephalus - - -	35	16	9	2	2	-	29	2	4	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	373	109	19	3	3	3	137	10	9	7	6	10	17	24	37	37	37	37
Dis. of Heart & Dropsy - - -	197	1	3	1	-	-	5	5	4	4	4	8	12	25	49	49	49	49
Dis. of Lungs - - -	594	183	54	13	10	5	213	8	3	4	6	20	24	40	103	103	103	103
Dis. of Stom. and Liver - - -	129	19	3	-	1	2	25	2	5	4	4	5	7	19	23	23	23	23
Dis. of Kidneys - - -	64	-	1	-	-	-	1	2	1	2	1	6	10	8	5	5	5	5
Dis. of Genes. Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	14	-	1	3	-	-	4	1	1	2	-	1	2	1	1	1	1	1
Dis. of Skin - - -	8	1	-	-	-	-	1	2	-	3	-	1	-	-	-	-	-	-
Childbirth and Metris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds - - -	13	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Other Violent Deaths - - -	290	1	9	7	4	3	24	18	18	16	21	22	29	25	17	17	17	17
Other Causes - - -	692	247	41	2	2	3	295	5	3	1	5	6	12	12	19	1	1	1
291.—OKEHAMPTON.																		
Mean Popul ⁿ , 1861-71	9533	262	269	238	244	246	1259	1168	1080	1018	723	1089	948	859	692	4	2	1
TOTAL DEATHS—	1608	307	77	35	20	25	464	44	37	35	43	76	64	89	140	2	1	1
Small-pox - - -	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
Measles - - -	21	3	6	4	2	4	19	1	-	1	-	-	-	-	-	-	-	-
Scarlatina - - -	28	1	2	6	6	5	18	6	1	2	-	1	-	-	-	-	-	-
Diphtheria - - -	18	4	4	1	1	5	15	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	30	15	10	2	1	2	30	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	56	-	2	1	1	-	4	4	9	2	7	5	7	4	8	8	8	8
Diarrhoea & Dysentery - - -	22	12	1	1	-	-	14	-	-	-	-	-	-	-	-	-	-	-
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. - - -	43	5	7	5	-	3	20	3	1	2	-	-	-	2	3	3	3	3
Cancer - - -	37	-	-	-	-	-	-	-	-	-	-	2	1	5	7	7	7	7
Scrophula and Tubercula - - -	14	2	1	-	-	-	4	-	1	2	-	2	1	1	1	1	1	1
Phthisis - - -	150	4	4	2	-	1	10	2	3	9	25	32	17	18	14	14	14	14
Hydrocephalus - - -	24	8	4	2	-	-	15	3	5	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	165	30	7	5	1	3	55	2	1	4	-	6	2	12	18	18	18	18
Dis. of Heart & Dropsy - - -	130	2	-	-	-	-	3	4	2	1	1	7	8	14	24	24	24	24
Dis. of Lungs - - -	249	60	16	3	3	1	83	2	1	1	1	5	11	9	32	32	32	32
Dis. of Stom. and Liver - - -	63	7	1	-	2	-	10	-	2	-	-	3	6	3	9	9	9	9
Dis. of Kidneys - - -	33	1	-	-	-	-	1	-	-	-	-	3	2	5	4	4	4	4
Dis. of Genes. Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - -	8	1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Childbirth and Metris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds - - -	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths - - -	79	-	4	2	1	1	8	3	7	2	1	1	1	5	13	13	13	13
Other Causes - - -	425	143	7	-	2	1	153	3	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX CAUSE.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- & over.	
		289.—STOKE DAMEREL.																	
popul ⁿ .	71	24112	654	592	604	593	532	2975	2532	2133	2100	2209	3888	3082	2361	1523	898	354	57
DEATHS -		5142	1031	471	251	127	99	1979	188	94	108	153	355	320	354	398	409	531	154
- - -		26	5	5	3	4	1	18	1	-	1	-	4	2	-	-	-	-	-
- - -		290	81	76	82	21	9	189	9	1	-	1	-	-	-	-	-	-	-
- - -		181	5	26	32	26	28	117	53	5	2	1	-	3	-	-	-	-	-
- - -		25	4	7	2	3	3	19	8	2	-	-	1	-	-	-	-	-	-
ough		129	56	53	32	11	4	156	13	-	-	-	-	-	-	-	-	-	-
Dysentery		224	2	14	19	15	15	65	34	23	20	13	22	12	10	8	12	4	1
tic Dis.		259	149	31	9	5	-	194	1	3	1	2	7	4	5	16	14	16	2
- - -		3	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
- - -		90	13	5	8	3	4	33	10	5	1	3	6	2	6	7	8	7	2
- - -		141	1	1	-	-	-	2	1	-	-	1	9	22	37	39	23	7	1
Tabes		78	20	23	7	3	2	55	3	8	4	-	2	2	1	-	-	-	-
us		508	15	12	4	1	3	35	13	20	46	64	146	104	85	42	12	1	-
- - -		67	23	16	9	5	2	55	8	4	-	-	-	-	-	-	-	-	-
- - -		580	95	36	17	11	10	169	17	7	6	12	26	34	41	66	108	74	20
t & Dropsy		327	1	1	4	1	1	8	3	5	4	7	30	30	45	65	84	36	9
and Liver		771	180	105	37	11	8	341	11	2	5	7	19	30	46	70	116	108	16
- - -		228	14	4	-	-	1	21	3	2	7	12	18	31	26	45	29	23	2
- - -		53	1	-	2	-	-	3	-	-	1	4	11	10	8	5	6	3	2
r. Organs		34	-	-	-	-	-	-	-	-	-	4	1	10	9	7	2	1	4
is		21	-	1	-	-	1	2	2	5	3	1	1	1	5	1	1	-	-
- - -		12	2	1	1	-	-	4	-	-	-	-	-	-	1	5	-	2	-
und Metria		67	-	-	-	-	-	-	-	-	3	15	29	18	2	-	-	-	-
- - -		13	-	-	-	-	-	-	-	-	-	-	3	2	2	4	2	-	-
st Deaths		55	13	3	2	3	3	24	3	-	1	4	1	3	4	4	4	7	-
s		850	400	51	11	2	4	468	-	2	3	2	18	9	10	18	78	243	69
290.—TAVISTOCK.																			
popul ⁿ .	71	16401	457	441	474	440	446	2258	2182	1871	1562	1293	2059	1756	1463	1047	622	253	35
DEATHS -		2943	483	227	137	80	63	996	191	93	95	114	166	148	152	216	332	321	119
- - -		5	3	-	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-
- - -		75	11	25	14	5	6	61	12	-	-	1	1	-	-	-	-	-	-
- - -		220	4	24	30	23	23	109	79	26	4	1	-	-	1	-	-	-	-
- - -		57	2	2	5	5	7	21	11	4	-	1	-	-	-	-	-	-	-
ough		86	44	23	15	1	2	85	1	-	-	-	-	-	-	-	-	-	-
Dysentery		144	4	4	7	10	9	34	22	16	17	12	12	12	7	4	6	1	1
tic Dis.		67	33	12	4	3	1	53	-	-	-	-	3	-	1	3	4	3	-
- - -		12	8	2	-	-	-	6	-	-	-	-	-	-	-	-	4	2	-
- - -		56	7	10	6	7	2	32	7	-	3	2	-	-	1	1	5	5	-
- - -		84	-	-	-	-	-	-	-	-	-	1	5	7	19	24	18	10	-
l Tabes		63	10	14	11	6	-	41	3	2	4	4	1	1	4	3	3	1	-
us		828	6	1	3	3	1	14	9	15	57	57	70	49	85	25	12	3	2
- - -		10	3	3	1	-	-	7	2	1	-	-	-	-	-	-	-	-	-
- - -		301	60	17	8	4	4	93	14	4	8	4	18	19	13	22	37	45	4
t & Dropsy		205	1	-	-	-	-	2	2	3	5	6	7	7	29	45	65	36	3
and Liver		391	79	41	16	8	3	147	10	7	2	6	17	12	14	26	71	62	7
- - -		126	10	1	3	-	-	14	5	6	1	1	8	8	21	26	21	12	3
- - -		39	-	-	-	-	-	-	2	2	4	1	4	8	8	4	5	-	1
r. Organs		10	-	-	-	-	-	-	-	-	-	-	-	-	2	6	1	1	1
is		9	-	-	-	-	-	-	1	2	-	-	-	2	-	1	-	-	-
- - -		10	5	1	-	-	-	6	-	1	-	-	-	-	-	1	-	1	1
- - -		48	-	-	-	-	-	-	-	-	2	14	17	15	-	-	-	-	-
- - -		2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
st Deaths		55	4	4	2	2	2	14	7	1	6	2	-	-	2	1	-	2	-
s		580	194	43	12	4	1	254	3	3	1	1	-	5	5	13	61	137	97
291.—OKEHAMPTON.																			
popul ⁿ .	71	9382	253	259	237	269	233	1251	1155	1028	870	711	1100	971	865	666	504	212	49
DEATHS -		1548	201	80	34	37	20	372	61	44	49	57	77	83	80	140	230	241	114
- - -		2	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
- - -		18	2	7	2	4	-	15	3	-	-	-	-	-	-	-	-	-	-
- - -		33	3	2	3	2	3	13	11	3	-	1	-	2	1	-	-	-	-
- - -		15	1	3	2	3	1	10	3	2	-	-	-	-	-	-	-	-	-
ough		22	5	8	3	-	1	17	5	-	-	-	-	-	-	-	-	-	-
Dysentery		61	2	1	2	1	2	8	13	9	11	11	2	6	1	2	2	2	-
tic Dis.		14	4	2	-	-	-	6	1	-	1	-	-	-	-	-	3	3	-
- - -		2	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
- - -		41	5	6	4	4	2	21	3	-	4	-	-	-	1	5	3	1	1
- - -		49	-	-	-	-	-	-	-	-	-	-	1	1	1	8	15	7	1
l Tabes		7	1	1	-	-	1	3	1	1	-	-	1	1	1	12	14	6	-
us		181	6	3	4	6	1	20	3	9	20	26	38	32	12	14	-	1	-
- - -		81	12	5	3	3	1	24	4	-	-	-	-	1	-	-	-	-	-
- - -		123	28	7	1	1	-	37	1	3	2	2	6	1	12	14	23	17	5
t & Dropsy		187	2	-	-	-	-	2	2	3	5	4	4	11	26	41	34	30	3
and Liver		214	42	18	3	6	2	71	7	3	2	1	6	7	23	50	30	5	1
- - -		53	3	2	-	-	1	6	4	-	1	4	2	4	2	9	10	10	-
- - -		10	-	-	-	-	-	-	-	1	-	-	2	3	-	3	1	-	-
r. Organs		4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
is		8	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-
- - -		4	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
nd Metria		18	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
- - -		1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Deaths		26	-	5	3	2	2	12	2	-	1	-	-	-	-	-	-	-	-
s		434	85	9	4	5	1	104	3	-	3	-	3	4	2	14	19	31	104

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 5 Years.															
		1 Year.	1	2	3	4	5	10-	15-	20-	25-	35-	45-	55-	65-	75-	
Mean Popul ⁿ , 1861-71	9734	264	263	266	241	237	1271	1212	1128	1012	710	1028	979	929	760	493	190
TOTAL DEATHS	1818	331	91	50	29	17	518	72	32	40	59	94	70	117	194	297	235
Small-pox	5	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-
Measles	25	5	7	5	3	2	22	3	-	-	-	-	-	-	-	-	-
Scarlatina	37	5	8	6	5	3	27	7	1	2	-	-	-	-	-	-	-
Diphtheria	12	2	-	1	2	1	6	1	3	-	-	1	-	-	-	-	-
Whooping-cough	30	14	8	3	2	-	27	3	-	-	-	-	-	-	-	-	-
Typhus	46	1	-	1	-	2	4	5	3	-	2	4	3	5	7	1	4
Diarrhoea & Dysentery	15	4	-	-	-	-	4	-	-	-	-	2	2	1	1	-	-
Cholera	13	2	2	-	-	-	4	2	-	-	-	-	-	3	1	-	-
Other Zymotic Dis.	42	6	-	6	2	2	20	4	2	3	-	3	-	2	1	3	4
Cancer	31	-	-	-	-	-	-	-	-	1	-	2	-	2	10	10	8
Scrophula and Tuberc.	25	4	2	2	2	-	10	5	-	1	5	1	-	2	1	-	-
Phthisis	173	4	6	2	1	1	14	4	3	16	28	46	20	12	24	6	-
Hydrocephalus	23	4	0	2	2	-	14	7	1	-	-	-	-	-	-	-	-
Dis. of Brain	231	64	6	2	4	1	77	5	7	5	5	2	2	13	31	55	36
Dis. of Heart & Dropsy	160	4	-	-	-	-	4	1	1	2	3	8	7	20	33	51	36
Dis. of Lungs	283	61	38	7	4	1	91	4	-	3	4	7	15	20	31	50	44
Dis. of Stom. and Liver	102	15	3	-	1	-	19	6	2	-	2	5	4	14	15	24	11
Dis. of Kidneys	23	-	-	-	-	-	-	-	-	-	2	-	1	2	5	6	7
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	1	-	-	-	-	2	2	2	1
Dis. of Skin	6	4	-	-	-	-	4	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	72	3	4	5	1	2	15	8	6	4	4	7	3	3	4	2	2
Other Causes	444	129	17	6	-	2	134	5	2	2	-	3	4	10	21	68	129

293.—TIVERTON.																	
Mean Popul ⁿ , 1861-71	14610	400	389	402	392	381	1964	1832	1731	1487	993	1591	1478	1412	1062	710	310
TOTAL DEATHS	3092	634	193	76	55	60	1018	118	75	72	99	140	172	199	283	367	454
Small-pox	32	5	2	2	-	3	12	5	3	3	5	2	2	-	-	-	-
Measles	58	20	18	9	2	9	32	4	1	-	1	1	-	-	-	-	-
Scarlatina	108	7	18	14	9	17	63	26	3	1	2	1	-	-	-	-	-
Diphtheria	13	-	2	1	2	-	5	5	1	1	-	-	-	-	1	-	-
Whooping-cough	46	26	8	7	3	-	44	2	-	-	-	-	-	-	-	-	-
Typhus	79	2	1	3	2	4	12	9	10	13	8	4	6	6	3	6	3
Diarrhoea & Dysentery	76	43	8	1	2	1	55	1	-	1	3	1	1	2	4	3	1
Cholera	16	-	-	1	-	1	2	3	3	1	-	1	1	4	1	-	-
Other Zymotic Dis.	75	7	3	10	10	3	33	6	-	6	5	1	7	5	6	1	3
Cancer	31	-	-	-	-	-	-	-	-	-	-	2	2	5	10	9	5
Scrophula and Tuberc.	38	8	6	1	3	2	20	2	2	2	1	5	1	2	-	1	1
Phthisis	329	5	4	2	-	4	15	4	17	22	33	63	55	42	31	13	2
Hydrocephalus	37	22	15	4	3	1	45	8	2	-	1	-	-	-	-	-	-
Dis. of Brain	402	130	21	5	3	4	163	5	6	5	6	11	17	19	32	73	58
Dis. of Heart & Dropsy	214	10	-	-	1	1	12	5	-	2	2	10	10	23	52	26	37
Dis. of Lungs	464	76	37	7	9	3	132	8	-	2	5	8	26	35	68	68	75
Dis. of Stom. and Liver	116	13	1	1	1	2	18	-	5	4	1	6	10	21	28	34	9
Dis. of Kidneys	47	-	-	-	-	-	-	-	1	1	1	2	12	4	6	8	11
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	27	-	4	-	-	1	5	3	4	1	2	2	2	5	2	1	-
Dis. of Skin	16	6	1	-	-	-	7	1	-	-	-	-	-	1	1	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	18	-	-	-	-	-	-	-	1	1	-	2	1	7	2	3	1
Other Violent Deaths	109	3	8	3	3	7	24	8	9	6	5	7	11	11	16	4	6
Other Causes	730	251	56	5	2	3	297	3	2	-	2	4	7	11	16	29	79

294.—SOUTH MOLTON.																	
Mean Popul ⁿ , 1861-71	9739	269	270	268	232	242	1281	1232	1163	1028	756	1076	945	868	707	470	198
TOTAL DEATHS	1896	344	100	44	26	25	539	63	40	47	55	94	83	124	158	276	271
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	20	4	6	2	2	2	16	2	-	1	1	-	-	-	-	-	-
Scarlatina	40	1	6	6	5	8	20	10	-	1	1	1	-	-	1	-	-
Diphtheria	5	-	-	1	-	2	3	1	-	1	-	-	-	-	-	-	-
Whooping-cough	32	17	11	2	2	-	32	-	-	-	-	-	-	-	-	-	-
Typhus	51	1	1	2	-	1	5	7	8	7	5	6	3	4	2	3	1
Diarrhoea & Dysentery	32	12	3	-	-	1	16	1	1	-	-	1	1	2	3	2	5
Cholera	8	-	-	1	-	-	1	2	-	-	-	1	2	1	1	1	1
Other Zymotic Dis.	43	8	7	5	4	4	28	-	2	-	1	2	1	2	1	3	3
Cancer	39	-	-	-	-	-	-	-	-	-	-	1	6	8	10	11	5
Scrophula and Tuberc.	30	9	3	1	1	1	15	5	1	2	1	5	1	2	-	1	1
Phthisis	172	5	2	2	-	-	9	12	5	18	32	36	23	20	11	11	4
Hydrocephalus	38	17	7	3	4	1	32	6	1	-	-	-	-	-	-	-	-
Dis. of Brain	229	62	9	3	1	1	76	7	-	3	2	5	4	23	21	50	33
Dis. of Heart & Dropsy	156	4	1	-	-	-	6	3	2	2	-	8	10	12	24	20	29
Dis. of Lungs	319	61	36	11	4	2	114	6	3	3	4	12	13	14	44	32	47
Dis. of Stom. and Liver	98	12	-	-	-	-	13	3	2	1	5	6	6	12	13	24	12
Dis. of Kidneys	35	-	-	-	-	-	-	-	2	-	-	1	1	6	4	11	10
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Dis. of Skin	8	3	-	-	-	1	4	-	-	-	-	-	-	-	1	1	2
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	79	2	1	2	2	-	7	5	10	6	2	2	2	2	2	2	2
Other Causes	361	126	7	3	-	-	136	3	3	1	-	2	2	2	2	2	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
292.—CREDITON.																		
In Popul ⁿ , 1861-71	10106	256	252	265	258	250	1281	1248	1099	876	720	1164	1077	990	765	577	265	44
AL DEATHS -	1890	257	94	52	28	23	454	60	47	56	59	94	100	114	165	298	319	124
-pox -	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
-c -	25	6	9	3	3	-	21	3	-	-	1	-	-	-	-	-	-	-
tina -	88	1	8	11	5	4	24	8	-	1	2	1	-	-	-	-	-	-
beria -	11	1	-	6	-	-	7	1	1	-	-	-	-	1	1	-	-	-
ping-cough -	31	12	6	1	2	5	28	5	-	-	-	-	-	-	-	-	-	-
ona & Dysentery -	53	-	1	3	-	2	6	8	9	7	2	2	2	2	6	6	3	1
Zymotic Dis.	25	8	1	3	-	-	12	1	-	-	-	-	-	1	1	4	5	1
-	12	1	-	1	2	1	5	2	-	-	-	-	-	-	2	1	-	-
-	49	6	8	3	5	3	25	4	1	1	1	-	-	2	2	5	8	-
-	57	-	-	-	-	1	1	-	1	-	-	-	5	9	13	16	8	1
la and Tabes -	23	6	5	1	1	-	13	-	2	-	-	1	2	3	2	-	-	-
is -	196	1	2	2	-	2	7	13	27	24	47	25	25	14	6	2	-	-
cephalus -	22	10	5	2	-	-	17	2	3	-	-	-	-	-	-	-	-	-
Brain -	240	45	12	6	3	-	63	8	6	7	9	6	11	14	20	37	27	3
Heart & Dropsy -	197	6	-	-	1	-	7	1	2	5	5	16	14	18	30	61	44	4
Lungs -	237	40	16	5	3	2	66	5	2	5	3	13	12	22	37	42	8	1
Stom. and Liver -	119	8	3	-	-	1	12	2	-	2	4	5	10	9	27	33	14	1
Kidneys -	9	-	1	-	-	-	1	-	-	-	-	-	2	2	2	1	-	-
Gener. Organs -	14	-	-	-	-	-	-	-	-	-	1	-	3	4	2	2	-	-
Joints -	4	-	-	1	-	-	1	-	-	1	-	2	-	-	-	-	-	-
Skin -	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Birth and Metris -	19	-	-	-	-	-	-	-	-	-	3	8	7	1	-	-	-	-
Violent Deaths -	32	7	3	-	-	2	12	3	2	-	-	-	2	-	3	1	6	3
Causes -	73	98	18	4	8	-	123	-	3	3	1	2	-	9	13	39	155	109
293.—TIVERTON.																		
In Popul ⁿ , 1861-71	15691	425	386	406	366	395	1978	1835	1686	1498	1203	1949	1719	1516	1135	780	331	61
AL DEATHS -	3100	504	165	100	62	55	886	112	87	103	114	176	174	187	249	428	464	150
-pox -	29	5	2	2	2	-	11	4	5	2	-	7	-	-	-	-	-	-
-c -	60	5	20	10	7	3	45	3	1	-	1	-	-	-	-	-	-	-
tina -	109	4	21	17	9	16	67	26	9	1	1	4	1	-	-	-	-	-
beria -	14	2	1	1	2	3	9	2	1	-	1	-	-	1	-	-	-	-
ping-cough -	32	27	11	11	10	8	62	-	-	-	-	-	-	-	-	-	-	-
ona & Dysentery -	60	4	1	3	4	6	18	16	9	10	7	8	3	4	7	6	2	-
Zymotic Dis.	78	27	7	1	1	1	37	1	1	-	1	1	3	3	5	7	13	2
-	18	-	2	1	2	-	5	2	3	1	-	-	-	1	5	1	-	-
-	69	7	3	4	4	8	26	7	3	3	2	2	2	3	1	5	5	3
-	79	-	-	-	-	-	-	-	-	-	-	-	10	15	19	17	15	1
la and Tabes -	53	13	7	4	1	1	2	6	7	6	2	2	2	3	3	1	-	-
is -	375	5	4	4	1	2	16	6	25	45	66	96	64	30	19	7	1	-
cephalus -	81	9	2	6	2	3	22	6	1	2	-	-	-	-	-	-	-	-
Brain -	356	85	18	9	4	-	116	7	6	9	9	10	15	26	27	66	57	10
Heart & Dropsy -	285	7	2	2	2	1	14	5	1	7	5	10	21	25	57	88	67	15
Lungs -	416	78	33	14	6	2	139	11	3	6	6	9	12	14	44	91	69	8
Stom. and Liver -	135	8	3	-	3	-	14	3	1	1	3	5	8	13	35	37	13	2
Kidneys -	21	-	1	1	-	-	2	-	-	2	4	1	3	3	1	3	2	-
Gener. Organs -	9	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	2	-
Joints -	16	-	-	-	-	-	-	1	2	1	2	2	2	1	2	3	-	-
Skin -	12	1	-	-	-	-	1	-	1	1	1	2	-	-	1	4	1	-
Birth and Metris -	41	-	-	-	-	-	-	-	-	2	3	13	20	3	-	-	-	-
Violent Deaths -	36	8	2	5	1	3	19	1	3	-	-	-	1	2	2	4	3	3
Causes -	719	209	25	5	1	3	243	5	5	4	-	-	1	6	10	14	85	110
294.—SOUTH MOLTON.																		
In Popul ⁿ , 1861-71	9514	236	233	249	252	236	1206	1178	1034	916	746	1152	957	904	676	490	224	31
AL DEATHS -	1683	234	79	37	42	10	402	51	53	62	58	98	98	96	137	247	292	89
-pox -	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
-c -	8	1	4	-	1	-	6	-	1	-	-	1	-	-	-	-	-	-
tina -	32	2	5	7	4	-	18	3	5	3	1	2	-	-	-	-	-	-
beria -	10	-	1	-	3	-	4	3	3	-	-	-	-	-	-	-	-	-
ping-cough -	36	20	8	1	6	-	35	1	-	-	-	-	-	-	-	-	-	-
ona & Dysentery -	47	-	1	1	-	1	3	4	5	11	6	6	3	2	3	1	3	-
Zymotic Dis.	24	8	4	1	-	-	13	-	-	-	1	1	-	-	-	-	-	-
-	7	-	1	-	-	1	2	-	-	1	-	-	1	3	4	6	4	-
-	64	1	3	1	2	3	10	3	4	-	-	-	-	-	-	-	-	-
-	38	-	-	-	-	-	-	-	-	1	-	-	7	14	20	17	5	4
la and Tabes -	29	13	3	2	-	-	18	3	3	-	-	-	1	-	1	-	-	-
is -	206	5	1	3	2	3	12	4	13	24	28	50	26	13	17	19	-	-
cephalus -	18	5	1	2	3	-	11	4	3	-	-	-	-	-	-	-	-	-
Brain -	191	37	11	2	7	1	58	5	6	1	3	7	6	24	15	31	28	7
Heart & Dropsy -	196	-	-	-	-	-	4	4	2	4	3	6	15	16	29	65	50	2
Lungs -	260	41	28	6	7	1	83	8	2	7	6	6	11	15	18	32	45	2
Stom. and Liver -	73	3	1	1	1	-	11	2	-	4	4	5	9	6	14	15	8	-
Kidneys -	22	2	-	-	1	-	3	-	-	-	-	3	1	1	4	6	2	-
Gener. Organs -	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Joints -	10	-	-	1	-	-	1	1	1	-	-	1	1	-	-	-	-	-
Skin -	6	1	-	-	2	-	3	-	1	1	1	-	2	-	-	-	-	-
Birth and Metris -	21	-	-	-	-	-	-	-	-	1	4	7	-	-	-	-	-	-
Violent Deaths -	34	2	4	6	2	-	13	3	2	2	-	-	-	-	1	1	2	2
Causes -	337	89	3	3	1	-	97	3	3	3	-	-	-	1	1	1	3	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and over.	
		Year.					Years.												
295.—BARNSTAPLE.																			
Mean Popul ⁿ , 1861-71		17195	486	454	484	464	455	2343	2141	1993	1759	1273	1916	1691	1528	1276	878	246	31
TOTAL DEATHS		3332	608	180	72	47	39	1006	115	51	106	102	204	188	223	291	505	401	18
Small-pox		5	3	1	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-
Measles		49	9	16	5	5	4	39	6	-	2	-	1	1	-	-	-	-	-
Scarlatina		22	9	7	4	12	5	37	12	3	-	-	-	-	-	-	-	-	-
Diphtheria		15	3	2	1	2	1	9	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough		29	40	14	-	3	1	58	1	-	-	-	-	-	-	-	-	-	-
Typhus		65	1	2	2	2	3	10	8	4	12	1	7	5	2	10	4	2	5
Diarrhoea & Dysentery		99	63	16	2	-	-	81	1	-	1	1	1	1	1	1	1	1	1
Cholera		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		78	9	12	6	1	3	31	5	1	1	2	3	2	1	9	11	10	1
Cancer		62	-	-	-	-	1	1	-	-	1	1	-	2	6	22	19	3	1
Scrofula and Tuberc.		43	11	4	5	1	3	22	4	2	2	3	6	1	1	2	3	1	1
Phthisis		393	8	8	9	1	2	28	14	11	38	54	96	69	45	24	22	2	2
Hydrocephalus		43	12	11	5	2	9	32	3	4	2	-	-	-	-	-	-	-	-
Dis. of Brain		429	100	15	10	4	5	134	15	6	8	5	9	18	30	30	101	44	4
Dis. of Heart & Dropsy		217	1	-	2	-	2	5	5	3	6	3	12	11	26	27	22	2	2
Dis. of Lungs		533	135	41	12	6	4	198	14	2	6	9	14	21	35	47	55	39	12
Dis. of Stom. and Liver		164	22	1	-	1	1	25	1	3	3	3	3	21	18	30	20	19	2
Dis. of Kidneys		91	1	-	-	-	-	1	1	1	2	2	10	9	11	17	24	6	2
Dis. of Genes. Organs		3	1	-	-	-	-	1	-	-	-	-	-	2	6	1	1	1	1
Dis. of Joints		26	-	1	-	-	-	1	2	-	5	1	2	2	6	5	1	1	1
Dis. of Skin		9	4	-	-	-	-	4	-	-	1	-	-	-	1	-	2	-	-
Childbirth and Metris		15	-	-	-	-	-	-	-	-	-	-	-	5	5	2	3	1	1
Violent Deaths		172	11	5	5	6	1	26	13	9	13	13	25	18	22	20	8	8	1
Other Causes		709	225	24	6	1	1	257	1	1	4	4	8	12	12	10	29	205	105
296.—TORRINGTON.																			
Mean Popul ⁿ , 1861-71		7887	218	225	236	207	216	1102	1065	947	847	540	841	736	693	547	387	162	20
TOTAL DEATHS		1469	264	81	55	25	25	450	60	30	39	41	66	79	68	134	198	225	66
Small-pox		1	-	-	-	-	-	22	3	1	-	-	1	-	-	-	-	-	-
Measles		26	5	4	9	4	1	22	3	1	-	-	-	-	-	-	-	-	-
Scarlatina		24	1	3	7	3	1	15	6	1	-	2	-	-	-	-	-	-	-
Diphtheria		23	1	3	2	2	3	11	9	2	-	-	1	-	-	-	-	-	-
Whooping-cough		19	6	7	3	1	1	18	1	-	-	-	-	-	-	-	-	-	-
Typhus		64	-	1	1	2	4	6	6	8	7	12	2	8	4	2	1	1	1
Diarrhoea & Dysentery		25	12	2	-	-	-	14	1	-	-	-	-	-	-	5	2	2	2
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		41	3	4	3	4	6	20	5	2	-	-	-	1	-	3	5	5	1
Cancer		23	-	-	-	1	-	1	-	-	1	-	-	-	2	5	5	8	1
Scrofula and Tuberc.		24	3	5	-	1	1	8	5	1	8	-	2	1	2	1	1	1	1
Phthisis		176	2	1	1	1	1	5	7	4	13	18	30	36	12	24	20	8	1
Hydrocephalus		26	11	3	4	2	1	21	-	3	2	-	-	-	-	-	-	-	-
Dis. of Brain		150	40	9	3	1	1	54	3	1	-	1	5	2	5	20	23	24	1
Dis. of Heart & Dropsy		107	1	-	1	-	-	3	1	1	1	3	6	8	10	17	32	22	2
Dis. of Lungs		195	29	18	9	-	2	58	4	2	3	6	2	12	12	21	38	35	7
Dis. of Stom. and Liver		67	7	5	2	-	-	12	1	2	3	1	2	7	6	14	11	7	1
Dis. of Kidneys		83	1	-	-	-	-	1	-	1	-	1	1	2	3	9	6	6	1
Dis. of Genes. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		4	2	1	-	-	-	3	-	-	-	-	1	-	-	-	1	1	1
Childbirth and Metris		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths		42	2	3	2	1	3	11	1	2	4	3	2	5	4	6	3	1	1
Other Causes		286	138	16	8	2	1	165	6	1	1	-	2	3	3	6	4	10	61
297.—BIDEFORD.																			
Mean Popul ⁿ , 1861-71		8694	273	237	250	252	236	1248	1121	1008	862	652	909	823	758	509	407	187	36
TOTAL DEATHS		1703	362	107	51	31	17	568	57	31	50	66	82	95	88	127	216	231	92
Small-pox		3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Measles		26	9	8	8	8	2	26	2	-	-	-	-	-	-	-	-	-	-
Scarlatina		47	4	7	13	4	2	30	11	3	2	-	-	1	-	-	-	-	-
Diphtheria		9	1	-	-	-	1	2	4	-	3	-	-	-	-	-	-	-	-
Whooping-cough		24	9	11	1	3	-	24	-	-	-	-	-	-	-	-	-	-	-
Typhus		78	3	-	3	3	1	12	8	4	11	10	10	7	1	7	5	3	3
Diarrhoea & Dysentery		26	12	2	-	-	-	14	2	-	-	-	-	-	-	-	1	1	1
Cholera		17	5	2	1	-	-	8	3	-	2	-	1	1	1	2	2	2	2
Other Zymotic Dis.		39	4	5	2	4	3	16	7	1	-	-	2	1	2	1	5	1	1
Cancer		19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.		37	15	6	2	-	1	94	4	2	-	1	1	1	8	4	7	5	5
Phthisis		145	3	2	-	-	2	7	-	4	12	32	24	24	15	12	11	4	4
Hydrocephalus		26	7	11	1	2	-	21	1	1	1	1	-	-	-	-	-	-	-
Dis. of Brain		210	51	10	5	3	-	69	4	4	8	3	10	9	10	18	37	35	12
Dis. of Heart & Dropsy		109	1	2	-	-	2	5	2	3	2	2	4	5	11	15	25	22	2
Dis. of Lungs		278	75	24	10	4	2	115	4	-	4	5	10	13	11	24	42	41	7
Dis. of Stom. and Liver		62	4	1	2	-	-	7	-	1	-	-	3	6	8	13	15	9	2
Dis. of Kidneys		37	-	-	-	1	-	1	1	-	-	-	1	3	3	8	14	6	1
Dis. of Genes. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		2	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metris		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths		89	1	4	4	3	-	11	3	6	4	1	9	13	14	3	2	1	1
Other Causes		309	156	13	4	-	1	174	1	3	3	1	1	1	5	10	23	23	36

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upward.
		295.—BARNSTAPLE.																
Population, 1861-71.	19655	435	418	450	472	436	2211	2232	1926	1860	1679	2559	2169	1905	1499	1046	481	83
L DEATHS -	3404	605	146	81	53	33	818	117	74	106	115	218	183	176	312	478	548	259
Cancer -	5	-	-	-	-	-	-	5	1	2	-	1	-	-	-	-	1	-
Consumption -	36	2	14	8	1	4	29	16	2	-	-	-	-	-	-	-	-	-
Diphtheria -	63	3	4	13	10	7	37	16	2	2	2	3	-	1	-	-	-	-
Erysipelas -	17	3	-	-	-	1	6	5	2	-	-	2	-	1	1	-	-	-
Whooping-cough -	81	39	19	13	6	5	77	4	-	-	-	6	5	3	7	-	5	-
Scarlet & Dysentery -	85	2	2	4	4	5	17	14	7	13	8	6	5	3	7	5	0	1
Typhoid Dis. -	67	43	4	-	-	-	47	-	-	2	-	-	2	1	3	5	0	-
Typhus -	2	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Typhoid Dis. -	72	9	5	1	3	3	21	7	5	2	4	7	1	4	3	10	8	-
Smallpox and Tuberc. -	122	-	-	-	-	-	-	-	-	-	-	4	8	20	33	36	14	7
Scarlet -	45	11	8	2	2	1	24	1	4	6	1	1	3	1	1	3	3	1
Erysipelas -	473	10	6	1	2	3	22	7	25	50	68	113	68	43	47	26	3	-
Brain -	43	12	6	2	3	1	24	4	8	6	-	-	-	-	1	-	-	-
Heart & Dropsy -	382	63	14	10	4	1	93	13	5	4	4	16	15	23	40	84	67	19
Lungs -	259	2	1	1	-	-	4	4	2	4	5	11	16	23	63	73	49	5
Stomach and Liver -	478	85	41	5	9	3	143	17	1	7	3	8	16	27	46	110	71	29
Kidneys -	153	18	1	1	-	2	22	6	4	1	4	15	8	12	28	53	18	2
Joint -	41	-	-	-	-	-	1	-	-	1	-	7	9	3	8	10	2	-
Joint -	15	-	1	-	-	-	1	-	-	-	1	4	2	4	1	2	-	-
Skin -	18	-	-	1	1	-	2	3	1	2	1	2	1	1	1	3	1	-
Uterus and Metria -	11	2	1	-	1	-	4	-	-	-	-	2	-	-	1	2	-	-
Uterus and Metria -	48	-	-	-	-	-	-	-	-	1	10	13	23	1	-	-	-	-
Violent Deaths -	6	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	1	-
Causes -	50	9	2	6	1	1	19	7	4	2	1	1	1	1	1	5	7	4
Causes -	832	192	17	10	6	1	226	3	1	1	2	2	5	4	25	79	203	101

296.—TORRINGTON.																		
Population, 1861-71.	8718	225	213	208	216	214	1076	1020	929	837	732	1130	923	820	596	429	194	32
L DEATHS -	1615	203	76	50	36	19	384	62	31	67	74	110	105	98	139	205	256	83
Cancer -	27	5	8	2	2	1	18	6	2	-	-	1	-	-	-	-	-	-
Consumption -	25	-	4	7	1	-	12	1	1	1	4	-	-	1	-	-	-	-
Diphtheria -	24	1	4	2	2	1	10	10	4	-	-	-	-	-	-	-	-	-
Whooping-cough -	28	7	7	4	6	2	26	1	7	1	-	8	6	4	5	4	1	-
Scarlet & Dysentery -	69	4	2	4	2	1	13	3	-	6	12	-	-	-	-	-	-	-
Typhoid Dis. -	13	3	-	1	1	-	5	-	1	-	-	1	-	1	1	3	2	-
Typhus -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Dis. -	42	2	7	-	4	3	16	1	1	1	-	1	-	2	7	5	8	-
Smallpox and Tuberc. -	45	-	-	-	-	1	1	1	-	-	-	1	7	11	9	9	5	1
Scarlet -	16	4	3	1	1	-	9	-	-	3	-	2	1	1	-	-	-	-
Erysipelas -	209	3	5	4	2	1	15	8	6	34	43	52	49	26	12	15	6	3
Brain -	19	4	1	3	2	1	11	8	4	1	-	-	-	-	-	-	-	-
Heart & Dropsy -	181	29	2	5	2	-	38	7	3	3	5	2	3	9	18	24	17	2
Lungs -	144	3	1	1	1	-	6	2	2	2	-	11	9	19	24	34	36	1
Stomach and Liver -	181	20	15	8	4	5	52	4	2	5	3	5	5	9	29	39	21	7
Kidneys -	83	5	1	1	1	-	7	1	-	5	4	9	7	9	13	17	10	1
Joint -	12	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	2	1
Joint -	8	-	-	-	-	-	-	-	-	1	-	1	3	-	2	1	-	-
Skin -	5	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-
Skin -	4	-	1	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Uterus and Metria -	26	-	-	-	-	-	-	-	-	3	-	11	5	2	-	-	-	-
Uterus and Metria -	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Violent Deaths -	20	3	1	3	-	1	8	4	1	-	-	-	1	-	2	-	1	-
Causes -	418	110	15	3	5	2	135	5	-	-	-	5	2	4	9	48	144	63

297.—BIDEFORD.																		
Population, 1861-71.	9954	256	231	234	245	238	1204	1128	1028	905	849	1338	1067	941	696	515	240	43
L DEATHS -	1768	253	94	63	35	24	469	63	33	62	56	116	92	115	142	244	253	123
Cancer -	45	6	11	13	7	5	42	2	-	1	-	-	-	-	-	-	-	-
Consumption -	46	3	6	10	4	7	30	10	4	1	-	1	-	-	-	-	-	-
Diphtheria -	18	-	-	3	3	1	7	5	-	1	-	-	-	-	-	-	-	-
Whooping-cough -	41	16	13	7	2	-	38	8	-	-	-	11	-	-	-	-	-	-
Scarlet & Dysentery -	99	3	4	4	2	2	15	8	9	19	10	-	10	-	8	3	2	1
Typhoid Dis. -	29	12	3	-	2	1	18	1	-	-	-	-	-	-	-	-	-	-
Typhus -	10	4	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-	-
Typhoid Dis. -	25	3	3	1	2	4	13	-	-	-	2	-	-	1	2	2	3	-
Smallpox and Tuberc. -	49	-	-	-	-	-	-	-	-	-	-	-	6	15	7	10	9	3
Scarlet -	35	11	2	2	-	1	16	3	1	4	-	4	4	26	17	9	4	-
Erysipelas -	190	2	-	1	-	-	3	6	5	19	23	51	27	3	17	-	-	-
Brain -	19	3	5	3	1	-	12	5	1	1	-	-	-	-	-	-	-	-
Heart & Dropsy -	169	31	3	4	1	-	39	3	1	5	4	6	5	9	20	42	29	6
Lungs -	174	1	5	1	-	1	8	1	4	2	-	10	6	11	37	61	31	5
Stomach and Liver -	241	26	26	8	6	2	75	5	3	3	-	1	9	17	21	45	45	12
Kidneys -	97	5	-	-	-	-	5	3	2	3	3	3	8	17	15	9	21	1
Joint -	18	-	-	-	-	-	-	-	-	-	-	2	1	4	3	3	3	-
Joint -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
Skin -	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Skin -	3	2	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Uterus and Metria -	27	-	-	-	-	-	-	-	-	-	10	-	7	-	1	-	-	-
Uterus and Metria -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths -	22	1	-	2	2	-	5	2	-	2	-	-	-	1	-	-	-	-
Causes -	402	114	13	4	2	1	133	5	-	-	2	2	4	5	8	11	41	19

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80+
		298.—HOLSWORTHY.																
Mean Popul ⁿ , 1861-71 }	4892	124	149	133	127	125	658	607	566	519	411	567	459	400	353	243	97	12
TOTAL DEATHS -	862	167	59	15	9	9	259	23	21	24	26	41	37	39	81	122	144	45
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	14	3	6	-	-	2	11	3	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	12	1	1	2	-	2	6	2	3	-	-	1	-	-	-	-	-	-
Diphtheria - - -	4	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	7	4	2	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	15	1	-	2	-	-	4	1	2	2	2	2	1	-	-	-	-	-
Diarrhoea & Dysentery	9	1	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	3
Cholera - - -	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	1
Other Zymotic Dis. -	19	4	2	1	-	1	8	2	1	1	1	-	-	-	2	1	2	2
Cancer - - -	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tubercles	19	5	2	1	-	-	8	2	-	1	3	4	1	4	4	4	2	2
Phthisis - - -	87	2	2	-	1	-	5	2	1	3	8	21	15	9	7	6	2	2
Hydrocephalus - - -	12	4	4	2	-	-	10	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	105	31	10	-	1	1	43	3	-	-	4	2	4	5	10	10	10	10
Dis. of Heart & Dropsy	63	1	1	-	-	-	2	-	-	-	2	1	1	2	13	17	12	12
Dis. of Lungs - - -	123	32	12	2	2	1	49	2	1	3	2	5	6	8	17	23	21	21
Dis. of Stom. and Liver	41	3	2	-	-	-	5	-	-	1	1	2	2	4	8	9	8	8
Dis. of Kidneys - - -	22	-	1	-	-	-	1	-	-	1	1	-	1	1	2	2	2	2
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Dis. of Skin - - -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1
Other Violent Deaths -	89	-	2	1	2	-	5	2	7	4	1	1	3	2	4	2	2	2
Other Causes - - -	227	75	11	3	1	1	91	1	1	1	2	1	2	5	11	20	22	22

299.—STRATTON.																		
Mean Popul ⁿ , 1861-71 }	3857	96	97	113	104	88	498	484	414	403	315	446	360	338	298	206	84	11
TOTAL DEATHS -	752	152	40	13	9	7	221	22	20	21	25	47	37	44	62	109	112	32
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	8	3	2	-	1	-	6	2	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	6	-	-	-	1	-	1	3	1	1	-	-	-	-	-	-	-	-
Diphtheria - - -	7	-	-	1	-	2	3	2	-	-	-	-	-	-	1	-	-	-
Whooping-cough -	15	8	5	1	-	1	15	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	19	-	1	1	1	-	3	1	5	2	1	3	2	1	-	1	1	1
Diarrhoea & Dysentery	6	3	1	-	-	-	3	-	-	-	-	-	-	-	1	1	1	1
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	7	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	2	2
Cancer - - -	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	8	2
Scrofula and Tubercles	11	2	-	-	2	-	4	-	1	-	-	4	1	-	6	8	2	2
Phthisis - - -	74	6	2	3	1	-	12	2	1	8	8	14	10	6	4	7	3	3
Hydrocephalus - - -	7	1	3	1	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	87	24	7	1	1	1	34	4	2	-	2	2	7	2	7	13	13	-
Dis. of Heart & Dropsy	63	-	-	-	-	-	-	1	-	-	1	3	2	6	11	16	10	-
Dis. of Lungs - - -	111	29	11	2	1	1	44	-	-	2	3	1	2	9	10	18	22	-
Dis. of Stom. and Liver	37	3	-	-	-	-	3	-	1	-	1	4	2	6	5	12	3	-
Dis. of Kidneys - - -	22	-	-	-	-	-	-	1	-	-	2	3	1	1	2	9	2	1
Dis. of Gener. Organs -	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Joints - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - -	5	-	-	1	-	-	1	1	-	-	-	-	-	-	1	1	1	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	63	1	2	2	1	1	7	3	4	3	4	13	9	9	7	2	2	2
Other Causes - - -	193	72	7	-	-	1	80	-	-	1	-	-	1	2	6	15	24	31

300.—CAMELFORD.																		
Mean Popul ⁿ , 1861-71 }	4038	112	98	125	108	122	565	515	457	420	303	476	392	368	276	180	77	9
TOTAL DEATHS -	734	171	45	18	9	11	254	23	19	19	26	35	42	55	54	82	96	24
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	17	4	4	4	1	3	16	1	-	-	-	-	-	-	-	-	-	-
Scarlatina - - -	9	-	2	-	1	-	3	3	2	1	-	-	-	-	-	-	-	-
Diphtheria - - -	14	-	1	3	-	2	6	3	4	-	1	-	-	-	-	-	-	-
Whooping-cough -	16	9	3	2	2	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	15	1	-	1	-	-	2	1	4	1	1	1	2	1	1	1	1	1
Diarrhoea & Dysentery	22	15	2	1	-	1	19	-	-	-	-	-	-	-	-	1	1	-
Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	14	4	-	1	1	-	6	1	1	2	-	-	-	1	1	1	1	1
Cancer - - -	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4
Scrofula and Tubercles	16	6	3	2	-	-	11	-	3	-	1	1	-	-	-	4	4	-
Phthisis - - -	70	4	2	-	1	-	7	4	2	4	8	9	10	14	11	-	1	-
Hydrocephalus - - -	6	1	1	-	1	2	5	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain - - -	79	21	9	1	-	1	32	3	1	1	1	2	4	4	2	17	13	-
Dis. of Heart & Dropsy	61	-	1	-	-	-	1	-	3	1	1	2	4	12	17	13	13	-
Dis. of Lungs - - -	99	28	8	-	1	-	37	2	1	1	5	4	7	7	6	14	19	-
Dis. of Stom. and Liver	35	6	1	-	-	-	7	1	-	1	2	1	1	9	2	6	3	-
Dis. of Kidneys - - -	10	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	4	1
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - -	4	1	1	-	-	-	2	1	-	-	-	1	-	1	-	-	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	63	1	1	-	-	1	3	6	1	1	3	12	12	10	4	2	2	2
Other Causes - - -	167	70	6	3	1	1	81	1	-	-	-	3	3	3	10	17	20	24

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--	
an Popul ⁿ , 1861-71	4760	142	121	123	140	128	654	584	526	468	372	585	468	434	320	228	100	21	
TOTAL DEATHS	856	146	39	20	15	10	230	22	24	28	19	61	41	54	75	122	128	52	
-pox	10	1	3	1	1	1	7	2	1	-	-	-	-	-	-	-	-	-	
scalds	11	-	1	1	3	-	4	3	3	-	-	-	1	-	-	-	-	-	
beria	8	-	1	1	-	-	2	3	3	-	-	-	-	-	-	-	-	-	
ping-cough	18	6	2	3	1	1	13	-	-	-	-	-	-	-	-	-	-	-	
is	18	1	-	1	2	-	4	1	2	1	2	2	-	2	-	3	1	-	
hosa & Dysentery	5	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	2	-	
ra	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Zymotic Dis.	14	-	3	1	1	2	7	1	1	1	-	-	-	-	1	2	1	-	
r	27	-	-	-	-	-	-	-	-	-	-	1	2	6	7	6	4	1	
ila and Tabes	15	7	-	2	-	-	9	-	-	1	-	-	1	3	-	1	-	-	
sis	112	2	2	1	1	2	8	6	8	12	10	28	13	8	10	7	1	1	
cephalus	7	3	3	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-	
f Brain	89	26	4	2	1	-	33	-	-	1	1	3	1	6	14	15	15	-	
f Heart & Dropsy	72	-	-	-	-	-	-	-	1	-	-	3	4	6	8	12	21	17	
f Lungs	122	19	9	1	1	2	32	1	1	4	-	5	4	8	10	28	23	6	
f Stom. and Liver	37	-	1	-	-	-	1	3	-	4	-	3	2	5	7	10	2	-	
f Kidneys	8	-	-	-	-	-	-	1	-	-	-	1	1	1	2	2	-	-	
f Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
f Joints	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	
f Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
irth and Metria	20	-	-	-	-	-	-	-	-	2	2	8	7	1	-	-	-	-	
le	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	10	1	1	2	1	-	5	-	-	1	-	-	1	-	1	-	1	1	
Causes	251	77	10	3	3	1	94	1	3	2	1	5	1	3	11	27	60	43	
299.—STRATTON.																			
an Popul ⁿ , 1861-71	4078	118	108	108	100	110	544	488	432	419	315	509	413	361	288	201	93	15	
TOTAL DEATHS	717	121	17	17	8	3	166	22	21	22	30	42	47	34	55	91	136	51	
-pox	10	3	2	1	-	-	6	2	1	-	1	-	-	-	-	-	-	-	
scalds	10	-	1	3	-	1	5	2	1	1	-	-	1	-	-	-	-	-	
beria	4	-	1	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	
ping-cough	9	5	1	2	-	-	8	-	1	-	-	-	-	-	-	-	-	-	
is	6	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	
hosa & Dysentery	5	2	-	-	-	-	2	-	-	-	1	-	-	-	-	2	-	-	
ra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Zymotic Dis.	5	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	2	-	
r	27	-	-	-	-	-	-	-	-	-	-	2	5	7	10	1	2	-	
ila and Tabes	8	-	2	1	-	-	3	-	1	2	2	-	-	-	-	-	-	-	
sis	86	7	2	-	-	-	9	4	5	12	11	16	16	3	5	5	-	-	
cephalus	4	2	1	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	
f Brain	74	13	3	-	1	1	18	4	3	1	2	4	3	3	10	12	13	1	
f Heart & Dropsy	67	-	-	-	-	-	-	1	1	-	-	5	6	8	11	23	9	1	
f Lungs	88	19	4	2	-	-	25	2	2	2	-	2	5	5	7	20	18	2	
f Stom. and Liver	35	4	-	-	-	1	5	2	2	-	2	2	1	4	5	3	7	2	
f Kidneys	5	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	
f Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	
f Joints	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
f Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
irth and Metria	18	-	-	-	-	-	-	-	-	1	4	4	9	-	-	-	-	-	
le	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	20	-	2	3	-	-	5	-	1	-	1	3	-	1	3	2	-	-	
Causes	226	65	3	4	2	-	74	-	-	1	1	2	-	1	3	19	51	45	
300.—CAMELFORD.																			
an Popul ⁿ , 1861-71	4063	122	110	112	99	101	544	507	431	383	309	520	433	379	277	189	81	10	
TOTAL DEATHS	738	157	39	23	19	15	253	28	10	19	27	40	39	44	52	109	84	33	
-pox	14	4	3	3	2	-	12	2	-	-	-	-	-	-	-	-	-	-	
scalds	9	1	2	-	3	-	6	2	-	-	-	-	-	-	-	-	-	-	
beria	18	1	-	-	2	4	7	7	1	1	2	-	-	1	-	-	-	-	
ping-cough	96	13	6	2	3	1	25	1	-	-	-	-	-	-	-	-	-	-	
is	18	-	1	1	1	1	3	4	2	1	1	1	3	1	1	1	1	-	
hosa & Dysentery	15	6	3	-	-	-	9	-	-	-	-	-	-	-	-	1	2	1	
ra	9	2	1	-	-	-	4	-	-	-	-	1	1	1	1	1	-	-	
Zymotic Dis.	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
r	19	1	-	-	1	-	2	-	-	-	-	-	-	6	5	2	3	1	
ila and Tabes	18	5	3	2	1	-	11	1	-	-	1	-	2	1	-	-	-	-	
sis	106	8	1	3	1	1	14	4	3	11	15	25	16	6	7	4	-	1	
cephalus	8	2	1	2	3	-	8	-	-	-	-	-	-	-	-	-	-	-	
f Brain	83	23	2	1	-	2	28	3	1	1	-	2	2	3	9	15	15	5	
f Heart & Dropsy	71	-	-	-	-	-	-	1	1	-	-	1	1	4	10	26	14	3	
f Lungs	93	24	9	4	3	-	40	1	1	1	-	1	4	8	3	18	15	2	
f Stom. and Liver	53	6	-	1	-	1	8	-	-	3	1	1	1	5	7	18	4	-	
f Kidneys	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	
f Gener. Organs	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	
f Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
f Skin	4	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
irth and Metria	20	-	-	-	-	-	-	-	-	1	1	4	3	1	-	-	-	-	
le	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	6	-	2	1	-	-	3	1	-	-	-	-	-	-	-	2	1	-	
Causes	149	59	8	1	1	1	70	1	1	1	1	1	-	2	1	9	18	28	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
304.—BODMIN.																	
Mean Popul ⁿ , 1861-71	9475	260	237	236	256	250	1239	1181	1117	940	643	1029	939	907	749	511	199
TOTAL DEATHS	2037	429	125	43	32	17	643	48	46	50	67	132	131	135	189	262	261
Small-pox	9	1	2	1	1	5	-	-	-	-	2	1	1	-	-	-	-
Measles	21	3	9	3	2	1	15	1	1	-	-	-	-	-	-	-	-
Scarlatina	54	3	13	8	6	2	32	13	1	5	-	1	1	-	-	-	-
Diphtheria	-	-	-	1	-	-	1	2	1	-	1	-	-	-	-	-	-
Whooping-cough	41	24	12	4	-	40	5	-	-	-	-	-	-	-	-	-	-
Typhus	46	-	2	2	2	1	5	1	4	6	-	7	5	5	3	4	4
Diarrhoea & Dysentery	34	9	1	1	1	1	12	-	-	-	1	3	1	3	2	2	2
Cholera	8	-	-	-	-	-	-	1	2	1	-	-	1	3	2	4	4
Other Zymotic Dis.	21	1	1	3	-	-	5	-	2	-	-	2	-	2	2	4	4
Cancer	24	-	-	-	-	-	-	-	1	-	1	-	1	3	6	1	1
Scrofula and Tuberc.	29	8	4	-	1	2	15	2	2	3	1	4	-	1	1	1	1
Phthisis	207	-	4	-	-	-	4	7	16	36	55	56	56	21	27	11	5
Hydrocephalus	26	11	5	1	1	-	21	3	2	-	-	-	-	-	-	-	-
Dis. of Brain	345	63	9	2	3	2	78	5	6	2	9	21	46	45	35	45	44
Dis. of Heart & Dropsy	139	-	-	-	-	1	2	-	-	3	3	2	19	15	25	33	31
Dis. of Lungs	232	48	28	7	4	1	88	2	2	4	3	16	15	19	27	39	35
Dis. of Stom. and Liver	83	11	1	-	1	-	13	2	3	2	1	5	5	11	18	29	26
Dis. of Kidneys	50	-	-	-	-	-	-	-	3	1	2	3	2	4	9	11	13
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	78	2	3	1	3	5	14	5	7	7	4	11	13	6	6	1	1
Other Causes	574	243	39	9	7	1	290	2	2	-	2	4	4	6	20	24	123
305.—ST. COLUMB.																	
Mean Popul ⁿ , 1861-71	8000	233	230	255	214	211	1143	1070	928	854	601	866	779	686	528	379	147
TOTAL DEATHS	1535	336	124	52	31	26	569	69	25	47	37	69	67	74	115	267	261
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	29	2	13	5	3	4	27	2	-	-	-	-	-	-	-	-	-
Scarlatina	62	7	10	8	7	6	38	21	1	-	1	1	-	-	-	-	-
Diphtheria	8	2	1	1	1	1	5	1	-	1	-	-	-	1	-	-	-
Whooping-cough	41	16	10	1	3	3	33	-	-	-	-	-	-	-	-	-	-
Typhus	46	2	2	-	2	-	6	9	3	7	4	6	3	1	2	1	1
Diarrhoea & Dysentery	25	12	4	-	-	-	16	1	-	-	-	1	-	-	1	1	4
Cholera	8	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	1
Other Zymotic Dis.	15	1	5	2	1	1	10	-	-	1	-	-	-	1	-	2	1
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1
Scrofula and Tuberc.	18	3	4	1	1	1	10	3	-	1	-	1	1	-	1	1	1
Phthisis	123	1	1	2	-	2	16	2	2	16	15	27	18	17	12	6	-
Hydrocephalus	26	5	4	2	-	-	13	9	-	-	-	-	-	-	-	-	-
Dis. of Brain	191	49	15	7	2	2	75	3	6	4	1	5	10	9	15	37	38
Dis. of Heart & Dropsy	113	-	2	-	-	-	3	1	1	-	1	5	3	9	20	40	37
Dis. of Lungs	173	43	14	8	5	1	71	9	1	6	3	2	8	9	14	36	37
Dis. of Stom. and Liver	80	11	1	1	-	-	13	5	2	1	3	2	6	10	10	15	11
Dis. of Kidneys	27	-	-	-	-	1	1	1	-	1	-	1	2	3	4	6	8
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	2
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Other Violent Deaths	64	3	5	4	1	2	15	1	7	8	6	9	6	4	4	2	2
Other Causes	491	179	32	9	4	1	221	7	1	1	3	-	7	10	27	43	116
306.—ST. AUSTELL.																	
Mean Popul ⁿ , 1861-71	15680	409	459	457	459	451	2295	2197	1978	1741	1194	1707	1462	1313	954	595	216
TOTAL DEATHS	3267	838	269	109	91	62	1369	159	74	105	93	125	128	194	240	399	295
Small-pox	23	6	1	1	2	3	12	3	2	2	1	-	1	2	-	-	-
Measles	38	14	29	17	12	8	80	17	-	-	1	-	-	-	-	-	-
Scarlatina	151	9	17	22	21	17	86	47	10	4	2	1	-	1	-	-	-
Diphtheria	21	3	-	2	4	4	13	3	-	1	-	-	-	-	-	1	-
Whooping-cough	80	42	23	9	3	1	78	2	-	-	-	-	-	-	-	-	-
Typhus	115	-	2	-	5	3	13	11	17	17	8	14	-	9	7	12	5
Diarrhoea & Dysentery	73	46	3	2	3	3	13	-	-	1	-	-	-	2	1	-	3
Cholera	5	-	1	-	-	-	6	-	-	-	1	-	-	-	-	1	5
Other Zymotic Dis.	48	6	8	3	5	1	23	9	-	1	-	1	2	3	2	5	2
Cancer	55	-	-	-	-	-	-	-	-	-	1	-	3	13	16	16	4
Scrofula and Tuberc.	70	17	16	3	5	2	43	7	2	5	4	3	2	1	15	17	1
Phthisis	640	15	8	9	1	3	39	5	8	35	47	54	42	47	45	17	1
Hydrocephalus	47	15	16	1	3	2	37	7	3	-	-	-	-	-	-	-	-
Dis. of Brain	368	132	28	9	9	9	173	9	7	9	6	9	6	13	26	63	45
Dis. of Heart & Dropsy	184	4	2	2	1	1	10	4	-	2	3	3	13	17	37	72	38
Dis. of Lungs	465	131	58	12	16	9	228	6	4	3	4	9	9	36	55	72	38
Dis. of Stom. and Liver	104	12	-	-	1	-	13	3	7	2	1	7	13	10	20	23	2
Dis. of Kidneys	48	-	-	-	-	-	-	3	1	-	1	4	5	10	3	16	5
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	17	-	-	1	-	-	1	2	1	3	2	1	1	4	1	1	1
Dis. of Skin	5	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	114	2	3	5	4	-	14	13	7	10	12	14	13	15	14	30	30
Other Causes	834	378	47	9	3	7	444	3	2	4	2	2	3	14	30	36	123

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.
		304.—BODMIN.																
an Popul ⁿ , 1861-71	10259	247	234	251	222	245	1199	1177	1074	995	826	1300	1132	985	769	535	234	33
AL DEATHS -	1928	337	96	52	39	19	543	73	46	58	83	109	106	120	168	237	289	96
-pox - - -	4	1	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-
as - - -	26	3	4	3	7	1	18	3	-	-	2	1	1	-	1	-	-	-
stina - - -	41	1	2	7	4	6	20	10	8	1	-	2	-	-	-	-	-	-
beria - - -	11	-	1	-	3	1	5	5	1	-	-	-	-	-	-	-	-	-
ping-cough -	47	23	6	2	3	1	45	2	-	-	-	-	-	-	-	-	-	-
is - - -	55	-	-	3	3	-	6	9	6	13	5	5	4	2	3	2	4	-
hosa & Dysentery	29	4	4	1	1	-	10	-	-	-	-	1	-	5	8	1	-	-
ra - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Zymotic Dis.	33	-	4	3	1	2	10	3	1	2	-	1	-	-	-	-	-	-
r - - -	57	-	-	-	-	-	-	-	-	-	-	1	6	6	15	17	7	5
ila and Tabes -	23	5	2	2	-	-	9	5	1	1	3	2	1	-	-	-	-	-
sis - - -	236	2	5	1	-	-	8	1	12	29	47	55	27	24	19	10	4	-
cephalus - - -	18	6	3	3	1	1	16	2	-	-	-	-	-	-	-	-	-	-
f Brain - - -	259	37	12	3	2	2	56	9	3	3	8	11	19	28	39	38	69	11
f Heart & Dropsy	148	3	2	1	1	-	7	5	3	1	3	3	9	13	26	48	25	2
f Lungs - - -	185	31	19	3	3	2	56	6	2	1	2	7	5	11	20	30	34	1
f Stom. and Liver	101	6	1	1	-	1	9	3	3	-	4	6	9	11	20	22	13	1
f Kidneys - - -	10	-	-	-	-	-	-	1	1	-	-	2	3	3	-	-	-	-
f Gener. Organs	10	-	-	-	-	-	-	-	-	1	1	1	-	3	2	2	-	-
f Joints - - -	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-
f Skin - - -	5	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	2	-
irth and Metria	21	-	-	-	-	-	-	-	-	1	4	5	11	-	-	-	-	-
le - - -	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1
Violent Deaths	21	-	-	1	2	-	3	2	-	-	3	2	1	1	2	5	1	-
Causes - - -	580	210	31	10	8	1	260	4	5	4	4	3	8	9	10	61	145	69

305.—ST. COLUMB.																		
an Popul ⁿ , 1861-71		8777	229	219	227	199	227	1101	1023	951	860	767	1137	921	793	590	418	185
AL DEATHS		1587	293	84	42	39	20	478	61	49	51	56	95	91	99	94	201	230
-pox		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
as		51	5	19	5	1	1	24	5	1	-	-	-	-	-	-	-	-
stina		64	3	10	10	10	6	39	13	6	4	1	-	-	-	1	-	-
beria		11	1	2	-	1	-	4	5	-	-	2	-	-	-	-	-	-
ping-cough		45	18	9	7	3	3	40	4	1	-	-	-	-	-	-	-	-
as		54	1	-	5	2	1	9	10	5	6	9	4	2	3	5	1	-
hosa & Dysentery		29	13	-	-	-	-	13	-	-	1	1	-	1	-	3	4	5
ra		2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.		22	3	1	2	3	1	10	1	1	1	1	-	1	-	-	6	-
r		28	-	-	-	-	-	-	-	-	-	-	2	4	9	2	6	1
ila and Tabes		9	2	1	-	-	-	3	2	2	-	-	1	1	-	-	-	-
sis		183	2	-	-	1	-	5	1	16	30	19	42	40	20	9	2	-
cephalus		6	3	1	-	-	-	4	1	1	-	-	-	-	-	-	-	-
f Brain		179	34	13	3	6	3	59	4	4	1	6	4	3	10	14	34	37
f Heart & Dropsy		112	-	-	-	-	-	-	2	2	-	3	8	7	11	21	33	23
f Lungs		156	25	15	6	5	1	52	2	3	4	5	13	6	10	9	33	17
f Stom. and Liver		79	9	2	-	-	1	12	4	-	-	2	4	9	15	6	17	10
f Kidneys		18	-	-	-	-	-	-	-	-	-	1	2	3	1	3	3	-
f Gener. Organs		2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
f Joints		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
f Skin		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
irth and Metria		21	-	-	-	-	-	-	-	-	-	5	7	8	-	-	-	-
le		4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
Violent Deaths		18	2	-	2	1	1	6	2	1	-	-	1	-	-	-	2	2
Causes		516	171	18	2	6	1	193	7	6	2	1	5	4	10	20	64	69

306.—ST. AUSTELL.																		
an Popul ⁿ , 1861-71		16815	491	432	453	397	402	2175	2139	1849	1664	1372	2177	1815	1475	1104	739	266
AL DEATHS		3215	701	246	121	66	58	1192	140	99	123	121	199	150	142	208	376	345
-pox		10	3	1	1	-	1	6	1	1	-	2	-	-	-	-	-	-
as		90	10	32	16	7	8	75	16	-	-	1	-	-	-	-	-	-
stina		111	7	12	20	8	13	60	32	11	4	1	1	1	-	1	-	-
beria		14	-	-	3	1	2	6	8	-	-	-	-	-	-	-	-	-
ping-cough		78	36	20	13	3	1	73	5	-	-	-	-	-	-	-	-	-
as		125	4	5	4	6	7	25	17	18	20	11	10	9	2	6	5	2
hosa & Dysentery		76	46	12	1	-	-	69	1	-	-	2	1	-	-	3	7	3
ra		3	-	2	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.		46	2	7	7	5	3	24	3	3	2	2	-	-	3	1	6	2
r		70	-	-	-	1	-	1	-	-	-	-	2	4	16	22	19	5
ila and Tabes		68	17	12	3	4	3	39	10	8	3	-	2	1	3	1	-	-
sis		411	21	9	8	-	4	42	11	23	69	68	95	50	35	16	11	-
cephalus		50	8	8	2	2	2	22	5	3	-	-	-	-	-	-	-	-
f Brain		364	108	18	5	3	2	136	12	11	12	9	6	11	21	26	60	47
f Heart & Dropsy		227	3	2	5	-	-	8	2	6	2	4	15	21	19	45	64	59
f Lungs		340	85	32	16	4	-	173	11	5	5	5	15	9	8	27	49	23
f Stom. and Liver		140	15	3	-	-	-	18	-	-	-	4	11	11	16	22	37	7
f Kidneys		16	1	1	-	1	-	3	-	-	-	-	2	4	1	2	1	3
f Gener. Organs		14	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-
f Joints		12	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
f Skin		10	1	1	-	-	1	3	-	-	-	1	-	-	-	-	-	-
irth and Metria		29	-	-	-	-	-	-	-	-	4	-	-	-	15	2	-	-
le		4	-	-	-	-	-	-	-	-	-	8	-	-	1	-	-	-
Violent Deaths		37	4	1	5	3	1	14	2	2	1	-	-	-	-	2	3	6
Causes		807	329	48	18	7	5	402	4	1	3	-	8	3	6	7	25	204

Mean Popul.

1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
		307.—TRURO.															
Mean Popul ⁿ , 1861-71	19584	580	504	545	507	545	2681	2705	2481	2186	1529	2079	1901	1682	1286	753	
TOTAL DEATHS-	4558	1102	854	102	104	84	1806	178	134	144	163	208	243	262	402	475	
Small-pox - - -	80	15	9	2	3	3	83	5	5	1	8	4	1	1	-	-	
Measles - - -	89	18	23	19	8	6	74	5	-	-	-	-	-	-	-	-	
Scarlatina - - -	234	13	29	30	31	26	139	63	24	2	6	2	2	-	-	-	
Diphtheria - - -	11	4	3	-	1	-	8	1	-	1	-	-	-	-	-	-	
Whooping-cough -	96	43	33	15	4	1	94	2	-	-	-	-	-	-	-	-	
Typhus - - -	171	5	4	9	7	3	28	25	22	19	17	19	13	10	9	9	
Diarrhoea & Dysentery	90	37	6	2	1	-	66	1	1	-	-	-	4	1	2	2	
Cholera - - -	8	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	
Other Zymotic Dis.	71	12	4	6	5	4	31	6	7	4	-	2	4	1	4	6	
Cancer - - -	50	-	-	-	-	-	-	-	-	-	-	-	3	8	16	1	
Scrophula and Tabes	89	28	14	6	3	2	53	6	2	7	5	5	4	4	3	3	
Phthisis - - -	501	7	5	-	3	2	17	9	15	29	60	68	75	79	103	134	
Hydrocephalus - -	41	9	9	9	2	4	33	3	5	-	-	-	-	-	-	-	
Dis. of Brain - - -	493	167	84	5	5	12	235	12	12	10	10	15	15	18	45	23	
Dis. of Heart & Dropsy	207	5	6	2	1	-	14	7	5	5	5	10	21	32	38	74	
Dis. of Lungs - - -	507	120	72	17	12	4	232	7	7	13	16	23	30	46	79	123	
Dis. of Stom. and Liver	166	16	3	1	-	1	21	-	9	7	6	7	18	19	24	27	
Dis. of Kidneys - -	69	-	1	-	-	-	1	2	1	3	6	6	4	4	9	13	
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Dis. of Joints - - -	16	2	-	2	-	-	4	-	2	-	1	2	3	-	4	-	
Dis. of Skin - - -	5	1	1	-	-	-	2	-	-	1	1	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	9	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	
Other Violent Deaths	238	17	6	6	5	3	37	10	16	27	18	40	38	22	11	8	
Other Causes - - -	1238	622	93	29	13	3	799	7	7	5	3	3	5	13	28	128	

308.—FALMOUTH.

Mean Popul ⁿ , 1861-71	11537	339	276	303	280	284	1482	1382	1176	1270	1094	1634	1229	952	698	441	
TOTAL DEATHS -	2713	741	207	100	57	38	1149	102	55	113	119	193	143	157	198	216	
Small-pox - - -	8	3	-	-	2	-	4	1	-	1	1	1	-	-	-	-	
Measles - - -	71	15	28	15	7	4	67	4	-	-	-	-	-	-	-	-	
Scarlatina - - -	107	10	16	10	16	10	62	37	4	-	-	-	-	-	-	-	
Diphtheria - - -	12	2	3	3	2	-	10	-	1	1	-	-	-	-	-	-	
Whooping-cough -	40	24	8	7	1	-	40	-	-	-	-	-	-	-	-	-	
Typhus - - -	103	7	4	2	4	3	20	10	12	17	13	12	6	5	3	4	
Diarrhoea & Dysentery	108	70	7	1	1	-	79	1	-	8	6	4	3	1	1	2	
Cholera - - -	6	2	-	-	1	-	3	-	-	1	1	-	-	-	-	-	
Other Zymotic Dis.	47	9	5	6	3	4	27	2	-	3	2	3	2	3	2	1	
Cancer - - -	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tabes	40	15	3	2	2	1	23	2	-	0	2	5	-	1	1	1	
Phthisis - - -	296	18	15	7	2	1	43	3	10	33	40	64	29	36	27	10	
Hydrocephalus - -	65	21	19	6	1	4	51	12	2	-	-	-	-	-	-	-	
Dis. of Brain - - -	341	109	23	15	1	-	153	7	7	8	7	19	22	15	31	36	
Dis. of Heart & Dropsy	158	-	5	1	4	1	11	1	1	3	9	11	16	18	33	35	
Dis. of Lungs - - -	277	65	31	13	6	0	121	7	3	4	8	11	12	24	29	34	
Dis. of Stom. and Liver	116	10	-	2	-	-	18	3	3	5	4	7	16	17	20	17	
Dis. of Kidneys - -	48	-	1	-	-	-	1	1	-	-	1	8	7	9	12	6	
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	6	1	-	2	-	-	3	-	-	2	-	-	-	-	-	-	
Dis. of Skin - - -	8	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	164	7	6	3	2	3	21	5	8	21	21	35	19	11	12	3	
Other Causes - - -	654	344	39	11	2	1	388	6	4	3	3	4	7	6	15	32	

309.—HELSTON.

Mean Popul ⁿ , 1861-71	13700	429	368	408	389	404	1998	1828	1699	1590	1130	1486	1242	1091	881	539	
TOTAL DEATHS -	3152	879	236	115	66	44	1340	143	72	97	114	152	144	204	244	311	
Small-pox - - -	14	4	3	-	-	-	7	2	-	1	2	3	-	-	-	-	
Measles - - -	66	11	21	11	6	8	57	8	-	1	-	-	-	-	-	-	
Scarlatina - - -	134	19	12	22	18	12	83	41	3	4	-	-	-	-	-	-	
Diphtheria - - -	12	2	3	-	1	-	6	5	1	-	-	-	-	-	-	-	
Whooping-cough -	67	42	17	4	3	-	66	1	-	-	-	-	-	-	-	-	
Typhus - - -	86	7	6	7	1	4	25	13	10	7	10	5	7	3	3	1	
Diarrhoea & Dysentery	36	26	1	2	-	-	29	1	1	-	2	-	-	-	-	-	
Cholera - - -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	65	10	4	8	4	3	29	14	3	2	2	2	1	1	4	2	
Cancer - - -	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tabes	31	3	7	2	-	1	13	1	3	5	4	4	2	2	7	5	
Phthisis - - -	472	19	13	8	3	3	37	10	16	35	44	71	43	88	79	46	
Hydrocephalus - -	33	10	12	5	1	-	28	3	2	-	-	-	-	-	-	-	
Dis. of Brain - - -	257	69	21	5	4	3	93	7	4	8	7	8	11	16	29	40	
Dis. of Heart & Dropsy	122	2	1	4	2	1	19	5	7	3	5	6	13	14	26	30	
Dis. of Lungs - - -	293	67	23	11	9	4	116	10	3	5	6	9	11	23	32	42	
Dis. of Stom. and Liver	150	18	2	5	1	-	23	5	3	6	4	7	11	16	24	25	
Dis. of Kidneys - -	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	7	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	
Dis. of Skin - - -	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	165	4	3	3	6	5	10	3	12	21	24	30	4	23	15	10	
Other Causes - - -	1050	583	84	18	7	5	697	3	2	2	1	1	1	6	13	20	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85+	
		307.—TRURO.																	
Mean Popul ⁿ , 1861-71	22812	559	533	536	503	546	2677	2619	2374	2184	2040	3045	2636	2140	1616	1080	431	70	
ALL DEATHS	4744	905	325	183	117	94	1684	192	113	161	178	270	222	237	342	538	588	219	
pox	54	15	2	4	7	3	31	9	2	1	5	5	1	-	-	-	-	-	
scalds	46	10	12	9	5	5	41	5	-	-	-	-	-	-	-	-	-	-	
influenza	253	9	23	42	38	25	137	65	25	12	9	8	2	-	-	-	-	-	
scarlatina	13	-	2	2	-	1	5	4	1	1	-	1	-	-	1	-	-	-	
croup	104	43	33	13	9	3	101	3	-	-	-	-	-	-	-	-	-	-	
whooping-cough	191	3	9	5	5	10	22	22	21	20	16	20	19	14	16	9	2	1	
measles & Dysentery	102	60	13	4	-	2	79	3	-	1	-	1	1	2	4	6	5	1	
cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Zymotic Dis.	57	3	3	6	3	7	22	3	5	1	1	4	2	7	3	6	2	1	
Consumption	105	-	-	-	-	-	-	-	1	-	3	1	10	20	25	27	17	2	
Scrophulous	84	26	11	6	3	1	47	5	3	7	3	9	9	1	4	3	4	-	
Brain	527	4	6	3	1	2	16	7	29	81	93	121	77	54	37	3	-	-	
Heart & Dropsy	62	14	15	4	3	5	41	9	2	-	-	-	-	-	-	-	-	-	
Lungs	479	117	35	12	14	7	185	18	6	5	11	13	14	23	38	89	68	9	
Stomach and Liver	322	2	6	7	-	1	16	5	7	8	10	18	18	35	73	42	42	7	
Kidneys	474	80	51	26	15	10	182	16	3	10	7	20	19	25	47	73	63	9	
General Organs	189	8	2	1	-	2	13	7	1	2	3	9	13	29	42	47	23	-	
Joint	42	-	-	2	1	-	3	1	1	2	-	6	7	2	10	7	3	-	
Skin	10	-	-	-	-	-	-	-	-	-	-	1	1	4	1	3	1	-	
Birth and Metris	16	1	-	2	-	-	3	-	3	4	-	-	1	-	-	-	-	-	
Violent Deaths	8	1	-	-	-	-	1	-	-	1	-	-	1	-	1	4	-	-	
Total	1489	553	99	30	9	6	697	5	2	1	3	3	11	13	37	165	334	180	

308.—FALMOUTH.

Mean Popul ⁿ , 1861-71		12678	318	282	283	303	271	1462	1334	1180	1225	1177	1887	1449	1186	891	605	241	41
ALL DEATHS		2731	615	180	91	79	39	1004	83	41	76	104	176	155	159	205	305	321	102
pox		5	1	-	2	-	-	3	1	-	-	1	-	-	-	-	-	-	-
scalds		52	10	20	7	4	4	45	3	2	-	-	1	1	-	-	-	-	-
influenza		87	7	10	10	21	10	59	18	4	4	-	2	1	-	-	-	-	-
scarlatina		12	-	2	3	2	2	8	4	-	-	-	-	-	-	-	-	-	-
croup		44	19	13	3	1	1	43	1	-	-	-	-	-	-	-	-	-	-
whooping-cough		130	4	2	4	4	-	14	10	7	15	17	22	10	5	12	6	2	-
measles & Dysentery		104	61	14	2	1	1	78	1	-	-	-	2	5	3	8	4	3	8
cholera		2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Zymotic Dis.		44	4	2	9	-	6	23	2	1	2	-	2	1	3	1	6	3	-
Consumption		65	-	-	-	-	-	-	-	-	-	-	2	10	20	15	12	6	-
Scrophulous		39	13	7	1	-	2	25	3	4	1	1	1	3	-	-	-	-	-
Brain		321	8	8	4	1	1	23	9	8	38	49	79	48	36	17	12	1	1
Heart & Dropsy		65	14	13	6	3	3	44	7	2	2	-	-	-	-	-	-	-	-
Lungs		354	95	22	5	4	4	131	7	6	4	5	12	13	29	27	55	54	10
Stomach and Liver		178	3	1	1	2	1	8	2	1	1	3	15	15	21	35	48	26	3
Kidneys		291	60	33	23	13	3	132	4	-	4	2	9	13	12	42	38	33	3
General Organs		132	15	3	-	-	-	19	2	2	-	12	6	9	17	21	21	22	1
Joint		26	-	-	-	-	-	2	1	-	-	1	2	5	-	7	8	-	-
Skin		7	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-
Birth and Metris		8	2	-	-	-	-	1	-	1	-	3	2	1	-	1	-	-	-
Violent Deaths		7	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Total		715	248	29	10	3	1	331	3	2	2	2	5	6	6	18	91	169	83

309.—HELSTON.

Mean Popul ⁿ , 1861-71		15528	391	355	379	378	398	1901	1854	1633	1529	1342	2118	1655	1364	1080	731	279	42
ALL DEATHS		2983	604	232	93	75	44	1188	108	65	98	121	167	149	135	196	335	332	141
pox		6	3	-	-	-	-	3	-	2	-	2	1	-	-	-	-	-	-
scalds		55	9	24	6	-	2	41	11	-	1	-	-	-	-	-	-	-	-
influenza		139	15	14	13	23	12	77	45	12	1	-	1	2	1	-	-	-	-
scarlatina		18	2	3	-	3	2	10	4	3	-	1	-	-	-	-	-	-	-
croup		76	37	25	6	7	-	75	1	-	-	-	-	-	-	-	-	-	-
whooping-cough		88	1	4	1	4	6	16	9	4	20	9	11	4	5	3	7	4	1
measles & Dysentery		33	19	5	-	-	-	24	-	-	-	1	-	-	1	2	1	-	-
cholera		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.		73	11	9	7	11	5	43	3	3	1	-	5	5	3	2	5	3	-
Consumption		55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophulous		17	1	5	2	-	-	8	-	1	3	1	2	12	11	15	12	4	-
Brain		441	15	9	10	10	1	43	12	22	48	72	94	55	43	20	22	3	-
Heart & Dropsy		90	3	8	5	2	3	21	5	1	3	-	-	-	-	-	-	-	-
Lungs		219	43	9	2	5	5	64	7	4	6	8	10	6	15	19	49	27	3
Stomach and Liver		131	1	1	2	1	-	5	2	3	2	4	8	14	13	39	40	20	1
Kidneys		197	47	21	12	4	2	81	3	5	1	6	10	8	12	24	25	15	2
General Organs		145	13	6	3	1	-	23	2	4	2	5	3	17	15	39	31	19	-
Joint		10	-	-	-	-	2	2	-	-	2	-	1	1	1	2	2	-	-
Skin		13	-	-	-	-	1	1	-	-	1	-	1	1	1	1	1	-	-
Birth and Metris		5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths		7	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Total		1188	471	86	29	3	1	581	1	3	1	4	1	3	4	5	23	23	133

Mean Popula. 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
		310.—REDRUTH.															
Mean Popul ⁿ , 1861-71	25241	757	711	748	734	748	3698	3613	3334	3266	2216	2851	2262	1890	1293	624	185
TOTAL DEATHS -	6469	1929	556	264	159	142	3050	336	157	222	197	300	276	461	571	533	282
Small-pox -	60	16	12	7	4	4	43	5	3	1	3	5	-	-	-	-	-
Measles -	149	33	46	24	17	14	134	14	1	-	-	-	-	-	-	-	-
Scarlatina -	333	18	35	40	43	43	179	122	22	6	1	2	-	-	1	-	-
Diphtheria -	27	2	3	6	6	3	19	7	1	-	-	-	-	-	-	-	-
Whooping-cough -	212	98	62	26	13	4	203	8	1	-	-	-	-	-	-	-	-
Typhus -	174	6	4	10	8	3	51	17	15	28	30	19	12	9	8	5	-
Diarrhoea & Dysentery -	124	85	13	4	-	3	105	4	1	-	-	1	1	4	7	8	-
Cholera -	13	2	1	1	-	-	4	-	2	-	-	-	1	2	4	-	-
Other Zymotic Dis. -	111	15	9	14	13	11	60	23	4	3	3	2	2	1	6	4	-
Cancer -	81	-	-	-	-	-	-	-	-	1	1	4	12	19	24	12	7
Scrophula and Tubercles -	94	31	18	6	2	1	58	8	6	6	4	4	4	2	1	1	-
Phthisis -	909	29	16	3	4	2	54	17	23	62	86	125	113	190	171	61	6
Hydrocephalus -	109	30	34	11	5	9	89	16	4	-	-	-	-	-	-	-	-
Dis. of Brain -	534	186	52	16	7	5	264	23	10	7	3	8	13	31	51	62	20
Dis. of Heart & Dropsy -	248	6	8	3	4	2	33	6	9	9	5	17	23	44	46	43	23
Dis. of Lungs -	718	147	70	40	14	19	290	20	9	15	12	25	31	72	110	115	22
Dis. of Stom. and Liver -	179	25	8	3	2	2	40	8	6	14	4	10	19	24	28	23	4
Dis. of Kidneys -	80	1	-	-	-	1	2	4	2	3	2	8	7	9	11	20	9
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	19	-	-	-	-	1	1	3	4	2	1	-	1	2	4	1	-
Dis. of Skin -	8	1	-	-	-	1	2	1	1	-	-	-	1	1	1	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-
Other Violent Deaths -	289	12	6	8	4	6	36	16	25	60	41	67	29	33	19	8	4
Other Causes -	1940	1188	159	43	12	7	1409	14	6	4	1	6	8	21	77	147	175

311.—PENZANCE.																	
Mean Popul ⁿ , 1861-71	25387	771	711	754	662	682	3580	3404	3176	3003	2173	2847	2332	2024	1594	994	304
TOTAL DEATHS -	6158	1881	485	204	149	113	2832	249	123	190	210	276	286	380	498	591	418
Small-pox -	42	8	5	4	3	1	21	5	3	3	6	4	-	-	-	-	-
Measles -	190	34	66	31	27	13	171	18	1	-	-	-	-	-	-	-	-
Scarlatina -	256	22	39	33	37	33	164	76	7	3	5	-	-	-	-	-	1
Diphtheria -	29	7	4	1	3	5	20	5	2	1	1	-	-	-	-	-	-
Whooping-cough -	137	67	39	18	8	4	136	1	-	-	-	-	-	-	-	-	-
Typhus -	197	4	10	7	10	6	37	25	26	28	16	19	10	10	16	9	1
Diarrhoea & Dysentery -	240	178	23	4	-	1	206	2	1	1	2	5	2	2	7	6	4
Cholera -	8	3	-	-	-	-	3	-	1	-	-	3	-	-	-	-	-
Other Zymotic Dis. -	125	26	22	12	9	8	77	11	4	5	1	2	1	4	7	10	3
Cancer -	73	-	-	-	-	1	1	-	-	1	-	-	2	15	15	27	11
Scrophula and Tubercles -	218	122	32	10	5	3	172	9	8	5	6	4	4	8	-	1	-
Phthisis -	766	17	18	7	7	3	52	23	12	59	90	115	99	121	111	72	11
Hydrocephalus -	82	32	24	4	3	3	66	12	3	-	1	-	-	-	-	-	-
Dis. of Brain -	494	102	54	7	9	10	162	16	15	11	9	18	13	19	35	90	72
Dis. of Heart & Dropsy -	263	12	3	2	1	2	20	3	2	7	6	13	19	23	54	80	33
Dis. of Lungs -	701	175	77	34	13	8	307	10	4	8	9	16	33	75	100	91	62
Dis. of Stom. and Liver -	333	82	10	7	4	3	106	5	3	7	14	16	25	37	55	60	22
Dis. of Kidneys -	74	-	1	-	-	1	2	4	-	3	1	5	7	9	14	23	5
Dis. of Gener. Organs -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	21	2	1	1	1	-	5	1	1	2	3	1	-	1	4	1	2
Dis. of Skin -	15	4	-	1	-	-	5	2	1	-	-	2	1	1	1	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	15	-	-	-	-	-	-	-	-	-	-	1	4	3	3	4	-
Other Violent Deaths -	312	7	6	6	3	7	29	18	26	43	38	43	51	36	19	6	3
Other Causes -	1646	976	71	15	5	2	1069	3	3	8	2	7	15	16	37	110	269

312.—SCILLY ISLANDS.																	
Mean Popul ⁿ , 1861-71	1053	29	22	28	29	27	135	116	116	92	66	107	107	111	106	61	30
TOTAL DEATHS -	227	42	5	2	3	3	55	5	4	4	8	16	11	11	24	24	46
Small-pox -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scarlatina -	4	1	1	-	-	1	3	1	-	-	-	-	-	-	-	-	-
Diphtheria -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	4	2	-	1	-	1	4	-	-	-	-	-	-	-	-	-	-
Typhus -	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
Diarrhoea & Dysentery -	10	4	-	-	-	-	4	-	-	-	-	-	1	-	1	2	2
Cholera -	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	8	2	1	-	1	-	4	-	-	-	-	1	1	-	2	-	-
Cancer -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Scrophula and Tubercles -	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Phthisis -	27	-	-	-	-	-	-	1	1	-	2	5	9	8	2	1	1
Hydrocephalus -	4	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain -	23	11	1	-	1	-	13	-	-	1	1	-	1	4	6	4	6
Dis. of Heart & Dropsy -	18	1	-	-	-	-	1	-	-	-	-	1	-	5	5	5	5
Dis. of Lungs -	23	5	-	-	-	-	5	-	1	-	-	1	-	4	1	1	2
Dis. of Stom. and Liver -	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
Dis. of Kidneys -	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	13	1	-	-	1	-	2	1	-	-	1	2	1	-	-	-	-
Other Causes -	50	11	-	1	-	-	12	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.					Total under 5 Years.											
			1	2	3	4		5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
310.—REDRUTH.																		
Popul ⁿ , 861-71	30097	795	671	694	675	707	3542	3485	3166	3209	2886	4317	3266	2656	1949	1148	413	60
L DEATHS -	6209	1583	553	230	136	121	2623	290	127	202	235	325	291	310	418	627	376	185
ox - - -	51	18	5	6	6	2	37	6	1	1	4	1	-	1	-	-	-	-
na - - -	144	34	49	29	11	12	126	15	2	7	-	-	-	-	-	-	-	-
ria - - -	274	18	39	81	33	38	152	94	18	7	2	1	-	-	-	-	-	-
ng-cough	30	2	2	5	4	-	13	15	-	-	-	-	-	-	-	-	-	-
a & Dysentery	217	97	71	26	11	4	209	7	1	-	-	-	-	-	-	-	-	-
ymotic Dis.	188	2	4	6	6	10	28	27	25	24	18	22	11	12	12	7	2	2
and Tuberc	97	51	10	7	2	1	71	3	-	-	2	2	2	1	1	11	2	1
phalus -	13	3	2	3	-	-	8	1	-	-	2	-	-	1	1	4	2	1
Brain -	98	10	10	9	6	11	46	14	6	2	4	2	3	5	9	4	2	1
Heart & Dropsy	172	-	-	-	-	-	-	-	1	1	6	16	40	50	46	9	2	2
Lungs -	102	32	20	9	4	5	70	4	5	5	3	7	3	2	3	3	3	3
tom. and Liver	733	29	24	7	4	4	39	15	26	92	128	137	118	74	54	26	6	6
Kidneys -	69	22	24	4	4	5	59	7	2	1	-	-	-	-	-	-	-	-
ener. Organs	531	108	31	14	10	7	170	21	9	19	14	20	19	29	63	84	65	8
oints -	232	2	4	5	-	2	13	4	8	11	16	29	27	42	81	75	41	5
kin -	492	116	71	23	19	8	237	20	5	4	8	24	22	36	39	72	18	7
th and Metria	202	17	6	2	-	2	27	12	4	9	7	17	19	27	37	30	13	-
olent Deaths	89	-	-	1	1	-	2	1	4	1	6	5	5	4	9	2	-	-
uses -	24	-	-	-	-	-	2	1	3	2	4	4	3	6	1	1	-	-
	15	-	1	1	-	-	2	1	1	2	3	1	2	1	1	1	-	-
	8	1	-	-	-	-	1	1	-	-	1	1	2	1	2	-	-	-
	79	-	-	-	-	-	-	-	6	17	30	25	1	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-
	59	4	4	4	5	2	19	8	2	3	1	6	2	2	2	2	3	4
	2215	1026	187	80	7	4	1274	14	8	7	2	8	12	16	54	235	408	157
311.—PENZANCE.																		
Popul ⁿ , 861-71	28970	738	618	701	675	663	3395	3294	3006	2990	2744	3997	3139	2602	1997	1261	471	74
L DEATHS -	6034	1540	481	225	157	114	2517	242	131	176	246	305	271	294	376	649	617	210
ox - - -	33	10	4	1	3	-	18	6	1	3	3	2	-	-	-	-	-	-
na - - -	133	26	53	23	15	21	149	10	1	1	-	1	-	-	-	-	-	-
ria - - -	273	25	50	39	49	33	196	59	11	5	2	-	-	-	-	-	-	-
ng-cough	23	1	3	1	-	4	9	11	1	-	1	-	1	-	-	-	-	-
a & Dysentery	159	77	44	19	10	2	162	6	-	-	-	1	-	-	-	-	-	-
ymotic Dis.	233	8	10	10	11	14	83	29	21	26	21	24	15	13	14	15	2	-
and Tuberc	228	150	26	7	3	-	186	5	1	1	2	4	3	5	6	4	10	1
phalus -	5	-	1	-	1	-	2	-	-	-	-	-	-	1	-	2	-	-
Brain -	131	18	12	18	11	10	69	15	4	-	3	4	3	4	3	14	7	5
Heart & Dropsy	118	-	-	-	-	-	-	1	1	-	-	4	16	33	20	24	17	2
Lungs -	182	81	28	20	3	3	145	11	10	5	4	3	3	3	1	2	3	-
tom. and Liver	736	14	15	6	5	3	43	22	37	85	132	147	81	75	50	46	8	-
Kidneys -	69	16	18	9	4	3	50	12	6	-	1	-	-	-	-	-	-	-
ener. Organs	547	77	20	14	10	1	122	18	9	13	14	13	17	36	77	130	90	8
oints -	335	9	4	1	1	-	15	6	2	8	13	14	28	31	67	106	42	3
kin -	548	122	80	31	16	11	269	10	6	12	7	15	23	29	45	68	44	9
th and Metria	314	62	13	4	4	2	85	6	9	3	11	14	19	33	59	64	18	2
olent Deaths	44	1	-	-	-	3	4	-	2	1	1	6	3	10	7	9	1	-
uses -	22	-	-	-	-	-	-	-	-	-	3	2	4	4	5	4	1	-
	17	3	2	1	-	-	6	-	3	3	2	2	1	2	-	1	4	1
	91	-	-	-	-	-	-	-	-	2	18	35	34	2	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
	62	8	8	7	5	3	31	11	3	4	4	9	4	1	4	5	7	5
	1667	832	77	14	6	1	990	5	8	3	4	3	12	10	24	133	394	176
312.—SCILLY ISLANDS.																		
Popul ⁿ , 861-71	1207	27	23	24	29	17	120	122	108	108	91	165	133	130	122	73	30	5
L DEATHS -	222	15	13	7	3	1	39	3	4	8	12	19	12	13	13	38	45	16
ox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
na - - -	5	1	-	1	-	1	3	1	-	-	1	-	-	-	-	-	-	-
ria - - -	2	-	-	-	-	-	3	-	-	-	-	1	-	1	-	-	-	-
ng-cough	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
a & Dysentery	4	-	1	-	-	-	1	-	-	1	-	-	1	-	-	1	1	1
ymotic Dis.	10	3	-	-	-	-	3	-	-	-	-	-	-	-	-	2	3	1
and Tuberc	1	-	1	-	-	-	1	-	-	-	-	-	-	1	1	1	1	1
phalus -	6	1	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-
Brain -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart & Dropsy	1	-	1	-	-	-	1	-	-	6	8	9	5	2	2	-	-	-
Lungs -	33	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
tom. and Liver	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidneys -	26	3	1	-	-	-	4	-	2	1	-	1	2	-	-	7	5	2
ener. Organs	22	-	-	-	-	-	-	-	-	-	-	1	3	-	-	3	3	1
oints -	23	1	1	-	-	-	2	1	-	-	1	4	1	-	-	5	5	2
kin -	19	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-
th and Metria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olent Deaths	3	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
uses -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	6	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	50	5	3	2	1	-	11	-	2	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
313 A.—WILLITON.																		
Mean Popul ⁿ , 1861-71		9843	275	270	264	243	271	1332	1346	1113	936	790	1132	1002	900	654	462	219
TOTAL DEATHS		1825	320	107	65	40	25	557	60	41	52	52	91	93	123	183	230	260
Small-pox		6	1	-	1	1	-	3	-	-	-	-	-	1	-	1	-	-
Measles		14	-	6	1	9	-	13	1	-	-	-	-	-	-	-	-	-
Scarlatina		74	5	11	18	14	9	52	15	6	1	-	-	-	-	-	-	-
Diphtheria		11	1	2	-	1	-	4	4	1	1	1	-	-	-	-	-	-
Whooping-cough		11	7	4	-	-	-	11	-	-	-	-	-	-	-	-	-	-
Typhus		67	5	2	3	2	2	12	10	7	10	6	10	1	5	3	2	2
Diarrhœa & Dysentery		33	13	1	-	-	-	19	-	-	-	-	2	-	-	-	-	-
Cholera		2	1	-	-	-	-	1	1	-	-	-	-	-	1	1	1	1
Other Zymotic Dis.		89	3	8	2	5	1	10	2	2	-	-	1	-	-	-	-	-
Cancer		26	-	-	-	-	-	-	-	-	-	1	-	3	1	7	10	2
Serofula and Tabes		55	22	9	5	1	-	37	1	6	4	-	-	-	2	1	1	1
Phthisis		175	9	6	5	1	-	9	4	4	10	27	46	28	16	17	4	-
Hydrocephalus		18	6	5	3	-	2	16	1	1	-	-	-	-	-	-	-	-
Dis. of Brain		234	65	8	2	1	2	78	6	4	6	4	3	5	16	23	24	6
Dis. of Heart & Dropsy		136	2	-	-	1	1	6	1	2	4	3	4	6	14	24	22	3
Dis. of Lungs		362	58	24	15	6	3	108	6	1	2	4	8	6	24	33	27	3
Dis. of Stom. and Liver		92	9	1	2	-	-	12	2	2	-	2	4	7	17	29	23	3
Dis. of Kidneys		25	1	-	-	-	-	1	-	-	2	-	3	6	3	7	2	1
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		4	1	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-
Dis. of Skin		5	1	1	-	-	1	3	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-
Other Violent Deaths		85	4	6	2	3	4	19	4	5	7	4	6	14	14	12	1	1
Other Causes		294	111	13	10	-	-	134	2	-	2	-	2	5	7	12	22	17
313 B.—DULVERTON.																		
Mean Popul ⁿ , 1861-71		3091	89	78	80	80	84	411	378	327	354	235	371	306	272	222	150	56
TOTAL DEATHS		563	89	39	13	13	9	163	15	10	19	16	26	30	39	35	26	22
Small-pox		12	-	5	1	-	1	7	4	-	-	-	-	1	-	-	-	-
Measles		24	-	5	3	7	3	18	3	-	2	-	-	-	-	-	-	-
Scarlatina		4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
Diphtheria		8	3	3	1	-	-	7	1	-	-	-	-	-	-	-	-	-
Whooping-cough		19	-	-	1	-	1	2	1	1	2	1	2	2	1	3	4	1
Typhus		7	2	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-
Diarrhœa & Dysentery		11	1	2	2	1	-	6	-	-	-	-	1	-	-	-	-	-
Cholera		20	-	-	-	-	-	-	-	1	1	-	-	2	3	1	6	2
Other Zymotic Dis.		6	1	2	-	1	-	4	-	-	-	6	8	6	4	5	2	-
Cancer		41	1	2	-	1	1	4	-	2	4	-	-	-	-	-	-	-
Serofula and Tabes		6	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis		175	9	6	5	1	1	9	4	4	10	27	46	28	16	17	4	-
Hydrocephalus		18	6	5	3	-	2	16	1	1	-	-	-	-	-	-	-	-
Dis. of Brain		234	65	8	2	1	2	78	6	4	6	4	3	5	16	23	24	6
Dis. of Heart & Dropsy		136	2	-	-	1	1	6	1	2	4	3	4	6	14	24	22	3
Dis. of Lungs		113	20	7	-	-	-	38	-	-	2	-	4	3	14	14	22	1
Dis. of Stom. and Liver		28	1	-	-	-	-	1	1	2	-	-	-	4	2	3	10	2
Dis. of Kidneys		11	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		4	1	1	-	-	1	3	-	-	-	-	-	-	-	-	1	-
Dis. of Skin		1	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other Violent Deaths		29	-	-	-	-	-	-	2	1	4	4	3	3	4	4	4	1
Other Causes		122	36	4	2	1	1	44	-	-	-	-	2	-	-	3	20	12
314.—WELLINGTON.																		
Mean Popul ⁿ , 1861-71		10039	282	275	278	287	289	1411	1263	1185	1016	710	1092	996	942	720	469	206
TOTAL DEATHS		1812	320	91	59	39	28	545	69	54	47	41	104	99	123	161	234	253
Small-pox		3	-	-	-	-	-	26	1	1	-	-	1	-	1	-	-	-
Measles		25	2	15	3	4	2	70	10	5	-	1	-	-	-	-	-	-
Scarlatina		96	7	14	18	21	10	20	2	1	-	-	-	-	-	-	-	-
Diphtheria		6	-	1	1	-	-	2	2	1	-	1	-	-	-	-	-	-
Whooping-cough		30	24	3	2	-	-	20	1	-	-	-	-	-	-	-	-	-
Typhus		33	3	2	3	-	2	9	9	-	-	4	3	1	3	3	3	1
Diarrhœa & Dysentery		25	8	2	1	-	-	11	-	-	7	1	1	1	1	1	1	1
Cholera		6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		25	5	1	-	1	1	8	2	2	-	-	-	2	3	2	2	2
Cancer		24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes		17	2	1	2	1	-	6	2	1	1	1	3	1	4	2	10	4
Phthisis		183	1	-	-	-	-	1	5	3	13	20	51	36	26	15	6	2
Hydrocephalus		23	5	8	2	-	2	17	5	1	-	-	-	-	-	-	-	-
Dis. of Brain		232	63	10	4	2	2	81	5	8	6	2	4	10	12	27	28	18
Dis. of Heart & Dropsy		121	1	1	-	1	1	4	4	4	3	1	5	5	14	29	23	18
Dis. of Lungs		257	52	17	13	2	3	87	7	6	4	2	14	12	15	25	47	35
Dis. of Stom. and Liver		92	13	-	-	1	2	17	1	2	-	-	-	6	19	12	17	6
Dis. of Kidneys		30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		4	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-
Dis. of Skin		5	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		8	-	-	-	-	-	-	16	2	8	-	-	-	-	-	-	-
Other Violent Deaths		85	5	4	4	2	1	1	187	2	1	-	-	-	-	-	-	-
Other Causes		420	103	12	5	2	2	2	-	-	-	-	-	-	-	-	-	-

V.] *Causes of Death in the Ten Years 1861-70.—Females.*
Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-

313 A.—WILLITON.

in Popul ⁿ , 1861-71	10019	271	269	275	256	264	1335	1816	1120	863	740	1218	1034	934	699	495	2
ALL DEATHS -	1650	219	96	46	29	31	421	76	35	47	65	74	92	96	146	243	250
-pox -	3	2	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
as -	19	1	6	5	1	3	16	1	-	1	-	1	-	-	-	-	-
ina -	55	3	9	8	6	7	33	17	6	1	-	1	-	-	-	-	-
heria -	10	-	2	1	-	-	3	-	-	-	-	-	-	-	1	1	-
ping-cough -	26	14	4	4	-	-	22	4	-	-	-	-	-	-	-	-	-
as & Dysentery -	62	2	3	1	3	3	12	9	10	9	2	4	2	6	6	2	2
ra -	27	14	2	-	1	1	18	-	1	-	-	1	-	-	-	-	-
Zymotic Dis. -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	51	1	5	3	2	3	14	4	1	-	-	-	1	2	1	3	4
la and Tabes -	69	-	-	-	-	-	-	-	-	-	2	2	7	14	14	11	9
is -	37	19	9	-	2	1	24	6	-	-	3	1	1	1	1	1	2
cephalus -	170	4	5	1	1	-	11	9	8	16	94	31	29	17	12	3	2
-	12	4	6	2	-	-	12	-	-	-	-	-	-	-	-	-	-
f Brain -	180	35	11	5	1	-	59	5	1	5	3	6	5	11	20	36	34
f Heart & Dropsy -	162	3	-	-	-	1	3	6	1	4	7	3	11	14	23	23	26
f Lungs -	226	55	16	7	7	2	65	7	3	1	4	9	7	22	39	34	34
f Stom. and Liver -	91	4	-	1	-	3	8	2	2	-	4	6	8	13	16	17	14
f Kidneys -	16	-	-	-	-	-	-	1	-	-	2	-	3	1	5	4	-
f Gener. Organs -	6	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-
f Joints -	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-
f Skin -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-
irth and Metria -	22	-	-	-	-	-	-	-	-	1	2	8	10	1	-	-	-
e -	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
Violent Deaths -	21	2	-	1	1	1	5	6	1	3	-	-	-	1	-	3	-
Causes -	206	84	18	5	2	5	114	2	1	1	2	-	5	5	13	46	1

313 B.—DULVERTON.

in Popul ⁿ , 1861-71	2885	75	87	81	84	77	404	377	316	258	201	352	315	264	195	134	8
ALL DEATHS -	455	58	22	21	11	14	126	25	10	12	9	22	22	26	37	76	67
-pox -	12	3	1	2	1	1	8	3	1	-	-	-	-	-	-	-	-
as -	41	-	5	6	5	7	23	14	2	-	-	1	1	-	-	-	-
heria -	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
ping-cough -	6	3	-	-	-	-	5	1	-	-	-	-	-	-	-	-	-
as & Dysentery -	19	-	1	2	-	-	4	2	1	4	1	-	1	2	2	2	2
ra -	2	2	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Zymotic Dis. -	3	-	-	2	-	-	2	-	-	-	-	-	-	-	-	1	-
-	21	-	-	-	-	-	-	1	-	-	-	-	3	6	1	5	4
la and Tabes -	8	3	-	1	-	1	5	-	-	-	-	-	2	1	1	1	-
is -	45	1	-	5	-	-	4	1	2	5	5	10	6	6	3	3	2
cephalus -	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
f Brain -	47	12	4	-	1	2	19	-	1	-	-	3	-	2	5	9	7
f Heart & Dropsy -	38	-	-	-	-	-	-	1	-	-	-	2	1	4	11	13	4
f Lungs -	58	10	6	1	2	2	21	1	-	-	-	2	-	2	16	16	9
f Stom. and Liver -	26	2	1	-	-	-	3	-	2	-	-	1	3	3	8	6	3
f Kidneys -	5	-	-	-	1	-	1	-	-	-	-	-	2	-	-	2	-
f Gener. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
f Joints -	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
f Skin -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
irth and Metria -	9	-	-	-	-	-	-	-	-	3	2	3	3	1	-	-	-
e -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Violent Deaths -	7	-	1	-	1	1	3	-	1	-	-	-	-	1	-	1	-
Causes -	90	20	3	-	-	-	23	1	1	1	-	-	-	-	1	16	25

314.—WELLINGTON.

in Popul ⁿ , 1861-71	10590	283	263	268	261	262	1337	1298	1161	946	792	1283	1166	1014	752	547	251
ALL DEATHS -	1825	275	88	61	44	30	498	71	54	53	57	103	108	103	136	237	205
-pox -	6	2	1	-	-	-	3	-	-	-	1	1	1	-	-	-	-
as -	31	5	7	9	2	6	29	2	-	-	-	-	-	-	-	-	-
ina -	98	6	9	21	22	8	66	19	6	2	1	4	-	-	-	-	-
heria -	7	1	3	-	-	-	4	3	-	-	-	-	-	-	-	-	-
ping-cough -	35	23	6	-	3	8	34	1	-	-	-	-	-	-	-	2	1
as & Dysentery -	47	1	1	-	2	2	6	6	9	4	5	4	6	2	2	1	3
ra -	43	17	4	1	-	1	23	-	1	-	3	1	-	1	1	8	5
Zymotic Dis. -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	39	5	2	6	5	1	19	4	1	2	1	2	1	1	6	2	2
la and Tabes -	47	-	-	-	-	-	-	-	-	-	1	2	4	11	16	8	6
is -	17	5	2	-	1	-	8	1	-	1	1	2	1	1	1	1	-
cephalus -	212	1	1	4	-	-	6	9	17	33	28	43	32	25	15	16	-
-	11	4	1	1	2	-	8	2	1	-	-	-	-	-	-	-	-
f Brain -	207	44	14	3	-	2	63	5	2	2	6	5	11	16	17	35	26
f Heart & Dropsy -	129	-	-	-	-	-	3	5	3	3	2	9	17	21	25	46	27
f Lungs -	184	35	14	5	4	5	63	5	4	2	4	8	8	7	10	22	26
f Stom. and Liver -	88	7	-	1	-	-	8	1	3	3	1	6	10	10	13	13	13
f Kidneys -	14	-	-	-	-	1	1	-	1	-	1	2	1	1	2	2	-
f Gener. Organs -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f Joints -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f Skin -	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
h and Metria -	19	-	-	-	-	-	-	-	-	-	1	1	1	6	-	-	-
e -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths -	21	6	3	2	-	-	11	4	1	1	-	1	-	-	-	-	-
Causes -	317	112	19	8	3	1	143	6	4	4	-	-	-	1	6	3	12

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
		315.—TAUNTON.																
Mean Popul ⁿ , 1861-71	16842	455	411	442	419	424	2151	2175	2229	1802	1153	1817	1741	1573	1126	717	319	
TOTAL DEATHS	3406	604	173	98	60	48	992	117	77	97	125	206	217	230	324	433	427	
Small-pox	5	-	-	2	-	1	3	-	1	-	-	1	1	-	-	-	-	
Measles	38	8	12	9	3	1	33	2	1	-	1	1	-	-	-	-	-	
Scarlatina	84	4	11	17	12	9	53	21	6	1	3	-	-	-	-	-	-	
Diphtheria	30	4	4	1	1	5	18	7	1	2	-	-	2	-	-	-	-	
Whooping-cough	44	21	11	7	4	1	44	-	12	16	12	14	21	16	6	7	4	
Typhus	150	5	3	9	5	22	18	12	2	-	1	3	-	4	1	1	-	
Diarrhoea & Dysentery	143	77	14	5	2	1	99	-	2	-	1	3	-	4	3	1	-	
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	110	8	15	5	12	5	45	9	1	3	4	3	5	6	11	15	4	
Cancer	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tuberc.	53	10	5	2	-	4	21	8	1	2	2	3	5	8	17	19	10	
Phthisis	350	1	1	2	1	-	5	5	6	22	57	90	70	28	39	16	-	
Hydrocephalus	39	14	6	5	3	1	29	5	3	1	-	-	1	-	-	-	-	
Dis. of Brain	373	73	16	7	6	5	107	9	9	7	9	11	18	20	42	50	25	
Dis. of Heart & Dropsy	237	4	-	1	1	-	6	2	4	5	1	7	24	25	42	65	45	
Dis. of Lungs	501	77	33	11	4	2	127	7	8	6	10	14	14	40	77	83	45	
Dis. of Stom. and Liver	155	7	4	1	1	1	14	-	1	3	3	11	13	22	24	38	20	
Dis. of Kidneys	108	-	1	1	-	-	2	3	2	3	3	13	10	8	15	18	14	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	14	1	-	-	-	-	1	1	2	-	2	-	2	1	1	2	-	
Dis. of Skin	8	1	2	-	-	-	3	-	-	-	-	-	-	1	1	3	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	17	-	-	-	-	-	-	-	-	1	1	4	3	1	5	7	4	
Other Violent Deaths	177	12	5	6	8	7	38	13	16	10	10	16	16	16	20	25	17	
Other Causes	701	281	28	10	2	-	321	7	2	-	2	8	10	13	15	24	17	
316.—BRIDGWATER.																		
Mean Popul ⁿ , 1861-71	16978	467	448	478	475	487	2355	2264	2026	1704	1213	1971	1793	1487	1094	739	297	
TOTAL DEATHS	3312	708	180	91	64	39	1082	129	67	89	90	189	172	253	312	406	294	
Small-pox	3	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	
Measles	30	6	9	5	2	2	27	3	-	-	-	-	-	-	-	-	-	
Scarlatina	78	12	12	9	15	6	64	17	3	3	-	-	-	1	-	-	-	
Diphtheria	14	2	-	-	2	1	5	5	3	-	-	-	-	-	1	-	-	
Whooping-cough	33	16	12	3	1	-	32	1	-	-	-	-	-	-	-	-	-	
Typhus	132	5	8	8	9	9	38	22	11	13	11	9	5	10	9	5	1	
Diarrhoea & Dysentery	80	44	11	2	1	-	58	2	-	-	-	2	1	-	4	9	2	
Cholera	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	78	6	7	2	5	3	23	4	2	5	1	6	3	5	7	12	7	
Cancer	54	-	-	-	-	-	-	-	-	-	1	1	7	8	14	4	1	
Scrofula and Tuberc.	67	26	12	7	3	-	48	5	3	3	2	1	1	2	2	2	-	
Phthisis	327	6	3	1	-	4	14	4	9	20	45	57	50	56	30	8	-	
Hydrocephalus	42	12	13	4	2	1	32	7	3	-	-	-	-	-	-	-	-	
Dis. of Brain	399	111	16	11	3	3	144	12	2	8	6	8	18	27	44	66	38	
Dis. of Heart & Dropsy	236	8	-	1	1	-	5	7	4	4	6	9	16	24	61	69	40	
Dis. of Lungs	551	135	29	20	8	4	196	11	2	5	9	24	19	27	70	86	48	
Dis. of Stom. and Liver	174	26	4	5	4	1	40	1	3	1	2	8	16	40	24	20	11	
Dis. of Kidneys	66	-	-	-	-	-	-	2	-	1	3	3	7	8	5	19	14	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	14	2	-	-	-	-	2	1	2	2	1	1	3	1	1	1	-	
Dis. of Skin	8	4	-	-	-	1	5	-	-	1	1	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	12	-	-	-	-	-	-	-	-	1	1	-	-	4	1	1	1	
Other Violent Deaths	174	7	8	6	6	4	31	16	12	15	11	19	17	21	14	14	9	
Other Causes	715	284	36	7	-	-	327	9	6	1	-	8	9	13	22	26	157	
317.—LANGPORT.																		
Mean Popul ⁿ , 1861-71	8716	235	225	230	241	222	1153	1163	1045	902	648	931	850	796	647	397	180	
TOTAL DEATHS	1696	303	83	56	43	24	500	60	36	42	58	88	91	133	140	227	252	
Small-pox	4	-	-	1	-	-	1	-	-	-	2	1	-	-	-	-	-	
Measles	19	2	6	2	3	-	13	5	1	-	-	-	-	-	-	-	-	
Scarlatina	66	3	9	11	9	9	41	20	3	1	1	-	-	-	-	-	-	
Diphtheria	6	1	1	-	2	-	4	-	1	-	-	-	1	-	-	-	-	
Whooping-cough	17	12	1	3	1	-	17	-	-	-	-	-	-	-	-	-	-	
Typhus	51	-	-	2	-	1	3	9	7	8	4	2	5	3	4	4	2	
Diarrhoea & Dysentery	32	11	4	2	-	-	17	1	-	-	-	-	1	3	1	6	2	
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	50	6	10	6	6	-	28	2	-	1	-	1	1	4	4	5	1	
Cancer	20	-	-	-	-	-	-	-	-	-	-	1	1	2	6	4	1	
Scrofula and Tuberc.	22	4	2	2	-	-	8	1	-	3	2	2	3	1	1	1	-	
Phthisis	163	2	2	-	1	1	5	2	-	4	14	25	42	20	15	5	-	
Hydrocephalus	15	2	5	2	1	2	12	3	-	-	-	-	-	-	-	-	-	
Dis. of Brain	224	51	7	5	2	6	71	5	3	3	5	7	11	14	14	44	43	
Dis. of Heart & Dropsy	141	2	3	1	1	1	8	1	1	2	4	6	9	19	22	35	29	
Dis. of Lungs	254	55	18	11	6	2	92	4	1	-	5	9	10	18	32	47	50	
Dis. of Stom. and Liver	71	6	-	-	2	1	9	2	1	-	-	1	12	14	15	7	7	
Dis. of Kidneys	30	-	-	-	-	-	-	-	2	1	1	3	6	1	4	6	5	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	8	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	
Dis. of Skin	3	1	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	174	7	8	6	6	4	31	16	12	15	11	19	17	21	14	14	9	
Other Causes	715	284	36	7	-	-	327	9	6	1	-	8	9	13	22	26	157	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
		315.—TAUNTON.																
Mean Popul ⁿ , 1861-71		18719	452	416	432	449	438	2187	2097	2052	1844	1577	2408	2048	1800	1304	916	404
TOTAL DEATHS -		3354	518	167	84	60	63	892	104	94	126	124	197	190	240	201	415	495
Small-pox -		7	2	1	1	1	-	5	1	-	1	-	-	-	-	-	-	-
Measles -		39	4	15	5	9	3	36	2	-	-	-	1	-	-	-	-	-
Scarlatina -		72	4	7	13	5	16	45	16	5	1	4	-	-	1	-	-	-
Diphtheria -		24	2	2	2	2	3	11	7	5	1	-	-	-	-	-	-	-
Whooping-cough -		62	34	8	6	8	3	59	2	1	-	-	-	-	-	-	-	-
Typhus -		162	1	3	8	4	11	27	16	24	24	15	18	9	11	5	7	4
Diarrhoea & Dysentery -		124	49	18	1	1	2	71	2	-	-	2	3	1	2	8	13	17
Cholera -		4	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		80	7	6	6	2	4	25	7	6	5	3	2	2	3	6	8	8
Cancer -		134	-	-	-	-	-	-	-	-	1	2	2	12	35	32	91	15
Scrophula and Tubercles -		51	10	6	2	1	2	21	5	3	6	3	4	3	3	2	1	1
Phthisis -		275	4	5	-	-	-	9	5	20	58	69	84	67	47	6	8	2
Hydrocephalus -		33	12	9	3	3	3	30	1	2	-	-	-	-	-	-	-	-
Dis. of Brain -		410	84	14	10	12	6	126	13	6	5	4	19	11	31	44	57	83
Dis. of Heart & Dropsy -		269	-	-	-	-	1	1	6	9	11	4	10	15	27	46	75	56
Dis. of Lungs -		452	53	32	16	7	3	111	9	4	4	3	12	15	29	53	87	101
Dis. of Stom. and Liver -		178	18	-	2	-	2	22	1	4	2	1	8	21	30	32	38	14
Dis. of Kidneys -		38	1	1	3	-	-	5	-	1	1	2	4	4	6	5	5	2
Dis. of Gen. Organs -		24	-	-	-	-	-	-	-	-	-	-	2	8	7	1	5	1
Dis. of Joints -		12	-	-	-	-	-	-	1	2	-	-	-	-	1	-	4	1
Dis. of Skin -		4	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1
Childbirth and Metris -		41	-	-	-	-	-	-	-	-	-	8	19	14	-	-	-	-
Suicide -		11	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	-
Other Violent Deaths -		42	4	5	2	2	2	15	7	1	-	1	1	3	1	4	2	5
Other Causes -		706	228	54	4	2	2	270	2	1	3	3	5	3	3	15	70	186
316.—BRIDGWATER.																		
Mean Popul ⁿ , 1861-71		17668	478	433	467	455	467	2300	2178	1911	1577	1401	2299	1968	1611	1176	819	366
TOTAL DEATHS -		3125	563	184	89	62	44	942	100	73	119	94	199	202	157	245	308	457
Small-pox -		8	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
Measles -		38	5	18	5	4	3	35	3	-	-	-	-	-	-	-	-	-
Scarlatina -		82	5	17	11	12	8	63	16	9	-	-	1	2	1	-	-	-
Diphtheria -		7	-	-	-	1	-	1	3	2	1	-	-	-	-	-	-	-
Whooping-cough -		70	30	21	7	6	1	65	4	1	-	-	-	-	-	-	-	-
Typhus -		149	2	7	3	5	10	27	24	19	21	9	13	11	9	8	5	3
Diarrhoea & Dysentery -		76	42	6	2	-	-	50	1	-	-	1	3	1	1	1	7	8
Cholera -		8	-	-	-	-	-	1	1	-	-	1	-	3	-	2	-	-
Other Zymotic Dis. -		53	6	4	5	1	1	17	3	3	1	-	-	4	5	2	9	6
Cancer -		97	-	-	-	-	-	-	-	-	-	2	1	9	18	21	24	20
Scrophula and Tubercles -		75	24	11	5	2	-	42	7	3	7	-	5	5	1	3	1	1
Phthisis -		322	3	3	6	-	2	14	4	10	55	44	79	63	29	17	6	1
Hydrocephalus -		23	10	2	2	1	2	17	1	2	1	1	1	-	-	-	-	-
Dis. of Brain -		360	78	21	8	6	1	114	12	5	4	4	13	15	12	39	62	64
Dis. of Heart & Dropsy -		284	2	1	2	-	-	5	2	3	8	8	10	19	29	53	84	55
Dis. of Lungs -		405	82	34	17	10	5	148	5	4	5	5	17	12	16	26	79	61
Dis. of Stom. and Liver -		184	15	3	1	3	2	22	2	2	4	6	16	24	19	24	36	24
Dis. of Kidneys -		33	-	3	-	1	2	6	-	2	-	1	7	3	2	7	3	2
Dis. of Gen. Organs -		13	-	-	-	-	-	-	-	-	-	1	-	2	6	2	2	1
Dis. of Joints -		8	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1
Dis. of Skin -		8	2	-	1	-	-	3	-	-	-	-	-	-	-	2	1	1
Childbirth and Metris -		50	-	-	-	-	-	-	-	-	1	7	24	18	-	-	-	-
Suicide -		7	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Other Violent Deaths -		74	8	6	4	7	6	31	11	3	6	2	2	2	-	4	2	9
Other Causes -		696	231	27	10	2	1	291	1	3	1	2	5	5	10	20	46	201
317.—LANGPORT.																		
Mean Popul ⁿ , 1861-71		9147	224	242	209	218	251	1144	1116	1016	893	724	1120	959	889	633	421	189
TOTAL DEATHS -		1684	266	72	54	41	23	456	57	47	66	75	112	77	97	130	201	256
Small-pox -		3	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
Measles -		15	1	5	1	1	4	12	3	-	-	-	-	-	-	-	-	-
Scarlatina -		71	7	5	12	16	8	48	15	8	-	-	-	-	-	-	-	-
Diphtheria -		7	1	-	-	1	2	5	-	2	-	-	-	-	-	-	-	-
Whooping-cough -		36	15	10	5	3	-	33	3	-	-	-	-	-	-	-	-	-
Typhus -		70	1	1	1	4	1	8	11	13	7	5	5	1	6	3	5	2
Diarrhoea & Dysentery -		27	7	5	2	-	-	14	-	-	1	2	1	1	1	1	2	3
Cholera -		3	-	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-
Other Zymotic Dis. -		48	6	3	5	1	3	18	3	1	1	2	-	2	4	3	7	5
Cancer -		50	1	-	-	-	-	1	-	-	-	-	2	9	8	17	7	5
Scrophula and Tubercles -		23	4	2	2	-	-	8	1	-	-	3	1	2	3	2	1	-
Phthisis -		196	2	1	1	-	1	6	3	10	41	38	59	24	14	6	3	-
Hydrocephalus -		15	3	5	2	1	1	12	-	1	1	-	1	-	-	-	-	-
Dis. of Brain -		164	30	7	3	4	-	44	5	2	-	3	4	3	15	16	31	38
Dis. of Heart & Dropsy -		125	-	1	-	1	-	2	-	2	-	-	5	7	14	24	39	30
Dis. of Lungs -		192	38	13	13	5	-	69	3	4	-	3	7	10	6	13	38	30
Dis. of Stom. and Liver -		73	6	1	-	1	-	8	2	-	2	1	4	3	13	11	15	14
Dis. of Kidneys -		11	-	-	-	-	-	-	-	1	-	3	2	2	1	3	1	-
Dis. of Gen. Organs -		9	-	-	-	-	-	-	-	-	-	2	3	4	4	2	-	-
Dis. of Joints -		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -		33	-	-	-	-	-	-	-	-	1	7	19	6	-	-	-	-
Suicide -		3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Violent Deaths -		32	10	-	2	1	1	14	6	1	-	3	2	1	-	1	1	3
Other Causes -		400	134	13	4	1	2	154	2	2	-	4	2	2	1	9	20	49

Mean Population, 1861-71, and Deaths in Districts during the 10 Years

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.												Total under 1 Year.	Total under 5 Years.	
		1	2	3	4	5	10	15	20	25	35	45	55			65
318.—CHARD.																
Mean Popul., 1861-71	12467	373	350	309	345	344	1781	1026	1540	1292	894	1433	1104	1111	853	522
TOTAL DEATHS	2451	579	176	75	50	45	925	89	55	64	69	120	119	155	209	208
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Measles	62	19	19	10	4	4	56	5	1	-	-	-	-	-	-	-
Scarlatina	82	5	3	7	7	9	31	19	2	-	-	-	-	-	-	-
Diphtheria	11	2	1	-	2	1	6	2	-	-	2	-	1	-	-	-
Whooping-cough	39	22	11	1	1	2	37	1	1	-	-	-	-	-	-	-
Typhus	75	1	2	2	1	4	10	10	4	14	9	6	6	6	5	3
Diarrhoea & Dysentery	48	18	4	4	1	-	27	2	-	-	-	-	2	2	3	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	55	4	8	7	5	6	50	6	2	3	-	1	3	4	2	1
Cancer	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	42	9	1	5	-	1	16	3	2	3	7	7	3	8	14	1
Phthisis	191	3	5	1	2	-	11	4	6	17	27	35	35	14	14	3
Hydrocephalus	37	6	7	3	-	-	15	6	5	-	-	-	-	-	-	-
Dis. of Brain	281	87	14	3	6	1	111	5	6	8	5	10	13	22	22	67
Dis. of Heart & Dropsy	203	2	1	1	1	2	6	1	3	2	3	11	14	23	23	39
Dis. of Lungs	473	116	28	18	12	10	214	7	7	6	5	10	16	26	43	57
Dis. of Stom. and Liver	119	15	3	-	1	-	19	2	3	2	4	5	7	13	22	23
Dis. of Kidneys	31	-	-	-	-	-	-	-	2	-	-	1	1	6	6	12
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	-	-	1	-	-	1	1	-	-	1	2	-	1	1	1
Dis. of Skin	9	-	-	-	-	1	2	-	1	-	-	-	-	-	2	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Self-suff.	12	-	-	-	-	-	-	-	-	1	1	2	1	2	3	-
Other Violent Deaths	108	6	5	3	2	3	19	10	9	7	5	5	16	19	17	4
Other Causes	564	263	23	8	5	1	310	5	1	2	2	6	-	4	21	34
319.—YEOVIL.																
Mean Popul., 1861-71	13223	412	411	376	370	377	1946	1741	1604	1310	958	1551	1333	1170	858	544
TOTAL DEATHS	2715	728	169	97	73	53	1100	103	48	50	63	138	153	168	239	205
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles	61	13	21	14	8	2	58	3	-	-	-	-	-	-	-	-
Scarlatina	115	9	13	23	25	11	81	30	1	2	1	-	-	-	-	-
Diphtheria	8	1	2	2	1	-	6	1	-	-	-	1	-	-	-	-
Whooping-cough	45	18	13	5	1	3	42	3	-	-	-	-	-	-	-	-
Typhus	87	2	4	2	9	1	18	14	7	8	3	8	6	3	9	6
Diarrhoea & Dysentery	63	41	7	3	-	-	51	1	-	-	-	-	1	1	2	1
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	64	9	10	9	4	3	35	2	3	1	3	2	-	6	2	7
Cancer	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	68	24	9	6	2	1	42	4	-	4	5	1	3	5	16	16
Phthisis	249	12	8	1	-	-	21	5	4	13	33	62	57	83	30	9
Hydrocephalus	33	21	4	1	-	-	24	4	3	-	-	-	-	-	-	-
Dis. of Brain	800	81	15	5	6	3	110	11	7	8	5	5	12	22	32	63
Dis. of Heart & Dropsy	296	2	-	1	1	-	4	3	5	4	1	4	24	20	45	49
Dis. of Lungs	418	117	29	13	9	2	170	7	3	4	3	11	22	31	45	63
Dis. of Stom. and Liver	96	11	3	-	1	-	15	2	2	2	3	4	9	13	20	30
Dis. of Kidneys	30	-	-	-	-	-	-	-	2	-	2	1	4	6	4	9
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	11	-	-	1	-	-	2	2	1	-	-	3	-	-	-	1
Dis. of Skin	9	1	-	-	2	1	4	-	-	-	-	-	-	1	2	3
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Self-suff.	11	-	-	-	-	-	-	-	-	-	-	-	5	3	3	-
Other Violent Deaths	196	9	1	6	4	2	32	6	6	6	5	21	16	10	14	9
Other Causes	670	353	30	8	1	1	391	5	3	4	2	6	10	12	12	36
320.—WINCANTON.																
Mean Popul., 1861-71	10188	287	275	280	265	248	1355	1258	1177	967	781	1250	1045	980	728	435
TOTAL DEATHS	2011	473	105	46	42	29	693	55	33	47	48	106	107	131	221	238
Small-pox	3	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-
Measles	28	12	7	4	3	1	27	1	-	-	-	-	-	-	-	-
Scarlatina	29	4	5	8	12	12	41	12	3	-	-	1	1	-	-	-
Diphtheria	8	2	2	-	1	-	5	2	-	1	-	-	-	-	-	-
Whooping-cough	85	20	9	5	-	-	34	1	-	-	-	-	-	-	-	-
Typhus	72	1	2	2	3	1	9	13	5	8	3	7	5	4	12	5
Diarrhoea & Dysentery	43	20	3	1	1	2	28	-	-	-	-	-	1	-	2	1
Cholera	7	4	-	-	-	-	5	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	54	14	4	1	1	4	24	1	-	2	-	2	2	2	7	6
Cancer	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	48	18	9	3	-	2	32	2	3	1	2	3	2	1	8	11
Phthisis	178	2	3	-	1	-	6	1	4	14	24	42	35	27	17	7
Hydrocephalus	23	11	4	2	2	2	21	2	-	-	-	-	-	-	-	-
Dis. of Brain	240	62	8	4	2	1	77	5	3	2	5	11	12	24	24	37
Dis. of Heart & Dropsy	161	1	-	-	1	-	5	3	5	6	2	6	14	16	35	40
Dis. of Lungs	390	78	20	5	7	1	121	7	4	4	1	6	9	17	49	31
Dis. of Stom. and Liver	100	11	3	1	1	-	16	1	2	1	1	6	5	9	25	19
Dis. of Kidneys	49	-	-	-	-	-	-	1	-	1	1	1	2	6	9	15
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	13	-	1	-	1	-	2	1	1	1	-	-	1	-	1	2
Dis. of Skin	6	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Self-suff.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths	85	8	-	3	3	1	15	4	-	4	-	3	11	4	20	15
	461	203	13	7	1	2	226	1	-	-	-	2	3	11	15	36

V.] Causes of Death in the Ten Years 1861-70.—Females.

235

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		Total under 5 Years.	5-10-	10-15-	15-20-	20-25-	25-35-	35-45-	45-55-	55-65-	65-75-	75-85-	85-95-	95-100-
318.—CHARD.																																
Population 1861-71	13547	353	350	336	339	333	1711	1630	1429	1356	1141	1793	1426	1238	924	604	255	40														
DEATHS	2459	460	155	60	51	30	765	87	47	95	101	158	136	135	198	290	339	168														
Cox	1	11	26	9	6	2	54	8	—	—	—	1	—	—	—	—	—	—														
na	32	2	9	10	6	6	33	16	1	—	1	1	—	—	—	—	—	—														
ria	4	—	—	—	1	—	1	2	—	1	—	—	—	—	—	—	—	—														
ng-cough	51	22	17	6	4	1	50	1	—	—	—	12	8	5	3	5	1	1														
a & Dysentery	92	2	1	1	3	—	7	13	12	16	10	12	2	—	—	—	—	—														
ymotic Dis.	39	12	5	2	—	—	19	1	—	—	—	—	2	—	—	—	—	—														
and Tabes	55	8	7	5	5	1	28	3	2	2	1	6	2	5	1	2	2	3														
phalus	60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
Brain	33	7	2	2	1	—	12	6	—	5	4	2	2	1	1	2	1	—														
Heart & Dropsy	292	2	2	—	—	—	4	7	15	45	48	86	46	25	16	5	2	—														
Lungs	17	6	4	1	—	—	12	2	2	1	—	—	—	—	—	—	—	—														
Stom. and Liver	243	65	10	2	4	3	84	4	2	3	6	7	9	16	37	27	43	5														
Kidneys	250	—	2	—	—	—	2	6	1	5	5	6	16	25	33	67	38	—														
Gen. Organs	469	85	35	18	14	8	161	13	5	6	10	11	11	16	31	71	62	9														
Joints	118	12	2	3	2	3	22	2	5	4	1	4	13	15	20	25	6	1														
Skin	13	—	—	—	—	—	—	—	—	1	—	2	2	4	2	1	1	—														
th and Metria	9	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—														
Violent Deaths	6	—	—	—	—	—	—	—	1	—	2	—	1	—	1	1	—	—														
uses	12	5	2	—	—	—	7	1	—	—	—	—	—	—	—	—	—	—														
	28	7	2	3	1	2	15	3	1	1	2	—	2	3	2	4	3	—														
	503	214	28	7	4	3	236	3	1	2	2	4	2	9	18	31	137	81														
319.—YEOVIL.																																
Population 1861-71	15298	401	402	426	380	377	1986	1765	1635	1477	1393	2092	1646	1401	978	629	260	36														
DEATHS	2771	553	180	79	47	55	894	97	54	90	94	181	153	183	211	364	337	118														
Cox	4	1	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—	—														
na	50	8	21	6	2	7	44	6	—	—	—	—	—	—	—	—	—	—														
ria	88	7	10	10	11	18	56	25	4	—	2	1	—	—	—	—	—	—														
ng-cough	11	—	1	1	1	1	4	5	—	—	—	—	1	—	—	—	—	—														
a & Dysentery	54	29	9	11	1	2	52	9	—	—	—	—	—	—	—	—	—	—														
ymotic Dis.	99	3	6	5	5	2	21	16	8	15	4	9	3	9	3	9	2	—														
and Tabes	33	24	7	2	—	—	34	1	—	—	—	1	3	3	8	2	4	1														
phalus	1	10	11	5	5	3	34	6	1	3	1	1	2	—	8	2	4	1														
Brain	97	—	—	—	—	—	—	—	—	—	1	5	10	25	22	22	11	1														
Heart & Dropsy	60	18	10	7	2	3	40	1	2	4	2	4	1	2	2	3	—	—														
Lungs	336	1	4	2	1	2	10	9	14	40	58	93	47	31	18	10	0	—														
Stom. and Liver	19	14	2	2	—	—	18	1	—	—	—	—	—	—	—	—	—	—														
Kidneys	268	50	10	5	4	1	76	7	3	5	6	7	12	28	28	40	32	5														
Gen. Organs	275	—	—	—	—	—	2	4	7	7	7	8	20	33	41	87	54	8														
Joints	328	86	37	11	7	5	146	4	3	1	1	11	9	12	27	73	36	5														
Skin	113	6	2	1	—	3	12	1	1	6	2	6	8	17	24	26	9	3														
th and Metria	15	—	1	—	—	—	1	1	—	—	—	1	5	4	3	—	—	—														
Violent Deaths	12	1	—	—	—	—	—	—	—	—	—	1	6	2	2	—	—	—														
uses	11	3	—	—	—	—	3	—	3	—	—	2	1	1	—	—	—	—														
	47	—	—	—	—	—	—	—	—	3	8	21	14	1	—	—	—	—														
	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
	47	8	4	6	4	2	24	6	3	—	1	2	2	1	—	—	—	—														
	710	278	25	5	2	4	314	2	6	3	3	1	6	13	29	72	176	60														
320.—WINCANTON.																																
Population 1861-71	11091	291	271	270	259	276	1367	1343	1166	1076	917	1437	1196	1048	762	503	228	48														
DEATHS	2000	364	99	44	37	23	507	50	52	55	50	116	120	127	186	276	294	107														
Cox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
na	21	8	6	1	3	—	18	2	1	—	—	—	—	—	—	—	—	—														
ria	37	5	11	12	12	7	47	8	1	1	—	—	—	—	—	—	—	—														
ng-cough	8	—	—	2	2	—	4	2	1	—	—	—	—	—	—	—	—	—														
a & Dysentery	33	15	15	—	1	1	32	1	—	—	—	—	—	—	—	—	—	—														
ymotic Dis.	82	2	2	5	1	2	12	10	14	10	3	8	4	6	5	8	2	—														
and Tabes	39	14	5	—	2	—	21	1	—	—	—	1	1	—	2	6	7	—														
phalus	2	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—														
Brain	70	19	2	2	3	2	19	2	5	—	—	3	5	4	7	11	10	4														
Heart & Dropsy	56	—	—	—	—	—	—	—	—	—	—	1	8	16	10	14	5	2														
Lungs	43	19	3	1	—	2	25	5	1	1	—	1	2	4	3	3	—	—														
Stom. and Liver	217	3	3	1	—	1	7	3	10	23	29	65	38	20	16	4	—	—														
Kidneys	18	9	4	—	—	—	13	4	1	—	—	—	—	—	—	—	—	—														
Gen. Organs	225	50	5	3	1	—	59	5	4	6	2	4	10	14	26	46	40	11														
Joints	293	3	1	—	1	—	5	1	5	3	4	2	4	12	33	62	46	8														
Skin	94	7	2	—	—	2	11	1																								

Mean Population, 1861-71, and Deaths in Districts during the 10 Years

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	30--	40--	50--	60--	
		321.—FROME.															
Mean Popul., 1861-71	11419	330	301	318	289	304	1542	1409	1337	1122	859	1344	1225	990	781		
TOTAL DEATHS	2393	504	122	63	44	52	765	66	50	55	87	114	142	158	233		
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
Measles	25	8	6	3	2	3	22	2	1	-	-	-	-	-	-	-	
Scarletina	60	6	5	13	7	4	35	19	2	2	1	1	-	-	-	-	
Diphtheria	3	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	
Whooping-cough	26	13	8	3	-	2	26	-	-	-	-	-	-	-	-	-	
Typhus	57	1	3	-	3	3	10	12	10	7	2	5	3	1	3	3	
Dysentery & Dysentery	98	42	12	6	2	1	63	1	1	-	-	2	1	1	2	2	
Cholera	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	57	5	6	1	4	3	20	1	-	5	-	1	1	4	4	4	
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	2	4	6	6	
Scrophulous and Tuberc.	43	15	9	3	2	1	30	4	1	1	2	-	1	1	2	2	
Phthisis	174	2	-	-	-	-	2	1	1	16	44	44	29	21	10	10	
Hydrocephalus	23	8	7	5	1	1	22	1	-	-	-	-	-	-	-	-	
Dis. of Brain	299	67	8	6	6	4	91	7	5	1	4	6	14	16	29	29	
Dis. of Heart & Dropsy	212	2	-	-	-	-	3	-	3	3	6	12	12	24	55	55	
Dis. of Lungs	289	95	29	14	3	2	143	4	2	4	6	10	23	25	37	37	
Dis. of Stom. and Liver	150	10	1	2	1	1	15	2	-	2	1	7	18	21	31	31	
Dis. of Kidneys	69	-	-	-	-	-	-	-	-	-	-	-	3	6	8	13	
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Dis. of Joints	16	-	-	-	-	-	-	-	4	1	4	-	-	2	1	1	
Dis. of Skin	13	5	-	-	-	1	6	-	1	1	1	-	1	-	-	-	
Childbirth and Metris	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	142	7	6	2	6	3	20	10	18	11	12	15	18	16	16	16	
Other Causes	512	215	21	5	4	3	248	-	1	-	3	8	12	9	29	29	
322.—SHEPTON MALLET.																	
Mean Popul., 1861-71	7894	220	220	217	183	203	1043	979	934	776	578	924	834	746	529		
TOTAL DEATHS	1486	280	80	43	17	24	444	48	32	28	46	80	79	127	153		
Small-pox	2	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	
Measles	13	3	3	2	1	1	10	2	-	-	-	-	-	-	-	-	
Scarletina	27	3	4	7	1	2	17	6	1	-	3	-	-	-	-	-	
Diphtheria	6	-	-	2	-	1	3	2	2	1	-	-	-	-	-	-	
Whooping-cough	11	7	2	1	1	-	11	-	-	-	-	-	-	-	-	-	
Typhus	50	-	2	3	2	2	9	9	3	2	6	7	2	4	5	5	
Dysentery & Dysentery	18	9	3	-	-	-	12	-	-	-	-	-	1	-	2	2	
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	
Other Zymotic Dis.	44	8	5	1	1	1	16	3	3	3	1	1	2	3	6	6	
Cancer	22	-	-	-	-	-	-	1	-	-	-	-	2	4	9	9	
Scrophulous and Tuberc.	18	2	3	1	1	-	7	-	2	2	-	4	-	2	-	-	
Phthisis	129	4	5	1	-	-	10	-	2	10	18	26	16	22	12	12	
Hydrocephalus	23	8	7	3	1	2	21	1	-	-	-	1	-	-	-	-	
Dis. of Brain	142	25	7	4	2	3	41	4	5	2	7	10	12	12	20	20	
Dis. of Heart & Dropsy	132	4	-	-	-	1	5	5	3	4	5	7	4	19	26	26	
Dis. of Lungs	196	40	9	5	1	1	56	4	2	2	3	9	9	12	12	12	
Dis. of Stom. and Liver	76	5	1	1	1	1	6	3	1	-	3	6	6	14	15	15	
Dis. of Kidneys	36	-	-	-	-	-	-	1	-	-	-	-	3	8	8	8	
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	81	4	4	7	3	4	22	3	3	2	4	5	8	12	11	11	
Other Causes	481	158	23	4	3	4	194	9	4	-	2	4	13	15	27	27	
323.—WELLS.																	
Mean Popul., 1861-71	10724	283	258	287	296	286	1410	1307	1219	1085	821	1309	1128	993	768		
TOTAL DEATHS	2436	411	117	63	51	33	675	94	47	45	74	167	185	223	222		
Small-pox	12	5	1	-	-	-	6	-	-	2	1	3	-	-	-	-	
Measles	26	2	10	6	4	1	23	3	-	-	-	-	-	-	-	-	
Scarletina	80	11	10	12	9	9	51	22	6	1	-	-	-	-	-	-	
Diphtheria	9	1	1	-	-	1	3	2	1	2	-	-	1	-	-	-	
Whooping-cough	25	17	4	3	1	-	25	-	-	-	-	-	-	-	-	-	
Typhus	92	5	4	6	6	5	26	16	10	8	6	8	5	5	4	4	
Dysentery & Dysentery	49	29	5	-	1	-	33	-	-	-	-	1	1	3	2	2	
Cholera	12	-	-	-	-	-	1	2	-	-	-	2	1	2	-	-	
Other Zymotic Dis.	60	6	6	5	5	6	28	3	2	-	1	3	6	5	4	4	
Cancer	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophulous and Tuberc.	48	14	6	4	2	1	27	4	3	3	2	2	1	1	2	2	
Phthisis	220	3	2	-	1	-	6	5	3	9	40	49	41	30	27	27	
Hydrocephalus	21	7	5	2	1	2	17	3	1	-	-	-	-	-	-	-	
Dis. of Brain	498	48	14	5	4	1	72	9	2	7	8	45	52	61	68	68	
Dis. of Heart & Dropsy	170	4	-	-	-	1	5	6	4	2	4	5	16	23	26	26	
Dis. of Lungs	592	53	20	9	7	3	102	5	3	3	4	17	30	33	36	36	
Dis. of Stom. and Liver	122	10	2	3	1	-	15	2	1	1	2	6	9	20	22	22	
Dis. of Kidneys	73	-	1	-	-	1	3	1	-	1	1	1	3	8	12	12	
Dis. of Genes. Organs	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	7	1	-	-	-	-	1	-	-	1	1	-	-	1	-	-	
Dis. of Skin	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	26	10	3	4	6	2	23	7	4	6	4	5	11	10	11	11	
Other Causes	440	185	15	4	1	1	206	-	-	-	-	-	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 upwards.	
		321.—FROME.																	
Populn, 1861-71.	12568	334	303	306	292	293	1528	1462	1371	1133	1003	1636	1407	1124	890	670	297	47	
DEATHS	2393	369	140	60	44	34	647	66	49	70	71	145	161	147	210	340	336	131	
Cancer	30	3	6	7	4	2	22	7	—	1	1	—	—	—	—	—	—	—	
Consumption	71	1	8	16	9	13	47	13	8	1	1	—	1	—	—	—	—	—	
Typhoid	6	—	—	1	2	2	5	1	—	—	—	—	—	—	—	—	—	—	
Typhus	21	12	4	1	3	—	30	—	—	1	—	—	—	—	—	—	—	—	
Whooping-cough	76	1	3	4	4	1	13	16	8	11	3	4	4	8	4	2	2	1	
Scarlet Fever	102	36	8	3	1	—	48	—	—	—	1	3	8	4	8	11	13	6	
Dysentery	5	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Typhoid	75	9	8	2	5	3	27	—	1	3	2	5	1	2	8	13	14	—	
Typhus	48	—	—	—	—	—	—	—	—	—	—	3	3	9	12	18	6	2	
And Tubercles	52	20	14	1	1	1	37	4	4	1	—	1	2	2	1	—	—	—	
Scrophulous	219	2	2	2	1	1	8	4	8	28	33	57	48	23	5	—	—	—	
Brain	16	4	6	1	1	1	13	2	—	1	—	—	—	—	—	—	—	—	
Heart & Dropsy	252	54	10	3	6	2	54	4	4	6	8	13	14	21	25	56	41	6	
Lungs	262	—	—	—	—	—	—	—	5	6	3	13	12	25	61	82	45	10	
Stom. and Liver	330	75	40	12	1	3	131	3	4	3	2	8	20	8	33	63	44	11	
Kidneys	148	10	8	—	1	1	15	2	2	5	6	11	15	23	25	26	14	4	
Female Organs	22	—	—	—	1	—	1	—	—	—	3	—	5	3	4	2	4	—	
Joints	8	—	—	—	—	—	—	—	—	—	—	1	2	2	1	2	—	—	
Skin	22	1	—	—	—	—	1	—	2	2	2	1	1	2	4	4	3	—	
Th and Metria	6	—	—	1	—	—	1	—	—	—	—	—	1	1	1	1	1	1	
Violent Deaths	41	—	—	—	—	—	—	—	—	—	5	18	16	2	—	—	—	—	
Causes	2	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	
	549	161	26	5	2	2	196	6	1	1	—	6	9	9	15	56	161	89	
322.—SHEPTON MALLET.																			
Populn, 1861-71.	8417	224	188	207	211	221	1051	970	887	763	651	1067	955	813	583	430	207	40	
DEATHS	1587	268	68	44	34	16	430	45	48	37	59	87	86	95	127	219	249	105	
Cancer	13	1	—	—	1	—	2	—	—	1	1	—	—	—	—	—	—	—	
Consumption	4	2	6	3	1	—	12	1	—	—	—	—	—	—	—	—	—	—	
Typhoid	40	4	5	9	7	2	27	8	4	1	—	—	—	—	—	—	—	—	
Typhus	10	1	1	—	2	2	6	2	1	1	—	—	—	—	—	—	—	—	
Whooping-cough	16	7	4	2	—	2	15	1	—	—	—	3	—	—	—	—	1	—	
Scarlet Fever	41	—	—	—	2	3	5	7	9	2	3	3	4	2	5	4	7	2	
Dysentery	30	10	—	1	—	—	11	2	—	—	1	1	—	2	—	4	7	—	
Typhoid	36	4	2	3	2	—	11	2	—	2	2	2	3	—	2	4	5	3	
Typhus	47	—	—	—	—	—	—	—	—	—	—	1	6	11	11	15	3	—	
And Tubercles	19	5	—	1	—	—	6	1	3	1	2	—	1	4	1	—	—	—	
Scrophulous	158	8	1	—	1	—	10	4	9	13	25	38	29	16	5	6	3	—	
Brain	26	11	5	3	4	—	23	1	1	—	—	—	—	1	—	—	—	—	
Heart & Dropsy	140	23	3	1	2	2	31	1	5	4	5	7	3	13	19	31	18	3	
Lungs	174	3	1	2	—	—	6	1	4	6	3	8	10	14	28	49	41	4	
Stom. and Liver	162	35	12	5	4	2	58	1	2	2	3	4	9	7	16	26	19	13	
Kidneys	62	5	1	—	—	—	6	2	3	1	1	4	4	10	14	10	6	1	
Female Organs	15	—	2	—	—	1	3	—	—	1	1	1	1	2	2	2	2	—	
Joints	9	—	—	—	—	—	—	—	—	—	1	1	1	3	2	1	—	—	
Skin	7	—	—	—	—	—	—	1	—	—	—	1	1	1	1	1	—	—	
Th and Metria	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Violent Deaths	20	—	—	—	—	—	—	—	—	—	5	8	6	1	—	—	—	—	
Causes	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
	526	146	24	12	6	—	187	6	4	3	2	2	1	—	1	67	139	78	
323.—WELLS.																			
Populn, 1861-71.	11375	267	302	280	288	247	1384	1313	1198	1052	1005	1493	1250	1071	777	533	253	46	
DEATHS	2334	351	117	69	46	32	615	32	51	62	77	172	175	185	198	310	293	114	
Cancer	4	—	—	1	1	—	2	—	—	—	1	—	1	—	—	—	—	—	
Consumption	31	6	8	8	3	5	30	—	—	—	—	1	—	—	—	—	—	—	
Typhoid	72	7	7	9	8	6	37	27	6	—	—	1	—	—	—	1	—	—	
Typhus	10	1	2	—	1	3	7	1	2	—	—	—	—	—	—	—	—	—	
Whooping-cough	25	10	7	5	1	1	24	1	—	—	—	—	—	—	—	—	—	—	
Scarlet Fever	108	—	7	8	4	2	21	18	18	10	12	6	3	7	4	4	5	—	
Dysentery	36	12	3	2	—	—	17	—	1	—	—	2	1	2	6	1	6	1	
Typhoid	12	1	2	—	—	—	3	1	—	—	—	1	—	—	2	—	—	—	
Typhus	57	2	6	3	5	1	17	5	3	2	3	3	5	4	4	10	4	—	
And Tubercles	79	—	—	—	—	—	—	—	—	—	—	2	11	19	15	23	8	1	
Scrophulous	58	21	16	4	2	2	45	2	2	3	1	—	1	2	1	—	—	—	
Brain	247	—	—	—	—	—	17	4	6	21	34	84	44	26	18	4	1	—	
Heart & Dropsy	17	9	3	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Lungs	319	56	9	4	2	1	72	5	4	4	6	20	37	29	33	65	38	6	
Stom. and Liver	214	1	1	3	—	1	6	4	3	3	4	12	16	24	39	58	37	8	
Kidneys	332	46	28	10	9	9	102	5	3	4	1	15	18	26	41	56	30	11	
Female Organs	135	15	—	1	—	1	17	2	—	5	7	8	14	19	19	23	19	2	
Joints	38	—	—	—	—	—	—	—	—	2	1	4	3	7	1	10	6	—	
Skin	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Th and Metria	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Violent Deaths	29	—	—	—	—	—	—	—	—	—	—	3	8	14	3	1	—	—	
Causes	7	—	—	—	—	—	14	4	1	1	1	—	1	—	—	—	—	—	
	448	159	12	3	2	—	176	1	2	2	—	1	3	4	10	2	51	1	

of Death in the Ten Years 1861-70.—Males. [Dr
1861-71, and Deaths in Districts during the 10 Years 1861-70.

AGES OF MALES.

1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
---	---	---	---	-------------------------------	----	-----	-----	-----	-----	-----	-----	-----	-----	-----

327.—KEYNSHAM.

	317	298	302	289	1550	1352	1279	1149	818	1298	1064	913	711	455	11
	187	186	71	52	25	840	92	68	62	76	92	107	140	163	241
6	1	1	-	-	1	5	1	1	2	-	-	-	1	-	-
33	6	15	5	2	1	29	3	1	-	-	-	-	-	-	-
119	10	15	23	20	14	89	25	8	2	-	-	-	-	-	-
6	-	-	-	2	1	3	1	1	-	-	-	-	1	-	-
44	24	11	6	1	1	43	1	-	-	-	-	-	-	-	-
78	-	-	2	8	1	11	10	10	5	13	9	2	9	1	8
61	35	4	1	-	-	40	1	-	2	2	-	1	2	5	3
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
45	7	5	6	4	1	29	4	2	2	2	-	1	-	2	8
22	-	-	-	-	-	-	-	-	-	1	-	-	6	4	1
36	6	4	1	1	1	15	4	7	3	3	-	-	2	19	2
164	2	-	-	1	-	3	2	4	23	27	-	-	27	-	-
39	18	13	2	-	-	53	4	2	-	-	-	-	-	-	-
81	12	4	4	-	-	101	10	5	4	5	13	18	20	18	53
2	-	-	-	-	-	4	3	2	4	3	7	8	22	28	27
92	42	10	6	1	1	181	4	5	5	9	12	18	37	37	62
8	1	3	-	-	-	12	-	1	4	6	6	13	6	14	18
1	-	-	-	-	-	-	-	-	-	1	2	7	4	9	12
11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
6	2	-	-	-	-	2	1	1	1	3	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	4	3	3	2	-	19	12	13	7	4	15	7	13	9	3
235	28	4	-	-	-	267	5	1	-	1	1	4	3	13	67

328.—BEDMINSTER.

	669	613	673	634	3293	2937	2601	2132	1843	3183	2444	1867	1333	736	28
	1387	379	221	133	76	2099	196	98	104	131	265	297	310	357	625
44	11	6	4	3	2	26	7	1	-	3	4	2	-	-	1
120	27	41	28	17	6	119	6	-	1	-	-	-	-	-	-
201	14	38	34	32	22	140	45	11	5	-	-	-	-	-	-
24	4	2	2	5	2	15	4	4	-	1	-	-	-	-	-
94	47	24	15	3	1	90	4	-	-	-	-	-	-	-	-
133	5	9	9	7	8	38	17	8	9	15	15	16	14	11	4
155	90	16	3	2	1	112	1	-	-	-	2	3	4	3	7
14	-	-	1	2	2	5	-	3	-	-	2	-	1	1	-
Dis.	139	15	10	18	9	59	14	4	3	2	2	10	6	3	8
43	-	-	1	-	-	1	-	-	-	1	1	1	8	16	12
68	26	9	5	3	1	64	8	8	5	4	4	1	1	2	1
399	11	6	1	4	-	22	10	7	35	52	88	70	75	30	10
81	30	23	11	5	2	71	9	1	-	-	-	-	-	-	-
632	232	32	15	10	5	314	19	8	7	7	19	37	37	56	78
239	2	1	2	1	4	10	5	4	8	6	23	30	30	45	39
856	213	103	41	22	9	388	11	3	7	16	28	44	50	83	100
Liver	210	37	4	9	-	43	2	7	5	5	11	19	26	39	57
122	-	-	1	-	-	1	3	6	-	3	11	12	14	20	29
ans	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
25	1	3	-	-	-	4	4	3	1	1	5	3	3	-	1
21	9	1	-	-	-	10	-	-	1	-	-	-	-	1	5
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	1	5	2	6	4	4	-
294	13	10	11	8	4	46	24	19	17	9	32	36	18	13	13
850	470	41	17	3	-	531	3	1	1	1	11	11	17	28	56

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5- 9	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- and upwards.
		327.—KEYNSHAM.																
Population, 1861-71	11552	311	291	303	306	298	1509	1372	1245	1111	979	1525	1235	1012	765	518	241	40
ALL DEATHS -	2328	419	137	70	62	50	738	100	61	99	92	151	136	107	158	283	283	120
Pox - - -	7	2	1	-	-	-	3	-	1	-	1	1	-	-	-	-	-	-
Smallpox - -	22	3	4	8	5	1	21	6	-	-	-	2	-	-	-	-	-	-
Diphtheria -	134	7	20	21	19	18	85	39	6	3	-	1	-	-	-	-	-	-
Berria - - -	7	-	-	-	-	3	3	2	1	-	3	1	-	-	-	-	-	-
Whooping-cough -	47	26	9	5	3	1	44	3	-	-	-	-	-	-	-	-	-	-
Scarlatina - -	86	1	1	2	3	1	8	14	10	16	4	12	7	3	4	1	1	-
Cholera & Dysentery -	80	34	9	2	-	1	46	1	-	-	-	2	3	-	3	11	14	3
Zymotic Dis. -	47	7	7	4	1	8	27	2	1	-	-	3	1	4	2	6	1	1
Consumption -	60	-	-	-	-	1	1	-	-	-	1	2	9	10	19	12	6	-
Phthisis and Tubercles -	25	8	1	-	1	1	11	3	1	4	3	3	-	-	-	-	-	-
Ischemia - - -	282	1	-	-	2	-	3	4	21	44	58	72	42	23	12	3	-	-
Cerebral Palsy - -	32	7	12	4	1	2	26	2	2	-	-	-	-	-	-	-	-	-
Brain - - -	244	56	11	4	6	1	78	5	4	6	6	9	18	9	27	45	38	9
Heart & Dropsy -	172	2	3	1	1	2	8	1	4	1	5	11	15	17	37	46	23	4
Lungs - - -	315	63	32	11	8	4	118	7	3	12	3	4	11	20	21	55	48	11
Stomach and Liver -	89	2	-	-	-	1	4	-	3	1	1	7	10	5	15	25	14	4
Kidneys - - -	23	-	-	-	-	-	-	-	2	2	-	2	2	3	3	7	1	1
General Organs -	9	-	-	-	1	-	1	-	-	-	-	2	-	2	2	2	-	-
Joints - - -	5	-	-	-	-	-	-	1	-	-	-	-	3	-	1	-	-	-
Skin - - -	19	4	1	-	-	-	5	1	-	-	-	-	-	-	1	2	2	-
Birth and Metris -	32	-	-	-	-	-	-	-	-	2	7	13	10	-	-	-	-	-
Violent Deaths -	41	2	5	2	2	3	14	6	1	3	2	-	1	1	1	2	4	3
Causes - - -	544	191	23	6	8	2	232	3	1	-	-	2	6	4	5	61	141	65
328.—BEDMINSTER.																		
Population, 1861-71	24879	736	671	688	636	649	3390	2867	2526	2213	2210	3810	2836	2170	1542	909	355	61
ALL DEATHS -	4683	1024	381	203	129	90	1827	178	104	144	142	311	275	293	355	441	450	163
Pox - - -	34	9	5	4	2	3	21	3	2	-	1	4	-	-	-	1	-	-
Smallpox - -	101	29	38	17	16	4	95	7	-	-	1	-	-	-	-	-	-	-
Diphtheria -	205	13	41	32	30	23	129	47	13	5	-	-	1	-	-	-	-	-
Berria - - -	36	3	2	3	3	6	17	10	4	3	-	2	-	-	-	-	-	-
Whooping-cough -	119	40	33	18	8	6	108	2	-	-	-	-	-	-	-	-	-	-
Scarlatina - -	183	8	10	5	11	15	49	26	20	14	14	15	12	8	11	5	8	1
Cholera & Dysentery -	134	85	19	4	-	1	109	1	-	1	-	2	1	1	2	1	1	-
Zymotic Dis. -	14	1	-	1	1	4	5	2	1	1	-	2	1	3	7	8	5	2
Consumption -	91	16	17	7	5	6	51	3	1	-	2	2	6	3	7	8	5	2
Phthisis and Tubercles -	130	1	-	-	-	-	1	-	1	1	1	6	14	42	33	22	8	1
Ischemia - - -	82	32	14	4	2	-	52	10	6	6	2	5	-	-	-	1	-	-
Cerebral Palsy - -	442	9	1	4	3	-	17	6	12	65	62	128	91	42	16	2	-	-
Brain - - -	71	30	13	11	4	3	61	8	2	-	-	-	-	-	-	-	-	-
Heart & Dropsy -	571	208	30	20	14	7	279	9	7	10	8	18	15	28	45	61	54	17
Lungs - - -	343	2	3	1	2	-	8	6	10	10	12	13	31	44	69	83	46	7
Stomach and Liver -	861	184	95	48	16	8	351	21	8	7	13	30	31	48	88	116	122	26
Kidneys - - -	217	15	4	3	2	1	25	4	5	7	3	17	24	30	37	35	27	8
General Organs -	41	-	-	-	-	1	1	1	1	1	-	3	4	11	10	6	3	-
Joints - - -	35	-	1	-	-	-	1	-	-	-	1	4	4	12	8	3	2	-
Skin - - -	29	-	1	2	1	1	5	3	3	6	3	2	1	2	-	3	1	-
Birth and Metris -	9	4	-	-	-	-	4	-	-	-	-	-	-	1	1	1	1	1
Violent Deaths -	83	-	-	-	-	-	-	-	-	5	14	42	22	-	-	-	-	-
Causes - - -	9	-	-	-	-	-	-	-	-	1	1	1	1	1	2	2	2	-
Violent Deaths -	65	9	7	6	2	2	23	5	2	-	-	4	3	3	8	6	7	1
Causes - - -	785	355	44	13	7	2	401	2	6	1	4	12	13	12	18	63	149	104

Deaths.

Deaths, 1861-71, and Deaths in Districts during the 10 Years.

CAUSES OF DEATH.	All Ages.	AGES OF MALES.														Total under 5 Years.	Total under 1 Year.		
		1	2	3	4	5	10	15	20	25	30	35	40	45	50				
329.—BRISTOL.																			
Mean Popul., 1861-71	29879	876	737	781	737	703	3834	3330	3227	3014	2772	4551	3639	2721	1728	784			
TOTAL DEATHS	8828	3048	808	407	275	199	3737	306	197	255	285	652	703	744	688	667			
Small-pox	71	17	10	5	4	7	43	8	1	3	6	7	2	-	-	1			
Measles	256	41	100	61	35	22	249	6	1	-	-	-	-	-	-	-			
Scarlatina	423	37	88	61	79	53	278	121	14	4	-	5	1	-	-	-			
Diphtheria	57	9	12	11	4	5	41	4	4	3	1	2	-	1	-	-			
Whooping-cough	197	70	70	25	11	12	188	9	-	-	-	-	-	-	-	-			
Typhus	294	5	11	11	17	15	69	45	25	23	31	43	29	18	10	3			
Dysentery & Dysentery	851	221	46	14	2	2	285	4	3	-	-	3	4	13	8	15			
Cholera	12	-	2	-	-	-	2	2	1	-	-	1	1	1	2	1			
Other Zymotic Dis.	209	56	41	30	11	15	123	4	5	7	4	10	12	10	11	11			
Cancer	161	-	-	-	-	-	-	-	-	2	2	4	19	20	23	26			
Scrophula and Tuberc.	169	70	21	19	6	5	121	9	12	9	6	5	2	4	1	-			
Fatigue	955	29	10	10	7	4	57	14	17	75	98	245	188	159	74	26			
Hydrocephalus	136	62	40	17	7	5	121	13	2	-	-	-	-	-	-	-			
Dis. of Brain	925	301	82	45	25	8	461	21	15	15	14	31	51	76	61	25			
Dis. of Heart & Dropsy	401	8	5	3	3	4	22	6	14	10	16	45	52	76	73	66			
Dis. of Lungs	1526	553	181	64	38	16	657	34	7	9	15	58	97	149	173	211			
Dis. of Stom. and Liver	338	33	2	-	3	4	42	7	6	11	8	39	54	57	55	40			
Dis. of Kidneys	234	1	1	5	-	3	10	5	5	8	16	27	31	40	41	37			
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Joints	69	2	1	-	3	1	7	11	7	6	7	9	6	4	4	5			
Dis. of Skin	39	11	2	-	-	-	14	1	1	2	2	1	3	1	-	-			
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Infants	56	-	-	-	-	-	-	-	-	2	3	4	5	9	11	3			
Other Violent Deaths	677	24	28	19	17	10	98	20	47	55	54	96	102	79	45	29			
Other Causes	1359	722	79	18	3	7	839	13	9	6	8	29	44	40	68	87			
330.—CLIFTON.																			
Mean Popul., 1861-71	49441	1618	1443	1436	1401	1362	7260	6316	5581	4765	4182	7057	5546	4094	2632	1447			
TOTAL DEATHS	11754	3117	1035	622	334	253	5280	533	237	240	260	643	744	782	989	1944			
Small-pox	121	26	15	10	13	12	76	8	2	6	8	10	8	3	-	-			
Measles	294	65	111	45	31	21	273	19	17	4	-	-	-	-	-	-			
Scarlatina	694	61	122	118	99	101	501	184	17	4	-	2	-	-	-	-			
Diphtheria	49	7	4	3	12	5	29	13	2	2	-	-	1	1	1	-			
Whooping-cough	270	117	84	29	20	5	292	7	-	1	-	-	-	-	-	-			
Typhus	494	15	12	12	32	21	83	75	49	28	24	38	39	32	31	16			
Dysentery & Dysentery	568	375	37	16	4	-	452	4	4	-	2	6	9	6	18	33			
Cholera	14	3	2	-	1	-	6	1	-	-	1	-	-	1	3	1			
Other Zymotic Dis.	214	63	18	25	16	9	101	19	7	2	4	13	13	12	13	16			
Cancer	124	-	-	-	1	-	1	-	1	-	-	5	12	18	45	23			
Scrophula and Tuberc.	187	66	28	17	5	1	117	17	17	15	8	6	2	3	-	-			
Fatigue	1246	21	28	14	4	6	73	25	20	80	150	298	275	196	120	90			
Hydrocephalus	208	80	63	17	9	9	178	21	8	1	-	-	-	-	-	-			
Dis. of Brain	1609	505	99	39	21	18	682	39	29	23	16	69	108	120	188	192			
Dis. of Heart & Dropsy	567	6	6	3	3	1	21	16	21	13	10	41	67	81	105	131			
Dis. of Lungs	2089	580	280	108	44	27	1045	32	7	10	12	43	77	131	229	288			
Dis. of Stom. and Liver	394	61	9	5	6	2	73	14	10	12	7	23	28	63	72	97			
Dis. of Kidneys	228	1	-	3	1	1	6	4	2	2	6	23	28	28	44	51			
Dis. of Genes. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Joints	40	1	1	1	-	-	4	5	4	3	2	3	4	2	6	6			
Dis. of Skin	37	20	-	1	-	1	22	1	1	-	1	-	1	1	8	-			
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Infants	80	-	-	-	-	-	-	-	1	1	2	4	6	11	5	7			
Other Violent Deaths	279	12	3	14	8	6	43	34	23	21	19	28	31	26	28	14			
Other Causes	2057	1068	115	36	8	7	1292	11	7	6	6	27	34	43	72	199			
331.—CHIPPING SODBURY.																			
Mean Popul., 1861-71	9415	255	264	260	257	244	1280	1218	1066	926	675	1083	987	863	667	431			
TOTAL DEATHS	1841	437	199	47	53	36	682	72	40	36	55	80	98	164	152	221			
Small-pox	6	2	-	-	1	-	5	-	-	1	-	1	1	-	-	-			
Measles	17	3	9	1	-	2	15	1	-	1	-	-	-	-	-	-			
Scarlatina	89	7	10	12	17	11	67	23	6	-	1	-	-	-	-	-			
Diphtheria	6	-	1	-	2	1	4	2	-	-	-	-	-	-	-	-			
Whooping-cough	20	9	10	3	1	2	25	4	1	-	-	-	-	-	-	-			
Typhus	72	3	2	2	3	5	15	7	3	9	6	12	4	3	4	7			
Dysentery & Dysentery	61	18	2	2	1	9	25	1	1	-	-	-	1	3	7	6			
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Zymotic Dis.	35	8	3	3	4	2	20	-	-	1	1	1	2	1	-	7			
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Scrophula and Tuberc.	19	3	4	-	-	-	7	1	2	2	2	2	2	5	6	5			
Fatigue	134	1	1	-	1	-	3	4	5	10	26	33	28	9	11	5			
Hydrocephalus	24	11	6	4	-	-	21	3	-	-	-	-	-	-	-	-			
Dis. of Brain	190	60	8	4	2	1	75	6	2	2	5	5	8	20	14	30			
Dis. of Heart & Dropsy	140	-	2	-	-	-	2	1	-	2	5	5	11	18	25	28			
Dis. of Lungs	228	76	30	10	12	2	130	10	-	3	3	5	14	17	24	43			
Dis. of Stom. and Liver	84	15	1	-	-	1	17	2	2	-	2	4	5	12	15	15			
Dis. of Kidneys	35	-	-	-	-	-	-	-	-	-	-	2	2	2	11	10			
Dis. of Genes. Organs	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Joints	6	5	-	1	-	1	4	-	-	-	-	1	-	1	1	1			
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Infants	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Violent Deaths	93	4	6	2	5	4	27	3	14	4	2	3	11	6	7	12			
Other Causes	480	214	14	3	5	1	236	5	2	1	1	3	10	8	7	12			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
		Year.					Years.											
329.—BRISTOL.																		
Popul ⁿ , 1861-71	34466	873	737	780	755	715	3860	3376	3200	3483	3436	5408	4304	3201	2220	1377	517	84
ALL DEATHS	8486	1594	733	427	287	167	3208	325	167	215	268	510	579	655	715	868	741	245
Pox	81	15	8	9	10	6	48	7	6	3	10	5	2	1	1	1	1	1
Sc	211	30	73	62	23	9	197	12	—	—	—	—	1	—	—	—	—	—
Tina	306	21	59	72	68	57	277	89	15	7	6	1	1	—	—	—	—	—
Veria	62	6	7	10	7	8	38	15	2	1	2	1	1	1	1	—	—	—
ing-cough	251	73	81	51	25	12	242	7	2	—	—	—	—	—	—	—	—	—
sea & Dysentery	305	4	7	12	26	16	65	33	36	32	28	37	28	20	16	8	4	—
Zymotic Dis.	372	184	62	14	7	1	268	4	3	—	3	7	4	1	11	27	30	14
la and Tabes	11	1	—	—	—	—	1	2	—	—	—	2	2	1	2	—	—	—
is	183	20	29	21	20	10	100	12	7	6	5	7	7	9	12	11	5	2
cephalus	244	—	—	—	—	—	—	—	—	1	3	10	36	74	65	36	18	6
Brain	141	51	21	21	2	2	97	7	7	4	7	6	4	2	4	1	1	1
Heart & Dropsy	675	9	23	7	5	—	44	22	27	75	99	222	196	118	45	23	3	1
Lungs	77	23	21	9	9	5	67	8	1	—	—	1	—	—	—	—	—	—
Stom. and Liver	924	237	73	25	20	15	390	22	12	16	10	27	43	70	89	141	88	16
Kidneys	450	4	3	1	2	1	11	3	19	19	20	34	49	69	96	100	56	19
Gener. Organs	1543	259	149	76	37	13	534	23	7	6	16	42	51	128	198	223	202	33
Joints	351	17	1	3	3	1	25	11	4	4	16	25	53	51	78	88	23	5
Skin	129	—	—	—	—	—	2	4	1	3	10	14	20	23	32	18	1	1
irth and Metris	50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	27	2	1	—	—	1	4	2	5	3	1	4	8	3	1	1	1	1
Causes	82	5	3	—	1	—	9	—	—	1	1	3	8	3	5	1	1	1
	85	—	—	—	—	—	—	—	—	11	16	52	25	1	—	—	—	—
	13	—	—	—	—	—	—	—	—	—	1	6	4	—	—	—	—	—
	237	18	27	15	18	6	79	32	8	19	6	7	17	16	12	19	22	12
	1376	505	85	19	7	4	710	10	5	3	1	10	21	39	42	100	283	143
330.—CLIFTON.																		
Popul ⁿ , 1861-71	61944	1608	1372	1436	1377	1361	7154	6507	6212	6325	6391	9819	7341	5449	3663	2161	784	138
ALL DEATHS	12138	2518	1044	541	328	225	4656	490	306	342	386	672	791	775	965	1304	1053	390
Pox	117	30	13	15	10	4	72	9	4	4	6	16	5	1	—	—	—	—
Sc	289	49	101	78	32	12	272	10	—	—	—	1	—	—	—	—	—	—
Tina	667	48	106	116	101	76	447	132	39	13	8	7	—	1	—	—	—	—
Veria	64	8	8	4	6	8	34	15	6	1	—	3	3	1	1	—	—	—
ing-cough	329	118	109	36	25	19	307	12	1	—	—	—	—	—	—	—	—	—
sea & Dysentery	497	14	16	24	20	20	94	76	66	52	35	53	49	33	30	22	7	—
Zymotic Dis.	483	291	57	19	7	4	378	6	1	—	1	5	7	11	15	35	17	7
la and Tabes	12	4	—	—	—	—	5	1	—	—	2	—	—	—	—	—	—	—
is	230	39	27	24	21	10	112	15	4	3	6	8	9	13	14	22	22	2
cephalus	374	—	1	—	—	—	1	1	1	—	2	9	51	101	95	66	39	8
Brain	193	59	33	9	7	5	113	11	25	18	8	8	1	6	1	1	1	1
Heart & Dropsy	1314	20	27	10	5	4	66	28	60	161	174	308	237	151	84	22	2	1
Lungs	172	57	42	21	9	11	140	20	10	2	—	—	—	—	—	—	—	—
Stom. and Liver	1504	337	85	26	24	13	535	33	25	18	22	52	90	124	162	242	189	42
Kidneys	711	7	5	4	—	3	19	17	21	21	25	38	76	80	145	182	70	11
Gener. Organs	2916	403	283	100	45	20	853	41	13	12	24	44	73	101	202	326	244	78
Joints	404	46	8	5	2	3	61	11	10	9	16	33	60	72	90	91	57	6
Skin	120	3	—	—	—	1	4	1	2	4	7	15	7	19	20	20	8	1
irth and Metris	71	1	—	—	—	—	1	—	—	2	1	6	19	17	11	11	3	—
Violent Deaths	49	2	—	—	—	—	4	7	3	5	3	6	3	2	6	7	—	—
Causes	32	8	1	—	—	—	9	—	—	2	—	2	2	2	5	7	—	—
	142	—	—	—	—	—	—	—	—	4	25	57	53	3	—	—	—	—
	14	—	—	—	—	—	—	—	—	—	1	1	—	5	5	2	—	—
	87	17	13	9	—	2	41	5	1	3	—	1	2	3	2	7	6	10
	2166	916	107	32	14	9	1085	13	6	12	18	21	30	22	67	223	434	293
331.—CHIPPING SODBURY.																		
Popul ⁿ , 1861-71	9295	252	252	271	241	225	1241	1177	1021	755	667	1175	1043	875	653	456	201	31
ALL DEATHS	1848	337	120	64	55	30	606	86	58	48	64	91	101	100	136	223	253	82
Pox	5	1	—	2	—	—	5	—	1	1	—	1	—	—	—	—	—	—
Sc	27	5	8	4	5	2	24	2	1	—	—	—	—	—	—	—	—	—
Tina	114	5	12	17	20	9	63	38	8	3	2	—	—	—	—	—	—	—
Veria	11	—	1	—	2	1	4	4	2	1	—	—	—	—	—	—	—	—
ing-cough	35	14	14	2	2	2	31	1	—	—	—	—	—	—	—	—	—	—
sea & Dysentery	60	—	1	—	4	—	5	13	9	13	3	2	5	3	2	3	1	1
Zymotic Dis.	43	17	4	2	—	—	23	1	—	—	—	—	—	—	—	—	—	—
la and Tabes	3	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
is	33	6	4	2	1	1	14	—	—	—	—	2	3	3	2	5	1	1
cephalus	45	—	—	—	—	—	—	—	—	1	—	—	4	11	15	10	2	2
Brain	19	6	2	—	1	—	9	—	—	2	2	2	2	2	1	1	1	1
Heart & Dropsy	138	1	2	1	1	—	5	4	12	12	31	37	27	17	9	3	1	—
Lungs	15	2	5	1	1	—	9	1	3	—	2	—	—	—	—	—	—	—
Stom. and Liver	177	46	7	5	3	2	63	5	2	6	4	3	6	11	18	28	28	8
Kidneys	179	3	1	2	1	—	7	1	6	3	5	3	11	20	32	55	54	7
Gener. Organs	296	51	37	15	6	5	114	6	6	2	3	8	13	11	23	31	51	27
Joints	84	7	1	1	1	—	10	3	3	1	—	6	8	9	14	15	13	—
Skin	18	—	—	—	—	—	—	—	—	—	—	1	4	1	5	6	1	—
irth and Metris	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	25	7	9	2	4	2	18	4	2	—	—	1	2	3	7	8	11	20
Causes	449	168	18	8	3	4	194	3	4	1	5	6	8	7	8	11	20	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 5 Years.					5-75											
		1	2	3	4	5	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80-	85-

332.—THORNBURY.

Mean Popul ⁿ , 1861-71	8508	207	224	236	209	246	1122	1029	913	786	660	1100	946	778	620	381	152	21
TOTAL DEATHS	1515	276	69	30	21	26	431	63	37	36	37	86	90	116	154	193	213	21
Small-pox	4	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles	10	3	2	3	1	1	9	1	1	1	1	1	1	1	1	1	1	1
Scarlatina	45	1	7	3	3	10	24	14	4	1	1	1	1	1	1	1	1	1
Diphtheria	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough	18	8	3	3	2	2	16	8	5	3	2	6	6	3	4	4	4	4
Typhus	22	3	2	1	2	3	10	1	1	1	1	1	1	1	1	1	1	1
Diarrhoea & Dysentery	29	11	2	2	1	1	13	1	1	1	1	1	1	1	1	1	1	1
Cholera	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	81	8	3	3	2	2	11	2	1	1	1	1	1	1	1	1	1	1
Cancer	16	5	1	1	1	1	15	1	1	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	25	5	6	2	1	1	15	1	1	1	1	1	1	1	1	1	1	1
Phthisis	145	5	6	1	1	1	9	1	1	1	1	1	1	1	1	1	1	1
Hydrocephalus	12	5	4	1	1	1	9	1	1	1	1	1	1	1	1	1	1	1
Dis. of Brain	209	43	7	4	3	1	58	7	4	1	1	9	7	15	39	35	39	39
Dis. of Heart & Dropsy	181	2	1	1	1	1	8	1	1	1	1	1	1	1	1	1	1	1
Dis. of Lungs	224	55	18	10	2	3	88	3	2	2	2	10	19	25	37	37	37	37
Dis. of Stom. and Liver	95	30	1	1	2	1	14	4	2	2	2	6	9	10	18	18	18	18
Dis. of Kidneys	20	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
Dis. of Gener. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	4	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	93	8	3	1	3	1	18	7	6	4	4	21	7	13	3	3	3	3
Other Causes	238	117	7	4	3	1	131	2	1	1	1	1	1	1	1	1	1	1

333.—DURSLEY.

Mean Popul ⁿ , 1861-71	6379	162	162	155	169	158	806	804	737	578	415	696	664	595	521	397	175	21
TOTAL DEATHS	1288	222	50	26	14	17	529	34	19	30	26	59	55	54	138	224	214	75
Small-pox	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles	22	3	2	1	1	1	10	1	1	1	1	1	1	1	1	1	1	1
Scarlatina	22	3	2	1	1	1	10	1	1	1	1	1	1	1	1	1	1	1
Diphtheria	6	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough	10	4	3	1	1	1	10	4	2	5	3	4	4	4	4	4	4	4
Typhus	29	1	1	1	1	1	10	1	1	1	1	1	1	1	1	1	1	1
Diarrhoea & Dysentery	33	20	2	1	2	2	24	1	1	1	1	1	1	1	1	1	1	1
Cholera	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	38	2	2	4	4	9	14	4	2	1	1	3	3	4	4	4	4	4
Cancer	18	5	1	1	1	1	21	2	1	1	1	4	2	5	5	5	5	5
Scrophula and Tuberc.	32	16	3	1	1	1	21	2	1	1	1	4	2	5	5	5	5	5
Phthisis	94	2	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1
Hydrocephalus	10	1	1	1	1	1	6	2	1	1	1	1	1	1	1	1	1	1
Dis. of Brain	190	29	5	3	1	1	40	2	1	3	4	6	7	7	25	47	47	47
Dis. of Heart & Dropsy	84	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1
Dis. of Lungs	197	46	19	3	1	1	70	2	1	5	2	4	8	12	22	39	39	39
Dis. of Stom. and Liver	92	16	1	1	1	1	17	1	1	2	2	7	3	20	16	21	21	21
Dis. of Kidneys	41	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Gener. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	59	5	2	4	2	1	14	2	1	1	1	6	4	2	5	5	5	5
Other Causes	815	75	3	2	2	1	83	2	1	1	1	1	1	1	1	1	1	1

334.—WESTBURY-ON-SEVERN.

Mean Popul ⁿ , 1861-71	11041	356	293	319	320	271	1559	1415	1345	1111	913	1401	1151	937	687	368	14	1
TOTAL DEATHS	2140	530	134	73	40	45	821	89	54	45	78	109	106	150	209	207	207	6
Small-pox	11	1	1	1	1	1	2	1	1	1	1	2	1	1	1	1	1	1
Measles	44	10	12	4	2	3	31	10	1	1	1	1	1	1	1	1	1	1
Scarlatina	104	8	10	18	7	17	60	33	5	3	1	1	1	1	1	1	1	1
Diphtheria	15	2	1	1	2	2	6	4	3	2	1	1	1	1	1	1	1	1
Whooping-cough	37	18	10	2	4	2	36	1	1	1	1	1	1	1	1	1	1	1
Typhus	74	1	3	3	5	3	15	9	8	5	11	8	3	3	4	4	4	4
Diarrhoea & Dysentery	44	23	8	1	1	1	33	2	1	1	1	1	1	1	1	1	1	1
Cholera	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	99	4	2	4	3	1	14	3	3	1	1	1	1	1	1	1	1	1
Cancer	25	5	1	1	1	1	25	2	1	1	1	2	1	5	11	6	6	6
Scrophula and Tuberc.	57	26	5	3	1	1	44	2	2	3	1	3	1	1	1	1	1	1
Phthisis	143	6	1	1	1	1	8	1	1	1	1	1	1	1	1	1	1	1
Hydrocephalus	26	9	7	2	1	2	21	5	1	1	1	25	29	20	21	21	21	21
Dis. of Brain	232	86	10	3	1	3	103	3	1	2	4	7	13	17	33	27	27	27
Dis. of Heart & Dropsy	152	8	1	1	1	1	11	3	2	4	5	4	15	22	32	32	32	32
Dis. of Lungs	378	107	44	18	3	4	176	4	1	3	3	12	19	34	35	35	35	35
Dis. of Stom. and Liver	111	24	5	2	2	2	33	1	4	1	2	6	8	15	18	18	18	18
Dis. of Kidneys	35	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Gener. Organs	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	6	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	128	4	8	5	3	3	20	5	1	1	1	12	10	12	10	10	10	10
Other Causes	463	186	11	5	3	3	205	2	1	1	1	4	1	1	1	1	1	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	80--
		332.—THORNBURY.																
Mean Popul ⁿ , 1861-71	8401	222	232	228	204	213	1099	1038	877	745	661	1091	916	803	593	381	167	30
ALL DEATHS	1875	209	56	38	29	12	344	63	30	48	46	76	79	91	117	212	181	88
pox	5	-	1	2	-	-	3	2	-	-	-	-	-	-	-	-	-	-
measles	48	-	6	6	5	3	20	18	6	1	1	1	1	-	-	-	-	-
diphtheria	14	-	1	1	4	1	7	3	2	-	-	-	-	-	-	-	-	-
croup	24	14	4	1	2	-	21	3	-	-	-	-	-	-	-	-	-	-
whooping-cough	62	-	2	2	4	-	8	9	8	10	5	3	10	3	9	4	-	-
scarlatina	24	7	-	1	2	-	10	2	-	-	-	1	1	1	1	4	1	2
typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
zymotic diseases	18	1	1	1	1	-	4	3	-	1	1	1	1	1	1	4	1	1
consumption	45	-	-	-	-	-	-	-	-	-	-	-	5	11	11	11	2	1
phthisis	18	5	2	1	-	-	8	-	-	1	1	3	-	2	3	7	-	-
ischaemic heart disease	124	-	-	-	-	-	-	2	8	19	22	28	20	14	7	4	-	-
apoplexy	15	8	3	1	-	-	12	2	-	1	-	-	-	-	-	-	-	-
brain disease	174	48	12	1	2	-	63	3	2	6	6	8	7	8	12	33	21	5
heart & dropsy	130	2	1	-	-	-	4	5	3	1	3	6	8	15	25	36	25	3
lungs	194	43	15	14	3	1	76	4	-	4	1	5	8	10	16	33	31	3
stomach & liver	101	7	1	-	2	3	13	4	1	2	3	5	4	12	22	26	8	1
kidneys	18	1	-	-	-	-	2	2	-	1	1	-	1	4	5	1	1	-
general organs	9	-	-	-	-	-	-	-	-	-	-	-	3	3	1	1	-	-
joint	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
skin	6	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	5	-
birth & puerperal	13	-	-	-	-	-	-	-	-	1	1	8	3	-	-	-	-	-
violent deaths	20	5	4	1	2	1	13	2	-	-	-	-	1	2	1	-	-	1
causes	311	67	3	5	2	2	79	2	-	-	-	2	5	6	8	54	60	69
333.—DURSLEY.																		
Mean Popul ⁿ , 1861-71	6826	178	140	168	166	152	804	743	680	549	529	854	777	688	553	427	193	29
ALL DEATHS	1397	188	40	22	17	11	287	36	30	34	44	77	85	89	127	239	254	95
pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
measles	3	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-
diphtheria	20	-	2	1	2	5	10	5	4	1	1	-	-	-	-	-	-	-
croup	10	-	-	-	-	-	2	7	-	-	-	-	-	-	-	-	-	-
whooping-cough	10	3	4	1	1	1	10	-	-	-	-	-	1	-	4	2	4	2
scarlatina	39	-	2	2	-	-	5	9	5	4	1	2	1	4	1	6	11	6
typhoid fever	40	11	3	1	-	-	15	-	-	-	-	-	-	-	6	11	6	1
zymotic diseases	33	2	2	2	2	-	8	2	1	1	-	1	4	1	6	8	1	-
consumption	54	-	-	-	-	-	-	-	-	-	-	-	7	13	12	18	4	-
phthisis	29	17	1	1	-	1	20	1	2	3	12	17	37	23	14	7	1	2
ischaemic heart disease	118	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-
apoplexy	11	4	3	1	1	-	9	-	-	-	-	-	2	-	-	-	-	-
brain disease	144	16	2	1	1	-	20	-	2	5	6	6	5	11	24	36	26	3
heart & dropsy	125	1	-	-	-	-	1	2	4	1	5	3	5	9	29	35	30	1
lungs	182	37	14	4	5	-	60	1	3	1	2	6	6	11	19	47	23	3
stomach & liver	72	1	-	3	2	-	6	1	3	-	-	3	8	16	6	15	13	1
kidneys	14	-	-	-	-	-	-	-	-	1	1	2	1	-	1	7	-	1
general organs	9	-	-	-	-	-	-	-	-	-	-	1	4	1	3	-	-	-
joint	7	-	-	-	-	-	-	1	-	1	1	-	1	1	2	-	1	-
skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
birth & puerperal	34	-	-	-	-	-	-	-	-	-	7	11	13	3	-	-	-	-
violent deaths	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
causes	409	90	13	1	2	2	106	5	3	1	8	2	5	3	7	62	143	85
334.—WESTBURY-ON-SEVERN.																		
Mean Popul ⁿ , 1861-71	10381	338	318	328	303	311	1598	1444	1188	833	781	1348	1128	910	603	372	148	28
ALL DEATHS	1884	396	148	71	51	42	708	76	43	73	72	115	112	100	135	166	290	84
pox	4	1	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-
measles	28	2	13	3	2	4	24	2	1	-	-	-	1	-	-	-	-	-
diphtheria	121	3	15	17	21	20	76	30	7	3	2	3	-	-	-	-	-	-
croup	11	-	1	1	1	1	4	5	1	-	-	1	-	-	-	-	-	-
whooping-cough	43	19	15	7	2	-	43	-	-	-	-	-	-	-	-	-	-	-
scarlatina	85	4	3	1	6	6	20	6	8	10	8	9	4	4	10	3	3	1
typhoid fever	39	21	6	2	1	-	30	1	-	-	-	-	2	-	1	2	2	1
zymotic diseases	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
consumption	39	11	4	5	4	2	26	1	1	-	1	1	1	2	1	2	2	1
phthisis	50	-	-	-	-	-	-	-	-	-	-	2	5	13	21	5	9	1
ischaemic heart disease	44	19	7	3	1	1	31	3	3	2	3	3	2	10	4	-	-	-
apoplexy	164	2	2	-	1	1	6	4	3	31	34	44	28	10	-	-	-	-
brain disease	17	3	6	6	-	-	15	2	-	-	-	-	-	-	-	-	-	-
heart & dropsy	196	77	6	4	2	-	80	4	2	1	3	9	7	10	23	24	19	5
lungs	174	10	1	2	1	-	14	1	4	3	3	8	17	21	36	33	25	4
stomach & liver	226	68	40	15	4	4	131	7	3	2	5	7	12	14	26	14	9	2
kidneys	92	9	5	-	-	1	15	2	5	-	-	6	13	13	14	14	6	-
general organs	18	-	-	-	-	-	-	-	-	2	-	2	3	6	2	2	2	-
joint	10	-	-	-	-	-	-	-	-	1	1	2	-	2	1	1	1	-
skin	6	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
birth & puerperal	41	-	-	-	-	-	-	-	-	2	2	7	15	16	-	-	-	-
violent deaths	33	3	8	1	3	2	17	4	2	1	-	-	2	2	-	-	-	-
causes	433	144	16	3	1	-	164	8	2	3	-	1	2	2	4	7	53	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
335.—NEWENT.																	
Mean Popul ⁿ , 1861-71.	6127	160	168	171	169	164	832	752	701	534	452	710	637	603	464	294	128
TOTAL DEATHS	1223	278	54	21	23	14	390	37	22	30	25	58	50	101	115	179	140
Small-pox	3	-	-	-	-	-	4	-	-	-	-	1	-	1	-	-	-
Measles	5	1	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Scarlatina	94	-	4	2	2	3	21	10	1	1	-	1	-	-	-	-	-
Diphtheria	6	3	2	-	1	-	5	-	1	-	-	-	-	-	-	-	-
Whooping-cough	11	5	3	-	2	-	10	1	-	-	-	-	-	-	-	-	-
Typhus	27	1	-	1	3	-	6	3	1	5	3	4	2	2	-	-	-
Diarrhoea & Dysentery	23	10	1	-	1	-	12	-	-	1	-	-	-	1	5	-	-
Cholera	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	18	-	1	-	2	3	6	-	3	1	1	-	-	-	1	-	-
Cancer	15	-	-	-	-	-	-	-	1	-	-	-	2	3	4	4	-
Scrophula and Tuberc.	9	1	1	-	-	-	2	2	2	-	1	1	-	1	1	-	-
Phthisis	112	2	2	-	1	-	2	1	1	9	13	22	15	10	-	-	-
Hydrocephalus	14	7	1	1	1	-	11	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	136	37	5	2	1	1	48	2	2	2	3	5	1	14	21	17	20
Dis. of Heart & Dropsy	85	4	-	-	-	-	4	1	3	1	1	4	3	10	16	11	11
Dis. of Lungs	109	41	12	5	4	3	65	4	1	3	1	4	8	17	18	23	27
Dis. of Stom. and Liver	59	4	2	1	1	-	8	2	1	1	-	2	9	11	18	16	11
Dis. of Kidneys	32	-	1	-	-	-	1	-	-	-	1	1	5	9	5	6	1
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	1	1	1	-	-	3	-	-	-	-	-	-	-	-	1	-
Dis. of Skin	4	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	52	1	4	3	1	3	19	5	3	2	1	5	4	6	8	14	10
Other Causes	408	157	14	3	3	-	177	3	1	4	-	1	1	7	-	-	-
336.—GLOUCESTER.																	
Mean Popul ⁿ , 1861-71.	18687	542	482	519	507	483	2533	2319	1958	1759	1643	2742	2199	1677	1062	574	190
TOTAL DEATHS	4511	1088	276	170	104	73	1711	156	95	125	146	276	375	308	412	455	507
Small-pox	28	5	1	3	3	-	12	5	3	-	1	4	3	-	-	-	-
Measles	82	14	29	12	14	3	73	8	-	1	-	-	-	-	1	-	-
Scarlatina	216	16	26	53	33	30	158	46	8	-	2	2	-	-	-	-	-
Diphtheria	30	3	5	3	1	-	13	10	1	-	-	1	1	3	1	-	-
Whooping-cough	86	46	20	8	5	4	83	8	-	-	-	-	-	-	-	-	-
Typhus	148	-	5	7	7	4	23	16	17	9	12	16	19	11	12	8	4
Diarrhoea & Dysentery	261	177	23	9	3	1	222	3	-	2	1	6	8	8	5	8	7
Cholera	15	8	1	-	1	-	10	1	-	-	-	2	2	1	1	1	-
Other Zymotic Dis.	113	17	10	5	4	4	40	6	3	0	6	8	8	5	14	8	7
Cancer	57	-	-	-	-	1	1	-	-	1	-	1	11	10	10	16	3
Scrophula and Tuberc.	91	23	33	7	2	3	68	5	3	1	4	1	4	1	2	2	-
Phthisis	410	7	2	1	1	3	14	10	9	30	62	99	72	72	34	8	-
Hydrocephalus	60	23	12	8	4	4	50	5	4	-	1	-	-	-	-	-	-
Dis. of Brain	739	132	20	15	8	8	203	10	8	14	19	42	99	93	107	103	88
Dis. of Heart & Dropsy	271	5	2	1	-	-	8	3	4	2	3	11	31	46	63	72	21
Dis. of Lungs	300	146	41	20	8	2	217	6	3	5	8	17	32	39	61	69	41
Dis. of Stom. and Liver	153	21	-	1	2	1	23	3	5	9	2	18	18	29	33	29	16
Dis. of Kidneys	35	-	1	-	-	-	1	-	5	-	3	7	6	26	20	22	11
Dis. of Genes. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dis. of Joints	26	-	-	-	-	-	-	5	3	4	2	2	3	3	1	1	-
Dis. of Skin	14	3	-	-	-	-	5	-	-	-	1	-	3	3	1	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	20	-	-	-	-	-	-	-	-	-	-	3	4	5	2	1	-
Other Violent Deaths	250	8	8	7	3	2	33	9	15	23	24	32	36	29	22	12	9
Other Causes	794	412	28	10	-	2	453	2	4	4	5	6	20	15	21	31	128
337.—WHEATENHURST.																	
Mean Popul ⁿ , 1861-71.	3739	113	93	117	90	99	512	480	422	343	262	422	386	356	284	186	78
TOTAL DEATHS	690	130	28	14	8	12	192	25	13	14	25	31	41	56	66	90	100
Small-pox	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Measles	11	1	2	1	-	4	8	2	-	1	-	-	-	-	-	-	-
Scarlatina	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Diphtheria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	18	9	4	2	1	2	18	-	-	-	-	-	-	-	-	-	-
Typhus	22	-	-	-	-	-	-	6	3	1	3	3	1	2	4	-	1
Diarrhoea & Dysentery	23	11	2	1	2	1	17	1	-	-	-	-	-	-	-	1	2
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	11	2	-	-	-	-	2	1	-	-	1	-	1	2	1	3	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6	3
Scrophula and Tuberc.	17	4	1	1	-	-	7	-	-	-	3	2	1	-	7	1	-
Phthisis	37	1	-	-	1	-	2	-	-	-	10	14	9	8	10	2	-
Hydrocephalus	6	2	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-
Dis. of Brain	86	19	3	-	1	-	23	4	1	1	-	1	4	10	9	14	15
Dis. of Heart & Dropsy	36	1	1	-	-	-	9	1	1	1	-	4	5	11	4	16	12
Dis. of Lungs	67	15	6	5	1	-	36	1	-	1	1	1	1	2	4	11	12
Dis. of Stom. and Liver	34	4	1	1	-	-	6	-	1	-	-	-	1	5	2	8	4
Dis. of Kidneys	27	-	-	-	-	-	-	-	-	2	2	1	2	5	2	8	4
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

AUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
		335.—NEWENT.																
Popul ⁿ , 1861-71	6089	158	161	167	162	146	794	745	663	496	465	762	691	568	459	289	135	22
DEATHS	1046	216	41	24	18	8	307	30	32	34	33	58	63	65	85	141	143	55
Cancer	2	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Consumption	4	2	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	23	3	3	4	4	1	15	7	-	-	-	1	-	-	-	-	-	-
Typhoid	7	-	1	-	-	-	3	3	1	-	-	-	-	-	-	-	-	-
Whooping Cough	17	9	5	2	1	-	17	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	28	1	-	-	-	-	7	3	5	3	-	2	4	3	-	-	1	-
Typhus	14	3	-	-	1	2	6	-	-	-	-	-	1	-	2	5	-	-
Erysipelas	10	1	-	-	-	1	2	1	1	3	-	2	-	-	1	-	-	-
Measles	30	-	-	-	-	-	-	-	1	-	-	1	5	6	6	11	-	-
Smallpox	5	1	-	-	-	-	1	-	1	1	-	-	1	-	-	-	1	-
Phalans	134	2	1	-	-	-	3	3	11	16	1	29	23	11	19	4	-	-
Brain	9	4	-	2	-	-	6	2	-	-	-	-	-	-	-	-	-	-
Heart & Dropsy	85	29	4	-	-	-	33	1	-	3	2	7	4	8	12	16	9	-
Lungs	91	1	1	-	-	-	2	1	-	1	2	5	6	15	22	24	12	4
Stom. and Liver	109	23	15	2	4	1	45	2	6	4	1	2	6	8	13	14	7	2
Kidneys	43	5	2	-	-	-	7	-	1	-	1	1	1	7	3	12	10	-
Other Organs	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
Th and Metria	14	-	-	-	-	-	-	-	-	1	2	4	7	-	-	-	-	-
Violent Deaths	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Use	391	131	8	9	4	1	151	4	3	1	3	2	2	5	13	55	102	48
336.—GLOUCESTER.																		
Popul ⁿ , 1861-71	19609	540	501	513	503	472	2529	2350	1986	1869	1856	2991	2300	1717	1174	706	282	49
DEATHS	4106	910	262	158	97	71	1498	137	89	131	135	302	257	270	326	432	387	136
Cancer	14	2	3	3	2	-	10	1	-	-	-	1	1	-	-	1	-	-
Consumption	91	14	31	19	11	6	81	8	1	-	1	-	-	-	-	-	-	-
Diphtheria	204	17	25	39	35	31	147	48	3	1	3	2	-	-	-	-	-	-
Typhoid	28	2	3	3	2	2	12	6	7	2	-	-	1	-	-	-	-	-
Whooping Cough	101	37	35	15	6	5	98	3	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	140	6	2	7	6	3	24	12	13	18	16	19	12	9	5	3	5	4
Typhus	197	127	26	10	1	1	165	2	-	-	-	1	3	2	4	6	5	3
Erysipelas	7	6	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Measles	85	15	6	4	4	3	32	3	5	4	3	3	4	6	10	6	7	2
Smallpox	115	-	-	-	-	1	1	-	2	-	1	9	10	25	28	24	14	1
Phalans	97	36	18	6	4	3	67	5	5	4	3	4	3	4	4	1	1	-
Brain	441	2	1	1	1	1	6	11	18	57	65	123	80	40	31	9	1	-
Heart & Dropsy	49	21	8	5	5	2	41	5	2	1	-	-	-	-	-	-	-	-
Lungs	591	133	17	9	4	3	105	8	14	11	11	40	44	65	62	90	66	14
Stom. and Liver	317	2	2	1	-	-	5	3	6	5	3	24	27	43	60	87	48	6
Kidneys	448	110	45	22	8	3	188	8	2	10	4	6	12	16	66	72	68	14
Other Organs	178	18	5	1	3	2	29	1	1	4	8	14	15	32	31	29	13	1
Joints	37	-	-	-	-	-	-	-	-	2	-	4	6	2	8	4	1	-
Skin	35	-	-	-	-	-	-	-	-	-	-	5	12	9	6	2	-	-
Th and Metria	17	1	-	2	1	-	4	1	-	3	1	4	-	1	-	2	-	-
Violent Deaths	9	6	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Use	66	9	5	4	3	4	25	9	5	3	1	4	3	2	4	4	5	1
	777	346	80	7	1	1	385	3	5	1	3	3	9	9	17	91	161	80
337.—WHEATENHURST.																		
Popul ⁿ , 1861-71	4072	96	110	112	104	88	510	501	424	362	339	521	445	396	288	180	91	15
DEATHS	612	101	32	13	14	9	169	12	12	23	20	42	29	40	46	75	106	33
Cancer	3	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Consumption	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	16	2	1	3	3	2	11	4	-	1	-	-	-	-	-	-	-	-
Typhoid	6	-	1	-	2	-	3	2	-	-	-	-	-	-	-	-	-	-
Whooping Cough	15	8	3	1	3	-	15	-	-	1	-	-	-	-	-	-	-	-
Scarlet Fever	20	-	-	-	-	2	2	4	2	1	1	3	1	1	3	1	1	-
Typhus	15	9	3	-	1	-	13	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	15	5	3	-	-	-	8	-	-	1	-	-	-	-	-	-	-	-
Smallpox	32	-	-	-	-	-	-	-	-	-	-	1	3	7	6	6	8	1
Phalans	17	3	5	3	1	-	12	1	1	1	-	1	2	8	-	-	-	-
Brain	74	-	2	-	-	-	2	-	15	17	16	-	-	-	-	-	-	-
Heart & Dropsy	6	1	-	2	-	-	3	-	2	1	-	-	-	-	-	-	-	-
Lungs	85	7	3	-	3	-	13	-	3	-	1	5	8	3	11	21	17	3
Stom. and Liver	58	-	-	-	-	-	-	1	-	-	-	3	3	5	12	15	16	1
Kidneys	60	14	4	2	1	-	21	-	-	1	1	3	2	2	5	8	17	4
Other Organs	32	5	-	-	-	-	5	-	-	-	-	2	6	3	3	6	4	5
Joints	12	-	-	-	-	1	1	-	-	-	-	3	1	2	2	3	-	-
Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Th and Metria	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Use	124	43	6	1	-	2	52	-	-	-	-	-	-	1	3	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
338.—STROUD.																		
Mean Popul ⁿ , 1861-71		17501	514	471	503	459	471	2418	2136	1932	1676	1296	2095	1846	1571	1306	871	313
TOTAL DEATHS		3860	891	924	124	76	53	1368	153	92	80	99	261	199	201	374	525	428
Small-pox		7	1	-	-	-	-	1	-	-	-	2	8	1	-	-	-	-
Measles		41	10	12	8	3	8	36	3	1	1	-	-	-	-	-	-	-
Scarlatina		118	5	11	23	20	19	78	31	9	-	-	-	-	-	-	-	-
Diphtheria		22	-	3	1	2	-	8	8	2	1	-	-	2	-	1	-	-
Whooping-cough		51	22	18	8	1	-	49	2	-	-	-	-	-	-	-	-	-
Typhus		110	4	-	3	2	3	12	18	12	14	9	17	2	8	12	3	3
Diarrhoea & Dysentery		105	74	3	2	-	1	80	6	-	-	1	-	-	-	1	10	3
Cholera		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		100	8	3	12	10	6	48	10	3	-	1	6	7	2	9	7	3
Cancer		45	-	-	-	-	-	-	7	1	1	-	2	4	8	8	13	7
Scrofula and Tuberc.		124	58	16	6	1	4	85	7	7	4	4	7	2	3	2	3	1
Phthisis		287	9	6	-	-	-	15	5	5	26	30	87	56	25	19	6	1
Hydrocephalus		40	15	12	4	2	1	94	1	2	2	-	1	-	-	-	-	-
Dis. of Brain		628	102	27	8	6	4	147	8	9	5	10	13	23	27	87	106	77
Dis. of Heart & Dropsy		807	3	-	1	1	1	6	7	7	4	5	11	22	29	73	92	42
Dis. of Lungs		689	174	70	27	9	7	287	11	5	3	8	19	33	47	63	112	62
Dis. of Stom. and Liver		179	20	2	3	-	-	25	12	5	5	2	8	15	15	37	43	18
Dis. of Kidneys		85	-	-	-	1	1	2	2	-	-	1	4	6	5	13	39	13
Dis. of Gen. Organs		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		14	-	1	-	1	-	2	2	1	-	1	1	1	1	2	2	-
Dis. of Skin		11	6	1	-	-	-	7	-	-	-	-	-	-	-	2	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		15	-	-	-	-	-	-	-	-	-	1	1	2	4	4	3	-
Other Violent Deaths		165	8	6	8	7	1	60	19	19	11	14	14	12	17	14	11	4
Other Causes		814	373	54	8	2	-	416	4	1	-	1	7	7	10	23	102	100
339.—TETBURY.																		
Mean Popul ⁿ , 1861-71		3027	74	88	82	86	75	405	390	377	303	223	346	319	282	205	116	51
TOTAL DEATHS		567	101	32	28	6	12	179	32	18	15	15	37	25	33	40	82	60
Small-pox		14	4	4	4	-	2	14	-	-	-	-	-	-	-	-	-	-
Measles		29	3	2	4	3	5	17	8	-	-	-	-	-	2	-	-	-
Scarlatina		1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
Diphtheria		8	4	3	1	-	-	8	-	-	-	-	-	-	-	-	-	-
Whooping-cough		29	6	2	-	2	-	10	6	3	2	-	2	3	-	2	1	-
Typhus		12	5	-	-	-	1	6	-	1	1	-	-	-	-	-	4	-
Diarrhoea & Dysentery		8	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1
Cholera		11	-	2	-	-	1	3	2	-	-	-	1	-	1	1	2	1
Other Zymotic Dis.		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer		22	4	5	4	-	-	13	4	3	1	-	-	-	4	1	3	3
Scrofula and Tuberc.		54	1	-	2	-	-	3	1	3	-	4	7	17	10	7	1	1
Phthisis		7	3	2	-	-	-	5	2	-	-	-	-	-	-	-	-	-
Hydrocephalus		72	13	2	5	-	1	21	3	1	-	-	3	5	2	7	18	13
Dis. of Brain		53	-	-	1	-	1	2	1	1	3	4	3	1	4	4	7	16
Dis. of Heart & Dropsy		98	24	5	5	-	1	35	3	-	-	1	2	3	4	9	16	14
Dis. of Lungs		22	1	1	1	-	-	2	-	-	-	1	4	1	3	5	4	2
Dis. of Stom. and Liver		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Kidneys		2	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2
Dis. of Gen. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1
Dis. of Skin		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		17	-	1	1	-	-	2	1	2	-	2	1	1	4	1	2	-
Other Violent Deaths		93	34	3	-	-	-	37	1	-	1	-	2	-	3	2	11	21
Other Causes		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340.—CIRENCESTER.																		
Mean Popul ⁿ , 1861-71		10454	307	265	283	278	257	1390	1286	1167	1099	759	1237	1106	989	759	464	174
TOTAL DEATHS		1912	422	98	54	37	32	643	73	40	45	37	93	117	114	181	260	235
Small-pox		4	-	-	-	1	-	1	-	1	-	-	-	1	1	-	-	-
Measles		16	2	6	3	-	3	14	1	1	-	-	-	-	-	-	-	-
Scarlatina		76	4	8	8	15	12	47	21	4	8	1	-	-	-	-	-	-
Diphtheria		15	3	2	2	1	2	9	8	2	-	-	-	-	-	1	-	-
Whooping-cough		17	10	2	3	2	-	17	-	-	-	-	-	-	-	-	-	-
Typhus		33	-	3	1	-	-	4	2	5	5	2	1	4	4	4	3	4
Diarrhoea & Dysentery		40	23	5	2	-	-	30	-	-	-	-	-	-	1	-	2	4
Cholera		51	6	1	2	-	2	11	2	1	3	1	1	1	2	-	3	4
Other Zymotic Dis.		30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer		46	13	7	2	2	3	27	8	1	3	1	1	2	1	7	13	4
Scrofula and Tuberc.		174	-	-	-	-	-	25	3	4	13	20	50	56	25	16	-	1
Phthisis		29	13	6	4	-	2	27	2	2	-	-	-	-	-	-	-	-
Hydrocephalus		248	47	7	5	1	1	61	7	8	3	3	8	9	19	31	48	40
Dis. of Brain		172	1	-	1	1	-	3	2	1	1	2	8	6	13	37	87	39
Dis. of Heart & Dropsy		323	115	24	11	7	6	163	7	2	2	3	9	10	22	39	59	29
Dis. of Lungs		109	13	2	4	1	-	20	2	2	5	1	2	16	10	13	22	9
Dis. of Stom. and Liver		54	-	-	-	-	-	-	4	1	1	1	3	4	4	7	13	13
Dis. of Kidneys		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gen. Organs		7	1	1	1	-	-	3	-	-	-	-	-	-	-	1	1	-
Dis. of Joints		7	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Skin		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		78	7	2	2	3	-	14	8	-	-	-	-	-	-	-	-	-
Other Causes		329	104	22	3	3	1	193	3	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

AUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.														Total under 5 Years.	Total under 1 Year.	
		1	2	3	4	5	10	15	20	25	35	45	55	65	75			85
338.—STROUD.																		
Popul ⁿ , 61-71	20401	528	494	491	480	466	2459	2198	2067	2002	1816	2822	2339	1872	1451	962	355	58
DEATHS	4037	700	237	137	73	40	1187	143	95	126	135	245	238	228	386	507	504	183
- - -	12	1	-	-	-	1	2	-	-	2	2	4	2	-	-	-	-	-
- - -	35	4	15	9	3	1	32	2	-	1	-	-	-	-	-	-	-	-
- - -	127	3	19	27	18	7	74	35	13	1	-	2	2	-	-	-	-	-
- - -	36	2	3	2	7	2	16	13	1	1	-	3	-	-	-	-	2	-
- - -	54	29	12	5	6	2	54	-	-	-	-	-	-	-	-	-	-	-
- - -	103	3	2	4	2	1	12	13	14	13	10	11	9	2	7	12	9	1
- - -	105	54	12	5	-	-	71	2	-	1	1	3	2	-	4	9	9	1
- - -	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1
- - -	67	7	13	3	6	2	31	10	1	1	3	5	3	1	4	5	2	1
- - -	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	129	53	12	8	3	-	76	7	8	9	5	4	18	23	43	25	11	3
- - -	406	10	6	6	1	1	23	11	24	64	71	103	61	32	8	7	-	1
- - -	39	17	7	4	-	1	29	6	2	1	1	-	-	-	-	-	-	-
- - -	479	79	19	14	2	7	114	16	3	6	8	21	20	31	68	99	77	16
- - -	440	1	-	-	-	-	5	-	11	4	5	15	32	32	94	149	64	14
- - -	637	117	83	35	11	7	233	12	4	2	8	12	16	33	74	131	78	17
- - -	201	18	3	1	1	2	25	2	3	6	4	13	13	21	50	42	17	2
- - -	29	-	1	-	2	-	3	-	-	2	2	5	8	4	2	2	1	-
- - -	33	-	-	-	-	-	-	-	-	1	-	7	3	7	9	4	1	-
- - -	21	1	-	-	-	-	1	-	2	4	-	3	5	4	-	2	-	-
- - -	12	4	1	1	-	-	6	-	1	-	-	-	1	1	2	1	-	-
- - -	58	-	-	-	-	-	-	-	-	1	12	21	22	2	-	-	-	-
- - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
- - -	61	2	3	4	6	6	21	7	3	5	2	3	3	6	1	8	6	1
- - -	830	302	26	8	3	-	339	5	4	1	1	2	11	3	18	75	137	137
339.—TETBURY.																		
Popul ⁿ , 61-71	3094	83	69	74	76	86	388	372	351	282	244	393	373	298	198	134	48	13
DEATHS	596	98	35	20	11	5	169	16	16	11	23	27	39	39	64	76	87	29
- - -	4	-	2	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
- - -	24	2	1	5	4	2	14	5	-	-	-	-	-	-	-	-	-	-
- - -	4	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-
- - -	11	5	2	1	2	-	10	1	-	-	-	-	-	-	-	-	-	-
- - -	39	10	2	3	1	1	17	3	3	2	1	1	3	-	3	5	1	-
- - -	7	1	-	-	-	-	1	-	-	-	-	-	-	-	1	4	1	-
- - -	16	-	2	3	1	-	6	1	2	1	1	1	1	-	2	-	-	1
- - -	11	-	-	-	-	-	-	-	-	-	-	-	-	5	5	-	1	-
- - -	12	2	2	-	-	-	4	1	1	1	-	1	2	-	1	1	-	-
- - -	55	2	1	-	-	-	3	2	-	1	1	10	12	15	7	3	1	-
- - -	7	3	2	1	1	-	7	-	-	-	-	-	-	-	-	-	-	-
- - -	90	12	7	1	2	1	23	1	1	1	3	1	4	5	13	19	16	3
- - -	69	-	-	-	-	-	-	-	-	-	3	1	3	5	16	16	14	3
- - -	98	27	10	3	-	1	41	1	1	2	1	1	2	5	9	14	18	3
- - -	31	3	-	-	-	-	3	1	-	-	2	2	3	7	5	2	4	2
- - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
- - -	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
- - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
- - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	8	-	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-	-
- - -	9	1	-	1	-	-	2	-	-	-	-	-	1	-	2	1	1	2
- - -	95	29	4	-	-	-	33	-	-	-	-	-	1	1	3	11	21	15
340.—CIRENCESTER.																		
Popul ⁿ , 61-71	10695	275	285	275	256	259	1350	1307	1140	966	814	1480	1216	1028	717	459	188	30
DEATHS	1932	334	106	62	37	34	573	64	48	56	68	128	128	123	178	261	231	74
- - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
- - -	18	2	2	5	2	2	13	1	2	-	1	-	-	1	-	-	-	-
- - -	60	2	6	13	6	8	33	21	4	3	-	3	-	-	-	-	-	-
- - -	20	1	2	3	2	2	10	5	5	-	-	-	-	-	-	-	-	-
- - -	30	13	10	2	-	2	27	1	2	-	-	-	-	-	-	-	-	-
- - -	41	-	1	2	3	1	7	7	6	3	4	3	1	1	2	5	2	-
- - -	34	11	2	3	2	-	18	1	1	1	-	2	2	-	-	2	6	-
- - -	36	7	2	3	1	3	16	4	2	-	-	1	-	3	1	6	3	-
- - -	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	36	11	2	2	1	1	17	4	1	4	2	3	16	20	23	11	6	3
- - -	206	-	1	-	1	2	4	1	10	27	33	54	37	20	10	2	-	-
- - -	13	5	4	2	1	-	12	-	1	-	-	-	-	-	-	-	-	-
- - -	221	47	17	7	4	2	77	1	4	4	4	5	6	17	27	42	32	3
- - -	208	3	-	-	-	-	3	2	4	4	2	8	8	23	47	72	32	3
- - -	231	76	27	13	10	7	133	5	1	2	5	8	11	12	17	38	18	3
- - -	133	10	5	1	3	1	20	5	1	2	9	10	11	7	23	30	15	-
- - -	21	-	-	-	-	-	-	2	-	1	-	2	4	2	4	5	1	-
- - -	14	-	-	-	-	-	-	-	-	-	1	-	3	-	4	5	-	-
- - -	9	1	1	-	-	-	2	1	2	-	-	1	2	-	-	-	-	-
- - -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	61	-	-	-	-	-	-	-	-	3	-	8	21	19	-	-	-	-
- - -	26	1	-	-	-	1	2	-	-	-	-	1	1	5	4	7	3	2
- - -	403	144	24	6	1	2	177	1	1	-	-	-	3	1	5	10	23	13

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
341.—NORTHLEACH.																	
Mean Popul ⁿ , 1861-71	5528	161	143	143	144	149	740	678	627	572	418	637	578	509	402	250	106
TOTAL DEATHS	961	222	52	29	14	12	329	83	17	27	21	50	88	59	94	131	139
Small-pox	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	17	2	3	2	1	2	10	7	-	-	-	-	-	-	-	-	-
Diphtheria	8	-	1	1	2	1	4	3	1	-	-	-	-	-	-	-	-
Whooping-cough	10	3	2	2	1	-	6	1	1	-	-	-	-	-	-	-	-
Typhus	26	-	-	-	-	-	3	3	5	5	1	3	-	2	6	1	4
Diarrhoea & Dysentery	13	3	3	-	-	-	6	1	-	-	-	-	-	-	1	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	7	-	-	2	-	1	8	-	1	-	-	-	-	-	-	2	1
Cancer	7	-	-	-	1	-	1	-	-	-	-	-	1	2	2	-	1
Scrofula and Tuberc.	11	3	1	1	-	-	4	-	-	1	-	2	1	1	2	-	-
Phthisis	98	3	1	-	-	-	4	1	1	18	11	27	16	16	7	2	-
Hydrocephalus	15	8	1	1	2	-	12	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	139	33	6	4	3	1	47	8	2	1	2	4	5	8	22	34	27
Dis. of Heart & Dropsy	97	4	1	-	-	-	5	-	1	-	1	5	7	8	17	32	27
Dis. of Lungs	121	46	12	6	4	3	78	6	-	1	2	3	2	6	15	8	12
Dis. of Stom. and Liver	88	5	2	1	-	-	8	1	-	1	2	3	1	5	6	19	3
Dis. of Kidneys	10	-	-	1	-	-	1	-	-	-	-	1	1	-	-	5	-
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Other Violent Deaths	84	2	1	5	-	2	10	3	8	4	1	3	1	4	3	2	2
Other Causes	391	108	19	1	1	2	131	9	1	1	1	1	3	6	16	28	23
342.—STOW-ON-THE-WOLD.																	
Mean Popul ⁿ , 1861-71	4873	125	125	134	129	129	642	606	518	466	349	617	520	453	371	235	87
TOTAL DEATHS	966	192	61	29	19	21	322	35	20	28	24	45	57	56	89	118	128
Small-pox	4	1	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-
Measles	13	-	8	1	1	2	12	-	-	-	-	-	-	1	-	-	-
Scarlatina	17	3	5	2	2	1	13	4	-	-	-	-	-	-	-	-	-
Diphtheria	28	2	1	4	3	4	14	8	3	1	-	1	-	-	1	-	-
Whooping-cough	10	5	-	2	1	1	9	1	-	-	-	-	-	-	-	-	-
Typhus	35	1	-	-	2	-	8	6	5	4	4	3	2	2	4	2	-
Diarrhoea & Dysentery	19	7	4	2	1	2	16	-	-	-	-	-	1	1	1	-	-
Cholera	6	2	1	1	1	-	5	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	18	2	1	1	-	3	9	1	-	-	1	2	-	-	1	4	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	3
Scrofula and Tuberc.	19	2	5	-	-	-	10	1	-	1	1	2	1	2	2	2	-
Phthisis	86	-	-	-	1	-	12	-	2	14	14	18	18	7	6	2	-
Hydrocephalus	12	5	4	2	1	-	12	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	116	19	7	1	3	2	34	3	-	1	1	2	5	9	17	25	35
Dis. of Heart & Dropsy	76	1	-	-	-	-	8	3	1	-	1	3	6	6	17	22	34
Dis. of Lungs	109	30	14	4	-	1	49	3	-	1	-	5	4	10	16	12	8
Dis. of Stom. and Liver	39	7	1	1	-	-	8	2	2	-	-	1	5	3	9	6	-
Dis. of Kidneys	28	-	1	-	-	-	1	-	1	-	-	1	3	1	5	7	7
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Dis. of Skin	4	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	45	1	4	1	1	2	9	3	6	4	1	3	4	5	2	6	2
Other Causes	267	98	6	7	-	-	111	-	-	-	-	2	5	3	7	27	36
343.—WINCHCOMB.																	
Mean Popul ⁿ , 1861-71	5174	141	138	144	133	134	690	629	548	477	368	663	573	489	363	264	97
TOTAL DEATHS	912	194	46	26	14	21	301	30	16	20	19	42	47	55	73	132	126
Small-pox	6	-	-	-	-	-	1	-	-	1	-	-	-	-	1	3	-
Measles	16	3	4	4	1	2	14	1	1	-	-	-	-	-	-	-	-
Scarlatina	25	2	5	2	3	6	17	6	1	-	1	-	-	-	-	-	-
Diphtheria	4	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-
Whooping-cough	5	3	1	1	-	-	6	-	-	-	-	-	-	-	-	-	-
Typhus	19	-	-	2	1	2	6	3	2	2	-	4	1	-	1	1	-
Diarrhoea & Dysentery	12	8	1	1	-	-	10	-	1	-	-	-	-	-	-	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	33	6	-	2	3	3	14	5	2	3	1	-	2	-	2	3	1
Cancer	12	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	-
Scrofula and Tuberc.	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Phthisis	83	4	1	1	1	1	8	-	3	4	-	18	16	1	8	8	1
Hydrocephalus	13	5	3	1	2	1	12	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	136	41	1	4	1	1	48	-	1	1	2	3	6	7	16	29	34
Dis. of Heart & Dropsy	83	1	-	1	-	-	2	-	-	2	2	3	2	9	16	22	33
Dis. of Lungs	87	16	11	2	1	3	33	6	2	1	6	5	6	4	4	14	13
Dis. of Stom. and Liver	84	6	3	-	-	1	11	-	2	-	-	1	2	9	8	24	3
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	-	2	-	-	1	4	1
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		Year.					Years.											
341.—NORTHLEACH.																		
Mean Popul ⁿ , 1861-71	5211	147	147	157	132	139	722	655	580	418	405	667	600	471	363	228	89	13
TOTAL DEATHS	923	190	49	14	11	6	270	38	20	26	30	59	57	63	80	115	122	43
pox	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
scalds	6	2	2	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-
influenza	12	-	3	1	-	-	4	6	-	1	-	1	-	-	-	-	-	-
scarlatina	10	-	1	-	-	1	2	6	1	-	-	-	1	-	-	-	-	-
croup	9	5	2	1	-	1	9	-	-	-	-	2	-	-	1	-	-	-
whooping-cough	17	-	-	-	1	-	2	1	5	1	-	-	-	2	1	1	-	-
dysentery	5	1	-	1	-	-	2	2	-	-	-	-	1	-	-	-	-	-
cholera	9	2	-	-	-	1	4	4	-	-	-	-	-	-	-	1	-	-
typhoid	23	-	-	-	-	-	-	-	1	-	-	1	2	10	8	1	2	-
typhus	14	5	1	1	-	-	7	2	1	2	-	1	-	-	-	1	-	-
fever	103	1	-	-	1	1	3	1	6	15	20	29	18	7	2	2	-	-
cephalus	8	1	5	-	-	-	6	1	1	-	-	-	-	-	-	-	-	-
brain	118	33	8	-	3	-	44	1	-	-	2	4	5	11	16	16	17	2
heart & dropsy	122	-	-	-	1	1	2	4	3	-	3	4	8	19	24	37	18	2
lungs	107	39	15	3	1	1	59	4	1	2	-	3	6	4	8	14	6	-
stomach & liver	32	2	-	-	-	-	2	2	-	-	2	3	2	3	8	4	8	-
kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
gener. organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
joints	3	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
skin	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
birth & metris	14	-	-	-	-	-	-	-	-	2	-	6	6	-	-	-	-	-
violent deaths	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
causes	293	98	11	5	2	-	110	1	-	1	1	4	8	3	12	36	74	37
342.—STOW-ON-THE-WOLD.																		
Mean Popul ⁿ , 1861-71	4781	147	117	111	123	116	614	583	520	401	388	619	548	471	339	207	78	13
TOTAL DEATHS	953	187	44	31	14	16	292	24	31	32	34	60	59	45	91	117	132	36
pox	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
scalds	15	4	3	7	-	1	14	-	1	-	-	-	-	-	-	-	-	-
influenza	8	1	-	1	1	1	4	4	-	-	-	-	-	-	-	-	-	-
scarlatina	40	2	6	5	3	5	21	7	10	-	1	-	-	-	-	1	-	-
croup	14	8	2	3	1	-	14	-	-	-	-	-	-	-	-	-	-	-
whooping-cough	25	1	-	1	-	2	4	6	5	3	2	3	6	2	1	2	1	-
dysentery	15	6	1	1	-	-	8	-	-	1	-	-	1	-	-	3	2	-
cholera	5	2	1	-	-	-	3	-	-	-	-	-	-	-	-	2	-	-
typhoid	15	2	3	1	1	-	7	-	1	-	-	-	2	-	2	2	1	-
typhus	23	-	-	-	-	-	-	-	-	-	1	1	5	5	7	4	-	-
fever	112	9	5	1	1	-	16	2	7	19	19	32	13	11	6	2	-	-
cephalus	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
brain	94	13	1	3	-	3	20	-	1	1	3	1	6	7	14	16	24	1
heart & dropsy	82	2	-	-	-	-	2	1	1	3	-	4	5	9	21	19	16	1
lungs	114	50	11	6	2	3	52	2	1	2	1	4	5	4	16	20	5	2
stomach & liver	35	-	1	2	-	-	3	-	-	1	-	4	5	4	9	6	1	2
kidneys	10	-	-	-	-	-	-	-	-	-	2	1	1	-	1	3	2	-
gener. organs	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
joints	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
skin	4	1	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-
birth & metris	17	-	-	-	-	-	-	-	-	1	4	6	6	-	-	-	-	-
violent deaths	5	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	-	-
causes	272	102	8	-	4	-	114	1	1	-	-	1	1	-	12	33	81	29
343.—WINCHCOMB.																		
Mean Popul ⁿ , 1861-71	5032	133	131	138	128	125	655	608	532	418	390	688	575	468	342	231	110	15
TOTAL DEATHS	932	171	52	20	20	16	279	43	20	33	25	51	63	55	81	98	128	56
pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
scalds	15	2	3	1	2	1	9	5	3	1	-	1	-	-	-	-	-	-
influenza	27	-	4	2	4	5	15	7	-	-	-	1	-	-	-	-	-	-
scarlatina	6	1	-	1	2	1	5	-	1	-	-	-	-	-	-	-	-	-
croup	13	6	2	1	1	1	11	1	-	1	-	-	-	-	-	-	-	-
whooping-cough	22	1	-	1	-	-	3	3	1	6	2	1	4	-	1	1	-	-
dysentery	17	4	1	1	-	1	7	1	-	1	-	-	1	-	2	-	-	-
cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
typhoid	31	3	7	3	2	-	15	5	3	-	-	1	-	-	-	3	4	-
typhus	13	-	-	-	-	1	1	-	-	-	-	-	1	3	5	3	-	-
fever	4	1	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-
cephalus	120	5	1	-	1	-	7	1	7	20	14	26	23	14	7	1	-	-
brain	6	2	1	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-
heart & dropsy	102	31	5	2	3	1	42	3	1	1	2	3	4	5	12	19	9	1
lungs	111	1	-	-	-	1	2	1	-	2	1	2	9	6	27	37	20	4
stomach & liver	52	13	9	2	2	-	26	4	-	-	2	2	2	7	5	2	2	-
kidneys	54	11	4	1	-	2	18	3	1	-	1	5	5	5	9	6	3	-
gener. organs	6	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-
joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
skin	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
birth & metris	15	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-
violent deaths	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
causes	235	80	18	4	2	1	109	3	1	1	-	-	4	4	27	11	35	15

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
344.—CHELTENHAM.																	
Mean Popul ⁿ , 1861-71		21814	602	500	541	551	540	2734	2595	2656	2423	1656	2733	2287	1983	1478	836
TOTAL DEATHS		4857	1163	274	172	122	82	1813	153	69	111	132	272	304	373	455	291
Small-pox		50	6	—	2	5	—	13	—	—	4	5	3	1	2	2	—
Measles		84	18	23	18	11	7	77	7	—	—	—	—	—	—	—	—
Scarlatina		144	3	18	32	28	19	100	35	5	3	—	2	—	1	2	—
Diphtheria		36	2	3	6	3	6	19	9	2	—	—	—	1	—	1	—
Whooping-cough		56	21	18	7	3	5	54	2	—	—	—	—	—	—	—	—
Typhus		112	1	8	5	7	4	29	7	6	13	12	13	5	9	9	—
Diarrhoea & Dysentery		231	153	19	6	1	3	187	2	—	—	1	3	2	2	2	—
Cholera		7	1	—	—	—	—	1	—	—	—	—	—	—	2	2	—
Other Zymotic Dis.		96	6	9	7	8	1	31	6	6	3	1	8	9	7	8	—
Cancer		46	—	—	—	—	1	1	—	—	—	—	—	2	7	11	—
Scrofula and Tubes		75	23	8	5	6	1	43	12	7	1	2	3	1	5	—	—
Phthisis		536	7	6	5	6	2	26	10	10	40	67	144	116	71	—	—
Hydrocephalus		73	27	14	8	6	6	61	11	—	—	—	—	1	—	—	—
Dis. of Brain		696	196	50	19	14	10	269	22	10	10	9	22	25	59	75	—
Dis. of Heart & Dropsy		324	6	1	—	1	2	10	5	1	6	3	15	28	49	77	—
Dis. of Lungs		793	200	72	31	17	7	327	12	5	10	3	20	39	58	106	—
Dis. of Stom. and Liver		232	23	1	2	—	—	28	6	3	7	8	10	26	44	43	—
Dis. of Kidneys		118	—	—	1	—	—	1	1	2	2	1	5	8	15	29	—
Dis. of Gener. Organs		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		28	—	—	—	1	—	1	1	4	2	4	2	2	2	4	—
Dis. of Skin		10	2	—	1	—	1	4	—	—	1	—	—	—	1	1	—
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		23	—	—	—	—	—	—	—	—	1	1	4	6	6	3	—
Other Violent Deaths		134	20	9	4	—	4	57	4	7	6	10	11	21	15	24	—
Other Causes		955	443	40	15	5	2	603	3	1	1	5	7	11	16	22	—
345.—TEWKESBURY.																	
Mean Popul ⁿ , 1861-71		7153	206	180	203	193	197	979	905	853	667	497	841	761	679	515	321
TOTAL DEATHS		1467	326	84	40	31	21	502	50	32	29	47	72	66	90	133	138
Small-pox		21	8	1	3	2	2	11	3	1	1	—	1	3	—	1	—
Measles		15	1	3	5	3	1	13	1	—	—	—	—	1	—	—	—
Scarlatina		21	1	2	3	3	5	14	6	1	—	—	—	—	—	—	—
Diphtheria		10	2	2	—	2	1	7	1	1	—	—	—	—	—	—	—
Whooping-cough		13	7	2	2	1	—	12	1	—	—	—	—	—	—	—	—
Typhus		51	2	2	2	4	1	11	7	7	2	5	5	—	5	2	—
Diarrhoea & Dysentery		57	27	10	3	—	—	40	1	—	1	—	—	1	—	1	—
Cholera		1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Other Zymotic Dis.		30	4	6	2	—	3	15	3	1	2	—	—	2	3	1	—
Cancer		23	—	—	—	—	1	1	1	—	—	2	2	—	2	8	—
Scrofula and Tubes		28	10	8	1	2	—	21	2	1	1	1	2	—	—	—	—
Phthisis		138	5	1	1	2	1	10	1	4	7	19	50	21	19	15	—
Hydrocephalus		13	3	3	—	3	1	10	3	—	—	—	—	—	—	—	—
Dis. of Brain		198	41	2	2	3	—	48	5	4	3	2	6	7	9	24	—
Dis. of Heart & Dropsy		107	—	—	1	—	—	1	2	2	2	2	5	7	11	29	—
Dis. of Lungs		297	51	22	6	1	1	81	5	2	—	4	7	9	10	28	—
Dis. of Stom. and Liver		60	11	2	3	—	2	18	—	1	1	2	3	3	7	9	—
Dis. of Kidneys		33	—	—	—	—	—	—	—	—	1	—	1	4	8	4	—
Dis. of Gener. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		9	—	1	—	—	—	1	1	—	1	—	—	2	1	—	—
Dis. of Skin		7	1	—	1	—	—	2	—	—	—	—	1	—	—	1	—
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		77	5	4	4	1	2	16	8	4	5	8	9	5	6	8	—
Other Violent Deaths		237	153	13	1	4	—	170	1	3	2	—	—	1	6	11	—
Other Causes		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
346.—LEDBURY.																	
Mean Popul ⁿ , 1861-71		7099	167	177	169	169	157	839	827	760	705	591	978	800	687	488	295
TOTAL DEATHS		1266	234	67	30	32	19	382	32	22	25	28	78	68	114	144	196
Small-pox		2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Measles		11	2	2	3	1	—	8	2	1	—	—	—	—	—	—	—
Scarlatina		49	1	5	7	12	5	30	10	6	1	—	1	—	—	1	—
Diphtheria		9	1	—	—	4	—	5	1	—	2	—	—	—	—	—	—
Whooping-cough		20	9	7	4	—	—	20	—	—	—	—	—	—	—	—	—
Typhus		26	2	2	1	1	2	8	3	2	1	1	1	4	3	—	—
Diarrhoea & Dysentery		19	11	5	1	—	—	17	—	—	—	—	—	—	—	—	—
Cholera		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		12	1	—	—	2	—	3	—	—	—	—	1	—	2	2	—
Cancer		10	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Scrofula and Tubes		18	2	—	—	—	—	2	—	2	—	1	3	1	8	2	—
Phthisis		101	1	2	1	2	—	6	2	1	11	12	24	17	14	11	—
Hydrocephalus		16	4	9	2	—	—	15	—	—	1	—	—	—	—	—	—
Dis. of Brain		150	24	5	1	3	1	44	—	1	1	4	6	5	21	28	—
Dis. of Heart & Dropsy		124	5	1	1	1	1	9	—	2	1	1	5	11	22	27	—
Dis. of Lungs		174	28	16	2	2	5	63	1	1	3	4	11	6	20	23	—
Dis. of Stom. and Liver		51	10	2	—	—	—	12	4	—	2	1	8	9	3	6	—
Dis. of Kidneys		25	—	—	1	—	—	1	1	—	—	—	1	2	8	3	—
Dis. of Gener. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		5	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Dis. of Skin		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		61	3	—	4	1	3	11	5	4	1	—	2	1	5	1	—
Other Causes		369	110	11	2	2	2	127	2	—	—	—	—	—	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.	
		1 Year.					Years.												
344.—CHELTENHAM.																			
Popul ⁿ , 1-71	29665	621	544	566	538	523	2792	2606	2685	3207	3219	4677	3563	2928	2142	1296	475	75	
DEATHS -	5093	858	279	151	110	68	1466	148	98	145	150	304	353	370	520	680	658	301	
- - -	29	8	3	4	4	1	90	2	2	1	1	2	1	-	-	-	-	-	
- - -	79	9	27	20	12	4	72	4	-	2	-	1	-	-	-	-	-	-	
- - -	121	8	13	23	22	21	87	27	-	4	1	1	1	-	-	-	-	-	
- - -	19	2	4	-	3	2	11	4	2	-	-	-	1	-	1	-	-	-	
- - -	86	22	22	13	3	1	61	4	-	1	-	-	-	-	-	-	-	-	
- - -	122	2	5	2	2	4	15	17	14	14	8	12	9	10	10	9	3	1	
& Dysentery	177	102	14	4	2	1	123	4	-	-	-	1	3	7	4	14	15	6	
- - -	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
otie Dis.	83	8	6	9	7	3	33	8	4	6	3	4	1	7	7	3	6	1	
- - -	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ad Tubes	71	15	8	3	1	2	29	4	11	9	1	6	22	47	63	32	15	4	
- - -	532	5	6	2	4	2	19	13	17	63	83	136	113	50	20	10	2	-	
alus	51	17	14	3	6	3	43	2	5	1	-	-	-	-	-	-	-	-	
in	658	144	32	18	7	7	308	25	13	13	6	28	25	44	83	100	102	11	
art & Dropay	453	4	7	-	-	-	7	8	9	10	8	22	27	60	86	131	78	11	
ugs	809	131	77	29	24	11	272	10	8	9	14	24	29	59	115	173	113	31	
m. and Liver	307	13	3	1	-	-	17	5	3	3	9	22	27	47	69	67	33	3	
- - -	51	-	-	-	-	-	-	-	-	1	3	4	10	4	11	12	4	2	
er. Organs	40	-	-	-	-	-	-	-	-	-	1	4	16	8	5	4	2	-	
inta	17	-	-	1	-	-	1	-	1	2	-	-	2	2	3	4	2	-	
in	18	2	1	1	1	-	5	-	-	-	-	-	2	1	1	5	3	-	
- - -	42	-	-	-	-	-	-	-	-	3	8	19	18	1	-	-	-	-	
- - -	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	
ent Deaths	80	14	7	5	5	2	33	4	6	-	2	2	8	3	5	6	6	5	
ses	1005	351	36	13	3	4	409	7	2	3	5	9	15	14	34	108	271	126	

345.—TEWKESBURY.																		
Popul ⁿ , 1-71	7445	192	175	181	181	173	902	885	785	657	605	1004	860	686	504	354	170	33
DEATHS -	1419	241	76	44	25	19	405	40	32	57	47	75	97	77	110	174	193	106
- - -	12	3	1	2	-	2	8	2	-	-	-	-	-	-	1	1	-	-
- - -	15	2	6	5	-	-	15	1	-	-	-	-	-	-	-	-	-	-
- - -	32	3	5	4	4	5	21	8	1	-	1	1	-	-	-	-	-	-
- - -	7	-	1	-	1	-	2	2	1	-	-	-	-	-	1	-	-	-
- - -	18	6	7	1	2	-	16	2	-	-	-	-	-	-	-	-	-	-
- - -	46	2	4	3	-	-	7	7	5	4	1	4	3	2	2	5	5	1
- - -	58	12	3	7	-	-	22	1	1	-	1	1	-	-	-	1	4	6
- - -	6	1	1	-	-	-	5	-	-	1	-	-	1	-	-	-	-	-
- - -	40	6	2	4	3	3	18	3	4	2	-	2	-	1	1	3	4	2
- - -	50	-	-	1	-	-	1	-	-	-	-	2	10	9	14	7	6	1
- - -	31	13	7	-	1	-	21	2	1	3	1	2	2	1	-	-	-	-
- - -	174	4	1	2	2	2	11	5	7	19	20	32	36	17	15	2	-	-
- - -	18	6	3	4	1	2	16	1	1	-	-	-	-	-	-	-	-	-
- - -	170	43	3	4	3	-	53	2	4	6	6	6	3	11	18	30	24	7
- - -	120	-	-	-	-	-	1	1	2	1	2	5	11	11	23	37	21	5
- - -	181	29	16	6	2	3	56	2	1	2	1	5	7	6	14	42	35	10
- - -	83	10	3	-	-	-	13	2	2	3	5	5	9	5	13	10	14	2
- - -	7	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	-	-
- - -	7	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	-	-
- - -	6	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	1	-
- - -	23	-	-	-	-	-	-	-	-	2	3	6	11	1	-	-	-	-
- - -	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
- - -	17	1	-	2	-	1	4	2	-	1	1	-	-	1	1	3	3	1
- - -	395	98	15	1	2	1	117	1	1	-	2	1	4	4	4	20	76	72

346.—LEDBURY.																		
Popul ⁿ , 1-71	6893	163	171	176	162	172	844	798	737	626	552	930	770	674	480	313	138	31
DEATHS -	1171	211	60	28	22	13	334	48	22	42	38	73	72	73	98	157	145	69
- - -	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
- - -	12	1	3	1	2	-	9	2	-	-	2	-	-	-	-	-	-	-
- - -	24	1	1	3	3	6	14	7	-	2	1	-	-	-	-	-	-	-
- - -	16	1	1	2	2	2	8	6	1	1	-	-	-	-	-	-	-	-
- - -	13	6	3	5	1	-	13	-	-	-	-	-	-	-	-	-	-	-
- - -	30	1	1	1	2	-	5	3	3	7	6	3	2	1	-	-	-	-
- - -	15	9	1	1	-	-	11	-	-	-	1	-	-	-	1	1	1	-
- - -	21	5	2	1	1	1	10	1	2	1	2	1	-	1	-	3	-	-
- - -	26	-	-	-	-	-	-	1	-	-	-	2	2	1	9	2	2	-
- - -	14	-	-	1	1	-	2	-	2	-	2	2	3	2	9	1	-	-
- - -	129	4	1	-	1	-	16	8	4	18	14	31	21	6	1	7	4	1
- - -	15	5	4	-	2	1	12	-	1	1	-	-	-	-	-	-	-	-
- - -	123	28	6	3	3	-	40	6	1	5	2	9	3	10	15	21	9	5
- - -	116	-	-	-	-	-	-	-	-	1	1	2	14	12	23	32	20	4
- - -	151	49	19	7	2	1	62	4	4	-	3	7	4	12	12	29	15	2
- - -	62	15	-	-	1	1	17	1	-	1	1	1	4	9	9	7	1	-
- - -	9	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-
- - -	7	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	-
- - -	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
- - -	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
- - -	30	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-
- - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	20	-	6	1	1	-	8	5	-	1	1	-	-	-	-	-	-	-
- - -	348	94	9	4	-	1	108	2	2	-	-	1	1	2	7	10	64	68

MEAN

1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
		347.—ROSS.															
Mean Popul ⁿ , 1861-71	8188	234	206	203	217	227	1087	953	909	794	624	1052	911	785	592	341	
TOTAL DEATHS-	1652	359	90	48	25	27	544	46	31	38	50	81	105	111	177	218	
Small-pox	11	-	1	1	-	1	8	1	-	-	2	-	2	-	2	1	
Measles	16	3	6	2	2	-	13	2	-	-	1	-	-	-	-	-	
Scarlatina	67	4	5	8	7	9	33	17	1	2	-	2	1	-	1	-	
Diphtheria	16	2	5	1	2	2	12	8	-	-	-	-	-	-	-	1	
Whooping-cough	19	10	6	2	1	-	19	-	-	-	-	-	-	-	-	-	
Typhus	48	4	3	1	2	2	12	2	2	7	1	6	5	3	4	4	
Diarrhoea & Dysentery	22	13	8	-	-	-	16	-	-	-	-	-	-	-	-	-	
Cholera	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	45	11	5	2	3	1	22	1	4	2	1	1	2	5	9	3	
Cancer	18	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	16	2	2	3	-	-	7	1	3	2	-	2	1	-	-	-	
Phtisis	140	3	2	-	-	-	5	2	4	6	21	32	19	23	16	24	
Hydrocephalus	16	7	5	2	-	-	14	1	1	-	-	-	-	-	-	-	
Dis. of Brain	209	46	12	3	1	1	63	2	2	2	8	10	14	15	29	41	
Dis. of Heart & Dropsy	163	4	1	-	1	1	7	5	3	4	8	5	10	17	34	6	
Dis. of Lungs	215	51	21	7	2	5	85	3	2	3	3	3	10	13	36	7	
Dis. of Stom. and Liver	83	13	4	2	1	1	21	-	-	2	4	3	10	19	13	11	
Dis. of Kidneys	34	-	-	-	-	-	-	-	-	1	1	2	7	10	3	1	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	8	-	-	-	-	-	-	1	2	-	1	1	1	-	2	-	
Dis. of Skin	7	3	-	-	-	-	8	1	-	-	-	-	-	-	1	1	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	11	-	-	-	-	-	-	-	-	1	2	2	1	3	1	1	
Other Violent Deaths	77	5	2	6	2	2	17	3	4	3	4	8	17	5	7	6	
Other Causes	419	176	7	3	1	2	189	2	2	2	2	3	4	4	23	49	

348.—HEREFORD.

Mean Popul ⁿ , 1861-71		20281	520	481	513	492	507	2513	2330	2156	1906	1581	2835	2360	1936	1407	876
TOTAL DEATHS		4440	904	193	95	58	55	1305	166	81	89	140	279	346	394	451	532
Small-pox		57	10	2	3	1	-	16	2	-	-	6	5	2	4	2	-
Measles		59	5	13	9	2	3	31	6	1	-	1	1	-	-	-	-
Scarlatina		129	6	13	18	17	15	70	43	5	3	2	4	2	-	-	-
Diphtheria		29	5	-	2	2	4	13	10	3	1	1	-	-	-	1	-
Whooping-cough		61	27	18	7	3	-	65	5	1	-	-	-	-	-	-	-
Typhus		92	4	1	3	3	2	13	7	6	7	10	11	12	11	6	4
Diarrhoea & Dysentery		114	71	9	4	-	-	84	3	-	-	-	-	-	2	6	1
Cholera		3	2	-	1	-	-	5	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		100	7	6	3	5	6	27	11	3	5	6	7	7	9	10	11
Cancer		33	-	-	-	1	-	1	1	1	-	-	1	4	4	10	1
Scrophula and Tuberc.		54	15	3	1	1	1	21	5	3	3	2	6	4	3	5	1
Phtisis		550	16	11	11	2	5	45	10	13	29	58	123	111	92	50	11
Hydrocephalus		19	7	4	1	-	2	14	5	-	-	-	-	-	-	-	-
Dis. of Brain		589	203	24	10	5	4	245	9	6	7	6	22	24	50	61	81
Dis. of Heart & Dropsy		441	3	3	-	1	1	8	4	6	6	9	15	44	37	98	13
Dis. of Lungs		508	140	44	9	4	3	209	13	3	7	9	22	24	50	78	106
Dis. of Stom. and Liver		167	28	6	-	1	1	36	8	3	2	10	4	26	24	32	35
Dis. of Kidneys		87	-	-	-	-	-	-	-	2	1	2	4	12	26	17	11
Dis. of Genes. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		29	1	1	-	-	1	3	2	1	1	1	2	5	1	2	1
Dis. of Skin		12	3	1	-	-	-	4	-	-	-	-	-	2	1	1	2
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		18	-	-	-	-	-	-	-	-	-	1	1	6	2	4	4
Other Violent Deaths		243	7	6	6	6	4	29	18	30	15	14	37	33	29	31	14
Other Causes		985	345	27	7	4	3	386	4	4	3	3	14	18	29	47	124

349.—WREGLY.

Mean Popul ⁿ , 1861-71		4612	125	119	116	111	118	589	552	508	425	327	607	524	449	326	217
TOTAL DEATHS		885	159	24	21	16	19	239	24	11	20	36	37	52	66	106	134
Small-pox		12	-	1	-	-	-	1	-	-	2	3	3	-	-	3	-
Measles		5	-	2	1	-	-	4	1	-	-	-	-	-	-	-	-
Scarlatina		88	3	6	3	4	7	22	12	3	-	-	1	-	-	-	-
Diphtheria		2	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough		3	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-
Typhus		32	-	-	1	2	1	4	1	1	3	4	3	2	4	2	6
Diarrhoea & Dysentery		13	2	1	-	-	-	3	-	-	-	-	-	1	1	-	1
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		22	1	1	-	1	-	3	1	-	-	-	-	1	3	2	1
Cancer		7	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1
Scrophula and Tuberc.		16	5	-	1	-	-	6	-	1	1	3	1	3	-	1	-
Phtisis		73	1	1	-	-	3	5	-	1	7	14	12	10	9	10	1
Hydrocephalus		8	2	-	2	3	1	8	-	-	-	-	-	-	-	-	-
Dis. of Brain		156	68	6	3	1	-	68	2	-	-	1	1	9	8	16	28
Dis. of Heart & Dropsy		92	5	-	-	-	-	6	1	-	-	1	3	7	15	24	2
Dis. of Lungs		78	11	4	2	-	2	19	1	-	-	1	3	5	7	11	1
Dis. of Stom. and Liver		47	3	-	-	1	-	4	-	-	-	2	2	4	10	12	1
Dis. of Kidneys		14	-	-	-	-	-	-	-	-	1	1	1	2	2	3	1
Dis. of Genes. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-
Dis. of Skin		3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		37	1	-	3	1	2	7	-	-	1	-	5	5	1	6	8
Other Causes		221	63	8	4	3	1	74	3	1	-	1	1	2	3	5	13

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 1 Year.	Total under 5 Years.	5-10.	10-15.	15-20.	20-25.	25-35.	35-45.	45-55.	55-65.	65-75.	75-85.	85-95.	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17														
347.—ROSS.																																
Popul ⁿ , 1861-71	8267	211	199	211	202	214	1037	993	886	740	696	1077	920	778	576	359	176	29														
L DEATHS—	1622	323	81	48	31	17	499	55	84	38	54	94	97	96	138	202	217	93														
x - - -	7	4	1	2	-	2	7	-	-	-	-	-	-	-	-	-	-	-														
a - - -	16	-	8	3	1	2	14	1	-	-	-	-	-	-	-	-	-	-														
ria - - -	61	3	11	9	5	4	32	20	6	-	1	-	3	-	-	-	-	-														
g-cough -	37	20	9	3	3	1	36	1	-	-	-	-	-	-	-	-	-	-														
a & Dysentery	28	2	3	1	1	1	8	5	-	-	-	-	-	-	-	-	-	-														
rhotic Dis.	2	-	-	-	-	-	21	-	1	-	-	-	-	-	-	-	-	-														
and Tabes -	31	5	1	3	3	2	14	1	-	-	-	-	-	-	-	-	-	-														
phalus - -	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-														
rain - - -	24	6	2	2	1	-	11	2	2	2	2	1	1	1	1	1	1	1														
eart & Dropsy	159	3	4	2	2	-	11	3	5	18	23	43	23	15	9	2	-	-														
ungs - - -	17	6	3	2	3	1	15	-	1	-	1	-	-	-	-	-	-	-														
tom. and Liver	171	31	10	5	3	1	50	1	7	5	5	4	7	8	21	39	23	5														
Idneys - -	180	3	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-														
ener. Organs -	181	39	15	8	3	-	65	5	1	1	1	6	13	8	16	34	29	2														
oints - - -	76	10	1	-	-	1	12	4	2	2	2	1	5	10	15	13	8	3														
kin - - -	13	-	-	-	1	-	1	-	-	2	2	4	1	2	2	1	1	1														
th and Metria	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-														
olent Deaths -	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-														
uses - - -	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-														
th and Metria	32	-	-	-	-	-	-	-	-	-	3	18	9	2	-	-	-	-														
olent Deaths -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-														
uses - - -	23	1	3	3	3	3	10	1	-	1	-	-	2	1	1	3	4	1														
uses - - -	427	108	8	1	3	3	180	1	2	-	1	1	2	5	6	43	107	79														
348.—HEREFORD.																																
Popul ⁿ , 1861-71	20649	513	503	536	508	495	2555	2317	2092	1883	1766	2909	2367	1927	1401	926	411	95														
L DEATHS—	4107	757	183	105	68	55	1168	128	76	108	117	288	293	304	553	524	497	221														
x - - -	32	4	1	2	5	1	12	2	2	3	3	4	3	1	-	-	-	-														
a - - -	22	7	10	2	2	1	22	5	-	-	-	-	-	-	-	-	-	-														
ria - - -	148	4	21	21	15	-	82	44	8	4	4	3	1	1	1	1	1	1														
g-cough -	24	1	-	2	2	3	8	6	4	1	1	1	2	-	-	-	-	-														
a & Dysentery	60	23	16	7	7	2	55	2	1	2	-	-	-	-	-	-	-	-														
rhotic Dis.	108	5	6	5	2	3	21	6	1	9	6	12	10	12	10	16	5	2														
and Tabes -	71	39	5	1	1	-	46	-	1	-	-	-	3	2	1	5	10	2														
phalus - -	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-														
rain - - -	81	12	7	4	2	4	29	3	2	1	1	4	5	11	6	14	4	1														
eart & Dropsy	159	-	-	-	-	-	-	-	1	1	-	2	22	34	48	39	11	1														
ungs - - -	39	19	6	2	2	-	29	7	2	3	3	7	3	5	-	-	-	-														
tom. and Liver	557	22	17	8	6	3	66	11	25	46	65	163	98	67	32	13	1	-														
Idneys - -	23	8	7	2	1	1	19	-	4	-	-	-	-	-	-	-	-	-														
ener. Organs -	464	159	12	6	2	3	182	8	7	9	7	13	15	35	56	63	60	9														
oints - - -	367	5	2	2	1	2	12	3	4	4	8	15	30	30	84	112	60	6														
kin - - -	432	95	42	17	4	8	166	8	6	1	4	11	24	28	32	72	66	14														
th and Metria	216	21	1	5	3	2	32	4	5	7	8	16	20	30	34	19	4	4														
olent Deaths -	80	-	-	2	-	-	2	-	-	-	-	5	3	3	11	2	2	2														
uses - - -	23	-	-	-	-	-	-	-	1	-	-	1	6	5	7	2	1	1														
th and Metria	15	5	2	-	-	-	7	2	1	2	2	-	1	1	-	3	-	1														
olent Deaths -	67	-	-	-	-	-	-	-	3	3	3	36	25	2	3	4	-	-														
uses - - -	14	-	-	-	-	-	-	-	1	1	1	1	1	2	3	4	5	1														
th and Metria	69	8	4	6	3	4	25	9	2	6	1	2	1	2	5	7	5	1														
olent Deaths -	1032	319	24	11	4	4	502	7	1	4	5	10	16	15	33	137	263	179														
349.—WEOBLY.																																
Popul ⁿ , 1861-71	4412	112	112	113	105	117	559	544	465	359	347	552	511	414	334	209	97	21														
L DEATHS—	727	142	26	14	14	13	209	28	16	24	23	46	38	46	55	89	105	48														
x - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-														
a - - -	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-														
ria - - -	33	1	3	1	5	4	14	9	4	3	2	1	-	-	-	-	-	-														
g-cough -	6	-	-	-	-	2	5	-	2	1	-	-	-	-	-	-	-	-														
a & Dysentery	4	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-														
rhotic Dis.	19	-	-	1	-	-	1	1	2	3	3	-	1	4	1	8	-	-														
and Tabes -	8	2	2	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-														
phalus - -	11	1																														

1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
		350.—BROMYARD.															
Mean Popul ⁿ , 1861-71	6136	159	145	158	148	152	762	696	670	585	493	795	676	585	442	271	
TOTAL DEATHS	1170	254	48	22	10	17	351	37	20	29	27	57	61	82	113	196	
Small-pox	9	-	-	-	-	-	6	-	-	-	-	4	2	3	-	-	
Measles	6	4	1	-	1	-	23	1	-	-	-	-	-	-	-	-	
Scarlatina	29	2	2	4	2	3	13	12	2	-	1	1	-	-	-	-	
Diphtheria	5	-	1	-	-	2	5	-	-	-	-	2	-	-	-	-	
Whooping-cough	5	1	3	1	-	-	5	-	-	-	-	-	-	-	-	-	
Typhus	25	2	1	-	-	-	3	2	1	3	1	1	2	2	5	1	
Diarrhoea & Dysentery	12	4	4	-	-	1	11	-	-	-	-	-	-	-	-	-	
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	27	2	1	1	-	1	5	2	1	1	1	1	-	3	5	5	
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	22	15	2	-	-	1	18	-	1	1	1	1	-	-	4	2	
Phthisis	68	-	-	-	-	-	10	1	2	10	9	13	12	8	4	9	
Hydrocephalus	11	8	-	-	-	2	10	-	-	1	-	-	-	-	-	-	
Dis. of Brain	163	33	7	-	1	1	48	5	1	1	2	11	6	11	18	20	
Dis. of Heart & Dropsy	75	2	-	-	-	-	2	1	2	2	1	2	7	11	11	20	
Dis. of Lungs	131	23	10	4	2	-	39	2	-	1	2	5	5	11	23	29	
Dis. of Stom. and Liver	63	7	1	1	-	-	9	3	-	1	1	1	6	9	14	9	
Dis. of Kidneys	26	-	-	-	-	1	1	3	1	-	1	1	-	1	2	20	
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	5	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	
Dis. of Skin	5	1	1	-	-	-	2	-	-	1	-	-	-	-	-	2	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	44	-	1	4	1	4	10	1	4	2	1	2	5	7	4	2	
Other Causes	425	144	12	6	3	1	166	5	4	5	5	9	13	16	27	26	
351.—LEOMINSTER.																	
Mean Popul ⁿ , 1861-71	7744	194	185	195	201	211	966	925	875	746	564	981	888	742	553	361	
TOTAL DEATHS	1595	331	67	40	23	18	469	63	33	33	41	94	105	131	183	221	
Small-pox	24	4	1	2	-	-	7	2	1	1	2	5	6	4	1	1	
Measles	24	6	8	5	2	2	23	1	-	-	-	-	-	-	-	-	
Scarlatina	55	2	4	10	9	4	29	18	5	1	-	2	-	-	-	-	
Diphtheria	14	3	-	-	1	-	4	3	3	1	1	1	-	-	-	-	
Whooping-cough	22	11	7	3	1	-	22	-	-	-	-	-	-	-	-	-	
Typhus	75	5	3	6	3	1	18	10	4	3	4	6	9	3	7	7	
Diarrhoea & Dysentery	41	21	3	1	-	-	25	2	1	-	2	-	-	1	3	3	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	53	6	-	1	1	3	11	2	3	3	-	5	2	2	2	2	
Cancer	18	-	-	1	-	-	1	-	-	-	-	1	-	3	7	5	
Scrophula and Tuberc.	26	8	5	-	-	-	13	4	3	1	-	1	1	1	1	1	
Phthisis	119	2	1	-	2	-	5	-	4	5	24	23	24	18	9	8	
Hydrocephalus	12	5	4	3	-	-	12	-	-	-	-	-	-	-	-	-	
Dis. of Brain	202	60	3	1	1	1	66	5	-	1	1	10	9	19	23	43	
Dis. of Heart & Dropsy	133	1	-	-	-	-	1	3	2	5	1	6	11	18	28	23	
Dis. of Lungs	244	53	3	4	-	4	64	3	1	3	1	12	14	20	43	43	
Dis. of Stom. and Liver	79	11	-	-	1	2	14	-	1	1	2	4	12	12	21	9	
Dis. of Kidneys	56	-	-	-	-	-	-	2	-	-	-	2	7	5	5	11	
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
Dis. of Skin	8	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	14	-	-	-	-	-	-	-	-	-	-	3	1	3	3	4	
Other Violent Deaths	62	1	3	1	2	-	7	5	3	6	5	9	7	11	4	3	
Other Causes	351	132	12	2	-	1	147	2	2	2	-	3	1	5	18	22	
352.—LUDLOW.																	
Mean Popul ⁿ , 1861-71	8898	235	211	227	234	195	1102	1036	949	861	722	1200	1000	830	621	408	
TOTAL DEATHS	1908	430	107	35	35	24	631	77	40	32	55	99	100	135	184	263	
Small-pox	7	2	-	-	-	-	2	-	-	-	2	-	-	3	-	-	
Measles	14	1	5	1	1	1	9	3	1	-	-	-	1	-	-	-	
Scarlatina	68	8	12	8	10	8	41	29	5	1	-	1	-	-	-	-	
Diphtheria	20	2	2	1	2	2	9	8	1	-	-	-	-	1	1	-	
Whooping-cough	22	14	5	-	1	1	21	-	1	-	-	-	-	-	-	-	
Typhus	60	-	1	2	1	1	5	7	10	7	3	4	4	1	4	1	
Diarrhoea & Dysentery	82	42	9	1	2	1	55	1	-	1	-	1	1	4	1	-	
Cholera	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	80	4	2	1	2	1	10	4	2	-	3	2	1	5	4	-	
Cancer	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	26	8	1	-	-	-	10	3	-	2	3	1	-	1	4	2	
Phthisis	138	2	1	-	1	-	3	2	3	6	25	28	25	14	17	-	
Hydrocephalus	8	2	5	-	-	-	7	1	-	-	-	-	-	-	-	-	
Dis. of Brain	280	102	14	3	3	2	124	6	4	2	3	6	12	20	24	-	
Dis. of Heart & Dropsy	123	-	1	-	-	1	2	2	1	1	2	4	12	15	21	-	
Dis. of Lungs	351	72	32	12	4	3	123	9	5	4	5	12	13	24	42	-	
Dis. of Stom. and Liver	115	13	3	2	3	-	21	1	2	1	2	4	12	15	20	-	
Dis. of Kidneys	26	-	1	-	-	-	1	1	-	-	2	3	2	3	9	-	
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Dis. of Skin	5	4	-	-	-	-	4	-	-	1	2	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	109	6	3	2	4	1	16	5	9	5	3	12	10	11	12	12	
Other Causes	367	152	11	1	1	1	166	3	2	1	-	5	5	13	13	10	

[.] *Causes of Death in the Ten Years 1861-70.—Females.* 257
 Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--

350.—BROMYARD.

Population	7537	148	155	147	164	142	756	672	630	489	427	756	634	541	396	274	138	24
Deaths	1084	212	50	21	25	10	321	33	28	33	29	67	46	54	92	140	168	64
...	5	2	1	2	3	1	2	1	1	1	1	1	1	1	1	1	1	1
...	11	2	1	2	3	1	9	1	1	1	1	1	1	1	1	1	1	1
...	35	2	5	2	5	3	17	9	5	1	2	1	1	1	1	1	1	1
...	6	1	2	2	2	1	2	2	1	1	1	1	1	1	1	1	1	1
...	15	7	4	3	1	1	15	1	4	2	1	2	2	1	6	4	2	1
...	32	1	2	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1
...	15	8	1	1	1	1	8	1	1	1	1	1	1	1	1	1	1	1
...	19	5	1	1	1	1	6	2	2	1	1	1	1	1	1	1	1	1
...	25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	27	9	3	1	1	1	14	1	1	1	1	1	1	1	1	1	1	1
...	64	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	7	3	1	1	2	1	6	1	1	1	1	1	1	1	1	1	1	1
...	115	35	2	2	1	1	39	1	1	2	1	1	6	12	16	13	15	4
...	73	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1
...	112	16	1	1	2	1	27	1	1	1	2	6	1	6	9	27	27	4
...	71	5	1	1	1	1	8	1	2	1	3	3	5	6	17	12	11	2
...	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	23	2	2	5	1	1	10	1	1	1	1	2	1	2	2	3	2	2
Deaths	322	111	2	4	3	3	145	8	4	3	5	7	7	6	17	50	90	50

351.—LEOMINSTER.

Population	7708	201	185	199	193	179	957	946	813	665	597	1002	856	733	587	372	155	25
Deaths	1556	265	64	36	21	25	409	46	32	58	50	104	91	92	153	231	204	86
...	50	7	1	2	4	1	12	5	3	4	2	2	2	1	1	1	1	1
...	16	3	6	2	1	1	12	2	1	1	1	1	1	1	1	1	1	1
...	42	5	3	6	3	7	24	4	3	1	2	2	1	1	1	1	1	1
...	14	1	3	1	2	2	6	6	2	1	1	1	1	1	1	1	1	1
...	24	16	2	1	2	2	23	1	1	1	1	1	1	1	1	1	1	1
...	94	2	4	2	2	3	13	11	6	14	8	11	7	4	4	9	5	2
...	25	11	3	1	2	2	17	1	1	1	1	1	1	1	1	1	1	1
...	28	3	4	1	1	1	10	3	1	4	1	2	1	1	3	2	2	1
...	59	1	1	1	1	1	1	1	1	1	1	2	10	12	17	13	5	2
...	17	7	3	1	1	1	10	1	1	1	2	1	2	1	1	1	1	1
...	127	1	1	1	1	1	1	1	3	16	19	40	25	15	5	1	1	1
...	10	5	2	2	1	1	10	1	1	1	1	1	1	1	1	1	1	1
...	169	45	7	1	3	1	53	4	2	4	4	3	5	12	21	34	19	5
...	153	3	1	1	1	1	4	1	4	3	4	12	10	10	27	48	22	1
...	194	24	13	10	1	1	59	2	1	2	2	5	7	11	34	42	30	2
...	76	8	1	1	1	1	11	1	1	2	2	4	3	9	23	12	8	1
...	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	20	1	1	1	2	1	6	4	1	1	1	1	1	1	1	1	1	1
Deaths	407	114	13	2	1	2	132	1	1	2	1	8	1	4	14	64	103	73

352.—LUDLOW.

Population	9002	250	216	221	217	218	1122	1035	973	846	756	1201	952	828	600	438	215	36
Deaths	1750	345	84	46	34	19	528	63	34	51	58	103	126	98	137	197	244	106
...	5	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1
...	16	6	3	3	1	1	14	1	1	1	1	1	1	1	1	1	1	1
...	69	3	9	11	13	6	42	21	1	3	1	2	2	1	1	1	1	1
...	15	1	2	1	2	1	4	5	2	1	1	1	1	1	1	1	1	1
...	32	15	11	3	1	1	39	1	1	1	1	1	1	1	1	1	1	1
...	64	2	1	1	1	2	6	6	8	10	5	4	5	3	6	7	4	1
...	75	42	8	2	1	1	53	5	1	1	2	2	2	1	3	3	3	1
...	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	22	1	2	3	1	1	7	3	2	1	1	1	1	1	1	1	1	1
...	45	1	1	1	1	1	1	1	1	1	1	2	11	7	11	8	4	1
...	10	4	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1
...	134	1	1	1	1	1	4	1	4	15	16	45	30	17	5	2	1	1
...	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	229	68	6	7	4	1	89	5	6	5	3	7	9	10	23	32	25	9
...	149	59	28	8	5	2	102	2	1	1	1	4	7	15	27	52	58	2
...	96	8	1	1	1	2	11	3	3	5	8	5	13	12	13	13	13	2
...	25	1	1	1	1	1	1	1	1	1	1	2	7	4	4	3	2	1
...	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	33	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
...	27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Deaths	284	127	11	2	2	1	143	4	2	2	2	6	3	2	16	106	244	106

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		353.—CLUN.																
Population, 1861-71	5171	143	142	153	130	127	695	653	579	476	421	659	549	455	337	220	110	17
TOTAL DEATHS	937	187	48	23	14	10	282	38	19	40	34	55	52	42	79	112	137	47
Pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	6	1	1	1	-	-	3	1	1	-	-	-	1	-	-	-	-	-
Erysipelas	23	2	5	3	2	2	14	3	4	-	1	-	1	-	-	-	-	-
Diphtheria	10	1	3	-	-	-	5	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	25	10	4	2	2	3	21	4	-	-	-	-	-	-	-	-	-	-
Measles	26	-	1	1	2	-	4	4	3	5	2	-	4	1	-	2	1	-
Diarrhoea & Dysentery	14	6	-	-	-	-	6	1	-	1	-	-	2	-	-	-	-	-
Zymotic Dis.	25	4	1	2	2	1	10	2	1	1	1	2	-	1	-	6	1	-
Consumption	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophulous and Tuberc.	7	-	1	2	-	-	3	-	-	-	1	-	1	5	10	2	1	-
Phthisis	129	3	3	2	3	-	11	2	3	20	20	31	16	13	11	2	-	-
Hydrocephalus	8	4	3	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Brain	101	35	7	3	1	1	47	4	-	2	-	6	2	6	10	11	10	3
Heart & Dropsy	99	2	1	-	-	-	3	3	3	3	3	4	6	15	19	18	1	-
Lungs	101	23	6	5	2	1	37	1	-	1	1	1	3	4	18	15	19	1
Stomach and Liver	46	7	1	-	-	-	8	2	1	1	-	3	-	3	10	10	6	2
Kidneys	7	-	-	-	-	-	-	1	-	-	-	-	1	-	1	3	1	-
Other Organs	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Joints	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Skin	4	3	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-
Birth and Metris	23	-	-	-	-	-	-	-	-	4	4	5	10	-	-	-	-	-
Violent Deaths	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Unacc.	9	2	1	1	-	-	4	2	-	-	-	-	-	-	-	2	1	-
Total	265	83	9	1	-	1	94	4	-	2	1	1	4	2	6	35	76	40

354.—CHURCH STRETTON.																		
Popul ⁿ , 1861-71	3076	76	72	77	95	80	400	373	333	285	221	421	332	274	212	142	68	15
TOTAL DEATHS	541	66	27	8	12	7	120	15	14	17	17	41	42	26	57	68	83	48
Pox	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Scarlatina	12	-	-	-	-	-	6	3	1	-	1	-	-	-	1	-	-	-
Erysipelas	3	1	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	10	7	3	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Measles	15	-	-	-	-	-	1	-	2	4	1	-	2	-	2	2	1	-
Diarrhoea & Dysentery	9	1	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-
Zymotic Dis.	17	1	2	-	2	2	7	2	2	-	-	-	2	-	2	1	1	-
Consumption	21	-	-	-	-	-	-	-	-	-	-	-	3	7	4	4	2	1
Scrophulous and Tuberc.	7	2	2	-	-	-	4	-	-	1	-	1	-	1	1	1	-	-
Phthisis	61	-	-	1	-	-	1	2	2	7	8	24	8	3	5	1	-	-
Hydrocephalus	7	1	1	1	1	1	5	1	-	1	-	-	-	-	-	-	-	-
Brain	69	15	4	1	2	1	23	3	3	-	2	1	1	1	10	14	9	3
Heart & Dropsy	69	-	-	-	-	-	1	1	1	1	2	2	9	6	11	21	12	2
Lungs	51	12	7	1	3	-	23	-	1	-	1	1	3	2	3	6	12	4
Stomach and Liver	34	-	-	-	-	-	-	-	-	1	1	4	4	3	7	7	7	-
Kidneys	10	-	1	-	-	-	1	-	1	1	-	-	2	2	2	1	-	-
Other Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Joints	6	-	-	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-
Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Birth and Metris	12	-	-	-	-	-	-	-	-	1	-	6	4	1	-	-	-	-
Violent Deaths	15	-	1	2	1	1	5	1	-	-	-	-	2	-	1	1	4	1
Unacc.	102	23	3	-	-	1	27	1	-	-	-	-	1	1	8	11	28	20

355.—CLEOBURY MORTIMER.																		
Popul ⁿ , 1861-71	4034	116	97	108	100	100	521	492	443	335	300	498	435	379	311	209	92	19
TOTAL DEATHS	705	105	33	14	11	10	173	38	20	24	18	45	40	40	61	86	115	45
Pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	11	1	2	-	2	1	6	2	1	1	-	-	-	1	-	-	-	-
Erysipelas	9	1	1	3	-	2	7	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	21	1	2	1	5	1	10	6	2	1	-	1	-	1	-	-	-	-
Whooping-cough	12	9	1	-	-	-	10	2	-	-	-	-	-	-	-	-	-	-
Measles	25	-	1	2	-	-	3	5	4	2	3	1	-	3	-	2	1	-
Diarrhoea & Dysentery	13	2	2	-	-	-	4	1	-	-	-	2	-	1	1	1	3	-
Zymotic Dis.	20	6	1	-	1	-	8	3	1	1	-	-	1	1	-	2	3	-
Consumption	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophulous and Tuberc.	15	2	2	-	1	-	5	1	1	2	2	1	2	2	7	2	2	-
Phthisis	79	2	3	1	-	-	6	3	6	10	6	24	10	6	6	2	-	-
Hydrocephalus	7	-	3	-	1	-	6	1	-	-	-	-	-	-	-	-	-	-
Brain	62	15	4	2	-	1	22	3	1	2	-	3	7	3	7	7	6	1
Heart & Dropsy	30	-	-	-	-	-	1	1	1	-	1	3	3	5	9	15	8	1
Lungs	81	14	6	2	-	1	22	1	1	1	1	3	4	6	6	13	1	1
Stomach and Liver	35	2	-	-	-	-	2	-	-	-	-	1	1	1	1	7	1	-
Kidneys	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other Organs	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin	2	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Birth and Metris	7	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.				Total under 5 Years.									
		1	2	3	4	5-	10-	15-	20-	25-	35-	45-	55-	65-	
356.—BRIDGNORTH.															
Mean Popul ⁿ , 1861-71	7805	206	211	209	183	191	1005	925	893	686	578	992	892	774	566
TOTAL DEATHS	1417	291	93	33	18	21	450	49	22	27	44	63	85	85	147
Small-pox	14	3	6	3	1	-	13	1	-	-	-	-	-	-	-
Measles	35	32	8	5	4	4	24	7	2	-	2	-	-	-	-
Scarlatina	22	1	2	2	1	1	7	11	2	-	1	-	1	-	-
Diphtheria	19	9	6	2	2	-	19	-	5	5	1	-	7	1	4
Whooping-cough	43	1	1	1	1	-	3	6	-	-	-	4	-	-	-
Typhus	53	29	7	-	-	2	33	-	-	-	1	-	-	-	-
Diarrhœa & Dysentery	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Cholera	37	3	3	3	2	5	16	1	2	1	2	1	1	1	4
Other Zymotic Dis.	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	16	6	1	-	-	1	8	1	-	1	1	2	-	-	1
Scrophula and Tabes	132	1	1	1	-	-	3	1	2	1	28	25	25	20	11
Phthisis	22	12	6	2	-	-	20	2	-	-	-	-	-	-	-
Hydrocephalus	190	84	8	-	8	1	46	3	3	-	1	4	11	14	20
Dis. of Brain	143	3	-	1	-	1	5	2	-	2	1	7	7	15	25
Dis. of Heart & Dropsy	351	59	24	7	2	3	95	1	2	3	1	5	11	13	22
Dis. of Lungs	95	14	4	1	-	-	29	3	1	2	-	5	8	9	15
Dis. of Stom. and Liver	29	-	-	-	-	1	1	1	-	-	-	2	-	3	8
Dis. of Kidneys	7	-	-	-	-	-	1	-	-	-	-	-	-	-	4
Dis. of Genes. Organs	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metria	68	9	6	3	-	1	12	6	3	3	6	6	6	4	10
Suicide	215	111	10	2	1	-	124	3	-	1	-	1	4	2	11
Other Violent Deaths	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
357.—SHIFFNAL.															
Mean Popul ⁿ , 1861-71	6075	177	167	150	173	167	834	748	665	574	462	806	686	572	402
TOTAL DEATHS	1263	323	78	41	24	20	486	48	22	32	34	71	65	86	137
Small-pox	7	3	-	1	-	-	4	1	-	-	-	-	-	1	-
Measles	12	1	3	2	1	1	8	2	2	-	-	-	-	-	-
Scarlatina	30	1	5	4	2	6	18	8	3	-	1	-	-	-	-
Diphtheria	15	1	3	3	-	-	7	4	2	-	-	-	-	1	1
Whooping-cough	17	10	3	3	1	-	17	-	-	-	-	-	-	-	-
Typhus	31	1	2	1	2	7	9	2	2	3	5	-	-	-	1
Diarrhœa & Dysentery	76	57	11	1	1	1	51	-	1	-	-	-	1	7	3
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-
Other Zymotic Dis.	21	4	2	4	1	1	12	3	1	-	-	1	-	1	2
Cancer	13	-	-	-	-	-	-	-	-	-	1	2	-	1	5
Scrophula and Tabes	21	6	3	1	3	1	14	2	-	2	1	-	-	1	-
Phthisis	113	5	2	2	1	-	8	2	3	10	18	20	21	14	6
Hydrocephalus	13	7	-	1	1	1	10	2	1	-	-	-	-	-	-
Dis. of Brain	141	46	8	5	4	1	64	2	1	2	1	6	3	13	19
Dis. of Heart & Dropsy	87	1	1	-	-	-	2	2	-	2	-	4	8	8	20
Dis. of Lungs	220	77	26	10	4	4	121	3	1	1	6	9	19	19	25
Dis. of Stom. and Liver	68	13	2	1	-	-	14	1	-	1	1	2	2	5	18
Dis. of Kidneys	20	1	-	-	1	-	2	-	-	-	-	-	2	1	7
Dis. of Genes. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	1	1	-	-	-	-	1	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	8	-	-	-	-	-	-	-	-	-	-	1	-	-	3
Suicide	88	4	3	2	3	2	14	4	4	11	6	10	17	7	11
Other Violent Deaths	235	106	4	-	-	-	110	2	-	1	2	4	1	5	21
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
358.—MADELEY.															
Mean Popul ⁿ , 1861-71	15293	469	435	431	423	423	2181	1971	1701	1566	1297	2041	1631	1276	961
TOTAL DEATHS	3440	996	292	113	89	54	1544	123	94	91	94	167	157	225	304
Small-pox	50	8	3	-	2	1	9	1	2	4	-	3	-	3	-
Measles	80	18	33	15	7	3	76	3	-	-	1	-	-	-	-
Scarlatina	94	14	13	12	20	5	64	23	6	1	-	-	-	-	-
Diphtheria	24	6	7	-	1	4	18	3	1	2	-	-	-	-	-
Whooping-cough	44	23	14	2	3	1	43	1	-	-	-	-	-	-	-
Typhus	121	3	6	5	4	4	22	18	10	14	11	5	7	6	11
Diarrhœa & Dysentery	97	29	15	5	-	1	80	-	-	1	-	-	1	2	5
Cholera	9	1	-	-	-	-	1	-	-	-	-	-	-	-	3
Other Zymotic Dis.	67	13	9	9	6	3	40	8	2	-	1	1	1	3	4
Cancer	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tabes	82	36	30	4	2	1	63	4	2	1	-	3	3	5	10
Phthisis	332	29	17	4	2	3	46	14	14	21	42	4	2	2	3
Hydrocephalus	64	25	14	8	3	4	56	6	3	-	-	65	48	45	27
Dis. of Brain	374	179	26	11	6	4	286	9	4	2	7	10	10	19	32
Dis. of Heart & Dropsy	167	27	3	1	2	1	34	4	5	6	3	11	11	22	45
Dis. of Lungs	512	133	68	15	15	9	269	9	1	5	-	8	14	42	66
Dis. of Stom. and Liver	152	38	9	1	3	1	52	3	3	1	4	4	16	21	28
Dis. of Kidneys	32	1	-	-	1	-	2	-	-	1	-	4	1	4	7
Dis. of Genes. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Suicide	232	5	3	6	10	7	31	13	1	3	28	20	24	24	13
Other Violent Deaths	847	371	20	15	2	2	420	1	3	2	4	26	26	14	13
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX EARTH.	ALL AGES.	AGES OF FEMALES.																			Total under 1 Year.	Total under 5 Years.	5- 10- 15- 20- 25- 35- 45- 55- 65- 75- 85- 95- 100-	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19				
356.—BRIDGNORTH.																								
Popul ⁿ , -71	7880	214	188	208	191	199	1000	910	862	693	633	1086	852	750	570	351	147	26						
EARTH -	1453	261	71	37	31	13	413	53	45	52	40	86	81	87	147	190	184	75						
-	23	3	6	7	1	1	18	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	55	3	11	5	8	2	29	13	5	3	1	3	-	1	-	-	-	-	-	-	-	-	-	-
-	19	2	2	-	3	-	7	7	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
ough	37	18	10	4	5	-	37	-	-	-	-	3	-	2	2	2	7	5	-	-	-	-	-	-
Dysentery	55	1	2	4	-	-	7	7	9	5	8	3	-	2	2	2	7	5	-	-	-	-	-	-
tic Dis.	42	21	2	-	-	-	23	1	-	-	-	1	-	2	1	4	6	2	-	-	-	-	-	-
-	2	1	-	-	-	-	1	1	-	-	-	1	-	2	1	1	2	5	1	-	-	-	-	-
Tabes	37	8	1	4	1	2	16	2	-	-	1	1	-	1	1	4	6	2	-	-	-	-	-	-
-	51	-	-	-	-	-	-	-	-	-	-	1	6	12	11	12	5	1	-	-	-	-	-	-
Tabes	24	7	-	-	-	-	7	1	6	-	1	2	3	1	2	5	2	2	-	-	-	-	-	-
us	146	2	2	1	-	-	5	4	5	28	15	50	23	13	15	2	1	-	-	-	-	-	-	-
-	8	3	2	2	-	-	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	167	37	6	3	1	-	47	3	2	3	2	8	2	10	22	34	27	7	-	-	-	-	-	-
t & Dropsy	134	-	-	-	-	-	1	1	4	3	1	7	6	14	26	32	35	-	-	-	-	-	-	-
and Liver	241	42	16	7	3	4	72	5	6	3	1	2	8	10	20	42	41	21	-	-	-	-	-	-
-	103	16	3	-	-	-	19	-	3	2	5	5	8	10	13	29	18	4	-	-	-	-	-	-
ays	18	-	-	-	-	-	-	-	-	1	-	3	2	1	4	5	1	1	-	-	-	-	-	-
r. Organs	10	-	-	-	-	-	-	-	-	-	-	2	1	5	1	2	2	-	-	-	-	-	-	-
-	7	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	1	-	-	-	-	-	-	-
nd Metria	12	4	-</																					

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
359.—ATCHAM.																		
Mean Popul ⁿ , 1861-71	9211	225	218	233	223	230	1129	1098	1011	828	721	1203	1003	877	654	444	203	40
ALL DEATHS	1596	242	69	29	24	18	382	60	34	60	76	117	76	88	138	197	263	105
Pox	5	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Sc	17	2	4	3	3	—	12	1	3	—	—	—	—	—	—	—	—	—
Tina	39	4	6	1	4	6	20	12	2	1	—	1	—	—	—	—	—	—
Beria	28	—	2	1	2	2	7	11	3	2	—	—	—	1	3	—	—	—
Wing-cough	24	13	6	1	1	1	22	2	—	—	—	—	—	—	—	—	—	—
Sc & Dysentery	40	1	1	—	—	—	2	5	—	6	4	7	2	3	3	2	1	—
Sc	37	11	3	1	—	—	16	—	—	—	—	2	—	—	—	—	—	—
Zymotic Dis.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sc	53	5	1	3	2	3	11	1	2	1	1	1	—	2	4	7	2	1
Sc	48	—	1	—	—	—	—	—	—	—	—	2	—	6	5	17	10	0
Sc and Tabes	16	4	2	1	—	—	—	—	—	4	1	—	—	—	—	—	—	—
Sc	208	3	—	—	1	2	7	2	11	31	40	58	27	21	9	2	—	—
Cephalus	10	2	4	2	1	—	9	—	—	1	—	—	—	—	—	—	—	—
Brain	171	36	8	1	4	2	71	6	2	3	1	7	4	8	16	24	24	6
Heart & Dropsy	129	—	—	—	—	—	1	1	—	—	—	3	5	11	28	39	35	—
Lungs	167	31	15	4	1	—	51	6	1	1	5	8	3	6	25	18	24	7
Stom. and Liver	75	4	1	—	—	1	6	—	—	2	4	8	5	12	12	23	8	—
Kidneys	19	—	—	—	—	—	—	3	—	—	—	1	—	4	5	3	2	1
Gener. Organs	8	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—
Joints	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Skin	2	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Birth and Metris	35	—	—	—	—	—	—	—	—	—	12	14	9	—	—	—	—	—
Violent Deaths	4	—	—	—	—	—	—	—	—	1	—	1	—	1	1	1	—	—
Causes	39	2	5	5	2	1	15	7	1	1	—	3	2	1	1	1	4	—
	438	103	9	4	2	—	118	3	3	2	3	3	4	8	10	59	139	86
360.—SHREWSBURY.																		
Mean Popul ⁿ , 1861-71	14003	347	293	323	309	304	1575	1405	1337	1374	1381	2125	1639	1370	958	584	219	36
ALL DEATHS	3808	612	182	88	72	61	1015	110	56	102	135	255	227	253	290	388	353	118
Pox	37	3	4	5	4	4	29	7	1	—	1	3	3	2	—	—	—	—
Sc	57	12	18	10	4	3	47	5	1	—	—	1	—	—	—	—	—	—
Tina	88	6	12	14	13	61	21	3	1	1	—	—	—	—	—	—	—	—
Beria	21	1	3	3	2	5	14	1	1	1	1	1	2	—	—	—	—	—
Wing-cough	44	15	11	9	4	5	43	1	—	—	—	—	—	—	—	—	—	—
Sc & Dysentery	112	2	3	4	1	1	13	12	9	15	10	13	12	10	7	8	5	—
Sc	139	86	18	3	—	2	108	2	—	—	3	3	5	1	4	13	12	3
Zymotic Dis.	47	6	3	1	3	4	17	7	5	1	3	1	2	3	4	2	2	—
Sc	103	—	—	—	—	1	1	—	1	—	—	5	5	24	29	24	8	1
Sc and Tabes	37	11	5	—	—	—	10	4	1	3	2	5	5	1	—	—	—	—
Sc	403	4	1	2	1	1	9	9	14	50	65	107	70	40	27	6	—	—
Cephalus	30	11	5	2	4	2	21	3	1	2	—	—	—	—	—	—	—	—
Brain	476	139	15	7	7	2	170	8	7	4	9	22	38	44	54	46	64	19
Heart & Dropsy	235	12	3	2	4	3	21	8	3	4	5	19	15	32	60	51	30	4
Lungs	471	80	52	19	13	8	174	9	2	3	7	13	14	20	55	90	69	10
Stom. and Liver	178	18	3	—	—	—	21	1	1	4	8	19	14	39	22	29	18	3
Kidneys	23	—	—	—	—	—	—	—	—	3	2	2	3	1	8	6	1	—
Gener. Organs	24	—	—	—	—	—	—	—	—	1	2	3	8	4	4	2	—	—
Joints	13	—	—	—	—	1	1	—	2	—	1	2	—	3	1	1	—	—
Skin	17	5	—	—	—	—	3	—	—	—	2	2	1	—	3	2	—	—
Birth and Metris	44	—	—	—	—	—	—	—	—	3	4	20	15	2	—	—	—	—
Violent Deaths	7	—	—	—	—	—	—	—	—	1	1	2	3	—	—	—	—	—
Causes	613	197	22	6	2	4	231	2	1	3	4	2	6	4	4	22	99	77
361.—OSWESTRY.																		
Mean Popul ⁿ , 1861-71	12527	351	293	344	340	322	1650	1482	1321	1141	1003	1654	1375	1140	910	560	251	41
ALL DEATHS	2598	460	154	72	52	43	781	90	58	87	107	175	172	133	204	283	313	134
Pox	20	7	2	1	2	—	12	2	—	1	1	3	1	—	—	—	—	—
Sc	30	3	11	5	3	3	23	5	—	—	—	—	—	—	—	—	—	—
Tina	97	3	15	15	19	15	67	19	9	1	—	—	1	—	—	—	—	—
Beria	40	2	2	2	3	4	13	16	4	4	1	1	—	1	—	—	—	—
Wing-cough	44	20	16	2	—	4	42	1	1	—	—	—	—	—	—	—	—	—
Sc & Dysentery	91	3	3	7	2	1	16	8	9	5	10	6	11	4	12	6	3	1
Sc	89	4	7	2	3	—	16	1	—	—	1	4	2	3	2	3	1	—
Zymotic Dis.	5	1	—	—	—	—	1	—	—	—	—	2	1	—	—	—	—	—
Sc	40	7	6	5	2	—	20	—	1	1	2	—	1	1	5	4	—	—
Sc	73	—	—	—	—	—	—	1	—	—	—	2	7	20	16	22	5	—
Sc and Tabes	32	10	6	1	1	1	19	3	1	—	3	2	1	—	—	—	—	—
Sc	341	1	2	2	1	1	7	5	19	58	60	78	65	26	12	10	—	—
Cephalus	22	7	5	3	1	1	17	3	2	—	—	—	—	—	—	—	—	—
Brain	493	189	27	3	4	2	225	5	3	4	5	13	11	13	38	34	45	7
Heart & Dropsy	162	2	3	1	—	1	4	1	4	4	4	8	13	23	45	62	29	3
Lungs	289	44	25	11	5	6	89	8	1	3	4	11	13	21	24	35	47	15
Stom. and Liver	183	12	3	2	1	1	19	5	1	3	6	16	12	9	29	27	5	1
Kidneys	28	—	—	1	—	—	1	1	—	—	1	2	4	4	5	2	3	—
Gener. Organs	7	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Joints	4	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Skin	7	2	—	—	—	1	5	—	—	—	—	1	1	—	—	—	—	—
Birth and Metris	47	—	—	—	—	—	—	—	—	—	6	21	18	1	—	—	—	—
Violent Deaths	51	2	4	6	2	1	15	9	1	—	—	2	2	3	—	—	—	—
Causes	512	142	19	3	3	1	168	3	2	—	2	2	2	4	5	11	59	108

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
Mean Populⁿ, 1861-71		7279	189	163	172	178	180	882	850	797	750	543	852	813	720	557	362	136
TOTAL DEATHS		1485	275	53	30	17	19	394	55	33	39	47	102	80	100	140	207	217
Small-pox		1	-	-	-	-	-	14	3	-	-	-	-	-	-	1	-	-
Measles		17	5	0	1	2	-	9	3	-	-	-	-	-	-	-	-	-
Scarlatina		18	-	3	1	4	1	9	3	1	2	1	1	-	-	-	-	-
Diphtheria		32	-	3	1	1	4	9	10	5	4	-	1	3	-	-	-	-
Whooping-cough		19	5	2	2	-	-	12	-	-	-	-	-	-	-	-	-	-
Typhus		51	-	-	1	-	3	4	2	-	7	8	2	3	4	6	7	7
Diarrhoea & Dysentery		28	10	-	-	-	-	10	-	4	-	-	-	1	1	-	-	-
Cholera		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		32	2	-	2	1	-	5	4	-	3	-	1	2	5	6	5	5
Cancer		34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tabes		29	9	4	1	-	1	15	2	2	2	4	1	1	1	5	13	7
Phthisis		162	5	3	-	-	-	8	1	5	8	25	55	23	18	14	5	3
Hydrocephalus		15	6	3	2	-	-	11	3	1	-	-	-	-	-	-	-	-
Dis. of Brain		173	71	4	2	3	1	81	4	4	2	2	3	8	6	11	31	14
Dis. of Heart & Dropsy		113	5	-	-	-	1	6	1	2	1	2	8	5	18	24	27	16
Dis. of Lungs		191	42	17	8	1	2	70	6	-	-	-	6	9	12	24	34	22
Dis. of Stom. and Liver		97	8	-	-	-	2	10	1	1	2	2	9	9	9	17	24	18
Dis. of Kidneys		36	-	-	-	-	-	-	-	1	1	-	2	3	4	9	9	7
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		8	-	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-
Dis. of Skin		3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		79	-	3	6	4	2	15	9	5	5	2	8	8	5	13	14	7
Other Causes		846	104	5	3	1	2	115	4	-	1	-	1	2	7	10	49	22
363 A.—WEM.																		
Mean Populⁿ, 1861-71		5433	162	136	140	128	133	699	652	627	523	388	649	589	536	413	245	103
TOTAL DEATHS		1047	210	55	18	22	11	316	39	24	26	26	53	44	66	110	135	140
Small-pox		6	-	-	-	-	-	15	2	1	1	-	-	-	2	-	1	-
Measles		18	3	7	4	-	1	15	-	-	-	-	-</					

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																					
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—
362.—ELLESMERE.																							
in Popul., 1861-71	7259	187	164	165	172	172	860	867	764	700	589	883	811	679	556	367	159	24					
AL DEATHS	1841	211	68	30	27	13	340	50	28	38	42	94	83	82	109	180	200	77					
-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
les	15	3	5	2	2	1	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
utina	20	-	-	-	-	1	4	7	4	1	-	2	1	-	-	-	-	-	-	-	-	-	-
heria	45	4	2	2	3	1	12	20	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-
ping-cough	19	9	6	2	1	1	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
is	42	1	1	2	3	1	8	4	1	4	7	3	2	2	4	5	2	-	-	-	-	-	-
ona & Dysentery	20	5	2	-	-	-	8	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ra	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.	21	2	2	1	2	1	8	-	-	2	-	2	2	1	1	4	1	-	-	-	-	-	-
r	56	-	-	-	-	-	-	-	-	-	-	2	5	15	12	17	4	1	-	-	-	-	-
ila and Tabes	22	2	4	4	1	-	11	1	3	1	-	1	3	-	-	-	-	-	-	-	-	-	-
sis	175	2	2	2	1	-	5	2	8	19	24	40	33	15	13	7	-	-	-	-	-	-	-
cephalus	11	4	2	2	2	1	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f Brain	151	44	5	2	3	-	54	4	-	5	4	2	5	8	19	20	25	7	-	-	-	-	-
f Heart & Dropsy	112	15	3	1	-	-	19	1	2	1	1	5	3	10	17	33	15	2	-	-	-	-	-
f Lungs	150	32	18	8	4	-	62	1	3	1	-	3	4	11	17	25	20	3	-	-	-	-	-
f Stom. and Liver	67	1	-	1	1	1	4	4	-	-	-	4	9	7	13	10	9	1	-	-	-	-	-
f Kidneys	7	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3	1	-	-	-	-	-	-
f Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
f Joints	7	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	1	-	-	-	-	-	-
f Skin	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
birth and Metria	25	-	-	-	-	-	-	-	-	2	2	12	8	1	-	-	-	-	-	-	-	-	-
is	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
Violent Deaths	19	-	1	2	3	3	9	3	1	-	-	-	3	-	-	1	1	1	-	-	-	-	-
Causes	841	87	13	1	1	1	102	2	1	1	1	4	3	4	8	44	111	60					
363 A.—WEAL.																							
in Popul., 1861-71	5329	130	112	129	134	132	637	635	538	468	405	678	608	532	408	278	120	22					
AL DEATHS	1001	151	41	28	13	15	243	34	24	23	33	66	55	49	92	133	170	71					
-pox	5	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
les	16	3	4	2	1	1	11	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-
utina	17	1	2	4	-	-	7	4	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-
heria	26	2	-	1	2	4	9	9	4	-	-	1	2	-	1	-	-	-	-	-	-	-	-
ping-cough	20	5	6	4	-	3	18	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
is	17	2	-	2	-	-	4	2	3	-	2	-	1	2	-	1	2	-	-	-	-	-	-
ona & Dysentery	27	8	2	2	1	-	13	-	-	-	-	-	-	1	-	8	2	-	-	-	-	-	-
ra	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.	29	3	2	-	1	-	6	2	-	1	-	2	-	1	2	2	3	1	-	-	-	-	-
r	31	-	-	-	-	-	-	-	-	-	1	1	2	7	6	9	5	2	-	-	-	-	-
ila and Tabes	15	2	4	2	-	2	10	1	1	-	-	1	2	5	2	1	1	-	-	-	-	-	-
sis	117	-	2	-	-	-	2	3	5	13	20	33	19	7	12	2	1	-	-	-	-	-	-
cephalus	9	4	2	1	-	-	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f Brain	100	18	4	1	-	-	23	2	3	3	1	6	2	9	15	21	20	4	-	-	-	-	-
f Heart & Dropsy	94	5	-	-	-	-	5	1	-	2	-	2	2	7	27	22	17	2	-	-	-	-	-
f Lungs	125	27	7	8	1	2	45	2	2	-	-	2	2	3	7	26	31	5	-	-	-	-	-
f Stom. and Liver	38	1	1	-	-	2	4	1	1	-	2	4	7	4	13	11	10	1	-	-	-	-	-
f Kidneys	9	-	-	-	-	-	-	2	-	1	-	2	1	1	1	-	1	-	-	-	-	-	-
f Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
f Joints	7	-	-	-	-	-	-	-	1	-	-	2	8	-	-	-	-	-	-	-	-	-	-
f Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
birth and Metria	12	-	-	-	-	-	-	-	-	1	3	4	3	1	-	-	-	-	-	-	-	-	-
is	3	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-
Violent Deaths	17	2	3	3	2	1	11	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-
Causes	243	67	3	-	1	-	71	-	-	-	1	3	4	1	3	29	75	33					
363 B.—WHITCHURCH (SALOP).																							
in Popul., 1861-71	5840	162	124	134	148	128	696	671	606	561	489	781	628	539	423	299	127	20					
AL DEATHS	1160	228	41	21	11	14	315	50	25	24	40	77	86	70	94	162	164	53					
-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
les	20	4	5	4	1	-	14	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
utina	24	2	-	2	4	4	12	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
heria	12	1	1	-	-	-	2	5	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
ping-cough	14	6	5	2	-	-	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
is	35	-	1	1	-	-	1	4	4	2	3	4	2	6	4	9	4	1	-	-	-	-	-
ona & Dysentery	46	25	1	1	2	-	29	1	-	-	-	-	3	-	4	4	4	1	-	-	-	-	-
ra	24	2	1	1	-	2	6	2	-	-	1	-	3	1	3	4	4	-	-	-	-	-	-
Zymotic Dis.	46	-	-	-	-	-	-	-	-	-	-	-	-	8	8	9	14	5	-	-	-	-	-
r	11	4	1	1	-	1	6	2	3	9	24	42	31	10	9	2	-	-	-	-	-	-	-
ila and Tabes	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
cephalus	12	-	6	3	-	1	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
f Brain	134	31	1	1	2	1	36	3	1	5	2	3	9	7	16	23	29	4	-	-	-	-	-
f Heart & Dropsy	98	-	-	-	-	-	1	3	1	1	1	10	6	11	16	24	19	2	-	-	-	-	-
f Lungs	113	27	14	3	2	1	47	3	1	-	2	4	5	5	14	19	11	2	-	-	-	-	-
f Stom. and Liver	77	4	-	1	-	-	5	2	3	1	3	5	12	10	11	19	4	2	-	-	-	-	-
f Kidneys	10	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	-	-	-	-	-	-	-
f Gener. Organs	2	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
f Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
birth and Metria	11	-	-	-	-	-	-	-	-	-	2	4	4	-	-	-	-	-	-	-	-	-	-
is	22	1	3	-	-	2	6	6	2	-	3	-	1	2	-	-	-	-	-	-	-	-	-
Violent Deaths	22	1	3	-</																			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 5 Years.															
		1	2	3	4	5	6	10	15	20	25	35	45	55	65		
364.—MARKET DRAYTON.																	
Mean Popul ⁿ , 1861-71	7265	204	197	198	193	186	978	904	800	689	553	896	782	666	529	332	
TOTAL DEATHS	1323	346	71	28	19	13	477	44	28	24	39	68	78	85	122	169	
Small-pox	1	-	-	-	-	-	15	2	1	1	-	-	-	-	-	1	
Measles	19	1	8	9	1	3	11	5	2	1	-	-	-	-	-	-	
Scarlatina	19	2	3	2	2	2	11	5	2	1	-	-	-	-	-	-	
Diphtheria	33	2	1	5	4	1	13	9	6	-	2	1	-	2	-	-	
Whooping-cough	18	9	1	1	1	-	12	-	-	-	-	1	-	-	-	-	
Typhus	21	3	2	-	1	-	6	1	1	2	2	4	-	3	2	-	
Diarrhoea & Dysentery	31	17	3	-	-	-	20	1	-	-	-	1	-	-	-	-	
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	33	9	1	2	2	2	16	2	1	2	1	2	4	-	1	4	
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	34	39	2	-	-	-	22	8	1	3	3	1	1	2	4	2	
Phthisis	132	3	3	1	-	1	9	7	4	8	18	31	23	13	15	6	
Hydrocephalus	13	4	5	1	-	1	11	1	-	1	-	-	-	-	-	-	
Dis. of Brain	182	79	10	3	2	1	95	5	2	6	3	1	6	8	14	16	
Dis. of Heart & Dropsy	90	2	-	-	-	-	2	-	-	2	2	4	6	7	7	25	
Dis. of Lungs	282	67	24	6	3	-	109	2	1	-	1	6	7	15	29	33	
Dis. of Stom. and Liver	95	21	1	3	1	1	27	5	2	-	-	4	8	13	21	23	
Dis. of Kidneys	24	1	1	-	-	-	2	1	-	1	-	2	1	4	4	6	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	
Other Violent Deaths	47	3	3	2	1	-	7	1	5	1	6	3	5	9	5	3	
Other Causes	232	99	5	1	1	1	107	1	1	1	1	2	8	6	12	20	

365.—WELLINGTON (SALOP).																	
Mean Popul ⁿ , 1861-71	12227	413	354	365	335	352	1819	1563	1408	1174	965	1675	1285	1018	761	394	
TOTAL DEATHS	2703	897	215	82	59	45	1238	100	64	67	66	106	129	140	255	243	
Small-pox	19	1	1	3	2	1	8	5	-	3	1	-	-	1	1	-	
Measles	43	11	14	5	4	4	35	3	-	1	-	-	1	-	-	-	
Scarlatina	105	19	18	19	13	11	63	20	6	5	1	-	-	-	-	-	
Diphtheria	13	3	3	1	2	-	11	-	-	2	-	-	-	-	-	-	
Whooping-cough	49	99	6	4	5	3	48	1	-	-	-	-	-	-	-	-	
Typhus	95	17	11	3	1	2	34	10	10	6	8	9	6	1	6	5	
Diarrhoea & Dysentery	126	78	17	6	2	-	103	2	2	-	-	-	1	4	3	3	
Cholera	6	1	1	-	-	-	2	-	1	-	-	-	-	1	2	2	
Other Zymotic Dis.	41	4	8	1	3	4	20	3	-	-	-	1	1	5	6	3	
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	85	29	19	8	-	1	62	2	6	4	2	3	1	1	5	1	
Phthisis	198	11	3	1	1	-	16	6	6	17	28	37	73	94	23	6	
Hydrocephalus	28	12	7	3	3	1	26	1	1	-	-	-	-	-	-	-	
Dis. of Brain	331	176	16	7	5	2	206	7	7	8	4	4	12	20	27	22	
Dis. of Heart & Dropsy	177	82	2	1	1	2	38	4	5	3	3	9	13	14	26	26	
Dis. of Lungs	454	135	47	13	0	8	212	8	4	2	2	13	16	86	61	68	
Dis. of Stom. and Liver	125	17	6	5	-	2	30	3	5	2	4	5	11	16	25	19	
Dis. of Kidneys	42	-	1	-	-	-	1	-	-	1	1	5	2	10	7	7	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Dis. of Skin	15	10	-	-	-	-	10	-	1	-	-	1	-	-	1	1	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	125	4	7	7	8	3	29	12	10	10	8	15	18	7	9	8	
Other Causes	394	246	24	7	3	1	281	5	2	2	4	4	5	7	31	69	

366.—NEWPORT (SALOP).																	
Mean Popul ⁿ , 1861-71	7743	225	205	197	200	214	1041	974	899	759	603	936	815	742	523	311	
TOTAL DEATHS	1425	316	69	27	25	13	450	46	29	35	52	80	86	86	147	189	
Small-pox	4	2	-	-	-	-	2	-	-	-	1	1	-	-	-	-	
Measles	14	3	5	1	2	-	11	2	-	-	-	1	-	-	-	-	
Scarlatina	27	6	2	2	3	2	15	10	-	2	-	-	-	-	-	-	
Diphtheria	10	-	-	1	2	1	4	1	4	-	-	-	-	1	-	-	
Whooping-cough	11	5	3	2	1	-	11	-	-	-	-	-	-	-	-	-	
Typhus	27	2	1	1	1	-	5	1	3	3	4	-	5	2	4	5	
Diarrhoea & Dysentery	43	31	3	1	-	-	35	1	-	-	-	-	-	-	-	-	
Cholera	4	3	-	-	-	-	1	4	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	59	2	3	2	1	1	8	3	1	2	1	1	2	-	2	-	
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	15	8	-	-	1	-	6	2	1	1	1	1	2	1	4	6	
Phthisis	131	5	2	-	-	-	7	4	4	5	20	33	25	18	12	6	
Hydrocephalus	17	8	3	1	1	2	15	1	1	-	-	-	-	-	-	-	
Dis. of Brain	173	66	12	6	5	2	89	6	2	4	2	4	12	8	16	17	
Dis. of Heart & Dropsy	82	1	-	-	1	-	2	-	1	-	1	6	4	10	19	27	
Dis. of Lungs	258	56	16	5	4	1	82	5	2	2	4	9	12	17	36	56	
Dis. of Stom. and Liver	77	7	3	-	1	-	11	2	2	4	1	4	5	14	18	12	
Dis. of Kidneys	54	-	1	-	-	-	1	-	1	-	1	1	1	3	10	8	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	5	1	-	-	-	-	1	-	-	-	-	1	-	-	1	1	
Dis. of Skin	8	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	109	-	3	4	3	2	12	7	7	-	9	15	14	1	15	1	
Other Causes	363	112	12	1	1	1	127	1	-	-	1	1	1	1	1	1	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80-
		364.—MARKET DRAYTON.																
Mean Popul ⁿ , 1861-71	7193	171	162	191	189	170	883	893	716	679	618	970	798	679	501	301	128	27
ALL DEATHS	1261	241	60	40	17	12	370	45	26	30	43	92	74	77	108	163	175	58
Pox	3	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
Sc	23	3	9	7	1	-	20	3	-	-	-	-	-	-	-	-	-	-
Typh	17	-	3	4	2	4	13	1	1	-	-	2	-	-	-	-	-	-
Berria	36	2	1	3	2	5	13	13	4	1	-	3	2	-	-	-	-	-
Whooping-cough	15	11	3	1	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Sc	24	-	1	-	-	-	1	5	2	2	2	1	6	3	1	1	1	1
Sc & Dysentery	20	8	2	-	1	-	11	-	-	-	-	1	1	-	1	2	3	2
Zymotic Dis.	25	2	3	2	-	-	7	-	-	3	2	1	1	3	1	3	3	3
Consumption	33	-	-	-	-	-	-	-	-	-	-	2	1	6	17	4	3	3
Scrophulous	149	14	2	3	2	-	21	1	1	2	2	2	1	6	17	4	3	3
Cerebral	7	3	3	-	1	-	7	-	5	10	18	46	20	10	8	2	1	-
Brain	179	69	9	6	2	1	87	5	3	1	4	3	8	7	10	17	20	5
Heart & Dropsy	122	3	-	1	-	-	4	1	2	4	4	3	10	16	20	41	17	1
Lungs	210	30	13	5	1	-	49	4	1	1	2	6	4	10	18	43	55	19
Stom. and Liver	76	11	-	2	1	-	14	5	-	-	2	4	6	9	17	18	6	1
Kidneys	14	-	-	-	1	-	1	-	-	-	1	5	1	1	2	2	-	-
Gen. Organs	6	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-
Joints	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Skin	21	-	-	-	-	-	-	-	-	-	6	11	4	-	-	-	-	-
Birth and Metris	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	17	1	1	2	2	1	7	5	-	1	-	1	1	1	3	-	-	-
Causes	236	77	7	3	1	-	88	1	4	1	-	2	2	1	7	28	57	30

365.—WELLINGTON (SALOP).																		
Mean Popul ⁿ , 1861-71	12302	394	355	361	345	359	1814	1578	1385	1119	997	1686	1280	1000	771	461	187	24
ALL DEATHS	2588	696	207	91	72	42	1108	103	58	86	65	150	100	113	178	253	233	81
Pox	28	4	1	2	7	2	16	2	3	2	-	-	2	1	1	1	-	-
Sc	39	7	13	6	8	1	35	2	1	1	-	-	-	-	-	-	-	-
Typh	192	8	14	11	12	9	84	25	6	3	1	1	-	-	-	-	-	-
Berria	17	2	3	1	1	2	9	5	2	-	-	-	-	-	1	-	-	-
Whooping-cough	54	27	13	9	4	1	54	2	-	-	-	-	-	-	-	-	-	-
Sc	119	9	13	6	4	10	49	13	7	15	10	12	6	4	2	5	3	3
Sc & Dysentery	101	62	13	4	2	-	81	-	-	-	1	2	2	-	3	7	3	2
Zymotic Dis.	5	2	1	-	-	-	3	-	-	-	1	-	-	-	1	-	-	-
Consumption	51	3	8	7	4	1	23	4	5	5	1	-	2	3	4	9	1	1
Scrophulous	50	-	-	-	1	-	1	1	-	-	-	-	6	11	13	11	6	1
Brain and Tabes	104	56	16	5	3	-	80	5	4	4	2	1	4	2	2	-	-	-
Cerephalus	275	10	3	2	2	-	17	5	11	31	27	71	56	20	27	4	-	-
Brain	8	3	3	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-
Brain	299	137	15	5	6	2	165	9	5	11	3	11	12	7	14	36	21	8
Heart & Dropsy	163	34	1	2	-	1	38	3	2	2	1	5	11	15	35	41	9	1
Lungs	561	112	53	18	9	5	197	10	2	6	6	11	12	16	29	42	54	6
Stom. and Liver	132	21	7	3	3	1	35	2	1	1	4	6	11	20	23	33	6	-
Kidneys	9	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	-	-
Gen. Organs	10	-	-	-	-	-	-	-	-	-	-	-	5	1	4	-	-	-
Joints	2	-	-	-	-	-	-	1	1	-	-	-	-	1	-	3	-	-
Skin	11	3	-	-	-	-	3	-	-	-	-	-	-	-	2	3	-	-
Birth and Metris	47	-	-	-	-	-	-	-	-	1	6	24	15	1	-	-	-	-
Violent Deaths	54	3	4	9	4	4	24	11	3	2	2	2	2	-	1	9	5	2
Causes	533	193	25	1	2	3	225	3	2	1	-	3	11	3	17	71	133	65

366.—NEWPORT (SALOP).																		
Mean Popul ⁿ , 1861-71	7902	214	205	215	211	187	1032	971	904	736	659	1009	843	706	519	342	149	32
ALL DEATHS	1429	263	92	33	26	19	436	51	31	46	51	82	87	90	109	167	196	83
Pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Sc	15	5	4	2	1	2	14	1	-	-	-	-	-	-	-	-	-	-
Typh	44	4	8	5	5	2	24	13	4	1	2	-	-	-	-	-	-	-
Berria	8	-	1	-	-	-	1	6	1	-	-	-	-	-	-	-	-	-
Whooping-cough	20	10	5	2	2	-	19	1	-	-	-	-	-	-	-	-	-	-
Sc	31	1	1	-	-	2	4	5	8	2	5	2	1	1	3	2	1	-
Sc & Dysentery	42	24	9	1	1	-	35	-	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumption	22	2	4	3	3	2	14	1	1	1	-	2	1	-	1	1	-	-
Scrophulous	40	-	-	-	-	-	-	-	-	-	-	-	1	5	8	7	7	1
Brain and Tabes	14	4	2	-	1	1	8	-	-	-	-	2	2	-	-	-	-	-
Cerephalus	179	5	6	1	1	2	13	2	7	22	24	45	34	20	5	-	-	-
Brain	15	6	-	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-
Brain	168	50	18	-	3	3	74	7	4	4	4	1	6	7	10	24	23	4
Heart & Dropsy	89	1	-	1	1	-	5	2	1	2	3	3	2	13	24	30	9	1
Lungs	219	41	21	6	4	1	73	1	1	2	3	9	9	8	30	49	29	5
Stom. and Liver	100	9	4	2	1	1	17	2	-	3	5	7	10	17	18	16	5	-
Kidneys	10	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	-	-
Gen. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin	2	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
Birth and Metris	29	-	-	-	-	-	-	-	-	1	1	-	5	11	-	-	-	-
Violent Deaths	30	1	1	3	1	2	8	3	2	1	2	1	2	2	3	5	5	1
Causes	339	102	8	3	1	1	115	-	1	1	1	2	2	3	2	8	25	17

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—		
367.—STAFFORD.																		
Mean Popul ⁿ , 1861-71	12865	358	305	319	319	311	1612	1455	1303	1233	1156	1914	1506	1183	837	475		
TOTAL DEATHS	3164	638	151	102	57	48	991	90	60	92	133	270	310	302	317	312		
Small-pox	15	3	1	1	-	-	5	1	3	2	1	2	1	-	-	-		
Measles	37	7	13	7	4	3	35	1	1	1	-	-	-	-	-	-		
Scarlatina	111	13	13	20	16	17	79	25	5	1	1	-	-	-	-	-		
Diphtheria	20	1	2	3	1	-	7	6	4	2	-	-	-	-	-	1		
Whooping-cough	59	10	9	7	2	1	29	-	-	-	-	-	-	-	-	-		
Typhus	70	1	2	1	1	1	6	8	7	9	7	5	7	4	10	1		
Diarrhoea & Dysentery	92	63	6	3	-	-	72	1	-	-	1	-	-	-	-	-		
Cholera	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	73	11	7	9	6	2	35	4	7	2	-	3	3	2	7	1		
Cancer	43	-	-	-	-	-	-	-	1	1	-	2	2	11	18	2		
Scrophula and Tubes	44	12	9	3	-	1	25	3	0	2	1	5	5	3	2	-		
Phthisis	371	23	5	5	2	2	35	4	9	36	61	84	71	44	20	1		
Hydrocephalus	29	3	9	4	4	1	21	4	2	-	-	1	-	-	-	-		
Dis. of Brain	714	114	18	3	5	6	149	7	5	9	26	76	153	172	89	38		
Dis. of Heart & Dropsy	164	-	1	-	-	2	3	1	1	2	4	15	12	25	37	38		
Dis. of Lungs	370	105	26	20	8	1	170	4	2	3	7	16	15	26	36	40		
Dis. of Stom. and Liver	134	17	1	2	1	1	22	3	2	5	3	6	20	27	29	12		
Dis. of Kidneys	76	-	-	1	-	-	1	2	1	3	4	9	4	11	13	18		
Dis. of Gen. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	9	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-		
Dis. of Skin	10	3	4	-	-	-	7	-	-	-	1	-	-	1	1	1		
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	20	-	-	-	-	-	-	-	1	1	-	4	4	4	6	8		
Other Violent Deaths	126	8	2	8	2	6	26	10	4	10	9	25	9	12	12	8		
Other Causes	601	239	15	4	2	2	292	5	1	3	6	14	6	29	32	79		

368.—STONE.																		
Mean Popul ⁿ , 1861-71	11329	348	292	320	282	302	1544	1370	1241	1071	904	1551	1293	1006	735	431		
TOTAL DEATHS	2275	546	107	65	45	28	851	82	41	55	74	106	144	161	225	273		
Small-pox	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
Measles	44	9	13	10	6	3	41	3	-	-	-	-	-	-	-	-		
Scarlatina	65	2	13	14	10	6	44	22	1	-	-	1	-	-	-	-		
Diphtheria	18	-	3	2	-	1	6	7	1	1	1	-	2	-	-	-		
Whooping-cough	29	13	7	2	-	1	23	3	-	-	-	-	-	-	-	-		
Typhus	76	3	4	4	3	5	19	6	3	12	6	6	9	4	4	7		
Diarrhoea & Dysentery	74	40	5	1	1	-	56	2	1	-	1	-	1	-	4	3		
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	52	5	5	5	3	6	24	4	1	-	-	1	-	5	6	6		
Cancer	36	-	-	-	-	-	-	-	-	-	-	1	2	7	11	19		
Scrophula and Tuberc.	58	25	15	2	4	-	46	3	1	-	2	2	2	2	-	-		
Phthisis	294	10	6	2	1	-	19	3	10	23	40	52	51	36	27	3		
Hydrocephalus	24	6	8	3	3	1	21	2	1	-	-	-	-	-	-	-		
Dis. of Brain	330	153	20	5	5	2	185	6	3	4	3	8	14	17	32	38		
Dis. of Heart & Dropsy	131	1	-	-	-	-	1	3	4	2	1	5	5	18	52	43		
Dis. of Lungs	371	99	48	6	3	2	149	7	2	1	5	7	16	39	43	50		
Dis. of Stom. and Liver	174	23	2	2	-	1	58	2	3	7	2	8	10	13	37	46		
Dis. of Kidneys	39	-	-	-	-	-	-	-	-	-	1	4	4	3	6	11		
Dis. of Gen. Organs	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	12	-	-	-	-	-	-	-	-	-	5	2	-	2	-	1		
Dis. of Skin	7	4	-	-	-	-	4	-	-	1	-	-	-	-	1	2		
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	10	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3		
Other Violent Deaths	83	3	1	3	3	-	10	8	8	3	4	8	16	5	11	7		
Other Causes	565	150	18	4	3	-	175	1	-	1	2	3	11	9	8	41		

369.—NEWCASTLE-UNDER-LYME.																		
Mean Popul ⁿ , 1861-71	13909	463	396	434	393	373	2059	1741	1499	1322	1198	2101	1618	1160	719	357		
TOTAL DEATHS	3182	918	255	124	83	60	1440	121	84	97	102	214	211	190	222	270		
Small-pox	8	3	-	-	-	-	3	-	-	-	1	-	3	-	1	-		
Measles	48	10	24	6	1	4	45	3	-	-	-	-	-	-	-	-		
Scarlatina	110	10	15	20	16	17	78	25	6	1	-	-	-	-	-	-		
Diphtheria	29	4	3	5	6	4	22	2	2	1	1	1	-	-	-	-		
Whooping-cough	46	25	13	5	2	1	46	-	-	-	-	-	-	-	-	-		
Typhus	104	1	3	5	6	6	21	11	8	12	7	12	10	9	3	4		
Diarrhoea & Dysentery	102	64	7	2	2	1	76	1	3	-	1	1	3	5	3	3		
Cholera	1	4	-	-	-	-	1	-	-	-	-	-	-	1	1	1		
Other Zymotic Dis.	63	8	11	12	9	2	42	2	1	1	1	-	2	5	5	2		
Cancer	29	-	-	-	-	-	-	-	-	-	-	1	1	4	10	7		
Scrophula and Tuberc.	46	20	6	2	2	2	34	4	2	1	1	2	4	4	1	7		
Phthisis	273	6	7	2	-	-	15	5	29	34	60	55	54	26	8	-		
Hydrocephalus	66	25	11	8	4	1	49	13	1	1	2	-	-	-	-	-		
Dis. of Brain	531	289	45	20	10	8	373	11	13	8	2	21	18	18	25	31		
Dis. of Heart & Dropsy	140	1	2	1	4	2	10	7	6	2	3	14	18	15	26	23		
Dis. of Lungs	485	132	57	24	14	7	254	13	2	3	2	17	26	41	62	65		
Dis. of Stom. and Liver	120	12	8	-	1	1	22	4	1	1	2	12	15	24	23	20		
Dis. of Kidneys	39	1	-	-	-	-	1	1	-	2	2	3	4	5	3	16		
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths	281	6	7	4	6	2	25	6	25	30	28	55	35	11	10	8		
Other Causes	642	300	34	8	-	2	344	11	1	1	2	2	9	11	8	25		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85— & upward.
		367.—STAFFORD.																
Popul ⁿ 1861-71	12757	367	332	335	306	317	1657	1458	1296	1255	1199	1861	1392	1108	833	489	179	30
ALL DEATHS	2755	522	143	82	61	40	853	111	48	93	111	211	231	216	259	290	241	82
pox	15	5	1	3	—	—	9	4	—	1	1	—	—	—	—	—	—	—
measles	47	11	13	12	4	2	42	4	—	—	—	—	1	—	—	—	—	—
diphtheria	94	7	15	12	17	8	59	23	10	1	—	—	1	—	—	—	—	—
scarlatina	27	1	2	4	—	—	7	14	3	1	1	1	—	—	—	—	—	—
whooping-cough	39	14	10	5	6	3	38	1	—	—	—	—	—	—	—	—	—	—
tubercles	71	—	4	3	2	5	14	10	6	9	9	6	7	3	4	3	—	—
cholera & Dysentery	84	44	7	5	2	—	58	2	—	1	—	2	1	2	5	10	2	1
Zymotic Dis.	60	6	5	7	7	5	50	6	1	2	—	4	3	3	4	6	1	—
Consumption	87	—	—	—	—	—	—	—	—	—	1	—	7	24	31	13	10	1
Scrophulous	38	11	7	2	—	1	21	4	9	2	—	1	3	2	2	1	—	—
Brain	378	22	6	2	1	2	33	11	11	42	54	98	70	38	17	4	—	—
Heart & Dropsy	17	5	5	2	2	2	16	—	—	1	—	—	—	—	—	—	—	—
Lungs	472	76	17	5	5	3	106	7	5	14	19	44	68	75	69	65	27	2
Stomach and Liver	209	1	—	—	—	—	5	5	1	4	2	7	10	21	24	44	31	30
Kidneys	312	85	32	11	4	5	137	9	—	5	3	6	16	10	35	52	34	5
General Organs	91	10	—	—	—	2	12	3	—	3	—	5	12	13	20	18	5	—
Joint	23	—	—	—	—	—	—	—	—	1	1	6	10	2	3	—	—	—
Skin	26	—	—	—	—	—	—	—	—	—	—	6	3	5	6	3	1	—
Birth and Metris	9	3	1	—	—	1	6	—	—	1	1	—	1	1	1	—	—	—
Violent Deaths	32	—	—	—	—	—	—	—	—	—	7	14	10	1	—	—	—	—
Causes	44	6	1	5	6	1	21	4	3	1	1	2	2	—	1	5	5	1
	663	215	14	3	2	—	234	6	2	3	4	3	5	9	19	79	125	70
368.—STONE.																		
Popul ⁿ 1861-71	11978	339	318	314	305	291	1567	1390	1253	1187	1090	1694	1321	1032	769	469	182	24
ALL DEATHS	2321	421	138	66	39	36	770	78	42	82	104	172	153	144	183	271	232	90
pox	3	2	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—
measles	42	11	11	8	3	6	39	8	—	—	—	—	—	—	—	—	—	—
diphtheria	57	4	10	12	8	3	37	16	4	—	—	—	—	—	—	—	—	—
scarlatina	11	1	—	2	—	1	4	3	4	—	—	—	—	—	—	—	—	—
whooping-cough	24	10	7	2	4	1	24	—	—	—	—	—	—	—	—	—	—	—
tubercles	70	1	2	5	2	4	14	5	4	13	8	8	5	4	6	3	—	—
cholera & Dysentery	85	58	8	1	—	—	67	1	2	1	1	2	2	—	1	3	4	1
Zymotic Dis.	35	4	2	2	5	2	15	6	1	1	2	2	—	3	2	1	2	—
Consumption	50	—	—	—	—	—	—	—	—	—	—	1	8	13	12	12	4	—
Scrophulous	32	20	11	1	2	1	35	3	2	3	2	4	1	1	1	—	—	—
Brain	349	8	4	1	3	3	24	7	10	47	54	89	60	39	12	6	1	—
Heart & Dropsy	31	7	10	3	3	3	26	4	1	—	—	—	—	—	—	—	—	—
Lungs	305	136	19	11	1	1	168	10	3	4	5	8	6	15	22	32	28	4
Stomach and Liver	195	3	—	—	—	—	3	1	4	2	4	11	11	21	41	63	32	2
Kidneys	317	51	34	9	9	1	194	7	2	2	6	10	16	11	43	58	47	13
General Organs	100	15	3	1	1	3	25	2	—	2	8	6	16	21	25	33	18	6
Joint	23	—	—	1	—	—	1	—	1	2	—	2	1	2	4	7	2	1
Skin	15	—	—	—	—	—	—	—	—	—	—	2	4	5	6	—	—	—
Birth and Metris	12	4	—	—	—	—	1	1	—	2	3	1	2	1	1	—	—	—
Violent Deaths	41	—	—	—	—	—	—	—	—	1	5	21	14	—	—	—	—	—
Causes	34	4	—	1	—	5	10	7	4	—	—	—	—	3	3	2	2	—
	363	152	12	3	—	2	169	2	—	1	2	3	6	2	6	49	91	63
369.—NEWCASTLE-UNDER-LYME.																		
Popul ⁿ 1861-71	13487	446	403	427	401	376	2053	1733	1436	1214	1185	2025	1529	1058	714	386	138	16
ALL DEATHS	2780	704	268	103	75	67	1217	132	59	66	89	215	190	122	209	249	182	50
pox	5	3	1	—	—	—	4	—	—	—	—	—	1	—	—	—	—	—
measles	43	10	17	3	7	2	39	4	—	—	—	—	—	—	—	—	—	—
diphtheria	111	2	17	18	11	19	67	26	14	2	—	1	1	—	—	—	—	—
scarlatina	33	1	6	3	3	5	18	13	—	1	—	—	—	—	—	—	—	—
whooping-cough	63	13	22	6	7	3	51	2	—	—	—	9	15	4	2	1	—	—
tubercles	107	4	4	5	5	7	25	29	10	7	5	—	4	1	2	8	4	1
cholera & Dysentery	85	42	11	4	2	1	60	—	—	—	—	5	4	1	—	—	—	—
Zymotic Dis.	69	10	15	2	3	7	57	2	1	1	1	8	2	3	5	5	—	—
Consumption	44	—	—	—	—	—	—	—	—	—	—	4	7	5	18	7	3	—
Scrophulous	39	8	8	5	3	1	25	2	2	1	1	2	2	1	3	—	—	—
Brain	294	3	3	3	1	2	12	6	14	33	49	94	41	24	17	4	—	—
Heart & Dropsy	61	21	17	6	4	3	51	8	—	1	—	1	—	—	—	—	—	—
Lungs	425	211	38	14	10	8	281	15	3	8	9	9	8	7	23	41	10	6
Stomach and Liver	162	1	5	1	3	1	11	3	2	1	6	9	28	24	29	34	13	2
Kidneys	465	90	61	29	9	6	186	6	2	4	5	12	18	22	49	63	33	5
General Organs	139	17	4	1	1	—	23	4	2	4	—	21	22	15	18	19	2	—
Joint	12	—	—	—	—	—	—	—	—	—	—	3	3	1	1	3	1	—
Skin	18	—	—	—	—	—	—	—	—	—	—	4	4	2	2	4	1	—
Birth and Metris	6	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Violent Deaths	7	4	1	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
Causes	31	—	—	—	—	—	—	—	—	2	9	21	15	4	—	—	—	—
	34	3	6	4	2	2	17	6	1	—	—	1	1	1	2	3	1	—
	695	261	32	7	4	—	304	6	5	1	2	16	15	7	34	58	130	—

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
370.—WOLSTANTON.																	
Mean Popul., 1861-71.		31644	1112	979	919	935	858	4803	3901	3487	3109	3059	5129	3763	2465	1255	516
TOTAL DEATHS.		8384	2905	861	861	250	161	4028	309	170	182	204	434	538	621	565	444
Small-pox		28	16	2	3	1	3	25	9	5	5	4	4	4	3	-	-
Measles		224	42	97	42	24	11	216	8	-	-	-	-	-	-	-	-
Scarlatina		381	51	70	64	68	80	283	79	10	2	1	5	3	-	-	-
Diphtheria		46	4	10	4	7	6	31	11	-	-	1	2	-	-	-	-
Whooping-cough		140	67	47	37	8	3	137	3	-	-	-	-	-	-	-	-
Typhus		207	10	15	17	16	11	69	44	20	21	28	31	22	9	7	4
Diarrhoea & Dysentery		530	374	92	12	8	3	469	4	1	-	-	3	2	2	3	3
Cholera		0	-	-	-	-	-	1	-	1	-	-	-	3	2	2	2
Other Zymotic Dis.		207	35	50	34	23	18	140	15	5	2	4	7	9	13	5	4
Cancer		54	-	-	-	-	-	1	-	-	-	1	1	2	10	7	1
Scrophula and Tuberc.		200	96	43	11	6	4	100	12	7	5	6	3	2	2	3	-
Phtisis		570	4	3	7	3	1	18	8	94	60	67	145	139	76	29	1
Hydrocephalus		156	69	54	31	5	2	141	7	7	-	-	-	1	-	-	-
Dis. of Brain		1297	774	112	89	25	17	939	27	10	5	9	31	40	54	65	5
Dis. of Heart & Dropsy		295	205	6	2	6	2	18	10	11	11	5	23	43	52	61	6
Dis. of Lungs		1778	423	203	65	35	10	741	29	15	14	21	81	148	259	248	18
Dis. of Stom. and Liver		245	30	4	3	-	1	38	6	6	10	8	24	38	46	40	3
Dis. of Kidneys		76	3	1	1	-	-	5	2	3	-	5	7	9	9	20	2
Dis. of Genes. Organs		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		25	1	1	-	-	-	2	-	2	-	2	-	3	3	3	1
Dis. of Skin		8	4	1	1	-	-	6	-	-	-	1	-	1	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		10	-	-	-	-	-	-	-	-	1	1	4	2	1	-	1
Other Violent Deaths		405	11	20	20	10	17	84	30	41	38	33	65	39	47	29	8
Other Causes		1424	961	89	8	2	2	1055	4	4	3	2	10	28	27	40	20

371.—STOKE-UPON-TRENT.																	
Mean Popul., 1861-71.		40219	1448	1167	1192	1120	1113	6040	5011	4326	4073	3866	6409	4698	3129	1735	735
TOTAL DEATHS.		11259	3594	1167	477	354	182	5774	411	206	268	295	657	825	851	858	671
Small-pox		40	9	9	7	4	4	30	4	1	2	1	2	5	-	1	-
Measles		245	43	97	44	28	13	299	13	2	-	-	-	-	-	-	-
Scarlatina		407	39	74	75	72	41	301	88	12	2	2	-	-	-	-	-
Diphtheria		101	12	30	15	17	6	80	11	5	2	1	-	-	2	-	-
Whooping-cough		199	89	58	30	13	2	199	6	-	1	-	-	-	-	-	-
Typhus		416	15	30	22	36	23	196	29	32	24	32	38	41	29	26	1
Diarrhoea & Dysentery		506	430	72	16	13	5	526	3	2	2	1	4	4	8	13	21
Cholera		22	2	2	-	1	-	5	2	1	1	2	-	3	3	2	2
Other Zymotic Dis.		249	39	30	26	36	15	145	29	4	4	1	13	12	14	12	7
Cancer		70	-	-	-	-	-	1	1	2	1	10	3	20	22	7	-
Scrophula and Tuberc.		217	85	50	21	12	4	172	13	9	9	2	4	3	3	1	1
Phtisis		1250	97	54	23	16	4	194	21	32	94	125	253	209	171	70	13
Hydrocephalus		192	75	64	13	9	5	166	24	2	-	-	-	-	-	-	-
Dis. of Brain		1711	961	150	48	28	8	1195	31	18	16	12	44	51	89	102	113
Dis. of Heart & Dropsy		639	15	5	9	5	6	40	15	20	14	14	44	72	90	167	84
Dis. of Lungs		2925	631	253	84	36	19	223	23	10	18	26	69	163	217	290	209
Dis. of Stom. and Liver		418	82	11	10	4	2	109	5	12	11	11	29	45	65	67	38
Dis. of Kidneys		133	-	2	-	2	1	5	4	4	5	6	20	19	20	23	22
Dis. of Genes. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		22	2	-	-	-	1	11	9	3	6	2	2	7	12	5	2
Dis. of Skin		42	8	3	-	-	-	11	-	1	2	1	2	3	8	5	6
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		27	-	-	-	-	-	-	-	-	2	1	2	3	6	9	2
Other Violent Deaths		536	16	21	10	23	16	89	36	31	44	43	98	86	70	43	7
Other Causes		1749	1049	143	21	9	7	1229	14	4	7	9	19	38	33	60	115

372.—LEEK.																	
Mean Popul., 1861-71.		13028	420	393	385	348	355	1901	1611	1479	1206	1014	1743	1450	1143	836	455
TOTAL DEATHS.		2830	771	109	106	59	38	1143	118	60	88	82	164	154	190	241	311
Small-pox		6	-	-	1	1	1	3	2	-	-	-	1	-	-	-	-
Measles		48	11	26	5	3	3	45	2	-	1	-	-	-	-	-	-
Scarlatina		100	7	11	24	12	14	68	25	3	2	2	-	-	-	-	-
Diphtheria		21	2	5	2	4	1	12	5	3	-	-	-	-	1	-	-
Whooping-cough		46	31	7	4	1	2	45	1	-	-	-	-	-	-	-	-
Typhus		93	7	6	6	3	1	23	16	8	7	6	8	9	3	8	5
Diarrhoea & Dysentery		114	72	13	3	-	-	89	3	-	-	2	1	8	2	2	5
Cholera		7	1	-	-	-	-	1	1	-	-	-	-	-	2	3	-
Other Zymotic Dis.		77	9	4	6	4	2	25	9	1	2	1	5	3	4	12	12
Cancer		26	-	-	-	1	-	1	-	-	-	-	1	4	5	4	6
Scrophula and Tuberc.		200	12	3	1	1	1	18	5	2	-	3	3	1	2	2	2
Phtisis		300	6	1	1	2	2	13	4	16	41	43	76	46	29	24	8
Hydrocephalus		40	21	4	5	4	2	34	3	8	-	-	-	-	-	-	-
Dis. of Brain		419	207	28	17	2	4	258	8	5	4	2	10	9	20	27	49
Dis. of Heart & Dropsy		165	1	-	2	1	-	4	5	4	5	1	10	11	28	26	28
Dis. of Lungs		470	111	36	12	8	2	169	5	2	4	5	10	31	36	66	76
Dis. of Stom. and Liver		151	3	1	3	-	1	10	8	3	1	2	9	18	27	33	27
Dis. of Kidneys		61	1	-	-	-	-	1	1	1	2	-	6	3	8	6	23
Dis. of Genes. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		15	1	-	-	-	-	1	1	-	3	-	1	-	1	1	1
Dis. of Skin		8	4	-	-	-	-	4	-	-	-	-	1	-	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		100	3	9	9	8	1	30	11	6	10	12	3	1	3	2	3
Other Causes		617	202	15	7	5	1	290	1	2	1	1	3	4	6	13	18

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
370.—WOLSTANTON.																			
Population 1861-71		30000	1142	939	967	920	889	4857	3929	3303	2785	2692	4567	3471	2284	1293	619	177	23
ALL DEATHS		7327	2303	886	406	233	178	4006	312	145	178	214	430	412	366	441	402	267	55
Pox		54	23	8	5	3	3	42	3	1	2	1	4	1	-	-	-	-	-
Smallpox		251	46	97	56	28	14	241	9	-	-	-	1	-	-	-	-	-	-
Influenza		381	18	67	66	71	46	268	96	13	1	2	1	-	-	-	-	-	-
Erysipelas		43	8	9	13	5	1	36	5	-	-	-	1	-	-	-	-	-	-
Croup		107	72	54	21	8	6	161	6	-	-	-	-	-	-	-	-	-	-
Whooping-cough		259	10	21	25	17	24	97	34	28	10	13	23	20	14	9	3	1	-
Scarlatina		465	273	85	19	6	4	387	6	1	-	-	13	15	9	15	23	19	3
Dysentery		3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.		175	19	29	23	21	13	105	19	7	1	2	8	4	9	7	10	3	-
Consumption		69	-	-	-	-	-	-	-	-	-	-	5	11	13	28	10	2	-
Scrophulous		154	64	52	14	3	2	135	3	5	3	1	3	1	3	28	10	2	-
Phthisis		659	4	5	2	2	2	15	25	35	87	104	186	135	49	20	9	-	-
Brain		81	29	17	10	5	5	60	14	1	-	-	-	-	-	-	-	-	-
Heart & Dropsy		1083	590	111	49	12	14	778	22	20	15	8	20	30	46	45	72	25	1
Lungs		298	9	2	3	3	-	10	6	11	13	13	25	36	47	62	58	16	1
Stomach & Liver		1222	317	213	74	30	23	657	31	11	13	10	38	47	72	158	131	49	5
Kidneys		249	16	5	8	2	1	27	10	3	4	14	20	31	59	40	35	5	1
General Organs		85	-	2	-	-	1	3	2	-	3	4	5	6	5	6	1	-	-
Joint		26	-	-	-	-	-	-	-	-	-	-	4	9	7	5	1	-	-
Skin		16	-	1	1	1	1	4	1	-	-	-	2	3	2	2	2	-	-
Birth and Metrix		9	3	2	-	-	-	5	-	2	-	-	-	-	-	1	1	-	-
Violent Deaths		157	-	-	-	-	-	-	-	-	4	34	66	49	4	-	-	-	-
Causes		2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		102	4	14	8	10	15	51	17	6	2	2	6	1	4	4	4	4	1
		1337	805	91	14	6	3	919	3	3	6	3	11	22	38	138	143	43	1
371.—STOKE-UPON-TRENT.																			
Population 1861-71		40066	1405	1196	1196	1135	1099	6031	5075	4256	3936	3818	6213	4494	3174	1884	897	256	32
ALL DEATHS		9825	2891	1090	526	302	204	5013	433	178	257	338	703	571	550	625	638	405	114
Pox		42	10	6	2	4	7	29	4	1	-	2	6	-	-	-	-	-	-
Smallpox		232	39	102	48	34	11	234	13	5	-	-	1	-	-	-	-	-	-
Influenza		431	30	77	78	64	60	309	104	9	4	-	2	-	-	1	-	-	-
Erysipelas		108	15	18	18	12	13	70	20	4	3	-	-	2	2	1	-	-	-
Croup		225	90	67	45	9	9	220	5	-	-	-	-	-	-	-	-	-	-
Whooping-cough		362	14	18	29	23	11	95	48	38	42	34	42	25	15	19	4	-	-
Scarlatina		563	355	82	17	6	2	462	2	1	-	4	15	10	11	15	27	13	3
Dysentery		19	9	3	-	-	-	13	-	-	-	-	-	1	8	1	1	-	-
Zymotic Dis.		213	28	37	29	24	16	134	20	8	3	1	9	7	8	13	7	3	-
Consumption		169	-	-	-	-	-	-	1	1	-	-	12	40	48	34	21	9	-
Scrophulous		185	86	38	18	8	2	182	6	4	8	3	6	3	6	3	1	-	-
Phthisis		1223	77	44	15	10	8	154	28	48	121	182	308	207	106	51	16	2	-
Brain		147	55	39	18	8	7	127	18	1	-	-	-	-	-	-	-	-	-
Heart & Dropsy		1370	713	141	51	26	14	945	38	9	15	17	31	41	58	69	89	48	7
Lungs		482	14	7	6	1	6	34	20	11	13	13	52	49	79	113	81	23	1
Stomach & Liver		1532	411	242	90	43	23	869	35	15	15	19	70	60	83	167	161	83	17
Kidneys		376	44	11	4	3	2	64	8	8	5	11	40	41	71	59	32	16	1
General Organs		55	1	3	4	1	-	9	4	2	1	1	11	8	4	7	6	2	-
Joint		55	-	-	-	-	-	-	1	1	4	7	10	20	10	2	-	-	-
Skin		33	-	1	1	-	3	5	7	4	3	3	3	4	1	3	-	-	-
Birth and Metrix		27	5	2	-	-	-	9	2	1	-	-	1	2	1	6	2	1	1
Violent Deaths		151	-	-	-	-	-	-	-	-	9	36	70	34	2	-	-	-	-
Causes		6	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	-
		147	9	24	10	19	4	63	35	7	5	1	5	5	3	7	3	3	2
		1648	886	123	41	7	5	1047	15	4	7	4	11	22	32	46	156	202	82
372.—LEEK.																			
Population 1861-71		13421	421	388	351	336	332	1828	1649	1442	1312	1219	1952	1435	1121	798	457	178	30
ALL DEATHS		2791	877	156	93	52	36	914	102	72	113	109	225	183	185	214	311	285	73
Pox		4	2	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
Smallpox		44	15	11	10	5	2	43	1	-	-	-	-	-	-	-	-	-	-
Influenza		82	5	14	10	8	6	49	24	5	2	-	-	-	-	-	-	-	-
Erysipelas		25	1	1	-	1	3	6	10	2	3	1	1	1	-	1	-	-	-
Croup		58	27	15	7	1	5	35	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough		93	2	2	5	9	4	22	11	11	12	4	7	11	11	1	8	-	-
Scarlatina		104	57	8	2	1	2	70	-	1	-	-	6	3	2	6	6	2	-
Dysentery		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.		72	4	6	4	4	3	21	12	2	5	2	2	1	5	9	4	9	-
Consumption		55	-	-	-	-	-	-	-	-	-	-	-	9	15	11	15	8	-
Scrophulous		30	11	2	2	-	3	16	4	1	3	-	2	-	1	1	1	1	-
Phthisis		451	13	4	5	2	2	16	8	29	65	68	118	77	39	23	8	-	-
Brain		54	12	5	6	1	1	28	1	5	-	-	-	-	-	-	-	-	-
Heart & Dropsy		339	113	20	13	6	1	153	6	7	3	7	10	15	19	23	55	34	7
Lungs		181	1	2	-	-	-	10	-	2	2	3	14	17	20	39	46	32	3
Stomach & Liver		423	82	40	11	5	2	140	7	2	2	1	14	15	41	47	89	66	11
Kidneys		126	10	2	1	-	-	13	5	2	2	7	10	14	12	20	19	8	5
General Organs		17	-	-	-	-	1	1	-	-	1	-	1	-	5	6	-	-	-
Joint		15	-	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-
Skin		8	-	-	-	-	-	3	-	-	-	-	1	-	2	-	-	-	-
Birth and Metrix		61	-	-	-	-	-	-	-	-	5	-	10	23	17	1	-	-	-
Violent Deaths		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes		37	1	3	4	5	-	13	2	2	-	-	1	1	1	1	1	1	1
		319	226	21	7	1	1	255	7	-	4	2	1	3	3	5	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 5 Years.															
		1	2	3	4	5	10	15	20	25	35	45	55	65	75		
373.—CHEADLE.																	
Mean Popul ⁿ , 1861-71	10588	344	282	297	307	291	1531	1357	1185	947	875	1342	1165	972	671	392	131
TOTAL DEATHS	2305	587	165	78	44	28	902	101	49	70	75	139	119	135	193	265	138
Small-pox	8	1	2	-	-	1	4	-	-	-	-	2	1	1	-	-	-
Measles	32	6	11	5	3	2	27	4	1	-	-	-	-	-	-	-	-
Scarlatina	91	12	13	15	19	9	61	21	2	2	1	3	-	-	1	-	-
Diphtheria	33	4	3	2	2	2	13	7	1	-	-	-	-	-	-	-	-
Whooping-cough	29	27	17	9	4	-	57	2	-	-	-	-	-	-	-	-	-
Typhus	63	3	4	2	2	1	12	6	4	11	6	9	3	3	2	2	2
Diarrhoea & Dysentery	81	50	4	3	-	-	57	1	1	1	-	1	1	2	2	4	1
Cholera	5	1	1	-	1	-	3	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	69	8	5	9	3	2	27	7	2	5	5	4	3	5	1	7	7
Cancer	23	-	-	1	-	-	1	-	-	1	2	1	2	1	1	1	1
Scrophula and Tuberc.	47	16	5	6	1	2	30	2	3	1	3	3	4	-	-	-	-
Phthisis	192	6	6	-	-	-	12	4	5	17	9	48	23	22	11	1	1
Hydrocephalus	29	9	3	1	-	-	22	4	1	-	-	1	-	-	-	-	-
Dis. of Brain	350	156	22	6	6	3	193	7	8	6	2	11	9	15	22	40	28
Dis. of Heart & Dropsy	134	-	-	-	-	-	1	4	1	2	2	7	9	13	21	36	22
Dis. of Lungs	277	83	31	10	7	2	123	10	3	2	2	9	19	29	48	77	41
Dis. of Stom. and Liver	140	28	7	-	1	1	57	3	4	5	-	10	7	18	29	27	14
Dis. of Kidneys	44	1	1	1	-	-	3	-	1	1	-	4	4	2	6	2	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	16	-	-	-	-	-	-	2	1	2	-	2	1	2	1	1	1
Dis. of Skin	8	2	-	-	-	-	2	-	1	-	-	-	1	1	1	1	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1
Other Violent Deaths	120	5	5	5	2	2	19	8	11	9	7	21	13	13	6	3	3
Other Causes	375	109	17	1	1	-	188	8	1	2	-	2	7	9	12	42	26
374.—UTTOXETER.																	
Mean Popul ⁿ , 1861-71	7104	199	172	174	169	176	890	818	765	710	550	881	787	674	525	343	135
TOTAL DEATHS	1420	299	57	20	23	19	418	47	29	33	32	74	75	93	135	217	200
Small-pox	8	1	-	-	-	-	1	-	-	-	-	2	3	-	2	-	-
Measles	37	6	5	1	1	1	14	-	-	-	-	-	-	-	-	-	-
Scarlatina	27	4	4	4	5	5	13	13	3	1	-	-	1	-	-	-	-
Diphtheria	14	1	1	2	2	2	6	2	-	2	-	-	1	-	-	1	-
Whooping-cough	22	9	7	2	1	2	21	1	-	-	-	-	-	-	-	-	-
Typhus	27	-	1	-	1	1	3	2	2	7	2	4	-	-	3	2	1
Diarrhoea & Dysentery	30	11	3	-	-	-	14	1	-	-	-	-	-	2	1	6	7
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	32	1	-	-	2	2	5	4	-	-	-	1	1	-	6	11	1
Cancer	29	-	-	-	-	-	-	-	-	-	1	2	2	5	5	9	4
Scrophula and Tuberc.	25	9	4	-	1	3	16	2	3	2	1	1	1	-	1	1	-
Phthisis	142	1	2	-	1	1	4	3	5	12	10	40	23	21	14	4	-
Hydrocephalus	23	15	5	1	-	1	22	-	-	1	-	-	-	-	-	-	-
Dis. of Brain	205	70	8	2	5	-	85	3	-	4	3	6	7	7	20	26	28
Dis. of Heart & Dropsy	77	-	-	-	-	-	-	1	1	-	2	9	9	15	22	18	18
Dis. of Lungs	216	51	15	3	2	-	71	6	4	-	1	5	11	13	25	33	40
Dis. of Stom. and Liver	83	11	1	-	-	-	12	3	1	2	2	1	8	13	16	10	10
Dis. of Kidneys	48	-	-	-	-	-	-	-	2	-	-	1	2	6	9	17	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-
Dis. of Skin	5	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	1	-	2	1	1	5	1	1
Other Violent Deaths	43	-	-	2	3	2	7	3	6	1	4	3	2	3	6	3	3
Other Causes	318	109	2	1	1	-	113	2	2	-	-	3	3	9	10	49	25
375.—BURTON-ON-TRENT.																	
Mean Popul ⁿ , 1861-71	24012	807	683	713	668	653	3524	2893	2497	2332	2267	3715	2674	1898	1221	706	254
TOTAL DEATHS	5274	1454	421	179	131	100	2285	178	91	116	164	346	389	554	404	462	338
Small-pox	53	13	3	3	1	3	25	7	1	-	8	5	4	-	2	-	-
Measles	148	39	18	18	13	10	142	6	-	-	-	-	-	-	-	-	-
Scarlatina	167	13	29	21	29	24	116	42	5	1	-	2	1	-	-	-	-
Diphtheria	51	4	9	9	9	7	38	10	1	-	-	1	-	-	1	-	-
Whooping-cough	94	42	29	13	4	6	94	-	-	-	-	-	-	-	-	-	-
Typhus	116	6	-	-	5	3	14	10	6	11	12	13	18	13	6	7	1
Diarrhoea & Dysentery	190	122	27	4	2	2	157	-	4	-	-	1	1	3	3	4	1
Cholera	6	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	149	10	15	23	14	12	74	11	3	5	5	8	14	6	9	6	1
Cancer	52	-	-	-	-	-	-	-	1	-	1	1	5	7	13	19	1
Scrophula and Tuberc.	131	55	25	8	1	1	93	11	4	5	5	4	3	3	2	1	-
Phthisis	349	13	13	3	3	5	37	14	9	57	71	142	110	70	45	13	1
Hydrocephalus	119	59	31	14	6	6	109	8	5	-	-	-	-	-	-	-	-
Dis. of Brain	824	230	38	13	12	9	460	17	8	8	15	44	76	74	60	88	11
Dis. of Heart & Dropsy	274	2	1	3	-	-	6	4	3	7	2	14	24	41	72	61	35
Dis. of Lungs	749	226	93	28	15	3	367	15	5	14	7	24	84	49	70	99	25
Dis. of Stom. and Liver	244	34	7	2	2	1	46	5	6	5	10	30	32	36	39	32	11
Dis. of Kidneys	100	1	-	-	-	-	1	-	5	-	1	10	11	9	24	21	11
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	16	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-
Dis. of Skin	9	5	1	1	-	-	7	-	-	1	-	-	1	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	20	-	-	-	-	-	-	-	-	-	-	1	2	5	5	5	5
Other Violent Deaths	272	5	6	10	12	5	38	19	24	-	21	23	2	42	14	12	12
Other Causes	235	480	29	6	-	1	516	3	-	-	-	2	13	14	12	21	21

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-10	10-15	15-20	20-25	25-35	35-45	45-55	55-65	65-75	75-85	85 and upwards.		
373.—CHEADLE.																				
Mean Populn. 1861-71		10505	343	330	306	277	276	1532	1422	1101	892	830	1430	1172	902	656	393	152	23	
ALL DEATHS		2122	429	135	79	59	44	746	81	58	79	74	146	154	124	152	225	219	64	
Pox		2	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	
Scalds		43	5	7	7	4	6	38	4	-	-	-	1	-	-	-	-	-	-	
Influenza		108	11	7	15	10	16	59	32	11	-	4	-	-	-	-	-	-	-	
Erysipelas		21	-	2	2	7	2	13	4	1	-	2	1	-	-	-	-	-	-	
Croup		36	23	10	7	4	-	53	3	-	-	-	-	-	-	-	-	-	-	
Dysentery		36	2	2	2	2	2	9	8	5	11	4	8	6	4	1	-	-	-	
Cholera		83	32	6	3	1	1	43	1	-	-	-	2	2	2	3	8	11	10	
Zymotic Dis.		5	1	-	-	-	-	1	-	-	-	-	2	2	3	8	8	2	-	
Consumption		53	5	7	6	-	2	20	3	3	-	1	3	2	3	8	8	2	-	
Smallpox		37	-	-	-	-	-	-	-	-	-	-	1	5	6	8	12	5	-	
Scarlatina		51	20	7	4	1	1	83	1	4	4	1	3	2	2	1	-	-	-	
Diphtheria		280	7	2	1	3	-	13	7	15	44	40	73	55	23	8	2	1	-	
Cerebral		29	13	3	4	2	1	23	2	3	1	-	-	-	-	-	-	-	-	
Brain		262	102	13	9	7	2	133	1	6	8	2	5	9	14	13	28	27	6	
Heart & Dropsy		157	1	-	-	1	-	2	1	1	2	4	7	18	21	32	39	28	2	
Lungs		281	48	29	5	8	5	95	3	2	3	2	6	10	18	37	50	45	10	
Stomach & Liver		150	29	5	1	-	2	37	3	3	5	4	8	14	14	20	22	14	6	
Kidneys		19	-	-	1	-	-	1	-	-	-	1	1	2	5	3	4	2	-	
Gen. Organs		6	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	
Joints		12	2	-	-	-	-	2	-	2	-	1	-	1	2	3	1	-	-	
Skin		6	-	-	-	1	-	1	-	-	-	-	-	-	1	1	3	1	-	
Birth and Metris		42	-	-	-	-	-	-	-	-	6	17	16	3	-	-	-	-	-	
Violent Deaths		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Causes		37	4	5	4	5	-	18	3	1	-	-	2	-	1	2	2	6	2	
		327	126	11	8	2	3	150	5	1	1	2	3	5	3	8	35	77	37	
374.—UTTOXETER.																				
Mean Populn. 1861-71		7453	182	186	184	171	188	911	849	762	736	657	970	817	679	527	364	159	22	
ALL DEATHS		1452	245	73	34	18	9	379	46	31	34	60	123	102	76	123	201	210	67	
Pox		3	-	-	-	-	-	9	1	-	-	-	-	-	-	1	-	-	-	
Scalds		10	2	3	4	-	-	14	4	2	-	-	3	1	-	-	-	-	-	
Influenza		25	2	4	5	2	1	14	4	2	-	1	-	-	-	-	-	-	-	
Erysipelas		11	-	-	2	-	-	2	5	4	-	-	-	-	-	-	-	-	-	
Croup		21	11	8	1	3	-	23	3	-	-	-	-	-	-	-	-	-	-	
Dysentery		41	1	1	1	1	1	4	5	2	5	4	10	4	-	2	5	-	-	
Cholera		30	11	4	1	-	-	16	-	-	-	-	1	-	1	2	3	6	1	
Zymotic Dis.		25	1	2	1	1	1	6	3	2	1	-	1	1	-	4	6	1	-	
Consumption		37	-	-	-	-	-	-	-	-	-	-	-	5	8	5	13	5	1	
Smallpox		22	5	5	-	-	-	10	3	1	1	1	1	1	-	4	-	-	-	
Scarlatina		186	1	1	-	-	-	2	4	7	15	33	68	32	14	7	1	-	-	
Diphtheria		22	9	4	2	-	1	16	5	1	-	-	-	-	-	-	-	-	-	
Cerebral		190	58	6	6	2	1	73	5	3	2	3	6	5	10	15	23	43	2	
Brain		122	2	1	-	1	-	4	1	1	2	2	5	10	12	26	33	21	5	
Heart & Dropsy		202	34	19	6	4	3	66	4	1	2	4	5	9	11	20	43	29	8	
Lungs		87	5	-	-	1	1	7	-	-	-	3	4	8	8	24	23	10	-	
Stomach & Liver		22	-	-	-	-	-	-	1	2	-	-	3	2	5	5	4	-	-	
Kidneys		4	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	
Gen. Organs		6	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	
Joints		4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Skin		4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Birth and Metris		28	-	-	-	-	-	-	-	1	-	3	9	15	-	-	-	-	-	
Violent Deaths		2	-	-	-	-	-	-	-	-	-	-	1	2	3	1	6	-	2	
Causes		324	100	14	3	3	-	120	2	1	-	-	4	4	3	3	8	35	94	48
375.—BURTON-ON-TRENT.																				
Mean Populn. 1861-71		22834	788	668	730	678	661	3525	2940	2339	1915	1961	3407	2584	1836	1275	725	291	36	
ALL DEATHS		4712	1135	365	216	141	73	1839	179	108	136	149	354	322	280	333	443	352	122	
Pox		52	17	6	3	6	4	36	6	2	2	-	4	1	-	1	-	-	-	
Scalds		126	17	54	22	15	10	118	6	1	1	-	-	-	-	-	-	-	-	
Influenza		192	14	23	27	31	19	114	46	19	5	4	2	2	-	-	-	-	-	
Erysipelas		35	7	5	11	6	5	54	15	3	-	-	1	-	-	1	-	-	-	
Croup		122	47	49	22	8	-	117	5	-	-	-	-	-	-	-	-	-	-	
Dysentery		114	5	1	5	6	2	19	8	12	14	12	15	10	1	9	4	1	-	
Cholera		153	97	16	3	3	-	119	1	2	-	1	2	1	2	4	8	11	4	
Zymotic Dis.		7	2	-	-	-	-	2	-	-	-	-	-	1	-	2	1	1	-	
Consumption		153	19	22	19	19	11	99	14	8	3	-	8	5	5	10	5	-	-	
Smallpox		128	-	-	1	-	-	1	-	2	1	-	6	29	23	37	19	9	1	
Scarlatina		163	49	18	5	1	1	74	6	5	4	1	3	4	1	2	2	1	-	
Diphtheria		601	19	15	11	4	4	53	18	20	67	81	158	110	57	81	5	-	-	
Cerebral		85	43	14	7	3	3	70	10	2	-	-	-	-	-	-	-	-	-	
Brain		650	243	35	29	9	3	319	11	6	15	15	38	31	39	69	6	-	-	
Heart & Dropsy		288	3	1	-	-	-	4	5	5	5	5	19	28	39	39	2	-	-	
Lungs		596	167	73	32	16	6	293	8	6	2	4	18	15	24	47	2	-	-	
Stomach & Liver		202	29	6	4	-	-	33	9	3	3	5	15	20	34	4	-	-	-	
Kidneys		66	-	1	-	2	-	3	1	2	1	5	12	16	7	-	-	-	-	
Gen. Organs		24	-	-	-	-	-	-	-	-	-	2	2	5	-	-	-	-	-	
Joints		18	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Skin		18	10	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	
Birth and Metris		99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Causes		787	246	27	7	3	3	304	7	4	-	-	1	3	10	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	
		376.—TAMWORTH.															
Mean Popul., 1861-71		8018	245	236	230	229	230	1170	1013	892	758	618	1096	873	706	489	280
TOTAL DEATHS—		1665	437	100	47	47	36	667	70	46	41	47	85	96	96	128	171
Small-pox		16	6	—	—	3	—	9	—	1	—	—	5	—	1	—	—
Measles		22	4	7	3	1	4	19	3	—	—	—	—	—	—	—	—
Scarlatina		79	7	8	8	13	12	46	21	4	1	1	2	1	1	1	—
Diphtheria		15	2	—	—	1	4	7	4	3	—	—	1	—	1	1	—
Whooping-cough		24	13	11	1	—	1	26	—	—	—	—	—	—	—	—	—
Typhus		81	—	2	3	5	1	11	13	11	9	8	9	8	4	4	3
Diarrhoea & Dysentery		66	86	8	2	1	2	49	1	—	—	—	1	1	1	4	3
Cholera		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.		34	7	3	7	4	2	23	3	1	—	—	2	—	—	1	5
Cancer		21	—	—	—	—	—	—	—	—	—	—	1	3	2	5	5
Scrofula and Tuberc.		32	14	5	1	3	1	24	2	2	—	—	—	—	—	—	4
Phthisis		136	3	3	2	—	1	9	2	4	14	20	25	26	19	14	1
Hydrocephalus		24	11	9	1	2	1	24	—	—	—	—	—	—	—	—	—
Dis. of Brain		236	109	6	5	3	2	125	4	4	1	2	3	9	17	23	24
Dis. of Heart & Dropsy		110	1	—	—	—	—	2	4	—	2	—	8	9	20	27	27
Dis. of Lungs		248	73	30	8	4	3	118	1	1	1	3	5	8	15	19	19
Dis. of Stom. and Liver		80	6	3	2	—	1	12	—	—	3	3	3	11	9	13	13
Dis. of Kidneys		42	—	—	—	2	—	2	1	—	1	—	—	3	5	5	14
Dis. of Gen. Organs		5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		4	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Dis. of Skin		4	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Childbirth and Metris		10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths		96	2	—	2	2	—	6	10	15	6	—	16	10	11	10	2
Other Causes		260	142	5	2	2	1	152	1	1	1	—	1	3	1	27	27
377.—LICHFIELD.																	
Mean Popul., 1861-71		14875	440	389	424	412	384	2049	1792	1552	1343	1214	2049	1690	1334	998	594
TOTAL DEATHS—		3067	738	186	108	53	43	1122	180	67	80	86	175	181	208	229	351
Small-pox		10	5	—	—	—	—	5	—	—	1	2	—	1	—	—	—
Measles		44	16	23	5	4	—	69	1	1	—	—	—	—	—	—	—
Scarlatina		116	6	11	21	11	15	64	44	6	2	—	—	—	—	—	—
Diphtheria		23	5	2	1	3	2	18	5	2	1	—	1	—	—	—	1
Whooping-cough		39	21	12	4	1	1	59	—	—	—	—	—	—	—	—	—
Typhus		77	1	2	5	2	1	11	8	6	8	8	10	4	9	5	6
Diarrhoea & Dysentery		94	42	11	4	—	1	68	8	2	1	—	1	1	3	6	7
Cholera		3	—	1	—	—	—	1	—	—	—	—	—	—	2	—	—
Other Zymotic Dis.		71	10	8	6	5	2	31	11	—	3	2	3	6	4	2	5
Cancer		29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.		50	16	6	3	2	—	27	8	8	4	1	1	1	4	9	11
Phthisis		273	7	2	2	—	—	11	6	7	33	36	67	58	32	18	8
Hydrocephalus		49	20	12	6	3	3	44	5	—	—	—	—	—	—	—	—
Dis. of Brain		433	146	15	10	4	2	177	6	12	2	6	26	24	30	38	65
Dis. of Heart & Dropsy		201	1	—	—	—	—	3	2	3	3	1	7	16	22	45	66
Dis. of Lungs		494	138	46	24	7	2	217	8	2	—	7	9	20	36	53	77
Dis. of Stom. and Liver		189	24	3	—	8	1	31	4	3	5	5	11	11	20	31	39
Dis. of Kidneys		63	—	—	2	—	1	3	—	—	—	1	3	3	7	14	19
Dis. of Gen. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		15	—	—	—	—	—	—	1	—	6	1	2	1	1	1	2
Dis. of Skin		6	4	—	—	—	—	4	—	—	1	—	—	—	—	—	—
Childbirth and Metris		27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths		168	6	3	7	7	5	30	19	14	9	11	24	19	16	9	14
Other Causes		613	294	27	8	1	1	301	4	1	1	3	8	13	14	14	49
378.—PENKRIDGE.																	
Mean Popul., 1861-71		10957	317	303	298	294	276	1488	1333	1217	1050	912	1466	1232	978	707	400
TOTAL DEATHS—		2031	544	182	58	38	36	808	74	43	53	52	112	108	125	179	211
Small-pox		10	2	1	1	2	—	6	1	—	—	—	1	1	—	1	—
Measles		26	4	9	4	6	—	23	3	—	—	—	—	—	—	—	—
Scarlatina		76	4	15	14	7	15	55	18	2	3	—	—	—	—	—	—
Diphtheria		24	—	4	2	2	2	10	10	2	—	—	1	—	—	—	—
Whooping-cough		17	12	3	1	1	—	17	—	—	—	—	—	—	—	—	—
Typhus		52	2	1	3	2	1	9	4	5	5	4	6	9	1	5	2
Diarrhoea & Dysentery		74	37	6	6	1	—	50	1	—	—	—	—	3	1	3	6
Cholera		5	1	—	—	—	—	1	—	—	—	—	—	1	—	2	—
Other Zymotic Dis.		35	3	4	2	4	1	14	3	1	1	—	—	3	3	6	5
Cancer		20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.		37	19	7	1	—	2	29	—	1	1	1	2	3	2	6	5
Phthisis		138	1	2	1	—	1	5	3	2	14	24	40	24	28	16	2
Hydrocephalus		18	11	2	2	1	—	16	2	—	—	—	—	—	—	—	—
Dis. of Brain		214	89	10	4	4	4	102	—	2	4	2	6	4	8	13	38
Dis. of Heart & Dropsy		133	1	2	—	—	2	5	3	3	3	—	4	9	16	35	65
Dis. of Lungs		323	108	34	8	3	3	159	5	4	2	2	7	12	18	37	69
Dis. of Stom. and Liver		122	29	2	5	1	—	37	1	1	1	2	4	7	11	17	33
Dis. of Kidneys		33	—	—	—	—	—	—	—	—	1	—	2	2	4	7	7
Dis. of Gen. Organs		19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		13	—	—	—	1	—	1	2	1	—	3	2	1	—	2	—
Dis. of Skin		7	2	—	—	—	—	2	—	—	—	—	1	—	1	—	—
Childbirth and Metris		13	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Violent Deaths		154	5	5	3	2	4	19	17	10	13	10	26	18	7	11	15
Other Causes		461	223	25	1	1	1	251	1	2	4	3	20	7	14	16	37

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
376.—TAMWORTH.																			
in Popul ⁿ , 1861-71	8139	263	227	235	203	211	1139	1018	869	744	712	1126	894	670	488	322	135	22	
AL DEATHS	1618	317	99	56	45	28	545	61	34	48	61	102	100	85	115	209	101	67	
-pox	12	5	2	2	1	1	8	2	1	1	1	1	1	1	1	1	1	1	
sc	22	4	6	2	6	1	19	2	1	1	1	1	1	1	1	1	1	1	
stina	77	8	10	14	11	6	49	14	8	1	1	3	1	1	1	1	1	1	
beria	12	1	1	1	2	1	5	3	2	1	1	1	1	1	1	1	1	1	
ping-cough	29	13	10	5	1	1	29	12	9	7	7	7	6	2	4	3	1	1	
is	63	4	4	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	
boa & Dysentery	33	24	2	1	1	1	28	1	1	1	1	1	1	1	1	1	1	1	
ra	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Zymotic Dis.	37	4	2	3	5	4	18	3	1	1	1	1	2	1	4	5	1	1	
r	42	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
la and Tabes	27	13	6	1	1	1	21	2	3	1	1	2	6	7	10	8	6	2	
is	168	1	3	2	2	1	8	6	3	27	33	50	23	10	6	1	1	1	
cephalus	24	8	7	3	1	2	21	3	1	1	1	1	1	1	1	1	1	1	
f Brain	129	65	12	5	6	1	89	6	2	4	5	5	3	11	22	31	22	4	
f Heart & Dropsy	147	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
f Lungs	296	52	27	12	4	5	100	3	1	1	1	3	10	8	14	43	41	12	
f Stom. and Liver	87	9	1	1	1	1	10	1	2	1	1	2	9	11	16	24	8	3	
f Kidneys	20	1	1	1	1	1	2	1	1	1	1	1	4	3	3	3	1	2	
f Gener. Organs	17	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	1	1	
f Joints	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
f Skin	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Birth and Metris	26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Violent Deaths	18	2	1	1	2	4	9	1	1	2	1	1	1	1	1	1	1	1	
Causes	281	109	7	5	2	1	123	3	1	2	1	1	1	4	4	29	74	86	
377.—LICHFIELD.																			
in Popul ⁿ , 1861-71	14977	428	393	420	417	400	2053	1828	1585	1285	1188	2114	1696	1298	967	654	260	44	
AL DEATHS	2013	571	179	81	73	61	965	104	73	86	88	192	186	182	215	309	531	122	
-pox	8	1	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	
sc	57	12	24	9	5	3	83	3	1	1	1	1	1	1	1	1	1	1	
stina	118	4	10	15	23	20	72	35	6	1	4	1	1	1	1	1	1	1	
beria	28	3	2	2	3	1	11	10	4	1	1	1	1	1	1	1	1	1	
ping-cough	45	25	10	7	1	1	43	2	1	1	1	1	1	1	1	1	1	1	
is	78	2	2	3	2	3	12	9	6	12	3	14	3	1	7	5	2	1	
boa & Dysentery	88	43	10	2	1	1	67	1	1	1	1	4	1	2	3	8	9	3	
ra	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
Zymotic Dis.	92	7	13	5	13	14	52	3	6	3	1	2	1	3	6	10	5	1	
r	99	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
la and Tabes	50	12	12	4	1	1	29	2	2	2	4	4	1	2	2	2	1	1	
is	315	1	1	2	1	1	5	3	17	42	53	87	60	23	11	9	1	1	
cephalus	27	10	5	3	4	3	25	1	1	1	1	1	1	1	1	1	1	1	
f Brain	374	128	23	5	3	1	160	10	8	6	8	10	16	25	28	38	37	7	
f Heart & Dropsy	221	4	1	1	1	1	6	2	9	4	3	9	24	29	40	62	29	4	
f Lungs	401	99	31	16	4	6	147	8	3	4	1	12	13	16	39	78	62	19	
f Stom. and Liver	164	10	3	1	1	1	14	4	6	2	3	13	20	21	30	35	13	1	
f Kidneys	44	1	1	1	1	1	1	3	1	2	1	3	8	12	4	4	4	2	
f Gener. Organs	21	1	1	1	1	1	1	1	1	1	1	4	2	4	4	3	1	1	
f Joints	15	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	
f Skin	9	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
Birth and Metris	38	1	1	1	1	1	1	1	1	1	5	22	10	1	1	1	1	1	
Violent Deaths	49	5	4	3	5	3	20	6	2	2	1	1	1	2	7	3	5	1	
Causes	564	211	24	4	2	1	242	2	2	2	1	3	5	11	9	58	147	83	
378.—PENKRIDGE.																			
in Popul ⁿ , 1861-71	10227	314	296	295	305	290	1500	1341	1154	842	835	1415	1125	884	581	362	160	23	
AL DEATHS	1849	409	120	69	42	50	670	88	39	55	56	121	92	92	145	214	212	65	
-pox	4	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	
sc	24	6	5	5	2	3	21	2	1	1	1	1	1	1	1	1	1	1	
stina	78	6	9	12	9	9	45	20	8	3	1	1	2	1	1	1	1	1	
beria	16	1	1	1	1	1	8	8	1	1	1	1	1	1	1	1	1	1	
ping-cough	26	14	7	3	1	1	26	1	1	1	1	1	1	1	1	1	1	1	
is	61	2	2	3	1	2	9	12	6	6	8	5	4	4	3	4	1	1	
boa & Dysentery	75	33	5	2	1	1	41	3	1	1	1	1	1	1	1	1	1	1	
ra	6	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
Zymotic Dis.	28	4	1	5	5	1	14	4	2	1	1	1	1	2	4	1	1	1	
r	54	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
la and Tabes	32	16	4	1	1	1	22	1	1	1	1	1	1	1	1	1	1	1	
is	187	1	1	1	1	1	5	3	4	28	25	57	33	18	10	3	1	1	
cephalus	16	5	3	3	2	1	14	1	1	1	1	1	1	1	1	1	1	1	
f Brain	193	63	12	6	3	5	89	7	4	4	2	4	2	7	22	29	1	1	
f Heart & Dropsy	127	1	1	1	1	1	2	1	3	1	2	10	6	12	13	48	1	1	
f Lungs	265	68	38	18	7	2	131	6	2	4	2	10	3	10	27	40	1	1	
f Stom. and Liver	107	11	5	2	2	1	20	6	1	2	2	12	6	13	17	17	1	1	
f Kidneys	18	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	
f Gener. Organs	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
f Joints	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
f Skin	8	4	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	
Birth and Metris	33	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Violent Deaths	45	3	6	5	6	1	21	8	3	4	1	1	1	1	1	1	1	1	
Causes	439	169	20	2	4	3	198	2	3	1	2	6	1	4	2	1	1	1	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
379.—WOLVERHAMPTON.																	
Mean Popul ⁿ , 1861-71 }		66500	2251	1989	1900	1885	1863	9888	8311	7310	6532	5843	9537	7922	5687	3408	1545
TOTAL DEATHS—		17032	5201	1916	888	536	391	8932	767	325	347	388	801	1010	1102	1254	1238
Small-pox - - -		171	36	26	9	17	15	103	21	7	7	11	12	5	4	1	-
Measles - - -		489	86	205	109	39	18	437	27	3	-	1	-	1	-	-	-
Scarlatina - - -		616	82	130	137	139	121	579	194	84	3	1	4	-	1	-	-
Diphtheria - - -		121	17	23	18	12	12	82	28	3	1	1	2	-	1	-	-
Whooping-cough - -		372	166	105	51	31	12	565	7	-	-	-	-	-	-	-	-
Typhus - - -		652	28	35	49	86	27	175	96	56	46	23	51	62	45	52	29
Diarrhoea & Dysentery		988	657	182	40	8	6	893	13	2	2	3	4	5	7	12	19
Cholera - - -		22	1	5	-	-	-	6	1	-	-	-	-	-	-	-	-
Other Zymotic Dis.		486	79	83	61	73	33	398	33	8	12	5	12	23	16	26	19
Cancer - - -		118	-	-	-	1	1	2	-	-	-	1	3	18	32	29	24
Scrofula and Tuberc.		281	112	68	29	5	3	210	30	7	11	8	11	8	3	6	4
Phthisis - - -		1201	66	34	18	19	12	130	39	38	38	134	300	290	219	167	85
Hydrocephalus - - -		143	52	44	17	8	7	128	12	-	-	-	-	-	-	-	-
Dis. of Brain - - -		1867	931	100	59	33	13	1196	36	18	23	23	51	58	92	115	163
Dis. of Heart & Dropsy		737	12	12	13	6	7	23	23	12	16	23	25	91	133	149	129
Dis. of Lungs - - -		3120	970	464	199	66	50	1740	39	17	16	16	69	152	235	361	314
Dis. of Stom. and Liver		646	133	24	14	2	5	180	31	11	13	16	26	60	97	109	70
Dis. of Kidneys - -		232	4	6	-	4	-	14	3	6	6	13	21	39	30	66	36
Dis. of Genes. Organs		9	-	1	-	-	-	1	1	-	-	-	2	2	1	1	-
Dis. of Joints - - -		54	3	-	-	1	-	4	6	-	7	7	3	9	2	7	4
Dis. of Skin - - -		43	12	7	-	1	-	20	-	-	-	-	3	3	3	6	1
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -		41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		954	34	24	20	29	33	180	107	79	82	65	125	117	94	83	37
Other Causes - - -		3265	1755	207	61	15	12	2112	25	7	10	28	44	48	48	122	207
380.—WALSALL.																	
Mean Popul ⁿ , 1861-71 }		33618	1168	1016	1001	934	998	5117	4193	3758	3203	3056	4978	3953	2766	1634	726
TOTAL DEATHS—		8403	2908	948	453	246	200	4655	406	107	173	222	408	446	492	568	273
Small-pox - - -		129	31	21	16	7	7	82	11	8	3	9	2	4	2	-	-
Measles - - -		171	39	36	37	25	8	163	15	-	-	-	-	-	-	-	-
Scarlatina - - -		325	17	44	65	41	52	222	97	11	2	1	-	1	-	-	-
Diphtheria - - -		46	8	12	5	8	3	90	7	1	-	-	-	1	-	1	-
Whooping-cough - -		136	61	29	14	7	8	129	6	1	-	-	-	-	-	-	-
Typhus - - -		441	32	43	39	30	26	172	74	37	36	36	31	35	27	17	11
Diarrhoea & Dysentery		263	353	117	31	5	5	511	5	1	-	-	3	3	6	10	14
Cholera - - -		7	2	-	-	-	-	2	-	-	-	1	-	-	2	2	-
Other Zymotic Dis.		201	19	38	31	20	8	110	17	3	8	2	7	9	10	18	8
Cancer - - -		69	-	-	-	1	-	1	-	-	-	-	3	5	15	16	2
Scrofula and Tuberc.		203	100	36	11	7	3	165	8	9	7	3	4	4	3	-	-
Phthisis - - -		629	19	16	5	6	4	50	23	17	47	85	115	120	70	49	16
Hydrocephalus - - -		96	40	27	11	5	3	80	9	2	1	-	-	-	-	-	-
Dis. of Brain - - -		1865	555	104	26	14	19	718	22	5	8	16	19	39	48	82	61
Dis. of Heart & Dropsy		403	121	14	4	1	2	42	13	8	5	3	32	48	54	73	69
Dis. of Lungs - - -		1466	435	231	89	33	24	811	30	2	7	17	62	57	125	138	163
Dis. of Stom. and Liver		343	69	13	12	6	4	108	13	7	4	10	14	33	55	67	37
Dis. of Kidneys - -		93	3	-	2	-	2	7	5	3	3	3	11	19	5	16	11
Dis. of Genes. Organs		2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Dis. of Joints - - -		19	-	-	1	4	-	3	2	1	-	3	2	1	1	1	-
Dis. of Skin - - -		21	10	1	-	-	-	11	1	-	-	-	3	-	-	1	3
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -		20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		418	19	22	18	18	13	89	46	39	32	26	51	43	38	31	18
Other Causes - - -		1566	970	110	33	9	7	1129	9	5	3	2	2	19	29	49	122
381.—WEST BROMWICH.																	
Mean Popul ⁿ , 1861-71 }		40885	1845	1534	1513	1506	1459	7857	6529	5616	5053	4596	7248	5583	3855	2217	1018
TOTAL DEATHS—		11607	3952	1408	572	381	224	6532	511	249	241	284	519	553	740	755	742
Small-pox - - -		97	20	13	4	5	4	49	14	3	5	8	9	6	2	-	1
Measles - - -		293	61	125	61	30	8	275	16	1	-	-	1	-	-	-	-
Scarlatina - - -		529	44	111	91	79	68	398	116	16	6	2	1	-	-	-	-
Diphtheria - - -		63	5	8	3	9	6	31	11	3	-	-	3	1	-	3	1
Whooping-cough - -		187	96	47	23	11	5	182	5	-	-	-	-	-	-	-	-
Typhus - - -		529	24	44	29	40	22	130	50	50	41	36	51	42	31	31	19
Diarrhoea & Dysentery		732	462	149	56	10	5	662	6	3	3	-	3	4	4	12	24
Cholera - - -		29	9	3	-	-	-	14	-	-	-	-	1	-	2	5	-
Other Zymotic Dis.		328	61	58	50	31	21	227	27	10	9	2	11	12	12	15	10
Cancer - - -		90	-	-	1	-	-	1	-	-	-	-	1	11	19	24	16
Scrofula and Tuberc.		208	117	81	30	12	5	245	11	11	8	7	4	3	4	4	1
Phthisis - - -		754	52	27	9	9	3	81	16	19	51	109	165	144	116	39	13
Hydrocephalus - - -		212	103	61	10	9	3	122	14	6	-	-	-	-	-	-	-
Dis. of Brain - - -		1100	559	99	34	21	10	723	28	10	10	15	35	48	81	91	165
Dis. of Heart & Dropsy		440	8	11	6	4	3	32	19	13	11	9	84	54	83	98	64
Dis. of Lungs - - -		2169	690	325	93	59	13	1190	44	14	12	20	61	50	106	216	199
Dis. of Stom. and Liver		400	77	28	5	4	4	118	13	6	8	8	26	27	71	61	44
Dis. of Kidneys - -		138	-	3	1	4	2	10	5	-	3	4	13	10	25	26	21
Dis. of Genes. Organs		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -		24	-	2	-	-	-	7	2	1	2	2	2	3	2	2	1
Dis. of Skin - - -		20	9	2	-	-	-	11	2	2	-	-	2	2	2	2	1
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -		24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		631	40	23	31	26	21	143	60	74	58	6	37	23	37	40	23
Other Causes - - -		2481	1329	153	44	14	12	1782	10	4	-	-	12	15	24	38	55

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																Total under 1 Year.	Total under 5 Years.	5-10.	10-15.	15-20.	20-25.	25-35.	35-45.	45-55.	55-65.	65-75.	75-85.	85 and upwards.																																																																																				
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16														17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16														17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

379.—WOLVERHAMPTON.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Popul ⁿ , 1861-71	64978	2247	1988	1906	1836	1834	9811	8252	7178	6157	5950	9508	7390	5260	3214	1628	549	81																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
382.—DUDLEY.																		
Mean Popul ⁿ , 1861-71		65775	2470	2146	1992	1963	1961	10532	9007	7642	6373	6007	9072	6929	4949	3024	1594	561
ALL DEATHS		15066	4816	3329	997	549	360	9051	663	316	296	374	603	746	658	854	987	783
pox		239	76	48	38	31	20	213	19	4	3	3	9	4	4	—	—	—
measles		468	77	186	109	52	31	440	21	—	—	—	1	—	—	—	—	—
dysentery		879	59	177	189	125	103	633	185	30	2	2	3	1	1	2	—	—
beria		87	5	16	9	15	8	63	24	6	—	—	—	—	—	—	—	—
ping-cough		438	198	139	77	19	15	418	8	1	—	—	1	—	—	—	—	—
meas & Dysentery		817	31	79	62	33	39	264	132	98	54	45	58	50	42	36	26	12
Zymotic Dis.		1111	539	335	52	20	7	973	10	3	5	2	11	12	4	22	31	3
la and Tabes		330	83	83	45	28	25	237	21	12	10	4	7	8	11	9	7	4
is		219	—	—	—	—	—	—	1	—	1	1	9	34	65	63	31	11
cephalus		215	70	75	22	7	3	177	10	5	2	6	6	5	1	1	1	—
Brain		1013	26	34	12	7	6	85	28	39	108	157	249	198	97	42	8	2
Heart & Dropsy		104	42	25	16	10	3	96	6	—	—	—	—	—	—	—	—	—
Lungs		1713	841	144	56	39	17	1097	37	25	22	19	37	49	70	127	121	84
Stom. and Liver		694	12	8	9	6	5	40	15	20	17	15	38	76	95	128	126	29
Kidneys		2508	779	499	190	83	35	1566	49	20	13	24	64	78	113	215	232	101
Gener. Organs		658	133	32	16	10	2	193	11	13	16	23	48	63	71	111	80	29
Joints		107	3	9	7	1	2	22	6	1	4	1	16	16	14	18	6	3
Skin		40	—	1	—	—	—	1	—	—	—	—	1	8	9	7	5	—
Birth and Metris		34	2	3	—	—	—	5	4	5	3	4	6	3	1	—	—	—
Violent Deaths		38	11	5	4	—	—	—	—	—	—	—	3	2	2	2	4	1
Causes		245	—	—	—	—	—	—	—	17	45	85	91	7	—	—	—	—
		14	—	—	—	—	—	—	—	2	3	2	4	—	—	—	—	—
		294	18	25	13	25	25	106	61	28	7	4	11	12	4	5	24	24
		3437	1818	405	76	18	14	2331	15	8	7	13	19	26	39	63	206	430
383.—STOURBRIDGE.																		
Mean Popul ⁿ , 1861-71		35561	1245	1088	1093	1082	1060	5568	4771	4153	3385	3127	4936	3758	2725	1796	962	329
ALL DEATHS		7463	2224	811	365	254	174	3331	353	132	175	206	385	388	302	428	613	448
pox		97	32	20	11	5	6	74	9	2	2	3	5	—	1	—	1	—
measles		162	31	60	32	16	9	138	11	1	1	—	—	—	—	—	—	—
dysentery		465	30	75	63	81	70	319	123	19	4	1	1	—	—	—	—	—
beria		34	—	7	3	5	2	17	8	3	1	3	—	2	—	—	—	—
ping-cough		157	89	48	12	10	4	154	8	—	—	—	—	—	—	—	—	—
meas & Dysentery		226	7	15	25	22	19	88	46	28	32	19	31	15	19	7	9	2
Zymotic Dis.		369	194	82	21	4	3	304	5	1	3	3	4	2	3	12	29	27
la and Tabes		21	4	2	—	1	1	8	2	1	—	—	—	4	2	1	1	—
is		171	23	25	23	19	9	90	18	7	7	3	3	9	5	11	4	5
cephalus		143	—	—	—	1	—	1	1	—	1	—	10	24	33	35	29	7
Brain		145	63	38	9	3	2	113	1	4	3	0	5	5	—	2	1	—
Heart & Dropsy		587	11	8	5	1	3	28	12	15	62	81	138	122	60	28	12	—
Lungs		60	24	15	7	2	1	49	8	3	—	—	—	—	—	—	—	—
Stom. and Liver		794	344	58	29	9	4	444	29	8	10	9	24	29	40	58	90	49
Kidneys		471	10	8	3	4	1	26	7	13	19	13	82	35	62	87	115	37
Gener. Organs		1150	382	189	81	51	20	723	28	3	7	7	21	21	37	95	119	76
Joints		315	40	13	5	3	3	64	19	4	5	7	27	35	50	45	61	15
Skin		65	—	3	2	—	—	7	3	2	1	4	7	12	4	12	9	5
Birth and Metris		29	—	—	—	—	—	1	—	1	—	—	5	5	6	5	3	1
Violent Deaths		16	1	—	1	1	1	2	1	2	4	3	1	1	1	1	1	—
Causes		137	13	15	11	9	11	59	28	8	7	5	6	4	2	1	6	7
		1608	997	129	25	7	2	1109	9	7	2	5	8	12	18	25	132	195
384.—KIDDERMINSTER.																		
Mean Popul ⁿ , 1861-71		16821	468	412	383	417	415	2095	1963	1808	1615	1503	2305	1948	1492	1057	704	280
ALL DEATHS		3244	637	193	134	78	69	1111	177	79	100	102	174	194	178	253	387	337
pox		22	5	2	5	3	—	15	3	2	—	—	—	1	—	1	—	—
measles		69	8	20	14	4	8	54	10	1	1	—	2	—	1	—	—	—
dysentery		175	10	15	26	27	26	104	65	9	1	—	3	—	2	—	1	—
beria		25	4	1	4	2	7	18	5	—	—	—	2	—	—	—	—	—
ping-cough		48	20	7	12	3	2	44	4	—	—	—	—	—	—	—	—	—
meas & Dysentery		139	6	7	8	5	2	28	28	17	12	6	11	2	6	5	9	6
Zymotic Dis.		104	97	24	7	3	2	133	2	2	—	1	2	2	—	3	8	3
la and Tabes		5	—	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—
is		81	10	7	8	12	5	42	12	2	2	1	—	2	3	10	3	1
cephalus		84	—	—	—	—	—	—	—	—	—	—	—	11	19	28	11	10
Brain		69	20	12	5	3	—	40	6	2	5	2	2	1	2	—	—	—
Heart & Dropsy		347	21	16	7	—	1	39	13	15	44	51	81	55	30	12	2	1
Lungs		28	11	5	2	—	—	21	5	1	—	—	—	—	—	—	—	—
Stom. and Liver		349	78	21	11	4	3	117	13	4	5	10	12	16	16	45	54	50
Kidneys		264	2	2	—	—	—	7	3	4	4	4	7	21	20	59	91	59
Gener. Organs		404	70	37	8	4	4	127	3	3	5	3	13	16	24	57	88	55
Joints		160	12	—	—	—	—	14	4	6	7	4	7	20	25	20	35	15
Skin		19	—	—	—	—	—	—	2	—	1	3	1	4	3	2	1	2
Birth and Metris		22	—	—	—	—	—	—	—	—	—	—	—	6	2	—	—	—
Violent Deaths		58	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Causes		647	8	5	2	—	—	20	7	4	3	3	2	2	4	2	13	10

Causes of Death in the Ten Years 1861-70.—Males. [Div.
1861-71, and Deaths in Districts during the 10 Years 1861-70.

		AGES OF MALES.																
		1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—		
Year.																		
		385.—TENBURY.																
		3905	100	98	96	105	104	503	450	434	361	297	526	453	363	282	162	6
18	-	724	160	24	11	13	9	217	15	15	8	19	34	36	55	86	116	146
-	-	3	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-
-	-	19	4	3	4	1	3	15	3	1	1	-	-	-	-	-	-	-
-	-	4	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
ough	-	16	13	1	-	2	-	16	-	-	-	-	-	-	-	-	-	-
-	-	19	-	1	-	-	-	1	1	-	-	3	1	3	2	1	3	1
mentary	-	7	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-
-	-	16	-	2	2	1	1	6	-	3	-	1	-	2	-	4	-	-
-	-	10	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-
ies	-	7	-	-	-	-	-	2	1	-	-	-	2	-	1	1	1	1
-	-	51	-	-	-	1	1	2	-	-	1	8	18	-	6	8	-	-
-	-	9	6	-	-	2	-	9	-	-	-	-	-	-	-	-	-	-
-	-	98	14	2	1	2	-	19	3	3	-	3	1	2	12	13	27	37
-	-	65	-	-	-	-	-	1	-	-	-	1	5	5	12	15	19	19
-	-	99	13	10	1	1	1	26	1	-	1	1	5	6	21	21	21	21
-	-	39	2	1	-	-	-	3	-	1	1	-	1	2	5	9	9	9
-	-	11	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
ria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	30	1	3	1	2	-	7	1	2	3	1	3	4	3	3	3	3
-	-	225	100	-	1	-	-	101	4	4	-	-	3	2	3	7	22	22

		386.—MARTLEY.																
		212	204	210	193	210	1029	922	826	699	571	999	895	743	577	372	14	
5 - 1353		257	60	33	25	21	306	62	24	24	30	74	69	106	130	137	14	
	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	
	11	3	2	-	3	-	8	2	1	-	-	-	-	-	-	-	-	
	63	-	11	10	10	7	38	20	3	1	-	1	-	-	-	-	-	
	16	1	1	2	2	2	6	6	1	-	-	-	-	1	-	-	-	
ough	15	8	2	2	1	1	14	1	-	-	-	-	-	-	-	-	-	
& Dysentery	45	2	3	-	3	-	10	5	-	3	3	5	6	2	2	2	2	
	33	19	4	1	-	-	24	1	-	-	-	-	-	1	1	1	3	
	9	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
nole Dia.	22	2	2	1	-	3	8	4	1	1	1	2	1	-	1	3	-	
	21	-	-	-	-	-	-	-	-	-	1	1	-	2	4	7	-	
nd Tubes	22	7	3	2	1	-	13	2	1	1	1	-	3	-	-	-	-	
	91	3	1	-	1	-	5	2	4	6	13	25	14	9	8	4	-	
hals	15	5	6	-	-	1	12	2	1	-	-	-	-	-	-	-	-	
	175	28	-	2	2	-	32	1	-	2	-	5	10	22	27	33	38	
n & Dropsy	155	1	-	-	-	1	2	3	3	2	3	6	9	23	32	42	48	
ts	162	57	15	4	2	-	58	4	-	-	-	5	8	12	23	34	45	
and Liver	85	9	1	2	1	-	13	2	-	2	1	3	2	17	18	18	18	
	28	1	-	-	-	-	1	-	1	-	1	4	3	1	2	11	-	
rgans	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
	3	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	
	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
neaths	79	6	-	3	2	-	11	7	-	4	5	14	12	11	6	6	6	
	502	122	9	2	-	2	135	-	1	1	1	1	1	3	3	3	29	

		387.—WORCESTER.																
Mean Popul ⁿ , 1861-71		15026	437	377	384	354	389	1941	1675	1590	1497	1346	2294	1791	1359	875	482	15
TOTAL DEATHS		4040	990	273	158	101	73	1595	142	57	96	111	285	304	324	404	357	2
		41	11	3	—	1	2	17	5	1	2	2	8	3	3	—	—	—
		58	12	18	18	6	1	55	2	—	—	—	1	—	—	—	—	—
		209	14	33	39	39	22	147	47	7	5	—	1	1	1	—	—	—
		18	2	2	2	2	4	12	6	—	—	—	—	—	—	—	—	—
rough		65	38	15	6	2	1	62	2	1	—	—	—	—	—	—	—	—
& Dysentery		138	12	8	11	6	5	42	10	10	16	8	14	8	6	10	6	—
		235	153	31	4	5	2	195	3	1	—	—	2	3	2	7	13	—
		8	1	—	1	—	—	2	1	—	—	—	2	1	1	—	—	—
notie Dis.		94	11	9	15	7	7	47	1	1	5	2	8	5	8	9	8	—
		40	1	—	—	—	—	1	1	—	1	1	3	2	6	13	12	—
nd Tubes		64	23	14	7	1	2	47	2	2	2	1	4	1	3	2	—	—
		356	4	1	—	1	2	8	7	6	16	47	91	87	60	229	5	—
		45	20	13	5	—	3	41	8	—	1	—	—	—	—	—	—	—
		447	117	26	12	4	5	164	8	2	10	4	24	24	32	62	71	—
t & Dropsy		208	5	1	2	1	3	15	2	1	6	13	22	36	48	76	83	—
		624	144	55	20	11	5	235	9	1	1	7	23	58	61	138	178	—
i. and Liver		192	28	1	—	3	2	34	5	5	4	4	13	19	34	41	23	—
		86	—	—	—	1	—	1	1	—	4	2	11	14	14	16	13	—
		17	—	1	—	—	1	2	1	3	1	—	3	2	1	3	1	—
		21	4	2	—	—	—	6	—	—	1	—	3	2	3	5	—	—
Metria		16	—	—	—	—	—	—	—	—	—	1	1	3	4	—	—	—
		213	7	4	8	7	4	30	17	12	17	13	34	24	4	—	—	—
aths		755	380	85	10	4	2	432	8	4	2	6	19	11	—	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	Total 80 and over.
385.—TENBURY.																		
Mean Popul ⁿ , 1861-71	3692	103	97	98	88	80	466	450	397	322	284	475	394	350	267	173	96	18
TOTAL DEATHS	661	117	26	13	11	14	180	23	13	23	22	29	35	41	51	77	116	51
-pox	3	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
-les	3	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-
-tina	30	1	1	1	2	5	10	8	2	-	-	-	-	-	-	-	-	-
-theria	3	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-
-ping-cough	11	8	2	1	-	-	11	-	-	6	2	-	4	2	1	2	1	-
-s	22	4	-	-	-	2	2	-	1	-	-	-	1	-	-	-	-	-
-s & Dysentery	7	4	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
-ra	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
-Zymotic Dis.	22	6	4	3	3	1	17	2	1	1	-	-	-	-	-	1	-	-
-r	20	-	-	-	-	-	-	-	-	-	-	-	2	6	5	5	2	-
-ila and Tabes	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
-sis	54	2	-	-	-	2	4	2	3	3	9	12	8	7	3	1	-	-
-cephalus	9	3	1	1	1	-	6	2	1	-	-	-	-	-	-	-	-	-
-f Brain	77	16	3	2	-	-	21	2	2	2	1	1	2	5	5	10	21	5
-f Heart & Dropsy	64	-	-	-	-	-	-	-	-	2	2	3	4	8	11	17	12	5
-f Lungs	75	10	8	1	1	-	20	5	1	1	2	2	5	4	10	8	10	9
-f Stom. and Liver	34	1	1	-	-	-	2	-	-	3	3	-	2	4	10	6	3	1
-f Kidneys	8	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	1	-
-f Gener. Organs	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
-f Joints	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
-f Skin	4	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	1	-
-birth and Metria	6	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-
-le	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-Violent Deaths	13	4	1	1	-	-	6	1	1	-	-	-	-	-	-	4	-	-
-Causes	194	57	5	2	-	2	65	2	-	-	2	2	1	3	3	20	65	30
386.—MARTLEY.																		
Mean Popul ⁿ , 1861-71	7901	218	177	219	193	201	1008	959	797	651	633	1052	897	741	571	387	172	33
TOTAL DEATHS	1347	233	63	31	25	29	381	39	33	32	47	82	82	80	115	184	188	84
-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-les	10	2	2	-	-	1	6	3	-	-	-	1	-	-	-	-	-	-
-tina	39	4	3	13	10	7	37	13	3	2	1	3	-	-	-	-	-	-
-theria	9	-	-	-	-	1	1	3	3	-	-	2	-	-	-	-	-	-
-ping-cough	19	11	3	4	1	-	19	-	-	-	-	-	-	-	-	-	-	-
-s	46	-	1	-	4	1	6	3	8	4	1	4	6	4	6	2	2	-
-s & Dysentery	47	20	3	2	3	1	29	-	-	-	-	1	2	-	4	3	6	1
-ra	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-Zymotic Dis.	24	4	2	1	-	1	8	2	1	1	-	-	1	2	1	6	2	-
-r	51	-	-	-	-	1	1	-	-	-	-	-	10	11	15	12	1	1
-ila and Tabes	21	7	7	1	-	-	15	-	-	2	1	-	-	1	1	1	1	-
-sis	127	5	1	-	-	-	6	1	11	8	25	37	15	14	5	2	-	-
-cephalus	14	3	4	-	-	4	11	1	1	-	1	-	-	-	-	-	-	-
-f Brain	134	26	8	1	-	-	35	3	-	1	-	3	8	10	14	29	26	5
-f Heart & Dropsy	146	-	-	-	-	1	1	-	1	4	5	2	11	15	35	43	29	3
-f Lungs	139	37	16	2	2	7	64	3	2	2	1	1	9	4	12	29	25	7
-f Stom. and Liver	71	9	-	-	1	2	12	1	1	2	1	7	7	7	12	11	9	1
-f Kidneys	12	-	-	-	-	-	-	1	-	3	-	1	2	3	1	1	-	-
-f Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	-
-f Joints	4	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-
-f Skin	4	1	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-
-birth and Metria	29	-	-	-	-	-	-	-	-	1	5	15	7	1	-	-	-	-
-le	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-Violent Deaths	25	1	3	3	4	2	13	2	-	2	1	-	-	-	2	1	3	-
-Causes	324	103	9	2	-	-	114	3	2	-	1	2	-	5	3	43	85	68
387.—WORCESTER.																		
Mean Popul ⁿ , 1861-71	16667	434	379	377	383	370	1943	1687	1618	1711	1554	2591	2007	1517	1081	669	246	43
TOTAL DEATHS	3804	825	283	152	89	79	1423	113	70	75	127	240	257	255	325	402	371	133
-pox	28	2	5	3	2	2	14	4	2	2	2	3	1	-	-	-	-	-
-les	71	12	19	19	9	10	60	1	-	-	-	1	-	-	-	-	-	-
-tina	185	13	30	40	31	27	141	35	11	1	2	3	2	-	-	-	-	-
-theria	25	2	2	1	4	4	13	5	1	-	2	1	2	1	-	-	-	-
-ping-cough	67	24	23	11	5	2	65	2	-	-	-	-	-	-	-	-	-	-
-s	134	5	7	8	7	9	36	15	10	14	9	19	14	5	6	5	3	2
-s & Dysentery	214	168	30	5	-	-	203	2	3	-	2	2	1	5	7	9	5	2
-ra	7	-	1	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-
-Zymotic Dis.	82	10	14	10	7	5	46	6	2	3	2	1	1	4	10	5	1	1
-r	107	-	-	-	-	-	-	-	-	-	-	-	4	17	31	33	17	5
-ila and Tabes	41	14	3	3	1	-	21	3	4	3	1	3	2	3	1	-	-	-
-sis	339	6	3	1	1	1	12	7	14	28	51	99	71	43	24	3	1	-
-cephalus	25	5	3	6	2	4	20	4	1	-	-	-	-	-	-	-	-	-
-f Brain	364	78	17	5	4	-	104	5	4	3	9	18	22	28	51	69	45	6
-f Heart & Dropsy	307	7	3	-	-	-	11	6	4	4	11	10	32	41	70	81	32	4
-f Lungs	525	131	70	22	6	6	235	9	3	1	4	13	22	32	53	94	49	10
-f Stom. and Liver	157	13	-	3	1	-	16	-	1	3	8	14	20	27	30	24	13	1
-f Kidneys	39	-	-	-	-	1	1	-	1	1	2	3	9	6	6	4	3	1
-f Gener. Organs	37	-	-	1	-	-	1	-	-	-	3	5	7	11	7	2	1	-
-f Joints	20	1	1	-	-	-	2	-	-	1	1	2	2	6	3	3	-	-
-f Skin	25	8	-	1	1	2	12	-	1	-	1	-	-	4	4	3	1	-
-birth and Metria	72	-	-	-	-	-	-	-	-	7	13	13	37	15	-	-	-	-
-le	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-Violent Deaths	65	6	6	2	4	5	23	7	3	-	-	4	6	4	5	4	14	-
-Causes	812	321	45	10	3	1	380	1	3	-	4	4	9	9	5	14	-	-

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
388.—UPTON-ON-SEVERN.																	
Mean Popul., 1861-71.	10339	266	228	265	244	255	1258	1197	1180	1007	759	1400	1241	982	695	432	
TOTAL DEATHS.	2282	445	79	51	31	25	631	60	37	67	71	133	219	241	230	229	
Small-pox	12	1	1	1	1	1	3	1	1	1	1	1	1	2	2	1	
Measles	21	6	3	5	3	1	17	2	1	1	1	1	1	1	1	1	
Scarlatina	40	1	2	5	8	8	27	16	4	1	1	1	1	1	1	1	
Diphtheria	11	1	1	1	3	1	6	3	1	2	1	1	1	1	1	1	
Whooping-cough	15	8	3	3	1	1	14	1	1	1	1	1	1	1	1	1	
Typhus	61	1	1	3	2	3	12	5	7	2	3	11	7	5	5	1	
Diarrhoea & Dysentery	63	38	6	1	1	1	46	1	1	1	1	1	4	2	2	1	
Cholera	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other Zymotic Dis.	40	1	4	3	1	1	8	6	2	2	1	2	6	2	6	1	
Cancer	26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Scrophula and Tuberc.	23	9	3	1	1	1	13	1	1	1	1	2	2	2	2	1	
Phthisis	145	2	1	1	1	1	4	1	3	16	21	30	35	20	11	1	
Hydrocephalus	16	10	1	1	1	1	14	1	1	1	1	1	1	1	1	1	
Dis. of Brain	592	122	12	6	2	1	143	4	2	6	12	39	88	95	66	59	
Dis. of Heart & Dropsy	232	2	1	1	1	1	4	2	2	3	6	11	16	24	46	70	
Dis. of Lungs	271	62	23	14	2	4	103	9	4	4	9	8	23	23	35	50	
Dis. of Stom. and Liver	107	11	1	1	1	1	15	2	3	3	7	12	24	11	13	19	
Dis. of Kidneys	46	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Genes. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Joints	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Skin	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Childbirth and Metris.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Scalds	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other Violent Deaths	112	4	1	2	3	2	14	3	6	19	7	11	13	16	12	7	
Other Causes	414	163	12	3	1	1	179	1	1	1	5	5	3	7	12	28	
389.—EVESHAM.																	
Mean Popul., 1861-71.	7515	235	304	195	204	205	1043	934	823	712	575	971	831	665	522	398	
TOTAL DEATHS.	1397	313	68	38	35	19	473	53	30	27	27	71	74	107	136	131	
Small-pox	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Measles	12	2	4	2	2	1	10	1	1	1	1	1	1	1	1	1	
Scarlatina	46	3	6	8	8	4	29	9	4	2	1	1	1	1	1	1	
Diphtheria	12	1	1	1	2	1	6	3	2	1	1	1	1	1	1	1	
Whooping-cough	18	12	3	1	1	1	17	1	1	1	1	1	1	1	1	1	
Typhus	41	1	1	2	1	1	4	4	4	4	5	5	6	3	5	1	
Diarrhoea & Dysentery	89	38	11	5	1	1	55	3	1	1	1	1	1	1	5	13	
Cholera	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other Zymotic Dis.	38	2	4	1	5	2	14	4	4	2	1	2	1	2	3	1	
Cancer	29	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Scrophula and Tuberc.	11	2	1	1	1	1	3	2	1	1	2	1	1	2	5	16	
Phthisis	107	2	1	1	1	1	4	2	1	10	11	30	23	15	10	1	
Hydrocephalus	17	6	4	1	2	1	13	4	1	1	1	1	1	1	1	1	
Dis. of Brain	215	62	9	4	5	1	81	5	4	4	1	7	7	17	32	36	
Dis. of Heart & Dropsy	94	1	1	1	1	1	1	3	1	1	2	3	6	18	24	23	
Dis. of Lungs	184	46	11	9	6	1	72	2	1	1	1	5	6	17	22	33	
Dis. of Stom. and Liver	73	10	1	1	1	1	14	1	2	2	1	5	6	6	15	16	
Dis. of Kidneys	32	1	1	1	1	1	1	1	2	1	1	2	5	5	7	1	
Dis. of Genes. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Joints	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Skin	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Childbirth and Metris.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Scalds	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other Violent Deaths	58	1	1	1	1	4	6	8	2	1	4	6	6	10	3	7	
Other Causes	325	124	12	3	1	1	140	1	1	1	1	1	6	7	5	41	
390.—PERSHORE.																	
Mean Popul., 1861-71.	6924	182	175	194	183	175	909	869	767	638	510	869	742	661	520	398	
TOTAL DEATHS.	1272	320	57	35	13	18	443	53	28	29	26	55	64	85	123	176	
Small-pox	6	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	
Measles	8	3	4	3	3	1	7	1	1	1	1	1	1	1	1	1	
Scarlatina	42	1	4	8	3	8	23	16	2	1	1	1	1	1	1	1	
Diphtheria	13	1	1	1	1	3	6	2	3	1	1	1	1	1	1	1	
Whooping-cough	8	5	1	1	1	1	7	1	1	1	1	1	1	1	1	1	
Typhus	24	1	1	1	1	1	2	6	4	1	3	3	2	2	2	1	
Diarrhoea & Dysentery	43	26	4	1	1	1	80	1	1	1	1	1	1	1	1	1	
Cholera	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other Zymotic Dis.	34	2	2	1	1	2	6	1	2	2	1	1	1	1	4	1	
Cancer	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Scrophula and Tuberc.	20	3	2	2	1	1	8	1	1	2	1	2	1	3	4	2	
Phthisis	79	1	2	4	1	1	8	2	3	11	10	15	18	7	2	3	
Hydrocephalus	6	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	
Dis. of Brain	199	61	2	2	2	1	63	1	3	2	3	3	4	16	25	4	
Dis. of Heart & Dropsy	121	4	2	1	1	1	8	1	2	1	1	1	1	17	23	3	
Dis. of Lungs	164	37	10	6	1	1	34	4	1	1	1	3	6	20	28	2	
Dis. of Stom. and Liver	59	9	2	1	1	1	11	1	1	1	1	4	6	3	13	1	
Dis. of Kidneys	15	1	1	1	1	1	1	1	1	1	1	2	1	2	2	1	
Dis. of Genes. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Joints	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dis. of Skin	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Childbirth and Metris.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Scalds	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Deaths	64	5	2	3	1	1	11	3	2	4	4	4	4	4	4	4	
Other Causes	246	160	17	6	1	1	184	7	3	5	4	4	4	4	4	4	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
388.—UPTON-ON-SEVERN.																				
Mean Popul ⁿ , 1861-71	11863	270	276	263	245	251	1305	1202	1136	1172	1096	1739	1457	1102	861	536	219	38		
ALL DEATHS	2073	343	65	50	38	25	521	62	46	67	71	158	166	168	176	271	205	102		
pox	5	1	-	-	1	-	2	-	-	-	-	-	2	-	1	-	-	-		
measles	15	3	2	2	1	1	10	3	-	2	-	-	-	-	-	-	-	-		
diphtheria	55	5	9	7	12	6	39	10	2	1	-	1	1	1	-	-	-	-		
scarlatina	26	1	1	5	1	4	10	5	5	-	1	1	2	1	1	-	-	-		
croup	21	9	7	1	2	-	19	2	-	-	-	-	-	-	-	-	-	-		
whooping-cough	56	1	1	4	2	1	9	9	5	7	6	5	7	5	1	2	1	-		
diarrhoea & Dysentery	35	19	2	1	3	-	25	1	-	-	-	-	-	-	1	3	2	1		
Zymotic Dis.	26	2	-	1	1	2	6	1	5	1	-	3	2	4	-	2	2	-		
Smallpox	52	-	-	-	-	-	-	-	-	-	-	1	10	11	10	15	5	-		
Erysipelas	24	8	-	-	1	-	9	2	2	1	-	4	1	2	2	1	1	-		
Scrophulous	215	1	-	2	1	-	4	8	8	24	39	54	41	22	12	5	2	-		
Brain	19	6	7	3	1	1	18	1	-	-	-	-	-	-	-	-	-	-		
Heart & Dropsy	433	106	14	7	1	3	131	8	7	13	8	29	40	48	52	53	30	8		
Lungs	247	2	-	-	-	-	2	3	1	5	6	9	20	29	48	82	46	-		
Stom. and Liver	242	45	12	10	6	4	77	7	2	3	3	16	18	22	20	22	7	-		
Kidneys	110	8	2	3	-	1	14	2	4	7	3	12	9	11	14	20	10	4		
Gener. Organs	18	-	-	-	1	-	1	-	1	-	1	4	5	2	1	2	1	-		
Joint	7	-	-	-	-	-	-	-	-	-	-	2	2	4	1	-	-	-		
Skin	8	-	-	-	-	-	-	1	1	2	-	1	1	1	1	2	-	1		
Birth and Metris	6	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-		
Violent Deaths	26	-	-	-	-	-	-	-	-	1	5	13	6	1	-	-	-	-		
Causes	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
389.—EVESHAM.																				
Mean Popul ⁿ , 1861-71	7680	204	219	208	194	180	1005	928	845	698	637	1026	833	693	518	334	146	17		
ALL DEATHS	1820	251	66	42	31	23	413	52	20	40	45	82	90	75	111	144	101	57		
pox	2	-	-	-	-	-	11	-	-	2	-	-	-	-	-	-	-	-		
measles	13	-	5	3	2	-	11	2	-	-	-	-	-	-	-	-	-	-		
diphtheria	48	3	4	10	7	3	32	14	1	-	-	-	-	-	-	-	-	-		
scarlatina	15	2	1	-	4	3	10	4	1	1	-	-	-	-	-	-	-	-		
croup	21	11	4	2	3	1	21	-	-	-	-	-	-	-	-	-	-	-		
whooping-cough	42	-	1	1	1	1	4	8	2	5	3	7	4	2	5	4	2	3		
diarrhoea & Dysentery	53	22	4	1	1	2	30	-	-	1	1	1	-	6	5	2	5	3		
Zymotic Dis.	25	4	-	6	1	2	13	2	1	1	1	-	-	-	2	3	2	-		
Smallpox	40	-	-	-	-	-	-	-	-	-	-	1	7	14	9	4	5	-		
Erysipelas	7	2	2	1	-	-	5	-	-	-	-	1	1	1	-	-	-	-		
Scrophulous	148	1	5	1	-	-	7	4	7	15	22	36	27	16	13	-	1	-		
Brain	7	1	2	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-		
Heart & Dropsy	138	34	7	2	4	3	50	3	4	1	4	4	7	9	14	24	17	1		
Lungs	117	2	2	-	-	-	4	3	-	1	5	4	11	12	21	41	14	1		
Stom. and Liver	139	30	15	7	5	1	58	5	-	3	1	2	5	2	14	23	21	5		
Kidneys	67	6	1	1	1	-	9	-	-	6	4	7	6	3	13	11	8	-		
Gener. Organs	15	-	2	-	-	-	2	-	-	-	1	1	2	4	2	1	2	-		
Joint	11	-	-	-	-	-	-	-	-	-	-	2	1	1	2	5	1	-		
Skin	4	-	-	-	-	-	-	-	2	1	-	-	-	-	1	1	-	-		
Birth and Metris	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths	34	-	-	-	-	-	-	-	-	1	2	15	18	-	-	-	-	-		
Causes	26	4	2	1	1	1	9	2	-	-	-	2	1	1	2	1	5	2		
390.—PERSHORE.																				
Mean Popul ⁿ , 1861-71	7080	201	177	203	163	183	927	883	778	634	564	926	778	625	494	321	126	24		
ALL DEATHS	1156	206	48	31	21	11	317	43	29	48	35	81	62	74	104	146	147	70		
pox	3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-		
measles	15	3	4	2	-	2	11	3	-	-	-	-	-	-	-	1	-	-		
diphtheria	34	2	2	7	9	2	22	8	2	1	-	-	1	-	-	-	-	-		
scarlatina	12	2	1	-	1	1	5	2	3	-	2	-	-	-	-	-	-	-		
croup	10	4	3	3	-	-	10	-	-	-	-	-	-	-	-	-	-	-		
whooping-cough	70	-	2	-	-	-	2	5	-	5	4	4	1	1	1	1	1	1		
diarrhoea & Dysentery	40	17	2	3	1	-	23	-	1	1	-	-	2	-	4	5	3	1		
Zymotic Dis.	39	7	1	1	3	1	13	5	-	2	2	1	1	2	9	3	1	1		
Smallpox	34	-	-	-	-	-	-	-	-	-	-	3	4	12	5	8	2	-		
Erysipelas	8	3	-	-	-	-	3	2	-	-	-	2	1	1	-	-	-	-		
Scrophulous	123	9	2	1	-	1	2	4	5	2	20	42	14	7	4	1	-	-		
Brain	5	1	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-		
Heart & Dropsy	137	35	3	1	1	-	40	3	2	2	2	3	3	5	18	25	25	5		
Lungs	133	4	1	-	-	-	5	-	2	5	1	6	13	16	27	40	14	4		
Stom. and Liver	148	32	13	9	2	1	57	7	3	2	1	4	8	11	24	37	11	-		
Kidneys	61	4	2	-	1	-	7	3	2	2	1	4	3	9	15	11	4	-		
Gener. Organs	10	1	-	-	-	-	1	1	-	-	-	1	1	-	2	2	-	-		
Joint	7	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Skin	4	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
Birth and Metris	19	-	-	-	-	-	-	-	-	1	-	-	11	-	-	-	-	-		
Violent Deaths	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Causes	19	3	2	-	2	2	7	2	-	-	-	1	1	2	-	-	-	-		

AGES OF MALES.

		AGES OF MALES.										Total under 5 Years.											
		1	2	3	4	5	10	15	20	25	35	45	55	65									
Year.																							
391.—DROITWICH.																							
		10180	306	270	298	272	299	1445	1305	1151	915	745	1348	1100	934	667	398						
1881		2024	526	123	66	38	22	775	73	43	35	39	100	83	146	192	247						
1882		20	5	4	2	-	-	11	1	-	-	2	3	1	-	1	3						
1883		27	4	9	5	3	1	22	5	-	-	-	-	-	-	-	-						
1884		83	9	13	13	8	7	52	23	5	2	1	-	-	-	-	-						
1885		8	2	2	-	1	-	5	-	2	-	-	1	-	-	-	-						
1886		28	19	6	2	1	-	28	-	-	-	-	-	-	-	-	-						
1887		20	5	1	-	-	2	9	6	8	4	3	5	-	5	5	5						
1888		114	74	11	-	3	1	89	1	-	-	-	-	-	2	-	-						
1889		3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-						
1890		43	3	4	7	4	2	20	1	3	2	-	3	1	3	5	3						
1891		23	-	-	-	-	-	-	-	-	-	-	-	-	6	6	7						
1892		32	10	4	2	2	1	19	3	2	1	-	1	1	2	1	1						
1893		109	1	-	-	1	-	2	4	1	5	12	49	17	17	9	-						
1894		83	18	9	3	1	1	32	3	-	-	-	-	-	-	-	-						
1895		222	54	7	9	3	2	75	5	6	1	5	8	5	29	33	41						
1896		171	3	-	-	-	-	4	2	2	3	3	6	12	21	34	41						
1897		280	62	23	14	7	2	110	4	2	3	3	9	12	26	39	41						
1898		96	11	3	1	-	1	16	1	2	3	-	13	12	15	15	21						
1899		36	1	-	-	1	-	2	3	1	2	1	2	2	2	4	7						
1900		1	0	-	-	-	-	2	1	-	-	-	1	1	1	1	1						
1901		6	1	-	1	-	-	2	-	-	-	-	1	1	-	1	1						
1902		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
1903		114	6	6	2	2	2	18	6	9	10	6	15	9	16	12	4						
1904		475	237	17	1	1	-	238	4	-	-	1	1	3	5	12	44						
392.—BROMSGROVE.																							
		7	348	364	383	376	1888	1638	1585	1333	1043	1738	1521	1260	895	490							
1881		3015	870	257	129	67	42	1346	130	66	56	78	134	134	186	244	300						
1882		7	2	-	-	-	1	3	-	-	-	2	1	-	1	-	-						
1883		71	21	25	14	3	4																

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	Total
391.—DROITWICH.																		
Mean Population, 1861-71	10686	312	275	300	263	259	1409	1284	1118	911	924	1542	1158	954	722	447	189	28
Total Deaths	1872	444	101	60	30	27	662	69	37	61	59	122	98	118	149	211	210	76
Pox	6	3	1	-	-	-	4	-	-	2	-	-	-	-	-	-	-	-
Smallpox	23	2	10	2	3	2	19	3	-	-	-	-	-	-	-	-	1	-
Erysipelas	81	4	11	14	8	13	50	22	4	2	-	2	1	-	-	-	-	-
Scarlatina	12	-	2	-	-	2	7	5	-	-	-	-	-	-	-	-	-	-
Croup	33	20	5	5	2	1	33	-	-	-	-	-	-	-	-	-	-	-
Dysentery	37	1	1	1	2	1	6	6	9	12	5	5	4	2	3	2	3	4
Zymotic Diseases	85	54	5	2	1	-	62	1	-	-	1	-	-	-	4	3	6	-
Measles	52	9	7	8	3	1	30	4	2	2	-	3	-	3	1	2	3	1
Whooping Cough	40	-	-	-	-	-	-	-	-	-	-	-	11	10	17	17	3	1
Consumption	36	17	3	4	-	-	24	2	-	3	-	4	2	10	17	17	1	-
Phthisis	178	3	2	-	-	2	7	2	8	22	33	33	26	16	10	1	-	-
Brain	32	17	5	2	1	-	23	4	3	-	-	-	-	-	-	-	-	-
Heart & Dropsy	177	38	6	4	-	-	43	3	2	4	2	6	7	19	26	31	24	5
Lungs	165	1	1	-	-	-	2	2	3	2	3	10	12	20	29	44	27	1
Stomach & Liver	242	63	29	12	3	4	111	1	2	1	1	6	6	16	18	44	31	5
Kidneys	105	6	4	1	-	1	12	1	2	3	1	12	10	16	15	15	17	1
General Organs	14	1	-	-	1	-	2	-	1	-	1	1	-	1	3	2	3	-
Joint Diseases	11	-	-	-	-	-	-	-	-	-	1	3	-	3	1	3	-	-
Skin	1	3	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Birth and Metris	35	-	-	-	-	-	-	-	-	3	6	14	11	1	-	-	-	-
Violent Deaths	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Causes	414	190	8	2	2	-	14	10	-	3	2	1	3	1	4	4	3	3
							202	3	-	2	1	2	5	8	7	40	89	55
392.—BROMSGROVE.																		
Mean Population, 1861-71	14040	464	391	393	351	353	1952	1738	1513	1323	1240	1956	1571	1223	843	472	183	28
Total Deaths	2827	652	251	91	66	52	1115	121	63	79	94	167	155	137	233	297	274	93
Pox	9	1	1	2	1	-	5	-	-	1	2	1	-	-	-	-	-	-
Smallpox	58	9	22	10	5	3	49	8	1	-	-	-	-	-	-	-	-	-
Erysipelas	91	0	13	10	11	9	49	23	9	1	-	1	1	-	1	-	-	-
Scarlatina	28	-	8	1	2	4	15	8	2	2	1	-	-	-	-	-	-	-
Croup	49	21	13	7	5	3	49	-	-	-	-	-	-	-	-	-	-	-
Dysentery	129	5	3	4	4	7	23	17	20	9	10	12	9	14	9	3	3	5
Zymotic Diseases	112	46	13	8	6	2	73	3	-	1	1	2	2	3	5	9	10	4
Measles	9	1	-	-	-	-	1	1	-	-	1	1	1	1	1	1	1	1
Whooping Cough	67	12	11	7	10	7	47	5	-	1	1	1	3	3	3	2	-	-
Consumption	67	-	-	-	-	-	1	-	-	-	-	4	11	13	21	13	4	-
Phthisis	39	12	7	1	2	1	23	6	1	2	1	3	2	1	-	-	-	-
Brain	273	3	4	2	1	-	10	6	9	34	44	79	48	23	16	4	-	-
Heart & Dropsy	39	11	9	2	1	-	23	6	1	-	-	-	-	-	-	-	-	-
Lungs	299	74	27	4	2	2	100	8	5	5	5	12	10	17	40	46	41	3
Stomach & Liver	238	2	1	1	-	2	6	2	9	9	8	16	19	23	49	71	20	4
Kidneys	256	109	61	18	13	3	204	11	3	3	5	9	7	8	30	38	33	5
General Organs	134	14	4	1	-	1	30	2	2	4	4	8	12	17	29	20	12	4
Joint Diseases	21	1	-	-	-	1	2	2	-	-	2	1	2	3	3	4	2	-
Skin	12	-	-	-	-	-	3	-	1	-	-	-	4	4	-	-	-	-
Birth and Metris	13	2	1	-	-	-	3	-	-	2	1	1	1	2	-	-	-	-
Violent Deaths	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes	715	311	44	15	3	5	378	21	2	2	-	2	2	1	1	9	3	69
393.—KING'S NORTON.																		
Mean Population, 1861-71	30709	820	742	764	744	714	3784	3349	3034	3314	3434	5049	3512	2454	1549	899	290	41
Total Deaths	4798	1099	427	202	123	91	1942	171	114	120	136	290	354	320	351	516	377	107
Pox	22	9	1	2	1	-	13	2	2	1	1	2	-	1	-	-	-	-
Smallpox	17	15	34	24	18	3	92	5	-	-	-	-	-	-	-	-	-	-
Erysipelas	209	13	36	32	28	32	141	43	14	3	2	4	2	-	-	-	-	-
Scarlatina	61	4	12	8	8	3	35	16	7	-	3	1	1	3	-	-	-	-
Croup	126	53	36	22	7	4	122	3	1	-	-	-	-	-	-	-	-	-
Dysentery	179	5	7	9	6	10	37	31	18	14	13	21	12	15	8	8	2	-
Zymotic Diseases	274	180	40	2	-	1	223	1	1	1	1	1	1	1	9	16	14	-
Measles	1	-	-	-	-	-	1	1	-	1	-	-	1	1	7	3	5	-
Whooping Cough	127	15	16	16	10	6	63	8	6	4	5	4	9	1	13	8	-	-
Consumption	155	-	-	-	-	-	-	-	-	1	-	4	2	50	43	25	8	1
Phthisis	69	24	9	1	2	1	41	6	6	4	3	2	4	1	-	2	-	-
Brain	480	15	8	2	3	1	29	7	18	44	63	122	116	49	27	8	-	-
Heart & Dropsy	66	22	13	11	5	1	54	9	2	-	1	-	-	-	-	-	-	-
Lungs	462	132	29	9	8	8	186	7	9	13	9	17	19	34	50	83	45	7
Stomach & Liver	366	4	1	1	1	1	8	4	10	8	8	10	29	49	62	79	24	4
Kidneys	603	101	106	40	29	12	369	8	3	9	8	23	28	41	68	144	83	21
General Organs	244	34	5	2	-	1	42	5	12	5	5	20	23	33	37	22	1	-
Joint Diseases	49	-	1	-	-	-	1	-	1	1	2	4	9	9	11	10	1	-
Skin	23	-	-	1	-	-	4	5	1	3	1	3	3	11	1	5	1	-
Birth and Metris	30	2	-	-	-	-	4	1	-	-	-	2	3	1	2	-	-	-
Violent Deaths	10	-	-	-	-	-	-	-	-	-	-	35	3	1	1	1	-	-
Causes	822	352	63	11	4	1	429	6	1	3	-	5	5	13	12	27	58	109

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-71.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
394.—BIRMINGHAM.																	
Mean Popul ⁿ . } 1861-71	108703	3655	3052	3100	2938	2868	15613	13047	11818	11077	10648	17061	12783	8902	5031	2503	
TOTAL DEATHS -	30851	8594	5531	1065	1087	659	15484	1322	501	615	804	1851	2263	2413	2243	2201	
Small-pox -	216	59	22	14	12	8	106	25	11	15	17	24	19	5	5	-	
Meningitis -	800	119	223	201	27	23	762	35	1	1	1	-	1	-	-	-	
Rheumatism -	1494	82	240	207	250	186	1025	387	58	11	5	6	2	-	-	-	
Diphtheria -	360	54	77	37	37	40	265	55	14	6	4	6	2	4	2	1	
Whooping-cough -	898	507	316	133	69	38	856	36	1	-	-	-	-	-	-	-	
Typhus -	809	27	49	24	55	36	223	181	62	72	71	81	69	74	51	25	
Diarrhea & Dysentery -	2324	1551	414	85	29	12	2089	223	8	3	3	14	21	27	43	46	
Cholera -	23	10	8	1	-	1	15	1	1	-	-	3	3	2	-	-	
Other Zymotic Dis. -	877	180	177	86	89	54	585	55	8	20	11	37	43	38	34	20	
Cancer -	238	-	-	1	-	-	1	1	-	-	-	11	19	37	46	61	
Serofula and Tubercles -	480	120	93	24	10	12	295	27	20	22	13	16	8	13	6	6	
Epilepsy -	3466	52	30	28	16	13	189	71	72	203	380	830	530	295	236	16	
Hydrocephalus -	467	134	173	80	34	21	431	32	2	1	-	1	-	-	-	-	
Dropsy -	3075	944	258	119	62	30	1413	83	38	51	51	140	230	285	229	221	
Dropsy of Heart & Dropsy -	1592	21	19	21	7	10	78	43	26	42	37	130	214	286	277	185	
Dropsy of Lungs -	3436	1440	767	302	104	60	2700	169	21	32	45	164	333	514	729	585	
Dropsy of Stomach and Liver -	965	181	59	18	8	6	242	33	28	25	28	77	118	173	165	121	
Dropsy of Kidneys -	509	5	4	15	6	13	43	22	18	17	24	62	67	84	87	53	
Dropsy of Genes. Organs -	12	-	-	-	-	-	1	1	-	-	-	1	2	5	3	2	
Dropsy of Joints -	144	4	3	3	1	2	13	18	24	11	9	21	16	10	13	8	
Dropsy of Skin -	109	58	6	4	-	-	44	1	4	4	-	8	9	15	9	9	
Childbirth and Maternal Deaths -	145	-	-	-	-	-	-	-	1	8	8	20	34	32	36	29	
Other Violent Deaths -	1730	368	95	79	94	65	739	118	76	63	78	154	159	139	103	68	
Other Causes -	4989	2830	404	104	47	14	2309	33	9	9	8	81	44	81	147	402	
395.—ASTON.																	
Mean Popul ⁿ . } 1861-71	60936	2147	1825	1876	1791	1752	9391	7734	6621	5839	5717	9518	7126	4734	2877	1222	
TOTAL DEATHS -	15078	4427	1561	600	893	276	7347	571	226	236	200	607	693	838	600	514	
Small-pox -	77	27	5	2	1	4	39	7	4	-	9	10	4	3	1	-	
Meningitis -	355	65	148	72	31	17	333	19	1	-	-	1	-	1	-	-	
Rheumatism -	730	58	122	123	111	82	496	184	36	8	1	4	-	1	-	-	
Diphtheria -	208	30	39	44	33	29	168	20	3	3	3	6	2	2	-	1	
Whooping-cough -	370	120	125	59	27	12	302	8	-	-	-	-	-	-	-	-	
Typhus -	361	12	36	19	25	18	118	67	33	25	30	38	28	28	15	12	
Diarrhea & Dysentery -	1106	742	208	36	11	5	1092	10	1	3	-	6	4	12	16	35	
Cholera -	24	8	-	-	-	2	7	1	-	-	1	6	5	2	5	5	
Other Zymotic Dis. -	499	103	71	45	28	17	264	32	11	10	6	17	12	12	16	14	
Cancer -	102	-	-	-	-	-	-	-	-	1	1	6	14	21	29	34	
Serofula and Tubercles -	228	103	40	20	6	3	181	19	10	4	2	6	2	4	4	3	
Epilepsy -	1232	27	20	13	4	3	77	17	17	91	156	287	276	192	97	24	
Hydrocephalus -	252	118	65	19	13	8	235	16	6	1	1	-	-	-	-	-	
Dropsy -	1276	497	114	38	15	23	687	33	19	24	17	33	58	79	129	131	
Dropsy of Heart & Dropsy -	560	13	5	6	3	2	29	17	16	16	15	43	69	99	119	23	
Dropsy of Lungs -	2414	787	354	123	49	23	1341	84	9	15	19	69	112	184	270	253	
Dropsy of Stomach and Liver -	476	105	12	8	2	5	132	8	13	10	10	26	49	70	77	68	
Dropsy of Kidneys -	175	1	2	3	3	3	12	7	3	-	4	20	15	31	30	33	
Dropsy of Genes. Organs -	6	2	-	-	-	-	2	-	-	-	-	1	-	3	3	4	
Dropsy of Joints -	47	2	-	-	1	-	3	12	5	4	4	3	-	6	5	3	
Dropsy of Skin -	33	8	8	2	1	1	20	-	1	-	-	-	-	-	-	2	
Childbirth and Maternal Deaths -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -	492	127	27	23	17	16	210	56	32	15	9	24	21	38	25	20	
Other Causes -	2005	1456	145	28	7	8	1644	8	6	4	-	10	18	31	49	100	
396.—MERIDEN.																	
Mean Popul ⁿ . } 1861-71	5546	155	132	142	133	148	710	684	648	502	375	672	623	526	442	267	
TOTAL DEATHS -	1050	228	54	17	13	22	334	32	27	33	26	47	59	64	88	155	
Small-pox -	9	1	-	-	1	-	2	1	-	-	1	1	3	-	1	-	
Meningitis -	10	2	7	1	3	-	10	-	-	-	-	-	-	-	-	-	
Rheumatism -	33	2	3	3	3	-	20	16	4	3	-	-	-	-	-	-	
Diphtheria -	21	1	1	1	1	6	10	4	-	2	-	-	-	-	1	-	
Whooping-cough -	17	6	3	-	-	-	8	1	-	-	-	-	-	-	-	-	
Typhus -	35	18	3	1	-	1	1	1	-	2	-	1	-	4	2	1	
Diarrhea & Dysentery -	1	-	-	-	-	-	22	1	-	-	-	-	-	-	1	5	
Cholera -	25	1	-	-	-	3	4	3	3	1	1	12	1	2	2	4	
Other Zymotic Dis. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Serofula and Tubercles -	9	1	1	-	1	-	3	-	2	1	1	-	-	1	3	2	
Epilepsy -	81	2	-	-	1	-	3	-	4	11	13	23	15	6	5	1	
Hydrocephalus -	7	2	4	-	-	1	7	-	-	-	-	-	-	-	-	-	
Dropsy -	138	20	6	2	2	2	82	7	3	3	1	4	5	10	13	58	
Dropsy of Heart & Dropsy -	77	4	1	-	-	-	5	1	2	4	3	1	5	6	7	23	
Dropsy of Lungs -	185	52	11	1	2	3	69	1	3	3	-	2	8	6	13	39	
Dropsy of Stomach and Liver -	76	6	1	-	-	-	7	1	2	2	-	-	6	13	22	14	
Dropsy of Kidneys -	42	-	1	-	-	-	1	-	-	2	1	3	4	5	6	11	
Dropsy of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dropsy of Joints -	7	2	1	-	-	-	3	-	1	-	-	1	-	1	-	1	
Dropsy of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Maternal Deaths -	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -	43	3	3	3	1	1	13	1	2	2	-	2	2	2	2	2	
Other Causes -	205	105	4	5	1	1	114	-	-	-	-	-	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upward.	
394.—BIRMINGHAM.																			
in Popul ⁿ , 1861-71	113116	3697	3029	3029	3013	2869	15637	13159	11570	11357	11490	18003	13549	9258	5522	2687	792	102	
AL DEATHS -	28220	7234	3359	1601	1038	681	13913	1311	490	584	806	1639	1772	1835	2125	2076	1360	309	
-pox -	169	47	20	12	10	7	96	19	10	8	15	11	4	6	-	-	-	-	
-c -	768	130	208	171	82	37	718	46	2	-	-	2	-	-	-	-	-	-	
-dina -	1443	232	283	239	251	189	941	335	62	18	12	16	2	2	-	-	-	-	
-beria -	320	37	80	61	51	47	376	76	17	5	3	3	-	3	-	-	-	-	
-ping-cough -	1066	307	388	184	88	44	1011	32	1	1	-	1	-	-	-	-	-	-	
-is -	885	19	39	63	65	42	349	140	83	61	55	82	72	58	47	28	12	12	
-hæm & Dysentery -	2161	1345	393	95	35	23	1841	18	4	8	1	14	12	30	45	79	58	11	
-ra -	30	8	4	2	1	1	16	1	-	-	1	-	1	4	1	5	1	-	
-Zymotic Dis. -	729	147	136	94	67	46	490	6	17	15	17	19	26	21	28	26	6	-	
-r -	601	-	2	-	-	-	2	1	2	9	9	45	111	167	158	71	30	3	
-dia and Tabes -	369	161	77	23	15	2	278	19	13	13	10	15	9	6	4	1	1	-	
-cephalitis -	2614	261	47	39	23	19	155	62	77	234	339	695	562	837	115	34	4	-	
-f Brain -	333	122	88	40	20	19	289	32	10	-	-	1	-	-	-	-	-	-	
-f Heart & Dropsy -	2384	680	236	115	70	34	1135	70	42	43	53	132	149	236	293	291	129	11	
-f Lungs -	1469	20	22	11	6	10	69	41	28	40	55	115	197	237	329	241	94	10	
-f Stom. and Liver -	4910	1171	747	299	148	94	2459	100	28	28	51	129	216	379	622	622	255	31	
-f Kidneys -	1063	110	26	12	9	6	163	18	10	18	48	88	147	151	172	124	57	7	
-f Gen. Organs -	235	2	11	4	3	1	21	15	6	7	7	28	33	49	42	20	7	-	
-f Joints -	145	2	-	-	-	-	2	-	-	3	8	22	36	55	22	12	5	-	
-f Skin -	87	3	-	3	1	3	10	10	13	14	7	1	7	9	12	4	-	-	
-f Birth and Metria -	87	25	10	1	-	1	37	1	3	1	4	9	7	9	6	6	4	-	
-le -	207	-	-	-	-	-	-	-	-	19	65	135	85	3	-	-	-	-	
-Violent Deaths -	43	-	-	-	-	-	-	-	1	4	8	5	12	10	4	3	1	-	
-Causes -	1118	371	88	61	65	45	639	97	49	32	19	45	40	47	47	52	45	17	
	4669	2491	421	90	27	11	2985	29	2	10	17	34	41	35	177	459	651	229	
395.—ASTON.																			
in Popul ⁿ , 1861-71	62733	2148	1924	1983	1780	1705	9540	7844											

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
400.—COVENTRY.																	
Mean Popul ⁿ , 1861-71		19313	590	522	520	493	498	2623	2299	2003	1825	1629	2695	2249	1792	1240	658
TOTAL DEATHS -		4347	1234	376	154	98	79	1931	191	87	104	127	201	242	260	381	440
Small-pox -		38	8	7	5	-	3	23	11	3	-	2	1	-	-	-	-
Measles -		85	13	43	13	8	2	79	5	1	-	-	-	-	-	-	-
Scarlatina -		153	11	25	26	33	24	119	60	6	1	-	2	-	-	-	-
Diphtheria -		23	4	3	-	-	4	16	3	1	-	-	-	1	-	-	-
Whooping-cough -		90	38	29	14	6	1	88	2	-	-	-	-	-	-	-	-
Typhus -		152	5	6	8	13	5	37	30	19	12	5	8	10	5	10	11
Diarrhoea & Dysentery -		329	224	50	9	3	2	288	1	-	-	-	-	-	-	-	-
Cholera -		8	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		98	12	9	6	11	8	46	7	3	3	4	2	7	2	13	8
Cancer -		82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc. -		94	36	17	9	3	5	70	4	5	1	4	3	7	10	15	13
Phthisis -		419	9	7	2	1	3	22	10	9	49	77	93	81	30	28	2
Hydrocephalus -		65	17	13	10	5	-	45	7	1	2	-	-	-	-	-	-
Dis. of Brain -		556	162	32	10	2	7	213	14	7	4	6	16	24	43	64	55
Dis. of Heart & Dropsy -		237	5	2	-	-	2	9	6	9	10	5	22	20	35	55	31
Dis. of Lungs -		696	158	71	20	9	7	265	7	1	7	5	16	23	52	82	131
Dis. of Stom. and Liver -		206	22	4	1	1	1	29	9	7	5	5	12	22	25	46	26
Dis. of Kidneys -		83	2	-	-	-	1	3	1	2	1	5	5	8	13	15	20
Dis. of Genes. Organs -		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		30	1	-	1	-	-	2	-	2	-	4	-	3	-	2	3
Dis. of Skin -		8	4	-	-	-	-	4	1	1	-	-	-	1	-	-	1
Childbirth and Metris. -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		30	-	-	-	-	-	-	-	-	-	-	-	-	4	6	3
Other Violent Deaths -		104	8	6	5	2	2	21	7	10	3	7	5	11	9	9	13
Other Causes -		798	483	50	12	3	2	550	3	2	-	1	7	5	3	29	31
401.—RUGBY.																	
Mean Popul ⁿ , 1861-71		12389	356	324	306	287	304	1577	1458	1573	1464	903	1534	1308	1082	813	435
TOTAL DEATHS -		2297	567	181	60	48	46	883	75	65	45	46	117	146	119	194	269
Small-pox -		1	-	-	-	-	-	21	4	-	-	-	1	-	-	-	-
Measles -		25	4	12	2	-	3	41	13	6	2	-	-	1	-	-	-
Scarlatina -		45	12	6	9	9	9	13	7	5	-	-	-	-	-	-	-
Diphtheria -		29	3	4	2	2	2	13	7	5	-	-	1	-	1	1	1
Whooping-cough -		38	22	6	4	2	2	38	-	9	-	-	-	-	-	-	-
Typhus -		35	2	1	4	5	3	15	3	2	4	9	8	10	11	9	3
Diarrhoea & Dysentery -		92	40	15	3	1	1	60	1	-	2	1	-	-	4	8	9
Cholera -		2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		65	1	7	5	11	4	28	3	3	2	1	3	3	6	5	4
Cancer -		31	-	-	-	-	-	-	-	1	-	-	-	3	2	7	11
Scrophula and Tuberc. -		29	8	4	4	-	-	16	-	1	3	-	3	1	3	-	2
Phthisis -		165	6	2	2	-	-	10	4	10	11	16	42	39	11	11	11
Hydrocephalus -		25	8	7	3	1	1	20	2	2	1	-	-	-	-	-	-
Dis. of Brain -		329	115	17	5	2	3	143	6	6	2	6	8	18	13	22	52
Dis. of Heart & Dropsy -		137	5	2	-	2	-	9	2	4	2	4	12	11	12	20	33
Dis. of Lungs -		370	106	47	11	8	9	181	7	6	8	1	12	18	23	33	39
Dis. of Stom. and Liver -		105	12	3	2	3	1	21	2	3	1	3	9	6	12	21	25
Dis. of Kidneys -		57	1	-	-	-	-	1	2	1	1	-	2	10	7	14	11
Dis. of Genes. Organs -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		6	-	-	1	-	-	1	-	-	-	2	-	-	-	-	1
Dis. of Skin -		6	1	-	-	-	-	1	-	-	-	-	-	-	-	2	1
Childbirth and Metris. -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		107	4	4	4	1	7	20	10	8	-	8	10	16	11	9	6
Other Causes -		513	224	16	2	1	1	244	1	-	-	-	2	5	3	21	32
402.—SOLIHULL.																	
Mean Popul ⁿ , 1861-71		6941	194	167	201	184	181	927	855	741	598	515	885	700	661	522	328
TOTAL DEATHS -		1172	282	48	24	20	14	388	50	23	22	29	59	61	83	119	153
Small-pox -		2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles -		14	2	4	1	2	1	10	4	-	-	-	-	-	-	-	-
Scarlatina -		34	2	3	5	7	3	20	8	3	2	1	-	-	-	-	-
Diphtheria -		21	2	2	2	3	2	11	6	-	1	-	2	-	-	-	-
Whooping-cough -		16	11	1	2	1	-	15	1	-	-	-	-	-	-	-	-
Typhus -		27	-	2	1	1	1	5	1	2	-	4	3	-	1	3	3
Diarrhoea & Dysentery -		40	25	2	-	1	-	28	-	-	-	-	-	1	2	-	2
Cholera -		2	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -		22	4	3	-	2	-	9	1	-	-	1	-	2	-	3	5
Cancer -		28	-	-	-	-	-	-	-	-	1	-	-	1	4	2	13
Scrophula and Tuberc. -		36	22	2	2	-	2	28	2	2	-	-	1	1	1	-	-
Phthisis -		97	2	-	-	-	1	3	1	4	8	14	30	17	12	7	1
Hydrocephalus -		7	4	1	1	1	-	7	-	-	-	-	-	-	-	-	-
Dis. of Brain -		132	40	5	2	1	2	50	6	1	2	-	2	5	9	14	17
Dis. of Heart & Dropsy -		91	1	-	-	-	-	1	2	1	-	3	7	6	15	24	31
Dis. of Lungs -		230	57	13	4	1	1	78	5	1	-	1	5	9	16	31	24
Dis. of Stom. and Liver -		73	9	1	-	-	-	10	3	1	2	2	2	5	8	17	18
Dis. of Kidneys -		37	-	1	-	-	-	1	-	-	-	-	1	4	3	8	14
Dis. of Genes. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
Dis. of Skin -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris. -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		34	3	2	2	-	1	8	4	6	-	-	-	-	-	-	-
Other Causes -		240	96	4	2	-	-	102	4	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

[illegible]

of Death in the Ten Years 1861-70.—Males.

[DIV.]

1861-71, and Deaths in Districts during the 10 Years 1861-70.

AGES OF MALES.

AGE.		1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
I Year.																
406.—SHIPSTON-ON-STOUR.																
	1875	445	108	56	36	32	675	64	39	40	33	86	85	161	172	256
188	1875	445	108	56	36	32	675	64	39	40	33	86	85	161	172	256
-	18	3	8	-	-	1	17	1	-	-	-	-	-	-	1	-
-	80	6	6	17	13	9	51	19	4	9	2	-	-	1	-	1
-	6	-	1	1	1	-	3	2	-	-	-	1	-	-	-	-
ough	32	18	6	3	2	3	32	-	-	-	-	-	-	-	-	-
-	28	1	1	1	1	2	6	4	2	3	3	3	-	1	7	4
entery	52	23	10	2	-	1	33	-	-	-	-	-	1	3	2	4
-	4	1	1	1	-	-	3	-	-	-	-	-	-	-	1	1
91s.	52	9	5	4	3	2	58	1	2	1	1	4	1	5	6	5
-	25	-	-	1	-	-	1	1	-	-	-	-	2	-	4	8
-	41	9	6	2	1	2	20	1	3	6	3	5	5	2	1	1
es	162	6	2	2	1	3	14	8	4	11	13	45	32	22	3	4
-	51	6	11	5	-	1	21	6	2	-	-	-	-	-	-	-
-	196	43	8	2	1	1	55	2	1	3	2	4	7	13	92	39
-	146	3	1	-	-	-	4	1	1	1	3	2	4	35	31	41
-	326	72	26	6	1	-	105	3	2	1	-	3	5	11	28	28
-	95	14	-	2	1	1	18	3	-	-	-	-	5	19	32	20
-	45	-	-	-	-	-	-	-	1	1	-	1	2	5	16	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	8	-	-	-	-	-	-	1	1	1	-	1	3	-	1	1
-	7	1	1	-	-	-	2	1	-	-	1	1	-	1	2	-
etria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	11	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2
the	74	2	1	3	5	4	15	2	10	5	4	6	6	7	11	4
-	513	225	14	4	3	2	231	6	2	2	2	4	4	4	17	39

407.—SOUTHAM.

	13	140	131	144	141	699	654	601	487	381	675	581	532	403	236	11
	245	59	24	8	13	349	42	32	27	28	39	48	65	90	137	11
...	6	2	-	-	-	2	-	-	-	-	-	1	1	-	1	-
...	16	1	3	-	-	10	3	-	1	-	-	-	-	-	-	-
...	16	1	4	-	-	9	3	2	-	1	-	-	-	-	-	-
...	9	2	-	1	2	5	2	1	1	-	-	-	-	-	-	-
cough	14	5	5	1	1	13	1	-	-	-	-	-	-	-	-	-
& Dysentery	44	3	2	1	1	10	7	1	3	3	4	6	4	3	2	-
...	18	5	1	-	-	6	-	-	-	1	-	-	-	-	3	-
hemorrhagic Dis.	14	2	2	1	-	7	2	-	-	-	1	1	1	1	-	-
...	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1
and Tabes	14	6	3	1	-	10	1	-	1	1	-	1	-	-	-	-
...	83	6	-	-	1	7	1	5	5	13	19	14	6	11	2	-
abscess	5	2	-	-	-	4	1	-	-	-	-	-	-	-	-	-
Dis. of	113	22	9	2	2	36	1	3	4	1	1	3	14	9	29	-
Dis. of	72	1	-	-	1	2	-	3	3	-	-	-	5	20	21	-
Dis. of	144	49	12	6	1	69	5	1	2	3	3	5	9	14	17	-
Dis. of	69	7	3	1	-	11	3	1	-	1	2	8	12	12	13	-
Dis. of Kidneys	96	-	-	-	-	-	1	-	2	2	-	1	3	2	7	-
Dis. of	7	-	-	-	-	-	-	-	1	1	2	2	1	-	1	-
Dis. of	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chlorosis	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of	32	1	2	-	3	7	7	10	1	1	5	2	2	2	3	-
Dis. of	255	136	12	1	1	142	3	-	3	-	1	1	4	1	6	3

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	85 and above.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-		
		406.—SHIPSTON-ON-STOUR.																	
Mean Popul ⁿ , 1861-71		9831	281	245	280	262	257	1325	1242	1061	792	750	1251	1106	919	702	481	180	22
ALL DEATHS		1734	208	105	57	33	20	483	61	40	59	57	113	89	103	151	261	242	66
-pox		7	1	-	1	1	1	4	2	-	1	-	-	-	-	-	-	-	-
-typh		10	2	3	2	1	-	8	8	-	-	-	-	-	-	-	-	-	-
-dysent		67	4	14	10	8	9	45	14	-	3	4	-	1	-	-	-	-	-
-beria		7	-	-	-	2	-	2	2	2	1	-	-	-	-	-	-	-	-
-ping-cough		32	9	12	6	1	2	30	1	1	-	-	-	-	-	-	-	-	-
-is		57	1	1	-	-	-	2	10	14	6	3	7	3	5	3	4	3	-
-era & Dysentery		59	29	5	3	2	-	39	1	-	-	2	3	1	2	1	3	11	5
-a		10	3	1	1	1	-	6	-	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.		34	6	4	4	1	-	15	2	2	-	-	-	1	2	7	3	2	-
-r		47	-	-	-	-	-	-	-	-	-	-	1	3	6	17	16	4	-
-la and Tabes		52	15	5	7	2	-	29	2	2	2	2	3	4	5	3	3	-	-
-is		176	-	-	-	1	-	1	2	14	30	28	41	26	21	9	1	3	-
-cephalus		11	4	2	1	1	-	8	1	2	-	-	-	-	-	-	-	-	-
-Brain		185	19	12	5	2	2	40	3	2	5	2	12	8	18	22	35	34	3
-Heart & Dropsy		173	1	-	-	-	-	1	1	2	4	1	7	9	13	34	60	38	3
-Lungs		201	36	16	8	3	3	66	1	4	3	3	5	8	6	23	38	33	8
-Stom. and Liver		102	2	5	1	-	-	8	3	2	1	4	13	5	13	13	20	17	3
-Kidneys		14	-	-	-	-	-	-	1	-	-	1	-	1	2	1	6	2	-
-Gener. Organs		4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
-Joints		4	-	1	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-
-Skin		6	2	1	1	-	-	4	1	-	-	-	1	-	-	-	-	-	-
-Birth and Metria		30	-	-	-	-	-	-	-	-	-	3	17	10	-	-	-	-	-
-Violent Deaths		37	3	1	3	5	2	14	9	-	-	-	-	3	-	1	5	2	-
-Causes		409	140	22	4	2	1	109	3	2	3	4	3	5	6	13	67	92	42
407.—SOUTHAM.																			
Mean Popul ⁿ , 1861-71		5115	147	154	148	150	138	737	681	566	411	348	670	567	473	354	215	83	10
ALL DEATHS		936	197	60	28	16	13	314	34	22	33	37	61	49	45	55	132	121	33
-pox		2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
-typh		23	7	9	3	1	2	22	3	-	-	-	-	-	-	-	-	-	-
-dysent		19	-	3	3	3	4	13	3	1	1	-	-	-	-	-	-	-	-
-beria		8	1	1	-	1	-	3	3	2	-	-	-	-	-	-	-	-	-
-ping-cough		16	10	3	2	1	-	16	-	-	-	-	-	-	-	-	-	-	-
-is		56	1	4	6	-	1	12	10	5	5	2	8	6	1	2	4	1	-
-era & Dysentery		24	7	3	-	-	-	10	-	-	-	1	1	1	1	3	2	3	-
-a		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.		20	2	1	2	2	3	10	-	-	-	1	2	-	1	1	3	2	-
-r		15	-	-	-	-	-	-	-	-	-	-	2	3	2	7	1	-	-
-la and Tabes		17	5	3	-	-	-	8	-	-	1	5	2	1	1	-	-	-	-
-is		103	6	2	1	1	1	11	5	8	14	14	29	13	6	2	1	-	-
-cephalus		8	3	3	-	1	-	7	1	-	-	-	-	-	-	-	-	-	-
-Brain		89	17	5	4	1	-	27	1	-	2	2	3	2	5	8	17	15	4
-Heart & Dropsy		82	-	-	-	-	-	1	1	2	1	4	4	5	7	14	27	13	4
-Lungs		117	36	16	6	2	-	60	2	1	3	3	2	3	2	4	22	16	2
-Stom. and Liver		56	6	2	-	1	-	9	3	1	1	3	3	5	6	11	8	5	1
-Kidneys		10	-	-	-	-	-	-	-	-	1	-	2	1	5	1	-	-	-
-Gener. Organs		6	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-
-Joints		2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
-Skin		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-Birth and Metria		14	-	-	-	-	-	-	-	-	-	3	3	7	1	-	-	-	-
-Violent Deaths		15	4	-	-	2	1	7	4	-	2	-	-	-	-	-	1	1	-
-Causes		232	92	5	1	-	1	99	-	-	1	1	-	4	3	6	38	68	22

of Death in the Ten Years 1861-70.—Males.

[Div. VI.]

1861-71, and Deaths in Districts during the 10 Years 1861-70.

AGES OF MALES.

1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
---	---	---	---	-------------------------------	----	-----	-----	-----	-----	-----	-----	-----	-----	-----

[Year.]

408.—LUTTERWORTH.

	7390	302	172	176	191	103	934	936	872	661	449	796	844	774	587	382	137
1861	1364	307	78	28	17	15	445	50	27	31	33	56	52	70	136	207	104
Whooping-cough	5	2	1	1	-	-	4	1	-	-	-	-	-	-	-	-	-
Typhus	11	8	6	-	-	-	9	2	-	-	-	-	-	-	-	-	-
Diarrhoea & Dysentery	30	1	4	4	5	4	18	7	4	1	-	-	-	-	-	-	-
Cholera	12	1	1	1	1	-	4	5	3	-	-	-	-	-	-	-	-
Other Zymotic Dis.	11	7	3	-	-	-	16	1	-	-	-	-	-	-	-	-	-
Cancer	30	1	-	1	-	1	3	8	4	5	1	4	-	2	5	2	1
Scrophula and Tubercles	25	9	5	-	-	-	14	1	1	-	-	-	-	1	2	1	1
Phthisis	1	-	-	-	-	-	14	6	-	-	-	2	2	1	2	1	1
Hydrocephalus	30	4	4	1	2	3	14	6	-	-	-	1	3	4	15	9	4
Dis. of Brain	25	12	1	-	-	-	13	1	2	2	1	1	2	1	2	1	1
Dis. of Heart & Dropsy	161	1	-	1	-	-	4	1	2	12	16	25	13	15	6	1	1
Dis. of Lungs	14	3	6	1	-	-	10	2	1	-	-	1	-	-	-	-	-
Dis. of Stom. and Liver	192	63	18	1	2	1	85	5	4	4	1	4	5	6	23	21	23
Dis. of Kidneys	108	1	-	2	1	-	1	1	-	-	1	4	3	9	19	40	12
Dis. of Gen. Organs	195	46	14	8	3	1	72	4	3	2	4	3	2	10	29	26	21
Dis. of Joints	85	13	1	1	1	1	17	4	-	4	3	1	6	9	12	19	10
Dis. of Skin	41	-	-	1	-	-	1	-	-	-	4	-	3	3	10	12	10
Childbirth and Metritis	4	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	-
Suicide	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	9	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	-
Other Causes	26	1	2	1	-	1	5	2	3	-	3	1	3	2	1	6	2
Total	304	129	12	4	9	-	157	2	8	-	3	1	3	4	8	39	30

409.—MARKET HARBOROUGH.

	217	220	192	196	206	1031	966	888	688	613	996	862	774	580	365	119
1861	406	92	51	26	21	506	41	23	24	36	79	69	88	180	180	104
Whooping-cough	5	1	-	1	-	2	-	-	-	2	-	-	1	-	-	-
Typhus	40	7	13	10	2	35	4	-	-	-	-	-	-	-	-	-
Diarrhoea & Dysentery	19	-	1	4	6	11	6	1	-	1	-	-	-	-	-	-
Cholera	9	1	2	2	1	6	1	-	1	-	-	1	-	-	-	-
Other Zymotic Dis.	24	15	4	2	1	23	1	4	3	3	5	2	2	3	2	2
Cancer	33	-	-	2	3	39	5	-	-	-	1	1	1	1	1	1
Scrophula and Tubercles	54	53	5	1	-	109	1	-	1	-	-	-	-	-	-	-
Phthisis	34	2	4	5	3	47	2	2	2	-	5	4	2	-	-	-
Hydrocephalus	23	-	1	-	-	1	-	-	1	-	-	1	4	11	4	1
Dis. of Brain	19	5	1	2	1	9	1	3	-	2	2	1	1	1	1	1
Dis. of Heart & Dropsy	119	1	3	1	1	6	5	2	7	17	43	21	15	9	4	-
Dis. of Lungs	26	10	6	2	1	25	1	-	-	-	-	-	-	-	-	-
Dis. of Stom. and Liver	195	89	6	3	1	100	3	1	2	1	-	4	14	16	33	8
Dis. of Kidneys	110	1	1	-	-	2	1	1	1	4	5	10	10	30	31	14
Dis. of Gen. Organs	177	53	27	12	3	95	6	2	1	1	6	6	11	21	15	11
Dis. of Joints	79	6	1	1	-	9	3	3	3	1	3	6	13	12	21	4
Dis. of Skin	11	-	-	-	-	-	-	-	-	1	-	2	1	4	1	2
Childbirth and Metritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	64	16	3	-	2	23	1	3	1	3	10	5	8	2	6	2
Other Causes	423	165	14	5	1	185	1	1	1	-	-	3	4	27	69	107

410.—BILLESDON.

Mean Popul ⁿ , 1861-71	3683	104	90	92	90	92	468	413	371	362	301	477	440	351	263	171	61
TOTAL DEATHS	496	74	24	13	10	8	129	21	9	6	15	19	36	37	53	72	68
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	5	1	-	4	-	-	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	17	3	6	2	3	3	16	-	-	-	-	-	-	-	-	-	-
Diphtheria	9	1	1	-	-	3	5	3	1	-	-	-	-	-	-	-	-
Whooping-cough	6	4	2	-	-	-	6	-	-	-	-	-	-	-	-	-	-
Typhus	14	-	2	-	-	-	2	2	-	1	4	3	1	-	1	1	1
Diarrhoea & Dysentery	8	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	15	-	2	2	-	-	4	1	3	-	-	-	2	1	1	5	1
Cancer	7	-	-	-	-	-	-	1	-	-	-	-	1	-	3	-	-
Scrophula and Tubercles	6	1	2	-	-	-	3	-	1	-	-	1	1	-	-	-	-
Phthisis	25	-	1	-	-	-	1	1	1	2	6	8	7	1	1	-	-
Hydrocephalus	4	1	1	-	2	-	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	75	22	2	2	1	1	28	4	-	-	1	3	8	9	7	9	1
Dis. of Heart & Dropsy	45	1	-	-	1	-	2	-	1	-	1	-	4	6	12	12	1
Dis. of Lungs	57	8	3	2	2	1	16	2	-	-	1	2	1	5	19	7	1
Dis. of Stom. and Liver	25	3	-	-	1	-	4	-	-	-	1	-	3	6	7	3	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	-	2	5	1	-	-
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	19	1	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-
Other Causes	140	23	2	1	-	-	26	3	1	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	Total
408.—LUTTERWORTH.																		
Population, 1861-71		7495	195	172	169	180	189	905	901	793	618	576	941	903	747	558	378	159
Total Deaths		1506	266	71	44	21	18	420	40	34	42	48	108	88	114	141	210	63
Coxs		6	2	-	-	-	-	2	-	-	-	-	-	1	-	1	1	1
Scarlet Fever		16	8	8	6	1	1	16	-	-	-	-	-	-	-	-	-	-
Diphtheria		43	1	6	12	7	5	31	8	2	1	1	-	-	-	-	-	-
Erysipelas		10	2	-	-	-	2	5	3	1	-	-	1	-	-	-	-	-
Whooping Cough		18	6	8	1	-	-	15	3	-	-	-	-	-	-	-	-	-
Measles		40	1	-	-	-	1	3	10	7	5	-	4	3	3	1	2	2
Smallpox & Dysentery		38	14	1	-	-	-	15	1	-	-	-	-	1	1	6	8	4
Typhoid Fever		6	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Typhoid Dis.		31	3	3	4	4	1	15	4	-	2	-	-	3	1	3	3	3
Consumption		47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophulous and Tuberc.		14	2	-	-	1	-	6	2	-	-	1	2	7	16	11	7	2
Phthisis		175	1	1	-	-	-	2	2	10	20	25	62	21	23	9	1	-
Brain		16	4	2	4	2	2	14	1	1	-	-	-	-	-	-	-	-
Heart & Dropsy		189	59	9	4	4	2	78	3	3	3	-	5	7	14	25	29	18
Lungs		128	2	-	-	-	-	2	-	3	2	7	10	7	41	37	17	1
Stomach and Liver		179	59	15	5	-	3	62	1	2	4	5	8	6	12	19	25	10
Kidneys		117	10	4	2	1	-	17	-	2	2	4	9	14	12	25	26	4
Female Organs		16	1	-	-	-	-	1	-	-	-	1	1	2	2	3	2	4
Faints		9	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-
Skin		6	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
Cholera and Metria		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths		12	-	-	-	-	-	-	-	-	3	4	5	5	1	-	1	-
Causes		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		222	9	2	-	-	-	11	1	1	-	-	-	1	1	1	5	2
		357	109	12	2	1	-	124	1	2	1	-	1	4	1	5	62	43
409.—MARKET HARBOURHOUGH.																		
Population, 1861-71		8179	213	215	213	212	193	1046	995	872	699	653	1088	933	755	582	387	153
Total Deaths		1507	333	77	42	39	22	513	41	27	50	47	84	91	94	110	191	52
Coxs		3	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
Scarlet Fever		33	3	13	5	5	5	31	-	1	-	-	-	-	-	-	-	-
Diphtheria		28	3	1	5	3	-	17	8	2	1	-	-	-	-	-	-	-
Erysipelas		15	2	-	2	2	-	6	6	2	1	-	-	-	-	-	-	-
Whooping Cough		27	10	4	6	5	2	27	-	3	13	4	5	4	6	3	4	-
Measles		53	1	1	2	1	1	5	-	-	-	-	-	-	-	-	-	-
Smallpox & Dysentery		55	20	3	-	1	1	33	-	-	-	-	1	1	4	3	5	1
Typhoid Fever		33	7	4	4	4	3	22	2	1	1	-	-	1	-	1	4	-
Typhoid Dis.		44	-	-	-	-	-	-	-	-	-	-	3	6	16	7	7	2
Consumption		6	1	1	-	1	-	3	-	1	-	-	1	1	1	-	-	-
Phthisis		171	6	2	1	-	-	9	3	8	18	33	36	38	20	3	2	1
Brain		18	7	2	4	2	-	15	-	2	-	-	-	-	-	-	-	-
Heart & Dropsy		169	59	5	5	3	3	75	7	5	3	-	2	4	7	18	28	17
Lungs		131	1	1	1	-	-	3	2	-	3	3	13	14	34	37	12	3
Stomach and Liver		144	41	23	3	3	5	75	2	1	4	1	5	4	6	7	26	13
Kidneys		73	6	-	1	-	-	7	2	1	1	3	8	6	13	10	17	4
Female Organs		9	-	-	-	1	-	1	-	-	-	2	-	-	2	2	1	-
Faints		7	-	-	-	-	-	-	-	-	1	-	-	1	-	4	-	-
Skin		1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Cholera and Metria		16	-	-	-	-	-	-	-	1	-	-	7	7	1	-	-	-
Violent Deaths		5	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	-
Causes		19	7	1	-	2	-	10	1	-	-	1	2	-	1	1	4	-
Total		445	145	16	3	1	2	170	2	-	-	-	5	4	2	15	58	44
410.—BILLESDON.																		
Population, 1861-71		3737	91	88	94	85	91	449	442	349	327	329	555	444	330	258	176	71
Total Deaths		458	81	35	8	8	8	140	16	13	13	19	31	22	31	33	69	17
Coxs		5	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Scarlet Fever		14	2	3	2	-	2	9	5	-	-	-	-	-	-	-	-	-
Diphtheria		13	1	4	-	1	2	8	2	2	-	1	-	-	-	-	-	-
Whooping Cough		11	5	5	-	1	-	11	-	-	-	-	-	-	-	-	-	-
Measles		13	-	2	1	-	-	3	-	2	3	1	-	-	-	4	-	-
Smallpox & Dysentery		6	5	-	-	-	-	5	-	-	-	-	-	-	1	-	-	-
Typhoid Fever		10	1	1	1	1	1	5	3	2	-	-	-	-	-	-	-	-
Typhoid Dis.		7	-	-	-	-	-	-	-	-	-	-	2	-	2	-	3	-
Consumption		5	-	2	-	-	-	2	-	1	-	1	-	-	-	-	-	-
Phthisis		62	2	1	-	-	-	3	4	1	8	12	16	1	10	1	-	-
Brain		5	1	1	-	-	1	3	-	-	1	-	1	-	-	-	-	-
Heart & Dropsy		60	19	6	2	-	1	28	1	2	-	-	1	8	4	2	9	4
Lungs		40	1	1	-	-	-	2	-	1	-	2	5	1	6	12	9	1
Stomach and Liver		32	2	7	1	1	-	11	1	1	-	-	2	1	3	5	7	1
Kidneys		36	3	-	-	2	1	6	-	-	-	-	1	-	3	1	5	1
Female Organs		4	1	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-
Faints		2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Skin		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera and Metria		6	-	-	-	-	-	-	-	-	1	-	2	3	-	-	-	-
Violent Deaths		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		137	30	2	1	1	-	34	-	-	1	-	-	-	-	1	7	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-7

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
411.—BLABY.																	
Mean Populⁿ, 1861-71		7089	211	203	197	173	186	970	912	828	661	505	832	745	646	521	238
TOTAL DEATHS—		1477	493	112	64	35	20	730	34	20	23	36	73	50	67	106	107
Small-pox		16	2	1	5	4	1	13	-	1	-	-	2	-	-	-	-
Measles		30	7	15	5	3	9	25	4	3	-	-	-	-	-	-	-
Scarlatina		32	-	5	6	5	5	30	-	-	-	-	-	-	-	-	-
Diphtheria		6	-	2	2	1	1	6	-	-	-	-	-	-	-	-	-
Whooping-cough		26	13	6	5	2	1	36	-	-	-	-	-	-	-	-	-
Typhus		81	51	9	1	3	-	63	2	-	2	7	5	3	-	-	-
Diarrhoea & Dysentery		4	2	-	-	-	-	2	-	-	-	-	1	1	-	-	-
Cholera		36	7	4	5	-	-	10	2	2	1	-	-	-	3	5	1
Other Zymotic Dis.		17	-	-	-	-	-	-	-	-	-	-	-	2	3	5	1
Cancer		62	21	9	7	-	-	57	4	-	2	1	-	4	1	1	1
Serofula and Tabes		98	2	2	1	1	1	7	1	2	2	21	29	13	13	4	1
Phthisis		16	19	1	1	-	3	15	1	-	-	-	-	-	-	-	-
Hydrocephalus		220	100	14	2	7	1	155	11	9	2	1	3	7	6	20	27
Dis. of Brain		85	8	-	1	-	-	9	-	2	2	1	3	4	16	19	20
Dis. of Heart & Dropsy		223	65	22	11	5	1	103	4	7	1	1	3	9	17	25	25
Dis. of Lungs		61	14	4	3	1	-	22	1	3	1	1	3	2	2	8	13
Dis. of Stom. and Liver		35	3	-	1	-	-	3	-	1	-	1	2	1	2	8	10
Dis. of Kidneys		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs		9	2	-	-	-	1	1	-	1	2	3	1	-	-	-	-
Dis. of Joints		6	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
Dis. of Skin		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		62	8	4	4	2	4	17	5	1	2	-	10	2	3	4	7
Other Violent Deaths		320	183	13	3	1	1	309	-	-	-	1	2	1	-	2	27
Other Causes																	
412.—HINCKLEY.																	
Mean Populⁿ, 1861-71		8003	241	213	224	205	211	1094	1013	900	768	577	932	879	750	568	368
TOTAL DEATHS—																	

II.] Causes of Death in the Ten Years 1861-70.—Females.

299

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEXES CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		Year.					Years.											
411.—BLABY.																		
Population -		7404	212	194	194	182	191	973	912	781	664	638	1010	836	672	490	299	113
Deaths -		1459	370	104	44	29	15	562	42	30	46	39	65	80	81	116	186	164
- - -		17	4	-	2	2	-	8	3	2	-	1	-	1	-	1	1	-
- - -		35	6	13	10	3	-	32	3	-	-	-	-	-	-	-	-	-
- - -		31	3	15	3	4	2	27	4	1	1	-	-	-	-	-	-	-
- - -		4	2	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-
Cough -		26	10	9	2	1	1	23	3	-	-	-	-	-	-	-	-	-
- - -		47	1	-	1	1	2	5	6	4	12	2	4	3	3	4	3	1
Dysentery -		84	45	5	1	1	1	53	-	1	1	1	2	1	2	2	8	12
- - -		7	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
otic Dis. -		35	5	2	4	2	2	15	3	-	1	1	2	1	3	3	4	2
- - -		36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d Tabes -		43	19	8	-	1	1	29	3	-	4	2	2	3	6	8	12	6
- - -		121	-	-	-	-	-	11	1	-	10	20	21	19	23	16	5	2
lus -		12	5	2	3	1	-	11	1	-	-	-	-	-	-	-	-	-
- - -		1-2	60	12	8	5	2	87	6	2	-	2	1	6	5	19	27	29
rt & Dropsy -		84	2	1	-	-	-	3	2	3	1	1	6	8	9	21	23	8
- - -		214	48	23	8	4	3	86	1	3	4	2	7	8	10	21	41	26
n. and Liver -		83	3	-	-	1	-	12	2	-	1	-	8	14	12	15	11	7
- - -		18	-	-	-	-	-	-	-	1	-	-	1	3	3	5	3	2
r. Organs -		8	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-
- - -		3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
- - -		3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
and Metria -		18	-	-	-	-	-	-	-	2	3	8	5	-	-	-	-	-
- - -		21	3	1	-	1	1	6	3	2	-	-	1	1	2	3	3	-
nt Deaths -		323	148	10	2	1	-	161	-	-	-	-	1	1	3	9	45	72
- - -																		
412.—HINCKLEY.																		
Population -		8257	261	225	222	198	222	1128	1001	921	781	686	1097	917	714	524	346	132
Deaths -		1771	423	133	69	43	28	696	51	36	82	68	110	102	93	124	185	178
- - -		2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
- - -		45	4	25	7	7	3	46	2	-	-	-	-	-	-	-	-	-
- - -		97	7	19	22	16	13	77	17	-	1	-	-	-	-	-	-	-
- - -		7	-	1	-	-	-	2	2	2	1	-	2	-	-	-	-	-
Cough -		37	16	11	8	2	-	37	-	-	-	-	-	-	-	-	-	-
- - -		105	3	5	2	2	5	17	10	11	15	5	9	9	5	3	7	4
Dysentery -		75	35	13	2	1	1	52	1	-	-	1	3	2	3	2	6	5
- - -		1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
otic Dis. -		27	6	3	1	2	-	12	3	-	-	-	1	-	3	3	3	2
- - -		38	-	-	-	-	-	-	-	-	-	-	2	2	8	10	9	7
d Tabes -		35	6	4	2	1	-	13	2	7	3	2	2	2	2	4	1	-
- - -		193	3	1	3	-	-	7	1	6	47	35	49	21	17	8	1	-
lus -		17	6	2	3	2	1	14	1	1	1	-	-	-	-	-	-	-
- - -		215	85	12	2	2	4	105	2	2	2	4	5	6	14	19	30	25
rt & Dropsy -		117	1	-	1	-	-	3	3	3	1	1	8	10	11	29	31	16
- - -		195	55	20	8	4	1	88	1	2	2	2	8	8	16	16	36	20
n. and Liver -		80	12	3	-	2	-	17	2	1	1	6	4	9	12	16	9	2
- - -		20	-	-	-	-	-	-	-	-	-	2	2	5	3	3	5	-
r. Organs -		9	-	-	-	-	-	-	-	-	-	-	3	1	1	2	1	-
- - -		9	-	-	1	-	-	1	-	-	1	-	-	1	1	2	2	-
- - -		6	3	1	-	-	-	4	-	-	-	-	-	-	-	-	1	1
and Metria -		37	-	-	-	-	-	-	-	-	4	6	11	16	-	-	-	-
- - -		2	-	-	-	-	-	11	3	-	-	1	1	1	1	1	1	1
nt Deaths -		20	7	2	2	-	-	18	4	1	3	-	1	3	2	10	45	98
- - -		390	173	10	5	-	-	188	-	-	-	-	2	5	2	10	45	98
413.—MARKET BOSWORTH.																		
Population -		6739	213	175	179	168	172	907	859	722	547	537	852	733	636	512	299	114
Deaths -		1278	285	83	36	27	15	446	49	19	54	48	83	64	62	106	153	145
- - -		23	6	8	3	3	-	30	1	1	-	-	-	1	-	-	-	-
- - -		45	4	7	5	8	6	50	14	1	-	-	-	-	-	-	-	-
- - -		10	1	1	3	1	-	6	4	-	-	-	-	-	-	-	-	-
Cough -		27	14	9	1	1	1	36	1	-	-	-	-	-	-	-	-	-
- - -		63	1	4	-	-	1	6	10	6	8	4	6	4	2	6	1	1
Dysentery -		26	17	3	-	-	-	20	-	-	-	-	-	-	-	-	-	-
- - -		26	6	1	5	3	2	17	3	-	-	-	-	-	-	2	8	1
otic Dis. -		32	-	-	-	-	-	-	-	-	-	-	-	3	9	10	7	3
d Tabes -		16	4	2	1	-	1	8	2	1	3	1	2	-	-	2	2	-
- - -		172	2	1	3	2	-	8	3	5	31	27	42	24	10	13	4	-
lus -		7	-	2	-	-	2	4	-	-	-	-	-	-	-	-	-	-
- - -		211	113	13	3	1	-	130	3	1	6	5	7	4	9	18	21	7
rt & Dropsy -		105	1	-	-	-	-	1	1	-	2	1	2	4	14	24	34	15
- - -		121	27	20	8	4	2	61	3	-	-	2	2	4	3	7	9	1
n. and Liver -		60	9	1	2	-	-	12	1	-	1	4	5	6	3	7	9	1
- - -		12	1	-	-	-	-	1	1	-	-	-	2	1	2	1	1	-
r. Organs -		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -		5	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
and Metria -		18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths -		287	76	11	1	1	-	89	2	3	2	1	1	1	1	1	3	45

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14		
414.—ASHBY-DE-LA-ZOUCH.																	
Mean Popul ⁿ . } 1861-71	15174	482	453	432	409	394	2170	1924	1792	1634	1155	1913	1620	1279	885	50	
TOTAL DEATHS -	3093	974	251	90	54	40	1409	81	63	105	98	123	147	167	225	28	
Small-pox -	10	5	1	-	-	-	6	1	-	1	1	1	-	-	-	-	
Measles -	58	15	24	13	3	2	57	1	-	-	-	-	-	-	-	-	
Scarlatina -	54	8	9	7	11	10	45	6	8	-	-	-	-	-	-	-	
Diphtheria -	15	1	3	2	2	1	9	-	-	2	-	-	-	-	-	-	
Whooping-cough -	22	14	6	-	-	1	21	1	-	-	-	-	-	-	-	-	
Typhus -	128	6	5	5	7	3	24	14	10	18	17	9	12	8	7	3	
Diarrhoea & Dysentery -	77	42	13	2	1	-	58	1	1	-	-	-	-	-	-	-	
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	70	9	8	11	8	3	39	3	2	3	1	2	4	2	7	2	
Cancer -	33	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	
Scrophula and Tuberc -	38	13	7	2	-	-	22	2	2	4	1	1	2	1	1	1	
Phthisis -	223	8	10	1	-	1	20	3	4	28	27	52	56	82	17	1	
Hydrocephalus -	96	7	12	5	1	-	23	11	-	-	-	-	-	-	-	-	
Dis. of Brain -	559	223	45	11	4	2	285	7	4	8	6	11	12	20	20	4	
Dis. of Heart & Dropsy -	198	2	-	-	-	-	3	3	3	5	2	7	11	24	42	1	
Dis. of Lungs -	487	196	66	16	8	7	291	8	3	6	6	12	16	20	22	2	
Dis. of Stom. and Liver -	147	29	4	2	3	2	37	3	3	5	4	3	14	13	20	2	
Dis. of Kidneys -	20	-	1	-	-	1	2	-	-	3	3	3	4	2	11	1	
Dis. of Genes. Organs -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	9	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	
Dis. of Skin -	11	2	-	-	-	-	2	-	-	1	-	-	1	-	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths -	170	4	6	5	3	5	23	11	22	18	18	17	21	19	13	1	
Other Causes -	652	293	81	7	3	1	335	8	2	-	-	5	10	13	22	2	
415.—LOUGHBOROUGH.																	
Mean Popul ⁿ . } 1861-71	11787	375	338	302	304	237	1646	1484	1354	1094	813	1459	1278	1066	817	50	
TOTAL DEATHS -	2774	835	187	104	87	37	1220	82	54	60	71	113	122	161	208	22	
Small-pox -	14	2	2	-	-	1	6	2	3	-	3	-	-	-	-	-	
Measles -	47	8	15	9	7	1	41	13	5	-	-	-	-	-	-	-	
Scarlatina -	57	1	6	12	13	8	39	7	3	-	-	-	-	-	-	-	
Diphtheria -	18	2	1	3	-	1	7	3	3	-	-	-	1	-	-	-	
Whooping-cough -	37	22	8	6	-	-	36	1	-	-	-	-	-	-	-	-	
Typhus -	103	8	5	4	6	2	90	19	10	10	6	11	8	4	5	1	
Diarrhoea & Dysentery -	130	80	19	1	-	-	100	1	-	-	-	1	1	2	2	4	
Cholera -	4	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	54	6	5	9	6	4	39	4	4	1	1	2	2	3	3	-	
Cancer -	36	-	-	-	-	1	1	-	-	-	-	-	2	7	10	1	
Scrophula and Tuberc -	77	48	16	4	-	2	70	2	2	1	-	-	1	1	1	1	
Phthisis -	253	14	5	3	-	-	22	11	30	40	56	45	32	18	4	-	
Hydrocephalus -	33	11	5	7	4	-	27	1	5	-	-	-	-	-	-	-	
Dis. of Brain -	575	187	7	9	7	3	213	5	2	2	8	6	9	29	21	6	
Dis. of Heart & Dropsy -	148	2	1	-	2	-	5	2	2	3	3	8	7	25	40	6	
Dis. of Lungs -	452	140	62	22	5	7	236	7	2	3	4	11	20	19	42	6	
Dis. of Stom. and Liver -	118	11	-	1	-	3	15	3	1	1	3	8	9	21	24	2	
Dis. of Kidneys -	51	-	-	-	-	-	-	1	-	-	1	2	3	11	8	1	
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
Dis. of Skin -	6	2	1	1	-	-	4	-	-	-	-	-	-	-	-	-	
Childbirth and Metris -	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths -	302	4	1	-	3	2	16	9	6	6	5	6	6	4	7	1	
Other Causes -	679	291	97	7	3	2	330	4	-	-	-	5	5	5	18	2	
416.—BARROW-ON-SOAR.																	
Mean Popul ⁿ . } 1861-71	10263	311	282	275	289	284	1441	1292	1204	935	727	1233	1091	921	732	471	
TOTAL DEATHS -	2173	638	141	77	41	27	924	76	56	48	60	82	81	91	211	27	
Small-pox -	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
Measles -	25	11	10	6	8	3	33	1	-	-	1	-	-	-	-	-	
Scarlatina -	50	2	8	14	9	6	39	13	2	1	-	1	-	-	-	-	
Diphtheria -	11	4	1	2	4	-	11	-	-	-	-	-	-	-	-	-	
Whooping-cough -	50	29	11	8	2	-	50	-	-	-	-	-	-	-	-	-	
Typhus -	56	3	2	2	4	1	12	13	5	6	2	6	3	4	5	1	
Diarrhoea & Dysentery -	105	57	16	-	3	-	76	-	1	-	-	-	1	2	2	1	
Cholera -	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	50	6	5	4	4	1	20	2	9	-	1	1	2	2	3	1	
Cancer -	19	-	-	-	-	-	-	-	1	1	-	-	1	2	8	2	
Scrophula and Tuberc -	62	39	7	3	-	-	49	3	1	3	-	2	2	2	2	1	
Phthisis -	179	7	3	2	-	1	13	5	8	28	30	37	24	17	11	1	
Hydrocephalus -	28	9	4	2	1	2	18	6	4	-	-	-	-	-	-	-	
Dis. of Brain -	309	150	14	6	2	2	174	6	4	1	3	8	5	10	24	6	
Dis. of Heart & Dropsy -	156	3	-	-	-	-	3	2	1	-	3	6	8	12	28	3	
Dis. of Lungs -	346	88	34	14	7	3	146	5	7	3	4	7	10	16	45	6	
Dis. of Stom. and Liver -	90	12	2	3	-	3	20	2	-	-	1	5	8	8	29	3	
Dis. of Kidneys -	49	-	1	1	-	-	2	1	1	-	1	-	2	4	13	1	
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	5	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Dis. of Skin -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths -	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Causes -	93	9	2	2	2	3	23	8	11	5	1	1	2	4	11	2	
Mean -	438	208	20	3	-	1	232	8	6	1	1	1	1	1	1	1	

San Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

ES ATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.

414.—ASHBY-DE-LA-ZOUCH.

Population	14832	477	428	427	463	391	2186	1977	1608	1303	1202	2015	1613	1263	864	541	226	34
ATHS	2896	724	185	105	47	43	1104	87	56	78	98	200	170	166	220	318	311	88
-	8	2	-	1	1	1	5	2	-	-	1	-	-	-	-	-	-	-
-	57	11	10	11	9	1	84	3	-	-	-	-	-	-	-	-	-	-
-	34	3	4	7	4	1	19	9	2	1	-	1	1	-	1	-	-	-
-	9	-	2	2	2	1	7	1	-	-	-	-	-	-	-	-	-	-
agh	34	14	13	3	2	1	33	1	-	-	-	-	-	-	-	-	-	-
ysentery	139	4	4	5	3	4	20	18	20	23	15	27	14	7	8	7	-	-
-	103	46	10	3	-	-	60	1	-	1	1	1	1	1	9	12	10	-
c Dis.	54	4	3	8	4	6	25	5	-	1	1	3	2	-	3	10	4	-
-	60	-	-	-	-	-	-	-	-	-	-	2	5	19	16	11	7	-
fabes	25	9	3	5	-	-	17	1	2	-	1	2	1	1	1	1	1	-
-	302	3	6	5	2	2	18	4	13	30	48	79	52	32	18	8	-	-
-	28	5	7	4	3	2	21	6	1	-	-	-	-	-	-	-	-	-
-	463	244	28	12	3	2	280	10	6	3	6	7	15	21	25	45	35	1
k Dropsy	253	3	2	-	-	1	8	-	2	7	5	15	25	38	54	62	33	6
-	413	132	59	20	10	10	231	8	2	4	5	10	10	15	38	48	37	5
und Liver	105	9	1	4	3	2	19	4	3	2	4	7	4	17	14	25	6	-
-	23	-	2	1	-	-	3	-	-	-	1	3	3	3	6	4	-	-
. Organs	14	-	-	-	-	-	1	-	-	-	3	2	6	-	2	1	-	-
-	8	-	-	-	1	-	1	-	-	-	1	-	-	3	2	1	-	-
-	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
i Metria	56	-	-	-	-	-	-	-	-	4	6	22	22	2	-	-	-	-
-	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Deaths	41	4	4	3	-	7	18	10	1	-	3	3	1	5	23	3	5	-
-	636	291	18	6	-	1	236	4	3	2	1	9	9	5	23	79	170	78

415.—LOUGHBOROUGH.

Population	12477	334	327	313	326	300	1600	1447	1316	1170	1047	1712	1370	1149	855	571	209	31
ATHS	2789	656	186	74	70	39	1025	93	50	95	105	186	154	148	235	333	280	81
-	9	3	1	2	1	-	7	1	-	-	-	1	-	-	-	-	-	-
-	59	7	15	6	6	2	29	3	-	-	-	-	-	-	-	-	-	-
-	50	4	9	4	10	6	33	11	3	1	-	1	1	-	-	-	-	-
-	31	2	2	2	7	4	17	8	6	-	-	-	-	-	-	-	-	-
agh	43	26	7	3	2	4	42	1	-	-	-	-	-	-	-	-	-	-
ysentery	125	4	3	8	7	7	29	24	17	17	7	12	5	4	5	4	1	-
-	100	55	9	5	1	1	71	1	1	1	-	-	4	2	7	5	8	1
-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
c Dis.	34	3	4	4	4	1	16	2	2	-	1	1	2	-	3	6	1	1
-	63	-	-	-	-	-	-	-	-	-	1	1	5	16	23	9	8	-
fabes	76	41	11	6	2	-	60	-	2	4	5	1	2	1	2	1	-	-
-	339	9	8	1	4	-	22	7	10	49	57	102	51	30	9	2	-	-
-	36	11	9	-	4	-	24	9	2	1	-	-	-	-	-	-	-	-
-	301	123	13	4	5	-	145	8	1	4	5	9	13	17	30	41	24	4
k Dropsy	243	3	-	1	2	-	6	1	4	4	7	13	26	33	65	57	25	2
-	382	94	52	19	11	10	186	9	4	3	8	12	14	14	35	65	37	4
und Liver	121	16	2	1	1	-	20	3	2	2	3	12	10	16	22	28	6	-
-	15	-	-	-	-	-	-	-	-	-	1	1	3	1	5	3	1	-
. Organs	12	-	-	-	-	-	-	-	-	-	-	1	3	4	3	1	-	-
-	6	2	-	-	-	-	2	-	-	1	-	-	-	1	2	1	-	-
-	42	-	-	-	-	-	-	-	-	7	7	14	13	1	-	-	-	-
i Metria	5	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-
-	41	8	1	2	2	3	16	5	5	-	-	1	-	1	1	4	1	-
Deaths	607	245	40	6	1	1	295	1	-	1	-	2	2	2	22	101	175	68

416.—BARROW-ON-SOAR.

Population	10406	314	292	263	260	248	1377	1305	1088	905	826	1420	1165	955	716	455	173	21
ATHS	2130	500	133	62	43	27	825	65	26	71	65	160	139	85	171	253	215	73
-	8	-	2	2	-	-	4	1	-	-	-	2	-	-	-	1	-	-
-	37	7	16	6	3	2	34	3	-	-	-	-	-	-	-	-	-	-
-	40	6	6	5	3	6	28	13	1	-	-	-	-	-	-	-	-	-
-	10	1	1	3	-	1	6	3	-	-	-	-	1	-	-	-	-	-
agh	48	26	10	5	5	1	47	1	-	-	-	-	-	-	-	-	-	-
ysentery	81	-	-	3	3	3	9	13	8	11	5	18	10	1	4	1	1	-
-	118	61	16	3	2	1	83	1	1	1	1	2	3	1	4	10	12	2
-	4	1	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	-
c Dis.	56	2	7	3	6	2	20	5	-	1	-	4	4	3	2	13	4	-
-	46	-	-	-	-	-	-	-	-	1	-	-	5	8	13	14	5	-
fabes	47	28	6	2	-	1	37	2	1	-	2	1	1	1	1	1	-	-
-	277	7	5	1	1	3	17	3	9	40	43	83	48	23	1	3	-	-
-	72	4	1	3	4	2	14	6	1	1	-	-	-	-	-	-	-	-
-	312	134	12	7	6	-	159	5	3	2	4	7	7	12	34	46	31	2
k Dropsy	151	2	-	-	-	1	3	2	-	4	-	10	12	17	35	45	19	1
-	270	64	24	11	5	3	107	3	-	3	2	5	6	7	27	87	38	10
und Liver	93	11	2	1	1	-	15	1	2	2	4	3	9	7	25	16	7	-
-	15	-	-	-	-	1	1	-	-	1	-	-	3	2	4	3	1	-
. Organs	10	-	-	-	-	-	1	-	-	-	-	1	1	2	1	1	-	-
-	6	1	2	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-
-	8	-	1	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-
i Metria	18	-	-	-	-	-	-	-	-	1	1	2	3	9	-	-	-	-
-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths	25	5	4	1	3	-	13	2	-	-	-	1	5	-	-	-	-	-
-	420	190	18	6	1	-	224	2	-	-	-	1	5	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
417.—LEICESTER.																	
Mean Populⁿ, 1861-71	38404	1357	1130	1031	1003	983	5504	4533	4088	3886	3396	5094	4358	3237	2190	1142	
TOTAL DEATHS -	10066	3095	1058	461	268	148	5030	285	151	247	240	536	589	635	799	861	
Small-pox - - -	66	17	5	8	5	5	40	7	2	2	6	5	1	3	-	-	
Measles - - -	532	81	198	84	34	8	345	38	10	4	1	8	3	-	-	-	
Scarlatina - - -	329	26	48	78	54	43	251	38	1	2	1	1	1	-	-	-	
Diphtheria - - -	38	17	5	3	1	2	25	5	1	1	1	1	1	-	-	-	
Whooping-cough -	210	85	47	31	18	7	298	3	-	27	14	24	26	15	19	15	
Typhus - - -	281	17	17	18	12	9	73	41	8	-	3	3	7	7	36	21	
Diarrhoea & Dysentery	1122	821	104	29	9	1	1024	6	-	-	1	1	1	7	7	36	
Cholera - - -	19	4	1	-	-	-	6	-	-	-	1	1	1	1	1	1	
Other Zymotic Dis. -	190	34	25	10	21	6	102	12	2	5	2	10	4	16	20	38	
Cancer - - -	97	-	-	-	-	-	-	1	2	1	2	2	6	30	28	18	
Serofula and Tabes -	269	87	28	13	8	5	141	10	10	11	4	12	6	5	6	6	
Phthisis - - -	958	50	21	10	7	2	102	20	9	93	133	243	188	87	65	18	
Hydrocephalus - -	142	69	30	13	6	2	128	10	3	1	-	-	-	-	-	-	
Dis. of Brain - - -	1460	686	119	33	16	18	863	29	12	22	16	54	76	83	118	130	
Dis. of Heart & Dropsy	566	9	5	3	1	2	30	8	17	24	14	59	64	101	96	108	
Dis. of Lungs - - -	1646	485	201	85	89	19	798	18	9	12	13	33	72	129	214	227	
Dis. of Stom. and Liver	416	79	7	1	5	2	94	9	10	10	7	22	38	57	62	67	
Dis. of Kidneys - -	194	2	2	2	2	1	9	5	3	6	0	15	23	17	42	40	
Dis. of Gen. Organs -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - - -	87	1	-	-	-	-	1	2	5	5	2	6	3	7	-	3	
Dis. of Skin - - -	24	8	-	2	-	-	10	-	-	-	-	2	3	2	-	2	
Childbirth and Metris	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	312	34	15	7	17	9	82	38	21	16	13	29	24	35	36	27	
Other Violent Deaths -	2242	1414	148	85	12	6	1695	10	6	3	2	8	12	19	40	209	
Other Causes -																	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 1 Year.	Total under 5 Years.	Total under 10 Years.	Total under 15 Years.	Total under 20 Years.	Total under 25 Years.	Total under 35 Years.	Total under 45 Years.	Total under 55 Years.	Total under 65 Years.	Total under 75 Years.	Total under 85 Years.	Total under 95 Years.	Total under 100 Years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17															18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		417.—LEICESTER.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Popul ⁿ , 1861-71	43303	1324	1113	1076	1020	970	5503	4640	4291	4706	4455	6757	4905	3704	2452	1326	423	50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7
420.—UPPINGHAM.																	
Mean Popul ⁿ , 1861-71		6175	177	160	160	155	155	807	721	795	671	406	695	637	567	449	310
TOTAL DEATHS		1126	253	67	36	16	20	382	49	33	26	29	57	54	72	102	140
Small-pox		2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Measles		18	7	5	-	3	17	1	-	-	-	-	-	-	-	-	-
Scarlatina		29	4	5	13	7	37	14	4	3	-	1	-	-	-	-	-
Diphtheria		10	1	2	1	-	5	2	3	-	-	-	-	-	-	-	-
Whooping-cough		19	10	6	1	1	18	1	-	-	-	-	-	-	-	-	-
Typhus		35	-	-	-	-	3	5	6	3	3	3	5	1	5	1	2
Diarrhoea & Dysentery		30	18	-	-	-	18	-	-	-	1	-	-	1	-	-	-
Cholera		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		22	3	1	1	1	6	2	2	-	-	3	1	1	5	3	3
Cancer		14	-	-	-	-	-	-	-	-	-	-	-	1	5	5	5
Scrofula and Tuberc.		13	4	-	-	1	5	3	-	2	-	1	-	2	-	-	-
Phthisis		86	3	2	1	-	6	2	2	4	12	24	16	12	5	3	3
Hydrocephalus		10	4	5	1	-	8	1	-	-	1	-	-	-	-	-	-
Dis. of Brain		163	67	9	7	2	85	11	2	2	3	2	6	11	15	16	16
Dis. of Heart & Dropsy		61	-	-	-	1	1	3	3	1	1	3	1	9	17	14	14
Dis. of Lungs		152	30	13	3	2	51	3	2	3	1	5	9	10	24	21	21
Dis. of Stom. and Liver		49	6	-	-	-	6	2	3	1	2	2	1	7	11	7	7
Dis. of Kidneys		19	-	-	-	-	-	-	2	1	-	4	-	1	2	5	5
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		5	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-
Dis. of Skin		3	2	-	-	-	2	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		12	-	-	-	-	-	-	-	-	2	2	1	2	2	5	5
Other Violent Deaths		42	2	-	-	-	4	7	4	3	5	5	7	4	3	3	3
Other Causes		301	96	9	2	1	109	-	-	1	2	1	5	3	14	22	22
421.—STAMFORD.																	
Mean Popul ⁿ , 1861-71		8690	244	230	222	215	218	1138	1082	966	872	662	1079	915	783	639	400
TOTAL DEATHS		1780	406	92	45	32	34	609	71	49	35	47	86	91	143	167	242
Small-pox		2	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-
Measles		33	8	15	5	1	30	1	1	-	1	-	-	-	-	-	-
Scarlatina		78	3	8	10	10	39	23	4	3	1	3	1	-	-	-	-
Diphtheria		12	-	-	2	3	7	4	1	-	-	-	-	-	-	-	-
Whooping-cough		24	11	8	1	1	23	1	-	-	-	-	-	-	-	-	-
Typhus		63	2	2	5	1	9	7	6	7	3	8	8	5	5	5	5
Diarrhoea & Dysentery		68	38	9	2	-	49	-	-	-	-	2	-	1	3	7	7
Cholera		6	1	-	1	-	2	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.		69	10	4	5	4	23	5	2	2	1	4	5	6	2	13	13
Cancer		33	-	-	-	-	1	-	-	-	-	1	4	6	9	9	9
Scrofula and Tuberc.		40	16	6	1	1	25	3	3	1	3	2	2	1	-	-	-
Phthisis		118	2	-	3	-	5	1	3	5	22	37	20	16	8	1	1
Hydrocephalus		14	7	3	1	1	13	-	1	-	-	-	-	-	-	-	-
Dis. of Brain		257	58	5	4	1	70	4	5	2	2	6	7	17	23	30	30
Dis. of Heart & Dropsy		104	1	-	1	-	4	1	2	1	2	3	11	17	22	28	28
Dis. of Lungs		288	70	23	5	6	106	6	1	-	3	7	9	24	38	53	53
Dis. of Stom. and Liver		98	13	-	-	-	14	4	2	-	-	5	5	18	19	29	29
Dis. of Kidneys		50	-	-	-	-	1	-	-	3	1	1	7	6	8	13	13
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		14	-	-	-	-	-	-	1	2	-	1	2	1	1	1	1
Dis. of Skin		7	2	-	-	-	2	-	-	-	1	-	1	1	1	1	1
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		16	-	-	-	-	-	-	-	1	1	1	1	5	1	4	4
Other Violent Deaths		82	8	1	1	1	13	5	5	4	6	5	1	14	8	8	8
Other Causes		301	154	8	2	2	167	-	-	1	-	1	1	4	4	17	17
422.—BOURN.																	
Mean Popul ⁿ , 1861-71		10032	285	267	274	299	250	1375	1230	1164	934	746	1215	1051	965	714	450
TOTAL DEATHS		1946	521	89	53	26	24	713	82	44	46	51	90	92	106	170	257
Small-pox		4	-	1	-	-	-	1	-	-	-	-	2	1	-	-	-
Measles		15	4	6	3	1	14	1	-	-	-	-	-	-	-	-	-
Scarlatina		68	4	7	11	7	38	24	2	3	-	-	-	1	-	-	-
Diphtheria		21	2	-	1	1	8	8	1	-	-	-	-	1	-	3	-
Whooping-cough		30	22	7	-	-	39	1	-	-	-	-	-	-	-	-	-
Typhus		106	1	2	3	4	13	12	11	8	6	12	13	5	12	11	11
Diarrhoea & Dysentery		80	39	4	2	1	47	1	-	-	-	-	2	2	3	9	9
Cholera		5	1	2	-	-	3	-	-	-	-	-	-	-	1	4	4
Other Zymotic Dis.		40	4	5	5	2	13	6	3	1	1	1	1	3	4	5	5
Cancer		28	-	-	-	-	-	-	-	-	-	-	1	-	5	8	8
Scrofula and Tuberc.		37	19	1	2	-	22	3	3	1	2	2	1	1	1	4	4
Phthisis		143	2	3	2	-	7	2	1	11	22	38	20	23	11	8	8
Hydrocephalus		25	9	6	3	-	18	5	1	-	-	-	-	-	-	-	-
Dis. of Brain		207	104	11	8	2	123	5	8	8	4	6	11	19	23	32	32
Dis. of Heart & Dropsy		144	7	-	-	-	8	4	2	-	1	2	2	13	26	44	44
Dis. of Lungs		234	67	18	9	1	97	4	1	1	2	8	15	16	25	43	43
Dis. of Stom. and Liver		119	21	4	1	2	29	1	2	4	5	5	8	10	20	29	29
Dis. of Kidneys		33	1	-	-	-	1	1	-	-	-	4	4	4	8	7	7
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		9	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1
Dis. of Skin		9	4	-	-	1	6	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		68	8	4	1	2	15	4	5	4	4	4	10	2	2	5	5
Other Causes		444	202	11	2	2	217	-	-	3	-	1	4	2	2	11	11

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

AUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.	
420.—UPPINGHAM.																			
Popul ⁿ , 1861-71	6130	153	148	170	151	145	767	773	667	532	448	788	690	584	452	303	112	14	
DEATHS -	1145	207	71	25	23	18	347	38	35	31	37	73	77	65	85	156	163	38	
Cx -	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
na -	23	2	3	5	5	-	18	3	1	1	-	-	-	-	-	-	-	-	
ria -	32	4	6	8	7	8	33	10	6	1	-	1	1	-	-	-	-	-	
phalus -	6	1	2	2	-	-	5	1	-	-	-	-	-	-	-	-	-	-	
ag-cough -	16	6	4	2	-	1	15	1	-	-	-	-	-	-	-	-	-	-	
a & Dysentery	32	-	-	-	-	-	4	5	4	5	2	6	3	2	1	4	-	-	
remote Dis.	27	12	4	-	-	1	17	1	-	1	1	-	-	-	1	-	2	-	
and Tuberc.	19	2	-	-	-	-	5	1	2	2	-	2	-	1	1	2	3	-	
phalms -	27	-	-	-	-	-	-	-	-	-	-	1	2	7	6	9	2	-	
brain	7	2	2	-	-	-	5	-	-	-	-	-	-	1	1	-	-	-	
heart & Dropsy	120	2	1	-	-	-	4	1	10	14	21	34	27	16	2	1	-	-	
lungs	9	3	-	1	-	-	6	3	-	-	-	-	-	-	-	-	-	-	
tom. and Liver	145	59	9	2	2	-	63	2	3	2	4	4	9	6	17	22	11	2	
Kidneys	73	1	-	-	-	-	1	1	3	1	3	4	6	9	12	28	4	1	
other Organs	159	50	16	2	3	3	44	3	3	-	2	7	7	10	23	23	2	1	
oints	68	10	2	-	-	1	13	2	2	1	-	4	8	10	11	11	6	1	
skin	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	
th and Metria	7	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-	
olent Deaths	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
uses	16	4	2	-	-	-	6	1	-	-	-	-	1	1	2	3	2	-	
	312	85	15	5	1	1	105	2	1	2	1	5	4	3	16	53	113	20	

421.—STAMFORD.																			
Popul ⁿ , 1861-71 -}		9326	243	203	225	229	224	1130	1023	1044	884	830	1262	992	868	681	428	165	19
DEATHS -		1644	310	91	53	32	28	514	65	43	52	47	108	99	85	154	213	191	73
ex	-	10	1	2	1	-	-	4	1	-	-	1	1	3	-	-	-	-	-
na	-	34	5	15	10	1	2	33	1	-	-	-	-	-	-	-	-	-	-
ria	-	70	4	6	11	11	8	40	19	8	2	-	1	-	-	-	-	-	-
ag-cough	-	19	1	3	2	2	-	8	9	2	-	-	-	-	-	-	-	-	-
a & Dysentery	-	34	15	8	6	1	4	34	-	6	5	3	3	6	3	1	4	1	-
remote Dis.	-	40	1	1	1	-	2	5	3	-	-	-	3	6	1	1	4	6	-
and Tuberc	-	64	42	7	3	-	2	54	-	-	-	1	1	-	1	1	4	6	-
phalms	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
brain	-	55	10	3	3	3	3	22	3	-	1	2	1	4	4	5	6	6	1
heart & Dropsy	-	54	-	-	-	-	-	-	-	-	-	-	-	8	13	20	10	3	-
lungs	-	22	6	2	2	-	-	10	2	4	-	-	-	1	2	2	1	-	-
tom. and Liver	-	135	5	3	-	-	-	8	4	5	24	22	44	32	9	6	3	1	-
Kidneys	-	19	4	2	1	-	-	7	1	2	-	-	-	-	-	-	-	-	-
other Organs	-	193	36	4	2	3	1	46	3	2	3	2	7	12	16	23	48	28	3
oints	-	124	1	1	-	-	1	3	1	4	2	2	5	8	8	27	39	24	1
skin	-	241	51	20	5	8	1	85	9	-	4	-	8	4	8	28	43	45	8
th and Metria	-	109	3	-	-	-	1	4	5	2	6	3	10	10	8	23	27	9	2
olent Deaths	-	28	-	-	-	-	-	-	1	3	2	2	6	1	-	4	7	2	-
uses	-	17	-	-	-	-	-	-	-	-	-	-	1	6	5	3	1	-	-
	-	9	-	1	-	-	-	1	-	-	-	1	3	-	3	-	1	-	2
	-	9	-	2	-	-	-	2	-	2	-	-	-	-	1	-	2	2	2
	-	22	-	-	-	-	-	-	-	-	-	6	12	3	1	-	-	-	-
	-	8	-	-	-	-	-	-	-	-	-	1	2	1	1	3	3	1	7
	-	29	5	1	1	1	2	10	2	1	-	-	3	-	-	2	3	1	7
	-	290	119	10	6	1	1	137	1	2	3	1	-	-	2	6	18	61	49

422.—BOURN.																			
Population, 1861-71	10016	285	277	267	267	262	1358	1264	1108	922	774	1275	1056	884	692	461	191	31	
L DEATHS -	1764	380	98	45	36	29	597	73	43	47	72	101	97	84	140	184	240	86	
ox - - -	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
na - - -	15	3	6	3	2	1	15	2	1	-	-	-	-	-	-	-	-	-	
ria - - -	53	1	7	6	8	6	28	16	5	1	-	1	1	1	-	-	-	-	
15-cough -	20	3	-	2	1	2	8	7	3	1	1	-	-	-	-	-	-	-	
a & Dysentery	34	18	13	3	-	1	35	1	-	-	-	-	-	-	-	-	-	-	
remote Dis.	117	7	2	-	1	4	14	15	15	8	13	10	6	5	8	7	1	1	
and Tuberc	79	34	9	5	1	1	48	1	1	1	-	2	1	2	1	5	19	6	
phalms - -	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
brain	49	6	2	5	7	5	25	2	1	1	2	1	3	2	5	3	5	1	
heart & Dropsy	54	-	-	-	-	-	-	-	-	-	2	3	6	9	17	14	2	1	
lungs	21	8	3	1	-	-	12	2	1	-	3	2	1	-	-	-	-	-	
tom. and Liver	167	4	1	-	-	1	6	1	7	22	32	38	36	8	13	4	-	-	
Kidneys	23	8	7	-	2	1	18	5	-	-	-	-	-	-	-	-	-	-	
other Organs	194	77	5	7	4	1	94	3	3	1	6	9	3	5	17	29	20	5	
oints	145	3	-	1	1	2	7	2	2	1	6	4	9	14	30	43	24	3	
skin	184	44	22	10	1	2	79	8	2	1	7	7	5	6	15	32	30	9	
th and Metria	104	13	1	2	1	-	17	2	1	-	5	5	9	13	20	17	14	1	
olent Deaths	20	-	-	-	-	-	1	-	-	-	2	3	2	2	6	2	1	1	
uses	9	-	-	-	-	-	-	-	-	-	1	1	1	4	1	1	-	-	
	7	3	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	
	13	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	
	34	3	6	1	4	1	17	3	-	-	-	-	2	1	-	-	-	-	
	397	180	13	1	2	1	167	3	1	-	-	-	2	4	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the Ten Years.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-
423.—SPALDING.																
Mean Popul., 1861-71.	11213	322	279	301	307	278	1487	1371	1276	1169	816	1313	1162	1097	812	493
TOTAL DEATHS.	2280	632	554	561	411	391	922	90	57	58	63	98	112	157	201	220
Small-pox	6	4	—	—	—	—	4	—	—	—	1	—	—	1	—	—
Measles	35	10	14	8	3	—	33	2	—	—	—	—	—	—	—	—
Scarlatina	83	5	15	8	9	12	49	21	10	—	—	2	1	—	—	—
Diphtheria	36	2	3	3	3	6	18	9	9	1	1	—	—	1	—	—
Whooping-cough	64	42	14	1	1	2	69	3	1	—	—	—	—	—	—	—
Typhus	68	1	5	2	3	3	14	10	7	6	8	4	4	6	7	4
Diarrhoea & Dysentery	73	85	6	1	3	1	46	3	—	—	—	—	—	2	4	1
Cholera	4	2	—	—	—	—	2	—	—	—	—	—	—	1	1	—
Other Zymotic Dis.	60	13	7	4	2	2	58	7	2	1	—	3	4	1	6	—
Cancer	52	—	—	—	—	—	—	1	—	—	—	1	5	7	15	14
Scrofula and Tuberc.	17	9	3	1	1	—	7	3	—	—	2	1	—	—	—	—
Phthisis	211	1	3	1	1	1	6	3	4	20	29	38	31	27	26	2
Hydrocephalus	18	4	—	—	1	1	15	2	1	—	—	—	—	—	—	—
Dis. of Brain	281	119	14	6	3	1	143	6	1	1	7	5	5	22	17	43
Dis. of Heart & Dropsy	151	3	—	—	1	—	4	3	3	2	—	4	23	21	30	30
Dis. of Lungs	350	70	38	10	3	1	128	3	3	3	4	8	9	20	25	49
Dis. of Stom. and Liver	87	9	2	5	—	1	15	1	4	4	—	2	7	9	10	17
Dis. of Kidneys	53	—	—	—	—	—	—	—	1	—	2	2	2	8	10	13
Dis. of Gen. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	8	—	—	—	—	—	—	—	1	2	—	—	—	2	—	—
Dis. of Skin	7	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Childbirth and Metris	14	—	—	—	—	—	—	—	—	—	—	1	—	3	—	—
Violent Deaths	113	3	4	6	4	9	26	2	12	14	8	6	10	7	18	8
Other Causes	497	295	22	4	2	—	223	2	1	2	1	—	9	10	10	27
424.—HOLBEACH.																
Mean Popul., 1861-71.	9452	259	235	200	245	248	1247	1149	1028	986	734	1157	1007	892	694	398
TOTAL DEATHS.	1802	503	401	46	27	24	701	50	47	45	47	86	76	117	164	137
Small-pox	4	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Measles	35	12	8	6	4	3	33	1	1	—	—	—	—	—	—	—
Scarlatina	17	2	7	1	3	—	13	3	1	—	—	—	—	—	—	—
Diphtheria	53	1	3	5	3	6	18	19	8	3	3	1	—	—	—	1
Whooping-cough	29	18	7	2	1	—	28	—	1	—	—	—	—	—	—	—
Typhus	64	3	1	5	2	—	11	7	6	4	3	11	4	5	7	6
Diarrhoea & Dysentery	64	88	6	2	—	—	46	—	1	—	—	2	1	—	—	—
Cholera	6	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	39	3	2	4	—	4	13	1	1	1	1	3	3	2	8	6
Cancer	29	—	—	—	—	—	—	—	—	—	—	—	2	4	8	11
Scrofula and Tuberc.	20	6	4	—	—	—	10	2	2	3	—	2	1	—	—	—
Phthisis	146	1	3	—	—	—	4	1	8	13	24	20	4	—	—	—
Hydrocephalus	31	10	9	2	2	2	22	5	3	—	—	—	20	25	15	3
Dis. of Brain	242	110	10	1	6	1	128	5	5	5	3	4	5	11	15	29
Dis. of Heart & Dropsy	88	4	1	—	1	—	6	3	—	3	1	6	5	14	17	20
Dis. of Lungs	290	75	24	8	3	2	112	2	2	5	2	6	15	22	40	42
Dis. of Stom. and Liver	83	11	1	—	—	—	13	—	—	1	1	3	5	13	15	18
Dis. of Kidneys	42	—	—	—	—	1	1	4	1	2	1	2	1	3	8	9
Dis. of Gen. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	5	—	—	—	—	—	—	—	—	2	—	2	1	—	—	—
Dis. of Skin	8	2	—	—	—	—	2	—	1	2	—	—	—	—	—	—
Childbirth and Metris	13	—	—	—	—	—	—	—	—	—	—	2	3	2	3	—
Violent Deaths	71	5	4	1	2	2	14	3	4	1	6	8	5	8	13	7
Other Causes	421	261	21	2	2	—	261	3	2	—	—	2	6	4	15	25
425.—BOSTON.																
Mean Popul., 1861-71.	18665	536	497	482	476	491	2482	2345	2051	1889	1433	2302	1968	1728	1333	789
TOTAL DEATHS.	3646	924	102	97	79	58	1350	150	80	102	113	106	201	242	313	418
Small-pox	6	3	1	—	1	—	5	—	—	—	1	—	—	—	—	—
Measles	50	10	8	3	7	—	28	2	—	—	—	—	—	—	—	—
Scarlatina	139	12	15	22	21	16	81	35	9	3	5	2	1	—	—	—
Diphtheria	44	6	1	4	4	9	24	8	7	1	1	2	—	—	—	1
Whooping-cough	75	48	12	7	4	1	73	1	—	—	—	—	—	—	—	—
Typhus	124	4	1	6	1	4	15	22	6	10	11	12	19	10	9	9
Diarrhoea & Dysentery	114	63	6	2	1	1	79	—	—	—	1	—	—	—	7	17
Cholera	6	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—
Other Zymotic Dis.	63	12	2	9	4	3	39	8	3	3	1	2	4	8	8	13
Cancer	37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.	33	11	3	2	—	—	16	4	—	1	2	2	3	5	9	11
Phthisis	375	8	2	1	1	1	11	9	9	40	53	109	63	42	32	11
Hydrocephalus	43	16	8	3	7	3	37	5	2	1	—	—	—	—	—	—
Dis. of Brain	294	204	34	16	6	4	234	8	5	6	2	10	20	23	45	64
Dis. of Heart & Dropsy	123	6	1	1	1	1	19	4	2	6	3	11	11	26	43	47
Dis. of Lungs	429	109	26	9	8	7	169	5	—	—	3	3	25	34	50	57
Dis. of Stom. and Liver	187	11	3	—	4	2	20	8	9	2	2	15	20	31	31	34
Dis. of Kidneys	65	—	1	—	1	—	2	2	1	—	3	5	7	12	15	22
Dis. of Gen. Organs	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	6	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Childbirth and Metris	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	189	8	12	4	8	3	32	15	21	3	4	16	10	15	20	20
Other Causes	924	285	45	7	2	3	442	12	3	1	—	—	—	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

		AGES OF FEMALES.																	
AUSES OF DEATH.	ALL AGES.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--	
423.—SPALDING.																			
Popul ⁿ , 61-71	11443	295	287	291	294	292	1459	1372	1237	1163	904	1452	1250	1058	818	514	191	25	
DEATHS	1928	412	97	56	85	41	641	99	47	66	82	127	107	112	169	207	216	61	
xx	3	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	
xx	17	1	6	3	1	2	13	3	1	-	-	-	-	-	-	-	-	-	
xx	72	7	1	6	9	9	41	23	7	1	-	-	-	-	-	-	-	-	
xx	42	2	1	5	5	3	18	14	3	5	-	-	1	-	-	-	-	1	
xx	51	28	13	6	4	1	52	2	-	-	-	-	-	-	-	-	-	-	
xx	64	2	1	5	5	3	11	9	8	10	7	7	2	3	5	2	-	-	
xx	72	24	4	5	1	-	34	1	-	-	1	3	2	1	6	8	10	6	
xx	6	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	1	1	
xx	62	11	3	1	4	-	25	8	2	4	2	4	5	1	4	4	2	1	
xx	48	-	-	-	-	-	-	-	-	-	-	-	7	15	11	11	4	-	
xx	12	1	1	-	-	-	3	1	1	1	-	2	2	2	1	-	-	1	
xx	234	4	1	1	-	-	7	4	9	33	42	55	41	18	17	3	-	-	
xx	18	3	3	2	-	-	12	3	2	-	-	1	-	-	-	-	-	-	
xx	226	72	12	4	2	-	98	9	3	3	8	3	7	15	23	24	34	1	
xx	140	2	-	-	-	-	3	5	2	-	-	9	8	23	33	35	22	-	
xx	228	46	17	4	4	-	74	3	2	1	4	6	4	12	28	49	38	7	
xx	81	2	-	1	-	-	3	2	1	2	6	5	6	7	16	26	7	-	
xx	20	-	1	2	-	-	3	1	1	-	-	3	3	-	6	2	1	-	
xx	7	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	
xx	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	
xx	9	1	1	-	-	-	2	-	-	-	-	-	-	-	3	1	2	-	
xx	41	-	-	-	-	-	-	-	-	-	-	8	22	11	-	-	-	-	
xx	7	-	-	-	-	-	-	-	-	-	-	-	3	3	2	1	-	-	
xx	33	6	4	3	-	2	17	2	2	-	-	1	1	1	2	4	2	-	
xx	49	198	22	6	-	2	227	8	1	1	1	1	5	9	8	87	87	44	
424.—HOLBEACH.																			
Popul ⁿ , 61-71	9425	288	239	258	247	239	1271	1137	1049	934	784	1207	1026	864	617	374	142	20	
DEATHS	1699	413	108	41	26	24	612	61	49	58	65	124	95	116	136	160	175	43	
xx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
xx	26	4	13	5	1	-	23	1	2	-	-	-	-	-	-	-	-	-	
xx	23	3	1	1	1	2	7	12	2	-	-	-	-	-	-	-	-	-	
xx	42	1	1	3	4	6	15	13	8	1	2	2	1	-	-	-	-	-	
xx	44	21	12	4	4	2	43	1	-	-	-	-	-	-	-	-	-	-	
xx	69	2	5	2	3	1	13	0	5	8	5	10	5	4	6	1	3	-	
xx	82	22	5	3	-	-	30	1	-	1	1	1	1	3	1	7	5	1	
xx	5	-	-	-	1	-	1	-	-	2	-	-	-	-	1	1	1	-	
xx	42	6	1	4	2	1	14	5	4	2	1	1	1	1	3	6	4	2	
xx	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
xx	22	3	1	1	2	-	9	-	-	2	5	4	1	1	1	8	5	1	
xx	213	3	8	-	-	-	6	4	12	27	33	62	33	19	13	4	-	-	
xx	18	5	3	-	2	2	15	1	-	2	-	-	-	-	-	-	-	-	
xx	187	65	13	4	-	1	84	4	1	3	2	7	5	12	11	27	25	6	
xx	111	1	-	1	-	-	2	-	5	-	3	4	6	6	19	23	20	2	
xx	219	47	21	6	3	3	89	2	2	4	1	5	17	15	23	35	26	7	
xx	90	11	1	1	1	1	17	3	-	1	6	3	4	14	14	12	17	1	
xx	83	1	-	1	-	1	3	2	1	1	2	2	3	4	9	4	2	-	
xx	12	-	-	-	-	-	-	-	-	-	1	1	1	1	3	3	2	-	
xx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
xx	5	3	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	
xx	20	-	-	-	-	-	-	-	-	1	3	12	4	-	-	-	-	-	
xx	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
xx	24	6	1	-	2	-	11	2	3	-	-	3	2	-	1	-	1	-	
xx	329	284	25	5	-	2	235	3	4	1	-	4	2	5	9	20	60	28	
425.—BOSTON.																			
Popul ⁿ , 61-71	19737	540	467	500	483	475	2465	2334	2047	1914	1672	2644	2117	1850	1390	885	358	61	
DEATHS	3542	677	184	92	54	49	1693	172	94	114	113	249	291	231	284	395	457	168	
xx	8	5	-	-	1	-	6	-	1	1	-	-	-	-	-	-	-	-	
xx	40	9	10	8	6	2	33	4	-	1	-	-	-	-	-	-	-	-	
xx	135	2	18	18	8	19	62	38	19	4	4	2	4	1	-	1	-	-	
xx	63	5	3	8	3	1	29	20	11	5	-	2	2	2	1	-	-	-	
xx	69	31	20	6	2	1	60	6	-	-	-	-	-	-	-	-	-	-	
xx	131	3	3	2	2	2	12	27	15	10	8	15	7	10	11	7	10	1	
xx	99	35	9	3	1	2	55	2	-	-	1	3	2	5	5	3	18	4	
xx	10	3	-	-	-	-	5	-	-	-	-	-	-	1	6	2	-	-	
xx	68	10	4	4	3	1	22	8	-	3	-	4	2	2	6	6	13	-	
xx	108	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
xx	5	14	-	1	1	2	24	2	5	3	1	9	15	21	28	20	9	-	
xx	431	4	-	1	3	2	16	10	9	22	56	61	135	68	41	22	9	1	
xx	42	13	9	2	4	2	30	10	1	-	-	-	-	-	-	-	-	-	
xx	485	158	21	9	5	7	296	14	5	7	5	16	16	51	47	62	67	14	
xx	291	3	1	1	-	-	7	2	1	3	6	7	13	14	23	32	32	4	
xx	368	67	40	17	9	-	133	6	2	4	10	16	18	31	33	48	18	4	
xx	202	8	5	1	-	-	17	4	2	4	10	16	18	31	33	48	18	4	
xx	46	-	1	-	-	-	1	2	1	2	2	5	6	6	8	10	8	-	
xx	15	-	-	-	-	-	-	-	-	-	-	2	4	4	6	1	-	-	
xx	12	-	-	-	-	-	1	-	-	-	-	1	1	1	1	2	-	-	
xx	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
xx	28	-	-	-	-	-	-	-	-	-	-	3	9	12	-	-	-	-	
xx	70	4	4	5	4	2	19	9	4	-	4	1	-	-	-	-	-	-	
xx	832	299	32	6	4	4	345	9	2	4	4	4	9	11	14	24	24	23	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--
426.—SLEAFORD.																
Mean Popul ⁿ , 1861-71	12684	361	354	338	347	343	1743	1503	1453	1293	962	1532	1339	1123	884	532
TOTAL DEATHS	2332	639	125	59	45	33	901	97	45	57	60	126	118	126	180	291
Small-pox	6	3	—	—	1	—	4	—	—	1	—	1	—	—	—	—
Measles	28	9	11	3	1	1	25	1	—	—	—	1	1	—	—	—
Scarlatina	81	2	15	16	11	8	52	23	3	1	—	2	—	—	—	—
Diphtheria	34	2	3	1	1	3	10	17	3	1	—	1	—	—	1	1
Whooping-cough	49	28	11	3	4	2	48	1	—	—	—	—	—	—	—	—
Typhus	81	3	1	3	2	1	10	5	7	3	12	10	12	8	6	4
Diarrhoea & Dysentery	118	51	7	5	1	1	65	2	—	—	—	1	6	2	9	13
Cholera	4	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	54	4	4	1	4	2	15	5	—	2	5	8	4	5	4	8
Cancer	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophula and Tuberc.	59	28	6	1	1	2	38	4	3	4	1	4	2	2	7	8
Phthisis	179	7	2	1	2	—	12	3	2	20	23	46	31	25	8	3
Hydrocephalus	33	15	3	3	3	1	27	4	1	—	—	1	—	—	—	—
Dis. of Brain	321	138	7	2	5	4	156	9	4	5	5	6	9	12	35	46
Dis. of Heart & Dropsy	145	2	—	—	3	1	6	4	3	1	2	8	11	13	27	39
Dis. of Lungs	306	64	24	10	2	1	193	4	3	1	2	14	14	13	22	30
Dis. of Stom. and Liver	124	17	—	2	—	—	19	4	3	3	2	6	8	16	21	26
Dis. of Kidneys	50	—	1	—	—	1	2	—	1	4	2	2	5	9	8	15
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	7	2	—	—	—	—	2	—	—	1	—	—	—	—	—	—
Childbirth and Metris.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ratella	4	—	—	—	—	—	—	—	—	—	—	1	—	1	1	1
Other Violent Deaths	104	9	5	6	2	3	25	7	10	6	4	10	9	9	9	19
Other Causes	510	233	23	2	1	2	261	4	1	2	1	5	4	10	21	41
427.—GRANTHAM.																
Mean Popul ⁿ , 1861-71	14680	447	409	414	383	378	2031	1842	1616	1409	1068	1931	1634	1338	965	598
TOTAL DEATHS	2901	771	150	83	53	39	1096	101	57	85	93	167	138	172	246	367
Small-pox	6	5	—	—	—	—	5	—	—	—	—	—	—	1	—	—
Measles	29	6	13	4	3	1	27	1	—	—	—	—	—	—	—	—
Scarlatina	75	7	11	11	16	10	55	10	3	1	—	—	—	—	—	—
Diphtheria	28	1	3	1	3	4	12	9	4	2	—	1	—	—	—	—
Whooping-cough	53	32	12	5	4	1	54	1	—	—	—	—	—	—	—	—
Typhus	164	2	3	8	5	5	23	27	13	16	8	18	15	21	15	5
Diarrhoea & Dysentery	136	91	9	6	—	—	106	1	—	—	1	—	1	—	4	13
Cholera	6	—	2	1	—	1	4	—	—	—	—	—	—	—	1	—
Other Zymotic Dis.	74	13	5	8	3	2	31	6	3	1	—	3	2	3	8	10
Cancer	66	1	—	—	—	1	2	—	1	—	—	2	4	7	21	18
Scrophula and Tuberc.	60	24	11	3	1	2	41	4	5	1	2	1	2	3	1	—
Phthisis	265	7	6	—	—	1	13	6	9	32	51	65	34	28	19	4
Hydrocephalus	46	22	7	8	2	—	30	6	1	—	—	—	—	—	—	—
Dis. of Brain	842	131	14	5	3	1	154	6	2	4	4	13	18	23	30	40
Dis. of Heart & Dropsy	194	4	1	—	2	—	7	1	1	4	9	9	14	9	45	60
Dis. of Lungs	420	134	30	12	5	2	183	3	2	4	5	9	14	27	39	70
Dis. of Stom. and Liver	178	21	1	1	—	1	24	2	2	7	2	11	13	21	31	46
Dis. of Kidneys	50	—	—	—	—	—	—	—	—	1	1	5	4	7	7	15
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	4	—	—	—	—	1	1	—	1	—	—	—	—	1	1	1
Dis. of Skin	8	3	1	—	—	—	4	—	—	—	—	—	—	—	1	1
Childbirth and Metris.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ratella	20	—	—	—	—	—	—	—	—	1	1	5	3	4	6	3
Other Violent Deaths	111	4	2	5	3	3	19	9	6	9	8	14	12	9	8	22
Other Causes	536	263	29	5	1	3	292	3	2	1	1	10	7	19	29	59
428.—LINCOLN.																
Mean Popul ⁿ , 1861-71	24657	735	650	641	646	640	3312	3034	2717	2443	2068	3373	2777	2144	1527	918
TOTAL DEATHS	5503	1606	314	164	102	69	2255	204	113	124	162	338	363	309	481	535
Small-pox	42	10	4	2	—	3	19	3	1	3	10	4	1	—	1	—
Measles	51	14	14	14	3	4	49	1	—	—	—	1	—	—	—	—
Scarlatina	233	24	33	43	35	29	148	24	13	11	1	3	2	—	1	—
Diphtheria	56	5	6	4	5	4	24	13	8	2	1	2	—	1	2	1
Whooping-cough	93	40	24	12	4	1	87	6	—	—	—	—	—	—	—	—
Typhus	199	4	3	6	5	5	23	28	12	18	15	32	20	15	15	18
Diarrhoea & Dysentery	196	129	19	3	1	1	153	2	—	—	1	1	2	1	4	17
Cholera	15	3	—	—	—	—	3	3	—	—	—	—	—	2	1	—
Other Zymotic Dis.	96	11	15	9	3	7	43	3	5	1	4	5	2	7	11	11
Cancer	68	—	—	—	—	1	1	—	—	—	3	6	8	9	22	8
Scrophula and Tuberc.	73	35	8	2	2	—	47	6	6	2	4	8	1	1	1	—
Phthisis	469	11	1	1	3	1	17	6	11	45	79	109	88	54	40	9
Hydrocephalus	63	25	13	4	5	1	40	9	5	—	—	—	—	—	—	—
Dis. of Brain	1048	479	45	17	15	11	570	14	10	7	9	39	90	80	87	98
Dis. of Heart & Dropsy	277	6	2	—	—	—	8	2	4	5	3	32	28	45	63	87
Dis. of Lungs	624	151	20	21	10	2	234	8	4	3	12	36	43	65	88	127
Dis. of Stom. and Liver	203	17	3	5	1	—	20	4	3	5	5	12	23	34	53	69
Dis. of Kidneys	99	3	1	—	—	1	5	5	3	2	2	8	10	14	20	24
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	57	1	1	1	—	—	3	6	—	3	3	6	4	2	3	2
Dis. of Skin	10	4	—	—	—	—	4	—	1	—	—	—	—	1	1	—
Childbirth and Metris.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ratella	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	227	91	8	7	4	4	44	20	21	19	1	3	23	21	23	30
Other Causes	1315	617	61	12	6	—	696	7	2	2	1	7	12	15	23	40

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85				
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85				
426.—SLEAFORD.																				
Mean Popul ⁿ , 1861-71	12693	378	334	354	344	352	1762	1605	1341	1240	990	1657	1384	1126	815	515	226	232	32	
ALL DEATHS	2175	518	131	73	42	24	788	87	66	53	73	126	118	122	165	239	239	99	4	
Pox	7	2	-	3	-	-	5	-	-	-	-	1	1	-	-	-	-	-	-	
Smallpox	13	4	4	1	2	-	11	2	-	-	-	-	-	-	-	-	-	-	-	
Influenza	76	2	17	16	7	4	46	22	6	2	1	-	1	-	-	-	-	-	-	
Erysipelas	34	3	5	6	2	3	17	10	2	2	-	-	-	-	1	-	-	-	-	
Croup	51	29	16	3	-	-	48	2	-	-	1	-	-	-	-	-	-	-	-	
Dysentery	93	3	2	3	3	3	11	10	21	7	8	12	4	5	4	7	3	8	-	
Zymotic Dis.	98	40	10	7	2	1	60	1	1	-	-	1	-	2	2	9	15	8	-	
Scrophulous Dis.	45	8	2	5	3	2	20	4	3	2	1	3	-	2	3	5	3	2	-	
Consumption	68	-	-	-	-	-	-	-	-	-	-	1	9	12	20	17	8	1	-	
Brain	49	24	5	2	2	-	33	5	3	2	-	6	-	-	-	-	-	-	-	
Heart & Dropsy	230	3	4	-	-	-	7	5	15	27	42	52	38	28	12	4	-	-	-	
Lungs	20	9	4	1	4	-	18	1	1	-	-	-	-	-	-	-	-	-	-	
Stomach and Liver	304	90	10	8	5	3	110	10	4	1	2	13	12	19	30	51	39	7	1	
Kidneys	129	1	2	-	-	-	5	-	3	3	2	3	11	16	22	26	27	1	-	
General Organs	269	68	21	12	6	2	113	2	3	2	4	5	9	16	22	42	33	9	-	
Joint	109	11	2	-	-	-	14	5	2	-	4	8	10	9	22	25	10	-	-	
Skin	19	-	-	-	1	1	2	-	-	1	-	1	1	4	4	3	3	-	-	
Birth and Metrix	12	-	-	-	-	-	-	-	-	-	-	1	1	3	4	3	1	-	-	
Violent Deaths	7	-	-	-	-	-	-	1	-	-	1	1	1	1	1	1	1	-	-	
Causes	11	3	-	-	-	-	3	-	-	-	-	2	-	2	2	2	2	-	-	
Birth and Metrix	35	-	-	-	-	-	-	-	-	3	5	14	13	-	-	-	-	-	-	
Violent Deaths	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	
Causes	260	5	6	5	1	2	19	3	2	-	1	-	-	-	3	2	3	3	-	
	458	215	18	2	2	2	239	5	-	3	-	2	5	2	11	33	92	67	-	
427.—GRANTHAM.																				
Mean Popul ⁿ , 1861-71	15066	430	384	399	422	386	2021	1828	1624	1356	1258	2055	1692	1328	978	633	268	25	-	
ALL DEATHS	2898	641	165	73	65	52	996	123	62	91	96	196	186	183	185	351	319	105	-	
Pox	9	6	-	-	-	-	6	-	-	-	-	2	-	-	1	-	-	-	-	
Smallpox	31	5	7	4	12	2	30	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza	89	11	11	6	9	10	47	34	1	2	3	1	1	-	-	-	-	-	-	
Erysipelas	38	2	1	4	2	5	14	14	3	1	3	1	2	-	-	-	-	-	-	
Croup	67	27	23	10	3	1	64	3	-	-	-	-	-	-	-	-	-	-	-	
Dysentery	155	2	4	4	5	7	22	16	18	24	15	21	13	8	7	8	3	-	-	
Zymotic Dis.	117	66	16	4	1	-	87	1	-	-	1	1	2	1	1	6	15	2	-	
Scrophulous Dis.	71	14	1	2	5	4	26	5	7	2	2	3	3	3	9	8	3	-	-	
Consumption	97	-	-	-	-	-	-	-	-	-	-	5	8	3	18	32	5	1	-	
Brain	49	15	6	5	2	-	28	3	4	1	1	4	2	2	2	6	1	-	-	
Heart & Dropsy	305	1	3	-	-	-	4	13	14	35	42	92	54	33	12	6	-	-	-	
Lungs	27	9	6	4	1	2	22	2	8	-	-	-	-	-	-	-	-	-	-	
Stomach and Liver	319	93	15	2	5	8	123	8	5	2	4	9	14	26	23	45	61	9	-	
Kidneys	245	1	-	-	1	-	2	3	2	4	4	15	23	27	47	71	49	7	-	
General Organs	367	82	41	19	10	5	157	11	1	5	2	9	13	16	18	61	58	16	-	
Joint	173	19	2	2	-	-	25	5	2	6	3	9	17	21	25	41	16	8	-	
Skin	21	-	-	-	-	-	-	-	1	1	2	3	5	1	3	3	5	-	-	
Birth and Metrix	21	-	-	-	-	-	-	-	-	-	-	4	6	3	5	3	-	-	-	
Violent Deaths	12	6	-	-	1	1	8	1	-	1	1	1	1	-	-	1	-	-	-	
Causes	28	-	-	-	-	-	-	-	-	-	6	13	9	-	-	-	-	-	-	
Birth and Metrix	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	
Violent Deaths	57	11	8	1	5	4	29	3	-	3	2	2	1	2	4	1	7	3	-	
Causes	574	267	21	6	1	3	298	-	1	2	4	1	9	7	14	53	119	64	-	
428.—LINCOLN.																				
Mean Popul ⁿ , 1861-71	25019	737	683	665	640	631	3356	2978	2658	2321	2170	3539	2818	2214	1593	965	353	54	-	
ALL DEATHS	5040	1184	307	150	115	69	1835	196	118	169	186	423	324	289	375	516	458	161	-	
Pox	35	8	-	3	5	1	17	7	-	2	-	2	2	2	1	2	-	-	-	
Smallpox	66	9	20	11	5	13	58	7	1	-	-	-	-	-	-	-	-	-	-	
Influenza	178	16	24	27	27	14	198	45	12	7	1	4	-	-	-	-	-	-	-	
Erysipelas	65	3	8	7	11	4	33	12	7	2	4	4	-	1	2	-	-	-	-	
Croup	99	41	28	17	7	3	96	3	-	-	-	-	-	-	-	-	-	-	-	
Dysentery	215	2	10	13	7	6	38	24	30	20	13	34	19	15	8	7	3	-	-	
Zymotic Dis.	169	109	16	7	3	-	126	2	-	-	3	1	1	3	11	10	11	1	-	
Scrophulous Dis.	89	10	8	7	8	4	37	10	7	4	1	3	4	8	5	4	6	-	-	
Consumption	135	-	-	-	2	-	2	-	-	-	-	5	19	33	34	35	5	2	-	
Brain	65	19	10	3	-	1	53	3	2	-	4	3	3	3	4	-	-	-	-	
Heart & Dropsy	630	3	3	2	-	-	11	14	25	82	102	193	111	57	28	4	-	-	-	
Lungs	39	13	11	5	3	1	33	5	1	-	-	-	-	-	-	-	-	-	-	
Stomach and Liver	783	390	47	11	13	6	427	17	7	15	5	81	34	38	80	79	47	8	-	
Kidneys	261	5	1	-	-	-	7	3	8	7	8	17	29	35	54	67	32	4	-	
General Organs	481	110	49	19	10	9	197	13	5	4	9	20	19	24	53	82	47	8	-	
Joint	221	12	1	5	2	-	20	8	2	5	11	23	32	33	41	35	11	-	-	
Skin	24	-	1	-	-	-	1	1	4	1	-	5	4	8	3	3	3	-	-	
Birth and Metrix	31	-	-	-	-	-	-	-	-	-	2	7	9	5	3	4	-	-	-	
Violent Deaths	15	-	-	-	-	-	-	3	-	-	-	4	1	2	-	-	-	-	-	
Causes	17	5	1	-	-	-	7	-	-	-	-	2	1	1	2	-	-	-	-	
Birth and Metrix	60	-	-	-	-	-	-	-	-	5	13	39	20	1	-	-	-	-	-	
Violent Deaths	7	-	-	-	-	-	-	-	-	2	2	2	2	1	-	-	-	-	-	
Causes	67	9	7	2	5	4	27	5	3	4	3	17	-	14	17	42	179	38	-	
	1209	467	60	11	5	1	544	9	4	6	3	17	-	14	17	42	179	38	-	

Cause of Death in the Ten Years 1861-70.—Male.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1881-90

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-
429.—HORNCASTLE.																
Mean Popul., 1861-71	12064	337	320	333	312	314	1615	1517	1343	1212	967	1464	1318	1133	835	515
TOTAL DEATHS -	2161	552	83	45	41	26	747	91	72	54	72	93	115	136	180	235
Small-pox	10	4	-	-	1	1	6	-	-	-	-	1	-	1	1	-
Measles	10	1	2	4	2	1	9	1	-	-	-	-	-	-	-	-
Scarlatina	54	2	3	3	5	8	26	10	10	3	1	1	-	1	-	-
Diphtheria	61	1	2	3	3	3	14	24	15	4	5	1	-	2	-	-
Whooping-cough	39	23	11	2	-	1	37	2	-	-	-	-	-	-	-	-
Typhus	79	2	4	3	3	1	12	16	9	3	7	6	-	7	3	10
Diarrhoea & Dysentery	37	16	-	2	1	-	19	1	-	1	1	-	-	-	-	-
Cholera	4	-	-	-	-	-	1	1	-	-	-	1	-	1	2	1
Other Zymotic Dis.	37	7	2	4	1	2	16	4	3	3	1	2	-	-	-	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	43	12	3	-	-	1	16	6	4	1	2	3	1	4	5	5
Phthisis	191	7	3	-	1	1	19	3	3	17	35	43	20	19	29	4
Hydrocephalus	27	7	3	1	5	1	19	3	-	-	-	-	-	-	-	-
Dis. of Brain	345	189	13	3	3	1	309	6	4	3	4	3	4	17	24	43
Dis. of Heart & Dropsy	159	8	-	-	-	1	4	1	1	2	2	1	10	13	24	35
Dis. of Lungs	191	49	16	3	1	3	65	2	2	1	1	7	9	25	24	35
Dis. of Stomach and Liver	116	12	1	2	3	1	19	3	-	-	-	3	16	35	29	35
Dis. of Kidneys	32	-	-	-	-	-	-	-	1	-	-	-	-	1	3	12
Dis. of Genur. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Genitals	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fetids	80	3	3	4	5	1	15	3	4	10	4	5	6	9	12	4
Other Violent Deaths	620	230	14	4	4	-	234	2	-	2	1	8	4	11	27	79
Other Causes																
430.—SPILSBY.																
Mean Popul., 1861-71	14342	376	387	381	388	387	1910	1894	1671	1402	1054	1663	1530	1303	977	640
TOTAL DEATHS -	2642	653	181	85	51	35	967	124	47	73	98	164	126	159	162	516
Small-pox	13	4	1	-	-	-	5	2	-	-	1	5	3	1	-	-
Measles	14	4	4	4	1	-	13	-	1	-	-	-	-	-	-	-
Scarlatina	20	3	7	7	14	3	34	14	5	2	1	1	-	1	-	-
Diphtheria	61	6	2	7	5	6	26	23	5	3	1	-	-	-	-	-
Whooping-cough	26	17	11	5	-	-	34	2	-	-	-	-	-	-	-	-
Typhus	87	1	1	2	1	3	8	14	10	3	5	11	3	6	4	10
Diarrhoea & Dysentery	34	24	3	-	2	3	36	3	-	1	-	-	1	1	2	6
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	44	12	3	1	4	-	20	9	1	4	1	1	-	1	4	1
Cancer	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	31	6	2	2	-	1	11	9	-	5	1	2	4	4	14	8
Phthisis	217	11	4	5	5	1	19	9	9	32	31	30	43	2	20	2
Hydrocephalus	43	11	12	4	3	2	33	3	3	-	-	-	-	-	-	-
Dis. of Brain	469	273	30	12	4	3	312	5	2	4	10	12	10	16	25	43
Dis. of Heart & Dropsy	144	1	1	1	1	1	5	5	1	1	1	9	7	7	22	6
Dis. of Lungs	516	41	26	9	4	3	62	1	2	9	19	3	13	15	25	45
Dis. of Stomach and Liver	136	12	1	2	1	1	16	6	3	2	-	11	10	20	23	28
Dis. of Kidneys	43	1	-	-	-	-	2	1	-	1	-	1	4	6	11	11
Dis. of Genur. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Genitals	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fetids	168	9	7	13	5	2	36	8	4	5	7	15	12	11	8	4
Other Violent Deaths	628	215	24	13	2	4	230	6	2	-	1	7	5	7	29	34
Other Causes																
431.—LOUTH.																
Mean Popul., 1861-71	17301	514	474	482	481	475	2427	2171	1948	1626	1285	2189	1854	1531	1142	748
TOTAL DEATHS -	3218	876	164	77	54	45	1211	124	63	103	83	157	167	123	268	421
Small-pox	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles	22	3	3	3	3	1	20	2	-	-	-	-	-	-	-	-
Scarlatina	36	5	3	11	2	2	38	10	3	-	2	-	-	-	-	-
Diphtheria	31	4	-	2	2	2	19	5	2	4	-	-	-	-	-	-
Whooping-cough	36	20	10	5	3	-	77	1	-	-	-	-	-	-	-	-
Typhus	79	4	1	2	2	2	87	12	5	-	-	-	-	-	-	-
Diarrhoea & Dysentery	34	24	3	-	1	-	36	3	-	-	-	-	-	-	-	-
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	79	12	3	-	-	-	44	9	1	2	-	-	-	-	-	-
Cancer	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	33	9	3	-	-	-	12	1	0	4	4	-	-	4	14	13
Phthisis	266	1	4	4	-	-	24	4	-	-	-	-	-	-	-	-
Hydrocephalus	42	11	9	2	2	-	24	12	-	-	-	-	-	-	-	-
Dis. of Brain	217	20	21	3	3	-	272	5	-	-	-	1	-	-	-	-
Dis. of Heart & Dropsy	215	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Dis. of Lungs	242	1	2	1	1	-	5	-	-	-	-	1	-	-	-	-
Dis. of Stomach and Liver	125	1	-	1	1	-	4	-	-	-	-	-	-	-	-	-
Dis. of Kidneys	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Genur. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Genitals	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fetids	122	4	-	-	-	-	130	-	-	-	-	-	-	-	-	-
Other Violent Deaths	257	24	3	3	4	4	34	6	2	-	-	-	-	-	-	-
Other Causes																

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		429.—HORNCASTLE.																
n Popul ⁿ , 1861-71	12177	344	332	330	316	306	1628	1477	1369	1118	1001	1594	1201	1061	820	528	241	49
ALL DEATHS -	2219	465	83	52	30	30	603	112	75	98	93	151	142	116	155	224	270	114
pox -	6	2	-	1	-	-	3	-	1	-	-	1	-	-	-	-	-	-
ina -	14	6	2	2	-	-	12	2	-	-	-	-	1	-	-	-	-	-
eria -	60	5	4	4	6	8	27	19	8	5	-	1	1	-	-	-	-	-
ing-cough -	82	3	3	6	6	6	26	26	19	5	-	2	-	1	-	1	-	-
za & Dysentery -	47	28	10	6	-	-	45	2	-	-	-	-	-	-	-	-	-	-
ymotic Dis. -	87	2	2	4	1	2	11	11	12	16	10	11	7	1	3	3	3	3
a and Tabes -	29	14	1	1	2	1	19	-	-	1	1	-	2	1	3	2	2	3
s -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
cephalus -	57	4	-	4	1	2	11	6	-	1	-	2	1	1	3	3	3	3
Brain -	44	11	3	-	1	3	18	4	3	-	3	10	11	20	16	8	2	-
Heart & Dropsy -	247	2	-	-	-	-	2	4	13	45	59	71	43	20	6	4	-	-
Lungs -	29	4	7	2	1	1	15	4	1	-	-	-	-	-	-	-	-	-
Stom. and Liver -	396	137	11	9	4	-	161	11	6	8	1	5	14	15	21	39	34	3
Kidneys -	134	2	-	-	-	-	4	1	1	4	2	6	15	15	23	25	23	3
Gener. Organs -	145	29	11	5	3	-	48	6	2	2	2	6	4	10	20	26	15	3
Jointe -	112	5	-	-	2	-	7	3	-	1	3	13	14	12	24	28	5	3
Skin -	6	-	-	-	-	-	-	-	-	-	-	1	1	2	7	1	-	-
irth and Metria -	14	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-
Violent Deaths -	2	1	1	-	-	-	2	-	-	1	-	-	1	1	1	1	-	-
Causes -	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	668	208	22	8	2	5	245	6	9	3	2	5	7	6	19	80	180	100
430.—SPILSBY.																		
n Popul ⁿ , 1861-71	14681	414	408	388	396	389	1995	1772	1662	1383	1149	1854	1595	1288	1008	686	242	47
ALL DEATHS -	2551	518	104	70	48	35	775	131	91	106	99	203	141	146	163	279	293	104
pox -	3	-	2	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-
ina -	17	3	6	2	1	1	13	3	1	-	-	-	-	-	-	-	-	-
eria -	65	1	2	8	8	6	25	28	2	7	1	-	1	-	-	-	-	-
ing-cough -	78	-	5	3	7	3	18	31	20	3	1	2	-	1	-	2	-	-
za & Dysentery -	42	24	10	4	3	-	41	1	-	-	-	-	-	-	-	-	-	-
ymotic Dis. -	119	2	2	5	2	3	14	15	25	8	17	11	11	8	4	3	3	-
a and Tabes -	39	19	2	1	1	-	23	2	-	1	-	1	-	-	2	4	4	2
s -	3	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
cephalus -	71	12	6	13	2	3	36	5	6	2	2	2	5	5	2	3	3	-
Brain -	77	-	-	-	-	-	-	-	-	-	-	2	14	21	17	16	6	1
Heart & Dropsy -	29	10	1	2	-	1	14	2	2	1	1	5	2	1	1	1	1	-
Lungs -	428	5	6	4	2	1	18	13	24	66	59	122	67	83	27	4	-	-
Stom. and Liver -	25	9	3	3	3	1	19	4	1	-	-	1	-	-	-	-	-	-
Kidneys -	346	182	23	7	4	1	217	3	3	4	2	9	5	13	22	39	32	7
Gener. Organs -	147	4	-	-	2	-	6	2	3	2	6	15	8	16	40	36	11	2
Jointe -	154	31	13	8	4	7	61	6	3	3	2	3	2	13	22	32	14	2
Skin -	105	14	-	1	-	-	15	3	-	2	4	10	5	20	21	17	7	2
irth and Metria -	13	-	1	1	-	-	2	2	-	-	-	2	4	1	1	1	-	-
Violent Deaths -	7	-	-	-	-	-	-	-	-	-	-	2	5	1	1	1	-	-
Causes -	45	6	6	6	2	5	23	4	1	1	-	1	1	2	3	3	1	-
	691	194	16	4	6	2	222	5	3	4	-	2	4	9	16	116	221	89
431.—LOUTH.																		
n Popul ⁿ , 1861-71	17558	491	460	485	482	458	2376	2181	1912	1595	1446	2366	1884	1520	1140	777	307	54
ALL DEATHS -	3236	740	178	82	55	51	1106	103	81	139	142	255	190	157	233	353	323	147
pox -	6	2	-	-	-	-	2	-	2	1	1	-	-	-	-	-	-	-
ina -	32	8	12	4	2	2	28	3	-	-	-	-	-	1	-	-	-	-
eria -	69	5	12	7	6	11	41	12	9	2	2	2	2	1	1	2	-	-
ing-cough -	41	2	3	3	4	2	14	10	6	-	-	-	-	-	-	-	-	-
za & Dysentery -	82	51	17	8	8	-	79	3	-	-	-	-	-	-	-	-	-	-
ymotic Dis. -	22	1	4	5	7	4	17	6	8	11	9	13	4	5	1	4	5	6
a and Tabes -	82	43	6	1	1	3	54	2	-	1	-	-	1	5	1	3	1	-
s -	6	2	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
cephalus -	69	17	7	9	3	5	41	6	3	1	-	2	4	5	1	3	1	-
Brain -	70	-	-	-	1	-	1	-	-	1	-	4	11	10	24	11	7	1
Heart & Dropsy -	21	4	1	1	1	1	8	2	-	1	3	1	4	-	-	-	-	-
Lungs -	463	7	8	4	4	3	22	5	29	79	79	131	68	50	19	1	-	-
Stom. and Liver -	38	9	7	5	4	3	26	4	3	-	1	2	-	-	-	-	-	-
Kidneys -	424	211	15	6	8	1	211	5	4	10	11	12	7	16	32	47	32	7
Gener. Organs -	234	5	2	1	1	1	7	3	4	3	4	6	19	24	45	63	29	4
Jointe -	228	40	22	10	6	4	82	7	2	8	4	11	16	12	25	38	17	6
Skin -	124	7	1	2	1	-	11	3	3	6	4	12	12	13	24	23	10	1
irth and Metria -	18	-	-	-	-	-	-	-	-	1	4	1	2	3	4	1	2	-
Violent Deaths -	10	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-
Causes -	7	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	1039	321	55	21	3	9	400	21	6	10	12	18	16	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
432.—CAISTOR.																	
Mean Popul., 1861-71	21996	649	589	595	594	562	2989	2608	2309	2371	1895	3131	2511	1917	1234	739	
TOTAL DEATHS	4202	1242	295	141	128	80	1895	200	108	116	132	235	230	220	272	533	
Small-pox	56	11	-	-	2	3	16	5	2	2	1	2	5	2	1	-	
Measles	59	10	16	5	3	2	36	3	-	-	-	-	-	-	-	-	
Scarlatina	258	15	34	37	39	33	161	71	20	4	2	-	-	-	-	-	
Diphtheria	63	1	6	7	5	10	29	20	4	5	3	3	-	-	1	1	
Whooping-cough	77	26	25	8	5	1	75	2	-	-	-	-	-	-	-	-	
Typhus	163	4	6	4	13	3	30	15	15	11	12	27	13	11	15	12	
Diarrhoea & Dysentery	217	132	27	7	2	1	189	1	-	-	-	1	1	1	1	1	
Cholera	12	5	-	-	-	1	6	1	-	-	-	2	-	3	3	7	
Other Zymotic Dis.	95	29	9	10	9	1	58	4	1	4	-	4	1	3	7	4	
Cancer	34	-	-	-	-	-	-	-	2	-	-	1	1	8	5	10	
Scrophula and Tuberc.	68	21	16	1	1	1	40	6	3	4	1	6	3	1	2	2	
Phthisis	306	6	8	2	-	-	16	8	16	25	59	76	53	29	13	9	
Hydrocephalus	87	23	22	13	12	4	74	13	-	-	-	-	-	-	-	-	
Dis. of Brain	680	343	29	12	13	3	400	11	4	10	10	12	26	29	50	27	
Dis. of Heart & Droopy	278	2	1	2	-	-	6	1	4	4	4	18	27	25	32	31	
Dis. of Lungs	450	193	42	18	13	11	217	9	5	6	9	22	24	22	34	32	
Dis. of Stom. and Liver	201	89	5	-	2	4	48	6	4	7	6	5	23	26	33	36	
Dis. of Kidneys	85	1	1	-	1	-	3	3	-	3	1	7	6	12	8	20	
Dis. of Genes. Organs	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	11	-	-	-	-	-	-	2	4	2	1	-	-	1	1	1	
Dis. of Skin	13	4	1	-	-	1	6	2	-	-	-	1	1	1	1	1	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	20	-	-	-	-	-	-	-	1	-	-	3	5	4	5	3	
Other Violent Deaths	232	14	7	8	7	7	43	14	20	25	23	41	23	19	14	7	
Other Causes	785	209	42	7	1	2	442	3	5	4	1	4	8	12	17	40	
433.—GLANFORD BRIGG.																	
Mean Popul., 1861-71	17565	542	518	470	483	484	2497	2184	1931	1699	1349	2228	1859	1561	1185	761	
TOTAL DEATHS	3502	929	182	113	70	40	1343	194	98	90	121	183	152	201	264	405	
Small-pox	37	3	1	1	2	-	7	-	-	-	1	6	1	1	-	1	
Measles	38	11	15	7	-	-	34	4	-	-	-	-	-	-	-	-	
Scarlatina	165	8	10	28	18	14	84	59	14	2	1	2	8	-	-	-	
Diphtheria	53	3	8	2	8	3	19	19	5	3	1	1	2	3	-	-	
Whooping-cough	87	25	13	10	4	2	54	3	-	-	-	-	-	-	-	-	
Typhus	138	5	2	1	6	1	15	24	18	13	6	9	13	13	11	12	
Diarrhoea & Dysentery	137	91	10	3	1	-	105	-	-	-	-	2	-	1	2	1	
Cholera	9	1	-	1	-	-	2	-	-	-	-	4	4	2	5	8	
Other Zymotic Dis.	86	10	7	8	4	5	34	13	6	3	-	4	2	5	8	5	
Cancer	43	-	-	-	-	-	-	-	-	-	-	2	2	9	9	13	
Scrophula and Tuberc.	59	12	5	3	3	2	25	5	8	3	6	2	5	2	2	1	
Phthisis	299	4	2	1	1	2	10	6	10	28	54	80	46	27	21	6	
Hydrocephalus	67	11	19	10	3	4	47	11	8	-	-	1	-	-	-	-	
Dis. of Brain	544	209	14	5	4	4	296	6	3	4	8	16	13	25	44	19	
Dis. of Heart & Droopy	204	1	1	1	2	1	6	4	6	-	-	5	13	20	48	28	
Dis. of Lungs	466	121	35	19	7	4	186	9	3	5	8	9	14	32	43	79	
Dis. of Stom. and Liver	188	14	2	3	-	-	19	5	3	6	2	13	15	26	36	45	
Dis. of Kidneys	73	-	-	-	1	1	2	-	-	2	1	6	4	5	14	22	
Dis. of Genes. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	12	-	-	-	-	-	-	1	-	4	1	2	1	-	-	-	
Dis. of Skin	8	2	-	-	-	-	2	1	-	-	-	-	-	3	-	5	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	13	-	-	-	-	-	-	-	-	2	2	4	1	3	1	-	
Other Violent Deaths	196	9	4	4	5	4	26	13	8	13	23	16	9	8	17	7	
Other Causes	629	229	33	6	1	1	379	11	6	1	4	4	2	8	14	37	
434.—GAINSBOROUGH.																	
Mean Popul., 1861-71	13245	369	350	347	358	345	1769	1573	1421	1310	1047	1686	1394	1211	960	601	
TOTAL DEATHS	2876	771	135	87	54	43	1090	138	65	81	89	140	124	163	243	336	
Small-pox	10	5	-	-	-	-	5	-	-	1	-	2	1	-	-	1	
Measles	26	4	4	6	5	1	20	6	-	-	-	-	-	-	-	-	
Scarlatina	120	2	15	18	14	14	64	47	7	1	-	1	-	-	-	-	
Diphtheria	43	6	4	5	5	1	21	13	3	3	-	1	1	1	-	-	
Whooping-cough	35	18	10	5	-	-	33	2	-	-	-	-	-	-	-	-	
Typhus	141	4	1	5	2	2	14	11	7	12	19	15	15	15	19	11	
Diarrhoea & Dysentery	130	64	5	5	3	-	97	2	-	1	-	1	2	2	2	3	
Cholera	18	1	-	-	-	-	1	1	-	-	-	1	2	5	5	5	
Other Zymotic Dis.	69	10	9	10	2	5	36	4	3	3	1	5	2	5	5	5	
Cancer	44	-	-	-	1	-	1	-	-	-	-	1	2	9	9	11	
Scrophula and Tuberc.	41	11	8	3	1	2	25	4	4	3	-	1	-	-	-	-	
Phthisis	187	2	-	-	-	1	3	4	2	26	58	50	28	18	14	6	
Hydrocephalus	31	10	6	1	3	2	22	5	3	-	-	-	-	-	-	-	
Dis. of Brain	387	109	14	5	4	3	185	6	6	8	5	8	10	17	30	37	
Dis. of Heart & Droopy	154	9	1	-	1	-	4	5	4	1	3	12	11	13	31	44	
Dis. of Lungs	388	112	29	14	3	3	162	9	6	6	6	18	14	24	43	54	
Dis. of Stom. and Liver	194	37	2	2	-	1	42	2	2	2	2	6	19	24	37	51	
Dis. of Kidneys	55	-	-	-	-	-	-	-	2	-	-	-	1	7	9	24	
Dis. of Genes. Organs	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Dis. of Joints	8	-	-	-	-	-	-	1	1	-	-	3	1	-	-	-	
Dis. of Skin	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	120	6	2	3	5	7	25	11	7	12	9	10	13	11	16	19	
Other Causes	658	290	22	6	1	1	320	7	3	2	2	2	6	11	17	40	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
		432.—CAISTOR.																
an Populn, 1861-71	21205	645	616	573	576	577	2987	2586	2258	1957	1932	3081	2362	1782	1215	737	265	43
TOTAL DEATHS	3868	940	271	133	97	58	1508	173	107	134	173	300	217	207	251	342	333	123
l-pox	21	4	2	-	-	2	8	-	3	2	3	3	2	-	-	-	-	-
les	43	8	17	11	2	2	40	2	-	-	-	-	1	-	-	-	-	-
atina	220	10	27	30	31	20	137	58	23	5	2	4	1	-	-	-	-	-
theria	83	2	9	14	10	4	39	23	13	4	1	2	1	-	-	-	-	-
oping-cough	77	31	30	5	6	2	74	3	-	-	-	-	-	-	-	-	-	-
us	177	2	5	5	4	9	25	23	19	23	15	21	15	10	11	19	14	6
bna & Dysentery	290	117	24	5	1	-	157	3	-	-	-	3	1	-	5	1	11	6
ra	9	4	1	-	1	-	6	1	-	-	-	-	-	1	1	1	1	-
Zymotic Dis.	88	13	15	6	4	6	42	6	-	4	5	3	4	6	6	6	0	-
r	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ula and Tabes	53	15	11	1	1	1	29	1	5	8	1	4	10	22	18	16	5	-
sis	444	5	4	2	2	-	13	10	18	27	87	138	68	32	17	3	1	-
ocephalus	44	20	5	7	9	-	41	5	2	-	-	-	-	-	-	-	-	-
f Brain	563	246	30	7	6	3	292	10	5	8	12	17	20	19	26	70	60	14
f Heart & Dropsy	239	3	1	-	1	2	7	5	6	1	6	11	17	38	43	77	45	3
f Lungs	377	85	51	18	7	4	145	7	4	7	9	19	16	14	41	49	51	15
f Stom. and Liver	235	22	6	3	3	-	34	4	4	8	6	24	22	31	30	41	20	2
f Kidneys	25	2	1	-	-	-	3	2	-	-	1	6	4	6	3	-	-	-
f Gener. Organs	37	-	-	-	-	-	-	-	-	1	3	5	5	10	9	4	-	-
f Joints	7	1	-	-	-	-	1	-	2	-	-	1	1	2	2	-	-	-
f Skin	12	5	-	-	-	-	5	-	1	-	-	-	1	3	2	-	-	-
birth and Metria	64	-	-	-	-	-	-	-	-	3	12	29	17	3	-	-	-	-
le	5	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-
Violent Deaths	58	11	5	6	7	-	29	5	1	2	1	2	2	6	3	3	2	2
Causes	687	243	39	4	2	3	291	5	1	1	3	5	5	3	13	47	133	81
433.—GLANFORD BRIGG.																		
an Populn, 1861-71	17920	500	505	490	474	435	2454	2271	1927	1658	1424	2428	1918	1546	1182	787	281	44
TOTAL DEATHS	3440	767	161	115	63	63	1169	170	110	133	132	240	217	176	238	351	372	118
l-pox	16	6	1	-	1	-	8	4	1	1	-	-	1	1	-	-	-	-
les	29	2	9	8	4	-	23	3	1	-	-	1	1	-	-	-	-	-
atina	180	7	16	31	18	24	96	57	18	2	3	4	1	-	-	-	-	-
theria	64	2	6	7	7	4	29	20	10	1	2	2	1	1	1	-	-	-
oping-cough	69	34	11	13	4	4	66	3	-	-	-	-	-	-	-	-	-	-
us	160	2	6	4	5	7	24	22	21	23	12	15	10	13	10	6	4	-
bna & Dysentery	125	75	9	3	1	-	88	1	-	2	-	5	-	1	8	9	8	3
ra	6	-	2	1	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Zymotic Dis.	61	3	5	5	4	3	20	5	4	4	-	5	3	1	6	6	5	2
r	85	-	-	-	1	-	1	-	-	-	-	3	14	15	17	23	10	2
ula and Tabes	51	9	5	1	-	2	17	4	5	4	6	4	6	3	2	-	-	-
sis	396	3	2	4	-	-	9	3	19	65	71	127	63	28	9	2	-	-
ocephalus	57	12	12	4	4	5	37	12	4	3	-	-	1	-	-	-	-	-
f Brain	463	208	19	9	2	-	224	7	5	8	6	11	11	19	24	60	57	7
f Heart & Dropsy	272	2	1	-	-	1	5	1	5	6	5	17	19	31	24	75	45	9
f Lungs	350	89	24	13	6	3	135	19	3	1	5	12	15	20	39	65	75	12
f Stom. and Liver	180	21	2	1	1	3	23	-	4	4	3	11	24	25	31	36	20	3
f Kidneys	28	-	-	-	-	-	-	2	1	2	1	3	6	2	4	4	3	-
f Gener. Organs	15	-	-	-	-	-	-	-	1	-	1	-	3	4	3	2	1	-
f Joints	9	4	-	-	-	-	4	1	1	-	-	1	-	1	2	-	-	-
f Skin	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
birth and Metria	65	-	-	-	-	-	-	-	-	4	9	20	31	1	-	-	-	-
le	7	-	-	-	-	-	-	-	-	1	-	2	2	2	-	-	-	-
Violent Deaths	55	3	7	4	1	5	22	6	1	3	2	4	4	4	1	1	3	3
Causes	642	283	26	5	3	2	319	8	6	4	5	4	4	5	12	62	136	77
434.—GAINSBOROUGH.																		
an Populn, 1861-71	13357	379	344	323	351	358	1755	1579	1364	1232	1105	1769	1428	1211	965	626	283	40
TOTAL DEATHS	2644	567	129	88	54	44	882	127	57	97	124	174	140	131	211	270	331	97
l-pox	6	2	-	1	-	-	3	1	1	-	-	1	-	-	-	-	-	-
les	31	5	6	9	4	3	27	2	1	-	-	1	-	-	-	-	-	-
atina	126	8	11	27	15	15	76	35	11	2	2	-	-	-	-	-	-	-
theria	54	4	4	4	6	7	25	18	2	1	-	4	-	3	-	1	-	-
oping-cough	80	27	11	7	2	1	48	2	-	-	-	-	-	-	-	-	-	-
us	116	4	1	1	4	3	13	14	7	14	19	10	16	4	9	6	8	1
bna & Dysentery	111	51	8	2	1	-	62	2	-	-	2	2	3	5	3	12	15	4
ra	19	-	1	-	-	-	1	-	-	-	-	5	1	5	3	7	1	2
Zymotic Dis.	56	8	2	5	4	5	24	5	1	2	-	5	1	5	3	7	1	2
r	68	-	-	-	-	-	-	-	-	-	-	2	6	17	21	17	5	-
ula and Tabes	28	12	4	3	1	2	22	2	1	-	1	2	2	4	5	1	-	-
sis	343	4	-	-	-	1	5	6	11	53	68	82	45	21	10	1	1	-
ocephalus	24	7	8	3	3	1	22	1	-	-	-	1	-	-	-	-	-	-
f Brain	323	125	13	7	7	1	133	6	1	4	4	6	7	14	26	43	50	6
f Heart & Dropsy	174	3	-	-	-	-	3	6	3	2	3	11	9	25	33	50	26	3
f Lungs	311	60	34	10	3	3	139	8	4	6	6	11	9	11	33	45	39	11
f Stom. and Liver	142	25	2	-	2	-	29	1	3	1	6	9	14	15	29	35	16	4
f Kidneys	15	-	-	1	-	-	1	2	-	1	-	1	5	-	2	1	2	-
f Gener. Organs	13	-	-	-	-	-	-	-	-	-	1	1	1	4	4	1	-	-
f Joints	14	1	-	1	1	-	3	-	5	1	-	1	-	1	1	-	-	-
f Skin	7	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
birth and Metria	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
le	3	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	-
Violent Deaths	53	6	3	1	-	1	11	11	3	4	4	1	1	4	4	3	3	1
Causes	575	191	22	5	1	1	220	5	3	4	4	1	4	7	25	63	63	16

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.				Total under 5 Years.													
		1	2	3	4	5	10	15	20	25	35	45	55	65	75				

435.—EAST RETFORD.																	
Mean Popul ⁿ , 1861-71	11118	322	302	297	272	284	1467	1387	1261	1017	807	1331	1188	1021	813	571	327
TOTAL DEATHS—	2204	509	104	55	34	38	800	89	42	46	46	106	108	119	179	274	40
Small-pox	5	2	—	—	—	—	2	1	1	—	—	—	1	—	—	—	—
Measles	23	7	9	4	2	1	23	2	—	—	—	—	—	—	—	—	—
Scarlatina	54	5	9	6	8	7	35	20	—	1	—	—	—	—	—	—	—
Diphtheria	18	1	2	3	1	1	8	5	2	—	—	—	1	1	—	—	—
Whooping-cough	33	13	10	5	9	2	32	1	—	—	—	—	—	—	—	—	—
Typhus	79	1	4	1	1	2	9	6	11	9	4	4	5	3	6	8	8
Diarrhoea & Dysentery	54	29	2	1	—	2	34	1	—	1	—	—	—	—	4	3	2
Cholera	7	1	1	1	—	—	3	—	—	—	—	—	—	2	2	2	2
Other Zymotic Dis.	65	6	4	6	4	3	23	8	1	2	1	1	1	2	8	8	8
Cancer	30	—	—	—	—	—	—	—	—	—	—	—	1	1	3	11	9
Scrophula and Tuberc.	47	10	5	1	1	1	18	4	3	5	5	4	1	4	2	4	4
Phthisis	168	5	1	2	—	—	6	3	3	11	5	51	29	24	16	4	4
Hydrocephalus	16	7	2	4	—	—	15	1	—	—	—	—	—	—	—	—	—
Dis. of Brain	571	185	15	2	2	4	206	11	3	3	2	5	13	14	21	27	27
Dis. of Heart & Dropsy	320	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Lungs	539	79	21	10	7	1	122	2	1	1	3	6	17	11	27	27	27
Dis. of Stom. and Liver	169	11	—	—	2	1	14	5	1	4	2	11	18	24	27	27	27
Dis. of Kidneys	52	—	—	—	—	—	—	2	1	—	—	2	4	4	6	6	6
Dis. of Gen. Organs	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Dis. of Joints	9	1	—	—	—	—	1	1	2	—	—	1	—	2	1	1	1
Dis. of Skin	6	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	9	—	—	—	—	—	—	—	—	1	—	3	1	—	1	1	1
Other Violent Deaths	61	2	1	3	9	3	13	11	6	7	3	12	6	6	9	14	14
Other Causes	453	201	18	6	2	2	229	3	1	1	—	2	4	5	17	49	49

436.—WORKSOP.

Mean Popul ⁿ , 1861-71	11855	366	332	304	294	292	1588	1375	1185	1165	1101	1738	1342	1033	752	409	153	14	14
TOTAL DEATHS—	2366	636	158	75	52	40	961	106	39	48	70	119	150	152	191	244	28	4	4
Small-pox	12	2	1	1	1	1	6	1	1	1	1	2	—	—	1	—	—	—	—
Measles	24	4	7	5	2	4	27	1	1	—	—	—	—	—	—	—	—	—	—
Scarlatina	78	4	13	9	12	12	45	20	2	3	1	—	1	—	—	—	—	—	—
Diphtheria	22	2	1	6	3	2	14	3	3	—	—	—	—	1	—	1	—	—	—
Whooping-cough	33	10	8	9	2	2	33	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	19	2	2	2	2	2	12	11	11	5	11	14	10	6	6	4	4	4	4
Diarrhoea & Dysentery	73	37	8	6	2	2	55	1	1	—	—	2	1	—	3	3	3	3	3
Cholera	5	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	2	2	2
Other Zymotic Dis.	72	4	11	4	8	1	24	10	3	2	1	1	4	3	3	3	3	3	3
Cancer	24	—	—	—	—	—	—	—	—	—	—	—	—	3	3	3	3	3	3
Scrophula and Tuberc.	41	21	9	1	1	1	33	1	—	—	1	1	1	1	1	1	1	1	1
Phthisis	204	6	1	1	—	1	9	6	3	11	32	51	43	24	13	10	10	10	10
Hydrocephalus	25	12	5	2	2	—	21	4	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	557	181	17	11	5	1	215	7	3	7	3	4	13	21	33	31	31	31	31
Dis. of Heart & Dropsy	145	3	—	—	—	—	6	4	—	—	—	7	9	27	28	28	28	28	28
Dis. of Lungs	569	101	38	15	8	4	165	10	—	5	5	10	17	19	45	45	45	45	45
Dis. of Stom. and Liver	105	12	1	2	3	—	18	5	—	1	1	8	18	12	20	13	13	13	13
Dis. of Kidneys	38	—	2	1	—	—	3	1	—	3	—	1	8	3	3	3	3	3	3
Dis. of Gen. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	6	—	—	—	—	—	—	1	—	—	1	1	—	2	—	—	—	—	—
Dis. of Skin	7	4	—	—	—	—	4	—	—	—	—	—	—	—	1	1	1	1	1
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	14	—	—	—	—	—	—	—	—	1	1	1	—	5	1	1	1	1	1
Other Violent Deaths	92	3	1	3	4	2	13	11	4	4	9	9	13	14	4	4	4	4	4
Other Causes	538	219	23	4	—	2	238	4	3	1	—	9	9	9	21	64	64	64	64

437.—MANSFIELD.

Mean Popul ⁿ , 1861-71	16720	504	494	426	463	441	2327	2025	1785	1623	1381	2271	1878	1453	1107	625	225	11	11
TOTAL DEATHS—	3526	1127	253	95	68	68	1311	147	71	115	109	160	166	179	277	399	334	6	6
Small-pox	19	8	5	2	—	—	15	—	—	—	—	1	2	—	1	—	—	—	—
Measles	54	20	22	6	3	2	53	1	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	135	8	18	17	21	17	61	40	7	2	1	1	—	—	1	—	—	—	—
Diphtheria	16	2	3	2	1	1	9	5	—	—	—	—	1	—	—	—	—	—	—
Whooping-cough	44	24	11	4	2	1	42	1	1	—	—	—	—	—	—	—	—	—	—
Typhus	131	2	5	7	2	7	21	24	13	23	13	12	8	6	7	4	4	4	4
Diarrhoea & Dysentery	94	55	13	4	—	2	74	1	—	1	1	1	1	1	1	1	1	1	1
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	50	10	5	2	4	4	25	9	1	2	—	1	3	2	8	2	2	2	2
Cancer	35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophula and Tuberc.	38	19	11	6	2	—	38	3	1	2	—	2	3	3	13	7	7	7	7
Phthisis	310	5	7	1	1	—	14	7	9	36	56	76	46	33	24	7	7	7	7
Hydrocephalus	67	25	19	7	7	3	61	4	2	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	691	325	32	10	5	14	382	24	3	9	2	10	19	23	33	63	27	27	27
Dis. of Heart & Dropsy	237	4	5	1	3	1	14	1	5	14	6	1	17	24	24	24	24	24	24
Dis. of Lungs	590	159	52	9	11	5	219	16	2	6	8	17	30	23	51	52	52	52	52
Dis. of Stom. and Liver	163	16	1	2	—	1	20	3	6	3	2	9	13	23	30	30	30	30	30
Dis. of Kidneys	47	1	—	—	—	—	1	—	—	—	2	—	4	6	9	11	11	11	11
Dis. of Gen. Organs	17	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	8	2	1	—	—	—	3	—	—	—	1	2	—	4	1	1	1	1	1
Dis. of Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	113	8	3	3	1	5	19	15	13	1	4	1	13	4	13	13	13	13	13
Other Causes	909	454	41	12	4	4	515	2	—	—	—	2	4	13	—	—	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	84 and upwards.	
		435.—EAST RETFORD.																	
Mean Popul ⁿ , 1861-71		11740	333	288	307	294	306	1528	1378	1235	1074	949	1584	1237	1057	851	574	240	33
ALL DEATHS—		2141	428	101	58	31	29	647	68	47	71	78	147	119	133	152	274	284	116
Pox - - -		8	3	-	-	-	-	3	-	-	-	3	1	1	-	-	-	-	-
Sc - - -		23	6	10	5	1	1	23	1	-	-	1	-	-	-	-	-	-	-
Ina - - -		45	3	8	8	4	5	50	9	3	-	-	-	3	-	-	-	-	-
Eria - - -		26	3	1	3	3	2	12	5	5	2	2	1	1	-	-	-	-	-
ing-cough -		42	19	8	9	3	1	40	2	-	-	-	-	-	-	-	-	-	-
za & Dysentery		88	1	3	3	2	4	13	8	8	12	5	8	7	9	4	12	2	5
ymotic Dis.		51	29	6	1	1	-	37	1	-	-	-	-	1	-	3	6	2	5
- - -		5	3	1	1	1	-	5	-	-	-	-	-	-	-	-	-	-	-
- - -		44	3	3	2	6	2	16	3	4	1	1	2	2	-	5	5	3	3
and Tabes -		73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -		42	9	6	1	-	1	17	4	3	3	2	4	4	23	26	10	2	7
ephalus -		211	1	1	-	-	-	4	6	5	5	5	73	42	28	10	5	-	-
- - -		14	2	1	-	-	-	6	5	5	-	-	-	-	-	-	-	-	-
Brain - - -		315	141	9	5	-	3	138	9	2	4	2	9	6	14	19	38	47	7
Heart & Dropsy		142	2	-	-	-	-	2	1	1	1	2	5	9	5	14	33	42	22
Lungs - - -		394	68	18	13	6	3	108	8	1	1	5	7	5	13	21	59	37	21
Stom. and Liver		131	1	-	1	2	-	4	-	3	9	7	10	9	14	19	37	19	-
Kidneys - -		11	-	1	-	-	-	1	-	-	-	1	1	1	1	2	4	1	-
Gener. Organs -		14	-	-	-	-	-	-	-	-	-	2	2	2	1	4	3	-	-
Joints - - -		13	1	-	-	-	-	1	-	3	2	2	1	1	4	-	-	1	2
Skin - - -		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rth and Metria		23	-	-	-	-	-	-	-	-	2	4	7	10	-	-	-	-	-
- - -		4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
Violent Deaths -		48	3	5	2	2	3	15	3	1	-	2	2	3	5	3	3	7	9
Causes - - -		417	128	18	4	-	2	152	3	1	6	1	4	6	6	6	47	110	73
436.—WORKSOP.																			
Mean Popul ⁿ , 1861-71		11171	352	323	320	312	297	1604	1339	1238	931	978	1559	1233	985	705	427	152	20
ALL DEATHS—		2129	450	152	69	61	34	775	94	55	66	62	146	127	132	170	211	218	73
Pox - - -		6	4	-	-	1	-	5	-	-	-	-	-	-	1	-	-	-	-
Sc - - -		33	5	13	5	2	3	50	2	-	-	1	-	-	-	-	-	-	-
Ina - - -		112	4	13	18	22	14	71	26	8	2	-	2	1	1	1	-	-	-
Eria - - -		25	-	1	2	2	1	6	16	3	-	-	-	-	-	-	-	-	-
ing-cough -		44	23	9	7	1	2	42	2	-	-	-	-	-	-	-	-	-	-
za & Dysentery		53	4	1	4	4	-	17	11	12	12	8	13	11	2	2	3	3	2
ymotic Dis.		53	24	10	1	-	-	35	1	-	-	-	1	2	-	3	7	-	-
- - -		3	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
- - -		56	8	7	5	6	3	29	5	1	3	1	1	1	4	-	5	7	-
and Tabes -		47	-	-	-	-	-	1	1	-	1	-	3	7	10	15	6	4	-
- - -		49	15	5	4	2	2	28	1	2	1	1	3	1	2	1	-	-	-
ephalus -		222	1	1	1	-	-	4	3	12	26	28	67	37	27	14	3	1	-
- - -		9	4	1	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-
Brain - - -		275	122	29	7	5	2	136	9	6	2	2	10	7	14	22	28	25	1
Heart & Dropsy		139	4	1	-	-	1	6	4	1	5	3	9	18	27	34	30	18	4
Lungs - - -		240	57	34	9	7	2	109	6	3	7	2	5	7	9	18	41	32	7
Stom. and Liver		121	6	2	-	2	-	10	4	4	5	4	5	12	15	31	23	8	2
Kidneys - -		18	1	-	-	1	-	2	1	-	-	4	1	1	4	2	2	1	1
Gener. Organs -		13	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	-	-
Joints - - -		10	1	1	-	-	-	2	-	1	2	-	2	1	1	1	1	-	-
Skin - - -		10	3	1	-	-	-	4	-	-	-	-	2	1	-	-	-	-	-
rth and Metria		54	-	-	-	-	-	-	-	-	-	7	16	11	-	-	-	-	-
- - -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths -		22	1	3	2	2	-	8	3	1	4	-	2	2	1	1	-	1	-
Causes - - -		403	172	24	3	3	-	202	6	1	1	1	4	6	9	22	60	137	64
437.—MANSFIELD.																			
Mean Popul ⁿ , 1861-71		16493	508	490	431	436	463	2333	2056	1792	1587	1387	2287	1785	1393	1012	627	209	25
ALL DEATHS—		3576	884	248	120	74	45	1380	122	90	129	158	230	224	167	255	402	341	78
Pox - - -		11	4	2	-	2	-	8	1	-	-	2	-	-	-	-	-	-	-
Sc - - -		75	13	25	15	9	4	66	8	1	-	-	-	-	-	-	-	-	-
Ina - - -		106	3	12	28	19	10	72	27	5	1	-	1	-	-	-	-	-	-
Eria - - -		23	3	3	2	3	4	15	5	-	1	1	1	-	-	-	-	-	-
ing-cough -		64	31	14	9	5	3	62	2	-	-	-	-	-	-	-	-	-	-
za & Dysentery		127	1	3	6	11	3	24	8	19	25	13	16	12	6	5	3	2	2
ymotic Dis.		110	62	17	2	-	1	82	2	-	-	-	3	2	-	12	5	-	-
- - -		3	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
- - -		63	7	4	10	4	1	26	7	2	-	2	2	2	5	8	7	2	-
and Tabes -		74	1	-	-	-	-	1	-	-	-	-	4	11	15	18	18	6	1
- - -		39	23	8	6	-	1	38	4	5	1	4	1	1	2	3	1	-	-
ephalus -		430	6	3	5	-	-	16	9	25	63	76	167	81	33	15	-	-	-
- - -		41	14	11	3	3	2	33	6	2	1	-	-	-	-	-	-	-	-
Brain - - -		470	231	30	10	4	6	231	8	5	8	7	8	12	15	35	59	27	5
Heart & Dropsy		237	2	-	-	1	-	3	4	7	8	10	22	16	44	31	74	24	4
Lungs - - -		444	118	57	16	6	1	241	13	9	7	10	15	19	15	41	63	44	4
Stom. and Liver		160	6	2	1	1	-	10	4	1	6	8	15	22	18	32	29	12	3
Kidneys - -		31	-	2	-	2	-	4	-	1	1	1	3	4	1	6	7	1	-
Gener. Organs -		21	-	-	-	-	-	-	-	-	-	-	2	1	1	5	3	1	-
Joints - - -		12	2	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
Skin - - -		4	2	-	-	-	-	3	-	1	-	-	1	-	-	-	-	-	-
rth and Metria		59	-	-	-	-	-	-	-	-	2	19	10	-	-	-	-	-	-
- - -		5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Violent Deaths -		43	3	4	3	2	-	19	8	4	-	-	3	3	12	-	4	2	2
Causes - - -		874	351	49	12	4	3	419	9	3	3	1	8	12	1	4	26	129	307

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
438.—BASFORD.																	
Mean Popul ⁿ , 1861-71		40092	1344	1160	1121	1145	1148	5918	5037	4537	3987	3331	5337	4298	3383	2363	1382
TOTAL DEATHS—		8642	3014	721	319	220	144	4418	342	183	235	259	346	360	309	597	728
Small-pox		39	17	4	1	3	2	27	2	1	1	1	3	1	2	1	—
Measles		201	58	67	41	24	13	183	13	3	—	—	—	—	—	—	—
Scarlatina		362	32	54	56	53	45	240	100	18	4	—	3	—	2	—	—
Diphtheria		58	9	11	13	8	6	47	8	—	—	—	—	—	—	1	—
Whooping-cough		157	89	44	12	5	5	155	2	—	—	—	—	—	—	—	—
Typhus		301	6	17	21	10	12	66	33	32	42	33	28	18	16	12	13
Diarrhoea & Dysentery		347	284	44	11	1	3	290	2	1	2	1	2	6	8	7	12
Cholera		42	19	6	—	—	2	27	3	—	—	—	1	2	8	2	4
Other Zymotic Dis.		126	24	23	13	18	5	53	19	5	5	3	9	3	3	12	13
Cancer		64	1	—	—	—	—	1	—	1	—	1	2	8	9	16	20
Scrofula and Tuberc.		159	57	31	12	5	3	108	7	8	11	9	7	4	—	—	—
Phthisis		772	43	21	6	2	2	74	28	28	89	128	153	169	73	61	21
Hydrocephalus		106	50	25	5	1	3	69	12	3	1	—	—	—	—	—	—
Dis. of Brain		1233	759	62	19	12	9	801	24	14	10	6	17	20	48	77	109
Dis. of Heart & Dropsy		490	7	1	—	4	1	13	9	6	10	7	31	20	72	106	117
Dis. of Lungs		1331	504	198	73	43	15	833	25	7	9	15	22	45	53	122	119
Dis. of Stom. and Liver		349	67	7	10	6	3	12	10	6	9	11	12	27	40	28	33
Dis. of Kidneys		118	2	—	—	2	—	4	2	2	—	4	11	10	10	16	29
Dis. of Gener. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		21	1	1	3	—	—	4	3	3	—	—	1	2	2	4	2
Dis. of Skin		17	8	—	—	—	—	8	2	1	—	—	1	—	1	—	1
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		27	—	—	—	—	—	—	—	—	—	1	—	8	5	11	7
Other Violent Deaths		369	22	14	9	14	6	65	30	46	37	31	33	35	26	31	15
Other Causes		1918	1025	91	15	10	4	1145	6	2	2	7	5	14	25	30	184
439.—RADFORD.																	
Mean Popul ⁿ , 1861-71		15129	481	452	429	399	402	2163	1923	1650	1468	1262	2154	1738	1302	900	449
TOTAL DEATHS—		3594	1171	343	138	102	67	1821	165	74	100	96	187	183	261	251	313
Small-pox		8	1	4	—	—	—	5	—	—	1	2	—	—	—	—	—
Measles		82	24	27	17	11	2	81	—	—	—	—	—	—	—	—	—
Scarlatina		156	9	22	20	34	16	101	46	6	1	—	—	—	—	—	—
Diphtheria		23	5	4	2	3	2	16	7	1	1	—	—	—	—	—	—
Whooping-cough		59	17	21	13	1	4	56	3	—	—	—	—	—	—	—	—
Typhus		147	6	9	9	12	7	43	23	18	8	5	9	4	1	15	11
Diarrhoea & Dysentery		292	219	29	5	3	—	256	1	—	—	1	—	1	1	6	15
Cholera		11	2	1	1	—	—	4	2	1	—	—	—	1	—	1	2
Other Zymotic Dis.		79	11	12	3	5	3	34	10	8	4	1	1	4	6	7	7
Cancer		34	—	—	—	—	—	—	—	1	—	1	—	4	12	5	9
Scrofula and Tuberc.		70	25	16	4	2	2	49	4	4	3	2	3	2	1	1	1
Phthisis		394	18	10	4	—	3	35	9	18	48	62	90	58	45	20	6
Hydrocephalus		64	21	22	8	6	2	59	4	1	—	—	—	—	—	—	—
Dis. of Brain		653	280	26	11	5	10	332	22	6	10	9	45	54	47	49	62
Dis. of Heart & Dropsy		102	2	—	1	—	2	5	6	3	4	3	8	11	18	27	49
Dis. of Lungs		876	184	90	25	12	6	517	12	1	6	5	11	16	24	30	81
Dis. of Stom. and Liver		117	19	8	2	2	1	29	2	—	8	2	4	8	17	24	20
Dis. of Kidneys		51	1	1	—	3	1	6	—	—	2	1	4	3	7	8	11
Dis. of Gener. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		17	1	—	1	—	—	2	1	—	2	—	2	1	4	1	2
Dis. of Skin		12	4	1	—	—	—	5	1	—	—	—	—	—	2	1	2
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		64	10	4	2	1	4	21	6	6	6	1	3	4	6	7	2
Other Causes		618	312	39	10	2	2	345	6	3	1	1	2	9	7	17	29
440.—NOTTINGHAM.																	
Mean Popul ⁿ , 1861-71		36668	1151	1011	930	877	901	4870	4151	3869	3542	3169	5542	4441	3279	2223	1191
TOTAL DEATHS—		9635	2899	785	390	264	158	4406	321	153	241	289	508	614	619	776	876
Small-pox		29	5	2	13	3	1	14	9	2	2	7	—	1	1	—	—
Measles		173	43	55	41	18	9	166	7	—	—	—	—	—	—	—	—
Scarlatina		332	23	53	57	70	51	254	78	14	1	2	2	1	—	—	—
Diphtheria		37	5	7	6	5	3	26	7	—	—	1	2	—	1	—	—
Whooping-cough		173	68	44	33	20	4	169	4	—	—	—	—	—	—	—	—
Typhus		328	14	19	14	14	14	75	37	30	28	26	35	31	20	22	15
Diarrhoea & Dysentery		568	441	47	7	5	—	509	6	1	—	—	2	8	5	7	20
Cholera		18	3	—	—	—	—	3	—	—	1	—	—	1	1	4	3
Other Zymotic Dis.		168	19	24	22	21	8	94	8	1	8	2	7	11	7	15	9
Cancer		61	—	1	—	—	—	1	—	—	—	1	5	12	21	17	19
Scrofula and Tuberc.		336	159	76	30	11	7	273	13	13	4	6	2	5	7	3	—
Phthisis		1005	23	17	5	2	4	61	23	35	110	154	239	201	107	64	17
Hydrocephalus		184	68	59	21	11	6	167	13	2	—	—	—	—	—	—	—
Dis. of Brain		1366	790	76	53	17	4	832	23	13	19	10	32	60	90	94	118
Dis. of Heart & Dropsy		485	5	2	3	5	1	16	7	11	11	13	25	63	74	114	101
Dis. of Lungs		1469	343	191	74	41	24	973	24	5	14	15	46	74	117	209	217
Dis. of Stom. and Liver		283	54	3	5	—	1	63	9	7	8	18	33	80	56	65	69
Dis. of Kidneys		212	1	1	4	—	—	6	6	—	5	4	20	24	33	42	45
Dis. of Gener. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		39	—	2	1	—	—	3	7	—	6	—	5	6	3	2	2
Dis. of Skin		50	9	—	2	—	—	11	—	—	—	2	1	2	3	6	2
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		288	36	8	9	12	14	79	36	16	1	3	19	31	29	24	14
Other Causes		1844	880	98	26	9	7	1020	9	1	6	4	15	21	26	29	208

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
		438.—BASFORD.																
Mean Popul ⁿ , 1861-71	39367	1342	1245	1162	1105	1117	5971	5117	4255	3629	3397	5571	4246	3263	2200	1231	436	51
ALL DEATHS	8408	2295	719	360	216	109	3759	325	205	317	333	572	438	424	597	719	635	144
pox	22	10	1	1	—	—	13	2	3	2	1	—	—	1	—	—	—	—
measles	195	26	85	32	25	9	177	17	1	—	—	—	—	—	—	—	—	—
diphtheria	424	28	68	84	60	53	245	101	19	1	1	5	2	—	—	—	—	—
scarlet fever	69	11	6	11	7	8	43	10	4	2	3	5	1	—	1	—	—	—
croup	179	71	33	24	16	4	168	2	—	—	—	—	—	—	—	—	—	—
whooping-cough	332	9	13	18	8	10	64	41	50	44	30	44	18	22	20	12	6	1
diarrhoea & Dysentery	283	168	33	16	1	—	218	1	1	1	3	4	5	10	12	10	11	7
cholera	29	17	2	—	—	1	20	—	1	—	—	1	—	1	3	1	2	—
Zymotic Dis.	172	23	24	21	16	8	92	17	6	3	3	11	4	6	12	10	3	2
Consumption	168	—	—	—	1	—	1	1	—	—	2	9	26	44	49	19	15	2
Scrophulous and Tuberc.	129	26	31	7	2	7	83	11	9	5	—	6	5	4	3	3	—	—
Idiocy	1189	37	29	19	5	4	70	30	49	176	203	305	173	95	63	18	2	—
Cerebral	74	20	25	19	8	2	65	6	3	—	—	—	—	—	—	—	—	—
Brain	978	521	61	28	15	10	653	23	9	10	11	14	25	43	55	87	68	5
Heart & Dropsy	404	7	1	—	—	—	11	10	17	15	16	44	47	73	169	148	55	1
Lungs	1123	380	164	68	27	21	690	32	15	16	11	16	30	42	64	127	86	4
Stom. and Liver	285	39	5	4	2	—	53	3	4	8	9	28	28	22	67	29	13	3
Kidneys	43	1	2	—	—	1	4	1	2	2	3	6	5	7	4	7	2	—
Gener. Organs	35	—	—	—	—	—	—	—	—	1	—	4	8	9	10	1	2	—
Joints	25	—	1	1	1	3	6	2	4	1	2	2	2	2	1	2	1	—
Skin	19	6	2	—	—	1	9	1	—	1	1	—	—	2	1	1	2	1
Birth and Metri-	130	—	—	—	—	—	—	—	—	10	21	50	41	2	—	—	—	—
c	16	—	—	—	—	—	—	—	—	1	3	1	3	3	3	1	—	—
Violent Deaths	140	28	16	10	13	4	71	11	5	5	6	6	2	6	8	11	5	4
Causes	1809	838	106	17	5	11	997	3	3	13	4	7	13	20	51	219	366	119
439.—RADFORD.																		
Mean Popul ⁿ , 1861-71	17005	524	449	417	412	407	2209	1852	1727	1738	1657	2720	1975	1487	992	485	151	13
ALL DEATHS	3835	972	354	157	105	63	1051	141	81	163	160	279	218	244	312	317	224	45
pox	12	3	1	—	—	2	9	1	—	—	—	1	—	—	—	—	—	—
measles	92	13	34	20	16	6	89	3	—	—	—	—	—	—	—	—	—	—
diphtheria	132	7	26	28	24	20	105	41	3	1	—	2	—	—	—	—	—	—
scarlet fever	26	2	3	3	5	2	15	7	1	—	1	—	1	1	—	—	—	—
croup	98	31	34	18	8	5	26	2	—	—	—	—	—	—	—	—	—	—
whooping-cough	197	8	15	11	5	8	47	24	24	15	15	10	11	11	7	16	14	8
diarrhoea & Dysentery	271	194	29	2	2	—	227	1	1	2	1	2	3	1	6	9	16	2
cholera	6	3	—	—	1	—	4	—	—	—	—	—	—	—	1	1	—	—
Zymotic Dis.	76	9	13	5	2	4	33	5	7	—	2	5	3	5	6	7	3	—
Consumption	93	—	—	—	—	—	—	—	—	1	1	8	16	25	23	10	3	—
Scrophulous and Tuberc.	66	17	15	3	2	1	38	9	2	6	1	3	3	3	1	—	—	—
Idiocy	573	24	4	3	3	1	35	11	25	98	91	166	72	54	27	3	1	—
Cerebral	43	5	20	7	—	2	34	7	2	—	—	—	—	—	—	—	—	—
Brain	538	213	29	9	10	5	264	9	6	10	15	28	34	27	58	52	28	5
Heart & Dropsy	218	1	1	1	—	—	3	5	4	14	5	12	17	39	54	46	17	2
Lungs	547	155	73	31	14	4	294	5	1	3	5	8	19	36	77	90	50	6
Stom. and Liver	130	6	2	3	1	—	12	6	1	3	8	16	15	22	23	18	1	—
Kidneys	31	1	—	—	—	—	1	1	—	3	2	6	6	5	2	4	1	—
Gener. Organs	16	—	—	—	—	—	—	—	—	—	1	2	5	4	2	1	—	—
Joints	10	—	—	—	—	—	—	—	2	3	1	1	—	—	—	—	—	—
Skin	9	8	—	—	—	—	8	—	—	—	—	—	—	1	—	—	—	—
Birth and Metri-	35	—	—	—	—	—	—	—	—	2	9	12	11	1	—	—	—	—
c	6	—	—	—	—	—	—	—	1	1	1	—	2	—	—	1	—	—
Violent Deaths	50	13	4	3	3	1	24	2	—	1	1	1	1	1	3	5	6	2
Causes	540	279	52	10	6	2	349	2	—	1	—	6	8	6	14	45	87	23
440.—NOTTINGHAM.																		
Mean Popul ⁿ , 1861-71	43989	1110	1005	918	888	894	4815	4414	4261	4894	4676	7263	5330	3811	2632	1428	415	50
ALL DEATHS	9888	2262	832	402	244	166	3906	311	204	352	419	781	622	653	869	1000	621	180
pox	37	7	6	1	1	3	18	2	—	4	10	—	—	2	1	—	—	—
measles	178	29	71	45	15	12	172	4	1	—	1	—	—	—	—	—	—	—
diphtheria	548	18	50	69	61	43	241	79	21	3	3	1	—	—	—	—	—	—
scarlet fever	47	7	8	6	3	10	34	8	2	—	—	1	1	1	—	—	—	—
croup	237	83	75	44	20	9	231	6	—	—	—	—	—	—	—	—	—	—
whooping-cough	369	10	22	17	24	18	91	38	26	57	36	34	16	21	11	17	13	5
diarrhoea & Dysentery	448	323	55	11	3	2	394	3	—	1	4	4	3	5	2	3	—	—
cholera	7	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Zymotic Dis.	143	15	12	18	14	9	68	8	6	5	6	9	12	6	10	9	3	1
Consumption	265	1	1	—	—	—	2	—	1	1	1	15	49	71	85	32	8	—
Scrophulous and Tuberc.	390	131	75	27	9	4	246	21	8	4	5	4	6	5	1	—	—	—
Idiocy	1265	25	21	9	4	2	52	28	77	193	288	402	296	112	69	11	4	—
Cerebral	98	30	27	15	8	5	85	3	—	—	—	1	—	—	—	—	—	—
Brain	1135	516	70	32	19	15	652	33	12	11	21	35	39	29	83	150	53	7
Heart & Dropsy	672	2	2	1	—	—	7	12	11	20	18	35	91	108	198	139	48	5
Lungs	1540	290	208	79	40	21	647	29	11	15	19	63	61	127	218	229	107	14
Stom. and Liver	393	38	4	2	2	1	47	9	10	8	18	47	48	46	84	61	15	—
Kidneys	104	3	2	—	1	—	6	2	3	4	4	25	14	19	16	11	—	—
Gener. Organs	57	—	—	—	—	—	—	—	—	2	2	9	9	7	11	6	—	—
Joints	31	—	—	—	—	—	1	—	4	1	5	1	3	3	5	3	—	—
Skin	33	7	2	2	1	—	12	—	1	1	1	4	4	2	4	—	—	—
Birth and Metri-	88	—	—	—	—	—	—	—	1	6	—	16	48	25	1	—	—	—
c	19	—	—	—	—	—	—	—	—	—	—	3	5	—	—	—	—	—
Violent Deaths	122	27	10	6	9	1	53	13	5	6	7	8	5	4	4	4	—	—
Causes	1791	691	111	23	9	9	845	4	4	—	—	13	30	30	37	96	328	228

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
441.—SOUTHWELL.																	
Mean Popul ⁿ , 1861-71	11443	300	292	297	294	297	1480	1336	1227	1101	812	1337	1213	1100	946	811	
TOTAL DEATHS -	2221	470	112	48	27	31	688	65	47	67	78	107	93	155	195	228	
Small-pox -	9	2	-	-	-	1	4	-	-	-	2	2	-	1	-	-	
Measles -	16	8	8	2	2	15	1	-	-	-	-	-	-	-	-	-	
Scarlatina -	43	3	10	4	2	27	15	1	2	-	-	-	-	-	-	-	
Diphtheria -	24	1	2	2	4	16	3	-	1	1	-	-	-	1	2	-	
Whooping-cough -	22	11	8	2	-	31	1	-	-	-	-	-	-	-	-	-	
Typhus -	72	-	1	-	9	1	9	12	8	5	7	-	4	7	8	8	
Diarrhoea & Dysentery -	44	17	4	-	-	21	-	1	-	-	-	-	2	1	2	13	
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	42	5	3	2	1	12	-	1	2	-	1	-	4	1	5	9	
Cancer -	54	-	-	-	-	-	-	-	-	-	-	1	-	11	9	11	
Scrophula and Tubercles -	17	6	2	1	-	9	-	-	1	1	-	1	-	2	1	2	
Phthisis -	208	3	7	-	1	11	1	6	25	45	44	30	20	24	16	2	
Hydrocephalus -	83	13	5	6	-	25	4	2	1	-	-	-	1	-	-	-	
Dis. of Brain -	421	233	14	8	7	1	203	5	3	8	4	9	6	14	24	40	
Dis. of Heart & Dropsy -	157	1	-	2	-	3	-	3	3	2	2	16	8	30	26	35	
Dis. of Lungs -	275	60	20	10	3	5	98	6	4	6	6	6	9	18	23	35	
Dis. of Stomach and Liver -	117	8	-	2	1	13	6	8	4	4	8	10	17	14	27	31	
Dis. of Kidneys -	52	1	-	-	-	1	1	-	2	1	3	3	4	11	13	17	
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	9	-	-	-	-	-	-	-	1	1	-	1	2	1	2	1	
Dis. of Skin -	8	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	
Childbirth and Metris -	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	80	-	-	-	-	-	-	-	-	-	-	2	1	4	3	6	
Other Violent Deaths -	512	5	3	4	1	4	17	8	8	5	2	2	4	8	12	17	
Other Causes -	512	96	25	8	3	-	127	3	1	2	-	2	2	8	16	27	
442.—NEWARK.																	
Mean Popul ⁿ , 1861-71	14637	423	396	397	397	408	2021	1838	1669	1400	1012	1772	1560	1337	1043	821	
TOTAL DEATHS -	3043	788	182	93	54	40	1157	135	66	72	98	152	160	149	235	234	
Small-pox -	10	3	1	-	-	-	4	-	-	-	4	1	-	1	-	-	
Measles -	58	9	20	12	3	6	50	4	8	-	1	-	-	-	-	-	
Scarlatina -	110	9	16	12	14	10	61	33	7	8	3	1	2	-	-	-	
Diphtheria -	43	6	5	2	8	2	23	11	2	-	4	1	1	1	-	-	
Whooping-cough -	32	16	8	3	3	-	30	1	-	1	-	-	-	-	-	-	
Typhus -	98	3	4	8	3	13	10	8	9	5	8	15	9	13	5	5	
Diarrhoea & Dysentery -	113	52	10	2	1	1	60	-	1	1	1	1	2	1	5	13	
Cholera -	4	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	61	10	3	9	1	4	27	9	2	2	-	2	4	4	3	9	
Cancer -	50	1	-	-	-	-	1	1	-	-	1	2	5	6	14	19	
Scrophula and Tubercles -	77	43	10	4	-	1	58	9	2	2	3	3	-	-	2	1	
Phthisis -	267	5	2	3	2	-	19	12	3	29	46	61	33	23	16	8	
Hydrocephalus -	63	22	12	8	3	4	49	19	2	-	1	-	1	-	-	-	
Dis. of Brain -	307	189	19	3	5	1	217	5	5	6	4	15	10	18	38	45	
Dis. of Heart & Dropsy -	236	3	1	-	-	-	4	2	5	7	3	8	15	20	31	62	
Dis. of Lungs -	404	163	53	16	4	5	183	10	5	6	6	12	14	25	42	72	
Dis. of Stomach and Liver -	128	7	-	2	-	1	10	2	4	1	6	15	8	16	24	32	
Dis. of Kidneys -	67	1	-	-	-	-	1	2	2	2	-	2	1	7	20	13	
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	15	-	-	1	-	1	2	2	-	-	1	1	2	-	-	-	
Dis. of Skin -	8	4	1	-	-	-	2	-	-	-	-	-	-	-	-	-	
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	9	-	-	-	-	-	-	-	-	-	1	1	-	2	3	1	
Other Violent Deaths -	123	6	5	4	5	2	23	9	12	6	7	15	14	9	10	6	
Other Causes -	860	232	37	7	2	1	329	3	-	-	1	4	6	5	18	68	
443.—BINGHAM																	
Mean Popul ⁿ , 1861-71	7388	220	190	203	196	216	1025	943	850	651	449	831	790	692	598	391	
TOTAL DEATHS -	1395	328	61	41	18	23	471	48	33	46	40	62	68	86	134	178	
Small-pox -	5	1	1	1	-	-	3	-	1	1	-	-	-	-	-	-	
Measles -	14	4	1	3	1	2	11	3	-	-	-	-	-	-	-	-	
Scarlatina -	45	5	6	9	4	5	29	12	3	-	1	-	-	-	-	-	
Diphtheria -	8	-	-	1	1	-	2	2	-	-	1	-	-	1	-	-	
Whooping-cough -	4	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	
Typhus -	38	-	1	1	1	3	6	5	2	5	2	2	4	1	3	2	
Diarrhoea & Dysentery -	63	39	5	3	-	-	44	-	1	-	-	-	1	-	-	-	
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	14	1	1	-	-	-	5	-	-	1	-	-	1	2	4	5	
Cancer -	18	-	-	-	-	-	-	-	1	-	-	1	3	5	5	4	
Scrophula and Tubercles -	46	18	5	3	1	2	20	4	5	1	2	8	3	1	10	14	
Phthisis -	122	4	3	-	-	1	6	2	5	17	23	24	-	14	10	1	
Hydrocephalus -	15	3	5	1	2	-	11	-	2	-	-	-	20	-	-	-	
Dis. of Brain -	205	85	11	6	-	1	113	6	5	1	2	3	9	5	17	35	
Dis. of Heart & Dropsy -	115	-	-	-	-	-	-	-	-	1	5	3	18	20	35	53	
Dis. of Lungs -	283	63	10	8	4	7	92	6	3	7	1	5	10	27	43	74	
Dis. of Stomach and Liver -	102	4	1	1	1	-	7	4	1	1	1	5	6	15	22	34	
Dis. of Kidneys -	88	-	-	-	-	-	-	-	1	1	1	1	3	3	6	9	
Dis. of Genes. Organs -	14	-	-	1	-	1	3	2	-	-	-	1	-	-	2	3	
Dis. of Joints -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Dis. of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metris -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	71	3	5	2	3	1	14	4	7	9	-	10	2	4	10	15	
Other Violent Deaths -	178	88	4	-	-	-	92	-	-	-	-	1	2	5	16	28	
Other Causes -	178	88	4	-	-	-	92	-	-	-	-	1	2	5	16	28	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over.		
441.—SOUTHWELL.																				
Mean Popu ^l , 1861-71		11738	298	277	284	282	282	1423	1380	1259	1028	927	1458	1271	1180	889	634	250	39	
ALL DEATHS -		2193	377	92	63	36	29	597	74	46	77	86	154	113	131	177	309	314	115	
pox -		2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
measles -		15	3	4	4	4	-	15	-	-	-	-	-	-	-	-	-	-	-	
diphtheria -		60	1	11	11	11	6	49	11	3	1	-	3	1	1	-	-	-	-	
scarlatina -		20	4	1	4	2	4	15	9	1	-	1	1	-	-	1	1	-	-	
whooping-cough -		29	17	8	8	2	1	36	2	1	-	-	6	3	4	2	4	-	1	
diarrhoea & Dysentery -		37	11	2	2	1	2	16	1	1	-	1	1	1	-	-	9	6	1	
Zymotic Dis. -		43	6	-	5	2	3	16	2	1	1	-	1	1	4	2	7	5	8	
Small-pox and Tubercles -		71	-	-	-	-	-	1	-	-	-	2	2	8	12	18	22	4	2	
Consumption -		24	4	1	-	1	-	6	1	2	-	-	4	3	-	-	-	-	-	
Cerebral Apoplexy -		331	6	2	1	3	1	13	6	15	44	64	93	48	23	24	3	-	-	
Paralysis -		26	11	6	-	-	-	19	6	-	-	1	-	-	-	-	-	-	-	
Brain -		250	179	10	11	2	2	294	6	2	4	1	8	5	17	26	43	31	4	
Heart & Dropsy -		195	2	-	-	-	-	2	4	2	2	2	6	9	23	32	74	26	1	
Lungs -		210	46	24	8	2	2	82	4	2	1	5	2	8	15	27	37	23	4	
Stomach and Liver -		98	7	1	2	1	-	11	3	1	4	3	9	11	12	20	16	8	-	
Kidneys -		10	-	-	-	-	-	1	2	1	1	1	2	1	1	1	1	-	-	
Genital Organs -		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Joint -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Skin -		6	1	1	-	-	-	2	-	-	1	-	-	-	-	-	4	-	-	
Birth and Metris -		18	-	-	-	-	-	-	-	-	-	5	7	6	-	-	-	-	-	
Violent Deaths -		29	4	3	1	2	5	15	1	1	-	-	1	1	2	1	1	3	1	
Causes -		523	72	16	8	3	3	97	11	2	1	1	3	3	9	20	81	127	27	
442.—NEWARK.																				
Mean Popu ^l , 1861-71		15264	415	381	414	373	404	1987	1865	1687	1361	1193	1990	1659	1381	1077	728	289	47	
ALL DEATHS -		3078	674	145	75	68	57	1019	131	82	106	99	209	196	186	241	352	336	122	
pox -		10	1	-	-	-	1	2	1	1	2	-	3	-	-	-	1	-	-	
measles -		43	6	11	12	6	4	39	4	-	-	-	-	-	-	-	-	-	-	
diphtheria -		88	4	8	6	14	20	52	30	10	3	1	2	-	-	-	-	-	-	
scarlatina -		50	1	5	4	10	6	26	16	8	1	3	2	-	-	-	-	-	-	
whooping-cough -		44	22	12	5	2	2	43	1	-	-	-	16	16	6	8	4	3	-	
diarrhoea & Dysentery -		137	8	3	3	4	5	18	24	16	19	7	16	3	2	3	6	11	9	
Zymotic Dis. -		107	57	9	4	1	1	71	-	-	-	-	3	2	1	1	1	1	-	
Small-pox and Tubercles -		65	7	5	5	8	2	27	4	4	2	2	5	-	-	6	9	6	-	
Consumption -		126	-	-	-	-	-	1	-	-	-	2	7	17	27	32	25	14	1	
Cerebral Apoplexy -		57	18	13	2	2	-	35	7	3	3	2	4	1	-	-	-	-	-	
Paralysis -		329	8	7	-	2	1	18	11	15	51	68	109	70	45	20	9	1	1	
Cerebral Apoplexy -		50	22	6	3	4	4	38	6	2	3	1	-	-	-	-	-	-	-	
Brain -		556	160	7	5	3	1	166	8	9	3	2	10	14	16	30	64	38	6	
Heart & Dropsy -		253	-	-	2	2	-	4	3	5	6	1	11	23	51	55	63	37	5	
Lungs -		362	108	32	16	5	7	163	7	1	1	3	10	12	12	31	62	47	10	
Stomach and Liver -		128	10	1	2	2	-	13	4	2	1	3	13	11	19	19	22	18	1	
Kidneys -		19	-	1	-	-	-	1	1	1	-	-	2	3	3	6	2	-	-	
Genital Organs -		20	-	-	-	-	-	-	-	-	-	-	3	4	6	4	3	-	-	
Joint -		13	-	1	-	-	-	1	1	2	2	-	-	2	1	-	4	-	-	
Skin -		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Birth and Metris -		28	-	-	-	-	-	-	-	-	2	0	0	8	-	-	-	-	-	
Violent Deaths -		11	-	-	-	-	-	-	-	-	1	1	1	3	3	1	1	5	1	
Causes -		642	253	21	5	4	2	243	7	1	2	2	8	4	5	8	13	71	163	67
443.—BINGHAM.																				
Mean Popu ^l , 1861-71		7779	214	190	202	194	191	991	1003	807	665	582	989	867	746	588	367	153	21	
ALL DEATHS -		1487	310	61	25	28	19	443	49	37	60	61	94	87	79	111	192	169	49	
pox -		8	1	1	-	-	1	3	2	2	-	-	-	1	-	-	-	-	-	
measles -		11	3	2	1	3	-	9	1	1	-	-	-	-	-	-	-	-	-	
diphtheria -		46	2	-	3	13	7	25	15	6	-	-	-	-	-	-	-	-	-	
scarlatina -		4	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	
whooping-cough -		11	6	4	-	-	-	10	1	-	-	-	-	-	-	-	-	-	-	
diarrhoea & Dysentery -		51	-	1	-	1	1	3	7	8	11	5	8	3	4	-	1	1	-	
Zymotic Dis. -		56	31	3	-	-	-	34	1	-	2	-	2	-	1	2	4	8	2	
Small-pox and Tubercles -		13	2	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	
Consumption -		30	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Cerebral Apoplexy -		35	18	5	2	-	1	25	2	-	2	2	-	4	8	6	8	3	-	
Paralysis -		219	6	5	-	1	-	14	1	9	37	36	48	35	22	14	-	-	-	
Cerebral Apoplexy -		11	4	2	1	-	2	9	1	1	-	-	-	-	-	-	-	-	-	
Brain -		196	89	8	5	2	1	165	4	-	4	3	4	4	5	11	34	23	2	
Heart & Dropsy -		127	-	-	-	-	-	1	-	-	2	-	8	14	23	48	13	3	-	
Lungs -		288	63	27	9	8	2	149	7	-	3	5	11	17	11	17	30	12	-	
Stomach and Liver -		107	3	-	1	-	1	5	-	3	-	-	-	-	-	-	-	-	-	
Kidneys -		4	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	
Genital Organs -		20	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	
Joint -		7	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-	
Skin -		3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Birth and Metris -		10	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	
Violent Deaths -		19	3	-	2	-	2	7	2	2	1	1	1	1	-	-	-	-	-	
Causes -		138	78	4	1	-	1	81	2	1	1	1	3	1	-	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	
		447.—ASHBORNE.															
Mean Popul ⁿ , 1861-71	10139	274	255	269	266	253	1317	1224	1098	981	743	1251	1098	966	750	501	
TOTAL DEATHS	1881	397	101	43	23	29	598	62	50	49	46	93	111	128	197	262	
Small-pox	4	2	1	—	—	—	3	1	—	—	1	1	—	—	—	—	
Measles	15	2	10	—	—	—	12	1	—	—	1	—	—	—	—	—	
Scarlatina	19	—	2	2	4	3	11	5	1	—	—	—	1	1	—	—	
Diphtheria	18	1	2	2	2	3	10	6	—	—	—	—	—	—	1	1	
Whooping-cough	29	13	10	11	2	1	27	2	—	—	—	—	—	—	—	—	
Typhus	78	8	8	1	1	1	19	8	11	7	7	7	7	—	—	—	
Diarrhoea & Dysentery	43	21	3	2	—	1	27	—	—	—	1	1	—	—	—	—	
Cholera	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	74	7	2	3	2	3	23	7	2	1	1	3	3	5	6	28	
Cancer	25	—	—	—	—	—	—	—	—	2	2	—	—	3	5	1	
Scrophula and Tuberc.	52	18	6	2	3	—	29	2	7	4	4	2	2	3	1	2	
Phthisis	162	1	—	—	—	—	3	5	7	18	21	42	30	29	1	9	
Hydrocephalus	30	8	9	4	2	1	24	5	—	1	—	—	—	—	—	—	
Dis. of Brain	324	184	9	6	1	2	172	7	3	2	2	9	9	28	25	41	
Dis. of Heart & Dropsy	164	1	—	1	—	—	2	1	5	2	2	1	4	2	12	45	
Dis. of Lungs	245	23	15	7	4	3	62	6	2	5	1	3	15	22	21	39	
Dis. of Stom. and Liver	114	4	1	1	—	—	9	3	2	2	—	1	4	15	14	20	
Dis. of Kidneys	44	—	—	—	—	—	—	1	2	—	—	1	2	5	7	16	
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Dis. of Skin	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	14	—	—	—	—	—	—	—	—	—	—	—	—	2	5	5	
Other Violent Deaths	69	4	2	3	4	1	14	1	6	2	6	6	10	8	8	4	
Other Causes	440	119	22	5	3	2	151	2	2	2	—	8	7	19	22	37	
448.—CHESTERFIELD.																	
Mean Popul ⁿ , 1861-71	36442	1216	1070	1020	985	995	5286	4413	3877	3607	3411	5666	4216	2831	1848	963	
TOTAL DEATHS	8087	2608	691	325	202	143	3969	344	185	238	296	419	422	490	536	623	
Small-pox	87	28	12	7	3	6	58	3	3	8	9	2	2	2	2	—	
Measles	175	41	67	35	16	5	164	10	1	—	—	—	—	—	—	—	
Scarlatina	422	27	67	69	67	52	272	117	23	6	1	2	—	1	—	—	
Diphtheria	56	4	9	8	4	4	29	15	4	2	1	1	—	1	2	—	
Whooping-cough	153	79	49	15	9	3	153	—	—	—	—	—	—	—	—	—	
Typhus	372	15	22	16	22	17	92	44	31	37	45	36	29	19	24	19	
Diarrhoea & Dysentery	288	179	41	10	1	—	231	2	—	—	1	2	3	7	8	17	
Cholera	28	6	1	1	1	1	10	—	1	—	1	—	2	2	7	4	
Other Zymotic Dis.	154	33	29	20	13	7	102	9	5	—	3	3	5	2	9	13	
Cancer	49	—	—	—	—	—	—	—	—	—	—	1	6	10	9	19	
Scrophula and Tuberc.	144	58	27	14	4	2	105	4	—	3	10	4	7	6	4	1	
Phthisis	610	17	14	6	3	4	44	16	18	67	93	126	109	78	42	13	
Hydrocephalus	123	48	45	12	8	2	115	8	—	—	—	—	—	—	—	—	
Dis. of Brain	1351	873	79	26	10	9	997	22	4	10	13	25	26	41	67	94	
Dis. of Heart & Dropsy	412	9	2	2	3	5	30	13	12	13	14	28	37	62	73	31	
Dis. of Lungs	1275	442	151	54	25	10	682	31	10	12	13	29	58	78	126	132	
Dis. of Stom. and Liver	335	60	8	4	2	3	77	11	8	8	17	33	28	45	54	45	
Dis. of Kidneys	102	3	1	2	—	1	7	2	—	2	6	10	18	14	12	20	
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	44	2	1	—	—	—	5	6	5	7	—	7	3	5	4	1	
Dis. of Skin	19	7	2	—	—	—	9	—	—	—	—	1	1	—	3	5	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	34	—	—	—	—	—	—	—	—	2	2	5	3	10	8	3	
Other Violent Deaths	596	28	20	13	7	12	90	19	66	62	57	83	74	58	40	20	
Other Causes	1288	649	54	13	3	—	719	10	4	—	—	11	11	19	37	162	
449.—BAKEWELL.																	
Mean Popul ⁿ , 1861-71	14949	419	412	394	359	375	1959	1778	1635	1387	1171	1923	1682	1420	1078	688	
TOTAL DEATHS	3279	666	189	83	52	61	1051	98	84	102	116	218	198	238	318	428	
Small-pox	18	6	1	2	—	—	9	2	—	1	2	2	—	2	—	—	
Measles	82	3	11	8	1	3	26	6	—	—	—	—	—	—	—	—	
Scarlatina	86	6	12	17	12	10	57	19	4	3	—	2	1	—	—	—	
Diphtheria	82	3	6	1	1	3	14	10	2	4	—	—	—	—	1	—	
Whooping-cough	42	13	22	2	1	2	40	2	—	—	—	—	—	—	—	—	
Typhus	91	—	—	3	—	6	9	10	13	12	13	15	6	2	7	—	
Diarrhoea & Dysentery	47	16	4	1	1	1	23	—	—	1	—	—	1	4	1	—	
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	82	12	8	8	6	4	38	6	2	1	1	6	5	3	5	—	
Cancer	38	—	—	—	—	—	—	—	—	—	—	2	2	9	12	—	
Scrophula and Tuberc.	37	7	6	—	—	—	13	2	2	6	1	4	4	2	2	—	
Phthisis	310	5	4	—	—	7	18	2	9	30	49	50	45	30	25	—	
Hydrocephalus	83	7	9	2	5	4	27	4	1	—	1	—	—	—	—	—	
Dis. of Brain	584	323	24	13	5	5	570	8	3	9	1	11	14	18	36	—	
Dis. of Heart & Dropsy	291	4	1	2	1	—	8	7	6	4	4	7	15	25	36	—	
Dis. of Lungs	594	64	25	7	5	5	106	3	4	11	11	23	34	38	53	—	
Dis. of Stom. and Liver	173	17	5	1	2	2	27	3	1	4	4	9	18	32	34	—	
Dis. of Kidneys	64	—	—	—	—	—	2	1	3	—	1	5	9	10	10	—	
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Skin	8	2	1	—	—	—	3	—	—	—	—	—	—	1	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	17	—	—	—	—	—	—	—	—	1	—	1	5	17	15	—	
Other Violent Deaths	117	6	5	1	2	1	15	5	3	10	5	14	15	15	15	—	
Other Causes	801	172	45	13	6	8	246	9	11	—	—	5	13	30	38	—	

can Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

AGES	ALL Ages.	AGES OF FEMALES.																	Total under 5 Years.	Total under 15 Years.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

447.—ASHBORNE.

Population	10463	278	252	251	248	253	1282	1211	1076	1028	889	1349	1135	988	767	503	305	30
Deaths	2098	319	100	43	40	20	531	72	51	92	92	159	124	144	179	291	278	85
...	3	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
...	22	9	5	2	1	1	18	2	1	-	-	-	1	-	-	-	-	-
...	19	2	4	1	1	-	8	6	2	2	-	-	1	-	-	-	-	-
...	24	2	1	4	2	1	10	9	1	-	-	-	-	-	1	-	-	-
...	30	9	9	5	6	-	27	3	-	-	-	-	-	-	-	-	-	-
...	96	5	4	6	4	1	30	13	8	18	11	8	7	3	3	4	1	-
...	48	12	4	2	1	-	19	-	-	-	-	3	1	1	4	12	6	2
...	86	6	4	2	5	5	22	7	-	4	2	4	3	4	7	14	17	2
...	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
...	35	10	3	4	1	-	18	3	3	1	1	3	3	5	10	15	3	-
...	329	-	1	-	-	1	3	3	21	46	53	90	57	31	15	8	2	-
...	20	5	5	3	4	1	18	-	1	-	-	-	-	-	-	-	-	-
...	306	109	16	2	3	2	132	11	7	9	7	4	7	14	26	46	30	7
...	203	3	-	-	-	-	1	3	-	-	-	3	11	21	46	71	31	7
...	203	29	94	5	5	2	65	3	-	3	5	9	7	15	21	34	24	1
...	107	4	1	2	2	2	11	-	1	3	2	10	8	15	23	23	10	1
...	9	-	-	1	-	-	1	-	-	-	-	2	-	5	-	1	-	-
...	16	-	-	-	-	-	-	-	-	-	-	1	3	3	4	3	-	-
...	9	-	-	-	-	-	-	1	1	1	1	1	1	1	2	1	-	-
...	5	-	-	-	-	1	1	-	1	-	-	-	-	1	-	2	-	-
...	22	-	-	-	-	-	-	-	-	2	1	12	5	2	-	-	-	-
...	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Deaths	28	6	2	2	2	1	13	5	-	-	1	-	-	3	-	1	3	2
...	427	100	26	4	2	2	140	5	1	1	-	3	4	8	17	55	135	58

448.—CHESTERFIELD.

Population	33150	1217	1088	1098	1019	979	5401	4546	3686	2798	2714	4805	3675	2532	1687	964	305	37
Deaths	7221	2031	626	315	247	142	3361	353	167	225	244	401	404	342	431	597	402	114
...	82	29	12	5	11	3	90	7	3	3	4	2	1	1	-	1	-	-
...	167	29	68	26	16	11	159	15	27	4	2	4	1	-	-	-	-	-
...	437	28	54	67	74	49	273	126	27	4	2	1	-	-	-	-	1	-
...	85	3	10	4	8	3	28	17	5	-	-	2	1	-	-	-	-	-
...	163	73	50	17	14	9	156	7	-	-	-	38	23	16	14	5	2	-
...	314	14	20	35	18	19	97	40	29	53	19	3	5	1	12	10	11	2
...	265	152	44	7	-	-	204	6	1	-	-	1	1	-	-	-	-	-
...	12	5	1	2	-	-	8	1	-	-	-	4	1	-	9	9	6	-
...	159	24	20	29	10	13	96	18	4	3	2	4	6	2	9	9	6	-
...	119	-	-	-	-	-	-	-	-	-	-	5	18	28	28	20	7	3
...	114	54	17	6	5	2	84	6	6	6	-	2	5	-	4	2	1	-
...	822	23	15	9	5	6	68	13	43	90	135	245	120	67	28	11	2	-
...	53	30	28	14	6	5	83	8	-	1	1	-	-	-	-	-	-	-
...	999	629	45	30	14	5	723	14	9	18	7	15	24	28	49	64	39	7
...	496	4	3	2	3	2	14	9	14	13	12	29	44	74	97	132	64	4
...	969	311	154	45	36	14	569	29	7	16	15	25	35	44	81	113	58	6
...	272	83	8	2	3	-	46	6	4	10	11	21	36	35	40	44	16	3
...	35	-	-	1	-	-	1	-	1	-	2	7	8	6	2	7	1	-
...	22	-	-	1	-	-	1	-	-	-	1	3	7	5	2	3	-	-
...	26	3	-	-	1	-	4	3	4	6	1	1	-	-	7	-	-	-
...	19	4	-	-	2	-	6	1	-	-	-	2	2	3	1	4	-	-
...	143	-	-	-	-	-	-	-	-	12	20	68	43	-	-	-	-	-
...	17	-	-	-	-	-	-	-	-	3	-	4	2	5	3	-	-	-
Deaths	141	30	17	11	15	3	76	15	8	2	2	3	6	6	5	8	9	1
...	1254	553	60	11	5	5	631	19	1	5	3	8	16	12	28	154	283	88

449.—BAKEWELL.

Population	15546	419	407	403	375	400	2004	1801	1680	1422	1357	2125	1789	1434	1054	639	218	23
Deaths	3102	527	148	72	62	36	845	111	74	139	142	236	243	185	322	408	338	59
...	13	3	2	-	-	-	5	-	1	2	3	1	1	-	-	-	-	-
...	31	6	8	2	3	4	23	7	1	-	-	-	-	-	-	-	-	-
...	67	4	13	8	8	4	37	21	5	2	2	-	-	-	-	-	-	-
...	34	1	3	3	7	2	16	12	3	1	-	2	-	-	-	-	-	-
...	47	22	10	11	1	2	46	1	-	-	-	-	-	-	-	-	-	-
...	91	5	-	4	1	1	11	8	11	14	10	15	14	3	3	2	-	-
...	37	12	1	1	-	-	14	-	-	-	1	1	1	1	5	7	7	-
...	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
...	60	10	5	4	6	3	28	4	-	1	1	-	5	2	9	9	4	-
...	59	-	-	-	-	-	-	-	-	-	-	1	6	13	24	12	2	-
...	34	6	3	2	-	-	11	3	4	3	3	5	3	-	2	-	-	-
...	431	3	5	1	2	1	12	8	23	79	64	112	73	29	23	8	-	-
...	22	8	7	1	4	2	22	-	-	-	-	-	-	-	-	-	-	-
...	463	226	30	9	8	5	278	11	5	6	5	14	13	26	29	41	33	4
...	286	4	1	-	1	2	8	3	5	9	5	15	29	30	76	66	36	4
...	302	64	25	13	4	2	108	5	6	6	9	8	29	19	47	73	48	4
...	143	10	1	3	1	4	19	2	3	3	7	13	13	19	33	30	5	2
...	17	-	-	-	-	-	-	1	-	-	2	1	2	4	3	3	1	-
...	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
...	12	3	-	1	-	-	4	1	1	1	-	-	-	-	-	-	-	-
...	43	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Deaths	31	1	1	1	4	1	8	4	1	-	-	2	2	1	4	1	1	1
...	781	239	33	8	12	3	193	19	7	10	21	26	31	25	61	145	181	101

es of Death in the Ten Years 1861-70.—Males.

[Det.]

1861-71, and Deaths in Districts during the 10 Years 1861-70.

AGES OF MALES.

1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-
---	---	---	---	-------------------------------	----	-----	-----	-----	-----	-----	-----	-----	-----

450.—CHAPEL-EN-LE-FRITH.

	9	213	204	199	197	188	1001	872	752	695	676	1183	926	720	511	256
S	1618	380	87	38	24	25	554	54	42	44	44	102	114	156	187	171
-	10	2	-	1	-	1	4	1	-	-	-	2	1	-	2	-
-	12	3	4	-	1	1	9	3	-	-	-	-	-	-	-	-
-	25	2	1	4	-	1	13	8	2	1	1	-	-	-	-	-
-	16	2	2	1	3	3	11	1	2	1	-	-	-	1	-	-
noh	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	26	14	8	2	1	-	33	5	-	-	-	6	9	4	5	1
entery	45	15	3	-	2	3	18	10	5	2	7	-	-	2	8	6
u.	2	-	-	-	-	-	1	1	-	-	9	1	-	2	1	-
-	45	3	3	4	4	3	17	2	2	-	-	4	2	5	9	4
-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	6	4
-	14	2	2	-	-	-	18	5	1	-	-	1	1	2	2	-
-	-	7	5	-	-	1	11	2	7	17	12	31	16	11	13	-
-	11	5	3	2	-	-	21	1	1	-	-	-	-	-	-	-
-	128	18	7	2	1	1	134	4	6	4	5	8	21	22	24	26
-	1	-	-	1	-	-	2	2	4	4	3	10	8	14	19	21
-	51	22	7	3	3	3	80	3	2	3	3	8	19	33	37	38
-	7	1	1	2	1	1	12	2	1	5	-	7	10	36	32	17
-	1	-	-	-	-	-	1	1	2	-	1	2	2	3	3	3
2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
7	1	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-
4	2	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
ia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	4	-	1	4	-	10	-	4	-	-	1	3	4	1	-
-	1	-	-	-	-	-	135	1	1	7	-	18	14	16	9	9
-	121	11	3	-	-	-	-	-	-	-	-	2	6	6	16	-

451.—HAYFIELD.

		412	399	397	377	2029	1849	1691	1582	1365	2139	1752	1484	956	434		
		3549	957	299	116	83	64	1518	161	96	128	183	178	161	246	258	547
-	15	2	2	-	1	2	7	4	1	-	1	1	1	-	-	-	-
-	52	13	20	5	7	3	48	3	1	-	-	-	-	-	-	-	-
-	112	8	17	24	10	16	73	29	6	2	-	-	1	-	-	-	-
-	30	3	5	-	10	3	21	5	2	1	1	-	-	-	-	-	-
rough	83	41	28	7	3	1	80	5	-	-	-	-	-	-	-	-	-
& Dysentery	141	4	3	8	7	7	29	19	16	13	14	11	8	10	9	10	10
	143	86	18	2	3	-	109	2	1	-	1	1	1	5	4	3	3
	4	1	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-
notic Dis.	125	15	20	14	11	9	69	19	3	6	3	4	4	8	4	3	3
	26	-	-	-	-	-	-	1	-	-	2	4	7	10	1	1	1
nd Tabes	69	25	11	3	3	-	42	8	2	7	3	3	1	-	3	3	3
alus	370	7	3	2	2	1	15	5	17	28	65	85	44	38	33	10	10
	88	21	36	6	5	4	71	11	5	-	1	-	-	-	-	-	-
	409	241	29	10	7	6	293	22	8	10	7	9	11	25	31	50	50
& Dropsy	224	4	1	2	1	2	10	4	5	7	9	11	23	29	38	47	47
und Liver	594	158	49	14	8	4	233	15	1	3	4	14	25	54	99	53	53
	206	25	1	2	2	-	30	5	5	5	7	13	17	31	45	60	60
	56	1	2	-	-	-	3	-	1	4	2	4	4	10	15	15	15
Organs	12	-	1	-	-	-	1	1	-	2	1	-	-	-	-	-	-
	13	6	-	-	-	1	7	-	1	1	-	1	-	2	1	-	-
and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths	123	9	6	9	3	3	50	7	16	8	5	12	10	14	14	5	5
	546	287	48	7	-	2	344	3	3	-	-	2	5	14	23	23	23

VII.] Causes of Death in the Ten Years 1861-70.—Females.

325

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																					
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
450.—CHAPEL-EN-LE-FRITH.																							
Popul ⁿ , 61-71		7200	209	187	196	177	199	968	826	712	669	706	1082	865	650	414	215	85	8				
DEATHS -		1487	280	93	40	32	16	479	50	46	69	66	128	90	106	133	159	127	25				
x -		16	2	1	2	2	1	8	2	-	1	-	-	-	-	1	-	-	-				
a -		14	2	5	2	3	-	12	-	1	-	-	-	-	-	-	-	-	-				
ia -		24	1	3	4	4	8	15	4	-	-	1	1	-	1	-	-	-	-				
ia -		17	1	1	2	5	-	9	4	2	-	1	-	-	-	1	-	-	-				
g-cough -		34	18	14	2	1	1	36	1	1	-	-	-	-	-	-	-	-	-				
a & Dysentery		63	1	1	2	1	2	7	8	8	9	5	13	2	5	4	1	1	1				
motie Dis.		41	17	3	1	2	-	23	3	1	1	1	-	-	-	-	-	-	-				
and Tabes		27	-	-	-	-	-	-	-	-	-	1	-	2	8	11	4	1	-				
phalus -		197	4	2	-	-	2	8	1	13	36	23	59	26	18	7	1	-	-				
rain -		16	8	5	-	-	-	13	1	2	-	-	-	-	-	-	-	-	-				
cart & Dropay		236	88	12	11	3	1	115	3	3	5	6	9	7	17	23	30	13	3				
ungs -		109	-	-	-	1	-	1	-	3	4	3	6	12	16	26	33	5	-				
om. and Liver		185	34	24	9	5	3	73	6	2	3	5	9	12	12	15	26	19	1				
idneys -		103	5	3	-	-	-	8	2	2	4	6	7	17	11	24	16	5	1				
ner. Organs -		12	-	1	-	-	-	1	-	1	-	1	1	3	1	2	2	-	-				
oints -		8	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-				
kin -		5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-				
h and Metria		3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-				
olent Deaths -		18	-	-	-	-	-	-	-	-	1	5	8	4	-	-	-	-	-				
uses -		4	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-				
olent Deaths -		39	9	1	-	-	-	11	4	3	-	1	1	2	2	1	2	2	2				
uses -		247	82	9	4	2	-	97	8	2	2	-	1	1	4	6	8	32	18				
451.—HAYFIELD.																							
Popul ⁿ , 61-71		16887	456	407	425	415	377	2080	1900	1768	1730	1654	2565	2044	1555	975	470	133	13				
DEATHS -		3419	760	228	116	57	42	1203	113	102	159	132	265	224	270	350	356	213	32				
x -		18	4	1	4	-	2	11	1	3	2	-	-	-	1	-	-	-	-				
a -		43	6	16	8	7	-	37	4	1	-	-	1	-	-	-	-	-	-				
ia -		91	6	15	20	13	7	61	22	4	3	-	1	-	-	-	-	-	-				
ia -		21	1	3	6	2	3	15	4	1	1	-	-	-	-	-	-	-	-				
g-cough -		89	31	26	14	4	2	77	1	1	1	-	-	-	-	-	-	-	-				
a & Dysentery		144	-	3	7	2	4	16	24	20	14	15	15	10	12	9	8	1	-				
motie Dis.		135	78	11	4	1	-	94	3	1	1	-	2	1	3	12	9	7	5				
and Tabes		5	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-				
phalus -		92	11	12	11	10	5	49	2	4	4	-	4	9	6	8	5	1	-				
rain -		68	-	-	-	-	-	-	-	-	-	1	2	7	18	20	15	4	1				
cart & Dropay		41	14	9	2	-	1	26	2	2	3	2	1	2	-	-	-	-	-				
ungs -		501	10	1	-	2	3	16	12	25	97	73	132	62	51	27	5	1	-				
om. and Liver		61	24	18	6	1	3	32	8	1	-	-	-	-	-	-	-	-	-				
idneys -		446	172	28	11	5	7	223	12	9	8	10	13	11	33	49	49	27	2				
ner. Organs -		269	3	1	-	1	-	5	3	4	4	7	22	28	33	61	61	20	1				
oints -		232	157	45	11	3	3	201	7	6	5	9	17	31	41	82	93	49	8				
kin -		217	14	1	1	2	1	19	2	10	9	5	18	19	37	55	34	9	-				
h and Metria		14	-	-	-	-	-	-	-	-	-	1	3	2	3	1	4	-	-				
olent Deaths -		16	-	-	-	-	-	-	-	1	-	-	1	3	4	1	4	-	-				
uses -		12	2	-	-	-	-	2	1	3	2	1	-	-	1	-	-	-	-				
olent Deaths -		11	1	1	1	-	-	3	-	-	-	-	1	-	1	3	3	1	-				
uses -		59	-	-	-	-	-	-	-	-	-	5	28	28	-	-	-	-	-				
olent Deaths -		7	-	-	-	-	-	-	-	-	1	-	1	1	2	1	6	1	-				
uses -		34	3	-	6	1	-	10	2	5	1	-	1	3	2	2	6	1	-				
olent Deaths -		204	212	36	4	1	1	224	3	1	3	2	2	6	4	16	61	100	22				

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 5 Years.														
		1 Year.	1	2	3	4	5	5—	10—	15—	20—	25—	35—	45—	55—	65—
452.—STOCKPORT.																
Mean Popul ⁿ , 1861-71	44629	1392	1172	1183	1103	1148	5998	5296	4788	4609	3994	6386	5189	4071	2629	134
TOTAL DEATHS	12257	3454	1078	493	548	243	5616	537	249	319	400	622	729	892	1137	186
Small-pox	49	15	4	6	2	1	25	10	3	1	2	2	1	1	1	1
Measles	341	77	123	62	39	18	319	17	4	1	1	1	1	1	1	1
Scarlatina	663	47	102	113	107	85	464	175	27	9	3	1	1	1	1	1
Diphtheria	63	5	7	5	8	9	34	13	5	1	1	1	1	1	1	1
Whooping-cough	267	127	75	90	19	4	257	10	1	1	1	1	1	1	1	1
Typhus	495	29	26	22	19	20	116	74	35	46	35	46	39	51	26	8
Diarrhoea & Dysentery	795	555	119	29	7	2	793	3	2	1	1	4	6	12	17	1
Cholera	29	6	1	1	1	1	7	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	267	40	60	53	26	23	189	19	18	2	2	7	9	8	13	1
Cancer	69	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	139	45	27	15	5	3	93	18	5	14	7	7	5	3	4	1
Phthisis	1101	4	8	5	4	2	21	16	65	158	216	245	182	125	78	1
Hydrocephalus	181	86	46	15	9	7	163	11	7	1	1	1	1	1	1	1
Dis. of Brain	1799	821	91	46	33	12	1005	45	19	8	11	59	90	109	151	20
Dis. of Heart & Dropsy	291	7	4	2	2	5	90	13	18	21	22	44	74	94	121	11
Dis. of Lungs	2593	821	338	84	40	26	1009	44	7	10	33	72	125	273	438	27
Dis. of Stom. and Liver	431	45	14	4	2	2	67	10	16	14	13	30	64	95	128	1
Dis. of Kidneys	153	1	1	1	1	1	4	6	4	6	7	10	14	19	40	1
Dis. of Gener. Organs	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	29	1	1	1	1	1	3	6	4	2	3	1	3	1	5	1
Dis. of Skin	22	10	4	1	1	1	14	1	1	1	1	1	1	1	1	1
Childbirth and Metris	54	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	444	90	17	22	15	17	91	22	28	28	36	64	62	48	81	1
Other Causes	1355	892	116	11	5	3	1027	11	3	1	3	15	25	35	27	12
453.—MACCLESFIELD.																
Mean Popul ⁿ , 1861-71	28629	819	749	735	705	720	3728	3376	3141	2741	2143	3697	3537	2898	2010	101
TOTAL DEATHS	6884	1890	409	233	140	107	2648	266	139	243	229	358	412	519	662	90
Small-pox	19	6	1	2	1	1	11	4	1	3	1	1	1	1	1	1
Measles	136	29	50	29	9	6	121	13	1	1	1	1	1	1	1	1
Scarlatina	224	14	26	41	34	21	188	72	8	4	1	1	1	1	1	1
Diphtheria	69	2	6	5	5	9	27	22	3	3	1	1	1	1	1	1
Whooping-cough	135	70	37	15	7	1	120	5	1	1	1	1	1	1	1	1
Typhus	235	13	4	13	10	7	67	22	16	25	13	18	21	26	17	1
Diarrhoea & Dysentery	225	125	18	8	1	2	149	4	1	1	2	2	4	9	13	1
Cholera	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	140	15	12	13	13	2	55	10	7	7	2	6	3	4	19	1
Cancer	71	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	132	43	20	12	5	5	85	9	4	3	8	7	5	1	5	1
Phthisis	854	4	4	3	2	4	17	17	28	138	139	181	137	108	61	1
Hydrocephalus	98	39	25	15	5	5	89	7	2	1	1	1	1	1	1	1
Dis. of Brain	1010	459	51	21	11	10	552	22	21	9	13	23	46	63	89	11
Dis. of Heart & Dropsy	469	7	2	2	2	1	14	9	4	11	11	24	56	72	94	13
Dis. of Lungs	1274	303	130	48	23	18	522	16	6	4	10	29	53	105	172	23
Dis. of Stom. and Liver	312	34	8	2	1	3	42	2	10	5	8	20	20	54	63	6
Dis. of Kidneys	123	1	1	1	1	1	5	3	3	5	1	9	6	17	22	3
Dis. of Gener. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	30	1	1	1	1	1	3	4	1	1	1	1	1	1	1	1
Dis. of Skin	16	6	1	1	1	1	7	1	1	1	1	1	1	1	1	1
Childbirth and Metris	24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	228	16	15	5	9	7	52	21	11	17	9	17	21	23	29	1
Other Causes	1090	505	55	6	9	3	578	4	2	1	5	8	17	16	42	11
454.—ALTRINCHAM.																
Mean Popul ⁿ , 1861-71	21615	641	605	590	594	584	3014	2585	2365	2013	1870	3050	2505	1892	1338	73
TOTAL DEATHS	4411	1071	285	137	89	73	1655	184	86	106	123	290	307	331	379	51
Small-pox	18	2	1	1	1	1	4	2	1	2	1	3	1	1	1	1
Measles	57	14	20	10	5	6	55	1	1	1	1	1	1	1	1	1
Scarlatina	185	12	31	24	28	19	114	49	14	7	1	1	1	1	1	1
Diphtheria	61	7	5	8	4	8	32	19	5	1	1	2	1	1	1	1
Whooping-cough	66	35	18	7	3	1	64	2	1	1	1	1	1	1	1	1
Typhus	114	3	4	3	4	14	12	10	11	10	18	8	11	8	1	1
Diarrhoea & Dysentery	191	129	18	8	2	2	159	1	1	1	1	2	3	4	1	1
Cholera	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	117	18	18	12	4	6	58	12	6	1	3	8	12	3	5	1
Cancer	45	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	52	10	9	3	1	1	24	10	4	2	2	5	4	7	12	1
Phthisis	485	12	4	5	2	1	23	12	7	42	58	128	103	72	30	1
Hydrocephalus	89	37	16	8	4	3	68	9	1	1	1	1	1	1	1	1
Dis. of Brain	553	244	53	12	8	8	305	10	7	8	7	11	25	41	39	6
Dis. of Heart & Dropsy	283	2	4	1	1	1	8	8	3	4	2	13	26	38	60	8
Dis. of Lungs	725	179	65	29	9	7	280	11	3	4	2	32	57	53	92	11
Dis. of Stom. and Liver	508	28	6	1	2	1	57	7	4	3	6	17	35	51	87	8
Dis. of Kidneys	99	1	1	1	1	1	4	1	1	2	1	5	8	16	15	2
Dis. of Gener. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	17	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	203	12	10	7	5	6	40	13	15	13	13	22	27	16	25	1
Other Violent Deaths	704	322	24	5	5	1	336	4	3	3	3	4	9	13	23	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	Total 80 & over.	
452.—STOCKPORT.																			
in Popul ⁿ , 1861-71		51406	1398	1159	1283	1143	1088	6071	5270	5008	5372	5344	8369	6344	4768	3007	1424	378	51
AL DEATHS -		11985	2721	978	481	382	271	4813	512	237	347	439	816	869	937	1195	1190	591	129
-pox -		25	5	4	3	1	1	14	8	8	1	1	-	2	1	-	-	-	-
-as -		310	55	125	56	29	23	288	18	2	-	-	1	1	-	-	-	-	-
-dina -		661	28	75	122	117	101	441	187	19	7	6	1	-	-	-	-	-	-
-beria -		81	4	4	7	9	8	34	11	1	2	2	-	1	-	-	-	-	-
-ping-cough -		313	141	96	55	20	13	305	7	-	41	30	55	44	30	1	-	-	-
-is -		297	16	23	28	53	27	127	79	51	2	4	5	11	9	26	31	14	3
-ion & Dysentery -		728	464	113	14	3	8	692	9	2	2	1	2	2	-	-	-	-	-
-a -		27	9	3	1	-	-	13	9	-	-	-	-	-	-	-	-	-	-
-Zymotic Dis. -		263	32	39	42	27	18	168	17	9	5	4	6	13	14	19	19	5	1
- -		222	-	-	-	1	-	1	-	-	-	-	10	49	62	60	35	5	-
-la and Tabes -		114	40	16	13	1	7	77	14	4	1	4	4	3	4	2	1	-	-
-is -		1433	12	7	1	5	3	28	27	73	213	251	267	242	151	61	19	-	1
-cephalus -		104	45	30	10	10	3	98	5	1	-	-	-	-	-	-	-	-	-
-Brain -		1499	608	75	39	29	16	754	96	21	9	16	56	66	113	148	183	89	4
-Heart & Dropsy -		760	6	2	1	4	3	16	16	17	24	22	56	86	147	193	136	49	8
-Lungs -		2411	481	230	76	46	28	861	37	15	13	29	74	147	254	403	409	154	21
-Stom. and Liver -		564	38	7	7	4	1	57	10	7	7	11	59	80	83	140	86	24	-
-Kidneys -		73	-	3	1	5	-	9	3	8	-	5	9	11	11	16	4	2	-
-Gener. Organs -		43	-	-	-	-	-	-	-	-	-	-	5	6	16	10	3	1	-
-Joints -		43	-	-	-	-	1	1	7	1	5	2	7	5	3	6	5	1	-
-Skin -		19	3	2	1	-	1	7	1	-	-	1	1	1	1	1	2	3	1
-Birth and Metris -		188	-	-	-	-	-	-	-	-	8	49	72	58	1	-	-	-	-
- -		17	-	-	-	-	-	-	-	-	-	-	3	3	1	2	1	1	-
-Violent Deaths -		155	18	14	13	10	7	62	15	8	4	3	8	15	8	9	12	18	8
-Causes -		1455	714	112	20	8	2	856	7	5	2	3	15	21	26	59	150	222	89
453.—MACCLESFIELD.																			
in Popul ⁿ , 1861-71		31812	806	747	726	637	702	3668	3520	3183	3180	2925	4808	4014	3111	1959	1084	320	40
AL DEATHS -		7202	1356	475	242	151	97	2321	261	173	272	280	611	547	565	670	844	532	126
-pox -		17	6	-	1	1	1	9	2	2	2	1	-	1	-	-	-	-	-
-as -		118	23	43	23	13	5	106	6	-	-	-	1	-	-	-	-	-	-
-dina -		238	12	32	44	43	29	169	60	15	1	-	-	1	-	-	-	-	-
-beria -		44	2	7	7	1	4	21	14	6	3	-	-	-	-	-	-	-	-
-ping-cough -		188	83	58	21	12	6	189	7	1	-	-	-	-	-	-	-	-	-
-is -		228	10	7	4	10	6	37	35	29	17	20	18	15	22	16	15	4	-
-ion & Dysentery -		250	110	33	10	1	2	155	4	1	-	4	5	8	5	14	23	25	5
-a -		8	1	-	-	-	-	1	-	-	-	-	-	-	-	2	4	1	-
-Zymotic Dis. -		125	10	16	9	8	4	47	12	5	6	6	6	9	7	7	10	2	2
- -		190	-	-	1	-	-	1	-	-	-	1	14	26	47	65	36	3	1
-la and Tabes -		117	37	23	10	8	2	75	4	4	5	3	5	5	5	6	4	1	-
-is -		1131	2	2	3	3	2	12	20	63	161	175	318	187	115	44	15	1	-
-cephalus -		77	25	22	14	6	3	70	6	1	-	-	-	-	-	-	-	-	-
-Brain -		828	305	43	23	10	11	322	90	11	11	10	33	34	72	85	99	51	10
-Heart & Dropsy -		541	-	1	2	-	-	3	10	7	15	11	42	60	104	132	137	62	8
-Lungs -		1230	213	106	44	28	11	402	31	7	10	6	41	66	95	169	265	125	15
-Stom. and Liver -		305	18	5	4	1	3	31	11	5	9	9	35	36	53	76	69	29	8
-Kidneys -		46	-	-	-	-	-	1	5	1	-	-	6	9	10	6	5	2	1
-Gener. Organs -		36	-	-	-	-	-	-	-	1	-	-	3	8	9	9	5	1	-
-Joints -		20	2	-	1	-	-	3	1	3	-	2	2	1	3	2	2	1	-
-Skin -		17	6	-	-	-	1	7	-	-	-	-	-	2	2	1	4	1	-
-Birth and Metris -		144	-	-	-	-	-	-	-	-	2	19	65	55	3	-	-	-	-
- -		7	-	-	-	-	-	-	-	-	-	-	3	1	2	-	1	-	-
-Violent Deaths -		82	12	7	7	5	7	38	10	4	2	1	2	4	3	8	6	5	1
-Causes -		1119	479	70	15	6	-	570	7	4	6	12	11	19	8	38	158	227	79
454.—ALTRINCHAM.																			
in Popul ⁿ , 1861-71		23600	614	580	587	551	559	2891	2673	2307	2319	2316	3792	2819	1982	1409	804	258	30
AL DEATHS -		4183	796	244	118	90	78	1326	203	97	114	153	316	318	283	389	404	393	97
-pox -		12	2	1	-	-	1	4	1	2	-	2	-	1	1	-	1	-	-
-as -		45	7	17	7	6	2	39	3	1	-	-	-	-	-	-	-	-	-
-dina -		139	11	10	16	18	13	68	47	13	5	3	3	-	-	-	-	-	-
-beria -		87	4	9	7	11	11	42	31	9	-	5	-	-	-	-	-	-	-
-ping-cough -		73	28	19	17	2	2	68	5	-	-	-	-	-	-	-	-	-	-
-is -		96	-	3	2	1	3	9	12	10	12	5	15	9	9	10	3	2	-
-ion & Dysentery -		169	87	21	1	1	-	110	5	1	1	1	2	4	2	8	11	21	8
-a -		4	1	-	-	-	-	1	-	-	-	-	-	-	-	2	7	3	-
-Zymotic Dis. -		91	13	5	8	9	6	41	10	4	3	3	11	5	2	7	5	-	-
- -		102	-	-	-	-	-	-	-	-	-	1	1	3	14	22	36	18	8
-la and Tabes -		65	12	9	4	1	1	37	14	5	1	1	3	1	3	3	-	-	-
-is -		559	7	6	2	1	4	30	8	22	56	79	140	115	61	31	17	-	-
-cephalus -		61	22	16	5	6	4	50	6	2	-	-	-	-	-	-	-	-	-
-Brain -		559	183	33	14	7	10	247	16	3	10	8	17	22	30	51	88	61	7
-Heart & Dropsy -		316	1	-	1	-	-	5	3	8	6	3	23	26	45	70	81	35	7
-Lungs -		612	129	59	17	14	13	239	13	2	6	8	19	29	42	75	108	65	15
-Stom. and Liver -		281	10	7	3	2	2	24	7	3	5	7	28	35	28	63	64	19	8
-Kidneys -		49	1	-	1	-	2	4	1	1	-	2	7	14	3	11	4	-	-
-Gener. Organs -		30	-	-	-	-	-	1	-	-	-	-	6	4	8	5	4	-	-
-Joints -		22	-	-	-	-	-	-	4	-	-	1	1	4	2	-	-	-	-
-Skin -		10	3	1	-	-	-	4	-	-	-	1	1	2	-	-	-	-	-
-Birth and Metris -		79	-	-	-	-	-	-	-	-	-	18	23	25	-	-	-	-	-
- -		10	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-
-Violent Deaths -		69	11	3	6	4	2	36	10	3	4	-	1	2	-	-	-	-	-
-Causes -		671	265	30	7	5	2	305	7	3	-	-	1	2	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
455.—RUNCORN.																	
Mean Popul ⁿ , 1861-71		14749	448	421	411	407	389	2076	1826	1643	1441	1367	2179	1618	1233	808	427
TOTAL DEATHS		3487	925	281	124	103	63	1495	167	82	106	110	231	234	214	299	387
Small-pox		41	9	4	3	4	2	22	4	-	3	3	4	1	2	2	-
Measles		100	19	27	17	12	10	95	5	-	-	-	-	-	-	-	-
Scarlatina		129	7	15	21	19	12	74	33	7	3	1	1	1	-	-	-
Diphtheria		67	5	7	5	7	5	29	15	6	3	1	2	-	-	-	-
Whooping-cough		61	22	16	4	6	-	53	3	-	-	-	-	-	-	-	-
Typhus		138	5	5	2	5	1	18	23	5	12	12	19	17	18	8	6
Diarrhoea & Dysentery		184	99	23	5	1	2	130	2	-	1	-	2	5	4	10	11
Cholera		17	2	2	-	-	-	5	-	-	-	-	1	3	4	2	1
Other Zymotic Dis.		111	23	17	10	7	7	63	5	3	2	2	6	4	9	3	10
Cancer		42	-	-	-	-	-	-	-	-	-	-	3	7	7	12	9
Scrofula and Tuberc.		71	25	18	2	6	1	53	6	5	5	9	2	2	2	-	-
Phthisis		346	14	8	6	7	-	35	6	9	32	47	80	62	33	33	6
Hydrocephalus		38	12	14	3	-	-	30	7	1	-	-	-	-	-	-	-
Dis. of Brain		414	186	92	9	9	2	238	10	5	5	2	13	21	17	20	40
Dis. of Heart & Dropsy		241	2	2	3	-	-	7	3	3	6	4	7	15	23	36	23
Dis. of Lungs		323	175	45	14	10	5	219	5	3	2	5	20	31	38	62	73
Dis. of Stom. and Liver		200	33	6	4	2	3	60	6	3	-	5	13	21	12	38	40
Dis. of Kidneys		68	-	1	2	1	-	4	1	1	1	4	8	6	11	13	13
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		18	1	2	2	-	-	5	1	4	1	-	1	-	1	4	1
Dis. of Skin		9	2	-	-	-	1	3	1	-	-	-	-	-	2	2	1
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		14	-	-	-	-	-	-	-	-	1	2	1	3	1	4	1
Other Violent Deaths		235	10	5	6	5	8	34	22	28	27	19	41	31	19	15	7
Other Causes		494	262	82	6	2	1	303	2	1	2	1	9	4	11	12	47
456.—NORTHWICH.																	
Mean Popul ⁿ , 1861-71		17821	555	507	526	507	516	2611	2408	1941	1716	1383	2447	1910	1492	1081	601
TOTAL DEATHS		4085	1176	318	163	107	85	1849	200	105	92	99	200	222	236	305	408
Small-pox		13	3	-	1	1	-	5	-	-	-	-	4	3	1	-	-
Measles		83	18	32	8	8	7	73	10	-	-	-	-	-	-	-	-
Scarlatina		120	10	20	41	23	24	128	61	6	-	3	-	-	1	-	-
Diphtheria		33	6	5	4	1	4	20	12	-	-	-	1	-	-	-	-
Whooping-cough		46	23	11	4	5	2	45	1	-	-	-	-	-	-	-	-
Typhus		132	2	6	8	3	5	24	16	16	9	10	17	19	14	8	4
Diarrhoea & Dysentery		126	68	21	8	1	1	99	4	1	-	-	1	1	4	3	2
Cholera		48	-	4	4	2	1	11	3	3	2	2	4	7	4	3	6
Other Zymotic Dis.		76	10	8	11	9	3	41	9	2	4	2	2	1	7	5	2
Cancer		45	-	-	-	-	-	-	1	-	2	-	1	1	10	16	11
Scrofula and Tuberc.		94	39	17	7	5	5	73	3	6	5	1	-	1	1	3	1
Phthisis		296	5	6	-	-	-	11	11	14	26	34	79	53	30	26	17
Hydrocephalus		66	29	18	7	5	4	63	1	2	-	-	-	-	-	-	-
Dis. of Brain		651	338	86	12	10	4	400	11	12	2	5	18	22	23	38	68
Dis. of Heart & Dropsy		243	4	2	-	-	1	7	4	3	9	4	16	7	25	33	61
Dis. of Lungs		590	195	71	26	12	5	300	11	3	5	8	13	21	32	61	78
Dis. of Stom. and Liver		192	28	4	2	4	2	38	2	5	2	7	10	22	28	39	29
Dis. of Kidneys		88	-	1	-	-	1	2	5	2	2	1	6	10	10	9	25
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		17	2	-	-	1	-	3	-	1	1	2	2	-	2	3	3
Dis. of Skin		8	1	1	-	1	-	3	1	-	-	-	-	-	-	-	2
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		9	-	-	-	-	-	-	-	-	-	1	1	3	1	3	-
Other Violent Deaths		236	10	8	14	11	12	55	28	24	20	15	17	22	21	14	15
Other Causes		786	387	37	6	5	4	439	6	5	3	4	8	12	14	22	87
457.—CONGLETON.																	
Mean Popul ⁿ , 1861-71		17292	543	453	509	466	465	2436	2134	1975	1684	1389	2329	1981	1513	1061	567
TOTAL DEATHS		3837	1104	261	120	106	58	1649	155	83	113	124	203	202	248	320	391
Small-pox		7	2	1	-	1	-	4	-	1	1	-	-	-	-	1	-
Measles		76	16	27	16	6	5	70	5	-	1	-	-	-	-	-	-
Scarlatina		118	4	16	16	24	16	76	38	2	2	-	-	-	-	-	-
Diphtheria		24	6	5	-	1	3	15	5	2	1	-	1	-	-	-	-
Whooping-cough		50	24	16	4	3	1	48	2	-	-	-	-	-	-	-	-
Typhus		126	7	3	4	6	3	23	14	13	11	6	16	14	12	7	8
Diarrhoea & Dysentery		126	80	7	3	2	3	101	1	1	-	-	1	2	3	4	4
Cholera		9	1	-	-	-	-	3	1	-	-	-	-	-	-	3	1
Other Zymotic Dis.		82	15	11	4	13	4	47	6	2	2	2	1	2	4	6	6
Cancer		36	-	-	-	1	-	1	-	-	-	-	2	1	7	13	7
Scrofula and Tuberc.		105	42	13	7	5	3	70	6	6	5	4	3	1	6	2	1
Phthisis		398	7	4	4	2	-	17	8	18	47	77	94	66	36	39	1
Hydrocephalus		100	24	21	14	12	5	76	15	5	3	-	-	-	1	-	-
Dis. of Brain		447	227	29	12	4	1	264	13	9	8	4	11	16	29	39	48
Dis. of Heart & Dropsy		169	-	1	-	2	1	14	2	2	3	6	14	14	20	33	43
Dis. of Lungs		606	173	62	14	15	5	267	14	3	4	5	39	51	75	102	102
Dis. of Stom. and Liver		212	36	6	1	1	1	45	-	3	9	4	12	29	32	46	55
Dis. of Kidneys		62	-	-	1	-	-	1	1	2	2	1	3	1	9	16	11
Dis. of Gener. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		13	-	1	-	-	-	1	-	1	-	4	1	1	-	1	1
Dis. of Skin		5	2	-	-	-	-	2	1	-	-	1	-	-	-	1	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		14	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths		182	9	6	9	6	9	39	19	13	10	4	11	11	11	12	12
Other Causes		880	424	41	9	1	-	475	4	-	-	4	11	11	11	14	23

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
455.—RUNCORN.																	
Mean Popul ⁿ , 1861-71		13915	485	403	405	406	379	2078	1741	1546	1204	1148	1989	1562	1161	807	465
ALL DEATHS		3107	718	290	127	85	62	1282	123	68	87	108	209	188	197	265	316
-pox		30	8	4	4	4	1	21	2	2	1	-	3	1	-	-	-
-typh		80	11	24	19	13	2	73	6	-	-	-	1	-	-	-	-
-tina		108	2	20	18	15	15	68	24	10	3	2	4	-	-	-	-
-beria		47	4	6	3	9	5	27	6	6	1	1	2	3	1	-	-
-ping-cough		79	37	22	12	4	2	77	2	-	-	-	18	12	10	11	3
-typh & Dysentery		104	1	1	4	4	3	19	14	12	9	5	4	5	2	7	21
-Zymotic Dis.		9	1	1	-	-	-	2	1	1	-	-	1	-	5	2	6
-la and Tabes		64	-	-	-	-	-	-	-	-	-	1	2	12	12	20	13
-is		71	23	7	5	2	2	49	0	1	4	2	1	1	2	1	2
-cephalus		308	12	7	-	3	2	24	6	20	49	61	91	53	45	15	4
-Brain		34	17	7	4	1	-	29	5	-	-	-	-	-	-	-	-
-Heart & Dropsy		324	133	19	7	3	6	168	9	2	5	10	9	12	28	46	45
-Lungs		166	-	-	-	-	-	4	4	4	6	3	13	21	20	36	42
-Stom. and Liver		435	114	62	18	4	10	204	5	7	-	7	7	13	14	51	60
-Kidneys		172	27	7	2	2	2	40	5	1	2	3	10	18	25	28	29
-Gener. Organs		32	-	1	-	-	-	1	-	-	-	-	1	4	5	9	8
-Joints		16	-	-	-	-	-	-	-	-	-	-	2	3	5	5	-
-Skin		18	-	-	-	1	-	1	3	1	2	-	2	1	3	1	2
-birth and Metris		9	3	1	-	-	-	4	-	-	-	-	-	2	2	1	-
-Violent Deaths		55	-	-	-	-	-	-	-	-	1	9	27	18	-	-	-
-Causes		71	4	7	7	4	3	25	10	-	-	-	7	7	7	7	4
		491	229	35	9	2	-	275	2	-	2	2	5	4	7	17	54
456.—NORTHWICH.																	
Mean Popul ⁿ , 1861-71		17503	577	523	530	527	519	2676	2281	1905	1488	1418	2453	1933	1461	1039	588
ALL DEATHS		3746	920	288	155	101	83	1547	164	77	88	130	253	266	188	266	386
-pox		13	2	-	1	2	1	6	2	1	-	1	2	1	-	-	-
-typh		75	19	18	13	7	7	64	11	-	-	-	-	-	-	-	-
-tina		180	9	29	37	26	21	124	43	9	1	1	2	-	-	-	-
-beria		50	3	7	9	5	8	32	11	5	-	1	-	-	1	-	-
-ping-cough		83	36	23	16	3	2	80	3	-	-	-	-	-	-	-	-
-typh & Dysentery		143	3	7	6	5	5	25	21	19	13	11	18	14	5	9	7
-Zymotic Dis.		100	59	10	5	1	2	75	-	-	-	-	1	2	1	3	7
-la and Tabes		40	1	1	1	1	2	6	5	2	1	3	4	5	4	6	1
-is		79	2	13	10	9	8	42	6	2	3	-	5	4	2	7	5
-cephalus		76	-	-	1	-	-	1	-	1	2	-	3	16	20	16	14
-Brain		75	36	20	1	3	-	60	4	2	1	2	-	1	2	2	1
-Heart & Dropsy		377	6	5	3	3	3	20	4	9	34	64	100	82	26	24	12
-Lungs		33	10	12	5	3	-	30	1	1	-	-	1	-	-	-	-
-Stom. and Liver		483	232	26	9	5	8	280	10	4	7	9	15	19	24	37	55
-Kidneys		249	1	-	1	1	1	4	2	7	6	6	25	32	26	34	68
-Gener. Organs		534	143	74	17	12	7	238	15	1	5	4	17	15	25	46	87
-Joints		195	14	2	4	1	1	22	6	5	4	5	18	19	29	34	67
-Skin		32	-	-	-	1	-	1	1	1	-	-	7	6	5	3	7
-birth and Metris		12	-	-	-	-	-	-	-	-	-	-	2	4	2	2	-
-Violent Deaths		11	-	1	-	1	-	2	1	1	1	-	1	2	1	2	1
-Causes		12	3	1	-	-	-	4	-	-	-	-	1	-	2	1	1
		745	328	31	15	8	1	383	10	5	5	4	2	3	5	1	4
457.—CONGLETON.																	
Mean Popul ⁿ , 1861-71		18012	563	476	480	451	445	2415	2141	1954	1867	1687	2587	2043	1522	1017	565
ALL DEATHS		3782	797	245	119	83	60	1304	118	98	159	192	331	284	242	302	367
-pox		5	-	-	1	-	-	1	-	-	-	2	2	-	-	-	-
-typh		80	17	28	16	9	3	73	5	1	1	-	-	-	-	-	-
-tina		117	3	13	23	15	14	68	85	10	2	1	1	-	-	-	-
-beria		19	-	1	4	2	3	19	3	4	-	1	1	-	-	-	-
-ping-cough		48	26	8	6	5	3	48	-	-	-	-	-	-	-	-	-
-typh & Dysentery		141	1	4	6	4	8	23	14	11	18	12	23	13	8	15	4
-Zymotic Dis.		88	45	15	1	-	-	61	1	-	1	8	2	1	3	5	6
-la and Tabes		5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-is		79	14	9	12	5	6	46	6	3	2	1	5	4	6	2	4
-cephalus		70	-	-	-	-	-	-	-	-	-	-	2	7	19	26	11
-Brain		95	42	13	8	2	2	67	-	4	4	3	6	5	2	2	5
-Heart & Dropsy		647	1	5	2	1	-	9	6	35	100	127	175	119	65	19	4
-Lungs		68	19	19	5	5	5	53	8	5	1	-	1	-	-	-	-
-Stom. and Liver		396	151	20	7	13	1	192	7	5	7	15	19	17	29	39	55
-Kidneys		172	1	1	1	-	-	2	5	1	2	2	19	29	22	40	32
-Gener. Organs		293	110	63	16	13	9	211	7	5	5	2	17	27	40	77	94
-Joints		193	11	1	3	-	-	15	4	5	6	4	20	15	57	40	38
-Skin		19	-	-	-	-	-	-	-	-	-	-	5	2	5	5	1
-birth and Metris		19	-	-	-	-	-	-	-	-	-	-	1	1	3	6	3
-Violent Deaths		17	-	-	-	-	-	2	2	1	3	-	4	2	1	1	1
-Causes		3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
		71	-	-	-	-	-	-	-	-	4	9	28	20	22	22	22
		54	6	6	2	4	4	22	9	-	1	1	5	1	2	2	2
		838	349	39	6	2	2	398	6	3	2	-	5	7	7	23	115

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	

Mean Popul ⁿ , 1861-71	23923	824	663	692	694	661	3534	3040	2567	2193	2081	3477	2648	2002	1318	769
TOTAL DEATHS	4058	1472	375	185	122	86	2340	247	84	104	153	267	232	294	352	428
Small-pox	14	2	1	1	—	—	4	1	—	—	3	4	2	—	—	—
Measles	89	15	24	12	9	7	77	11	—	—	—	—	1	—	—	—
Scarlatina	185	10	35	30	29	23	127	46	6	2	—	3	1	—	—	—
Diphtheria	66	6	7	9	10	7	38	18	3	1	—	2	1	—	—	—
Whooping-cough	65	33	19	6	4	1	65	—	—	—	—	—	—	—	—	—
Typhus	212	9	11	9	12	6	47	41	14	8	23	20	15	16	17	9
Diarrhoea & Dysentery	194	73	17	4	1	2	97	—	—	1	—	2	1	3	5	12
Cholera	10	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	153	19	20	12	7	9	68	10	1	7	3	6	4	1	11	20
Cancer	65	—	—	—	—	—	—	—	—	—	1	2	5	12	17	20
Scrophula and Tuberc.	149	82	25	10	6	5	128	9	5	7	4	2	5	4	11	19
Phthisis	409	5	3	3	2	1	14	11	13	38	70	111	74	44	26	9
Hydrocephalus	95	45	24	7	4	2	82	9	3	—	—	1	—	—	—	—
Dis. of Brain	792	448	40	35	7	8	598	26	4	5	10	17	18	28	42	24
Dis. of Heart & Dropsy	304	2	7	3	—	—	12	14	6	7	5	23	31	41	67	91
Dis. of Lungs	654	201	75	25	15	7	323	15	2	3	4	14	19	23	64	89
Dis. of Stom. and Liver	267	35	1	6	3	1	46	4	8	7	5	17	23	35	43	22
Dis. of Kidneys	78	—	—	—	1	1	2	2	2	2	3	4	5	11	6	20
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	13	—	1	1	1	—	3	—	2	1	1	1	—	2	3	—
Dis. of Skin	5	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	22	—	—	—	—	—	—	—	—	—	—	—	—	11	4	3
Other Violent Deaths	211	13	6	10	8	5	41	15	14	15	20	25	24	30	8	13
Other Causes	946	471	48	11	3	1	534	7	1	—	—	10	4	14	20	100

Mean Popul ⁿ , 1861-71	30586	686	798	885	782	831	4183	3709	3457	3048	2642	4304	3455	2668	1773	971
TOTAL DEATHS	7543	1680	665	268	164	121	2708	276	164	176	276	570	634	645	646	679
Small-pox	69	23	7	6	1	1	38	11	—	2	—	6	7	2	1	1
Measles	107	27	39	20	4	6	96	9	2	—	—	—	—	—	—	—
Scarlatina	250	15	44	49	29	29	167	55	10	3	1	1	1	—	—	—
Diphtheria	68	10	11	7	9	6	45	14	3	2	—	2	—	—	—	—
Whooping-cough	129	60	43	15	4	2	124	5	—	—	—	—	—	—	—	—
Typhus	316	14	17	17	7	10	65	29	22	21	27	41	50	24	31	17
Diarrhoea & Dysentery	247	152	28	7	2	1	190	2	—	—	2	4	5	8	6	8
Cholera	80	7	3	2	2	—	14	7	6	1	3	12	10	9	11	7
Other Zymotic Dis.	154	14	23	13	17	9	76	12	3	2	3	5	11	10	12	11
Cancer	104	—	—	—	—	—	—	—	—	2	—	3	7	22	34	25
Scrophula and Tuberc.	12	19	17	5	3	2	46	5	9	1	4	6	5	1	4	1
Phthisis	780	3	12	4	2	—	21	9	15	66	120	209	161	103	52	22
Hydrocephalus	113	34	31	15	11	6	97	14	1	1	—	—	—	—	—	—
Dis. of Brain	1310	528	76	17	13	12	656	22	13	6	20	76	139	106	105	107
Dis. of Heart & Dropsy	500	4	2	4	2	—	12	12	15	14	47	54	73	99	104	104
Dis. of Lungs	650	210	84	34	18	20	376	12	8	3	13	33	42	99	88	111
Dis. of Stom. and Liver	352	32	3	7	—	2	44	6	12	3	8	34	37	71	65	43
Dis. of Kidneys	138	3	3	—	—	—	6	1	—	3	3	13	20	21	19	29
Dis. of Gener. Organs	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Dis. of Joints	58	—	—	4	1	1	6	3	6	2	3	4	3	6	3	2
Dis. of Skin	23	6	3	1	—	—	10	—	2	—	1	—	1	4	1	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	23	—	—	—	—	—	—	—	—	—	2	3	5	6	1	4
Other Violent Deaths	404	11	13	16	11	8	64	26	33	30	39	61	59	39	29	12
Other Causes	1415	498	91	25	7	4	625	22	7	12	12	10	32	39	53	163

Mean Popul ⁿ , 1861-71	10125	300	266	288	289	267	1410	1296	1260	1134	816	1343	1055	862	539	286
TOTAL DEATHS	1936	429	115	76	50	39	709	102	55	75	63	139	114	146	146	188
Small-pox	14	3	—	1	2	1	7	1	—	1	2	2	1	—	—	—
Measles	29	1	8	9	3	3	24	3	2	—	—	—	—	—	—	—
Scarlatina	76	5	5	13	9	12	44	27	4	—	1	—	—	—	—	—
Diphtheria	33	5	3	3	5	1	17	10	2	1	—	1	—	—	1	1
Whooping-cough	16	7	2	3	3	1	16	—	—	—	—	—	—	—	—	—
Typhus	70	1	3	3	2	1	10	8	5	9	7	10	8	3	5	6
Diarrhoea & Dysentery	61	36	6	1	—	—	43	1	1	1	1	—	4	2	2	3
Cholera	37	2	2	2	3	1	10	2	2	1	1	1	2	3	6	3
Other Zymotic Dis.	46	7	11	5	1	5	29	5	1	—	—	1	2	1	—	4
Cancer	22	—	—	—	—	—	—	—	—	—	—	—	—	—	10	7
Scrophula and Tuberc.	46	13	5	5	2	2	27	4	5	3	2	3	1	1	—	—
Phthisis	217	3	2	1	—	2	8	5	6	32	26	54	32	36	17	1
Hydrocephalus	35	16	8	5	2	2	32	1	1	—	—	—	—	—	—	—
Dis. of Brain	217	91	14	6	6	2	119	6	3	4	3	10	7	9	13	25
Dis. of Heart & Dropsy	135	1	1	—	—	—	2	4	6	4	2	7	15	22	23	21
Dis. of Lungs	290	72	29	12	4	2	119	6	3	4	1	11	8	18	27	45
Dis. of Stom. and Liver	93	16	1	1	1	—	19	1	2	1	2	6	7	18	14	17
Dis. of Kidneys	42	—	1	1	2	—	4	3	—	2	—	3	4	7	4	7
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Skin	7	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	128	4	2	1	4	2	13	9	1	—	—	13	2	1	3	3
Other Causes	321	142	21	6	1	2	173	1	3	1	—	2	1	4	2	14

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.
458.—NANTWICH.																		
in Popul ⁿ , 1861-71	23438	763	707	741	667	661	3533	3009	2457	2152	1949	3479	2609	1890	1241	780	293	50
ALL DEATHS	4549	1133	332	203	139	86	1897	197	93	115	155	286	296	254	304	418	386	143
-pox	18	6	1	1	1	1	8	2	1	2	2	1	4	1	1	1	1	1
scalds	91	14	33	15	15	5	82	9	1	1	1	1	1	1	1	1	1	1
stiffness	183	8	25	28	40	18	119	44	6	8	5	5	1	1	1	1	1	1
beria	81	3	7	16	7	6	39	26	8	5	2	1	1	1	1	1	1	1
ping-cough	83	31	26	13	4	6	80	2	1	1	1	1	1	1	1	1	1	1
is	200	8	7	13	4	14	48	30	13	14	20	21	15	17	19	5	1	1
hæm & Dysentery	137	71	15	3	7	1	97	2	1	1	1	2	1	5	6	15	7	2
a	4	1	1	1	1	1	4	2	1	1	1	1	1	1	1	1	1	1
Zymotic Dis.	107	12	13	14	10	8	57	11	2	3	4	6	2	4	7	9	2	1
r	96	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1
la and Tabes	160	77	25	9	8	3	122	8	7	3	3	5	9	25	23	17	11	1
is	478	6	6	7	2	1	21	7	21	48	68	131	94	62	20	2	1	1
cephalus	56	26	14	8	1	4	53	2	1	1	1	1	1	1	1	1	1	1
Brain	632	284	42	30	15	5	366	11	11	9	8	19	12	25	36	69	53	13
Heart & Dropsy	305	4	1	1	1	1	9	7	6	6	8	15	44	59	68	61	4	4
Lungs	574	170	72	27	13	12	294	9	2	3	5	10	23	26	61	72	64	18
Stom. and Liver	263	19	3	2	1	1	25	11	4	4	4	15	27	29	40	27	12	5
Kidneys	23	1	1	1	1	1	2	1	1	1	1	1	3	5	6	3	1	1
Gener. Organs	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Joints	18	1	1	1	1	1	2	1	2	2	1	1	2	3	1	3	1	1
Skin	14	6	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1
Birth and Metris	100	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths	58	6	5	11	4	1	26	8	1	1	1	3	3	1	3	8	7	2
Causes	906	384	37	10	4	2	437	5	6	1	1	9	8	10	15	116	193	104
459.—CHESTER.																		
in Popul ⁿ , 1861-71	31803	897	757	841	779	794	4068	3572	3387	3036	2871	4714	3643	2806	1943	1196	486	81
ALL DEATHS	6879	1330	484	284	181	120	2408	262	131	211	249	523	506	507	558	717	596	211
-pox	40	21	4	4	3	1	23	5	2	1	3	2	2	1	1	1	1	1
scalds	99	36	32	23	6	6	92	6	1	1	1	1	1	1	1	1	1	1
stiffness	248	14	39	59	48	34	174	39	7	1	1	2	3	1	1	1	1	1
beria	91	10	12	9	10	6	47	27	6	8	1	1	1	1	1	1	1	1
ping-cough	135	38	30	26	14	10	127	8	1	1	1	1	1	1	1	1	1	1
is	272	11	11	13	10	4	43	27	17	24	24	28	27	29	15	23	5	1
hæm & Dysentery	250	129	28	11	5	1	174	2	1	1	1	6	7	7	9	16	19	8
a	89	3	4	2	5	1	15	5	1	1	1	17	13	14	10	8	1	1
Zymotic Dis.	143	17	22	14	8	8	69	13	2	4	4	7	4	8	11	12	6	3
r	197	1	1	1	1	1	1	1	1	1	1	13	19	45	59	40	15	1
la and Tabes	66	9	9	2	5	7	32	6	6	5	2	4	7	4	1	1	1	1
is	795	7	3	2	3	5	20	10	32	102	124	230	153	73	39	12	1	1
cephalus	80	26	18	13	5	2	64	13	3	1	1	1	1	1	1	1	1	1
Brain	971	355	67	33	11	10	506	29	8	8	17	44	50	86	69	98	29	6
Heart & Dropsy	305	2	1	1	1	1	9	6	15	11	15	40	56	68	104	115	88	8
Lungs	750	176	81	43	23	10	333	13	4	7	6	18	33	37	75	121	73	10
Stom. and Liver	355	28	5	3	1	1	41	11	8	11	27	45	47	83	63	19	2	2
Kidneys	45	1	1	1	1	1	2	1	1	1	2	4	11	9	6	7	3	1
Gener. Organs	33	1	1	1	1	1	1	1	1	1	1	6	9	8	4	4	1	1
Joints	24	1	1	1	1	1	2	2	7	2	1	2	2	3	1	2	1	1
Skin	16	4	1	2	1	1	7	1	1	1	1	2	2	3	1	1	1	1
Birth and Metris	95	1	1	1	1	1	1	1	1	1	1	44	32	1	1	1	1	1
Violent Deaths	107	14	8	8	8	6	44	10	3	8	4	4	4	7	6	9	6	2
Causes	1495	428	98	36	9	7	578	17	9	11	11	22	26	35	65	106	223	170
460.—WIRRAL.																		
in Popul ⁿ , 1861-71	10794	290	289	285	288	259	1411	1244	1142	1070	1062	1675	1209	891	599	337	131	23
ALL DEATHS	1847	319	131	75	41	43	609	99	54	73	65	129	106	119	167	194	163	69
-pox	9	2	1	1	1	1	2	1	1	2	1	1	1	1	2	1	1	1
scalds	17	5	4	7	1	1	17	1	1	1	1	1	1	1	1	1	1	1
stiffness	107	8	11	13	14	14	55	13	2	1	1	1	1	1	1	1	1	1
beria	37	2	7	3	4	4	20	12	1	2	1	1	1	1	1	1	1	1
ping-cough	31	15	8	3	1	3	30	1	1	1	1	1	1	1	1	1	1	1
is	81	2	1	1	5	2	11	9	6	10	5	8	4	9	7	9	3	1
hæm & Dysentery	61	19	9	1	1	1	31	1	2	1	1	3	1	5	3	2	4	1
a	28	1	2	1	2	1	6	1	1	3	3	1	1	2	1	2	1	1
Zymotic Dis.	41	4	6	4	3	3	20	4	2	1	1	3	1	2	1	4	1	1
r	40	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
la and Tabes	47	11	12	6	2	2	33	7	3	1	1	1	3	2	15	12	1	1
is	202	2	2	1	1	1	6	4	7	32	36	59	81	15	12	1	1	1
cephalus	23	7	4	4	1	2	18	3	2	1	1	1	1	1	1	1	1	1
Brain	220	67	17	12	1	3	109	6	3	1	2	8	8	12	21	31	29	2
Heart & Dropsy	132	1	1	1	1	1	4	1	6	3	2	7	11	14	20	39	17	9
Lungs	227	48	24	10	3	1	86	5	1	3	3	6	4	15	28	39	27	10
Stom. and Liver	106	10	4	2	1	1	18	2	1	2	3	5	13	20	18	13	10	1
Kidneys	26	1	1	1	1	1	3	1	1	1	1	2	5	3	2	6	1	1
Gener. Organs	10	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1
Joints	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Skin	14	5	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1
Birth and Metris	36	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths	35	4	2	3	2	1	12	5	1	1	1	1	1	1	1	1	1	1
Causes	504	111	15	3	1	1	131	4	2	2	2	1	2	3	4	10	24	23

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
460B.—BIRKENHEAD.																	
Mean Popul ⁿ , 1861-71	34017	1132	991	1038	984	919	5054	4229	3507	3240	3310	5695	4142	2761	1413	532	121
TOTAL DEATHS—	8404	2300	923	437	295	200	4161	448	178	201	259	568	663	682	538	436	211
Small-pox - - -	123	96	31	7	15	10	79	10	2	1	7	12	11	1	-	-	-
Measles - - -	218	86	95	39	23	14	205	11	-	1	-	-	-	-	-	-	-
Scarlatina - - -	531	23	82	87	90	65	344	142	23	8	3	2	2	1	-	-	-
Diphtheria - - -	102	10	15	17	17	10	69	22	4	2	1	2	-	2	-	-	-
Whooping-cough -	219	100	54	31	17	8	210	8	1	-	-	-	-	-	-	-	-
Typhus - - -	332	10	10	16	10	12	58	32	19	30	22	59	54	20	16	9	2
Diarrhœa & Dysentery	446	209	111	17	5	2	395	4	1	2	1	1	5	11	6	10	1
Cholera - - -	30	4	4	2	1	1	12	4	4	1	4	14	14	14	8	3	1
Other Zymotic Dis.	235	29	40	27	19	19	134	27	3	7	8	5	8	18	12	9	1
Cancer - - -	54	-	-	-	-	-	1	-	-	-	-	1	5	-	-	-	-
Scrofula and Tuberc.	126	80	38	13	4	2	107	29	6	7	7	1	2	-	-	-	-
Phthisis - - -	139	5	11	5	3	4	24	17	60	99	99	181	104	109	67	11	1
Hydrocephalus - -	202	75	55	30	11	14	185	20	4	-	-	-	-	-	-	-	-
Dis. of Brain - - -	977	440	71	32	18	11	569	35	11	15	8	34	55	63	78	23	2
Dis. of Heart & Dropsy	326	6	6	5	4	-	19	13	12	9	42	61	65	66	49	26	1
Dis. of Lungs - - -	1341	882	185	61	39	18	685	27	6	10	18	62	94	132	123	117	34
Dis. of Stom. and Liver	815	72	9	5	-	1	87	10	3	3	11	29	42	58	31	28	1
Dis. of Kidneys - -	114	2	2	4	1	2	11	5	4	1	5	17	10	17	17	13	1
Dis. of Gen. Organs -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints - - -	34	4	1	1	1	-	7	5	4	-	1	3	1	6	3	2	-
Dis. of Skin - - -	21	8	3	1	-	-	12	1	-	-	-	-	2	8	2	3	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	19	-	-	-	-	-	-	-	-	1	1	6	4	5	3	2	-
Other Violent Deaths	571	30	10	18	11	9	78	28	51	46	48	109	84	62	41	25	5
Other Causes - - -	1205	728	100	22	9	5	864	9	2	-	6	25	35	55	39	31	28
461.—LIVERPOOL.																	
Mean Popul ⁿ , 1861-71	134810	3715	2926	3246	2997	2970	15854	13325	12291	11858	12360	22116	16855	11628	5044	2050	442
TOTAL DEATHS—	51131	12163	5527	2615	1506	1077	22948	2194	821	1120	1757	4419	5099	5084	4317	2679	671
Small-pox - - -	447	110	50	37	28	24	340	55	12	14	45	43	23	6	1	1	1
Measles - - -	1316	320	498	256	143	78	1327	73	12	1	1	2	-	-	-	-	-
Scarlatina - - -	1258	137	310	316	326	250	1340	520	61	6	12	9	-	-	-	-	-
Diphtheria - - -	223	40	53	54	28	14	174	24	4	7	4	5	2	5	-	-	-
Whooping-cough -	1406	491	445	210	113	74	1342	61	3	-	-	-	-	-	-	-	-
Typhus - - -	4046	63	99	102	81	89	424	236	137	218	285	628	827	680	412	165	26
Diarrhœa & Dysentery	3048	1570	741	169	67	20	2598	50	11	9	19	63	73	80	92	67	23
Cholera - - -	892	70	45	47	20	21	209	82	58	22	38	90	113	109	32	20	9
Other Zymotic Dis.	937	128	185	144	85	46	600	54	7	17	21	47	67	57	31	34	11
Cancer - - -	299	-	-	-	2	-	2	2	-	7	2	21	42	88	89	41	8
Scrofula and Tuberc.	823	223	200	77	44	30	874	96	34	24	22	28	13	16	6	3	-
Phthisis - - -	5439	62	76	57	30	28	251	131	129	371	639	1468	1225	803	331	61	19
Hydrocephalus - -	918	358	239	119	57	42	835	64	14	5	-	-	-	-	-	-	-
Dis. of Brain - - -	4257	1895	897	178	98	57	2612	133	43	44	62	186	232	297	327	239	75
Dis. of Heart & Dropsy	2115	18	25	19	23	17	102	87	52	54	81	394	440	417	327	192	30
Dis. of Lungs - - -	9447	2039	1165	473	201	140	4038	193	41	66	100	511	797	1285	1405	715	208
Dis. of Stom. and Liver	1408	201	34	14	12	12	273	84	24	32	47	154	238	295	202	91	36
Dis. of Kidneys - -	649	7	6	7	13	9	42	25	8	13	21	95	124	118	108	71	25
Dis. of Gen. Organs -	8	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	-
Dis. of Joints - - -	217	8	4	5	5	9	31	37	29	19	18	29	21	14	15	3	1
Dis. of Skin - - -	127	15	11	3	1	1	31	3	2	9	9	22	11	15	18	6	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	167	-	-	-	-	-	-	-	1	3	11	31	48	36	24	12	1
Other Violent Deaths	8157	857	60	63	72	51	853	139	112	151	218	471	450	367	260	38	17
Other Causes - - -	7915	3901	808	276	110	67	5162	108	58	24	62	210	313	577	492	655	289
462.—WEST DERBY.																	
Mean Popul ⁿ , 1861-71	134571	4676	4027	4113	3964	3817	20597	17062	14720	12001	11899	22241	16513	11047	5674	2234	533
TOTAL DEATHS—	37655	10704	4332	1909	1348	872	19225	1916	730	794	1616	2572	2997	3011	2512	1834	692
Small-pox - - -	426	84	39	38	21	19	291	29	19	27	46	55	26	11	1	-	1
Measles - - -	912	160	333	180	107	48	848	61	1	-	1	1	-	-	-	-	-
Scarlatina - - -	2239	148	330	377	382	297	1324	582	79	21	11	15	5	2	-	-	-
Diphtheria - - -	325	62	61	41	45	33	232	66	10	3	3	6	2	1	2	-	-
Whooping-cough -	1163	460	368	160	87	46	1121	42	-	-	-	-	-	-	-	-	-
Typhus - - -	2636	56	95	80	92	89	382	219	111	151	188	448	449	385	209	90	20
Diarrhœa & Dysentery	2254	1424	479	75	30	12	2020	20	4	11	7	25	22	32	38	43	27
Cholera - - -	373	80	23	15	8	13	189	39	10	15	7	44	47	40	19	12	1
Other Zymotic Dis.	911	132	183	100	59	61	565	49	17	26	21	42	41	57	45	38	13
Cancer - - -	246	-	1	2	-	1	4	-	1	2	1	9	54	71	70	38	13
Scrofula and Tuberc.	772	309	191	71	22	15	608	62	37	19	6	15	11	6	5	2	-
Phthisis - - -	4138	105	76	62	39	23	284	138	136	301	429	955	920	618	284	62	2
Hydrocephalus - -	1108	446	327	126	79	39	1017	79	8	1	1	1	-	-	-	-	-
Dis. of Brain - - -	3075	1774	355	125	64	65	2405	115	41	33	37	144	226	271	316	232	120
Dis. of Heart & Dropsy	1688	51	21	9	13	7	81	60	42	30	39	185	249	278	304	244	66
Dis. of Lungs - - -	5691	1665	605	292	148	61	2972	103	43	32	61	196	382	271	610	449	174
Dis. of Stom. and Liver	1378	309	45	23	10	10	388	44	27	23	29	100	145	247	222	112	24
Dis. of Kidneys - -	484	5	8	7	14	7	41	25	11	7	15	49	67	88	84	72	20
Dis. of Gen. Organs -	4	2	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-
Dis. of Joints - - -	144	6	9	-	6	2	23	23	28	14	9	14	12	11	7	9	1
Dis. of Skin - - -	96	44	10	5	-	-	57	2	3	1	-	8	3	7	8	8	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	1426	321	65	49	38	36	405	90	76	13	36	105	123	123	151	96	41
Other Causes - - -	5328	3099	200	144	45	28	3814	58	17	12	33	53	61	123	151	268	260

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
460b.—BIRKENHEAD.																		
an Popul ⁿ , 1861-71		36425	1099	977	1000	961	943	4980	4208	3612	3552	3724	6305	4455	2910	1661	769	219
TOTAL DEATHS		7688	1855	886	448	313	190	3692	410	163	183	214	531	541	519	507	504	71
Small-pox		100	25	14	13	11	5	68	13	3	1	5	8	1	2	1	—	—
Dysentery		232	36	81	55	31	10	213	15	1	2	1	—	—	—	—	—	—
Typhoid		403	21	68	69	87	62	367	139	29	9	8	1	2	—	—	—	—
Scarlatina		111	6	24	16	14	13	73	25	4	3	—	1	1	—	—	—	—
Whooping-cough		280	107	93	48	24	6	281	7	1	—	—	—	—	—	—	—	—
Measles		333	3	12	14	22	12	63	57	17	21	25	47	39	46	27	9	2
Diarrhoea & Dysentery		423	215	110	16	3	3	345	6	2	1	2	3	6	11	14	8	7
Erysipelas		47	5	3	1	1	1	11	5	2	1	1	6	7	3	6	4	1
Zymotic Dis.		209	32	47	32	21	5	137	14	7	4	1	6	5	7	8	7	1
Consumption		153	—	—	—	—	—	—	1	—	1	1	8	32	34	43	27	7
Phthisis		115	35	17	13	6	4	75	9	6	9	4	5	4	1	1	1	—
Cerebral		803	5	16	7	4	5	37	17	27	81	86	237	169	103	33	11	—
Apoplexy		144	42	43	19	10	13	127	13	2	—	—	—	—	—	—	—	—
Of Brain		793	336	61	28	18	14	437	94	13	13	11	27	35	51	53	73	35
Of Heart & Dropsy		379	7	5	1	3	1	17	8	20	10	13	34	63	55	67	29	31
Of Lungs		1124	292	160	89	23	23	571	30	6	7	13	45	47	78	123	122	79
Of Stomach & Liver		333	56	7	6	3	5	59	7	7	4	10	31	44	53	51	49	18
Of Kidneys		84	—	2	1	—	2	5	5	4	3	6	12	15	16	13	3	—
Of Genes. Organs		39	—	—	—	—	—	—	—	—	—	1	5	8	8	2	4	—
Of Joints		19	—	1	1	1	—	3	8	3	2	—	1	1	1	—	—	—
Of Skin		34	11	1	2	—	—	14	—	—	1	3	5	1	5	2	2	1
Birth and Metris		125	—	—	—	—	—	—	—	—	5	16	67	34	3	—	—	—
Violent Deaths		119	12	10	15	16	4	51	13	6	2	5	10	5	11	6	7	2
Causes		1183	631	99	32	14	2	778	12	3	2	4	12	22	21	53	108	118
461.—LIVERPOOL.																		
an Popul ⁿ , 1861-71		129267	3648	3033	3148	3055	2930	15814	13167	12059	12011	13353	23422	17518	11671	6500	2754	796
TOTAL DEATHS		40909	10326	5492	2664	1646	1109	21237	1994	740	910	1472	4097	4218	4320	3796	2634	1206
Small-pox		369	83	59	40	34	23	347	20	14	15	21	13	12	—	—	—	—
Dysentery		1778	233	475	269	146	81	1307	57	5	2	3	4	—	—	—	—	—
Typhoid		1781	112	284	297	303	218	1216	436	78	16	9	18	7	1	—	—	—
Scarlatina		304	27	32	31	26	15	151	32	4	3	3	3	1	1	1	4	1
Whooping-cough		1868	585	599	315	182	101	1782	83	2	1	—	—	—	—	—	—	—
Measles		3324	81	93	99	90	104	407	265	149	202	255	590	734	605	584	124	31
Diarrhoea & Dysentery		2662	1451	741	158	60	21	2431	48	15	4	12	36	59	67	84	36	7
Erysipelas		875	68	29	33	23	31	199	91	35	22	37	161	137	90	57	31	6
Zymotic Dis.		833	138	173	123	82	47	538	46	14	16	14	40	34	46	41	60	13
Consumption		664	—	—	1	1	2	4	2	1	3	4	60	151	200	146	73	19
Phthisis		709	195	181	87	45	40	543	61	26	20	18	12	7	5	8	1	—
Cerebral		4035	44	80	51	37	27	239	117	142	338	610	1323	1120	377	196	62	8
Apoplexy		638	244	193	94	44	25	690	51	5	—	—	2	—	—	—	—	—
Of Brain		3607	1464	365	109	107	70	2175	97	39	39	52	173	153	398	394	244	80
Of Heart & Dropsy		2049	10	25	19	21	18	93	64	55	62	70	272	335	408	393	234	64
Of Lungs		8836	1680	1118	471	232	128	3229	195	49	44	104	438	725	1273	1294	815	273
Of Stomach & Liver		1360	125	85	10	15	12	195	25	18	25	47	173	232	275	215	118	43
Of Kidneys		339	3	4	5	6	—	18	12	10	11	33	62	50	60	45	26	6
Of Genes. Organs		145	—	1	1	—	—	2	—	—	1	10	30	45	35	15	5	2
Of Joints		146	4	3	5	9	5	28	24	17	19	9	21	5	8	12	3	—
Of Skin		104	23	8	3	3	1	38	8	3	3	4	7	7	13	11	6	3
Birth and Metris		465	—	—	—	—	—	—	—	—	19	83	225	131	7	—	—	—
Violent Deaths		1424	525	78	78	55	54	790	131	31	18	30	83	59	93	94	51	39
Causes		7239	3234	879	299	122	66	4029	110	27	28	35	135	191	289	459	737	670
462.—WEST DERBY.																		
an Popul ⁿ , 1861-71		149813	4663	3978	4073	3985	3693	20392	16968	14698	13834	14827	26723	18618	12224	7094	3348	950
TOTAL DEATHS		37204	8858	4160	1960	1317	911	17206	1791	753	850	1108	2887	2084	2880	2718	2365	1377
Small-pox		362	84	39	31	21	21	196	32	11	21	22	39	15	5	—	1	—
Dysentery		170	137	276	173	133	55	804	63	7	2	—	4	—	—	—	—	—
Typhoid		2174	130	519	365	319	294	1425	564	108	25	11	31	6	3	1	—	—
Scarlatina		380	44	69	63	44	45	255	75	20	6	5	10	2	4	2	—	—
Whooping-cough		1491	494	594	235	138	63	1434	53	4	—	—	—	—	—	—	—	—
Measles		2306	39	74	91	84	63	351	214	142	161	150	307	433	380	235	102	28
Diarrhoea & Dysentery		2132	1943	445	81	27	12	1808	22	4	3	8	56	28	41	55	75	53
Erysipelas		363	67	39	12	10	13	152	22	12	9	10	51	61	37	26	8	1
Zymotic Dis.		739	129	124	118	74	41	496	74	25	13	15	29	22	35	37	32	11
Consumption		792	—	—	1	—	—	3	3	2	—	3	7	46	158	239	209	95
Phthisis		624	231	190	62	27	19	819	85	19	11	12	10	9	10	5	3	1
Cerebral		4335	92	84	39	22	30	267	137	137	365	518	1339	892	492	167	45	6
Apoplexy		774	292	219	102	59	43	714	60	7	—	1	2	—	—	—	—	—
Of Brain		3639	1351	321	149	83	51	1055	113	32	38	89	108	194	291	345	346	167
Of Heart & Dropsy		1769	29	16	15	8	8	67	40	54	54	62	197	241	331	338	297	91
Of Lungs		2287	1333	731	247	151	80	2335	126	24	34	47	171	280	496	623	265	278
Of Stomach & Liver		1555	198	39	21	13	10	281	30	25	41	45	143	233	273	246	160	11
Of Kidneys		373	6	5	6	9	3	29	14	14	9	12	49	38	24	42	35	7
Of Genes. Organs		139	—	—	—	—	—	—	—	—	1	4	25	24	40	23	11	—
Of Joints		112	6	8	5	6	3	36	23	14	9	7	8	6	11	3	4	—
Of Skin		107	41	9	4	1	1	56	2	3	2	1	5	4	7	3	10	—
Birth and Metris		520	—	—	—	—	—	—	—	—	15	99	279	162	2	—	—	—
Violent Deaths		711	325	57	33	23	22	460	34	10	11	10	24	54	54	38	23	23
Causes		5394	2573	512	120	65	33	3363	45	21	13	13	19	66	89	144	222	523

Causes of Death in the Ten Years 1861-70.—Males.

[Div. VIII]

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		463.—PRESCOT.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
Mean Popul ⁿ , 1861-71	42056	1497	1332	1339	1275	1201	6644	5366	4570	3903	3898	6619	4847	3256	1908	805	311
TOTAL DEATHS	10381	2792	1144	589	592	240	5166	551	228	237	327	665	706	767	712	589	443
Small-pox	194	30	24	15	14	9	92	17	2	4	2	6	7	2	1	—	—
Measles	212	45	85	45	18	6	199	11	1	—	—	1	—	—	—	—	—
Scarlatina	555	62	71	132	116	87	488	155	16	4	8	3	1	—	—	—	—
Diphtheria	100	5	21	14	19	13	72	10	3	5	2	1	—	—	1	—	—
Whooping-cough	165	70	62	16	13	5	158	9	—	—	—	—	—	—	—	—	—
Typhus	424	18	14	23	29	15	90	52	26	34	45	52	43	40	18	15	11
Diarrhoea & Dysentery	809	244	115	21	4	3	427	6	4	2	—	7	19	9	23	26	23
Cholera	35	5	3	1	—	—	9	—	—	—	—	2	4	6	2	—	—
Other Zymotic Dis.	306	46	66	44	40	23	215	30	5	4	4	8	8	6	14	8	7
Cancer	70	—	—	1	1	—	2	1	—	—	—	—	10	19	14	13	—
Scrofula and Tuberc.	185	66	44	19	8	5	142	19	5	4	4	4	2	5	—	—	—
Phthisis	875	23	28	8	8	4	71	23	18	68	112	208	179	118	64	15	1
Hydrocephalus	252	90	70	90	20	9	219	26	7	—	—	—	—	—	—	—	—
Dis. of Brain	1360	585	77	86	15	14	730	30	15	18	28	70	120	114	97	84	75
Dis. of Heart & Dropsy	408	7	10	4	3	31	27	15	15	9	7	41	47	65	77	78	39
Dis. of Lungs	2019	580	819	113	65	81	1099	55	14	7	19	70	90	174	218	155	111
Dis. of Stom. and Liver	397	64	16	8	2	5	94	21	12	10	19	33	46	58	55	44	31
Dis. of Kidneys	129	3	2	1	—	1	7	4	3	6	3	16	13	20	25	21	—
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	40	—	—	—	1	—	4	7	4	6	1	5	2	1	3	2	—
Dis. of Skin	29	10	1	—	1	2	14	2	—	—	1	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	699	16	39	39	16	10	102	43	60	52	73	100	87	74	55	22	3
Other Causes	1360	780	105	25	8	4	929	7	5	4	3	12	20	37	31	39	23

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		464.—ORMSKIRK.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
Mean Popul ⁿ , 1861-71	35037	764	710	748	709	672	3603	3254	2863	2490	2108	3430	2664	2043	1488	806	254
TOTAL DEATHS	5879	1403	436	222	148	119	2328	276	154	146	196	403	445	421	489	559	507
Small-pox	25	8	—	1	—	—	9	2	—	1	4	6	1	1	—	1	—
Measles	70	20	20	15	11	4	76	3	—	—	—	—	—	—	—	—	—
Scarlatina	311	19	44	34	46	33	198	35	18	4	3	2	1	—	—	—	—
Diphtheria	57	5	8	4	6	5	29	18	7	1	—	—	—	1	1	—	—
Whooping-cough	60	36	20	4	3	2	65	3	1	—	—	—	—	—	—	—	—
Typhus	227	4	4	5	8	9	29	22	21	23	20	28	26	24	19	16	8
Diarrhoea & Dysentery	251	146	44	8	2	1	193	2	—	—	2	3	2	5	7	16	10
Cholera	61	14	6	3	1	1	25	4	1	1	1	2	8	5	8	5	1
Other Zymotic Dis.	192	17	33	29	15	16	119	16	7	4	3	6	7	13	11	7	7
Cancer	48	—	—	1	—	—	1	1	—	—	2	2	2	9	13	9	7
Scrofula and Tuberc.	91	27	13	5	3	1	48	7	14	5	3	5	3	2	3	1	—
Phthisis	634	23	31	7	—	2	43	8	29	57	83	148	121	80	56	13	—
Hydrocephalus	85	34	17	6	7	4	68	11	5	—	1	—	—	—	—	—	—
Dis. of Brain	803	336	39	16	14	11	416	26	11	3	5	29	44	69	80	75	31
Dis. of Heart & Dropsy	307	1	—	2	—	3	6	4	6	4	12	27	32	43	68	69	29
Dis. of Lungs	930	293	92	39	13	13	373	23	7	11	5	44	37	69	109	164	79
Dis. of Stom. and Liver	322	40	4	1	1	5	61	8	5	5	7	39	45	61	51	36	28
Dis. of Kidneys	92	—	1	2	1	—	4	3	1	1	3	11	13	9	15	16	14
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	24	1	1	2	—	1	5	4	4	2	1	2	2	1	3	—	—
Dis. of Skin	15	6	1	1	—	—	8	—	—	—	—	—	—	—	1	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	28	—	—	—	—	—	—	—	—	—	—	2	2	10	6	6	1
Other Violent Deaths	524	12	13	18	13	5	61	13	24	19	31	63	54	30	25	17	2
Other Causes	991	435	60	8	4	2	509	14	2	6	2	10	18	18	26	36	153

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		465.—WIGAN.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
Mean Popul ⁿ , 1861-71	52018	1874	1623	1619	1511	1410	8037	6392	5922	5367	5021	7561	5676	4046	2461	1138	360
TOTAL DEATHS	18576	4787	1945	878	523	390	8513	773	380	445	465	742	787	841	940	953	594
Small-pox	114	22	16	18	10	4	64	14	3	4	13	10	5	1	—	—	—
Measles	528	94	219	108	49	39	569	15	9	—	—	—	—	—	—	—	—
Scarlatina	861	62	134	149	134	106	584	253	31	8	1	3	1	—	—	—	—
Diphtheria	44	6	7	2	5	3	25	13	1	—	—	1	—	1	1	—	—
Whooping-cough	369	185	101	38	23	13	500	9	—	—	—	—	—	—	—	—	—
Typhus	725	31	71	67	25	29	213	102	42	68	53	58	64	64	33	27	6
Diarrhoea & Dysentery	1191	693	371	61	29	19	1037	8	7	4	3	19	11	12	27	14	7
Cholera	96	5	4	4	2	2	29	4	2	—	—	12	5	14	10	11	1
Other Zymotic Dis.	572	58	129	110	66	45	498	54	12	12	3	14	13	14	14	19	7
Cancer	60	—	—	—	—	—	—	—	—	—	—	2	4	10	14	13	6
Scrofula and Tuberc.	299	83	44	15	7	3	132	14	8	14	9	4	1	—	—	—	—
Phthisis	902	24	21	12	5	6	68	32	43	101	134	191	161	100	62	16	—
Hydrocephalus	133	44	37	19	11	8	119	14	—	—	—	—	—	—	—	—	—
Dis. of Brain	1840	1113	149	61	30	18	1393	43	24	18	18	38	45	47	80	102	41
Dis. of Heart & Dropsy	478	6	8	9	7	6	35	16	19	11	16	31	62	94	80	76	24
Dis. of Lungs	2729	908	367	99	63	32	1468	50	15	10	32	67	123	217	317	232	111
Dis. of Stom. and Liver	455	80	26	3	6	2	117	9	5	8	15	24	43	68	85	57	22
Dis. of Kidneys	162	3	1	2	1	1	8	5	1	1	2	4	6	12	22	23	10
Dis. of Gener. Organs	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	47	3	2	2	—	3	10	7	5	8	5	1	3	2	2	1	—
Dis. of Skin	34	16	5	3	1	—	25	—	—	—	—	—	—	—	—	—	—
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

VIII.] Causes of Death in the Ten Years 1861-70.—Females.

335

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 1 Year.	Total under 5 Years.	Total under 10 Years.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17			
463.—PRESCOT.																					
Population, 1861-71	40783	1450	1286	1271	1264	1209	6480	5466	4445	3647	3551	6283	4604	3092	1935	934	298	48			
Total Deaths	9209	2246	1064	575	408	266	4559	453	188	185	271	591	617	580	636	606	411	112			
Pox	140	34	18	21	24	9	106	15	4	2	2	5	3	3	-	-	-	-			
Scarlatina	208	41	81	44	24	11	201	5	-	-	-	-	-	-	-	-	-	-			
Dysentery	591	43	102	113	97	74	429	125	19	3	8	1	5	2	-	-	-	-			
Erysipelas	124	13	18	20	23	14	88	29	4	4	-	-	-	-	-	-	-	-			
Cough	227	88	37	43	18	11	217	9	1	-	-	-	-	-	-	-	-	-			
Whooping Cough	362	15	16	19	26	17	93	56	31	29	18	37	34	30	20	10	4	-			
Measles & Dysentery	452	255	115	23	9	1	403	2	1	-	1	8	10	5	19	20	11	2			
Typhoid Fever	323	4	1	-	2	2	9	2	1	-	-	-	-	-	-	-	-	-			
Typhoid Dis.	313	85	62	59	42	24	222	30	8	2	5	5	5	5	5	9	1	-			
Smallpox	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Scarlatina & Typhoid	180	65	49	16	7	5	149	10	8	3	2	4	25	38	32	29	9	-			
Erysipelas	933	17	16	7	6	7	53	21	28	77	141	273	185	88	46	9	2	-			
Brain	1065	436	73	35	14	13	571	23	13	8	14	46	78	66	89	85	48	4			
Heart & Dropsy	439	4	2	4	5	7	22	17	9	10	8	30	51	68	92	39	7	-			
Lungs	1643	299	253	99	57	33	841	47	12	15	20	44	54	123	186	178	100	23			
Stomach & Liver	364	45	15	8	4	4	76	13	7	8	14	24	40	50	60	41	22	-			
Kidneys	65	-	-	1	-	1	2	2	2	3	1	9	10	10	14	9	2	1			
Gener. Organs	27	-	1	-	-	-	1	-	-	-	1	3	5	10	4	1	2	-			
Joints	32	3	1	-	2	-	6	5	6	2	3	1	3	3	5	-	-	-			
Skin	22	8	3	-	-	1	12	-	-	-	-	-	4	2	4	-	-	-			
Rheumatism & Metritis	168	-	-	-	-	-	-	-	-	8	20	72	63	5	-	-	-	-			
Violent Deaths	171	10	24	20	17	10	81	20	4	6	6	6	12	11	11	6	3	5			
Causes	1290	655	112	23	14	8	812	8	13	4	3	11	21	28	49	118	159	69			
464.—ORMSKIRK.																					
Population, 1861-71	27745	742	737	711	700	676	3566	3173	2906	2746	2702	4187	3112	2363	1701	921	319	49			
Total Deaths	5383	1090	481	224	174	115	2034	272	141	166	192	447	413	371	459	551	405	132			
Pox	21	3	4	2	-	-	9	2	-	2	2	3	-	-	3	-	-	-			
Scarlatina	91	8	23	13	14	6	79	10	-	-	-	-	-	-	-	-	-	-			
Dysentery	311	18	35	69	45	42	199	78	24	5	2	1	-	-	-	-	-	-			
Erysipelas	63	2	3	6	6	6	23	21	8	4	3	2	1	1	-	-	-	-			
Cough	99	48	28	9	10	2	97	2	-	-	-	-	-	-	-	-	-	-			
Whooping Cough	247	3	10	11	10	7	41	32	24	26	17	28	23	23	22	5	6	-			
Measles & Dysentery	233	190	36	4	6	1	177	2	-	2	3	12	9	9	11	15	8	5			
Typhoid Fever	67	17	8	4	1	2	39	4	2	1	2	4	6	5	5	4	2	-			
Typhoid Dis.	162	19	29	19	19	17	103	14	7	6	-	6	6	3	5	7	5	-			
Smallpox	99	-	-	-	-	-	-	-	-	-	-	2	17	26	30	18	5	1			
Scarlatina & Typhoid	75	22	15	4	1	1	43	4	5	-	4	5	7	4	2	1	-	-			
Erysipelas	751	8	15	4	9	4	40	18	28	81	100	210	141	71	46	14	2	-			
Brain	682	246	44	20	12	5	327	14	10	6	6	30	35	43	69	89	51	11			
Heart & Dropsy	279	4	-	1	-	1	6	7	4	3	8	20	23	38	65	76	25	3			
Lungs	821	171	82	81	19	7	310	28	6	10	9	21	42	51	84	151	96	13			
Stomach & Liver	328	21	5	2	1	2	31	4	2	6	8	30	36	49	72	61	29	-			
Kidneys	53	1	-	-	1	-	2	1	-	-	5	8	11	16	3	5	2	-			
Gener. Organs	23	-	-	-	-	-	-	-	-	-	3	3	2	3	4	6	2	-			
Joints	10	-	-	-	-	-	-	-	1	-	1	2	2	1	1	1	1	-			
Skin	22	8	-	2	-	-	10	-	-	-	1	1	4	1	1	3	-	-			
Rheumatism & Metritis	95	-	-	-	-	-	-	-	-	5	16	44	30	-	-	-	-	-			
Violent Deaths	11	4	10	7	7	3	31	7	0	2	-	5	6	3	6	7	5	2			
Causes	965	331	65	16	4	4	419	15	11	6	1	8	9	19	26	97	167	98			
465.—WIGAN.																					
Population, 1861-71	51199	1853	1563	1597	1523	1417	7953	6525	5627	5074	4727	7399	5655	4055	2468	1266	398	52			
Total Deaths	14002	3839	1959	837	478	317	7450	743	278	387	405	754	727	757	827	925	607	144			
Pox	91	25	11	12	8	4	60	14	2	7	8	4	1	-	-	-	-	-			
Scarlatina	519	102	216	105	44	22	489	28	1	-	-	1	-	-	-	-	-	-			
Dysentery	861	42	141	156	125	88	532	235	28	10	3	3	-	-	-	-	-	-			
Erysipelas	43	3	12	5	3	3	24	10	4	1	1	-	-	-	-	-	-	-			
Cough	469	199	151	65	27	17	449	18	1	1	-	-	-	-	-	-	-	-			
Whooping Cough	777	44	61	51	41	24	224	108	50	71	55	68	63	67	42	29	10	1			
Measles & Dysentery	1138	617	281	57	19	14	988	13	2	5	4	20	14	11	21	84	18	8			
Typhoid Fever	84	3	2	3	4	-	12	10	4	3	3	9	11	14	10	7	1	-			
Typhoid Dis.	624	61	130	98	60	33	382	51	6	7	8	14	7	17	19	8	2	-			
Smallpox	117	-	1	-	-	-	1	-	-	-	-	7	10	29	33	24	6	1			
Scarlatina & Typhoid	172	64	52	12	1	-	129	5	5	7	8	5	4	4	3	2	-	-			
Erysipelas	1135	22	38	17	11	7	95	30	56	160	188	273	190	94	35	13	1	-			
Brain	1498	815	129	54	26	20	1044	40	15	14	13	33	37	57	82	107	45	11			
Heart & Dropsy	629	8	11	3	4	4	30	13	21	21	21	59	64	96	33	31	3	-			
Lungs	2301	649	253	107	50	39	1194	51	16	30	25	76	115	204	253	236	96	12			
Stomach & Liver	486	50	16	9	2	6	83	12	6	13	9	46	49	61	63	70	29	4			
Kidneys	40	1	3	1	-	-	5	2	1	2	1	5	10	5	6	1	-	-			
Gener. Organs	30	-	-	-	-	-	-	-	-	-	-	2	3	6	4	-	-	-			
Joints	31	1	2	1	1	2	7	4	6	3	-	-	2	2	3	-	-	-			
Skin	33	10	5	1	1	2	19	-	-	-	-	-	-	-	-	-	-	-			
Rheumatism & Metritis	244	-	-	-	-	-	-	-	-	20	37	97	88	4	4	4	-	-			
Violent Deaths	11	-	-	-	-	-	-	-	-	1	1	2	2	2	2	2	2	2			
Causes	2519	1032	290	82	29	20	1473	30	15	10	7	24	33	60	114	207	120	30			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70

CAUSES OF DEATH	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--
466.—WARRINGTON.																	
Mean Popul'n, 1861-71	24916	888	747	771	719	724	3849	3066	2658	2459	2340	3940	2883	1874	1117	561	408
TOTAL DEATHS	6099	1883	700	810	222	160	3275	339	145	190	220	429	463	450	471	408	408
Small-pox	62	12	3	6	1	8	30	7	8	8	8	8	2	4	-	-	-
Measles	251	50	110	44	25	8	237	18	-	1	-	-	-	-	-	-	-
Scarlatina	405	229	64	63	90	28	294	94	13	2	1	1	-	1	1	-	-
Diphtheria	47	2	10	9	4	5	30	10	4	-	-	-	-	-	-	-	-
Whooping-cough	189	83	46	17	6	3	155	3	1	-	-	-	-	-	-	-	-
Typhus	267	2	10	5	13	6	36	30	16	23	20	32	44	46	13	1	1
Diarrhoea & Dysentery	461	249	78	12	6	1	346	5	2	1	1	1	2	4	5	8	1
Cholera	20	1	3	1	1	1	7	1	2	1	-	-	-	-	-	-	-
Other Zymotic Dis.	209	28	22	22	30	20	140	25	2	3	6	4	3	3	8	1	1
Cancer	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	111	43	28	10	1	2	81	9	4	7	-	3	5	7	15	1	1
Phthisis	562	14	10	11	9	5	49	20	10	69	83	134	168	63	23	1	1
Hydrocephalus	124	40	45	9	4	8	112	12	-	-	-	-	-	-	-	-	-
Dis. of Brain	958	488	48	21	6	5	568	24	11	12	15	49	79	63	69	8	8
Dis. of Heart & Dropsy	243	2	3	2	1	1	3	9	9	6	17	21	46	56	56	5	5
Dis. of Lungs	1033	222	120	41	10	14	477	17	7	10	18	46	61	96	135	10	10
Dis. of Stom. and Liver	238	30	5	3	2	2	42	7	7	6	12	26	35	40	47	3	3
Dis. of Kidneys	69	1	1	-	-	-	5	3	2	2	1	5	12	8	16	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	19	-	1	1	-	-	2	4	1	-	2	3	-	3	2	1	1
Dis. of Skin	8	-	3	-	-	-	2	-	1	-	1	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	20	-	-	-	-	-	-	-	-	-	2	1	9	5	7	1	1
Other Violent Deaths	478	11	22	11	10	10	64	36	30	43	44	83	61	37	31	3	3
Other Causes	916	208	71	13	-	5	580	9	3	1	3	8	15	15	34	3	3
467.—LEIGH.																	
Mean Popul'n, 1861-71	19200	658	593	534	543	511	2828	2382	2066	1885	1685	2672	2158	1617	1112	581	408
TOTAL DEATHS	5015	1490	508	204	139	94	2444	204	99	134	160	229	278	301	370	408	408
Small-pox	10	3	-	2	-	1	6	1	1	-	-	1	1	-	-	-	-
Measles	162	30	68	24	21	7	152	18	-	-	-	-	-	-	-	-	-
Scarlatina	206	14	33	24	23	28	141	58	5	1	-	1	-	-	-	-	-
Diphtheria	9	1	4	1	-	-	6	2	-	1	-	-	-	-	-	-	-
Whooping-cough	75	37	20	9	4	3	73	2	-	-	-	-	-	-	-	-	-
Typhus	222	17	17	14	11	8	67	18	13	17	23	22	14	14	1	1	1
Diarrhoea & Dysentery	279	153	59	5	6	5	230	2	1	-	4	2	1	3	7	1	1
Cholera	21	5	-	-	-	1	6	1	-	-	2	-	1	3	5	-	-
Other Zymotic Dis.	145	21	23	17	11	7	79	22	1	1	4	6	5	11	4	-	-
Cancer	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	225	130	37	10	4	3	193	7	3	7	2	4	5	1	1	1	1
Phthisis	439	8	7	6	5	2	28	15	30	62	70	70	71	42	27	1	1
Hydrocephalus	74	40	18	8	2	1	69	4	1	-	-	-	-	-	-	-	-
Dis. of Brain	700	364	39	17	9	7	436	14	5	4	8	15	19	23	42	7	7
Dis. of Heart & Dropsy	271	5	2	2	2	2	13	7	4	8	5	12	26	33	64	5	5
Dis. of Lungs	949	201	113	31	19	12	476	19	6	6	9	28	39	67	95	9	9
Dis. of Stom. and Liver	263	39	10	3	-	1	53	6	8	8	9	13	31	31	51	4	4
Dis. of Kidneys	66	1	1	-	-	-	2	1	-	1	-	1	3	6	4	2	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints	18	-	-	2	1	-	3	3	3	3	-	3	1	1	1	-	-
Dis. of Skin	13	6	-	-	-	-	6	1	1	-	-	1	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	32	-	-	-	-	-	-	-	-	-	1	1	-	5	8	10	1
Other Violent Deaths	232	5	18	10	8	6	47	9	16	12	21	43	30	26	11	1	1
Other Causes	561	269	41	5	3	-	358	2	-	2	2	4	12	12	18	3	3
468.—BOLTON.																	
Mean Popul'n, 1861-71	69323	2403	2080	1912	1917	1858	10170	8541	7607	7155	6317	10164	7881	5799	3510	166	166
TOTAL DEATHS	19487	5616	2095	922	550	456	9648	838	431	537	563	1006	1101	1362	1563	146	146
Small-pox	71	16	5	7	3	3	34	11	1	7	8	5	3	2	-	-	-
Measles	662	129	277	121	60	44	631	26	4	1	-	-	-	-	-	-	-
Scarlatina	1081	65	168	187	161	168	739	267	24	5	10	4	2	-	-	-	-
Diphtheria	24	7	12	4	7	3	33	11	2	4	-	1	1	1	1	-	-
Whooping-cough	387	155	128	47	25	14	369	18	-	-	-	-	-	-	-	-	-
Typhus	693	50	57	31	32	22	291	81	44	65	50	68	55	67	26	21	21
Diarrhoea & Dysentery	1128	733	296	34	13	9	905	10	6	3	8	10	7	15	21	28	28
Cholera	149	56	15	4	4	3	82	4	1	2	2	3	11	7	20	13	13
Other Zymotic Dis.	505	77	102	75	43	41	338	55	10	12	11	31	19	24	24	11	11
Cancer	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	373	149	68	18	12	5	270	25	1	1	2	5	21	26	46	23	23
Phthisis	2608	101	77	27	19	15	239	30	73	245	274	400	319	239	129	64	64
Hydrocephalus	212	73	58	20	15	11	180	24	6	2	-	-	-	-	-	-	-
Dis. of Brain	2371	1206	148	80	32	22	1188	63	33	27	21	51	75	119	189	194	194
Dis. of Heart & Dropsy	685	6	5	1	3	5	19	13	20	34	25	44	64	158	148	130	130
Dis. of Lungs	4221	1148	474	164	83	64	1936	76	37	42	43	138	233	440	522	483	483
Dis. of Stom. and Liver	753	155	29	17	5	5	211	27	15	16	13	20	84	92	131	96	96
Dis. of Kidneys	248	3	3	3	3	5	23	14	4	14	7	30	16	29	47	33	33
Dis. of Gener. Organs	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	86	3	2	1	2	2	10	8	8	14	8	11	6	5	1	1	1
Dis. of Skin	36	11	3	1	-	1	16	3	2	1	1	2	1	2	3	3	3
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	81	-	-	-	-	-	-	-	-	-	2	19	11	21	36	3	3
Other Violent Deaths	838	37	80	39	26	18	139	48	73	68	67	7	99	99	56	3	3
Other Causes	2644	1427	195	87	9	6	1674	16	10	8	6	27	44	71	108	108	108

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	70		
466.—WARRINGTON.																				
Population 1861-71	24219	845	751	747	716	695	3754	3031	2575	2288	2195	3732	2842	1809	1151	610	206	26		
ALL DEATHS	6219	1522	723	374	206	161	2086	280	109	145	189	381	401	385	443	488	328	84		
Pox	60	21	9	3	4	3	40	4	2	3	2	6	1	1	1	-	-	-		
Tubercles	230	40	96	48	18	17	225	4	1	1	1	1	1	1	1	-	-	-		
Influenza	423	28	67	92	38	49	294	105	14	3	2	3	-	1	-	-	-	-		
Scarlatina	61	5	11	9	8	10	43	12	4	1	-	1	-	-	-	-	-	-		
Croup	182	77	59	29	10	3	178	4	-	-	-	-	-	-	-	-	-	-		
Dysentery	245	7	7	5	10	9	38	37	19	20	25	23	25	24	20	10	2	1		
Zymotic Dis.	370	206	83	22	6	3	320	2	1	-	1	6	3	3	1	1	1	1		
Smallpox	228	97	45	45	25	11	163	11	0	2	9	4	6	6	6	7	5	3		
Measles	97	-	-	-	-	2	2	-	-	-	-	6	15	25	25	15	9	-		
Whooping Cough	102	31	23	8	4	4	70	9	7	3	1	2	2	4	2	1	-	-		
Consumption	574	13	15	8	10	9	55	14	23	57	69	137	117	63	28	8	1	-		
Phthisis	93	29	23	11	6	7	81	10	2	-	-	-	-	-	-	-	-	-		
Brain	784	350	61	21	16	7	435	15	5	14	20	24	37	50	61	55	33	5		
Heart & Dropsy	267	1	2	1	-	-	5	4	7	6	9	22	35	31	65	64	16	-		
Lungs	916	187	97	46	24	15	369	32	11	9	6	35	54	83	114	136	68	9		
Stomach and Liver	288	24	4	2	-	-	31	6	4	9	12	30	34	53	46	45	11	1		
Kidneys	34	-	-	-	-	-	-	2	3	2	3	5	5	5	4	3	1	1		
General Organs	17	-	-	-	-	-	-	-	-	-	1	1	5	4	4	2	-	-		
Joints	20	-	1	-	-	2	3	4	-	2	3	-	4	1	1	1	1	1		
Skin	10	4	-	-	-	-	4	-	-	-	-	2	-	-	1	2	-	-		
Birth and Metrix	94	-	-	-	-	-	-	-	-	3	16	44	31	-	-	-	-	-		
Violent Deaths	113	17	18	12	4	3	54	8	1	4	4	6	5	5	6	10	7	5		
Causes	987	435	93	12	3	4	547	3	-	5	5	9	10	14	46	118	167	61		
467.—LEIGH.																				
Population 1861-71	20612	622	585	575	504	530	2816	2434	2207	2137	1918	3048	2327	1739	1141	600	223	22		
ALL DEATHS	5077	1194	484	264	157	103	2202	211	93	191	205	354	318	315	347	432	338	71		
Pox	21	9	3	2	-	2	16	-	1	-	2	1	1	-	-	-	-	-		
Tubercles	201	52	63	45	18	8	189	12	-	-	-	-	-	-	-	-	-	-		
Influenza	219	11	22	44	40	35	153	31	10	2	-	-	-	-	-	-	-	-		
Scarlatina	9	-	3	1	1	3	8	1	-	-	-	-	-	-	-	-	-	-		
Croup	123	50	34	19	11	6	130	3	-	-	-	-	-	-	-	-	-	-		
Dysentery	224	13	13	11	13	6	58	34	19	22	15	16	15	17	13	11	4	-		
Zymotic Dis.	210	124	46	8	2	1	181	2	-	1	3	4	1	6	9	15	13	3		
Smallpox	24	9	1	-	-	-	10	-	-	-	-	2	2	1	5	4	1	1		
Measles	146	17	23	19	12	9	80	9	3	4	5	6	5	10	7	9	7	1		
Whooping Cough	95	-	-	-	-	-	-	-	-	-	-	3	21	11	20	22	7	2		
Consumption	200	116	42	18	5	1	177	7	2	6	1	3	3	1	-	2	1	-		
Phthisis	636	5	5	5	3	3	21	21	21	110	109	176	89	67	25	6	1	-		
Brain	584	249	31	19	12	8	321	18	10	3	10	9	29	32	47	67	45	6		
Heart & Dropsy	246	4	1	2	1	1	9	10	4	7	7	32	43	55	66	75	82	6		
Lungs	901	238	111	43	23	7	424	12	4	8	10	26	49	48	81	124	101	23		
Stomach and Liver	265	27	9	4	1	3	44	4	10	10	7	18	30	39	42	41	13	2		
Kidneys	13	-	-	1	2	-	3	-	1	2	1	1	3	-	1	1	-	-		
General Organs	20	-	-	-	-	-	-	-	-	-	-	2	6	7	2	3	-	-		
Joints	15	-	-	-	1	1	2	4	1	2	-	1	2	2	-	1	-	-		
Skin	4	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-		
Birth and Metrix	109	-	-	-	-	-	-	-	-	10	23	43	26	2	-	-	-	-		
Violent Deaths	9	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	-		
Causes	532	241	49	6	1	2	299	14	3	4	1	2	11	10	17	48	107	28		
468.—BOLTON.																				
Population 1861-71	75015	2369	2043	2050	1901	1883	10246	8686	7811	7654	7282	11853	8779	6226	3863	1944	607	64		
ALL DEATHS	17799	4394	1913	850	586	431	8174	820	341	581	610	1134	1174	1084	1375	1307	953	186		
Pox	65	13	5	8	5	2	33	10	5	2	3	10	2	-	-	-	-	-		
Tubercles	505	91	240	107	63	33	536	26	-	2	-	1	1	-	-	-	-	-		
Influenza	1079	69	146	193	165	137	710	195	47	12	2	10	2	1	-	-	-	-		
Scarlatina	64	7	19	5	6	8	45	10	2	2	1	1	1	-	1	-	-	-		
Croup	507	195	132	67	49	19	482	22	2	1	-	-	-	-	-	-	-	-		
Dysentery	676	48	51	27	30	28	184	82	56	64	44	64	65	57	31	19	8	2		
Zymotic Dis.	1051	605	223	21	10	6	808	12	1	2	-	11	13	6	35	57	20	7		
Smallpox	112	43	16	1	2	-	62	2	-	-	-	5	10	7	15	8	-	-		
Measles	519	74	87	58	39	40	318	35	6	12	7	24	19	21	16	29	9	1		
Whooping Cough	335	-	-	-	-	1	1	-	-	-	-	17	46	86	83	55	15	1		
Consumption	279	126	71	18	5	6	226	15	5	13	3	4	4	-	-	-	-	-		
Phthisis	2104	67	52	29	19	15	171	46	9	29	331	477	388	173	65	28	6	-		
Brain	180	57	39	22	14	10	142	30	6	2	-	-	-	-	-	-	-	-		
Heart & Dropsy	2835	844	131	62	35	25	1698	59	18	36	51	47	68	115	230	239	118	16		
Lungs	5418	843	419	190	87	56	1565	61	25	47	49	222	179	231	433	413	250	29		
Stomach and Liver	738	103	20	8	10	6	150	19	10	16	27	33	74	83	141	101	84	2		
Kidneys	149	7	5	2	-	2	14	5	6	9	6	21	29	27	19	11	2	-		
General Organs	49	-	-	-	-	-	-	-	-	-	-	10	15	7	3	-	-	-		
Joints	41	1	2	1	-	2	6	5	4	9	1	2	4	-	-	-	-	-		
Skin	85	15	3	1	-	-	19	1	1	-	1	2	-	-	-	-	-	-		
Birth and Metrix	248	-	-	-	-	-	-	-	-	8	-	130	77	4	-	-	-	-		
Violent Deaths	24	-	-	-	-	-	-	-	-	-	-	51	4	-	-	-	-	-		
Causes	2295	1151	398	26	10	11	1403	15	9	7	14	7	80	34	46	73	255	61		

Mean Population, 1861-71, and Deaths in Districts during the 31 Years

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.												Total under 5 Years.	AGES OF FEMALES.												Total under 5 Years.			
		Total under 1 Year.	1-4				5-9				10-14				Total under 1 Year.	1-4				5-9				10-14				Total under 5 Years.		
			1	2	3	4	5	6	7	8	9	10	11			12	1	2	3	4	5	6	7	8	9	10			11	12
469.—BURY.																														
Mean Popul ⁿ , 1861-71		50545	1601	1359	1371	1316	1220		6876	6015	5492	5229	4928		7468	5807	4386	2681	128											
TOTAL DEATHS		12788	3444	1152	618	513	265		5092	548	501	407	417		690	785	933	1151	108											
Small-pox		107	32	5	8	2	8		59	18	4	11	6		17	2	3	2												
Measles		208	55	76	35	13	16		195	10		8																		
Scarlatina		601	44	95	111	79	61		300	171	37	20	2				1													
Diphtheria		43	12	10	2	5	1		30	9								1												
Whooping-cough		176	93	48	13	7	11		172	4																				
Typhus		553	14	29	25	10	16		94	55	42	68	43		64	45	52	23												
Diarrhoea & Dysentery		637	383	111	19	10	6		529	9	4	1	2		9	9	12	15												
Cholera		49	4				1		3	1			1		1	4	5	2												
Other Zymotic Dis.		334	55	68	21	27	29		239	29	6	7	11		10	29	14	15												
Cancer		74																												
Scrofula and Tuberc.		180	54	31	12	8	1		108	14	9	7	3		4	3	16	25												
Fekimia		1332	24	19	10	13	9		73	23	34	162	217		267	229	146	109												
Hydrocephalus		254	60	71	28	22	12		219	30	9	3	1			1														
Dis. of Brain		2001	1000	139	49	35	28		1251	42	29	94	21		56	60	119	123												
Dis. of Heart & Dropy		729	15	11	12	7	8		53	69	22	21	30		42	68	124	174												
Dis. of Lungs		2307	549	276	104	67	41		1067	43	16	14	15		52	125	204	229												
Dis. of Stom. and Liver		500	20	10	5	2	1		57	13	14	21	12		32	58	84	112												
Dis. of Kidneys		171	2			1	2		5	7	5	8	10		19	13	14	24												
Dis. of Genor. Organs		6	2						2							1														
Dis. of Joints		89	1	1	1		1		4	2	6	3	4		3	2	3	4												
Dis. of Skin		18	2	3	1				6	1					1	2	2	1												
Childbirth and Metria		70																												
Violent Deaths		478	13	13	10	16	18		70	40	45	34	37		59	76	46	33												
Other Causes		2041	985	136	22	10	1		1134	15	2	8	10		24	44	63	129												
470.—BARTON-UPON-IRWELL.																														
Mean Popul ⁿ , 1861-71		21199	660	581	604	576	529		2950	2652	2458	2066	1863		3084	2356	1819	1108	610											
TOTAL DEATHS		4993	1300	407	189	125	100		2121	264	140	134	164		292	305	323	429	444											
Small-pox		15	5	1			1		7	3		2	2				1													
Measles		104	23	39	20	6	5		93	10	1																			
Scarlatina		233	7	36	34	34	27		158	77	12	3	2				1													
Diphtheria		29	2	4	5	4	4		18	4																				
Whooping-cough		77	35	23	7	5	1		71	6																				
Typhus		226	17	14	8	10	2		51	28	16	12	24		26	24	18	14												
Diarrhoea & Dysentery		275	172	45	5	4	2		228	2						4	7	8												
Cholera		21	5	1					6	3		1			2	2	3	1												
Other Zymotic Dis.		127	19	23	19	5	8		74	5	5	2	7		5	5	9	8												
Cancer		58																												
Scrofula and Tuberc.		109	40	8	8	4	4		64	14	12	7	2		3	1	5													
Fekimia		464	18	7	2	4	3		34	15	23	54	79		103	34	41	27												
Hydrocephalus		55	15	15	6	2	8		46	8	1																			
Dis. of Brain		617	298	37	14	8	7		334	14	9	7	4		23	25	40	54												
Dis. of Heart & Dropy		232	4	2	3	1	1		10	6	8	11	3		11	23	28	59												
Dis. of Lungs		839	201	80	30	22	14		333	19	2	4	7		26	60	74	107												
Dis. of Stom. and Liver		245	40	9	1	4	2		56	5	6	2	6		16	15	28	30												
Dis. of Kidneys		98		4	2	3			9	4	3	2	3		11	11	8	24												
Dis. of Genor. Organs																														
Dis. of Joints		30				1			1	2		1	2		3	2		2												
Dis. of Skin		9	4						4						1	3		1												
Childbirth and Metria		11																												
Violent Deaths		295	7	10	13	6	8		44	32	30	21	25		46	33	30	19												
Other Causes		814	418	49	6	4	3		490	10	4		2		7	15	29	31												
471.—CHORLTON.																														
Mean Popul ⁿ , 1861-71		90299	3081	2642	2587	2516	2357		13183	10653	9184	8876	9171		15256	10901	7201	3938	1541											
TOTAL DEATHS		23960	6916	2682	1209	738	538		12083	1086	407	502	712		1475	1716	1796	1858	1478											
Small-pox		119	26	7	4	5	6		46	7	3	5	15		14	10	7	1												
Measles		537	106	212	99	51	29		497	89	1																			
Scarlatina		1315	97	187	202	213	178		876	369	42	13	3		11		1													
Diphtheria		169	22	25	23	14	20		104	36	8	3	1		3	1	3	1												
Whooping-cough		726	279	226	103	53	35		708	19																				
Typhus		937	20	44	45	40	40		189	105	66	89	74		105	101	103	76												
Diarrhoea & Dysentery		1687	1128	318	50	18	12		1696	12	1	3	4		8	14	23	26												
Cholera		45	11	3	1		1		16	2	1	2			3	6	6	7												
Other Zymotic Dis.		549	84	104	75	47	30		340	35	19	9	9		27	21	32	32												
Cancer		180		1	2				3																					
Scrofula and Tuberc.		423	124	90	34	21	8		307	34	26	21	9		11	7	3	2												
Fekimia		2675	22	21	14	9	7		73	61	89	279	382		697	584	636	153												
Hydrocephalus		606	219	181	84	56	25		545	45	11	2																		
Dis. of Brain		3044	1871	241	180	55	34		1731	53	39	32	44		93	174	211	285												
Dis. of Heart & Dropy		840	9	15	9	6	5		39	21	16	36	35		109	149	153	154												
Dis. of Lungs		4457	1087	683	187	108	63		2023	83	21	36	43		183	304	300	614												
Dis. of Stom. and Liver																														

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	Total
469.—BURY.																		
Mean Popul ⁿ , 1861-71		54600	1562	1376	1404	1304	1308	6954	6108	5617	5624	5454	8660	6526	4762	2945	1448	461
ALL DEATHS		12199	2788	1100	524	351	248	4970	566	252	490	489	872	870	856	990	1033	714
pox		78	20	13	5	5	5	51	6	5	2	3	5	3	2	1	—	—
sc		209	44	77	40	18	14	199	9	1	—	—	—	—	—	—	—	—
tina		561	57	89	83	69	64	561	107	24	9	2	2	—	1	—	—	—
beria		63	6	14	8	3	7	38	19	1	—	—	—	—	—	—	—	—
ing-cough		225	84	71	50	24	12	221	4	—	—	—	—	—	—	—	—	—
ion & Dysentery		521	12	29	39	24	22	108	67	49	52	39	57	44	48	39	25	4
Zymotic Dis.		673	303	122	59	4	6	514	4	—	5	3	13	19	10	7	86	20
la and Tabes		23	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
is		350	34	55	56	41	29	212	35	7	10	9	9	10	15	15	15	2
cephalus		243	—	—	—	—	—	1	1	—	—	4	9	22	58	61	34	19
Brain		146	68	29	11	5	1	100	4	2	8	1	9	8	3	1	—	—
Heart & Dropsy		1285	18	21	13	6	2	60	22	67	227	285	392	390	140	61	22	5
Lungs		105	30	42	17	9	10	128	22	6	3	1	—	—	—	—	—	—
Stom. and Liver		1733	734	138	78	32	24	993	81	21	22	16	32	63	90	130	101	83
Kidneys		852	15	14	2	4	6	41	39	16	22	19	79	109	147	182	162	33
Gener. Organs		1889	425	258	78	51	39	842	38	18	16	22	56	90	143	236	256	145
Joint		581	35	7	4	4	2	52	13	11	17	26	45	60	102	118	62	24
Skin		88	—	2	3	3	2	10	6	—	7	3	17	10	11	12	6	5
Birth and Metris		54	—	—	—	—	—	1	—	1	3	4	4	11	10	7	1	3
Violent Deaths		43	1	—	2	—	—	3	4	2	6	1	4	6	3	6	6	1
Causes		15	2	—	—	—	—	2	—	—	—	—	—	1	1	4	5	1
Birth and Metris		195	—	—	—	—	—	—	—	—	7	36	82	67	3	—	—	—
Violent Deaths		24	—	—	—	—	—	—	—	—	—	2	5	2	7	6	1	1
Causes		142	10	9	15	21	6	61	18	10	7	1	8	10	3	6	11	5
Causes		1848	802	130	18	5	6	959	16	7	6	9	18	19	45	76	295	551
470.—BARTON-UPON-IRWELL.																		
Mean Popul ⁿ , 1861-71		24105	679	604	628	597	548	3056	2674	2536	2443	2522	3832	2810	2049	1262	689	213
ALL DEATHS		4826	1080	358	167	137	95	1837	195	140	162	189	376	322	327	445	430	327
pox		22	4	1	—	1	1	7	8	2	2	—	6	1	1	—	—	—
sc		95	18	39	13	7	8	87	8	—	—	—	—	—	—	—	—	—
tina		200	15	19	32	37	21	124	60	12	4	—	—	—	—	—	—	—
beria		36	6	3	4	5	2	20	9	3	2	1	—	—	—	—	—	—
ing-cough		78	32	25	11	5	4	77	1	—	—	—	—	—	—	—	—	—
ion & Dysentery		248	18	10	7	10	9	54	32	25	18	17	44	24	11	12	7	3
Zymotic Dis.		228	108	26	6	1	—	173	4	1	1	—	1	1	4	14	15	20
la and Tabes		16	2	1	—	—	—	3	—	2	—	2	2	2	1	1	2	1
is		114	11	14	11	11	13	60	9	2	5	4	6	5	7	7	6	3
cephalus		166	—	—	—	—	—	—	—	—	—	—	4	15	24	32	18	10
Brain		76	23	12	9	2	1	49	5	8	2	4	1	3	1	2	—	—
Heart & Dropsy		653	15	14	3	5	3	40	11	49	93	108	166	111	54	24	4	—
Lungs		40	11	12	4	—	—	32	5	3	—	—	—	—	—	—	—	—
Stom. and Liver		563	290	43	29	16	6	288	16	6	9	4	15	17	37	63	61	48
Kidneys		313	2	2	2	2	2	10	7	8	5	8	30	32	50	80	55	23
Gener. Organs		739	166	89	27	20	9	302	9	6	4	5	28	29	70	110	109	59
Joint		263	26	5	1	3	—	35	2	4	5	8	22	29	39	59	52	18
Skin		39	—	1	—	—	1	2	1	1	1	5	3	5	12	4	4	1
Birth and Metris		13	—	—	—	—	—	—	—	—	—	—	3	2	1	4	1	1
Violent Deaths		15	1	—	—	1	—	2	1	1	3	2	4	1	1	1	1	1
Causes		16	2	—	2	—	—	4	1	—	—	—	1	3	—	2	2	1
Birth and Metris		75	—	—	—	—	—	—	—	—	1	17	33	23	1	—	—	—
Violent Deaths		64	6	4	5	6	5	35	8	3	—	—	4	1	1	2	—	—
Causes		792	382	42	8	5	5	442	8	4	2	1	10	14	13	27	92	134
471.—CHORLTON.																		
Mean Popul ⁿ , 1861-71		100183	3123	2581	2632	2447	2351	13134	10817	9251	9396	10810	17907	12528	8528	5046	2239	560
ALL DEATHS		23778	5730	2571	1281	712	508	10832	1030	424	619	805	1759	1698	1759	1881	1771	937
pox		107	32	7	7	6	5	87	9	1	10	11	11	5	1	1	1	—
sc		506	84	197	112	67	22	482	20	2	—	1	1	—	—	—	—	—
tina		1904	71	212	245	184	153	870	310	60	9	13	9	3	—	—	—	—
beria		263	18	34	19	23	25	129	55	11	3	—	1	1	—	2	1	—
ing-cough		907	290	302	141	89	48	860	41	—	—	—	—	—	—	—	—	—
ion & Dysentery		1063	28	44	40	46	42	509	132	70	87	76	108	118	100	61	34	8
Zymotic Dis.		1355	961	362	99	11	5	1539	11	5	3	4	11	12	31	38	37	40
la and Tabes		27	6	2	—	—	—	8	2	1	—	—	2	4	2	5	—	—
is		453	78	70	60	46	27	291	38	5	8	9	22	22	24	14	8	—
cephalus		442	—	—	—	—	—	2	—	—	—	—	1	28	77	144	107	67
Brain		333	182	65	27	18	8	250	23	15	12	10	9	12	10	5	6	—
Heart & Dropsy		2844	25	23	11	7	7	77	32	88	904	417	827	564	236	92	24	1
Lungs		473	133	161	67	22	24	437	37	8	—	—	—	—	—	—	—	—
Stom. and Liver		2925	990	241	113	51	34	1429	86	41	29	39	88	135	204	271	246	115
Kidneys		1664	17	14	5	12	3	51	21	27	28	37	119	150	293	233	170	46
Gener. Organs		4389	844	560	216	111	55	1727	77	35	41	40	153	225	439	705	691	227
Joint		957	97	96	18	8	7	156	17	18	25	28	28	125	162	176	119	85
Skin		169	1	2	1	4	4	12	5	4	7	9	26	32	31	27	10	6
Birth and Metris		111	—	—	—	—	—	—	—	—	—	—	17	21	29	30	13	—
Violent Deaths		69	2	1	2	1	2	8	7	5	12	8	6	11	3	5	2	—
Causes		39	10	3	1	1	—	15	—	—	—	—	2	8	—	—	—	—
Birth and Metris		340	—	—	—	—	—	—	—	—	17	68	192	96	4	7	—	—
Violent Deaths		20	—	—	—	—	—	—	—	—	1	3	4	4	18	25	5	—
Causes		267	31	33	27	11	12	119	19	9	5	18	43	14	57	99	175	289
Causes		3778	1856	332	85	29	19	2320	36	11	11	—	—	—	—	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & over.	
472.—SALFORD.																			
a Popul., 861-71	61709	1962	1630	1616	1517	1453	8178	6614	5919	5982	6519	10732	7554	5217	3118	1430	407	39	
L DEATHS -	15545	3721	1817	848	510	333	7220	628	276	411	533	1026	1103	1174	1249	1166	616	134	
Cancer -	81	23	8	7	6	5	41	7	5	1	5	7	4	1	-	-	-	-	
Consumption -	304	67	151	92	41	30	354	15	3	1	1	5	2	-	-	-	-	-	
Diphtheria -	725	48	123	133	130	91	183	25	8	-	-	-	-	-	1	-	-	-	
Erysipelas -	113	13	20	18	22	9	82	17	6	3	1	-	-	1	-	1	-	-	
Whooping-cough -	612	187	227	114	56	33	610	30	1	-	1	-	-	-	-	-	-	-	
Scarlet & Dysentery -	818	24	32	45	36	27	188	93	6	69	52	85	120	85	53	29	5	1	
Typhoid Dis. -	1377	796	317	81	15	8	1187	8	3	-	5	13	17	22	28	23	28	-	
Typhus -	27	3	2	-	-	1	9	1	1	-	2	1	2	6	6	1	0	-	
Zymotic Dis. -	329	61	71	50	33	20	233	23	9	4	4	12	10	4	15	7	0	-	
Smallpox and Tabes -	292	-	-	-	-	-	-	-	-	-	3	22	48	87	83	30	11	2	
Typhoid -	293	64	63	23	9	5	164	18	7	6	2	4	4	1	-	-	-	-	
Erysipelas -	1561	11	11	14	10	7	53	33	60	205	282	414	307	127	40	10	-	-	
Brain -	226	75	70	29	17	15	201	17	2	-	1	-	-	-	-	-	-	-	
Heart & Dropsy -	1834	813	138	65	34	27	1677	40	16	24	26	55	77	124	155	169	65	4	
Lungs -	705	9	4	6	3	8	29	20	22	29	28	78	98	135	122	100	27	3	
Stom. and Liver -	2771	493	319	114	66	39	1022	58	12	18	22	97	195	334	444	419	151	21	
Kidneys -	514	38	21	8	7	2	76	12	13	10	16	38	64	101	108	69	25	2	
Joints -	128	1	4	2	1	2	10	10	5	9	7	17	21	21	13	15	-	-	
General Organs -	47	-	1	-	-	-	1	-	-	-	5	5	9	16	10	2	-	-	
Fevers -	57	3	1	1	-	3	8	6	7	8	5	1	2	9	6	3	1	-	
Skin -	43	15	3	3	-	-	21	1	-	2	2	3	1	4	3	4	2	-	
Rt and Metria -	218	-	-	-	-	-	-	-	-	7	49	102	58	2	-	-	-	-	
Violent Deaths -	17	-	-	-	-	-	-	-	-	-	1	1	5	9	1	-	-	-	
Causes -	239	25	22	24	12	9	92	37	6	4	4	20	17	8	16	17	16	2	
Total Deaths -	2174	932	210	54	19	19	1234	19	6	6	10	22	45	70	131	242	277	69	
473.—MANCHESTER.																			
a Popul., 861-71	129952	3919	3285	3205	3156	2977	16542	13677	12297	12696	13439	22164	16651	11654	6788	3081	852	111	
L DEATHS -	89583	8855	4440	2036	1309	878	17518	1576	712	940	1284	2897	3207	3352	3415	2904	1974	304	
Cancer -	291	48	22	16	11	5	162	21	9	17	19	21	9	2	1	-	-	-	
Consumption -	940	182	355	227	108	41	963	44	1	1	1	1	-	-	-	-	-	-	
Diphtheria -	1850	111	268	321	326	253	1299	431	88	17	5	8	2	-	-	-	-	-	
Erysipelas -	263	19	54	40	21	23	157	22	6	5	4	3	3	-	3	-	-	-	
Whooping-cough -	1449	454	466	220	147	73	1390	58	1	-	-	-	-	-	-	-	-	-	
Scarlet & Dysentery -	2127	29	64	90	80	81	344	200	166	163	159	262	314	283	178	69	14	-	
Typhoid Dis. -	3135	1748	770	157	52	14	2741	26	4	4	10	33	39	50	80	84	34	10	
Typhus -	67	3	4	-	2	2	13	4	1	3	4	8	9	11	10	2	2	-	
Zymotic Dis. -	759	97	144	124	81	51	497	58	18	21	15	34	31	21	32	22	9	1	
Smallpox and Tabes -	676	-	-	1	1	-	2	1	3	2	8	49	149	216	138	65	19	4	
Typhoid -	634	295	171	74	28	16	494	45	25	13	16	11	11	6	9	3	1	-	
Erysipelas -	4294	50	53	32	17	23	175	84	173	422	636	1216	907	490	177	41	3	-	
Brain -	558	180	173	75	35	29	490	55	11	-	-	2	-	-	-	-	-	-	
Heart & Dropsy -	4967	1602	303	103	81	54	2151	86	33	34	67	183	230	346	404	364	127	20	
Lungs -	1690	19	15	12	18	9	73	31	41	53	66	189	273	331	346	203	65	4	
Stom. and Liver -	7358	1298	856	331	196	117	2768	139	47	61	77	299	335	595	1215	944	318	19	
Kidneys -	1327	117	36	23	16	12	294	34	12	21	38	131	212	240	263	136	33	8	
Joints -	338	-	4	4	4	8	20	9	4	11	25	53	67	68	48	26	4	-	
General Organs -	150	-	1	1	-	2	2	-	-	5	6	33	32	40	17	20	3	-	
Fevers -	131	2	5	1	1	3	12	30	17	5	15	11	13	11	19	5	2	-	
Skin -	77	25	10	3	1	2	41	2	3	-	3	1	8	7	5	8	4	-	
Rt and Metria -	472	-	-	-	-	-	-	-	-	29	89	245	140	8	-	-	-	-	
Violent Deaths -	84	-	-	-	-	-	-	-	-	-	1	10	11	9	5	-	1	-	
Causes -	428	85	76	43	35	36	275	140	30	27	23	49	65	71	76	45	31	7	
Total Deaths -	6243	2399	540	140	60	21	3355	51	10	21	28	51	134	246	403	343	764	236	
474.—ASHTON-UNDER-LYNE.																			
a Popul., 861-71	70410	2020	1704	1653	1636	1610	8623	7433	6984	7212	7187	11380	8732	6536	3998	1810	478	37	
L DEATHS -	16563	3901	1512	665	468	317	8801	661	359	553	644	1271	1161	1210	1478	1372	816	137	
Cancer -	42	10	6	7	1	3	27	2	3	3	2	3	2	-	2	1	-	-	
Consumption -	437	81	167	89	52	15	465	28	3	3	1	-	-	-	-	-	-	-	
Diphtheria -	788	34	114	135	133	103	519	214	55	10	6	2	-	-	-	-	-	-	
Erysipelas -	73	5	14	8	6	10	43	18	5	-	3	1	2	1	-	-	-	-	
Whooping-cough -	379	147	127	49	17	27	567	9	2	-	1	-	-	-	-	-	-	-	
Scarlet & Dysentery -	584	17	27	35	35	50	135	79	56	53	46	67	46	41	33	22	6	-	
Typhoid Dis. -	662	494	148	18	15	3	639	8	1	4	4	10	22	19	37	48	27	2	
Typhus -	36	11	5	-	-	-	16	2	-	-	-	2	3	3	4	4	1	-	
Zymotic Dis. -	371	37	56	47	36	16	192	54	12	16	11	18	12	19	25	19	12	1	
Smallpox and Tabes -	231	-	-	-	-	1	1	-	-	-	2	21	47	63	50	30	9	-	
Typhoid -	163	51	37	9	6	2	165	9	7	-	6	6	9	9	13	7	4	-	
Erysipelas -	1217	20	12	12	12	6	62	27	93	321	371	600	396	1	93	97	-	-	
Brain -	122	66	56	21	16	10	169	15	6	-	-	-	-	-	-	-	-	-	
Heart & Dropsy -	2185	978	167	79	48	50	1312	57	23	25	24	65	84	150	106	166	77	6	
Lungs -	1195	7	17	6	5	5	40	25	29	31	40	118	157	221	231	206	46	4	
Stom. and Liver -	2379	583	317	95	60	25	1670	63	21	19	21	102	145	245	397	321	149	12	
Kidneys -	683	67	16	2	6	9	99	19	16	23	21	69	85	115	132	92	24	2	
Joints -	99	1	-	1	1	-	3	4	-	4	6	19	15	17	10	9	3	-	
General Organs -	64	-	1	-	-	-	5	-	-	2	2	9	12	20	13	4	1	-	
Fevers -	74	-	1	-	2	-	6	-	6	6	5	-	-	-	-	-	-	-	
Skin -	20	9	2	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	
Rt and Metria -	257	-	-	-	-	-	-	-	-	7	46	126	74	3	4	5	4	-	
Violent Deaths -	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Causes -	216	19	13	10	11	18	80	23	21	11	6	3	3	16	35	155	321	4	
Total Deaths -	2890	1261	234	41	17	8	1561	14	8	15	13	23	30	35	55	155	321	4	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years

CAUSES OF DEATH.	AGE.	AGES OF MALES.															
		475.—OLDHAM.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—
Mean Popul., 1861-71	58019	1874	1620	1601	1551	1486	8132	6795	6148	5825	5711	9074	6946	4897	2891	1241	
TOTAL DEATHS	15808	4684	1628	730	453	380	7884	758	553	399	408	797	929	1084	1289	1608	
Small-pox	77	23	8	4	7	4	40	12	1	7	5	8	2	2	-	-	
Measles	367	83	161	70	35	12	367	18	1	-	-	-	-	-	-	-	
Scarlatina	1032	57	147	186	140	143	679	286	51	12	3	5	-	1	1	-	
Diphtheria	92	17	21	6	11	8	63	19	2	1	-	-	3	-	2	-	
Whooping-cough	324	145	96	44	10	15	316	7	1	-	-	-	-	-	-	-	
Typhus	530	24	20	12	22	18	94	59	46	51	52	65	98	49	30	14	
Dysentery & Dysentery	755	402	143	29	10	2	646	10	2	4	1	2	7	9	25	28	
Cholera	40	12	3	-	1	1	17	2	1	1	1	2	6	10	12	7	
Other Zymotic Dis.	470	62	89	53	40	59	270	33	16	17	11	21	26	24	22	13	
Cancer	70	-	-	-	-	-	-	-	-	-	1	3	4	13	20	11	
Scrophula and Tuberc.	300	109	60	31	7	5	245	13	11	19	7	6	4	4	7	-	
Phthisis	1368	28	26	16	6	12	89	47	60	179	246	339	261	207	95	32	
Hydrocephalus	341	97	64	25	16	9	214	21	5	1	-	-	-	-	-	-	
Dis. of Brain	2129	1086	106	75	44	38	1386	71	28	24	25	53	75	95	132	143	
Dis. of Heart & Dropsy	777	17	11	3	6	10	47	35	25	15	18	58	100	132	178	128	
Dis. of Lungs	2754	822	322	103	49	20	1325	41	13	10	24	64	162	271	373	208	
Dis. of Stom. and Liver	605	84	10	8	7	2	111	20	17	21	14	46	61	102	113	75	
Dis. of Kidneys	139	1	2	3	1	8	5	4	1	7	19	15	19	37	28	19	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	46	-	-	2	-	1	8	4	4	6	4	3	7	4	7	3	
Dis. of Skin	30	15	-	3	-	2	20	1	5	1	1	1	1	1	1	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stillborn	88	-	-	-	-	-	-	-	-	1	-	2	12	13	27	18	
Other Violent Deaths	202	0	22	31	10	15	96	34	25	28	35	67	60	68	60	39	
Other Causes	2793	1029	245	47	9	13	1840	20	16	8	11	24	54	55	145	212	
476.—ROCHDALE.																	
Mean Popul., 1861-71	48366	1497	1336	1266	1210	1207	6516	5662	5258	4993	4597	7335	5851	4163	2515	1142	
TOTAL DEATHS	12333	3207	1183	508	375	259	5532	565	263	364	370	702	818	980	1087	976	
Small-pox	94	23	11	7	6	6	58	7	3	10	10	7	4	-	-	-	
Measles	327	80	127	57	29	18	311	16	-	-	-	-	-	-	-	-	
Scarlatina	715	38	106	103	129	60	469	197	53	11	2	3	-	-	-	-	
Diphtheria	63	13	13	6	5	7	44	11	2	1	2	-	3	-	-	-	
Whooping-cough	218	95	73	32	4	6	210	8	-	-	-	-	-	-	-	-	
Typhus	420	14	21	10	18	11	74	45	44	46	30	55	50	37	15	20	
Dysentery & Dysentery	623	313	91	16	2	5	427	9	4	2	3	4	7	11	22	12	
Cholera	42	5	2	1	4	-	12	-	-	1	-	4	5	6	5	5	
Other Zymotic Dis.	327	56	38	46	29	27	108	28	5	8	9	13	19	15	17	7	
Cancer	83	-	-	-	-	1	1	-	-	-	3	2	9	22	23	17	
Scrophula and Tuberc.	217	93	56	14	6	3	172	18	14	7	9	8	2	5	2	-	
Phthisis	1369	15	15	13	7	1	51	22	42	175	177	308	230	188	82	23	
Hydrocephalus	246	89	70	28	16	8	211	23	6	1	1	1	1	-	-	-	
Dis. of Brain	1600	675	123	61	36	28	918	56	20	20	25	41	66	90	127	156	
Dis. of Heart & Dropsy	611	14	12	6	6	6	43	24	14	15	13	20	71	114	184	96	
Dis. of Lungs	2244	659	269	68	48	17	901	34	11	12	29	75	160	235	343	206	
Dis. of Stom. and Liver	569	84	17	4	3	6	114	16	17	17	14	38	55	90	115	60	
Dis. of Kidneys	165	1	5	3	3	3	15	6	6	4	4	10	18	29	31	29	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	46	-	2	2	2	2	8	2	7	5	4	4	1	6	5	4	
Dis. of Skin	28	10	3	1	-	-	14	2	1	2	1	1	1	1	1	3	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stillborn	88	-	-	-	-	-	-	-	-	-	-	-	6	12	13	15	
Other Violent Deaths	404	12	16	17	14	9	68	31	19	24	26	44	55	63	47	14	
Other Causes	2036	1018	175	21	9	2	1223	4	9	2	9	28	49	76	104	221	
477.—HASLINGDEN.																	
Mean Popul., 1861-71	36097	1137	956	992	957	894	4936	4192	4064	3846	3516	5408	4156	3103	1862	792	
TOTAL DEATHS	5884	2361	708	315	238	157	4050	427	221	250	205	431	503	577	705	693	
Small-pox	20	3	2	-	-	-	5	1	1	-	3	5	3	2	-	-	
Measles	188	48	82	28	17	10	183	2	-	-	-	-	1	-	-	-	
Scarlatina	510	38	71	81	66	48	304	164	37	8	2	1	-	-	-	-	
Diphtheria	45	5	14	7	2	5	33	8	-	-	-	1	-	-	-	2	
Whooping-cough	168	86	54	13	9	5	167	1	-	-	-	-	-	-	-	-	
Typhus	306	12	15	10	7	8	50	45	17	26	33	40	31	18	26	15	
Dysentery & Dysentery	842	204	47	6	6	2	263	1	1	1	-	9	3	11	24	18	
Cholera	28	3	1	-	-	-	4	1	1	1	4	4	6	4	3	2	
Other Zymotic Dis.	269	40	46	35	35	12	168	23	7	11	4	9	14	11	9	6	
Cancer	51	1	-	-	-	-	1	-	1	-	-	1	6	14	15	11	
Scrophula and Tuberc.	197	93	40	7	5	-	145	11	15	3	6	6	5	3	1	2	
Phthisis	895	22	14	7	5	5	57	15	52	119	136	179	125	76	32	14	
Hydrocephalus	298	89	56	18	11	7	178	23	6	1	-	-	-	-	-	-	
Dis. of Brain	1182	506	73	22	16	18	635	48	21	15	10	27	45	80	96	121	
Dis. of Heart & Dropsy	411	4	3	2	6	-	15	7	16	6	14	27	40	75	92	66	
Dis. of Lungs	1550	469	172	48	32	19	739	50	10	12	15	47	80	114	184	200	
Dis. of Stom. and Liver	697	159	27	4	6	4	109	12	19	17	12	22	53	60	110	71	
Dis. of Kidneys	150	2	3	2	2	1	10	4	4	1	6	6	19	22	22	21	
Dis. of Genes. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	51	2	2	1	1	-	6	-	9	6	1	5	1	4	3	4	
Dis. of Skin	24	9	4	-	-	1	14	1	-	-	-	1	-	3	1	2	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stillborn	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	809	11	19	15	11	11	67	19	17	17	17	25	41	46	39	27	
Other Causes	1141	745	55	9	2	1	812	3	5	6	13	13	13	46	59	107	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	80—
475.—OLDHAM.																		
n Popul ⁿ , 1861-71		61110	1917	1646	1636	1526	1603	8328	6870	6198	6032	5994	9916	7467	5261	3140	1463	410
L DEATHS		14644	3628	1005	708	454	335	6733	702	276	456	512	1010	966	952	1114	1133	673
pox		55	6	2	6	4	2	20	6	7	8	5	8	1	1	-	-	-
measles		400	96	164	91	24	15	380	19	-	-	-	-	1	-	-	-	
diphtheria		950	51	138	139	139	123	630	263	42	8	4	2	1	-	-	-	
scarlatina		19	13	14	17	7	11	62	24	6	-	2	3	1	-	-	1	
croup		401	160	124	52	29	29	383	16	-	-	-	-	-	-	-	-	
whooping-cough		467	17	23	15	23	19	97	50	43	57	41	52	44	45	81	21	
diarrhoea & Dysentery		608	364	154	15	10	5	518	5	3	1	6	15	7	5	5	4	
typhoid fever		46	8	3	1	-	3	15	2	-	-	-	4	6	5	4	1	
zymotic Dis.		440	53	75	63	48	37	296	62	8	7	11	17	16	15	26	17	
consumption		290	-	-	-	-	-	1	-	-	-	1	8	30	58	53	38	
scrophulous		214	124	56	20	3	3	206	6	7	5	5	4	2	4	3	1	
fever		1713	32	27	7	5	5	76	44	69	256	294	473	290	151	59	80	
typhus		109	72	48	17	10	5	132	14	3	-	-	-	-	-	-	-	
Brain		1706	608	184	63	50	28	1021	89	32	17	29	41	64	76	129	150	
Heart & Dropsy		961	18	11	7	4	9	49	35	20	26	25	34	124	186	156	155	
Lungs		2346	672	302	101	57	33	1065	88	8	15	23	72	129	228	328	314	
Stomach and Liver		614	71	14	9	8	4	106	14	10	10	17	51	74	91	117	69	
Kidneys		61	1	-	1	3	-	5	4	1	4	4	9	8	9	11	5	
Gener. Organs		53	-	-	-	-	-	-	-	-	-	-	4	17	12	13	6	
Joins		38	2	1	-	-	-	3	5	1	-	2	6	5	5	4	8	
Skin		30	8	4	3	1	2	18	-	-	-	2	1	2	-	4	2	
Birth and Metris		293	-	-	-	-	-	-	-	-	11	61	122	96	3	-	-	
Violent Deaths		24	-	-	-	-	-	-	-	-	-	-	3	2	5	3	1	
Causes		131	12	10	17	8	6	53	22	8	5	2	5	11	3	5	10	
		2475	1290	241	54	21	10	1576	13	7	9	6	24	55	45	108	299	
476.—ROCHDALE.																		
n Popul ⁿ , 1861-71		52440	1507	1304	1350	1221	1203	6585	5745	5341	5476	5356	8492	6443	4587	2705	1293	383
L DEATHS		11727	2532	1168	524	348	265	4887	566	283	408	482	854	824	768	948	978	620
pox		61	12	8	9	3	5	37	6	5	5	6	5	-	-	-	-	
measles		294	66	123	62	21	9	271	11	1	1	-	-	-	-	-	-	
diphtheria		708	45	98	101	109	94	447	205	33	5	7	7	3	1	-	-	
scarlatina		49	8	6	7	7	5	98	7	4	-	1	-	-	-	1	-	
croup		294	113	98	36	20	12	279	15	-	-	-	-	-	-	-	-	
whooping-cough		467	11	25	18	16	17	87	64	46	56	35	61	48	20	22	17	
diarrhoea & Dysentery		457	267	72	18	1	2	399	6	-	-	5	3	6	10	19	28	
typhoid fever		28	7	2	-	-	1	10	3	1	-	1	1	2	2	3	3	
zymotic Dis.		285	41	44	31	38	22	176	29	6	3	6	6	13	9	12	17	
consumption		217	-	-	-	-	-	1	-	-	-	1	7	44	57	74	21	
scrophulous		164	55	48	4	9	8	124	8	4	6	6	2	7	5	2	-	
fever		1422	7	14	6	6	10	43	24	65	218	244	378	251	131	49	16	
typhus		206	64	59	21	10	14	108	26	11	-	-	1	-	-	-	-	
Brain		1425	508	133	65	37	23	761	50	29	21	27	36	53	88	116	137	
Heart & Dropsy		749	11	9	2	3	2	27	16	33	20	35	74	87	122	161	129	
Lungs		1835	451	228	91	35	22	827	33	11	21	26	77	98	136	244	243	
Stomach and Liver		613	64	16	2	3	1	86	18	12	19	22	47	79	99	119	81	
Kidneys		98	1	2	2	6	6	17	3	3	8	1	17	15	14	10	6	
Gener. Organs		41	-	-	-	-	-	-	-	-	-	-	1	8	7	12	6	
Joins		37	2	1	1	1	-	5	5	3	4	2	1	9	5	1	2	
Skin		20	6	2	1	-	-	9	-	-	-	-	2	-	1	1	3	
Birth and Metris		302	-	-	-	-	-	-	-	-	7	42	91	60	2	-	-	
Violent Deaths		83	-	-	-	-	-	-	-	-	-	-	3	3	8	5	6	
Causes		125	7	8	12	8	5	40	15	10	1	6	6	5	10	8	13	
		1904	851	172	55	15	4	1077	12	6	3	5	21	29	32	50	232	
477.—HASLINGDEN.																		
n Popul ⁿ , 1861-71		38772	1165	1028	976	959	941	5069	4355	4197	4192	3980	6047	4558	3308	1913	888	236
L DEATHS		8326	1967	809	323	219	188	3530	390	187	322	342	635	532	569	635	684	388
pox		17	5	1	1	-	1	3	-	-	2	3	1	1	2	-	-	-
measles		221	53	102	31	18	10	214	4	1	1	-	1	-	-	-	-	
diphtheria		523	28	63	82	76	74	325	152	32	7	4	3	-	-	-	-	
scarlatina		41	7	5	5	5	4	29	12	1	1	1	-	-	-	-	-	
croup		225	89	86	20	20	5	220	4	-	-	-	-	-	-	-	-	
whooping-cough		335	11	20	7	13	11	62	38	25	50	25	37	32	29	18	14	
diarrhoea & Dysentery		358	176	48	9	3	-	236	4	1	2	4	13	12	13	17	25	
typhoid fever		28	8	2	-	-	-	11	2	1	-	1	1	2	2	5	2	
zymotic Dis.		293	37	42	32	41	24	176	39	6	7	10	11	13	14	12	9	
consumption		142	-	-	-	-	1	1	-	-	-	1	2	18	44	43	28	
scrophulous		170	79	39	10	1	1	130	6	7	7	6	5	5	3	1	-	
fever		932	21	12	5	3	3	44	13	56	167	155	242	189	84	88	11	
typhus		162	69	61	13	9	7	149	17	3	1	-	1	-	-	-	-	
Brain		1035	373	53	33	21	21	593	26	12	21	18	34	42	78	108	132	
Heart & Dropsy		519	5	5	2	1	2	15	5	13	11	15	60	60	100	114	82	
Lungs		1307	340	177	55	20	16	608	25	8	12	16	45	61	81	155	197	
Stomach and Liver		561	98	25	3	3	1	128	19	9	12	27	57	51	78	90	72	
Kidneys		74	2	1	-	-	1	4	3	2	3	4	7	13	7	14	13	
Gener. Organs		19	-	-	-	-	-	-	-	-	-	-	6	2	1	4	1	
Joins		37	-	-	-	-	-	-	3	3	3	-	1	-	6	4	1	
Skin		21	7	2	-	-	-	9	2	1	-	-	1	-	2	1	5	
Birth and Metris		294	-	-	-	-	-	-	-	-	7	-	41	35	-	-	-	
Violent Deaths		12	-	-	-	-	-	-	-	-	-	-	2	2	3	2	10	
Causes		978	9	12	7	6	3	37	22	4	2	5	5	7	8	14	20	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.												Total under 1 Year.	Total under 5 Years.	
		1	2	3	4	5	10	15	20	25	30	35	40	45	50	
478.—BURNLEY.																
Mean Popul ⁿ . 1861-71	30860	1234	1142	1110	1052	1041	5579	4765	4348	4166	3794	5887	4588	3390	2081	961
TOTAL DEATHS	10054	3089	1045	418	260	190	5002	445	216	339	310	468	527	591	776	799
Small-pox	87	9	4	8	1	—	22	2	1	2	1	6	1	—	2	—
Measles	234	39	94	35	20	15	223	10	1	—	—	—	—	—	—	—
Scarlatina	502	27	87	87	71	68	340	126	14	5	3	3	1	—	—	—
Diphtheria	55	10	8	14	6	7	45	5	1	1	—	—	—	—	—	—
Whooping-cough	214	96	73	19	15	8	211	3	—	—	—	—	—	—	—	—
Typhus	441	35	24	21	16	11	98	70	38	41	41	43	33	24	27	14
Diarrhea & Dysentery	301	254	60	7	5	2	828	7	3	1	2	5	1	8	15	15
Cholera	49	15	4	2	1	1	23	1	—	1	1	2	2	5	6	4
Other Zymotic Dis.	379	30	54	36	39	30	166	33	4	5	3	11	14	12	13	13
Cancer	74	—	—	—	—	—	—	—	—	—	—	—	—	10	28	21
Scrophula and Tuberc.	104	63	44	7	6	1	126	14	11	13	6	16	4	4	5	3
Fistula	1100	31	39	17	11	6	104	19	43	163	165	204	153	118	85	58
Hydrocephalus	117	28	22	14	7	6	97	16	4	—	—	—	—	—	—	—
Dis. of Brain	1597	925	92	33	18	8	1076	24	14	24	13	19	42	71	110	128
Dis. of Heart & Dropsy	527	10	6	4	3	4	27	19	16	14	18	39	65	75	112	104
Dis. of Lungs	1581	476	221	28	23	18	590	32	6	21	15	29	67	116	182	150
Dis. of Stom. and Liver	487	73	17	11	3	3	109	14	21	11	9	31	68	76	78	67
Dis. of Kidneys	136	1	—	2	1	1	5	7	5	7	7	4	7	15	26	24
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	47	4	3	1	—	—	8	11	7	—	4	3	—	3	5	1
Dis. of Skin	23	7	1	2	1	—	11	—	—	2	—	—	—	—	1	6
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	371	5	10	12	9	7	49	16	18	18	19	31	28	25	26	22
Other Causes	1005	227	166	28	3	4	1128	7	2	7	1	12	21	16	28	149
479.—CLITHEROE.																
Mean Popul ⁿ . 1861-71	10460	292	284	254	262	258	1350	1199	1222	1076	862	1347	1182	954	691	408
TOTAL DEATHS	2189	494	153	55	46	24	772	70	52	68	55	94	123	116	195	228
Small-pox	11	3	—	2	1	—	6	—	—	—	1	—	—	1	1	—
Measles	24	9	15	7	2	—	31	3	—	—	—	—	—	—	—	—
Scarlatina	72	8	19	7	18	4	47	10	4	—	2	—	—	—	—	—
Diphtheria	15	—	8	2	—	3	8	1	3	—	—	—	—	1	—	—
Whooping-cough	35	17	16	2	1	2	32	3	—	—	—	—	—	—	—	—
Typhus	68	2	2	3	2	2	11	7	2	—	5	6	7	4	8	5
Diarrhea & Dysentery	48	29	5	1	—	—	35	—	—	—	—	—	2	1	—	—
Cholera	3	—	1	—	—	—	1	—	—	—	—	—	—	1	1	—
Other Zymotic Dis.	62	8	4	3	5	—	20	6	5	1	1	2	4	—	8	7
Cancer	9	—	—	—	—	—	—	—	—	—	—	1	1	1	1	1
Scrophula and Tuberc.	45	19	5	5	—	1	30	3	4	2	1	1	2	—	1	1
Fistula	146	—	1	—	—	—	1	3	2	32	27	46	34	19	15	7
Hydrocephalus	22	13	2	2	1	—	18	4	—	—	—	—	—	—	—	—
Dis. of Brain	315	107	22	7	6	1	143	6	4	2	1	9	11	23	37	44
Dis. of Heart & Dropsy	136	—	1	1	1	2	5	3	2	2	5	10	12	27	27	47
Dis. of Lungs	347	77	43	6	5	3	134	4	6	4	5	7	17	20	45	61
Dis. of Stom. and Liver	134	7	2	—	1	—	10	2	6	6	5	5	15	16	19	30
Dis. of Kidneys	40	—	—	—	—	—	—	2	—	—	2	1	3	3	9	17
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	17	—	—	—	—	1	1	3	—	3	—	2	—	2	—	—
Dis. of Skin	8	1	1	—	—	—	3	—	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	54	2	1	1	1	2	7	4	4	7	2	3	8	5	5	5
Other Causes	479	192	25	8	2	2	229	1	2	1	1	3	7	6	13	60
480.—BLACKBURN.																
Mean Popul ⁿ . 1861-71	63102	2247	1920	1845	1797	1663	9472	7726	7279	6437	5804	9348	7215	4976	2978	1400
TOTAL DEATHS	17432	5878	1962	813	489	343	9475	689	339	519	590	869	947	1063	1148	1103
Small-pox	37	5	1	5	2	—	16	2	6	—	4	1	2	—	—	—
Measles	474	123	203	79	49	21	475	10	1	—	—	—	—	—	—	—
Scarlatina	794	38	132	137	125	98	370	188	22	8	4	2	—	—	—	—
Diphtheria	36	5	10	4	3	4	25	4	1	1	3	1	—	—	—	—
Whooping-cough	236	153	92	45	18	10	318	8	—	—	—	—	—	—	—	—
Typhus	677	30	40	41	28	26	165	96	53	69	64	76	49	55	33	9
Diarrhea & Dysentery	1000	685	164	21	4	5	809	6	5	2	7	12	11	10	17	37
Cholera	44	4	5	2	—	1	15	4	—	1	—	1	3	8	9	4
Other Zymotic Dis.	513	76	124	82	50	31	563	26	12	8	11	8	18	18	19	14
Cancer	83	—	—	—	—	—	—	—	—	1	1	5	8	16	28	24
Scrophula and Tuberc.	425	206	84	35	10	6	341	22	22	10	6	11	6	2	4	—
Fistula	1089	76	50	17	11	7	161	25	52	228	248	395	1	168	87	36
Hydrocephalus	298	120	75	25	15	8	248	20	3	1	—	—	—	—	—	—
Dis. of Brain	2327	1173	182	73	33	30	1511	63	28	24	50	65	75	113	155	132
Dis. of Heart & Dropsy	760	70	22	9	8	9	118	24	19	29	21	53	90	105	126	129
Dis. of Lungs	3481	1121	452	156	72	49	1880	81	19	35	37	92	191	238	361	343
Dis. of Stom. and Liver	657	155	24	5	2	6	191	19	27	23	23	42	73	101	91	51
Dis. of Kidneys	192	5	3	3	1	3	15	6	2	9	4	21	18	33	37	26
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	73	—	2	1	1	1	5	—	—	—	—	—	—	1	—	—
Dis. of Skin	29	8	2	2	—	—	12	7	9	13	3	5	—	13	6	8
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	594	5	30	25	29	23	113	30	44	27	23	10	12	69	74	59
Other Causes	2200	1797	235	24	8	6	2670	7	5	7	5	22	28	27	27	22

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																		
		Total under 1 Year.				Total under 5 Years.														
		1	2	3	4	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--	95--	105--	115--	125--
481.—CHORLEY.																				
Mean Popul ⁿ , 1861-71	20092	640	597	603	504	537	2971	2526	2386	2096	1761	2675	2172	1809	1322	705	235	11	1	1
TOTAL DEATHS	4885	1353	408	170	118	86	2155	245	118	162	145	204	261	278	411	489	340	11	1	1
Small-pox	27	6	3	3	3	—	14	—	—	4	3	4	2	—	—	—	—	—	—	—
Measles	89	13	48	14	3	4	82	7	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	211	15	29	28	32	28	121	65	8	5	1	—	—	—	—	—	—	—	—	—
Diphtheria	26	4	2	1	4	2	13	9	2	—	2	—	—	—	—	—	—	—	—	—
Whooping-cough	97	37	20	8	8	1	94	3	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	191	9	11	10	6	9	45	28	17	18	10	18	11	18	14	18	18	18	18	18
Diarrhoea & Dysentery	164	82	27	9	5	2	123	2	1	1	1	—	—	—	—	—	—	—	—	—
Cholera	19	7	1	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	188	25	34	24	22	9	114	28	6	4	2	3	9	8	3	3	4	4	4	4
Cancer	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophula and Tuberc.	99	38	17	2	—	—	60	7	7	1	4	5	4	5	5	5	5	5	5	5
Phthisis	440	5	12	2	—	1	20	10	24	72	76	69	65	61	50	51	2	2	2	2
Hydrocephalus	43	25	10	1	2	2	40	3	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	560	263	28	17	3	4	315	18	10	10	6	10	25	24	54	51	51	51	51	51
Dis. of Heart & Dropsy	215	8	—	1	1	2	7	15	5	6	5	11	19	25	58	62	62	62	62	62
Dis. of Lungs	791	192	65	50	11	10	595	21	7	7	9	29	48	64	108	123	123	123	123	123
Dis. of Stom. and Liver	194	16	1	—	—	—	20	—	—	—	—	13	23	28	51	59	59	59	59	59
Dis. of Kidneys	84	—	—	—	1	—	1	1	—	5	4	5	11	7	7	7	7	7	7	7
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints	16	—	—	1	—	—	1	3	4	—	1	1	2	—	—	—	—	—	—	—
Dis. of Skin	8	4	1	—	—	—	5	—	—	1	—	1	—	—	—	—	—	—	—	—
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	27	—	—	—	—	—	—	—	—	—	—	1	5	4	6	7	7	7	7	7
Other Violent Deaths	236	11	19	10	8	10	28	20	16	20	8	21	22	26	28	28	28	28	28	28
Other Causes	1133	878	80	3	6	—	673	5	3	3	4	4	10	15	51	112	167	167	167	167
482.—PRESTON.																				
Mean Popul ⁿ , 1861-71	53198	1731	1570	1487	1471	1376	7635	6404	5886	5568	4845	7611	5937	4390	2922	1475	458	18	1	1
TOTAL DEATHS	15887	5086	1050	690	424	205	8065	656	316	416	435	885	932	965	1100	1325	749	18	1	1
Small-pox	39	9	1	3	1	2	16	5	4	2	4	6	—	2	—	—	—	—	—	—
Measles	412	90	174	78	31	29	305	12	3	1	1	—	—	—	—	—	—	—	—	—
Scarlatina	963	31	99	104	119	55	419	129	45	10	4	3	1	—	—	—	—	—	—	—
Diphtheria	137	17	36	24	17	12	106	22	3	1	1	1	2	—	—	—	—	—	—	—
Whooping-cough	309	163	87	46	21	5	327	11	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	465	10	19	18	28	17	37	49	25	87	28	60	32	52	26	26	26	26	26	26
Diarrhoea & Dysentery	1376	988	214	26	5	5	1238	12	3	10	6	15	10	22	30	30	30	30	30	30
Cholera	62	20	5	2	1	—	30	3	—	—	1	3	1	13	7	7	7	7	7	7
Other Zymotic Dis.	432	70	103	56	54	23	308	33	8	7	3	11	13	11	10	17	17	17	17	17
Cancer	120	—	—	—	—	1	1	1	—	—	1	1	16	19	31	39	39	39	39	39
Scrophula and Tuberc.	332	126	70	27	10	7	240	25	22	8	11	13	5	3	2	2	2	2	2	2
Phthisis	1063	32	27	15	16	7	97	30	54	201	245	441	300	162	87	87	87	87	87	87
Hydrocephalus	252	124	68	19	9	9	224	22	6	—	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	1828	895	140	62	35	26	1138	69	22	20	16	46	67	82	138	163	163	163	163	163
Dis. of Heart & Dropsy	685	8	1	8	1	6	18	15	22	17	23	50	70	101	127	160	160	160	160	160
Dis. of Lungs	2918	804	363	135	60	39	1385	65	20	23	29	61	168	272	363	369	369	369	369	369
Dis. of Stom. and Liver	613	124	17	9	8	6	164	14	16	16	16	39	72	91	97	97	97	97	97	97
Dis. of Kidneys	241	3	5	3	3	5	18	16	7	8	8	19	32	40	41	41	41	41	41	41
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Dis. of Joints	69	1	2	2	4	—	10	8	11	6	8	3	7	5	5	5	5	5	5	5
Dis. of Skin	82	7	2	2	1	—	12	—	1	2	2	—	—	2	1	1	1	1	1	1
Childbirth and Metris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	49	—	—	—	—	—	—	—	—	—	4	7	8	13	10	10	10	10	10	10
Other Violent Deaths	494	91	34	25	20	10	110	43	39	55	35	51	53	45	28	28	28	28	28	28
Other Causes	2727	1471	185	35	7	6	1704	12	5	8	10	32	55	74	91	91	91	91	91	91
483.—FYLDE.																				
Mean Popul ⁿ , 1861-71	13371	410	365	378	365	347	1865	1601	1705	1402	966	1624	1399	1185	845	485	180	1	1	1
TOTAL DEATHS	3096	742	214	105	99	45	1203	113	54	98	111	198	197	187	239	315	209	1	1	1
Small-pox	18	3	—	2	—	—	5	—	1	—	2	2	2	—	—	—	—	—	—	—
Measles	39	9	15	9	3	1	37	2	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	92	3	15	17	16	9	60	20	3	2	—	1	—	—	—	—	—	—	—	—
Diphtheria	14	1	2	1	3	1	8	2	1	2	—	—	1	—	—	—	—	—	—	—
Whooping-cough	35	12	19	6	3	1	34	1	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	98	18	4	3	8	1	34	9	6	10	8	7	5	2	7	4	4	4	4	4
Diarrhoea & Dysentery	89	68	7	—	1	—	76	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	11	3	2	—	—	—	5	—	—	—	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	108	12	21	11	18	10	72	9	4	2	1	2	1	2	5	3	3	3	3	3
Cancer	29	—	—	—	—	—	—	—	—	—	2	1	3	3	8	7	7	7	7	7
Scrophula and Tuberc.	64	25	13	7	2	1	48	3	2	4	1	3	1	1	1	1	1	1	1	1
Phthisis	274	1	2	—	—	—	7	6	8	33	33	71	47	27	20	11	11	11	11	11
Hydrocephalus	70	24	15	8	6	3	68	6	5	1	—	—	—	—	—	—	—	—	—	—
Dis. of Brain	358	112	18	12	7	3	132	9	6	11	9	10	22	30	50	48	48	48	48	48
Dis. of Heart & Dropsy	143	6	2	2	1	—	11	10	—	2	—	6	23	15	22	22	22	22	22	22
Dis. of Lungs	398	110	40	16	9	4	182	7	3	1	6	18	20	27	30	30	30	30	30	30
Dis. of Stom. and Liver	215	28	3	1	—	—	94	3	2	4	5	18	27	37	38	38	38	38	38	38
Dis. of Kidneys	43	—	—	—	—	—	3	—	1	1	3	3	6	4	3	3	3	3	3	3
Dis. of Genes. Organs	2	—	—	—	—	—														

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
481.—CHORLEY.																			
Mean Popul ⁿ , 1861-71		21649	635	592	617	558	560	2962	2537	2397	2276	1997	3096	2353	1871	1248	634	246	32
ALL DEATHS -		4663	1082	403	198	100	71	1854	202	110	212	201	317	289	271	380	368	337	92
pox -		26	7	3	3	1	2	16	2	1	2	3	1	-	1	-	-	-	1
sc -		92	21	36	29	9	1	87	4	1	-	-	-	-	-	-	-	-	
tina -		189	12	24	39	17	22	114	62	11	-	1	1	-	-	-	-	-	
beria -		22	3	4	3	1	2	13	6	2	-	-	-	-	-	1	-	-	
ping-cough -		130	64	37	14	6	3	124	6	-	-	-	20	16	9	7	5	2	
na & Dysentery -		213	7	7	10	11	4	39	84	21	32	28	4	6	9	4	10	6	
a -		147	72	24	5	-	-	101	2	2	2	2	2	-	1	1	-	-	
Zymotic Dis. -		9	2	-	1	-	1	4	2	-	-	-	3	1	3	7	9	2	
171		34	31	25	18	13	13	121	11	7	4	3	3	1	3	7	9	2	
la and Tabes -		53	-	-	-	-	-	-	-	-	-	1	3	3	13	18	13	2	
is -		80	28	20	5	2	1	56	-	3	6	2	3	8	1	1	-	-	
cephalus -		684	5	12	5	-	1	23	17	37	123	111	158	94	33	36	11	1	
27		15	5	2	2	1	1	25	1	-	-	-	-	-	-	-	-	-	
Brain -		487	202	29	16	5	1	233	11	7	5	4	16	19	22	55	59	31	
Heart & Dropsy -		243	4	2	2	-	2	10	1	5	2	12	28	27	40	49	48	21	
Lungs -		710	140	75	27	19	10	271	23	4	20	3	24	36	35	103	105	60	
Stom. and Liver -		190	17	4	3	1	-	25	4	1	4	5	15	22	29	46	30	7	
Kidneys -		20	1	-	-	-	-	1	2	-	1	2	2	2	5	2	-	-	
Gener. Organs -		14	-	-	-	-	-	-	-	-	-	-	2	4	3	4	1	-	
Joints -		6	-	1	-	-	1	2	1	1	-	-	1	-	-	-	1	-	
Skin -		9	4	2	-	-	1	7	-	-	1	-	-	-	1	-	-	-	
irth and Metria -		95	-	-	-	-	-	-	-	-	4	19	30	40	2	-	-	-	
e -		6	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	-	
Violent Deaths -		59	3	8	3	5	3	22	8	3	2	1	1	1	5	2	7	5	
Causes -		1001	441	79	15	3	2	540	6	4	3	3	2	8	21	41	97	200	76
482.—PRESTON.																			
Mean Popul ⁿ , 1861-71		59987	1765	1563	1480	1467	1398	7673	6454	6108	6139	6161	9665	7071	5209	3287	1650	507	63
ALL DEATHS -		15634	4089	1520	684	448	306	7047	509	293	527	576	1162	1099	1014	1242	1163	764	178
pox -		46	12	1	2	2	2	19	5	5	5	4	5	2	-	1	-	-	-
sc -		439	99	163	71	41	29	403	15	-	-	-	2	-	-	-	-	-	-
tina -		648	39	106	106	101	81	433	103	90	9	4	5	2	-	-	-	-	-
beria -		142	27	35	19	20	17	118	18	3	2	-	-	-	-	-	1	-	-
ping-cough -		433	178	136	74	37	15	440	13	-	-	-	81	62	50	32	3	-	-
a -		587	10	27	28	16	17	58	78	40	50	34	59	81	62	50	32	3	-
na & Dysentery -		1267	825	179	34	8	3	1049	10	2	5	4	16	15	19	29	31	26	1
a -		37	20	2	1	2	-	25	2	1	-	-	3	3	3	3	-	-	-
Zymotic Dis. -		421	55	83	64	62	39	303	27	8	5	5	10	13	14	18	14	4	-
273		-	-	-	-	-	1	2	-	-	-	6	18	35	69	69	57	15	2
la and Tabes -		250	80	60	24	13	8	185	22	12	9	8	9	1	2	2	-	-	-
is -		2678	32	27	14	13	7	163	30	88	303	338	584	381	158	75	22	6	-
cephalus -		215	77	57	23	15	11	183	29	8	1	-	1	-	-	-	-	-	-
Brain -		1619	676	111	41	33	22	881	57	25	24	16	43	68	95	136	176	81	15
Heart & Dropsy -		760	11	2	2	7	2	24	19	19	31	29	77	109	124	168	119	46	6
Lungs -		2732	641	334	118	47	34	1174	42	12	27	43	114	157	256	408	345	160	27
Stom. and Liver -		682	106	35	4	5	3	143	14	14	15	19	37	80	87	102	89	31	1
Kidneys -		151	2	5	4	1	-	12	2	4	4	10	23	19	25	27	19	3	-
Gener. Organs -		61	-	-	-	-	-	-	-	2	1	7	7	7	18	16	6	4	-
Joints -		39	2	2	1	1	1	7	6	10	4	2	4	8	7	5	5	1	-
Skin -		29	9	5	1	2	1	18	-	-	-	1	1	3	2	-	2	-	-
irth and Metria -		221	-	-	-	-	-	-	-	-	12	43	66	72	8	-	-	-	-
e -		15	-	-	-	-	-	-	-	-	-	2	1	2	8	-	-	-	-
Violent Deaths -		193	17	18	17	9	8	69	36	9	7	2	10	10	14	13	9	16	4
Causes -		2845	1171	142	36	12	5	1369	8	3	12	5	27	50	41	97	245	363	128
483.—FYLD.																			
Mean Popul ⁿ , 1861-71		14783	384	358	365	361	328	1796	1655	1566	1423	1415	2170	1741	1360	910	522	198	27
ALL DEATHS -		2958	677	164	115	79	60	995	137	71	85	119	218	208	192	270	307	255	88
pox -		19	6	-	1	1	-	8	2	1	2	-	5	1	-	-	-	-	-
sc -		38	6	12	9	4	4	35	3	-	-	-	-	-	-	-	-	-	-
na -		112	9	12	13	16	17	67	33	6	1	3	1	-	1	-	-	-	-
beria -		30	2	4	5	4	3	18	9	-	2	-	-	1	-	-	-	-	-
ping-cough -		39	14	13	7	-	1	35	3	1	-	-	-	-	-	-	-	-	-
a -		117	18	4	9	4	3	33	12	10	9	13	9	6	10	7	7	1	-
na & Dysentery -		98	55	10	1	-	1	67	1	1	1	3	1	1	3	11	6	2	1
a -		10	2	-	-	-	-	2	-	-	-	-	3	1	2	6	4	1	1
Zymotic Dis. -		85	6	9	19	8	7	49	7	6	1	3	4	1	2	6	4	1	1
44		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
la and Tabes -		53	13	13	4	-	1	31	6	-	5	2	6	4	10	17	11	1	-
is -		567	3	4	1	2	1	11	4	15	38	55	85	71	53	24	11	2	-
cephalus -		44	14	9	3	3	3	22	10	1	-	-	-	-	-	-	-	-	-
Brain -		338	90	10	14	8	5	127	14	8	8	2	16	22	11	41	37	23	6
Heart & Dropsy -		105	-	2	-	3	3	8	3	7	5	5	11	16	26	30	27	14	1
Lungs -		329	71	23	13	15	7	139	10	3	1	6	11	16	24	50	59	24	5
Stom. and Liver -		216	19	2	1	1	1	21	5	8	6	6	24	20	29	39	32	16	1
Kidneys -		25	1	-	-	-	-	1	1	-	-	-	1	2	4	6	4	-	-
Gener. Organs -		15	-	-	-	-	-	-	-	-	-	-	2	3	4	4	-	-	-
Joints -		22	1	2	-	1	-	4	1	1	1	1	4	4	2	2	-	-	-
Skin -		6	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
irth and Metria -		56	-	-	-	-	-	-	-	-	2	9	28	14	3	-	-	-	-
e -		2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Violent Deaths -		47	4	7	4	4	2	21	8	3	2	2	1	5	11	2	3	16	16
Causes -		649	247	13	11	6	-	282	9	-	3	-	5	1	11	11	18	89	16

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--
484.—GARSTANG.																	
an Popul ⁿ , 1861-71	5935	174	160	181	154	166	835	740	657	557	496	783	650	482	375	253	92
TOTAL DEATHS -	1114	191	54	26	33	24	323	60	80	39	47	82	69	58	80	131	142
i-pox - - -	16	3	6	3	2	-	14	1	1	-	-	-	-	-	-	-	-
les - - -	46	2	3	5	8	4	22	17	3	1	2	1	-	-	-	-	-
stria - - -	28	2	1	2	2	5	12	8	6	1	1	-	-	-	-	-	-
oping-cough -	19	10	4	2	2	1	19	-	-	-	-	-	-	-	-	-	-
us - - -	38	2	1	-	3	-	6	7	4	-	3	4	4	1	4	-	1
thous & Dysentery	30	19	1	-	-	1	21	-	-	-	-	-	-	-	-	1	1
ra - - -	41	3	3	4	7	2	10	5	-	1	-	2	1	1	2	5	5
r Zymotic Dis.	21	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
er - - -	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
ula and Tabes	162	1	2	2	1	1	7	4	9	23	28	37	22	14	11	6	1
is - - -	4	2	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-
cephalus - -	124	32	8	2	1	-	43	3	5	1	3	3	8	6	13	21	16
f Brain - - -	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f Heart & Dropsy	144	28	18	2	4	2	54	8	2	2	2	5	5	4	7	23	21
f Lungs - - -	63	14	2	-	-	-	17	1	-	1	1	4	3	4	10	11	6
f Stom. and Liver	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f Kidneys - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
of Joints - -	6	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
of Skin - - -	20	-	-	-	-	-	-	-	-	1	2	7	9	1	-	-	-
birth and Metria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e - - -	17	-	1	1	2	4	8	2	-	1	-	-	1	-	2	3	3
Violent Deaths	218	72	4	-	-	2	70	8	1	3	1	5	3	7	5	33	74
Causes - - -																	
485.—LANCASTER.																	
an Popul ⁿ , 1861-71	18969	518	493	487	469	452	2419	2201	1959	1805	1581	2673	2203	1781	1269	737	301
TOTAL DEATHS -	3975	673	244	123	85	56	1181	136	83	123	141	306	322	321	374	466	466
i-pox - - -	7	1	-	-	2	-	3	-	-	1	3	-	-	-	-	-	-
les - - -	72	9	24	17	8	2	60	8	2	-	1	-	-	1	-	-	-
stria - - -	104	14	12	10	13	13	71	22	6	2	1	2	-	-	-	-	-
theria - - -	23	3	3	2	3	1	12	7	1	-	1	1	-	1	-	-	-
oping-cough -	88	32	20	17	5	7	87	1	-	-	-	-	-	-	-	-	-
us - - -	63	2	2	1	7	3	15	3	5	7	7	4	9	3	4	3	3
thous & Dysentery	97	43	4	1	-	-	48	3	-	1	5	4	6	1	7	10	2
ra - - -	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
r Zymotic Dis.	135	10	24	13	10	5	62	15	6	3	6	2	4	5	6	10	13
er - - -	97	-	-	-	-	-	-	-	-	-	1	3	11	25	23	20	13
ula and Tabes	84	21	17	4	2	4	48	7	3	5	6	4	5	3	3	-	-
is - - -	583	10	5	3	4	-	22	9	27	70	74	102	107	73	88	11	-
cephalus - -	82	34	13	12	6	4	69	10	1	-	-	-	-	-	-	-	-
f Brain - - -	572	112	25	10	6	3	156	10	6	10	9	40	55	65	71	93	51
f Heart & Dropsy	267	1	-	-	-	1	2	2	7	5	2	19	28	33	60	73	30
f Lungs - - -	549	92	48	12	12	9	173	17	6	7	14	20	20	47	71	81	82
f Stom. and Liver	194	20	4	4	3	1	32	6	3	3	3	7	22	19	43	40	7
f Kidneys - -	52	-	-	2	1	-	3	1	1	-	2	7	6	7	11	11	3
f Gener. Organs	16	-	-	-	-	-	-	-	-	-	-	-	4	6	3	3	-
of Joints - -	21	1	-	-	-	-	1	3	2	4	-	2	-	5	3	1	-
of Skin - - -	11	2	-	-	-	-	2	-	-	-	-	-	-	-	2	4	-
birth and Metria	52	-	-	-	-	-	-	-	-	-	5	23	21	3	-	-	-
e - - -	8	-	6	2	2	2	16	6	1	-	-	2	2	2	6	3	4
Violent Deaths	48	14	6	2	2	2	28	6	6	2	1	13	17	17	23	95	100
Causes - - -	743	263	50	4	1	1	298	6	6	2	1	13	17	17	23	95	100
486.—ULVERSTON.																	
an Popul ⁿ , 1861-71	21618	731	667	702	638	615	3353	2882	2336	1859	1725	3146	2373	1750	1159	697	292
TOTAL DEATHS -	4381	910	362	209	106	109	1606	214	127	155	161	337	256	270	279	361	399
i-pox - - -	25	5	3	-	2	1	11	1	1	1	1	3	3	3	-	1	-
les - - -	107	13	40	25	6	13	97	6	2	2	-	-	-	-	-	-	-
stria - - -	218	13	25	25	22	33	118	61	18	6	4	5	3	-	-	-	-
theria - - -	45	3	3	7	2	6	21	14	5	1	-	-	-	3	1	-	-
oping-cough -	106	45	38	13	5	2	106	3	-	-	-	-	-	-	-	-	-
us - - -	163	10	4	15	8	9	44	17	16	14	12	17	7	12	9	8	1
thous & Dysentery	131	70	22	5	-	2	90	1	-	1	1	2	1	3	7	10	3
ra - - -	6	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-
r Zymotic Dis.	122	10	19	17	10	9	65	9	3	3	7	7	3	5	6	9	4
er - - -	71	-	-	-	-	-	-	-	-	-	-	3	10	26	15	12	7
ula and Tabes	124	33	23	15	9	4	84	10	5	6	2	6	4	3	2	7	2
is - - -	610	4	10	1	4	3	22	19	40	83	90	171	87	53	34	8	-
cephalus - -	81	37	24	8	4	3	76	4	-	-	-	-	-	-	-	-	-
f Brain - - -	597	168	21	25	6	6	226	34	10	13	11	19	25	30	43	52	49
f Heart & Dropsy	217	-	-	-	-	-	3	7	6	6	7	13	20	35	40	51	25
f Lungs - - -	469	125	73	27	17	6	248	12	5	4	3	11	11	25	39	67	44
f Stom. and Liver	222	23	8	5	3	3	42	7	6	2	2	18	15	31	43	30	23
f Kidneys - -	22	-	1	-	-	-	1	-	-	-	-	3	5	1	-	-	-
f Gener. Organs	30	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
of Joints - -	21	1	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-
of Skin - - -	11	4	-	1	-	-	5	-	-	-	-	-	-	-	-	-	-
birth and Metria	80	-	-	-	-	-	-	-	-	-	3	14	43	20	-	-	-
e - - -	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	70	9	2	5	4	2	22	13	4	4	3	1	1	7	12	18	23
Causes - - -	911	337	45	13	3	4	401	3	4	4	2	6	4	12	18	23	23

Cause of Death in the Ten Years 1861-70

Mean Population, 1961-71, and Deaths in Districts during the 10 Years

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	50-
487.—SEDBERGH.															
Mean Popul., 1861-71	2476	65	61	50	53	51	280	230	255	230	194	335	289	268	1
TOTAL DEATHS	378	60	22	7	8	5	97	15	9	20	19	25	15	24	1
Small-pox	3	1	2	-	-	-	3	-	-	-	-	-	-	-	-
Scarlet	7	1	2	-	-	2	5	1	1	-	-	-	-	-	-
Diphtheria	5	1	-	-	-	1	2	1	1	1	-	-	-	-	-
Whooping-cough	8	5	3	-	-	-	8	-	-	-	-	-	-	-	-
Typhus	19	1	1	-	-	-	1	1	-	1	-	-	2	1	1
Cholera & Dysentery	8	1	1	-	-	-	2	-	-	-	-	1	-	-	-
Other Zymotic Dis.	19	1	2	2	-	1	6	1	-	1	2	-	2	2	2
Cancer	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	7	-	1	-	-	1	1	1	1	1	1	1	4	2	2
Falkland	67	1	-	-	-	1	5	3	-	15	15	10	-	-	-
Hydrocephalus	7	1	1	-	-	-	1	1	-	-	-	-	-	-	-
Dis. of Brain	42	17	1	-	1	-	19	-	-	1	-	-	2	1	1
Dis. of Heart & Dropsy	33	1	1	-	1	-	2	-	-	-	-	1	2	1	1
Dis. of Lungs	37	1	1	-	-	-	11	5	2	-	1	1	2	2	2
Dis. of Stom. and Liver	35	2	-	2	-	-	5	-	-	-	-	-	-	-	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	1	-	-	-	-	1	-	1	-	-	-	2	-	-
Dis. of Skin	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	11	-	1	-	-	-	1	2	-	2	1	2	-	1	4
Other Causes	82	21	3	1	-	-	23	1	-	-	-	2	-	-	-
488.—SETTLE.															
Mean Popul., 1861-71	6995	301	177	165	181	176	900	779	748	630	568	939	812	691	4
TOTAL DEATHS	1247	255	68	26	27	17	393	43	29	30	30	67	46	94	1
Small-pox	10	5	4	1	-	-	10	-	-	-	-	-	-	-	-
Scarlet	48	8	7	2	6	3	26	14	1	2	-	1	-	2	1
Diphtheria	9	-	2	1	1	1	5	3	-	-	-	-	-	-	-
Whooping-cough	14	10	2	-	-	-	12	2	-	-	-	-	-	-	-
Typhus	26	1	1	2	1	-	4	2	6	2	-	4	1	3	-
Cholera & Dysentery	13	7	-	-	-	-	8	-	-	-	-	-	-	-	-
Other Zymotic Dis.	48	7	5	4	4	1	21	2	1	2	1	3	2	2	2
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	18	3	2	1	-	-	6	-	4	2	2	3	-	1	1
Falkland	123	1	-	-	-	1	2	5	5	14	16	29	18	15	-
Hydrocephalus	21	6	5	4	1	4	29	1	-	-	-	-	-	-	-
Dis. of Brain	207	104	10	3	4	-	121	4	1	1	2	5	3	15	-
Dis. of Heart & Dropsy	106	-	-	-	-	-	1	1	2	2	2	5	7	11	-
Dis. of Lungs	144	26	12	6	5	3	64	2	1	2	1	4	8	12	-
Dis. of Stom. and Liver	83	9	1	-	2	2	14	3	4	1	2	2	3	14	-
Dis. of Kidneys	32	-	-	-	-	-	-	1	2	1	-	1	2	2	-
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	2	-	1	-	-	2	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	44	4	2	-	2	2	10	5	1	-	2	7	-	6	-
Other Causes	272	82	13	2	1	-	64	-	-	-	-	3	2	5	-
489.—SKIPTON.															
Mean Popul., 1861-71	15811	438	442	403	392	365	2040	1831	1697	1541	1338	2108	1908	1486	10
TOTAL DEATHS	3295	818	204	103	75	45	1245	161	84	118	98	201	197	216	2
Small-pox	81	9	4	1	2	2	18	2	1	3	4	-	1	1	-
Scarlet	44	15	15	9	3	4	46	1	-	-	-	-	1	-	-
Diphtheria	127	10	20	13	12	-	75	35	11	5	1	2	-	-	-
Whooping-cough	48	31	10	8	1	2	47	-	-	-	-	-	-	-	-
Typhus	108	4	5	6	-	3	14	29	10	10	5	11	9	7	-
Cholera & Dysentery	46	15	7	-	-	-	22	1	2	1	-	1	1	1	-
Other Zymotic Dis.	95	11	10	11	10	6	47	11	-	1	1	2	4	8	-
Cancer	30	-	-	-	-	-	-	-	-	-	-	2	5	3	-
Scrofula and Tuberc.	63	17	7	4	2	-	30	2	5	5	5	2	1	-	-
Falkland	308	3	6	5	2	-	16	17	13	67	47	103	64	32	-
Hydrocephalus	53	22	6	5	6	5	44	6	2	-	-	-	1	-	-
Dis. of Brain	538	264	29	19	11	5	319	11	16	3	11	14	23	25	-
Dis. of Heart & Dropsy	269	1	-	-	-	-	1	4	5	7	1	11	8	29	-
Dis. of Lungs	493	111	38	22	9	3	123	8	3	6	4	20	18	46	-
Dis. of Stom. and Liver	142	19	3	-	-	3	16	8	4	1	7	6	19	22	-
Dis. of Kidneys	70	-	3	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	15	4	2	1	1	-	1	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes	104	1	3	4	6	4	1	15	9	6	6	1	2	1	-
TOTAL DEATHS	728	225	35	2	4	4	1	220	2	4	4	1	12	17	-

CAUSES OF DEATH.	ALL Ages.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-

in Popul ⁿ . 1861-71	2214	61	61	61	63	54	300	269	252	199	169	287	239	214	149	94	36	6
AL DEATHS -	393	51	14	7	2	3	77	11	14	23	26	27	28	27	38	46	59	17
-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-tina	1	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
-teria	5	-	-	1	-	-	1	1	3	-	1	-	-	-	-	-	-	-
-ing-cough	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
-sea & Dysentery	19	-	-	1	-	2	5	1	-	3	3	3	2	-	3	1	1	-
-Zymotic Dis.	11	4	-	1	-	-	5	-	-	-	-	1	1	-	1	-	1	1
-la and Tabes	5	2	1	-	-	-	-	1	-	-	-	-	-	1	2	4	5	-
-is	84	2	-	-	-	-	2	1	2	2	1	-	1	2	1	2	-	-
-cephalus	8	2	1	1	-	-	3	4	1	16	16	14	16	6	6	3	-	-
-Brain	34	19	2	-	1	-	15	-	-	-	1	1	-	-	6	6	5	-
-Heart & Dropsy	27	-	-	-	-	-	-	-	-	-	1	4	2	6	4	4	4	-
-Lungs	35	5	4	1	-	-	10	-	1	-	2	-	2	2	8	8	5	1
-Stom. and Liver	26	1	-	-	-	-	1	2	-	1	1	1	2	5	5	5	2	1
-Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
-Gen. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
-Joints	2	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-
-Skin	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-Birth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-Violent Deaths	3	-	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
-Causes	87	18	2	1	-	-	21	1	-	-	-	1	1	1	3	11	35	13

n Popul ⁿ , 1861-71	6836	176	169	187	171	167	870	804	745	658	607	916	751	609	432	293	137	14
AL DEATHS -	1257	203	67	34	24	18	346	51	26	55	56	103	67	91	99	187	181	45
cox -	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
s -	12	3	7	2	-	-	12	-	-	-	-	-	-	-	-	-	-	-
ria -	49	3	11	8	4	3	29	13	3	1	-	1	-	-	-	-	-	-
eria -	9	-	-	1	-	-	1	6	1	-	2	-	1	-	-	-	-	-
ing-cough	38	14	6	3	1	1	23	3	-	-	-	-	-	-	-	-	-	-
sa & Dysentery	41	-	1	1	2	3	6	3	5	5	4	6	2	3	1	3	1	-
sa & Dysentery	12	6	1	-	-	-	7	1	-	-	-	1	1	-	1	1	1	-
sa & Dysentery	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
ymotic Dis.	36	5	4	4	3	1	17	1	-	1	-	5	-	2	3	6	1	-
sa and Tabes	13	-	-	-	-	-	-	-	-	-	-	1	1	4	4	1	2	-
sa and Tabes	20	2	3	-	1	-	6	-	2	5	1	5	1	-	-	-	-	-
cephalus	180	2	3	-	1	-	6	1	4	30	35	52	27	16	4	5	-	-
cephalus	21	8	5	2	1	1	17	4	-	-	-	-	-	-	-	-	-	-
Brain	191	65	9	2	5	4	85	4	4	4	2	9	6	13	19	20	22	3
Heart & Dropsy	135	-	-	-	-	1	1	-	-	-	5	4	4	24	29	36	26	6
Lungs	114	29	8	5	3	3	48	4	2	1	2	2	1	5	7	22	18	2
Stom. and Liver	70	5	-	-	-	-	5	-	1	3	1	2	9	14	18	10	7	-
Kidneys	9	-	-	-	1	-	1	-	1	-	-	2	1	1	-	2	1	-
Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Joints	3	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
Skin	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
irth and Metria	31	-	-	-	-	-	-	-	-	1	3	10	7	-	-	-	-	-
Violent Deaths	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-
Causes	17	-	-	3	2	-	5	3	2	-	1	-	1	1	2	1	1	-
Causes	267	60	10	3	-	1	74	3	-	3	-	2	4	6	10	28	103	35

[illegible]

Causes of Death in the Ten Years 1861-70.—Males.

[Div. 1]

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
490.—PATELEY BRIDGE.																		
Mean Popul ⁿ . 1861-71	4631	124	123	128	124	118	617	602	529	438	311	528	530	440	328	206	90	
TOTAL DEATHS -	1013	227	44	29	20	12	332	37	23	30	51	40	44	53	98	131	12	
Small-pox -	6	1	1	-	-	-	2	-	1	-	-	-	-	2	1	-	-	
Measles -	7	2	1	-	-	1	3	1	-	-	-	-	-	-	-	-	-	
Scarlatina -	20	1	2	3	-	2	10	2	2	1	-	-	-	-	-	-	-	
Diphtheria -	7	-	-	-	-	-	3	2	1	-	-	-	1	-	-	-	-	
Whooping-cough -	8	6	1	-	-	-	8	-	-	-	-	-	-	-	-	-	-	
Typhus -	23	1	1	1	-	-	3	2	-	3	2	2	4	5	2	2	2	
Diarrhoea & Dysentery -	35	14	3	-	-	1	21	-	1	1	-	1	1	1	1	1	4	
Cholera -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	42	8	1	6	-	-	17	7	1	-	1	1	1	2	2	6	1	
Cancer -	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Serofula and Tubes -	17	6	2	-	-	1	9	1	2	2	-	-	-	6	1	1	1	
Phthisis -	119	1	3	1	-	-	6	5	5	10	31	30	9	8	2	7	1	
Hydrocephalus -	20	8	1	-	-	2	16	4	-	-	-	-	-	-	-	-	-	
Dia. of Brain -	155	66	15	5	1	1	90	4	2	4	2	-	5	5	15	11	13	
Dia. of Heart & Dropsy -	64	-	-	-	-	-	-	-	1	1	1	2	5	8	22	12	13	
Dia. of Lungs -	139	21	3	-	-	2	35	-	1	1	5	5	8	13	19	12	14	
Dia. of Stom. and Liver -	56	8	1	-	-	-	9	1	2	3	3	3	4	4	15	9	9	
Dia. of Kidneys -	18	-	-	-	-	-	-	-	-	-	1	2	-	-	3	6	4	
Dia. of Genes. Organs -	10	-	-	-	-	-	-	-	2	2	2	-	-	-	2	6	4	
Dia. of Joints -	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Dia. of Skin -	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
Childbirth and Metrisa -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -	40	5	5	2	1	2	11	1	2	2	1	3	5	1	3	5	3	
Other Causes -	205	81	4	1	-	-	80	1	-	-	-	1	3	1	5	27	28	
491.—RIPON.																		
Mean Popul ⁿ . 1861-71	7669	210	177	104	206	189	978	910	833	775	578	954	846	722	558	336	184	
TOTAL DEATHS -	1588	357	64	34	25	31	615	58	25	43	44	80	86	109	159	150	129	
Small-pox -	13	1	-	-	-	1	4	4	1	-	-	1	-	3	-	-	-	
Measles -	13	4	-	-	3	2	13	2	-	1	-	-	-	-	-	-	-	
Scarlatina -	60	7	-	-	8	9	31	17	6	1	1	1	-	-	-	-	-	
Diphtheria -	11	1	-	-	1	-	7	-	-	-	-	3	-	-	-	-	-	
Whooping-cough -	20	12	5	-	1	-	20	-	-	-	-	-	-	-	-	-	-	
Typhus -	26	-	-	-	-	-	3	3	1	6	4	5	2	4	3	1	2	
Diarrhoea & Dysentery -	28	20	1	-	-	-	22	-	-	-	-	-	1	-	-	2	1	
Cholera -	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	46	6	-	-	1	2	20	4	-	1	-	3	3	5	3	5	1	
Cancer -	31	-	-	-	-	-	-	-	1	1	-	-	3	3	16	5	1	
Serofula and Tubes -	45	6	-	-	1	-	27	7	1	3	3	2	1	1	1	1	-	
Phthisis -	174	1	-	-	1	-	6	1	5	23	22	35	29	27	16	19	4	
Hydrocephalus -	24	6	5	2	1	5	19	2	2	-	-	-	-	-	-	-	-	
Dia. of Brain -	265	120	12	4	4	5	155	1	1	1	1	9	5	15	23	31	30	
Dia. of Heart & Dropsy -	111	-	-	-	-	1	3	-	-	1	1	5	5	12	25	37	21	
Dia. of Lungs -	162	28	-	2	4	2	43	5	-	1	4	10	7	10	23	39	21	
Dia. of Stom. and Liver -	87	-	-	1	1	-	10	-	-	2	1	4	9	10	21	22	1	
Dia. of Kidneys -	23	-	-	-	-	-	1	1	-	2	2	4	1	1	4	6	4	
Dia. of Genes. Organs -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dia. of Joints -	6	-	-	-	-	-	1	-	-	-	-	-	1	-	1	3	-	
Dia. of Skin -	6	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Childbirth and Metrisa -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	2	-	-	-	-	-	-	-	-	-	-	-	2	4	7	2	-	
Other Violent Deaths -	70	-	-	2	1	-	10	7	8	1	3	5	10	8	7	5	2	
Other Causes -	351	103	4	-	1	-	115	1	-	1	1	2	5	5	15	39	104	
492.—GREAT OUSEBURN.* 493.—WETHERBY.* 494.—WHARFEDALE.* 514.—TADCASTER																		
Mean Popul ⁿ . 1861-71	37716	1105	978	987	983	941	4974	4530	4352	3744	2988	4925	4112	3488	2532	1493	517	
TOTAL DEATHS -	8115	2001	517	231	171	109	3029	327	209	223	271	418	435	518	720	935	844	
Small-pox -	73	19	3	4	1	2	29	7	3	4	10	11	4	5	-	-	-	
Measles -	76	24	26	7	8	2	67	7	-	1	-	1	-	-	-	-	-	
Scarlatina -	274	23	35	46	47	34	185	69	18	5	2	2	-	-	-	-	-	
Diphtheria -	86	4	8	10	15	7	44	21	12	3	-	-	1	2	3	-	-	
Whooping-cough -	110	66	29	13	7	2	117	2	-	-	-	-	-	-	-	-	-	
Typhus -	258	7	9	11	8	8	43	36	14	23	17	27	30	19	23	20	4	
Diarrhoea & Dysentery -	279	132	22	4	2	2	162	1	5	2	1	1	3	4	16	29	2	
Cholera -	14	-	2	1	-	-	3	1	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	224	37	24	17	13	8	99	21	6	7	4	8	6	12	17	24	21	
Cancer -	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Serofula and Tubes -	150	41	35	8	7	1	92	11	7	4	2	3	7	8	53	29	17	
Phthisis -	832	8	10	4	4	3	29	15	41	24	5	8	8	7	7	14	5	
Hydrocephalus -	132	51	41	25	12	-	132	17	2	34	145	181	159	114	64	15	2	
Dia. of Brain -	1469	688	77	20	13	10	803	56	22	12	16	32	48	61	106	144	113	
Dia. of Heart & Dropsy -	835	6	4	3	3	2	18	13	15	11	6	22	24	69	118	145	115	
Dia. of Lungs -	1043	237	101	34	15	12	404	24	5	13	9	40	55	81	134	177	109	
Dia. of Stom. and Liver -	492	37	7	1	1	2	44	6	6	12	8	17	44	47	83	99	81	
Dia. of Kidneys -	150	2	3	1	1	-	7	1	5	2	9	7	12	14	22	36	25	
Dia. of Genes. Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dia. of Joints -	46	2	1	3	1	-	7	2	2	4	-	8	-	8	1	1	2	
Dia. of Skin -	21	7	2	-	-	-	9	5	-	-	-	-	-	1	-	-	-	
Childbirth and Metrisa -	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
		490.—PATELEY BRIDGE.																
Mean Popul ⁿ , 1861-71	4478	128	125	111	117	117	598	574	514	419	328	587	506	381	293	193	72	13
AL DEATHS	931	172	42	28	11	9	262	40	19	42	48	60	73	51	78	110	112	36
pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
sc	15	5	2	3	-	-	10	2	-	-	-	1	-	-	-	-	-	-
tina	19	3	2	1	2	1	9	7	-	-	2	-	-	1	-	-	-	-
beria	26	1	2	5	-	3	11	8	1	2	2	1	-	-	-	1	-	-
ing-cough	18	8	8	-	-	-	16	2	-	-	-	-	-	-	-	-	-	-
sc	25	2	-	1	1	-	4	2	-	6	3	1	3	1	2	-	1	-
sc & Dysentery	12	3	-	-	-	-	3	-	-	-	-	1	1	3	-	1	3	-
Zymotic Dis.	40	7	3	2	4	-	16	3	1	1	-	1	2	1	1	9	5	-
la and Tabes	18	-	-	-	-	-	-	-	-	-	-	-	2	6	3	6	1	-
is	13	3	3	-	2	-	8	3	-	-	-	-	1	1	1	-	-	-
cephalus	146	1	1	5	1	1	8	3	1	7	24	29	1	29	9	-	-	-
Brain	13	4	2	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Heart & Dropsy	189	65	4	1	-	2	72	4	1	1	2	4	3	7	13	19	11	2
Lungs	74	-	-	-	-	-	1	-	1	1	1	5	5	7	22	16	14	6
Stom. and Liver	110	11	11	5	-	-	27	1	3	5	1	4	5	5	12	21	20	1
Kidneys	41	3	-	-	-	-	3	1	-	-	2	5	5	7	6	5	6	1
Gener. Organs	9	-	-	-	-	-	-	1	-	-	-	-	-	1	5	1	-	-
Joints	3	-	-	1	-	-	1	-	-	-	-	-	1	1	1	-	-	-
Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth and Metris	17	-	-	-	-	-	-	-	-	1	1	7	8	-	-	-	-	-
Violent Deaths	11	-	-	3	-	2	5	1	1	-	-	-	1	-	-	-	2	1
Causes	179	56	3	1	-	-	69	-	1	1	1	-	6	3	2	31	49	25
491.—RIPON.																		
Mean Popul ⁿ , 1861-71	8186	221	204	182	194	195	996	928	849	802	692	1056	916	762	593	399	164	29
AL DEATHS	1578	255	74	38	30	30	427	60	32	41	57	103	85	113	133	194	232	101
pox	14	1	1	2	-	1	5	2	-	2	-	-	3	2	-	-	-	-
sc	15	3	3	5	1	2	14	1	-	-	-	-	-	-	-	-	-	-
tina	60	4	7	9	9	5	34	19	4	-	1	-	-	-	-	-	-	-
beria	16	-	2	-	1	4	7	5	-	-	-	2	-	-	-	-	-	-
ing-cough	19	11	4	3	1	-	19	-	-	-	-	-	-	-	-	-	-	-
sc	65	4	-	-	2	4	10	12	5	4	7	7	5	4	6	4	1	1
sc & Dysentery	43	13	4	-	1	-	18	2	-	2	-	2	-	-	-	5	11	1
ra	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Zymotic Dis.	34	2	3	4	4	3	16	1	1	-	1	1	2	-	3	2	6	1
r	53	-	-	-	-	-	-	-	-	-	-	1	3	11	10	18	9	1
la and Tabes	25	8	2	1	-	1	12	3	2	3	-	3	3	1	1	-	-	-
is	181	2	-	1	1	-	4	3	7	17	29	51	32	24	9	4	1	-
cephalus	18	7	5	-	-	3	15	1	2	-	-	-	-	-	-	-	-	-
Brain	211	82	12	8	9	1	100	1	3	4	2	2	3	18	20	28	26	4
Heart & Dropsy	146	-	-	-	-	-	-	3	-	-	-	6	9	23	32	38	30	5
Lungs	171	21	19	7	3	4	54	-	4	3	2	7	4	7	17	34	27	12
Stom. and Liver	87	6	1	-	2	2	11	1	1	3	2	4	7	14	17	16	9	2
Kidneys	13	-	-	-	-	-	-	-	-	-	2	3	2	-	6	-	-	-
Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-	-
Joints	7	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	1	-
Skin	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Birth and Metris	25	-	-	-	-	-	-	-	-	1	3	8	11	2	-	-	-	-
Violent Deaths	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	1
Causes	26	1	2	1	1	-	5	4	-	-	1	-	-	2	4	4	5	1
	338	90	9	2	2	-	103	2	1	1	4	2	3	1	10	52	105	74
492a.—GREAT OUSEBURN;* 492c.—WETHERBY;* 493.—WHARFEDALE;* 514.—TADCASTER.*																		
Mean Popul ⁿ , 1861-71	37574	1077	1004	991	947	957	4976	4389	4003	3508	3227	5288	4269	3376	2446	1456	561	75
AL DEATHS	7835	1586	408	223	169	120	2596	335	215	327	339	602	483	482	603	852	784	217
pox	71	20	10	4	5	2	41	9	2	-	1	2	3	2	3	-	-	-
sc	62	19	26	14	9	5	85	6	-	-	-	1	-	-	-	-	-	-
tina	306	27	40	37	42	33	179	83	23	10	2	8	1	-	-	-	-	-
beria	95	10	5	6	6	9	56	32	16	5	4	-	1	-	-	1	-	-
ing-cough	145	63	26	20	14	3	136	8	-	-	-	1	-	-	-	-	-	-
sc	293	6	11	13	8	13	61	31	33	26	20	32	21	20	16	15	8	-
sc & Dysentery	216	91	29	6	-	1	127	-	3	-	2	8	5	6	16	22	21	6
ra	11	2	2	-	-	-	4	1	-	-	-	1	-	-	2	3	-	-
Zymotic Dis.	183	13	14	22	12	14	75	15	6	8	1	8	12	8	11	26	3	5
la and Tabes	193	-	-	-	-	-	-	-	-	-	-	10	27	50	63	26	15	1
is	149	36	33	7	7	2	85	9	10	10	8	8	5	3	4	5	2	-
cephalus	1119	47	28	11	10	5	101	15	3	-	-	311	151	95	47	11	2	-
Brain	1119	404	72	23	14	7	610	34	16	15	16	36	35	55	72	137	60	13
Heart & Dropsy	618	8	3	-	4	3	18	14	16	10	12	42	61	82	112	188	79	7
Lungs	930	180	100	31	20	9	349	20	9	8	14	27	43	59	104	171	117	9
Stom. and Liver	442	41	3	2	4	2	62	6	7	10	19	35	43	60	86	86	33	5
Kidneys	42	-	-	1	1	2	4	1	2	3	4	4	9	6	5	3	1	-
Gener. Organs	32	-	-	-	-	-	-	-	-	-	2	5	7	5	4	4	-	-
Joints	33	2	-	1	-	-	3	1	5	8	2	3	4	1	1	1	1	-
Skin	20	5	2	-	-	-	7	-	-	-	1	-	-	-	-	-	-	-
Birth and Metris	101	-	-	-	-	-	-	-	-	2	3	16	1	3	2	1	1	-
Violent Deaths	16	-	-	-	-	-	-	-	-	-	-	40	32	1	3	2	1	-
Causes	94	15	4	7	3	3	32	14	4	3	3	1	3	6	12	15	46	100
	1390	487	56	12	6	8	564	9	4	3	3	2	3	6	12	15	46	100

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
492b.—KNARESBOROUGH.																	
Mean Popul ⁿ , 1861-71	8674	235	200	208	239	218	1100	983	952	777	705	1145	1030	878	613	346	13
TOTAL DEATHS -	1928	428	95	43	26	30	623	77	36	50	53	101	144	155	218	24	12
Small-pox -	14	4	2	-	-	-	6	2	-	1	1	-	3	-	1	-	-
Measles -	12	-	2	4	-	1	7	4	-	-	-	-	-	1	-	-	-
Scarlatina -	33	3	2	4	5	7	21	9	2	1	-	-	-	-	-	-	-
Diphtheria -	17	2	1	1	4	2	10	1	3	1	-	1	-	1	-	-	-
Whooping-cough -	29	12	8	-	1	-	21	1	-	-	-	-	-	-	-	-	-
Typhus -	63	2	-	3	1	2	8	2	3	6	2	10	7	6	9	4	4
Diarrhoea & Dysentery -	94	24	9	1	2	1	67	2	-	-	2	1	2	2	3	2	2
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	51	7	4	3	5	4	23	4	2	1	-	1	4	7	5	5	5
Cancer -	34	-	-	-	-	-	-	-	-	1	1	2	2	4	10	8	8
Scrofula and Tubercles -	36	12	7	2	1	-	22	5	3	4	1	2	2	4	10	8	8
Phthisis -	216	7	-	-	3	-	26	5	5	4	3	2	54	21	21	18	18
Hydrocephalus -	49	17	6	6	-	1	30	2	1	-	-	-	-	-	-	-	-
Dis. of Brain -	325	151	14	4	2	1	132	9	5	5	4	9	17	21	32	25	25
Dis. of Heart & Dropsy -	167	5	2	1	1	-	8	1	4	4	5	8	11	24	23	23	23
Dis. of Lungs -	283	53	21	9	1	7	81	10	3	6	4	7	12	17	28	23	23
Dis. of Stom. and Liver -	133	15	1	2	-	1	20	3	2	-	5	7	12	17	28	23	23
Dis. of Kidneys -	37	-	-	1	-	-	1	2	2	1	2	3	8	4	6	5	5
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	7	-	-	-	-	1	1	1	-	-	-	-	1	-	4	-	-
Dis. of Skin -	4	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-
Childbirth and Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	10	-	-	-	-	-	-	-	-	-	-	1	4	2	3	1	1
Other Violent Deaths -	63	5	2	2	-	1	10	5	8	5	2	3	5	8	25	7	7
Other Causes -	272	101	11	1	-	1	114	1	1	-	1	1	5	8	8	3	3
[For Districts 492c.—WETHERBY, and 493.—WHARFEDALE, see p. 352.]																	
494.—KEIGHLEY.																	
Mean Popul ⁿ , 1861-71	22973	673	604	598	567	537	2979	2748	2483	2375	2032	3221	2771	2090	1370	690	19
TOTAL DEATHS -	5835	1640	489	188	148	101	2575	285	161	204	188	298	315	371	529	516	53
Small-pox -	57	14	7	3	2	1	27	10	3	3	3	3	3	2	2	-	-
Measles -	109	22	54	17	5	5	103	6	-	-	-	-	-	-	-	-	-
Scarlatina -	332	19	44	42	48	45	199	97	26	3	8	-	-	-	-	-	-
Diphtheria -	19	-	2	3	5	1	11	7	-	-	-	-	-	1	-	-	-
Whooping-cough -	102	58	26	9	4	2	90	3	-	-	-	-	-	-	-	-	-
Typhus -	268	3	10	5	16	8	42	36	29	24	28	26	21	22	27	11	11
Diarrhoea & Dysentery -	175	103	25	1	2	1	132	4	1	4	2	3	5	5	8	4	4
Cholera -	23	10	-	-	-	-	10	2	2	-	2	5	1	2	1	1	1
Other Zymotic Dis. -	168	27	20	16	19	11	103	11	4	3	2	5	8	10	15	6	6
Cancer -	32	-	-	-	-	-	-	-	-	-	-	1	7	10	6	4	4
Scrofula and Tubercles -	70	19	13	8	2	-	43	4	5	3	-	5	5	2	2	2	2
Phthisis -	743	15	10	6	1	2	34	13	41	106	96	167	100	84	82	30	30
Hydrocephalus -	86	29	21	8	3	5	66	12	6	1	-	-	-	-	-	-	-
Dis. of Brain -	980	564	54	22	8	4	652	34	12	13	9	22	26	35	71	68	68
Dis. of Heart & Dropsy -	285	1	-	1	2	2	6	12	5	8	7	18	33	42	60	60	60
Dis. of Lungs -	892	229	115	54	18	7	414	13	6	2	8	23	37	76	132	127	127
Dis. of Stom. and Liver -	211	24	7	1	3	-	35	2	3	4	7	13	19	35	61	53	53
Dis. of Kidneys -	64	-	-	-	1	1	2	3	2	4	2	5	5	4	11	19	19
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	19	3	1	-	-	-	4	2	1	2	-	-	3	2	2	2	2
Dis. of Skin -	8	6	-	-	-	-	6	-	-	1	-	-	-	-	1	-	-
Childbirth and Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	28	-	-	-	-	-	-	-	-	-	-	4	6	7	5	2	2
Other Violent Deaths -	154	3	4	1	7	5	20	18	10	13	10	16	19	15	14	14	14
Other Causes -	1010	480	75	11	2	1	560	5	5	11	6	6	8	17	45	115	117
495.—TODMORDEN.																	
Mean Popul ⁿ , 1861-71	15351	437	385	374	385	360	1941	1717	1637	1528	1464	2211	1841	1455	928	480	14
TOTAL DEATHS -	3534	894	257	107	74	58	1390	127	83	126	101	194	200	278	345	397	23
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles -	64	12	29	0	3	6	89	5	-	-	-	-	-	-	-	-	-
Scarlatina -	147	10	20	24	22	19	95	42	8	2	-	-	-	-	-	-	-
Diphtheria -	8	1	-	2	-	-	3	1	2	-	1	-	-	-	-	1	-
Whooping-cough -	67	40	16	6	3	1	66	1	-	-	-	-	-	-	-	-	-
Typhus -	149	23	18	4	8	2	55	11	10	16	11	14	9	6	4	3	3
Diarrhoea & Dysentery -	113	64	17	2	1	-	86	-	1	2	-	6	1	2	5	3	3
Cholera -	20	5	3	1	1	-	10	-	-	-	-	3	1	3	5	7	7
Other Zymotic Dis. -	136	16	29	16	9	11	81	8	5	4	2	5	8	3	5	10	10
Cancer -	21	-	-	-	-	-	-	-	-	-	-	2	1	3	8	4	4
Scrofula and Tubercles -	54	13	9	3	-	2	37	6	2	6	2	4	3	2	1	1	1
Phthisis -	324	2	-	-	-	-	2	10	52	47	73	45	56	32	6	-	-
Hydrocephalus -	29	13	8	5	-	1	27	2	-	-	-	-	-	-	-	-	-
Dis. of Brain -	434	165	14	9	10	3	201	14	9	5	8	13	20	27	47	67	67
Dis. of Heart & Dropsy -	136	-	1	-	1	2	2	2	3	5	1	9	14	22	39	45	45
Dis. of Lungs -	644	111	39	13	8	6	177	10	8	6	11	28	41	74	103	120	120
Dis. of Stom. and Liver -	222	23	2	2	2	2	31	3	8	11	6	13	24	35	40	57	57
Dis. of Kidneys -	44	-	-	-	-	1	1	1	-	2	1	2	4	3	11	19	19
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

IX.] *Causes of Death in the Ten Years 1861-70.—Females.*

355

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.	
492 b.—KNARESBOROUGH.																			
Population, 1861-71.	9458	230	210	209	213	214	1076	1020	931	860	884	1392	1129	898	677	416	155	20	
DEATHS -	1931	357	110	49	32	26	574	71	48	71	66	139	138	145	170	227	219	63	
Cox - - -	5	3	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	
na - - -	23	4	10	5	-	1	29	2	-	-	-	-	-	-	-	-	-	-	
ria - - -	43	2	5	8	6	4	25	7	7	1	-	2	1	-	-	-	-	-	
ag-cough -	30	6	-	8	1	2	17	5	4	3	-	-	1	-	-	-	-	-	
and Dysentery	22	10	7	4	1	-	22	-	-	-	-	-	-	-	-	-	-	-	
motile Dis.	63	-	-	-	1	2	3	11	7	5	5	10	2	8	3	7	1	1	
and Tabes	84	38	7	1	1	1	43	4	-	-	1	4	-	4	4	9	8	2	
phalus - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
trains - -	48	1	6	2	6	5	20	4	3	6	2	1	2	2	3	4	1	-	
heart & Dropsy	84	-	-	-	-	-	-	1	1	-	1	-	13	17	15	24	11	1	
lungs - -	31	8	5	1	-	1	15	3	4	1	1	2	3	3	1	1	-	-	
tom, and Liver	245	-	2	2	1	2	7	9	8	36	32	59	48	22	15	8	1	-	
kidneys - -	23	8	6	3	1	1	19	4	-	-	-	-	-	-	-	-	-	-	
enier. Organs	319	116	21	5	9	-	151	7	5	3	5	12	10	22	25	43	32	6	
oints - -	148	-	2	2	1	1	6	1	1	2	7	7	10	21	35	85	24	5	
th and Metria	275	55	20	6	4	2	87	7	4	2	3	11	16	15	35	43	44	8	
olent Deaths	128	14	1	-	-	3	18	2	2	6	6	9	9	20	20	22	11	1	
uses - -	15	-	-	-	-	-	-	-	-	-	2	-	4	2	3	3	1	-	
enior. Organs	11	-	-	-	-	-	-	-	-	-	-	1	5	2	1	-	2	-	
kin - -	7	-	-	-	-	-	-	-	-	1	-	1	2	1	2	1	-	-	
th and Metria	5	1	-	-	-	-	1	-	1	-	-	-	1	1	-	1	-	-	
olent Deaths	28	-	-	-	-	-	-	-	-	2	5	12	9	-	-	-	-	-	
uses - -	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
enior. Organs	31	3	5	-	-	-	8	4	-	1	-	3	1	3	-	-	9	2	
kin - -	260	88	13	2	-	1	104	-	-	1	4	5	3	5	4	25	73	30	

[For DISTRICTS 492c.—WETHERBY, and 493.—WHARFEDALE, *see* p. 353.]

		494.—KEIGHLEY.																		
Popul ⁿ , 1861-71		24659	680	643	602	583	550	3058	2718	2569	2631	2410	3823	2971	2205	1354	703	192	25	
DEATHS		5629	1215	483	176	137	113	2124	268	179	275	285	420	382	309	455	520	339	75	
		64	16	8	-	2	6	32	5	4	5	10	4	-	3	-	-	-	-	
		112	31	39	16	10	7	163	7	1	-	1	-	-	-	-	-	-	-	
		310	18	46	38	39	33	176	96	28	4	2	3	1	-	-	-	-	-	
		18	3	1	2	4	-	10	5	-	-	1	1	1	-	-	-	-	-	
		143	69	49	11	5	5	139	4	-	-	-	-	-	-	-	-	-	-	
		273	4	7	7	8	13	40	36	34	31	32	21	11	17	10	29	12	-	
		178	69	29	5	1	-	93	2	1	2	2	4	5	11	20	12	1	-	
		15	4	3	1	-	-	8	2	1	-	-	2	1	2	1	1	-	-	
		155	28	25	20	20	13	106	8	2	2	2	2	6	7	11	5	4	-	
		82	-	-	-	-	-	-	-	-	-	1	3	18	27	15	9	6	-	
		48	9	10	2	6	-	27	3	3	4	-	5	2	2	1	1	-	-	
		971	8	14	5	4	3	34	12	55	177	163	221	146	71	68	23	1	-	
		67	21	12	7	7	5	52	8	5	2	-	-	-	-	-	-	-	-	
		793	356	60	16	13	6	481	24	8	13	12	14	21	30	67	86	34	1	
		380	1	1	-	-	-	2	12	13	12	11	30	46	57	88	80	26	3	
		692	171	108	25	10	11	325	14	3	8	8	15	29	46	99	118	31	3	
		208	12	4	4	1	2	23	3	5	6	11	20	28	28	44	53	7	-	
		24	-	-	1	-	1	2	1	2	1	2	5	2	5	2	2	-	-	
		9	-	-	-	-	-	-	-	-	-	2	1	-	3	3	1	2	-	
		11	-	-	-	-	-	-	1	3	-	1	1	1	1	1	2	-	-	
		11	2	1	-	-	-	3	-	-	-	1	2	2	-	2	1	-	-	
		112	-	-	-	-	-	-	-	2	25	48	36	1	1	-	-	-	-	
		4	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	1	3	
		49	6	4	5	3	4	22	8	2	1	-	6	1	1	2	3	1	3	
		929	357	68	11	4	2	412	8	7	4	1	7	11	11	22	124	212	63	

		495.—TODMORDEN.																	
Popul ⁿ . 1861-71		1863	1864	1865	1866	1867	1868	1869	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	1880
DEATHS		3352	449	391	385	386	341	1952	1757	1657	1634	1566	2566	2016	1571	981	504	148	16
		3352	639	231	104	84	56	1114	165	80	128	128	259	239	255	316	377	241	50
Ex	-	6	1	1	1	-	-	3	-	-	1	1	-	1	-	-	-	-	-
ca	-	58	12	18	10	9	8	54	3	-	-	1	-	-	-	-	-	-	-
ia	-	135	-	14	22	29	16	72	47	11	3	-	2	-	-	-	-	-	-
ia	-	7	-	1	-	2	-	3	3	-	-	-	1	-	-	-	-	-	-
g-cough	-	74	29	23	6	1	-	69	4	-	-	-	-	-	-	-	1	-	-
g-cough	-	157	10	11	8	5	5	39	17	17	19	13	13	11	13	6	4	5	-
g-cough	-	119	43	14	3	1	1	62	1	4	4	1	3	10	4	14	10	5	1
g-cough	-	18	3	-	1	-	-	1	-	-	2	1	4	4	2	2	1	-	-
g-cough	-	125	14	17	21	9	6	67	13	3	2	4	9	5	5	2	14	1	-
g-cough	-	58	-	-	-	-	-	-	-	-	-	1	4	10	12	11	15	6	1
g-cough	-	41	10	5	-	3	-	13	6	1	3	2	5	2	3	1	-	-	-
g-cough	-	361	1	-	-	-	-	1	3	19	60	55	109	45	41	23	4	1	-
g-cough	-	31	10	9	4	4	1	28	2	1	-	-	-	-	-	-	-	-	-
g-cough	-	419	112	23	7	7	4	153	25	5	7	6	12	26	38	52	63	28	4
g-cough	-	191	3	1	-	1	-	5	4	5	8	3	12	25	27	43	45	14	-
g-cough	-	497	64	53	10	10	12	149	11	5	5	15	32	32	60	70	79	46	8
g-cough	-	230	22	5	3	4	1	35	7	6	5	7	12	25	33	48	42	9	1
g-cough	-	23	-	1	1	-	-	-	-	-	1	-	-	4	4	4	4	4	1
g-cough	-	11	-	-	-	-	-	-	-	-	-	-	-	4	4	4	4	4	1
g-cough	-	11	1	-	-	-	1	2	2	-	2	1	2	4	4	4	4	4	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
496.—SADDLEWORTH.																	
Mean Popul ⁿ , 1861-71		9357	286	251	243	235	243	1258	1095	1041	939	844	1284	1081	861	563	31
TOTAL DEATHS		2296	601	185	75	48	44	953	89	70	80	75	129	101	150	216	24
Small-pox		11	8	-	2	-	-	5	2	-	2	-	2	-	-	-	-
Measles		50	17	18	10	9	9	49	1	-	-	-	-	-	-	-	-
Scarlatina		63	11	11	11	10	12	55	23	4	1	-	1	-	-	-	-
Diphtheria		9	1	1	1	-	-	6	3	-	-	-	-	-	-	-	-
Whooping-cough		28	23	12	9	1	-	38	-	-	-	-	-	-	-	-	-
Typhus		88	8	1	5	2	8	19	14	8	5	6	9	8	7	6	6
Diarrhoea & Dysentery		63	32	13	1	-	1	47	-	1	1	-	-	-	-	-	-
Cholera		11	1	1	-	-	-	3	-	-	-	-	-	1	3	4	4
Other Zymotic Dis.		61	6	3	8	4	1	22	6	4	2	3	3	4	3	9	9
Cancer		19	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Serofula and Tabes		61	13	11	1	2	2	29	1	4	6	2	4	-	4	3	3
Phthisis		299	3	4	2	1	1	11	6	12	41	43	55	90	27	25	25
Hydrocephalus		31	13	9	5	2	-	30	1	-	-	-	-	-	-	-	-
Dis. of Brain		289	202	93	9	8	9	253	10	5	2	1	9	5	16	29	29
Dis. of Heart & Dropsy		133	3	-	-	4	2	10	2	5	7	5	9	8	21	30	30
Dis. of Lungs		374	102	87	11	6	4	160	7	5	6	4	10	19	36	44	44
Dis. of Stom. and Liver		102	7	2	-	1	1	11	2	2	3	2	5	8	14	28	28
Dis. of Kidneys		31	-	-	-	2	-	2	1	2	-	1	4	1	3	4	4
Dis. of Gen. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		13	-	1	-	-	-	1	-	2	-	1	2	-	-	-	-
Dis. of Skin		5	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		12	-	-	-	-	-	-	-	-	-	-	1	2	3	3	3
Other Violent Deaths		71	3	1	-	1	4	9	7	10	2	4	9	6	7	7	7
Other Causes		383	153	26	4	1	-	185	4	7	1	2	5	5	6	17	20
497.—HUDDERSFIELD.																	
Mean Popul ⁿ , 1861-71		60437	2140	1962	1805	1825	1791	9532	8247	7356	6660	5738	9281	7614	5772	3727	192
TOTAL DEATHS		16901	4638	1543	619	415	325	7540	781	498	535	543	894	968	1127	1409	151
Small-pox		131	36	10	16	12	11	85	12	7	6	7	6	4	2	1	1
Measles		406	100	104	69	65	16	380	25	1	-	-	-	-	-	-	-
Scarlatina		895	53	123	110	124	113	532	255	76	17	8	6	-	1	-	-
Diphtheria		94	10	11	6	14	10	61	24	9	3	1	1	2	1	1	1
Whooping-cough		338	178	100	28	14	7	327	10	-	1	-	-	-	-	-	-
Typhus		763	17	31	37	19	29	135	76	57	85	61	103	80	48	58	58
Diarrhoea & Dysentery		576	323	90	21	2	1	437	4	1	4	2	2	11	13	37	37
Cholera		87	27	8	1	2	3	41	-	3	5	1	2	2	11	11	11
Other Zymotic Dis.		382	52	30	45	37	24	197	33	10	10	8	18	20	22	27	27
Cancer		108	-	-	-	-	1	1	-	-	3	1	2	14	21	24	24
Serofula and Tabes		253	68	50	12	4	5	148	17	21	15	11	15	10	7	4	4
Phthisis		1940	32	44	15	14	2	107	51	76	210	292	403	303	241	175	71
Hydrocephalus		313	125	83	25	12	13	253	46	9	-	-	-	-	-	-	-
Dis. of Brain		2564	1276	183	62	36	38	1805	80	27	30	26	29	68	129	175	200
Dis. of Heart & Dropsy		709	8	5	5	4	1	26	13	10	24	13	24	73	113	179	158
Dis. of Lungs		2500	292	323	87	41	25	1063	40	14	15	29	75	115	212	330	389
Dis. of Stom. and Liver		829	83	15	12	6	1	117	18	17	19	14	42	103	130	174	161
Dis. of Kidneys		312	12	6	3	3	1	25	7	7	9	7	22	34	34	60	67
Dis. of Gen. Organs		3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-
Dis. of Joints		110	1	5	3	1	1	11	11	16	18	11	7	12	9	10	5
Dis. of Skin		54	17	6	2	1	1	27	1	1	3	3	2	1	3	5	5
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		78	-	-	-	-	-	-	-	-	6	3	7	13	19	20	8
Other Violent Deaths		585	19	33	21	18	12	103	41	30	45	47	65	71	67	67	35
Other Causes		2862	1608	211	26	16	7	1868	17	10	10	12	23	30	43	81	201
498.—HALIFAX.																	
Mean Popul ⁿ , 1861-71		68141	2097	1859	1821	1752	1735	9264	8163	7502	6971	6062	9959	8096	6081	3727	1777
TOTAL DEATHS		17569	4780	1675	702	443	322	7872	771	429	613	565	944	1096	1247	1509	1328
Small-pox		52	12	5	3	2	2	24	5	2	2	8	6	2	2	-	1
Measles		317	66	161	41	28	13	301	13	2	-	-	-	-	1	-	-
Scarlatina		857	58	124	146	131	110	509	233	37	-	1	5	1	1	-	2
Diphtheria		56	11	6	4	4	8	33	13	4	-	1	1	1	1	-	2
Whooping-cough		237	111	71	34	11	8	230	7	-	-	-	-	-	-	-	-
Typhus		444	25	22	36	30	18	121	60	65	75	47	75	55	55	47	34
Diarrhoea & Dysentery		471	251	90	12	4	-	357	5	6	2	5	3	7	11	14	37
Cholera		44	6	6	1	-	-	13	1	-	-	3	2	7	9	5	4
Other Zymotic Dis.		438	56	69	49	47	35	250	42	6	16	14	19	29	27	23	20
Cancer		111	-	-	-	-	1	1	1	-	-	-	-	14	16	30	30
Serofula and Tabes		331	102	55	20	5	10	192	24	27	27	13	14	14	9	5	6
Phthisis		1898	22	15	7	7	8	59	42	92	282	291	361	343	225	134	45
Hydrocephalus		387	116	101	45	30	19	311	53	17	6	-	-	-	-	-	-
Dis. of Brain		3318	1890	281	98	51	30	2280	75	40	44	23	67	95	117	212	243
Dis. of Heart & Dropsy		729	11	4	7	3	7	32	23	19	32	16	63	78	126	164	130
Dis. of Lungs		2965	639	287	102	55	27	1110	48	24	35	47	108	171	323	478	488
Dis. of Stom. and Liver		852	117	27	12	4	5	163	29	14	31	26	48	89	132	141	141
Dis. of Kidneys		272	1	3	3	-	1	8	10	7	5	12	17	27	38	41	41
Dis. of Gen. Organs		5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1
Dis. of Joints		77	1	3	2	3	1	10	15	11	6	6	4	3	3	3	3
Dis. of Skin		54	14	4	2	-	-	20	-	-	-	-	-	2	1	1	1
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		638	13	31	27	23	17	116	44	46	2	2	10	15	27	27	27
Other Causes		2716	1265	320	31	19	9	1638	23	10	11	11	23	32	43	49	100

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and upwards.	
496.—SADDLEWORTH.																			
Population, 1-71		9920	278	275	241	244	227	1265	1117	1038	983	941	1496	1218	902	564	306	83	7
DEATHS -		2159	434	180	71	50	40	781	81	68	93	89	153	149	145	180	227	156	32
- - -		2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
- - -		45	11	19	2	6	-	88	6	-	-	1	-	-	-	-	-	-	-
- - -		85	4	18	12	15	12	61	18	2	2	1	1	-	-	-	-	-	-
- - -		11	-	-	3	1	1	7	3	1	-	-	-	-	-	-	-	-	-
- - -		43	23	11	4	-	4	42	1	-	-	-	-	-	-	-	-	-	-
- - -		102	-	6	4	1	8	19	14	13	18	6	7	12	5	6	1	1	-
- - -		63	32	11	1	-	-	44	-	-	-	-	-	1	1	2	8	5	1
- - -		9	-	1	1	-	-	2	-	-	-	-	1	4	2	1	2	-	-
- - -		53	8	4	2	7	1	22	8	2	-	3	-	3	2	3	6	-	1
- - -		35	-	-	-	-	-	-	-	-	-	-	3	3	11	7	7	5	-
- - -		45	19	8	6	-	2	35	2	3	1	9	-	3	11	7	7	5	-
- - -		323	3	2	2	2	1	10	5	21	62	41	86	55	26	18	9	-	-
- - -		20	9	3	4	2	-	18	2	-	-	-	-	-	-	-	-	-	-
- - -		301	156	23	11	2	9	181	9	8	4	6	7	6	12	19	32	16	1
- - -		172	1	1	2	1	-	5	2	8	2	5	10	21	35	38	33	13	-
- - -		272	62	41	8	5	4	120	3	3	4	5	8	15	21	35	32	23	8
- - -		100	6	4	1	1	1	13	1	2	1	5	8	8	11	21	25	5	-
- - -		12	-	-	-	1	-	1	-	-	-	-	-	3	2	4	-	1	1
- - -		9	-	-	-	-	-	-	-	-	-	-	1	3	2	3	-	-	-
- - -		17	-	1	-	-	1	2	-	-	-	1	2	3	4	3	2	-	-
- - -		2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
- - -		38	-	-	-	-	-	-	-	3	8	16	9	2	-	-	-	-	-
- - -		8	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-
- - -		38	5	4	3	3	2	17	2	3	3	2	2	1	-	3	1	3	1
- - -		354	115	22	5	1	-	143	5	1	3	2	1	5	14	70	84	24	-
497.—HUDDERSFIELD.																			
Population, 1-71		69306	2116	1948	1860	1801	1823	9548	8343	7467	7039	6592	10360	7947	5760	3699	1892	594	65
DEATHS -		15231	3500	1329	619	426	337	6211	740	401	616	623	1160	972	890	1159	1334	916	191
- - -		109	24	14	4	11	6	39	11	6	2	6	7	11	2	1	-	-	-
- - -		418	75	158	83	89	23	378	33	2	4	-	7	-	-	-	-	-	-
- - -		827	46	100	116	107	123	469	247	59	16	19	11	2	-	-	-	-	-
- - -		91	5	11	14	13	12	55	25	9	1	-	1	-	-	-	-	-	-
- - -		377	174	118	49	13	9	368	6	1	-	1	-	-	-	-	-	-	-
- - -		741	10	29	36	30	26	131	88	79	75	57	100	64	48	58	34	8	-
- - -		593	284	92	15	9	1	491	12	4	2	6	16	11	15	29	46	47	4
- - -		62	18	8	-	1	2	29	5	-	1	1	5	3	4	7	5	2	-
- - -		362	51	46	48	38	35	215	37	7	9	10	14	6	13	19	23	6	-
- - -		214	-	1	-	1	-	2	-	1	1	-	12	34	71	61	38	13	1
- - -		240	66	49	22	5	5	147	19	11	17	10	14	12	9	4	3	-	-
- - -		2144	31	80	20	6	7	94	46	100	341	344	550	329	169	110	56	5	-
- - -		264	84	67	26	22	16	215	31	10	3	1	3	-	-	1	-	-	-
- - -		2032	917	150	76	47	21	1211	71	36	27	31	50	65	96	165	186	106	8
- - -		765	5	4	1	2	6	18	14	20	23	19	61	88	131	172	164	51	4
- - -		1968	433	228	66	35	30	792	45	17	24	21	59	85	124	236	338	161	16
- - -		704	50	13	8	7	4	82	11	13	20	24	58	73	105	149	109	54	5
- - -		175	10	7	3	1	1	22	4	3	2	11	21	24	30	24	28	6	-
- - -		63	-	-	-	-	-	-	-	-	1	4	10	12	14	13	6	3	-
- - -		87	4	3	3	2	1	13	6	5	6	7	7	15	17	6	4	1	-
- - -		31	6	1	-	1	-	8	-	1	1	-	5	4	1	5	4	2	-
- - -		272	-	-	-	-	-	-	-	-	13	48	112	97	9	-	-	-	-
- - -		38	-	-	-	-	-	-	-	-	5	2	9	4	9	7	1	1	-
- - -		173	15	19	12	15	6	67	22	10	8	5	9	8	5	6	14	15	2
- - -		2455	1192	181	27	16	3	1419	16	7	10	5	17	22	32	66	245	435	151
498.—HALIFAX.																			
Population, 1-71		72828	2103	1825	1734	1701	1730	9093	8305	7414	7511	7127	11449	8802	6427	3987	2030	622	61
DEATHS -		16656	3807	1523	652	430	312	6724	698	479	786	714	1179	1054	1064	1299	1451	1030	178
- - -		57	15	4	4	1	4	28	10	8	1	8	4	2	1	-	-	-	-
- - -		340	63	148	67	31	12	321	17	2	-	-	-	-	-	-	-	-	-
- - -		827	46	100	135	124	121	345	213	45	12	6	4	1	1	-	-	-	-
- - -		50	3	4	7	9	8	31	10	5	-	5	1	-	-	-	-	-	-
- - -		297	188	106	24	9	8	285	11	-	1	-	-	-	-	-	-	-	-
- - -		727	21	32	29	22	20	133	89	77	118	60	73	44	26	42	22	13	-
- - -		482	243	77	10	7	3	339	6	1	5	2	13	15	15	22	28	33	3
- - -		39	6	6	-	1	-	13	2	-	1	2	3	3	6	5	7	1	-
- - -		378	44	40	40	41	18	189	33	15	11	7	19	17	27	29	15	13	1
- - -		295	-	-	-	-	-	-	-	-	1	2	13	41	80	79	32	20	1
- - -		265	63	48	16	8	8	148	22	19	17	13	14	15	8	6	3	-	-
- - -		2291	20	15	8	7	4	54	42	152	461	416	580	320	162	77	25	2	-
- - -		292	79	87	44	24	11	245	32	13	1	1	-	-	-	-	-	-	-
- - -		2737	1422	237	89	51	22	1821	51	44	34	26	56	87	127	192	198	106	15
- - -		845	12	6	5	5	5	35	16	30	32	32	76	105	131	178	162	57	3
- - -		2386	448	297	95	49	44	938	37	22	37	36	79	141	200	307	445	205	14
- - -		861	80	22	7	8	5	122	25	14	24	32	62	93	128	174	133	46	5
- - -		97	1	1	-	-	1	8	5	3	4	6	18	19	14	13	12	9	-
- - -		84	1	-	-	-	-	1	-	-	4	6	8	27	21	12	10	-	-
- - -		70	2	4	3	1	-	10	6	10	6	7	7	3	6	1	1	-	-
- - -		32	13	-	-	-	-	12	1	-	3	-	8	3	-	-	-	-	-
- - -		232	-	-	-	-	-	-	-	-	-	38	118	83	4	-	-	-	-
- - -		24	-	-	-	-	-	-	-	-	-	1	8	8	-	-	-	-	-
- - -		210	30	19	18	6	6	73	27	15	6	5	10	8	-	9	17	12	11
- - -		2545	1059	255	53	16	4	1384	23	9	10	8	13	23	45	78	315	935	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 1 Year.														
		1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
499.—BRADFORD.																
Mean Popul ⁿ , 1861-71	108458	3509	3048	2893	2845	2801	15096	12837	11421	11003	9853	16847	12987	9534	5660	2525
TOTAL DEATHS	28919	9338	3083	1108	720	556	14805	1164	592	778	878	1535	1090	1908	2164	2946
Small-pox	217	80	15	10	20	8	123	28	5	12	11	14	6	6	2	-
Measles	665	157	202	102	50	20	630	27	1	-	-	1	-	-	-	-
Scarlatina	1221	88	182	206	208	141	825	339	56	11	2	4	2	1	-	-
Diphtheria	153	29	30	18	15	11	108	20	8	4	6	4	2	3	-	-
Whooping-cough	538	271	155	65	25	11	527	11	-	-	-	-	-	-	-	-
Typhus	1204	38	67	54	50	62	261	145	91	109	95	150	100	100	81	46
Diarrhoea & Dysentery	1828	975	236	80	9	8	1298	11	5	2	3	10	13	21	44	26
Cholera	83	24	7	4	1	-	36	6	-	1	3	6	4	7	13	3
Other Zymotic Dis.	666	169	91	65	75	37	377	68	19	16	12	29	33	33	21	21
Cancer	218	1	-	-	-	-	1	1	2	2	4	10	24	39	71	45
Scrophula and Tuberc.	823	164	119	38	17	15	351	30	26	26	29	28	11	7	10	8
Phthisis	2839	53	55	29	11	15	163	52	105	325	429	612	528	272	184	37
Hydrocephalus	725	278	217	64	32	31	642	61	13	7	-	1	-	-	1	-
Dis. of Brain	4848	2653	426	114	54	55	3302	115	44	46	55	101	129	236	296	345
Dis. of Heart & Dropsy	1692	36	22	14	8	14	94	29	50	56	60	132	215	249	221	202
Dis. of Lungs	4740	1286	645	162	60	40	2302	76	32	34	54	155	202	415	299	275
Dis. of Stom. and Liver	1173	249	34	0	13	8	318	37	23	34	32	78	107	150	198	126
Dis. of Kidneys	376	1	1	4	3	2	11	10	9	16	15	42	44	45	69	78
Dis. of Gener. Organs	6	1	-	-	-	1	2	1	-	-	-	-	1	1	1	1
Dis. of Joints	140	9	6	3	2	1	21	13	18	15	12	10	16	9	11	38
Dis. of Skin	63	20	3	-	-	1	24	1	2	1	5	6	8	7	9	3
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Necrosis	99	-	-	-	-	-	-	-	-	2	2	11	23	34	38	23
Other Violent Deaths	906	69	43	42	34	31	221	30	62	50	58	113	112	99	72	59
Other Causes	4391	2647	417	87	23	19	5162	30	10	9	9	28	53	64	112	209
500 b.—HUNSLET ; * 500 c.—HOLBECK ; * 500 d.—BRAMLEY.*																
Mean Popul ⁿ , 1861-71	57757	2044	1679	1680	1626	1555	8564	7245	5965	5667	5342	9074	6805	4673	2821	1380
TOTAL DEATHS	15371	5275	1724	653	383	310	8945	597	322	398	419	757	832	936	1049	1967
Small-pox	109	40	18	0	8	6	81	4	-	3	6	9	3	5	-	-
Measles	346	82	132	69	33	18	334	10	2	-	-	-	-	-	-	-
Scarlatina	689	54	105	108	102	97	464	149	30	6	4	4	1	1	-	-
Diphtheria	110	11	19	14	13	9	66	80	6	1	2	2	-	1	1	-
Whooping-cough	323	155	108	29	18	8	518	5	-	-	-	-	-	-	-	-
Typhus	605	12	16	25	16	15	84	77	59	69	51	91	59	62	53	22
Diarrhoea & Dysentery	915	622	150	30	9	1	892	6	3	3	1	7	5	9	20	25
Cholera	46	22	5	-	-	-	27	-	-	-	-	2	4	3	4	3
Other Zymotic Dis.	367	64	59	41	31	27	222	28	10	6	5	7	21	25	18	14
Cancer	114	-	-	-	-	-	-	2	1	-	-	6	14	32	28	23
Scrophula and Tuberc.	317	133	68	18	5	5	229	22	20	14	12	9	4	2	-	-
Phthisis	1350	30	28	13	2	8	81	37	55	172	204	303	247	170	89	18
Hydrocephalus	369	133	121	42	23	11	535	20	6	2	-	-	-	-	-	-
Dis. of Brain	2373	1255	197	69	28	40	1309	48	31	21	25	57	48	116	159	183
Dis. of Heart & Dropsy	753	24	9	4	8	10	50	17	18	20	16	75	104	120	100	83
Dis. of Lungs	2711	895	427	126	39	23	1508	45	12	17	25	62	139	260	289	296
Dis. of Stom. and Liver	631	137	35	12	7	3	196	20	16	22	14	29	75	82	86	71
Dis. of Kidneys	297	1	3	3	1	2	0	4	5	9	9	17	24	28	39	43
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Dis. of Joints	63	4	2	-	4	-	10	7	8	4	2	6	5	12	6	3
Dis. of Skin	32	16	1	2	1	-	20	-	-	1	-	1	2	2	1	3
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Necrosis	49	-	-	-	-	-	-	-	-	3	3	7	9	13	10	3
Other Violent Deaths	437	26	22	13	15	15	91	44	36	29	32	44	47	41	45	16
Other Causes	2453	1861	201	57	13	7	1819	16	4	5	7	19	21	22	46	178
501.—LEEDS.†																
Mean Popul ⁿ , 1861-71	62098	2050	1712	1663	1614	1631	8670	7273	6154	6058	6008	10361	7528	5277	3153	1307
TOTAL DEATHS	19977	5848	2195	850	538	359	9790	760	358	483	619	1349	1436	1545	1618	1299
Small-pox	87	29	6	3	10	3	51	9	8	5	10	8	5	1	-	-
Measles	306	70	173	82	37	17	370	16	1	-	-	-	-	-	-	-
Scarlatina	890	66	146	158	132	106	698	209	33	7	1	7	-	-	1	-
Diphtheria	77	9	16	12	12	4	53	10	3	3	2	3	1	1	1	-
Whooping-cough	347	141	123	40	23	10	337	10	-	-	-	-	-	-	-	-
Typhus	925	14	20	24	32	24	114	82	59	70	88	148	120	99	75	48
Diarrhoea & Dysentery	1535	1044	274	49	13	7	1387	19	6	6	6	9	10	12	32	50
Cholera	29	13	2	1	1	-	17	-	-	-	-	3	2	3	4	-
Other Zymotic Dis.	388	72	57	57	25	23	232	39	9	7	6	15	21	25	20	10
Cancer	158	-	-	-	1	-	1	3	-	5	3	8	28	33	48	23
Scrophula and Tuberc.	429	152	100	24	18	13	307	43	24	14	12	13	9	6	-	1
Phthisis	1754	17	18	9	5	5	54	22	43	109	248	450	385	255	94	36
Hydrocephalus	411	156	128	42	27	23	376	25	10	-	-	-	-	-	-	-
Dis. of Brain	2826	1202	231	78	56	26	1703	72	37	30	26	71	116	163	255	283
Dis. of Heart & Dropsy	1041	79	8	7	8	3	105	23	16	24	33	144	128	180	197	129
Dis. of Lungs	2987	894	551	160	91	45	1747	64	18	26	53	172	281	419	554	442
Dis. of Stom. and Liver	698	90	12	13	6	6	127	22	18	12	23	67	90	132	114	70
Dis. of Kidneys	325	5	4	2	4	4	19	9	5	5	14	24	44	64	68	80
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	91	1	3	-	1	1	6	9	2	-	-	9	13	10	14	1
Dis. of Skin	58	11	4	1	-	-	17	2	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Necrosis	60	-	-	-	-	-	-	-	-	-	-	5	14	15	15	15
Other Violent Deaths	847	48	27	27	21	21	153	58	48	40	40	71	148	115	89	53
Other Causes	2623	1645	272	55	17	8	1997	21	7	4	4	25	44	52	62	106

and intricate changes having been made since the year 1861.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																				85 upwards.
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-					
499.—BRADFORD.																						
n Popul ⁿ , 1861-71	118637	3576	3155	2959	2885	2791	15366	13292	11879	12345	11922	19427	14696	10046	5963	2813	806	82				
ALL DEATHS -	28244	7475	2886	1169	741	506	12777	1112	652	1117	1206	2212	1838	1675	1946	2119	1334	256				
Pox -	253	64	39	17	11	13	741	56	11	16	13	19	9	-	2	-	-	-				
" -	691	143	287	104	74	36	646	42	3	-	-	-	4	-	-	-	-	-				
Dysentery -	1142	75	166	187	181	144	733	302	26	10	7	9	-	-	1	-	-	-				
" -	147	24	17	22	18	15	95	33	10	1	2	3	1	1	-	-	-	-				
Cough -	732	842	228	98	33	19	725	23	2	1	1	-	-	-	-	-	-	-				
" -	1210	30	54	63	46	52	245	129	128	156	100	130	97	80	80	22	12	1				
" & Dysentery -	1473	833	268	45	8	7	1161	13	1	9	11	16	33	38	66	75	51	7				
" -	79	23	6	5	-	-	34	8	1	2	2	2	7	4	8	8	2	1				
Zymotic Dis. -	609	104	87	57	45	41	344	60	20	16	16	24	58	18	29	30	14	-				
" -	269	-	1	-	1	1	3	1	-	5	6	68	119	165	133	76	22	3				
" and Typh. -	465	127	112	32	25	8	304	28	15	23	19	20	22	13	7	5	1	-				
" -	3555	40	55	29	21	13	136	61	165	398	646	1025	563	275	116	55	5	-				
" -	832	208	161	70	54	20	602	52	19	6	2	1	-	-	-	-	-	-				
" -	4006	1973	359	118	70	37	2546	100	58	59	49	104	135	180	270	316	165	17				
Heart & Dropsy -	1870	35	23	11	6	5	90	46	69	67	82	301	230	312	338	331	98	11				
" -	1147	1070	606	304	191	41	2918	94	39	43	46	142	131	257	457	284	237	19				
" and Liver -	4135	154	37	16	8	10	223	15	15	37	42	113	116	168	295	128	54	6				
" -	181	2	1	4	2	4	13	6	5	4	36	30	34	20	27	11	4	1				
" -	89	-	-	-	-	-	-	-	-	-	3	18	8	16	7	7	2	1				
" -	118	1	5	1	3	3	13	9	19	19	5	13	11	8	14	7	-	-				
" -	69	19	4	2	1	2	28	1	1	7	8	4	4	4	7	4	1	-				
Birth and Metris -	504	-	-	-	-	-	-	-	-	24	99	243	150	6	-	-	-	-				
" -	83	-	-	-	-	-	-	-	1	3	6	2	3	7	6	5	-	-				
Violent Deaths -	505	48	30	30	25	15	148	58	19	9	2	14	9	12	16	16	21	8				
" Cause -	4165	2160	849	60	13	9	2291	22	10	10	19	33	52	52	130	426	640	180				

Causes of Death in the Ten Years 1861-70.—Males.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-
		502.—DEWSBURY.													
Mean Popul ⁿ , 1861-71	53023	1895	1597	1532	1442	1386	7852	6652	5948	5436	4903	8070	6026	4169	2533
TOTAL DEATHS	14725	5007	1608	693	414	287	8609	716	841	411	442	738	661	777	592
Small-pox	257	62	39	24	31	22	178	32	7	8	11	16	4	1	-
Measles	287	69	125	49	20	15	208	19	-	-	-	-	-	-	-
Scarlatina	651	84	99	97	93	79	404	194	89	9	3	1	1	-	-
Diphtheria	82	8	13	12	13	6	52	29	5	2	1	2	1	2	3
Whooping-cough	227	106	72	23	11	8	222	5	-	-	-	-	-	-	-
Typhus	594	8	18	27	25	24	102	84	53	65	54	86	48	43	35
Diarrhœa & Dysentery	714	453	137	23	4	3	629	5	1	1	2	2	2	10	17
Cholera	63	32	9	4	1	1	47	1	1	1	1	2	2	3	9
Other Zymotic Dis.	898	48	53	47	37	13	198	27	10	9	5	13	13	13	9
Cancer	85	-	-	-	-	-	-	1	-	-	-	5	12	19	27
Scrophula and Tuberc.	862	139	81	20	4	6	232	27	22	9	14	17	3	7	7
Phthisis	1282	17	18	8	7	8	58	29	70	108	212	285	217	151	80
Hydrocephalus	535	229	155	54	24	22	484	43	7	-	1	-	-	-	-
Dis. of Brain	2451	1880	216	77	35	52	1740	63	89	29	24	41	46	63	146
Dis. of Heart & Dropsy	699	73	19	13	7	3	115	24	20	21	14	61	65	85	58
Dis. of Lungs	2408	741	545	124	64	23	1397	64	13	15	27	67	97	189	226
Dis. of Stom. and Liver	491	81	12	15	5	5	118	13	10	16	19	37	51	79	100
Dis. of Kidneys	167	2	2	4	2	1	11	7	1	5	7	13	15	25	29
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	67	4	2	1	-	2	9	7	19	10	7	7	6	1	8
Dis. of Skin	29	19	-	1	-	-	39	-	1	-	-	-	-	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	42	-	-	-	-	-	-	-	-	-	-	7	6	5	7
Other Violent Deaths	444	80	19	22	20	13	104	26	84	38	32	60	47	49	29
Other Causes	2640	1482	234	49	9	2	1770	16	8	5	8	15	24	21	69
503.—WAKEFIELD.*															
Mean Popul ⁿ , 1861-71	31887	1068	967	906	871	853	4665	3758	3318	3104	3012	4995	3632	2626	1658
TOTAL DEATHS	8564	2204	607	287	168	136	5463	330	191	232	302	602	725	761	747
Small-pox	60	20	4	3	2	4	33	5	2	5	4	8	2	-	1
Measles	111	28	49	16	7	6	106	4	1	-	-	-	-	-	-
Scarlatina	541	16	41	66	57	41	211	96	24	6	1	3	-	-	-
Diphtheria	68	12	10	10	7	6	45	16	1	2	-	2	-	-	2
Whooping-cough	94	53	18	12	6	2	91	3	-	-	-	-	-	-	-
Typhus	273	9	16	14	7	7	63	26	24	27	22	34	20	18	22
Diarrhœa & Dysentery	416	216	70	12	4	2	304	6	-	-	3	4	11	10	25
Cholera	16	5	2	-	-	-	7	-	-	-	-	-	1	4	-
Other Zymotic Dis.	190	89	14	18	7	13	91	14	3	4	6	14	17	12	11
Cancer	57	1	-	-	-	-	1	-	-	-	-	2	3	9	22
Scrophula and Tuberc.	190	74	42	10	5	5	136	9	5	8	9	6	10	2	5
Phthisis	892	13	10	6	4	1	54	19	31	93	133	210	173	108	69
Hydrocephalus	186	70	63	15	9	3	160	21	3	1	-	1	-	-	-
Dis. of Brain	1728	574	60	36	19	18	707	40	29	18	35	117	215	307	188
Dis. of Heart & Dropsy	464	8	7	3	3	1	22	10	6	8	13	37	59	72	100
Dis. of Lungs	1226	366	119	38	17	13	553	19	3	6	13	46	74	96	148
Dis. of Stom. and Liver	397	48	12	6	9	-	68	7	14	10	12	23	40	66	64
Dis. of Kidneys	113	1	2	5	1	-	9	4	3	4	5	8	10	14	19
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	32	1	1	2	-	-	4	2	1	6	2	3	2	1	6
Dis. of Skin	18	3	1	-	1	-	5	1	-	-	-	1	2	1	6
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	43	-	-	-	-	-	-	-	-	-	-	2	8	10	6
Other Violent Deaths	413	13	13	16	5	7	54	19	38	33	39	57	54	52	45
Other Causes	1234	694	53	9	6	7	768	9	4	1	3	8	18	19	29
504 a.—PONTEFRAC T.*															
Mean Popul ⁿ , 1861-71	19563	634	584	591	527	555	2891	2502	2246	1969	1664	2698	2081	1586	1101
TOTAL DEATHS	4676	1382	478	207	126	100	2293	197	104	122	116	221	243	262	350
Small-pox	21	5	3	-	-	2	10	2	1	2	-	3	1	2	-
Measles	111	19	41	30	10	7	107	4	-	-	-	-	-	-	-
Scarlatina	254	17	38	49	33	34	171	53	17	7	3	2	1	-	-
Diphtheria	40	6	6	3	5	2	22	9	3	2	2	-	-	-	2
Whooping-cough	74	33	23	13	4	1	74	-	-	-	-	-	-	-	-
Typhus	239	8	18	10	15	8	89	26	23	18	19	31	19	20	12
Diarrhœa & Dysentery	268	149	70	7	4	1	231	2	1	1	-	-	3	4	4
Cholera	12	4	-	-	-	-	4	1	-	-	-	2	-	-	1
Other Zymotic Dis.	99	13	9	16	8	12	58	4	4	1	1	3	6	6	5
Cancer	41	-	-	-	-	-	-	1	-	-	-	-	3	8	11
Scrophula and Tuberc.	125	52	33	12	1	3	101	5	6	2	3	2	1	4	1
Phthisis	562	8	8	4	-	2	17	13	11	35	44	79	71	42	36
Hydrocephalus	76	38	18	6	2	9	73	3	-	-	-	-	-	-	-
Dis. of Brain	662	364	47	23	12	5	451	13	3	5	7	9	15	19	61
Dis. of Heart & Dropsy	270	4	2	1	-	3	10	5	8	8	8	21	22	48	61
Dis. of Lungs	664	109	69	22	18	6	275	17	4	7	6	16	21	30	62
Dis. of Stom. and Liver	213	43	4	2	3	1	63	8	8	6	6	14	27	28	51
Dis. of Kidneys	69	2	1	-	1	1	5	2	-	-	-	6	6	7	14
Dis. of Gener. Organs	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	17	-	1	-	-	-	1	1	-	-	-	-	-	-	-
Dis. of Skin	11	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	224	6	8	4	6	3	29	23	25	16	15	15	22	14	21
Other Causes	1902	449	78	4	2	-	535	8	-	-	-	-	-	-	-

* Corrections have been made.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
		Year.					Years.											Supra.	
502.—DEWSBURY.																			
an Popul ⁿ , 1861-71	55561	1922	1628	1572	1488	1455	8065	6768	5982	5718	5415	8789	6340	4184	2618	1275	366	41	
AL DEATHS -	13608	3869	1504	673	448	324	6818	634	340	500	475	876	791	624	884	927	609	130	
Apoplexy -	279	58	31	42	42	23	196	43	7	13	5	6	6	3	-	-	-	-	
Consumption -	246	43	98	44	23	14	232	21	2	1	-	-	-	-	-	-	-	-	
Typhoid -	662	89	83	119	91	87	419	177	43	14	5	3	1	-	-	-	-	-	
Scarlatina -	112	10	10	15	19	14	74	29	16	1	-	-	-	-	-	-	-	-	
Diphtheria -	328	149	115	46	13	7	321	6	1	-	-	-	-	-	-	-	-	-	
Whooping-cough -	633	8	27	42	31	28	186	76	64	90	46	77	55	38	31	18	2	-	
Measles -	642	262	128	20	9	6	535	0	2	-	3	8	9	5	15	31	32	15	
Diarrhoea & Dysentery -	44	17	9	2	-	-	28	-	-	1	1	2	-	6	3	-	-	-	
Zymotic Dis. -	328	54	49	35	35	29	292	31	7	11	0	8	11	11	15	13	10	1	
Small-pox -	191	-	-	-	-	-	-	-	-	1	2	13	31	48	31	36	8	1	
Scarlatina and Typhoid -	287	97	58	17	15	4	191	19	13	12	13	13	9	4	9	4	-	-	
Measles -	1502	13	11	13	12	6	55	34	76	245	228	397	268	108	64	27	2	-	
Cerebral -	344	123	102	38	31	17	313	22	7	1	-	-	-	-	-	-	-	-	
Of Brain -	1964	1018	190	68	44	27	1347	60	27	24	19	31	56	66	125	137	63	3	
Of Heart & Dropsy -	724	65	21	4	8	1	69	19	21	21	26	64	87	92	144	110	40	1	
Of Lungs -	1906	553	323	96	51	34	1042	43	18	18	19	53	86	99	222	253	134	7	
Of Stomach and Liver -	659	65	17	11	6	4	103	12	17	11	11	60	61	77	109	82	24	2	
Of Kidneys -	69	-	2	3	1	1	7	-	3	2	6	8	10	12	8	6	7	-	
Of Genes. Organs -	40	-	-	-	-	-	-	-	2	-	5	7	9	7	9	1	-	-	
Of Joints -	62	-	3	3	1	-	6	4	4	4	4	6	10	7	2	3	1	-	
Of Skin -	80	11	-	-	-	1	12	4	1	1	2	1	2	4	1	1	-	-	
Birth and Metris -	234	-	-	-	-	-	-	-	-	13	55	106	58	2	-	-	-	-	
Violent Deaths -	179	17	21	18	7	16	78	17	8	7	13	8	8	7	11	8	16	3	
Causes -	2183	1188	202	37	9	6	1442	17	1	8	8	11	17	26	65	212	278	103	

503.—WAKEFIELD.*																		
an Popul ⁿ , 1861-71	31052	1023	897	886	892	829	4527	3789	3189	2891	2845	4731	3438	2523	1769	984	351	35
AL DEATHS -	7802	1692	621	322	178	134	2947	290	156	237	263	596	555	540	642	700	551	128
Apoplexy -	66	30	6	5	4	4	49	4	-	5	1	8	-	1	-	-	-	-
Consumption -	104	12	40	29	13	5	100	4	-	-	4	-	-	-	-	-	-	-
Typhoid -	338	18	60	66	49	35	218	94	12	4	4	4	2	-	-	-	-	-
Scarlatina -	80	10	11	13	10	9	53	16	5	1	1	3	-	-	1	-	-	-
Diphtheria -	131	58	40	22	7	1	128	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	298	3	19	9	6	17	54	25	33	25	19	33	22	12	18	11	6	-
Measles -	372	184	67	9	2	1	263	1	1	1	-	3	9	12	23	29	25	5
Diarrhoea & Dysentery -	7	3	1	-	-	-	5	1	-	-	-	-	1	-	-	-	-	-
Zymotic Dis. -	175	33	23	27	11	14	108	10	7	7	-	2	7	8	10	11	5	-
Small-pox -	170	-	-	-	-	-	-	-	2	-	1	12	28	41	38	39	8	1
Scarlatina and Typhoid -	150	44	41	7	4	3	90	8	5	5	6	8	3	7	6	9	1	-
Measles -	947	5	8	6	2	3	24	16	36	116	148	237	177	91	63	15	1	-
Cerebral -	122	49	28	10	7	7	101	15	4	-	1	1	-	-	-	-	-	-
Of Brain -	1197	538	69	45	26	12	320	33	12	25	30	69	104	104	122	127	54	7
Of Heart & Dropsy -	490	10	2	1	3	-	16	7	12	11	8	36	50	77	108	94	41	-
Of Lungs -	1667	245	137	42	16	10	459	12	8	11	15	41	47	75	110	100	110	21
Of Stomach and Liver -	320	25	13	2	-	-	40	7	2	2	7	29	38	36	68	53	16	2
Of Kidneys -	72	1	-	2	-	1	4	3	3	1	3	9	0	19	7	10	3	1
Of Genes. Organs -	25	-	-	-	-	-	-	-	-	-	-	9	4	7	6	3	-	-
Of Joints -	40	1	-	3	1	-	5	1	3	5	3	5	7	2	4	4	1	-
Of Skin -	29	19	1	-	-	-	11	-	-	1	1	1	-	3	3	1	-	-
Birth and Metris -	115	-	-	-	-	-	-	-	-	10	22	54	27	2	-	-	-	-
Violent Deaths -	115	17	11	11	9	4	82	13	9	5	2	5	5	2	2	2	8	-
Causes -	1219	560	54	12	8	4	638	7	1	4	1	6	9	16	43	129	273	87

504 a.—PONTEFRAC T.*																		
an Popul ⁿ , 1861-71	18903	637	543	586	567	553	2886	2526	2056	1657	1546	2597	2052	1541	1111	666	237	29
AL DEATHS -	4246	1107	395	180	135	85	1902	211	105	121	131	238	228	199	294	390	339	88
Apoplexy -	20	7	-	3	-	2	12	3	2	-	1	2	-	-	-	-	-	-
Consumption -	96	16	34	15	15	7	87	8	-	-	-	1	-	-	-	-	-	-
Typhoid -	187	14	26	28	24	18	110	37	13	1	4	1	1	-	-	-	-	-
Scarlatina -	26	3	2	5	3	-	13	6	1	2	2	1	-	-	-	1	-	-
Diphtheria -	82	37	29	6	4	4	80	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	215	4	15	13	17	9	68	31	22	26	15	18	14	12	6	7	6	-
Measles -	246	121	65	10	4	-	190	6	2	1	-	3	4	8	3	17	12	3
Diarrhoea & Dysentery -	7	2	3	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-
Zymotic Dis. -	75	11	12	11	12	3	49	11	3	-	-	1	1	3	2	3	3	-
Small-pox -	92	-	-	1	-	-	1	-	-	1	-	5	12	20	29	17	6	1
Scarlatina and Typhoid -	96	48	22	6	1	1	78	4	8	2	4	2	1	1	1	1	-	-
Measles -	430	3	2	5	5	2	17	15	23	60	68	110	74	27	39	6	-	-
Cerebral -	48	13	11	8	4	2	36	8	2	-	-	-	-	-	-	-	-	-
Of Brain -	627	297	35	12	18	14	376	17	7	7	5	15	14	28	47	65	89	7
Of Heart & Dropsy -	226	8	2	3	2	1	11	7	5	6	2	16	23	35	64	37	26	4
Of Lungs -	483	129	69	54	11	13	247	17	5	5	8	16	19	15	39	63	46	3
Of Stomach and Liver -	319	24	3	2	3	1	53	3	4	4	5	14	23	25	54	38	12	-
Of Kidneys -	22	-	1	-	1	-	2	-	1	1	1	1	1	1	1	1	1	-
Of Genes. Organs -	24	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Of Joints -	13	-	-	1	2	1	4	1	3	-	-	-	-	-	-	-	-	-
Of Skin -	14	6	1	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Birth and Metris -	54	-	-	-	-	-	-	-	-	3	-	10	1	18	-	-	-	-
Violent Deaths -	72	9	7	4	5	5	20	10	4	3	-	1	2	1	1	1	1	-
Causes -	885	309	66	13	4	2	454	5	3	2	-	1	1	1	1	1	1	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-7

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-		
		504 b.—HEMSWORTH.																
Mean Popul ⁿ , 1861-71	4009	97	99	101	102	94	493	469	591	384	291	494	427	335	281	1		
TOTAL DEATHS -	763	165	23	16	8	10	227	33	24	21	25	40	37	38	67	1		
Small-pox - - -	1	-	-	-	-	-	3	2	-	-	-	1	-	-	-	-		
Measles - - -	5	2	1	-	-	-	3	2	-	-	-	-	-	-	-	-		
Scarlatina - - -	27	2	2	5	2	3	14	9	3	1	-	-	-	-	-	-		
Diphtheria - - -	19	2	3	1	-	-	6	1	2	-	1	-	-	-	-	-		
Whooping-cough -	13	7	2	1	-	2	12	1	-	-	-	-	-	-	-	-		
Typhus - - -	26	-	-	1	1	1	3	4	4	6	3	4	4	5	1	-		
Diarrhoea & Dysentery	16	4	2	-	-	1	6	-	-	-	-	-	2	-	2	-		
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	11	-	1	-	-	2	3	2	2	-	-	-	1	-	-	-		
Cancer - - -	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scrofula and Tuberc.	19	12	2	-	-	-	14	1	-	2	-	1	1	3	3	-		
Phthisis - - -	77	1	-	-	-	-	2	3	-	7	10	21	8	13	9	-		
Hydrocephalus - -	10	4	3	2	1	-	10	-	-	-	-	-	-	-	-	-		
Dis. of Brain - - -	122	50	3	1	1	1	56	4	2	-	-	2	4	7	11	-		
Dis. of Heart & Dropsy	62	-	-	-	-	-	1	2	-	-	3	3	5	7	13	-		
Dis. of Lungs - - -	108	50	5	1	1	-	37	1	-	1	1	3	4	11	11	-		
Dis. of Stom. and Liver	42	4	2	1	1	-	8	-	1	-	2	6	3	2	7	-		
Dis. of Kidneys - -	8	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-		
Dis. of Gen. Organs -	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-		
Dis. of Joints - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
Other Violent Deaths -	40	3	1	1	1	-	6	2	3	4	1	3	4	7	4	-		
Other Causes - - -	136	44	1	-	-	-	43	1	1	-	1	3	1	2	6	-		
505.—BARNSELY.																		
Mean Popul ⁿ , 1861-71	26776	925	802	803	776	764	4070	3307	2907	2612	2453	4112	2996	2097	1323	1		
TOTAL DEATHS -	6944	2173	658	290	163	135	3400	282	206	234	268	466	393	390	442	1		
Small-pox - - -	55	12	5	1	3	1	22	6	3	3	9	9	3	-	-	-		
Measles - - -	133	36	73	33	10	6	140	13	-	-	-	-	-	-	-	-		
Scarlatina - - -	329	21	53	66	52	47	232	81	19	3	1	1	1	-	-	-		
Diphtheria - - -	25	6	2	4	2	2	16	5	2	-	3	3	-	1	-	-		
Whooping-cough -	108	59	24	12	7	-	102	4	-	-	-	-	-	-	-	-		
Typhus - - -	279	3	8	10	16	9	44	27	24	32	28	33	18	29	22	-		
Diarrhoea & Dysentery	332	232	54	19	2	3	303	2	-	-	-	-	5	1	1	-		
Cholera - - -	20	2	2	1	-	1	6	1	-	1	-	2	2	2	3	-		
Other Zymotic Dis.	138	21	20	16	8	12	77	10	5	-	2	14	5	9	8	-		
Cancer - - -	50	-	-	-	-	-	-	1	-	-	1	2	3	9	18	-		
Scrofula and Tuberc.	137	50	42	12	2	1	107	11	6	4	5	3	1	-	-	-		
Phthisis - - -	225	17	15	3	-	5	40	18	22	52	64	106	93	66	49	-		
Hydrocephalus - -	121	52	30	14	7	6	109	10	1	-	-	-	-	-	-	-		
Dis. of Brain - - -	1143	694	75	31	14	18	832	28	11	2	10	24	31	32	50	-		
Dis. of Heart & Dropsy	415	3	5	2	-	-	10	10	15	6	7	28	27	55	93	-		
Dis. of Lungs - - -	951	324	138	50	24	10	546	20	6	7	15	27	31	61	76	-		
Dis. of Stom. and Liver	195	24	4	2	1	-	31	4	9	5	6	11	20	23	37	-		
Dis. of Kidneys - -	78	-	2	2	-	2	6	3	2	1	3	4	5	7	17	-		
Dis. of Gen. Organs -	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints - - -	11	-	1	-	-	-	1	3	2	-	3	-	1	2	2	-		
Dis. of Skin - - -	-	6	1	-	-	-	8	-	1	-	-	-	-	-	-	-		
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	28	-	-	-	-	-	-	-	1	-	-	5	-	2	7	-		
Other Violent Deaths -	804	13	8	14	7	8	50	22	84	113	106	182	123	74	25	-		
Other Causes - - -	1029	698	92	13	8	4	725	5	4	2	4	8	13	17	31	-		
506.—WORTLEY.																		
Mean Popul ⁿ , 1861-71	22011	730	662	644	606	598	3240	2764	2502	2274	2048	3186	2401	1689	1099	6		
TOTAL DEATHS -	4091	1409	321	196	130	78	2134	218	123	120	144	235	295	290	319	4		
Small-pox - - -	37	15	-	1	1	-	17	4	2	1	5	2	4	-	1	-		
Measles - - -	69	12	25	8	8	6	39	8	1	1	-	-	-	-	-	-		
Scarlatina - - -	204	24	25	39	33	22	143	45	12	1	2	1	-	-	-	-		
Diphtheria - - -	53	9	7	9	4	2	31	12	5	2	1	1	-	-	-	-		
Whooping-cough -	65	31	13	12	2	1	59	6	-	-	-	-	-	-	-	-		
Typhus - - -	181	7	9	13	7	4	40	19	14	17	16	25	21	9	8	-		
Diarrhoea & Dysentery	108	95	20	8	3	1	137	5	-	2	-	3	3	3	9	-		
Cholera - - -	19	1	1	-	-	-	3	1	-	1	2	1	2	2	3	-		
Other Zymotic Dis.	114	18	14	18	15	5	70	15	5	3	-	4	2	3	5	-		
Cancer - - -	37	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-		
Scrofula and Tuberc.	71	21	17	4	1	3	45	5	9	1	3	7	3	8	13	-		
Phthisis - - -	435	2	5	1	1	2	11	9	17	37	60	84	59	62	39	-		
Hydrocephalus - -	102	53	17	11	3	3	89	7	4	2	-	-	-	-	-	-		
Dis. of Brain - - -	760	440	57	19	8	5	500	22	11	9	9	21	18	25	20	-		
Dis. of Heart & Dropsy	225	8	1	2	2	1	14	7	9	6	6	12	32	32	32	-		
Dis. of Lungs - - -	765	305	86	33	22	11	550	23	9	10	5	19	39	66	75	-		
Dis. of Stom. and Liver	184	17	4	2	2	2	27	5	8	4	5	14	16	23	39	-		
Dis. of Kidneys - -	74	2	2	1	2	2	10	6	3	-	-	2	4	-	12	-		
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints - - -	50	1	-	1	-	1	3	4	-	-	-	-	-	-	-	-		
Dis. of Skin - - -	10	4	3	-	-	-	7	-	-	-	-	-	-	-	-	-		
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Violent Deaths -	249	11	8	12	12	6	40	11	15	15	21	24	24	25	25	-		
Other Causes - - -	823	431	27	6	3	1	465	2	6	6	1	2	9	10	11	-		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 & over.
		504b.—HEMSWORTH.																
Mean Popul ⁿ , 1861-71	3944	104	90	109	86	110	499	470	510	350	282	522	431	341	277	184	68	10
ALL DEATHS	711	95	27	16	12	16	166	17	29	35	28	59	36	57	52	103	109	20
pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
measles	10	2	2	3	1	1	9	-	1	-	-	-	-	-	-	-	-	-
diphtheria	24	1	2	4	1	6	14	4	4	-	-	2	-	-	-	-	-	-
scarlatina	10	1	-	1	2	2	6	2	2	-	-	-	-	-	-	-	-	-
croup	15	9	5	1	-	-	15	-	-	-	-	-	-	-	-	-	-	-
whooping-cough	25	-	-	-	-	-	2	2	5	7	4	4	-	5	5	1	-	-
diarrhoea & Dysentery	17	9	1	-	-	-	10	-	-	-	-	1	-	1	2	2	1	-
Zymotic Dis.	16	1	-	2	1	1	5	3	-	-	3	1	-	-	-	1	2	-
Smallpox	32	-	-	-	-	-	-	-	-	-	-	-	3	12	9	8	-	-
Measles and Tabes	19	9	1	1	1	1	13	2	1	-	-	2	16	5	2	3	-	-
Scrophulous	10	-	2	-	1	2	8	2	-	10	13	24	-	-	-	-	-	-
Brain	93	28	6	1	-	1	36	1	2	2	-	3	1	9	7	20	14	1
Heart & Dropsy	69	1	-	-	-	-	1	-	4	3	-	5	4	6	10	19	15	-
Lungs	77	5	5	-	1	-	11	-	2	-	2	2	2	6	7	23	20	2
Stom. and Liver	31	1	-	1	-	-	2	-	-	1	-	2	3	4	7	9	2	1
Kidneys	5	-	-	-	1	-	1	-	1	-	-	1	-	1	-	-	-	-
Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Joints	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Birth and Metris	11	-	-	-	-	-	-	-	-	1	2	7	1	-	-	-	-	-
Violent Deaths	12	1	1	1	1	-	4	-	-	1	1	1	-	-	-	1	3	1
Causes	123	24	2	1	1	-	28	-	2	-	1	1	2	4	6	21	51	14
505.—BARNSELY.																		
Mean Popul ⁿ , 1861-71	24729	952	798	769	773	777	4069	3318	2701	2124	2137	3695	2768	1875	1198	629	190	25
ALL DEATHS	5798	1770	647	289	177	117	3000	240	131	187	197	361	341	278	316	390	287	70
pox	57	13	5	4	7	4	33	5	5	3	5	5	-	-	1	-	-	-
measles	126	16	50	25	17	8	116	9	1	-	-	-	-	-	-	-	-	-
diphtheria	267	18	38	49	46	33	184	66	12	3	2	-	-	-	-	-	-	-
scarlatina	33	5	4	2	7	3	21	10	-	1	-	1	-	-	-	-	-	-
croup	157	70	44	30	7	4	153	2	-	-	-	-	-	-	-	-	-	-
whooping-cough	229	1	12	19	10	6	48	23	20	27	28	29	19	21	8	5	1	-
diarrhoea & Dysentery	323	178	80	11	2	5	274	5	3	-	3	1	5	3	8	9	8	4
Zymotic Dis.	11	3	3	-	-	-	6	-	-	-	1	1	-	1	1	1	1	-
Smallpox	121	20	12	23	5	9	69	8	4	4	6	4	1	9	7	5	4	-
Measles and Tabes	99	-	-	-	-	-	-	1	-	-	1	5	21	32	19	15	5	-
Scrophulous	123	43	49	10	6	1	109	5	1	3	1	3	2	2	-	-	-	-
Brain	628	14	13	9	5	2	43	18	37	90	92	179	103	43	13	5	-	-
Heart & Dropsy	85	23	29	8	11	4	75	7	3	-	-	-	-	-	-	-	-	-
Lungs	931	549	67	24	17	17	674	21	7	8	7	25	20	26	49	70	18	6
Stom. and Liver	416	1	2	1	2	3	9	10	11	12	7	24	57	62	88	92	41	9
Kidneys	771	247	138	42	27	12	465	27	9	8	6	17	29	26	50	77	67	9
Gener. Organs	182	16	2	2	-	1	21	8	2	2	6	17	26	27	38	33	12	-
Joints	27	-	-	1	-	-	1	1	-	3	1	2	5	4	3	5	2	-
Skin	24	-	-	-	-	-	-	-	-	1	3	2	5	8	4	1	-	-
Birth and Metris	17	-	1	-	-	-	9	1	1	1	1	1	1	3	2	2	1	-
Violent Deaths	18	6	2	-	-	1	2	1	1	1	-	2	1	-	-	-	-	-
Causes	953	537	87	21	5	3	633	4	4	2	3	9	5	5	18	73	134	43
506.—WORTLEY.																		
Mean Popul ⁿ , 1861-71	19737	728	677	651	628	585	3269	2766	2308	1636	1624	2749	2144	1507	980	561	176	17
ALL DEATHS	4214	1101	381	159	114	93	1843	316	136	111	102	278	258	195	275	368	313	54
pox	26	11	3	2	1	1	18	1	1	1	-	2	2	1	-	-	-	-
measles	91	14	42	17	5	7	85	6	-	-	-	-	-	-	-	-	-	-
diphtheria	211	14	27	24	35	26	126	32	24	2	4	2	1	-	-	-	-	-
scarlatina	70	7	5	11	8	8	39	19	7	1	1	2	-	-	-	1	-	-
croup	84	41	22	8	5	4	80	4	-	-	-	-	-	-	-	-	-	-
whooping-cough	210	10	12	9	8	5	44	28	37	18	10	23	14	13	14	5	3	1
diarrhoea & Dysentery	136	75	28	2	1	2	108	1	1	-	2	1	2	2	2	7	6	8
Zymotic Dis.	9	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Smallpox	100	18	12	8	11	3	52	17	7	2	2	4	3	5	3	4	1	-
Measles and Tabes	78	-	-	-	-	-	-	-	1	-	-	5	18	19	18	13	9	-
Scrophulous	47	18	20	4	4	3	49	2	2	4	1	4	9	2	1	-	-	-
Brain	407	12	5	4	1	4	26	16	19	47	77	130	91	35	19	7	-	-
Heart & Dropsy	58	22	17	3	5	1	48	5	5	-	-	-	-	-	-	-	-	-
Lungs	634	336	48	14	4	3	395	18	9	6	15	9	14	23	43	56	34	2
Stom. and Liver	258	6	-	2	1	-	9	9	7	11	6	19	31	33	54	57	22	-
Kidneys	632	180	80	49	18	11	341	17	4	8	9	15	24	19	43	88	63	6
Gener. Organs	180	21	3	3	1	4	32	6	4	1	8	14	13	20	31	35	24	-
Joints	37	-	4	-	-	1	5	1	-	-	1	1	1	-	-	-	-	-
Skin	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth and Metris	19	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths	12	7	-	1	-	-	8	-	1	-	4	-	-	-	-	-	-	-
Causes	679	13	8	2	3	6	347	5	4	1	1	2	3	5	10	24	63	16

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
507.—ECCLESALL BIERLOW.																			
Mean Popul'n, 1861-71	38604	1230	1113	1083	1066	1048	5540	4578	4031	4039	3765	6101	4350	3080	1956	921	219	24	
ALL DEATHS	8250	2004	855	426	267	200	3842	425	200	222	208	544	520	502	595	652	400	80	
Pox	134	30	22	18	16	11	87	15	4	5	3	3	4	1	1	1	—	—	
Smallpox	138	31	50	33	6	6	128	9	1	—	—	—	—	—	—	—	—	—	
Tubercula	523	26	77	84	77	66	332	138	37	6	3	8	3	—	1	—	—	—	
Berria	73	9	14	6	9	4	42	25	2	1	3	2	—	—	—	—	—	—	
Croup and Cough	261	106	74	37	20	16	233	8	—	—	—	—	—	—	—	—	—	—	
Whooping Cough	336	10	19	23	16	19	87	45	40	24	23	31	23	22	13	8	—	—	
Dysentery	461	298	82	12	3	4	399	6	2	1	1	8	3	4	9	17	9	2	
Zymotic Dis.	27	10	6	—	1	1	18	1	1	—	—	2	2	—	1	1	1	—	
Scarlatina	177	23	34	27	17	12	113	8	7	7	—	6	6	2	10	9	3	—	
Measles and Rubella	184	—	—	—	1	—	1	—	2	1	—	5	32	65	47	25	6	—	
Erysipelas	163	63	42	9	11	3	128	12	4	4	3	5	4	2	2	1	—	—	
Cephalitis	904	24	20	12	5	7	87	23	33	103	116	240	166	77	45	8	1	—	
Brain	138	48	39	10	9	7	113	11	4	—	—	—	—	—	—	—	—	—	
Heart and Dropsy	1045	414	80	46	18	12	573	35	15	12	18	22	45	60	94	111	23	8	
Lungs	474	7	6	4	7	2	26	15	13	10	13	47	55	63	94	84	33	1	
Stomach and Liver	1280	355	183	73	32	15	658	34	10	12	18	40	46	73	138	169	76	5	
Kidneys	447	40	12	8	3	3	66	13	9	6	13	42	48	72	83	74	23	1	
General Organs	57	1	2	2	—	1	6	4	2	—	1	6	7	8	10	8	4	1	
Joints	26	—	1	—	—	—	1	—	—	—	—	4	7	9	4	1	—	—	
Skin	45	4	—	—	1	1	6	6	4	2	2	4	6	4	7	3	1	—	
Birth and Metris	23	8	1	—	—	—	9	—	—	—	—	4	4	1	2	3	—	—	
Violent Deaths	136	—	—	—	—	—	—	—	—	7	57	56	36	—	—	—	—	—	
Causes	10	—	—	—	—	—	—	—	1	2	—	2	2	1	2	—	—	—	
	124	23	12	6	8	10	26	10	4	4	5	5	8	4	6	12	9	1	
	1080	552	70	14	8	—	644	7	—	—	3	7	18	14	24	117	181	61	

508.—SHEFFIELD.

Mean Popul'n, 1861-71	71787	2577	2295	2108	2068	1968	11016	8909	7433	6655	6666	11541	8529	5559	3328	1656	452	43
ALL DEATHS	19883	5452	2420	1181	738	468	10229	1040	362	520	506	1234	1197	1161	1240	1342	806	162
Pox	483	104	102	71	44	40	370	58	9	8	13	16	2	3	2	2	—	—
Smallpox	537	83	208	105	68	30	494	41	1	—	1	—	—	—	—	—	—	—
Tubercula	1030	68	161	189	163	102	666	235	37	13	4	3	1	1	—	—	—	—
Berria	151	19	32	23	16	15	105	30	4	2	2	—	2	—	—	—	—	—
Croup and Cough	810	204	97	64	19	285	25	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough	229	25	46	71	64	42	248	144	82	100	64	97	68	47	89	33	7	—
Dysentery	1450	924	255	58	19	8	1264	10	4	3	7	12	17	11	81	40	26	5
Zymotic Dis.	40	22	3	1	2	2	39	2	1	—	—	3	—	2	2	—	—	—
Scarlatina	314	60	54	32	34	19	225	20	10	11	5	13	11	17	17	12	3	—
Measles and Rubella	355	—	—	—	1	—	1	—	—	4	4	28	68	118	73	51	13	—
Erysipelas	348	134	78	42	7	9	270	20	15	9	3	9	6	5	9	2	—	—
Cephalitis	1779	62	96	17	16	15	165	63	66	183	226	494	333	147	77	16	5	—
Brain	245	90	70	36	11	9	222	19	3	—	—	—	—	1	—	—	—	—
Heart and Dropsy	2343	1087	205	88	56	42	1478	75	27	50	80	63	94	123	132	179	83	9
Lungs	960	15	12	5	12	7	51	26	34	31	37	90	148	177	193	144	45	4
Stomach and Liver	3401	905	615	219	100	67	1912	98	23	34	41	107	144	232	314	330	128	16
Kidneys	832	95	27	10	8	3	143	12	7	24	27	85	118	153	168	87	28	—
General Organs	90	2	1	—	—	—	3	7	1	7	3	13	17	12	15	11	1	—
Joints	86	—	—	—	—	—	—	—	1	5	9	17	17	24	8	4	1	—
Skin	74	3	3	3	1	2	19	12	9	9	2	5	8	5	5	5	2	—
Birth and Metris	39	9	1	1	—	—	11	1	1	—	—	2	2	7	4	3	6	—
Violent Deaths	283	—	—	—	—	—	—	—	—	20	62	123	75	8	—	—	—	—
Causes	16	—	—	—	—	—	—	—	—	1	2	3	3	6	2	—	—	—
	392	66	32	26	24	17	165	56	30	13	13	20	35	22	17	50	9	5
	3040	1469	249	67	22	11	1818	30	5	11	9	37	35	48	118	370	447	123

509.—ROTHERHAM.

Mean Popul'n, 1861-71	24790	897	795	791	761	723	3967	3240	2742	2181	2128	3649	2733	1956	1253	676	241	24
ALL DEATHS	5700	1502	599	283	148	137	2609	269	119	167	215	404	323	294	361	439	347	63
Pox	57	14	10	12	3	8	47	4	1	2	2	—	—	1	—	—	—	—
Smallpox	125	28	49	22	9	11	117	6	1	—	1	—	—	—	—	—	—	—
Tubercula	229	16	29	49	25	32	154	65	12	8	—	3	1	—	—	1	—	—
Berria	87	3	4	3	6	4	20	13	—	1	—	2	—	1	—	—	—	—
Croup and Cough	151	71	41	23	5	4	144	6	—	—	1	—	—	—	—	—	—	—
Whooping Cough	417	14	26	28	16	25	169	59	34	44	34	57	26	17	20	13	3	1
Dysentery	550	186	92	13	6	1	800	5	—	1	1	8	5	2	8	13	12	1
Zymotic Dis.	14	2	3	1	1	1	8	—	1	—	—	—	2	1	1	1	—	—
Scarlatina	133	14	18	15	12	6	65	14	3	4	4	3	3	7	9	13	6	2
Measles and Rubella	116	—	1	—	—	1	2	1	—	—	—	11	16	30	26	20	9	1
Erysipelas	129	41	23	13	6	1	84	8	8	4	9	6	8	8	3	3	1	—
Cephalitis	324	9	7	4	2	2	94	12	25	61	69	166	68	23	16	3	2	—
Brain	75	28	22	7	6	5	68	3	4	—	—	—	—	—	—	—	—	—
Heart and Dropsy	730	345	52	22	10	11	438	22	5	8	10	12	10	32	40	69	64	10
Lungs	298	3	3	2	3	1	12	5	7	12	25	40	55	65	68	23	4	—
Stomach and Liver	825	208	111	42	20	9	390	17	3	8	12	20	37	57	83	107	47	—
Kidneys	273	33	4	3	3	2	45	6	3	2	13	23	23	21	24	41	24	—
General Organs	29	1	4	2	—	—	7	2	1	—	—	—	—	—	—	—	—	—
Joints	21	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—
Skin	25	9	2	—	—	—	11	1	1	—	—	—	—	—	—	—	—	—
Birth and Metris	108	—	—	—	—	—	—	—	—	—	—	8	22	45	—	—	—	—
Violent Deaths	12	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—
Causes	108	11	10	7	6	8	59	10	5	3	3	8	5	7	10	19	19	—
	3040	479	88	15	4	7	594	7	—	—	—	3	—	—	—	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	
510.—DONCASTER.																	
Mean Popul ⁿ , 1861-71	20863	628	547	551	559	545	2830	2518	2285	1960	1719	2983	2368	1870	1324	726	
TOTAL DEATHS	4843	1322	372	173	113	67	2047	198	78	121	130	311	262	313	331	40	
Small-pox	81	6	4	3	3	1	17	4	—	1	1	7	1	—	—	—	
Measles	80	11	30	19	8	2	70	8	2	—	—	—	—	—	—	—	
Scarlatina	168	7	23	17	20	22	89	58	14	2	2	2	—	1	—	—	
Diphtheria	46	5	8	5	6	2	26	10	1	2	3	2	1	—	1	—	
Whooping-cough	70	25	24	6	3	1	69	1	—	—	—	—	—	—	—	—	
Typhus	301	11	9	18	15	10	63	19	10	20	25	44	21	22	27	1	
Diarrhoea & Dysentery	239	124	40	8	3	—	175	1	—	3	—	2	1	7	9	1	
Cholera	33	1	2	2	1	—	6	5	1	1	—	—	4	5	4	—	
Other Zymotic Dis.	119	17	9	15	8	4	53	12	4	6	1	5	6	4	15	—	
Cancer	48	—	—	—	—	—	—	—	—	—	—	3	5	8	9	1	
Scrophula and Tuberc.	91	38	15	10	1	1	68	6	4	1	1	1	5	4	—	—	
Phthisis	380	6	2	3	1	2	13	9	4	20	40	108	79	53	25	—	
Hydrocephalus	62	21	21	7	4	—	53	8	1	—	—	—	—	—	—	—	
Dis. of Brain	671	324	47	13	9	6	399	18	5	5	8	15	22	23	45	4	
Dis. of Heart & Dropsy	245	12	1	3	1	—	17	1	2	10	6	22	24	37	49	4	
Dis. of Lungs	608	133	58	27	17	6	241	7	3	8	11	22	23	51	76	1	
Dis. of Stom. and Liver	266	29	3	3	4	2	41	4	5	7	2	20	39	26	33	4	
Dis. of Kidneys	86	2	—	—	1	—	3	3	1	—	1	5	10	14	8	1	
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	23	1	—	—	—	2	3	2	3	1	—	3	2	4	1	—	
Dis. of Skin	10	5	—	—	—	—	5	—	—	—	—	1	1	—	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	25	—	—	—	—	—	—	—	—	2	2	4	8	2	5	—	
Other Violent Deaths	299	13	6	9	5	3	36	13	16	21	21	33	30	19	24	1	
Other Causes	1015	322	67	5	3	3	600	9	2	6	2	12	20	30	27	8	
511.—THORNE.																	
Mean Popul ⁿ , 1861-71	8157	256	235	234	211	187	1123	1046	884	727	550	1034	876	767	588	49	
TOTAL DEATHS	1850	546	118	58	33	30	785	75	37	53	50	77	76	90	133	21	
Small-pox	19	9	1	—	—	—	10	—	—	1	—	2	2	3	1	—	
Measles	19	3	10	2	2	—	17	2	—	—	—	—	—	—	—	—	
Scarlatina	66	5	9	14	7	9	44	16	2	3	—	1	—	—	—	—	
Diphtheria	20	—	3	1	1	1	6	9	1	1	1	1	1	—	—	—	
Whooping-cough	12	6	4	1	—	—	11	1	—	—	—	—	—	—	—	—	
Typhus	84	3	6	5	3	5	22	9	7	5	6	7	6	3	11	—	
Diarrhoea & Dysentery	64	31	7	1	—	—	39	1	—	—	1	—	2	1	—	—	
Cholera	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	51	6	6	2	2	1	17	4	2	3	—	—	3	3	6	—	
Cancer	15	—	—	—	—	—	—	1	—	—	—	1	—	—	6	—	
Scrophula and Tuberc.	27	10	5	3	1	—	21	—	—	—	3	1	—	1	1	—	
Phthisis	127	1	2	—	—	—	3	5	4	16	21	33	15	16	9	—	
Hydrocephalus	21	11	6	2	1	—	20	1	—	—	—	—	—	—	—	—	
Dis. of Brain	310	149	14	4	2	2	171	3	6	2	1	3	11	15	19	3	
Dis. of Heart & Dropsy	70	—	—	—	—	—	—	—	—	3	2	3	2	10	18	2	
Dis. of Lungs	223	76	25	15	6	3	125	4	—	1	4	3	9	7	15	3	
Dis. of Stom. and Liver	111	50	3	2	—	1	36	1	2	5	1	7	8	13	13	2	
Dis. of Kidneys	42	2	—	—	—	—	2	2	1	1	—	6	2	2	7	9	
Dis. of Gener. Organs	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	
Dis. of Joints	9	—	—	—	—	—	—	1	1	3	1	1	1	1	—	—	
Dis. of Skin	4	—	—	—	—	1	1	1	1	1	—	—	—	1	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	12	—	—	—	—	—	—	—	—	—	—	2	4	1	2	1	
Other Violent Deaths	95	5	1	3	7	7	23	11	11	8	8	5	7	5	9	7	
Other Causes	444	199	16	1	1	—	217	3	—	1	1	1	3	7	13	31	
512.—GOOLE.																	
Mean Popul ⁿ , 1861-71	7974	249	235	226	238	216	1164	996	832	796	612	1081	900	682	504	288	
TOTAL DEATHS	1913	595	151	68	57	33	906	91	45	41	71	109	100	94	138	174	
Small-pox	51	13	7	5	2	8	35	6	—	3	2	2	2	—	1	—	
Measles	22	7	9	2	3	—	21	1	—	—	—	—	—	—	—	—	
Scarlatina	70	4	10	9	18	6	47	15	5	1	1	1	—	—	—	—	
Diphtheria	15	2	2	—	3	3	10	2	1	—	—	1	1	—	—	—	
Whooping-cough	23	12	4	6	—	1	23	—	—	—	—	—	—	—	—	—	
Typhus	60	1	4	2	4	1	12	13	6	4	2	11	1	4	3	2	
Diarrhoea & Dysentery	124	75	25	6	3	1	110	—	—	—	1	2	1	1	1	2	
Cholera	31	4	2	—	1	1	8	1	—	1	2	2	4	9	3	1	
Other Zymotic Dis.	36	2	2	4	5	3	16	6	—	1	—	2	1	3	4	—	
Cancer	14	—	—	—	—	1	—	—	—	—	—	—	1	1	3	6	
Scrophula and Tuberc.	87	12	12	3	1	—	28	2	3	1	2	—	—	1	—	—	
Phthisis	150	1	5	1	—	1	8	8	5	9	30	53	21	15	11	9	
Hydrocephalus	29	7	10	3	4	—	24	3	1	—	—	—	—	1	—	—	
Dis. of Brain	251	127	12	8	2	4	153	6	3	1	3	6	12	7	16	30	
Dis. of Heart & Dropsy	119	3	—	—	—	1	4	2	1	2	2	6	9	11	25	34	
Dis. of Lungs	248	79	26	9	4	—	118	6	4	1	4	6	12	16	25	34	
Dis. of Stom. and Liver	97	14	—	2	1	—	17	1	2	3	—	7	14	9	14	13	
Dis. of Kidneys	25	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	10	—	1	1	—	—	—	2	—	—	—	—	—	—	—	—	
Dis. of Skin	9	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	7	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	
Other Violent Deaths	146	8	2	6	4	4	24	16	2	12	11	15	17	7	7	—	
Other Causes	341	219	18	1	2	—	240	2	—	1	1	1	1	—	—	—	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
510.—DONCASTER.																		
Population 1861-71	21434	621	581	585	597	544	2928	2492	2274	1925	1818	3057	2394	1949	1372	842	340	43
AL DEATHS -	4651	1085	821	173	97	97	1773	209	118	141	133	334	294	257	308	476	461	152
-pox -	28	5	3	2	5	3	18	2	-	2	-	1	5	-	-	-	-	-
-measles -	61	10	17	17	5	2	52	12	9	-	-	-	-	-	-	-	-	-
-diphtheria -	165	6	15	38	13	22	94	50	15	3	2	1	-	-	-	-	-	-
-scarlatina -	59	3	4	6	9	6	28	16	9	3	2	1	-	-	-	-	-	-
-whooping-cough -	89	35	28	15	5	4	85	4	-	-	-	-	-	-	-	-	-	-
-cholera & Dysentery -	301	4	8	12	12	14	82	41	26	30	19	34	17	22	19	27	13	4
-Typhoid Fever -	228	106	43	19	9	2	163	-	1	2	8	8	4	5	7	16	15	7
-Zymotic Dis. -	30	2	1	1	-	1	5	3	3	-	-	5	2	2	1	4	4	1
-Zymotic Dis. -	97	13	7	9	7	7	43	11	1	1	2	5	6	3	3	13	8	1
-Consumption -	147	-	-	-	-	-	-	-	-	2	6	20	39	32	32	16	-	-
-Tuberculosis -	60	15	15	4	7	2	43	2	2	4	1	3	3	2	-	-	-	-
-Cerebral -	437	2	1	1	1	-	5	12	21	50	63	142	84	24	20	5	1	-
-Paralysis -	57	17	19	7	2	4	49	3	5	-	-	-	-	-	-	-	-	-
-Brain -	607	291	34	17	9	6	357	21	7	12	5	14	18	23	33	65	44	8
-Heart & Dropsy -	265	11	-	1	-	3	15	3	2	9	7	18	24	35	44	68	88	5
-Lungs -	856	118	58	16	12	11	215	11	3	10	4	17	21	22	29	98	87	14
-Stomach and Liver -	287	27	3	-	2	1	33	5	5	3	6	31	41	43	44	55	15	3
-Kidneys -	86	1	-	-	-	-	1	2	1	1	3	4	4	4	6	7	8	-
-Gen. Organs -	17	-	-	-	-	-	-	-	-	1	-	4	5	4	1	1	1	-
-Joints -	8	-	-	-	-	-	-	2	1	2	-	1	-	-	2	-	-	-
-Skin -	14	5	-	-	-	1	6	-	-	1	-	-	-	-	3	1	2	-
-Arthritis and Metritis -	54	-	-	-	-	-	-	-	-	3	8	26	17	-	-	-	-	-
-Violent Deaths -	4	11	5	4	4	3	27	6	3	2	2	2	1	7	8	11	8	6
-Causes -	853	403	69	15	2	3	483	5	7	3	5	8	14	11	29	78	207	100
511.—THORNE.																		
Population 1861-71	8354	223	200	223	228	245	1119	1039	862	756	621	1095	942	747	567	406	168	32
L DEATHS -	1718	420	94	37	35	27	613	59	35	44	68	143	92	78	98	219	191	78
-pox -	15	1	-	-	2	-	3	-	3	-	2	6	1	-	-	-	-	-
-measles -	12	2	4	2	1	2	11	1	-	-	-	-	-	-	-	-	-	-
-diphtheria -	56	4	4	8	10	8	34	15	5	-	-	2	-	-	-	-	-	-
-scarlatina -	18	2	-	-	1	4	7	6	1	2	2	-	-	-	-	-	-	-
-whooping-cough -	32	16	8	5	3	-	32	-	-	-	-	-	-	-	-	-	-	-
-cholera & Dysentery -	86	5	4	5	1	2	17	9	11	7	7	11	8	2	2	8	4	-
-Typhoid Fever -	49	22	9	-	-	-	31	-	-	-	-	1	1	-	2	7	5	2
-Zymotic Dis. -	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-Zymotic Dis. -	38	6	2	2	2	1	13	1	1	-	-	5	2	2	3	6	5	-
-Consumption -	42	-	-	-	-	-	-	-	-	-	-	1	5	13	11	6	4	2
-Tuberculosis -	20	6	2	1	3	1	13	2	-	1	-	1	1	1	1	1	1	-
-Cerebral -	302	1	1	2	1	1	6	6	-	22	26	79	21	18	4	3	1	-
-Paralysis -	16	13	-	-	-	1	11	2	-	-	-	-	-	-	-	-	-	-
-Brain -	260	131	8	3	2	1	145	4	1	2	4	5	9	5	19	41	32	2
-Heart & Dropsy -	93	1	1	-	-	-	1	1	1	2	2	5	10	12	21	24	11	3
-Lungs -	183	50	25	4	4	5	88	4	-	2	2	2	5	5	16	36	19	4
-Stomach and Liver -	88	6	3	2	2	-	13	2	1	3	2	12	10	10	25	19	-	-
-Kidneys -	14	1	-	-	-	-	-	-	2	1	1	1	1	3	-	3	1	-
-Gen. Organs -	9	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	2	-
-Joints -	7	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-
-Skin -	2	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
-Arthritis and Metritis -	28	-	-	-	-	-	-	-	-	1	5	16	6	-	-	-	-	-
-Violent Deaths -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-Causes -	30	4	3	1	1	-	9	3	2	1	1	1	3	1	2	3	3	1
-Causes -	414	169	29	2	1	1	173	2	-	3	1	4	4	3	13	54	95	62
512.—GOOLE.																		
Population 1861-71	8237	239	238	222	226	211	1136	1015	826	759	682	1174	946	722	518	318	126	15
AL DEATHS -	1814	495	129	82	47	40	793	82	51	63	60	143	96	84	109	166	118	49
-pox -	41	8	8	7	3	3	29	4	-	1	2	2	2	-	-	-	-	-
-measles -	15	1	7	4	-	2	14	1	-	-	-	-	-	-	-	-	-	-
-diphtheria -	77	2	9	12	12	10	45	19	9	2	1	1	1	-	-	-	-	-
-scarlatina -	11	-	-	-	1	2	3	-	-	-	1	1	-	-	-	-	-	-
-whooping-cough -	30	15	10	2	2	1	39	-	-	-	-	-	-	-	-	-	-	-
-cholera & Dysentery -	72	1	2	4	6	4	17	13	4	11	7	6	3	2	2	5	2	-
-Typhoid Fever -	129	80	14	6	1	1	102	-	-	-	-	2	1	2	5	3	10	2
-Zymotic Dis. -	55	13	1	-	-	2	16	2	-	-	1	8	3	1	-	4	2	-
-Zymotic Dis. -	35	4	3	6	5	4	22	5	1	-	-	-	3	3	1	-	-	-
-Consumption -	34	-	-	-	-	-	-	-	-	1	2	3	3	7	7	10	3	-
-Tuberculosis -	37	10	6	1	2	1	22	1	1	2	1	3	3	3	1	6	-	-
-Cerebral -	218	1	1	-	-	-	4	4	14	21	33	68	32	17	10	-	2	-
-Paralysis -	27	8	2	6	1	3	20	6	-	1	-	-	-	-	-	-	-	-
-Brain -	198	95	6	5	4	2	113	5	3	4	-	5	6	8	18	23	13	-
-Heart & Dropsy -	107	1	1	-	-	-	2	2	2	4	-	7	7	11	20	27	18	-
-Lungs -	213	59	26	13	4	1	163	2	3	3	2	9	6	5	19	39	16	-
-Stomach and Liver -	78	5	-	-	-	-	10	4	4	4	2	4	12	-	11	13	2	-
-Kidneys -	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-Gen. Organs -	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-Joints -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-Skin -	5	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
-Arthritis and Metritis -	26	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-
-Violent Deaths -	49	4	6	5	3	2	20	11	7	1	-	1	1	-	-	-	-	-
-Causes -	351	166	26	5	1	1	219	1	1	1	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-
513.—SELBY.																
Mean Popul ⁿ , 1861-71 -	8003	237	234	228	212	210	1121	1007	884	746	626	1014	845	725	559	323
TOTAL DEATHS -	1753	533	93	51	81	26	733	73	44	42	54	75	86	97	145	122
Small-pox - - -	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
Measles - - -	12	2	4	3	1	1	11	6	1	1	-	-	-	-	-	-
Scarlatina - - -	43	3	5	11	9	7	35	6	2	-	-	-	-	-	-	-
Diphtheria - - -	23	-	3	2	1	3	9	10	3	1	-	-	-	1	-	-
Whooping-cough -	26	15	8	1	1	-	23	1	-	-	-	-	-	-	-	-
Typhus - - -	37	3	2	5	2	1	18	5	2	8	7	5	7	3	4	3
Diarrhoea & Dysentery	94	68	7	2	-	-	77	2	-	-	-	1	1	1	2	4
Cholera - - -	6	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
Other Zymotic Dis. -	50	9	4	6	5	2	26	10	1	-	-	-	2	4	3	1
Cancer - - -	24	-	-	-	-	-	-	-	-	1	-	1	1	3	6	1
Scrofula and Tuberc.	21	4	5	1	1	1	10	2	3	1	2	1	1	1	1	1
Phthisis - - -	128	-	-	-	1	1	1	4	3	10	26	37	21	19	6	1
Hydrocephalus - -	27	7	6	3	1	1	18	4	9	-	-	-	-	-	-	-
Dis. of Brain - - -	303	192	11	4	1	-	208	5	3	1	1	3	5	11	16	27
Dis. of Heart & Dropsy	86	-	1	-	-	-	1	1	1	4	1	4	11	10	25	23
Dis. of Lungs - - -	151	53	19	5	3	2	81	5	3	1	2	4	8	7	16	22
Dis. of Stomach & Liver	91	11	-	2	1	-	14	1	-	3	1	3	7	16	22	23
Dis. of Kidneys - -	81	-	1	-	1	-	2	1	-	-	1	-	3	4	6	10
Dis. of Genes. Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	7	-	-	-	-	1	1	1	1	-	-	2	-	1	-	1
Dis. of Skin - - -	6	-	-	-	-	-	-	1	-	1	-	1	-	1	2	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Other Violent Deaths -	118	4	5	1	3	6	10	10	32	9	11	6	13	11	23	27
Other Causes - - -	444	163	12	5	2	-	181	4	3	1	1	3	6	4	20	26

[For DISTRICT 514.—TADCASTER, see p. 352.]

		515.—YORK.																	
Mean Popul ⁿ . 1861-71		30140	881	758	783	758	730	3910	3463	3214	2982	2605	4345	3546	2819	1903	983		
TOTAL DEATHS -		7585	2004	439	225	102	109	3029	259	146	178	202	458	572	550	717	709		
Small-pox	-	101	14	10	6	8	11	49	11	6	6	5	13	6	3	2	-		
Measles	-	39	29	29	18	5	5	27	3	-	-	-	-	-	-	-	-		
Scarlatina	-	245	6	28	42	48	31	155	69	15	3	-	2	-	-	-	-		
Diphtheria	-	4	5	4	10	9	3	51	13	2	2	2	1	2	-	-	1		
Whooping-cough	-	64	47	19	8	4	4	82	2	-	-	-	-	-	-	-	-		
Typhus	-	193	5	5	9	17	4	28	1	22	18	12	22	37	19	14	5		
Dysentery & Cholera	-	426	295	84	6	3	3	341	21	1	1	4	1	9	10	10	25		
Cholera	-	4	1	1	-	-	-	3	-	-	-	-	-	-	-	-	-		
Other Zymotic Dis.	-	180	25	15	8	6	4	56	8	1	2	4	7	11	6	14	11		
Cancer	-	60	-	-	-	-	-	-	1	-	-	2	5	7	11	23	20		
Scrophula and Tuberc.	-	124	40	18	9	1	2	71	9	15	6	3	7	5	5	2	1		
Phthisis	-	859	22	11	6	5	3	47	13	20	83	143	190	168	104	60	22		
Hydrocephalus	-	107	38	24	13	6	6	87	20	-	-	-	-	-	-	-	-		
Dis. of Brain	-	1416	580	64	22	12	9	687	15	9	18	15	47	123	117	179	128		
Dis. of Heart & Dropsy	-	463	5	-	2	-	1	8	7	12	4	12	30	62	73	91	104		
Dis. of Lungs	-	948	220	115	41	21	11	408	25	7	8	7	37	60	76	128	134		
Dis. of Stom. and Liver	-	261	30	2	1	3	2	43	-	6	6	4	23	18	46	44	60		
Dis. of Kidneys	-	184	1	3	1	2	1	8	5	1	1	5	17	27	24	35	40		
Dis. of Gener. Organs	-	2	1	-	-	-	-	1	-	2	-	-	-	1	-	-	-		
Dis. of Joints	-	32	-	-	-	-	-	-	-	2	-	6	5	-	1	2	3		
Dis. of Skin	-	25	4	1	-	1	1	7	2	-	1	2	3	2	1	5	1		
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	-	39	-	-	-	-	-	-	-	-	-	4	3	3	7	9	3		
Other Violent Deaths	-	288	20	9	6	7	6	54	25	25	18	26	27	31	18	26	19		
Other Causes	-	1451	703	51	17	5	1	777	5	2	2	4	18	20	28	64	140		

[illegible]

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGRS.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	
513.—SELBY.																			
Population, 1861-71	8188	254	213	221	227	219	1134	1008	877	743	650	1089	895	714	554	348	151	25	
ALL DEATHS	1643	419	106	56	31	21	633	68	38	44	40	90	89	75	118	189	177	78	
Cox	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Ina	17	2	10	1	3	1	17	-	-	-	-	-	-	-	-	-	-	-	
Stria	43	4	5	4	8	2	23	16	3	-	1	-	-	-	-	-	-	-	
ing-cough	26	3	3	5	2	3	16	11	-	1	-	-	-	-	-	-	-	-	
ing-cough	35	18	12	3	-	2	35	-	-	-	-	-	-	-	-	-	-	-	
na & Dysentery	63	3	2	6	1	1	13	9	9	10	3	2	1	7	3	5	1	-	
ymotic Dis.	85	51	6	1	2	-	60	1	2	-	-	2	2	2	4	2	7	3	
	7	1	1	1	-	-	2	1	-	1	-	1	1	-	1	1	1	-	
	48	8	6	9	2	5	39	3	2	1	-	1	1	1	3	6	1	-	
	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
a and Tabes	17	6	3	1	2	-	12	1	1	1	1	-	-	10	8	10	6	-	
sphalus	137	-	-	-	-	1	1	4	8	19	30	39	21	8	7	-	-	-	
	29	7	5	5	3	1	21	5	3	-	-	-	-	-	-	-	-	-	
Brain	281	149	14	7	1	-	171	1	2	3	4	8	15	7	14	26	25	5	
Heart & Dropsy	94	3	-	-	-	-	3	1	3	-	2	5	7	12	23	24	12	-	
Lungs	148	37	12	7	2	4	62	7	7	1	3	5	4	7	15	23	16	6	
Stomach and Liver	83	5	3	-	1	-	9	3	-	2	1	13	9	7	21	17	2	-	
Kidneys	11	-	-	-	-	-	-	-	-	1	-	-	4	2	3	-	-	1	
Genet. Organs	12	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	1	-	
Joins	4	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	
Skin	4	2	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	
rth and Metris	24	-	-	-	-	-	-	-	-	2	2	10	10	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	3	4	3	-	-	-	
Tolent Deaths	29	-	4	2	4	1	11	3	3	1	-	-	-	-	-	2	3	-	
Unases	398	121	20	3	-	-	144	2	2	1	1	1	2	3	14	71	103	53	

[For DISTRICT 514.—TADCASTER, *see* p. 353.]

		515.—YORK.																		
a Popul ⁿ , 861-71		32268	880	730	798	743	724	3875	3426	3179	3185	2967	4821	3781	3054	2115	1292	484	89	
L DEATHS		7132	1568	443	215	139	92	2457	242	163	198	208	498	534	510	646	767	684	210	
sex	-	93	24	17	9	10	8	63	11	3	2	2	6	-	4	1	1	-	-	
ma	-	93	14	23	28	27	24	120	70	22	9	3	3	-	-	-	-	-	-	
eria	-	227	13	28	28	3	5	25	15	5	1	1	3	3	1	1	-	1	-	
ing-cough	-	95	38	30	14	4	6	92	2	1	-	-	-	-	-	-	-	-	-	
za & Dysentery	-	187	1	-	-	8	6	7	31	19	13	-	28	17	-	13	9	1	-	
ymotic Dis.	-	334	222	38	6	2	1	265	4	-	1	-	9	9	8	11	18	19	5	
	-	106	17	9	7	7	3	43	7	4	3	1	5	8	4	7	7	13	4	
a and Tabet	-	267	-	-	-	-	-	-	1	-	-	2	10	26	52	68	40	16	2	
s	-	118	22	15	12	5	5	59	11	15	7	4	8	5	6	1	2	-	-	
sphalus	-	887	18	7	4	1	5	35	24	39	94	108	240	194	92	42	18	1	-	
	-	69	21	17	10	3	6	57	7	4	-	-	1	-	-	-	-	-	-	
Brain	-	1156	454	80	28	17	3	562	16	11	12	18	22	63	68	180	145	78	15	
Heart & Dropsy	-	496	5	6	-	2	1	13	6	8	8	9	26	44	81	111	127	58	5	
Lungs	-	879	172	99	37	25	8	341	16	11	17	12	25	40	48	109	127	114	19	
Stom. and Liver	-	315	19	5	4	2	3	33	5	6	4	9	30	34	43	61	61	23	6	
Kidneys	-	73	2	-	1	-	2	5	1	-	5	4	4	13	13	15	8	5	-	
Gender Organs	-	38	-	-	-	-	-	-	-	1	1	1	6	7	6	11	6	-	-	
Joints	-	28	1	-	-	-	1	2	-	3	-	2	6	4	2	5	4	-	-	
Skin	-	21	3	-	-	2	-	5	1	1	2	-	-	6	3	2	1	-	-	
rth and Metria	-	86	-	-	-	-	-	-	-	-	-	12	44	26	-	-	-	-	-	
	-	21	-	-	-	-	-	-	-	-	5	1	2	3	3	5	1	1	-	
Violent Deaths	-	107	23	2	8	7	3	43	8	3	6	3	5	9	10	4	6	10	-	
Causes	-	1444	514	59	18	7	1	599	5	6	4	7	17	23	29	60	188	244	163	

516.—POCKLINGTON.

[illegible]

Causes of Death in the Ten Years 1861-70.—Males.
Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-
		517.—HOWDEN.														
Mean Popul ⁿ , 1861-71	7358	205	201	203	183	180	972	867	893	844	546	873	751	664	493	317
TOTAL DEATHS	1784	491	78	49	32	30	680	89	46	101	73	86	78	90	100	117
Small-pox	10	1	-	-	-	-	1	-	1	1	-	3	1	2	-	-
Measles	21	5	6	4	3	-	18	2	-	-	-	-	-	1	-	-
Scarlatina	61	5	4	6	4	5	24	18	6	10	3	-	-	-	-	-
Diphtheria	60	8	6	7	2	6	28	29	2	3	3	1	-	-	-	-
Whooping-cough	35	12	6	5	-	-	23	2	-	-	-	-	-	-	-	-
Typhus	61	-	-	3	1	-	4	6	4	18	6	6	7	5	7	1
Diarrhoea & Dysentery	75	44	6	3	1	-	54	2	-	2	1	1	2	1	1	1
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	57	13	3	2	5	4	27	6	1	-	-	1	-	1	-	-
Cancer	19	-	-	-	-	-	-	-	-	1	-	-	2	1	5	2
Scrofula and Tuberc.	31	10	5	1	-	-	16	5	2	1	-	1	-	2	3	2
Phtisis	199	4	1	1	1	1	8	2	0	27	26	37	22	20	6	6
Hydrocephalus	22	11	4	1	1	2	19	2	1	-	-	-	-	-	-	-
Dis. of Brain	245	136	10	5	4	1	158	4	2	5	2	3	9	12	12	12
Dis. of Heart & Dropsy	83	-	-	-	-	-	-	-	1	3	2	5	7	16	7	16
Dis. of Lungs	219	41	17	5	4	6	73	6	3	18	15	12	14	14	18	18
Dis. of Stom. and Liver	89	8	2	-	-	2	11	2	3	6	6	3	8	13	9	9
Dis. of Kidneys	39	-	-	-	-	-	-	-	-	1	1	2	1	4	5	5
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	-	1	1	-	3	1	-	-
Dis. of Skin	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	71	3	1	3	4	4	15	7	8	5	5	13	3	4	4	4
Other Causes	390	180	7	5	2	1	203	4	3	1	1	1	1	1	4	4

518.—BEVERLEY.														
Mean Popul ⁿ , 1861-71		10561	303	253	268	275	253	1352	1274	1078	1001	913	1393	1140
TOTAL DEATHS		2152	621	118	49	41	20	858	80	41	54	66	103	107
Small-pox		12	3	-	-	-	-	4	1	1	-	-	-	4
Measles		26	9	7	9	3	3	23	2	-	-	-	-	-
Scarlatina		97	3	14	13	15	11	56	30	5	2	2	-	2
Diphtheria		15	2	1	2	3	-	8	2	2	1	-	-	-
Whooping-cough		27	13	11	3	-	-	27	-	-	-	-	10	9
Typhus		181	-	4	4	6	2	18	6	9	5	7	1	9
Diarrhoea & Dysentery		91	60	7	1	-	-	98	1	1	-	-	1	4
Cholera		5	-	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.		58	8	4	-	-	2	14	2	-	1	1	3	4
Cancer		28	-	-	-	-	-	-	-	-	1	-	-	4
Scrofula and Tuberc.		56	33	5	1	2	1	42	3	-	3	3	2	1
Phtisis		178	5	-	-	-	1	6	6	6	19	29	43	35
Hydrocephalus		17	5	6	3	-	1	15	2	-	-	-	-	15
Dis. of Brain		250	166	14	8	3	1	192	7	3	3	4	2	9
Dis. of Heart & Dropsy		185	1	-	-	-	-	1	3	1	-	5	8	16
Dis. of Lungs		200	94	20	7	7	6	104	4	3	2	3	9	13
Dis. of Stom. and Liver		119	14	1	-	-	-	15	2	1	4	3	11	6
Dis. of Kidneys		47	-	-	-	1	-	1	-	1	2	-	2	1
Dis. of Gen. Organs		2	-	-	-	-	-	-	-	-	-	-	-	7
Dis. of Joints		7	-	-	-	-	-	-	1	1	1	2	1	-
Dis. of Skin		9	2	1	2	-	-	5	-	-	-	-	1	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		12	-	-	-	-	-	-	-	-	1	-	1	2
Other Violent Deaths		66	7	2	-	1	2	12	4	5	8	7	8	4
Other Causes		426	220	19	2	-	-	247	1	2	1	1	1	3

519.—SCULCOATES.														
Mean Popul ⁿ , 1861-71		28730	995	836	818	779	788	4216	3515	2930	2634	2555	4398	3326
TOTAL DEATHS		6968	2307	622	345	206	141	3621	333	181	187	202	367	358
Small-pox		100	21	15	13	10	7	69	9	4	2	6	5	3
Measles		186	27	33	28	10	7	127	9	-	-	-	-	-
Scarlatina		470	23	60	65	84	62	314	122	23	6	-	5	-
Diphtheria		34	1	2	2	2	9	16	10	1	1	1	1	2
Whooping-cough		147	58	40	31	11	1	141	6	-	-	-	-	-
Typhus		313	15	16	30	21	15	97	31	24	19	8	32	23
Diarrhoea & Dysentery		514	367	69	12	4	2	454	3	1	-	2	2	2
Cholera		18	8	1	1	-	-	10	-	-	-	-	1	1
Other Zymotic Dis.		109	19	12	12	11	7	61	7	1	3	1	4	6
Cancer		26	-	-	-	-	-	-	-	-	1	-	1	6
Scrofula and Tuberc.		180	85	38	5	3	1	132	10	10	9	1	7	3
Phtisis		620	2	3	3	1	1	10	20	16	82	109	143	115
Hydrocephalus		127	53	34	29	4	6	119	8	-	-	-	-	-
Dis. of Brain		1088	594	65	21	14	3	697	14	11	10	11	25	27
Dis. of Heart & Dropsy		338	5	8	3	1	1	13	6	6	12	10	31	29
Dis. of Lungs		290	228	110	20	22	13	423	15	5	6	9	31	47
Dis. of Stom. and Liver		253	30	2	1	2	-	35	6	4	10	7	21	30
Dis. of Kidneys		87	-	-	-	-	-	-	-	1	4	3	9	10
Dis. of Gen. Organs		20	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		14	5	2	1	-	-	8	4	2	2	1	-	3
Dis. of Skin		-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		28	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		278	25	13	5	5	4	35	28	22	23	28	55	67
Other Causes		1156	740	81	19	2	1	642	5	-	-	-	5	15

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES DEATH.	ALL	AGES OF FEMALES.																Total under 5 Years.	Total under 1 Year.
	Aggs.	1	2	3	4	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--			
	Year.																		

517.—HOWDEN.																		
Popul ⁿ . 11-71	7256	198	192	204	194	198	985	877	817	648	596	904	778	655	479	343	151	22
DEATHS	1534	395	68	40	25	34	563	87	36	93	82	104	75	56	80	177	173	69
-	11	3	1	-	-	-	4	1	-	2	1	1	-	1	1	-	-	-
-	5	-	2	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
-	68	1	4	8	7	11	31	17	8	11	1	-	-	-	-	-	-	-
a	63	5	4	3	2	6	20	27	4	7	3	1	-	1	-	-	-	-
-	31	14	11	4	2	-	31	-	-	-	-	-	-	-	-	-	-	-
-	69	1	1	3	1	2	8	8	11	14	4	5	4	1	2	2	1	1
-	62	26	9	2	2	-	39	4	-	-	2	-	3	1	1	1	1	1
-	6	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
-	32	10	3	2	2	3	20	2	-	2	2	2	2	1	2	2	1	1
-	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	17	4	1	-	-	1	6	2	1	7	2	2	3	1	2	2	1	1
-	161	7	2	1	1	1	9	-	-	22	45	48	31	8	12	2	1	1
-	10	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	131	102	5	4	3	-	114	5	2	2	1	6	6	3	8	23	22	4
-	85	1	-	1	-	-	2	2	-	2	2	3	3	10	13	33	18	-
-	163	33	13	8	-	6	69	3	2	21	9	5	4	2	6	28	20	1
-	79	11	1	-	-	-	12	3	-	2	4	2	6	6	12	16	7	1
-	9	-	-	-	-	-	-	-	-	1	1	-	-	2	2	3	-	-
-	5	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
-	7	1	-	-	-	-	1	1	-	-	1	-	3	-	-	-	1	-
-	6	2	-	-	-	1	3	-	-	-	-	-	-	-	-	3	-	-
-	36	-	-	-	-	-	-	-	-	1	4	20	10	1	-	-	-	-
-	33	2	1	1	3	2	9	4	-	2	4	1	1	3	1	1	1	1
-	395	171	8	1	2	1	183	6	1	-	-	3	-	4	13	40	94	42

518.—BEVERLEY.																			
Popul ⁿ . 1-71	10679	329	245	276	265	267	1382	1224	1122	1001	920	1405	1151	1007	744	491	196	36	
DEATHS	2025	476	91	60	36	39	705	81	48	65	88	126	113	122	151	218	207	107	
- - -	6	3	0	1	-	-	4	1	-	-	-	1	-	-	-	-	-	-	
- - -	24	3	-	-	-	5	21	2	1	-	-	1	1	-	-	-	-	-	
- - -	116	5	12	18	17	12	62	33	12	3	1	4	1	-	-	-	-	-	
- - -	17	1	2	-	-	6	9	4	2	-	-	2	-	-	-	-	-	-	
- - -	27	10	8	4	3	-	27	1	-	-	-	-	-	-	-	-	-	-	
- - -	75	1	2	2	2	-	11	14	7	5	6	8	4	6	7	5	2	2	
- - -	68	40	3	-	-	-	43	-	-	-	2	2	3	3	2	2	1	1	
- - -	5	1	1	-	-	-	7	-	-	2	1	1	-	-	2	2	3	-	
- - -	20	3	1	3	-	-	7	-	2	3	1	1	-	-	-	2	2	3	
- - -	72	-	-	-	-	-	-	1	-	-	-	1	11	16	21	14	6	2	
- - -	45	26	7	4	-	-	37	2	1	-	1	1	-	1	1	1	-	-	
- - -	239	3	1	1	1	1	6	1	11	40	48	56	38	25	9	2	3	-	
- - -	12	4	3	2	-	2	11	-	1	-	-	-	-	-	-	-	-	-	
- - -	276	138	9	2	-	-	153	6	-	3	3	2	6	7	18	39	38	11	
- - -	173	2	1	1	-	-	4	4	2	2	3	13	17	20	25	39	19	6	
- - -	220	47	17	14	6	5	89	3	2	4	7	5	5	7	18	35	31	14	
- - -	115	8	-	-	1	-	9	-	3	1	7	6	10	20	23	22	13	-	
- - -	9	-	-	-	-	-	-	-	-	-	-	4	3	1	1	-	-	-	
- - -	9	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	-	-	
- - -	12	-	-	-	-	1	1	1	1	2	2	1	-	2	1	1	1	-	
- - -	11	-	-	-	-	-	-	-	-	-	-	2	-	1	1	5	1	-	
- - -	25	-	-	-	-	-	-	-	-	-	5	13	6	1	-	-	-	-	
- - -	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
- - -	42	10	4	1	1	-	18	2	1	2	2	-	-	3	2	1	0	2	
- - -	403	173	11	1	2	-	192	6	2	-	-	2	5	6	4	23	88	65	

519.—SCULCOATES.																			
Popul ⁿ . 1-71	31319	952	826	833	792	763	4166	3530	3001	2927	2896	4926	3636	2827	1919	1066	368	59	
DEATHS	6819	1781	572	281	193	137	2907	237	145	173	230	476	397	402	526	532	500	134	
- - -	84	18	10	13	9	7	57	10	2	1	4	4	2	2	1	1	-	-	
- - -	137	21	24	35	25	6	143	10	1	-	-	2	1	-	-	-	-	-	
- - -	302	8	62	65	61	56	242	113	26	4	2	5	5	-	-	-	-	-	
- - -	47	2	4	6	-	-	24	10	7	2	1	3	-	-	-	-	-	-	
- - -	174	82	55	20	13	4	174	8	1	-	-	-	-	-	-	-	-	-	
- - -	311	10	24	27	18	17	96	43	26	21	14	32	23	19	17	13	6	-	
- - -	401	322	76	13	1	-	414	4	-	-	2	4	7	14	17	29	7	-	
- - -	8	-	-	-	-	-	1	-	1	-	1	1	-	1	2	1	-	-	
- - -	106	12	18	10	9	-	52	9	5	2	1	6	2	6	10	9	3	1	
- - -	211	-	-	-	-	-	1	-	-	-	-	9	35	58	55	86	16	1	
- - -	122	58	15	10	8	3	89	5	4	4	2	5	3	4	5	1	-	-	
- - -	765	4	3	2	2	-	12	18	40	99	122	238	124	68	31	10	3	-	
- - -	81	28	31	4	6	3	72	6	1	1	-	-	-	-	-	-	-	-	
- - -	885	385	40	20	10	6	470	16	7	12	14	20	22	49	83	114	69	9	
- - -	283	1	3	1	1	-	6	5	7	6	8	31	64	62	82	69	67	6	
- - -	879	197	88	42	21	11	359	13	6	4	8	25	59	53	105	130	74	13	
- - -	288	53	4	2	1	1	42	4	2	2	7	23	35	39	64	42	37	2	
- - -	55	2	-	-	-	-	3	1	1	-	3	5	10	7	11	10	3	1	
- - -	25	-	1	-	-	-	1	-	-	-	-	4	3	1	3	3	-	-	
- - -	33	2	-	-	-	-	2	1	2	3	6	5	1	6	3	3	-	-	
- - -	13	3	1	-	-	-	4	-	-	-	-	1	-	-	-	-	-	-	
- - -	103	-	-	-	-	-	-	-	-	-	4	25	1	29	3	1	2	9	
- - -	69	9	6	4	1	-	34	9	-	-	-	1	1	3	1	1	1	1	
- - -	1162	584	81	10	3	1	679	5	3	3	2	5	8	7	15	42	115	155	

Causes of Death in the Ten Years 1861-70.—Males.

Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-
520.—HULL.															
Mean Popul ⁿ , 1861-71	30666	926	794	790	775	788	4073	3515	2962	3061	3004	5057	3777	2662	158
TOTAL DEATHS	8365	2280	738	348	237	158	3761	384	182	235	327	579	567	630	68
Small-pox	120	31	12	17	12	8	61	18	2	4	10	8	5	-	-
Measles	143	26	20	22	14	9	140	3	-	-	-	-	-	-	-
Diphtheria	472	29	64	68	73	62	296	140	27	6	2	1	-	-	-
Whooping-cough	42	6	6	5	5	3	27	9	1	1	-	1	1	1	1
Scarlet Fever	149	57	50	24	13	5	140	-	-	-	-	-	-	-	-
Erysipelas	454	39	37	29	29	10	144	68	23	27	53	57	26	32	1
Diarrhoea & Dysentery	464	226	62	9	3	1	401	1	2	1	1	5	5	8	1
Cholera	26	12	2	-	1	-	15	1	1	-	1	3	6	1	1
Other Zymotic Dis.	127	19	15	7	9	7	55	8	5	5	6	6	3	16	1
Cancer	74	-	-	-	-	-	-	-	-	2	1	3	7	13	1
Scrophula and Tuberc.	149	54	23	19	2	6	95	16	7	10	8	8	3	3	1
Phthisis	796	8	5	5	4	2	24	13	22	81	140	199	155	96	1
Hydrocephalus	122	45	39	8	6	4	105	14	3	-	-	-	-	-	-
Dis. of Brain	1299	611	91	33	20	8	753	20	12	6	17	32	74	80	16
Dis. of Heart & Dropsy	500	7	6	6	-	1	20	8	12	16	12	51	75	93	1
Dis. of Lungs	1169	265	100	62	24	18	829	15	6	9	24	48	69	112	14
Dis. of Stom. and Liver	315	57	3	1	5	-	44	10	5	9	13	54	81	80	1
Dis. of Kidneys	128	1	2	1	-	-	4	1	5	5	10	17	16	26	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	44	-	2	1	-	-	3	8	5	6	6	5	2	3	1
Dis. of Skin	21	7	1	-	-	2	19	-	1	-	1	-	1	3	1
Birth and Metria	29	-	-	-	-	-	-	-	-	1	2	2	10	6	1
Violent Deaths	459	76	19	7	13	10	58	53	40	44	41	61	61	35	8
Other Causes	1245	679	91	23	8	2	798	6	3	2	4	18	27	26	8
521.—PATRINGTON.															
Mean Popul ⁿ , 1861-71	4723	137	118	117	123	120	615	577	510	454	397	603	527	447	318
TOTAL DEATHS	828	229	39	19	15	7	309	40	17	26	24	33	34	53	79
Small-pox	6	1	-	-	-	-	1	1	-	-	1	-	-	2	-
Measles	12	4	4	2	-	-	10	1	-	-	1	-	-	-	-
Diphtheria	13	1	1	3	2	1	8	5	-	-	-	-	-	-	-
Whooping-cough	18	1	1	3	2	-	7	4	2	3	-	1	1	-	-
Scarlet Fever	13	0	3	-	1	-	13	-	-	-	-	-	-	-	-
Erysipelas	37	1	-	-	3	-	6	8	1	3	4	3	1	4	-
Diarrhoea & Dysentery	21	13	4	-	-	-	17	-	-	-	-	-	-	-	-
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Zymotic Dis.	14	1	1	1	3	-	6	1	-	2	-	-	1	1	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Scrophula and Tuberc.	9	2	2	1	-	-	6	-	-	1	-	-	-	-	-
Phthisis	71	1	-	1	2	-	4	3	6	9	13	13	6	8	-
Hydrocephalus	6	1	2	-	-	-	3	3	-	-	-	-	-	-	-
Dis. of Brain	117	65	5	4	1	1	77	1	-	1	1	2	3	7	-
Dis. of Heart & Dropsy	42	1	-	-	-	-	1	-	2	3	1	3	4	5	-
Dis. of Lungs	64	9	3	1	-	-	13	4	1	1	3	1	5	4	1
Dis. of Stom. and Liver	50	9	1	-	1	-	11	1	2	1	-	1	2	9	1
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	35	-	-	1	1	2	4	5	1	2	-	7	7	3	1
Other Causes	269	109	10	2	-	-	121	3	2	-	-	1	3	6	1
522.—SKIRLAUGH.															
Mean Popul ⁿ , 1861-71	4974	125	124	118	130	137	634	564	484	572	480	657	526	429	318
TOTAL DEATHS	965	292	40	25	20	18	395	35	22	27	33	41	52	54	79
Small-pox	5	1	-	-	-	-	1	-	-	-	1	-	1	1	-
Measles	7	1	4	2	-	-	7	-	-	-	-	-	-	-	-
Diphtheria	42	5	5	6	6	7	27	8	3	-	1	2	1	-	-
Whooping-cough	10	-	-	1	2	1	4	3	3	-	-	-	-	-	-
Scarlet Fever	17	7	6	1	1	1	16	1	-	-	-	-	-	-	-
Erysipelas	35	1	-	-	-	3	4	6	2	1	3	2	5	2	-
Diarrhoea & Dysentery	42	27	2	-	-	-	29	-	-	-	-	-	-	-	-
Cholera	6	4	-	1	-	-	5	-	-	-	-	-	-	-	-
Other Zymotic Dis.	33	9	2	-	1	4	16	-	-	1	-	2	-	3	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Scrophula and Tuberc.	14	5	1	2	2	-	10	-	1	-	-	-	1	2	-
Phthisis	101	5	2	1	-	-	8	1	5	11	17	25	12	13	1
Hydrocephalus	7	4	-	-	-	-	4	2	1	-	-	-	-	-	-
Dis. of Brain	160	93	6	3	1	-	103	5	2	2	2	1	6	5	1
Dis. of Heart & Dropsy	52	1	-	-	-	-	1	-	-	-	-	1	3	3	1
Dis. of Lungs	103	23	6	2	2	1	33	3	1	2	-	3	3	3	1
Dis. of Stom. and Liver	43	10	1	1	2	-	14	-	1	-	2	-	2	5	-
Dis. of Kidneys	20	-	-	-	-	-	-	1	-	-	-	-	2	1	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	2	1	-	-	1	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	47	-	-	-	-	1	4	4	1	2	7	7	3	3	1
Other Causes	198	99	5	2	2	1	109	1	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85+
520.—HULL.																		
Population, 1861-71	131936	936	806	834	780	772	4103	3474	3001	2981	3206	5203	3882	2850	1845	997	343	46
L DEATHS -	7649	1830	678	325	221	160	3214	333	156	197	289	635	519	495	543	647	498	122
Cox -	111	29	38	14	11	12	79	11	4	5	4	4	2	2	-	-	-	-
ina -	125	19	34	25	11	6	114	10	-	-	-	-	-	-	-	-	-	-
ria -	431	17	63	62	62	65	271	127	13	10	6	6	1	-	-	-	-	-
-	32	-	8	2	5	2	17	7	4	-	1	1	-	-	1	-	-	-
ing-cough	181	70	56	33	9	11	179	2	-	-	-	-	-	-	-	-	-	-
za & Dysentery	456	23	31	33	23	20	130	55	36	39	35	55	32	31	21	15	6	1
-	490	235	70	10	5	1	311	4	1	-	1	15	5	8	8	16	28	3
ymotic Dis.	29	12	2	-	-	-	15	2	1	-	-	1	4	3	2	1	-	-
-	97	12	10	7	8	5	42	7	4	2	7	7	4	9	10	5	-	-
and Tuberc	187	-	-	-	-	-	-	-	-	-	1	19	33	59	38	20	15	2
-	146	60	21	4	4	2	91	9	9	13	4	5	4	8	2	1	-	-
-	791	-	2	4	3	2	11	12	31	78	134	245	150	82	51	6	1	-
ephalus -	91	39	33	7	9	4	82	10	-	-	-	-	-	-	-	-	-	-
Brain	1018	416	79	35	23	7	530	22	11	12	8	31	44	63	87	108	70	9
Heart & Dropsy	443	2	3	3	2	3	15	6	11	10	18	55	48	68	79	89	42	4
Lungs	1014	220	130	55	28	14	447	16	5	3	17	39	51	66	123	143	87	18
Stom. and Liver	535	18	7	4	1	-	30	6	4	6	10	40	67	49	82	62	26	5
Kidneys	56	1	1	1	1	-	4	2	1	1	3	13	11	8	5	6	2	-
Inner Organs	77	-	-	-	-	-	-	-	-	-	3	6	5	6	7	5	-	-
Joints	56	1	1	-	-	1	3	3	4	5	3	4	5	5	2	1	1	-
Skin	30	7	-	1	-	-	8	-	-	-	1	3	2	5	4	4	3	-
Birth and Metris	101	-	-	-	-	-	-	-	-	6	17	51	25	-	-	-	-	-
-	15	-	-	-	-	-	-	-	-	-	-	3	3	4	-	3	1	-
Violent Deaths -	134	25	7	5	6	4	47	18	8	1	7	7	4	7	11	14	7	3
causes -	1297	614	85	19	10	2	739	4	8	1	8	19	20	20	50	148	909	80
521.—PATRINGTON.																		
Population, 1861-71	4675	135	128	129	124	120	636	574	488	436	382	604	514	443	301	199	85	13
L DEATHS -	915	223	35	24	19	15	316	42	24	33	50	60	41	53	63	90	80	44
Cox -	7	3	-	-	-	-	3	-	-	1	-	1	-	1	-	1	-	-
ina -	10	2	2	5	1	-	10	-	-	-	-	-	-	-	-	-	-	-
ria -	25	1	4	4	3	5	17	10	4	2	1	-	1	-	-	-	-	-
-	15	1	-	1	2	4	8	3	2	-	-	-	-	-	-	-	-	-
ing-cough	22	10	3	4	3	1	21	-	1	-	-	-	-	-	-	-	-	-
za & Dysentery	40	1	1	-	1	1	4	5	5	2	5	5	4	3	3	1	3	-
-	19	12	-	-	-	-	12	1	-	-	1	1	-	1	-	2	1	-
ymotic Dis.	15	1	1	2	1	-	5	3	2	-	1	1	-	1	1	1	-	-
-	16	-	-	-	-	-	-	-	-	-	-	1	1	3	7	4	-	-
and Tuberc	14	7	-	-	1	-	9	-	-	2	-	1	1	1	-	-	-	-
-	111	1	2	-	-	-	3	3	5	14	28	32	12	11	2	1	-	-
ephalus -	6	1	2	1	-	1	5	1	-	-	-	-	-	-	-	-	-	-
Brain	128	61	4	-	2	-	67	4	1	3	4	5	3	8	9	9	13	2
Heart & Dropsy	44	2	-	-	-	1	3	-	-	1	2	3	4	7	7	10	7	-
Lungs	74	16	3	3	2	1	25	2	1	3	3	2	5	5	11	8	1	-
Stom. and Liver	62	6	2	2	-	1	11	5	-	1	3	5	6	7	10	12	3	2
Kidneys	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-
Inner Organs	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Joints	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Skin	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Birth and Metris	8	-	-	-	-	-	-	-	-	1	-	-	4	1	-	-	-	-
-	2	1	1	-	1	-	3	1	1	1	-	-	-	-	1	-	1	-
Violent Deaths -	271	97	9	2	2	-	110	2	1	1	3	-	-	3	11	28	64	23
522.—SKIRLAUGH.																		
Population, 1861-71	4742	148	125	117	133	116	639	551	469	472	396	637	506	434	322	215	84	17
L DEATHS -	929	233	45	18	15	19	330	36	28	29	38	84	47	42	60	91	102	36
Cox -	6	1	1	-	-	-	2	1	-	1	-	1	-	-	1	-	-	-
ina -	7	5	1	-	-	1	7	-	-	-	-	-	-	-	-	-	-	-
ria -	38	1	8	3	8	4	24	8	4	1	-	1	-	-	-	-	-	-
-	24	1	2	1	3	2	9	10	2	1	-	1	-	-	1	-	-	-
ing-cough	32	15	9	2	1	2	29	2	1	-	-	-	-	-	-	-	-	-
za & Dysentery	46	25	4	1	-	-	30	2	-	-	6	5	1	1	2	4	1	-
-	8	4	1	-	-	-	5	-	-	-	-	-	-	-	1	2	-	-
ymotic Dis.	18	3	1	4	-	-	8	2	1	1	-	2	1	-	2	7	4	-
-	28	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-
and Tuberc	15	5	-	-	-	-	6	-	-	1	-	1	5	5	5	1	-	-
-	114	1	-	-	-	1	6	1	7	15	21	40	14	8	6	-	1	-
ephalus -	9	3	2	-	1	-	6	1	2	-	-	-	-	-	-	-	-	-
Brain	125	62	2	1	-	1	61	3	2	1	4	2	2	3	6	13	15	1
Heart & Dropsy	58	-	-	-	-	-	3	1	-	-	2	2	5	3	17	15	11	2
Lungs	87	16	6	1	2	3	28	3	2	1	1	4	3	6	7	16	35	4
Stom. and Liver	38	3	1	-	1	1	6	-	-	1	1	-	-	-	2	1	2	1
Kidneys	7	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	-
Inner Organs	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Joints	3	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-
Skin	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth and Metris	13	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths -	13	7	2	1	-	1	5	1	-	-	-	-	-	-	-	-	-	-
causes -	187	87	5	1	-	1	93	-	-	-	-	-	-	-	-	-	-	-

lation, 1861-71, and Deaths in Districts during the 10 Years 1861-

CAUSES OF DEATH.	All Ages.	AGES OF MALES.															
		Total under 1 Year.					Total under 5 Years.										
			1	2	3	4		5-	10-	15-	20-	25-	35-	45-	55-		
523.—DRIFFIELD.																	
Mean Popul ⁿ , 1861-71	19908	201	250	279	250	257	1337	1241	1034	1147	789	1379	1059	890	613	1	
TOTAL DEATHS -	2072	908	109	22	42	42	913	97	54	55	40	93	54	115	140	1	
Small-pox -	19	5	1	2	2	1	11	1	-	1	2	1	-	1	2	-	
Measles -	13	5	4	-	-	-	9	4	-	-	-	-	-	-	-	-	
Scarlatina -	122	9	15	17	17	19	75	27	14	3	1	2	-	-	-	-	
Diphtheria -	43	4	9	8	9	4	23	10	9	3	-	-	2	-	-	-	
Whooping-cough -	29	14	9	4	3	-	29	10	-	-	-	-	-	-	-	-	
Typhus -	75	2	1	2	1	4	10	15	8	6	4	7	8	5	5	2	
Diarrhoea & Dysentery -	44	51	5	1	1	-	65	1	1	-	-	1	-	1	1	1	
Cholera -	11	5	4	9	4	5	22	4	2	2	2	-	1	1	1	1	
Other Zymotic Dis. -	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer -	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tubercles -	54	29	19	2	-	1	42	4	2	-	-	4	1	1	1	1	
Phtisis -	151	1	1	2	-	-	5	3	2	27	18	40	13	20	20	20	
Hydrocephalus -	21	5	6	3	1	1	13	2	2	1	-	-	-	-	-	-	
Dis. of Brain -	205	187	12	-	1	-	200	5	4	7	5	5	11	18	18	18	
Dis. of Heart & Dropsy -	122	5	4	-	-	-	5	4	5	-	2	2	2	2	2	2	
Dis. of Lungs -	212	57	34	8	5	1	85	7	1	5	4	7	13	13	13	13	
Dis. of Stomach and Liver -	125	22	8	-	-	9	29	-	-	-	-	-	-	-	-	-	
Dis. of Kidneys -	46	-	-	1	-	-	1	1	1	1	2	4	4	4	4	4	
Dis. of Genes, Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin -	4	1	-	-	1	-	2	-	-	-	-	1	1	1	1	1	
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
Other Violent Deaths -	86	13	3	-	1	5	18	3	3	9	5	9	5	5	5	5	
Other Causes -	422	254	11	3	1	1	270	3	1	-	-	3	3	3	3	3	
524.—BRIDLINGTON.																	
Mean Popul ⁿ , 1861-71	7436	207	175	190	190	182	944	881	782	799	633	941	803	713	507	1	
TOTAL DEATHS -	1521	431	81	45	34	17	608	63	23	41	43	78	75	89	157	1	
Small-pox -	13	4	1	-	2	-	7	1	1	-	1	1	1	1	-	-	
Measles -	6	-	2	-	1	1	5	1	-	-	-	-	-	-	-	-	
Scarlatina -	64	4	6	13	11	4	37	20	5	1	1	-	-	-	-	-	
Diphtheria -	20	1	1	4	2	1	9	6	3	1	-	-	-	1	-	-	
Whooping-cough -	27	13	11	3	-	-	27	-	-	-	-	-	-	-	-	-	
Typhus -	27	-	-	-	-	-	-	-	-	3	-	-	4	2	3	3	
Diarrhoea & Dysentery -	71	44	5	3	-	-	51	-	-	-	-	1	2	2	2	2	
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. -	30	4	2	3	3	2	14	2	1	-	-	1	-	3	3	3	
Cancer -	20	-	-	-	-	-	-	1	-	-	-	1	1	4	5	5	
Scrophula and Tubercles -	28	18	-	2	-	1	21	1	1	1	1	2	2	1	1	1	
Phtisis -	105	3	1	-	-	-	4	3	1	20	10	24	16	7	7	7	
Hydrocephalus -	38	17	6	3	3	1	30	4	2	-	-	1	-	-	-	-	
Dis. of Brain -	228	130	15	5	2	1	153	3	1	5	2	7	5	15	16	16	
Dis. of Heart & Dropsy -	109	3	1	-	-	-	11	1	1	1	1	1	12	8	8	8	
Dis. of Lungs -	206	51	16	6	2	3	74	4	3	1	3	8	10	8	8	8	
Dis. of Stomach and Liver -	101	18	1	1	1	-	21	5	1	1	2	10	9	11	10	10	
Dis. of Kidneys -	50	1	-	-	1	-	2	2	1	-	-	3	3	2	4	4	
Dis. of Genes, Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	10	-	-	-	-	2	2	-	-	-	-	-	-	3	2	2	
Dis. of Skin -	3	1	1	-	-	-	2	-	-	-	1	-	-	-	-	-	
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Other Violent Deaths -	73	4	1	1	2	-	8	4	3	6	6	15	4	9	10	10	
Other Causes -	294	115	11	1	2	-	129	-	-	1	2	2	7	4	11	11	
525.—SCARBOROUGH.																	
Mean Popul ⁿ , 1861-71	15037	473	434	418	458	403	2186	1927	1705	1470	1273	2109	1799	1405	981	1	
TOTAL DEATHS -	3750	1118	230	121	101	59	1638	100	87	86	98	222	195	242	310	1	
Small-pox -	65	19	5	6	5	3	39	7	2	2	5	5	2	3	1	1	
Measles -	45	4	24	8	5	1	84	4	1	-	-	-	-	-	-	-	
Scarlatina -	213	9	28	27	26	20	136	18	11	5	2	2	-	1	-	-	
Diphtheria -	29	4	6	-	2	1	13	10	4	1	1	-	-	-	-	-	
Whooping-cough -	50	25	10	3	6	-	50	-	-	-	-	-	-	-	-	-	
Typhus -	150	1	1	2	4	-	7	10	12	7	17	13	14	11	12	12	
Diarrhoea & Dysentery -	127	108	11	3	-	1	123	-	1	-	1	2	1	3	3	3	
Cholera -	12	2	-	-	-	-	5	-	-	-	-	-	-	2	2	2	
Other Zymotic Dis. -	63	10	4	2	10	6	32	2	3	2	1	4	3	3	4	4	
Cancer -	51	-	-	-	-	-	-	1	1	1	-	-	3	10	13	13	
Scrophula and Tubercles -	77	40	14	6	1	1	62	1	3	4	-	-	2	8	8	8	
Phtisis -	272	9	5	5	-	2	5	5	10	20	23	84	43	29	14	14	
Hydrocephalus -	62	21	17	6	2	4	50	10	2	-	-	-	-	-	-	-	
Dis. of Brain -	718	377	31	14	11	6	430	17	5	8	6	19	24	47	29	29	
Dis. of Heart & Dropsy -	244	3	1	1	1	1	10	2	2	2	3	24	22	36	49	49	
Dis. of Lungs -	443	124	53	19	9	5	204	13	4	4	4	22	17	31	44	44	
Dis. of Stomach and Liver -	220	26	4	5	-	-	33	3	4	5	-	15	16	31	48	48	
Dis. of Kidneys -	84	1	-	-	-	-	-	-	-	-	-	-	-	11	16	16	
Dis. of Genes, Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin -	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEXES EATHS.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
523.—DRIFFIELD.																		
Population, 1861-71.		9347	294	276	254	264	244	1332	1144	997	836	786	1252	1011	814	598	397	153
Deaths -		1963	500	122	41	32	39	734	111	61	64	79	143	102	102	109	190	191
- - -		12	2	2	-	-	-	4	3	1	1	1	1	1	-	-	-	-
- - -		24	2	10	4	1	3	20	2	-	-	-	1	1	-	-	-	-
- - -		124	6	9	12	10	19	55	37	13	3	2	1	2	-	-	-	-
- - -		44	4	8	5	5	5	25	13	4	-	1	1	-	-	-	-	-
- - -		39	19	11	3	4	2	59	-	-	-	-	-	-	-	-	-	-
- - -		64	1	1	-	-	-	4	12	10	-	4	8	6	3	3	1	3
- - -		81	47	5	1	-	-	53	1	-	-	-	2	1	3	2	4	3
- - -		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -		48	7	4	1	2	2	10	8	1	3	-	2	1	-	2	7	1
- - -		57	-	-	-	-	-	-	-	-	-	1	7	4	15	7	15	8
- - -		45	16	7	3	1	-	27	3	6	3	1	4	1	-	-	-	-
- - -		233	2	4	-	1	-	7	8	13	28	45	69	35	18	7	2	1
- - -		18	6	4	-	1	1	12	3	-	1	2	-	-	-	-	-	-
- - -		273	110	11	5	3	2	131	4	5	2	6	10	9	15	20	23	23
- - -		126	1	1	-	-	-	4	2	-	3	3	8	9	17	20	39	10
- - -		181	55	24	5	1	1	86	1	1	1	3	3	5	5	13	30	21
- - -		129	12	6	1	3	-	22	3	5	5	2	3	10	15	20	23	19
- - -		11	-	1	-	-	-	1	-	-	-	-	4	2	-	2	2	-
- - -		11	-	-	-	-	-	-	-	-	-	-	1	1	2	4	2	1
- - -		5	-	-	-	-	1	1	1	-	-	-	1	1	1	2	1	-
- - -		4	1	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-
- - -		30	-	-	-	-	-	-	-	-	2	7	12	9	-	-	-	-
- - -		8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
- - -		34	8	3	2	-	-	13	6	-	1	-	2	-	1	2	3	3
- - -		375	203	11	-	-	-	214	4	1	-	1	3	4	4	6	33	63
524.—BRIDLINGTON.																		
Population, 1861-71.		7458	220	191	176	190	172	949	882	746	736	644	994	773	705	525	340	139
Deaths -		1450	386	76	27	29	25	513	57	32	44	50	97	82	75	103	145	162
- - -		21	9	1	4	-	-	14	-	1	3	1	1	1	-	-	-	-
- - -		71	3	12	4	14	11	44	17	3	4	-	-	-	-	-	-	-
- - -		16	2	1	-	2	1	6	8	2	-	-	-	-	-	-	-	-
- - -		27	12	12	1	1	1	27	-	-	-	-	-	-	-	-	-	-
- - -		34	1	1	-	-	-	3	5	4	11	2	4	5	2	1	1	-
- - -		57	35	2	1	-	-	38	-	-	-	-	1	3	1	2	5	4
- - -		5	2	-	1	-	-	3	-	-	-	-	-	-	-	-	2	-
- - -		24	3	4	1	3	-	11	3	-	-	1	-	1	-	4	3	1
- - -		45	-	-	-	-	-	-	-	-	-	-	2	6	13	14	7	2
- - -		22	10	1	1	-	1	18	1	2	1	2	-	1	1	2	-	-
- - -		153	1	1	1	1	1	4	5	6	18	27	46	24	13	7	2	1
- - -		33	10	9	4	2	2	27	4	2	-	-	-	-	-	-	-	-
- - -		234	116	7	2	1	1	127	5	4	2	1	7	6	6	19	22	32
- - -		92	1	-	-	-	1	2	-	-	1	1	6	9	14	14	32	13
- - -		157	43	12	1	3	4	63	2	2	2	3	6	3	10	12	23	25
- - -		77	12	1	1	1	1	16	2	3	2	2	5	3	7	18	15	4
- - -		11	-	-	-	1	-	1	1	-	-	-	-	-	-	6	3	-
- - -		7	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-
- - -		3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
- - -		6	1	-	1	-	-	2	-	-	-	-	-	-	2	-	-	-
- - -		28	-	-	-	-	-	-	-	-	1	5	11	11	-	-	-	-
- - -		6	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1
- - -		22	7	-	-	1	-	8	3	-	-	-	1	1	1	-	4	2
- - -		284	117	9	1	-	-	127	-	-	2	-	6	6	3	5	25	73
525.—SCARBOROUGH.																		
Population, 1861-71.		17855	479	424	404	424	417	2148	1916	1741	1714	1707	2734	2074	1625	1174	697	275
Deaths -		3714	854	210	128	98	69	1359	106	79	119	125	261	236	244	282	365	348
- - -		48	13	4	7	4	3	31	8	1	5	1	2	2	-	-	-	-
- - -		47	12	13	11	6	2	44	3	-	-	-	-	-	-	-	-	-
- - -		220	18	20	37	34	25	184	62	13	8	4	3	1	-	-	-	-
- - -		34	2	3	5	4	3	17	7	2	2	1	1	1	1	1	1	-
- - -		69	22	19	7	8	3	59	1	-	-	-	-	-	-	-	-	-
- - -		125	2	-	3	7	6	18	16	15	12	11	13	13	12	9	5	1
- - -		173	114	13	1	1	2	131	2	-	1	4	-	1	4	5	1	15
- - -		6	2	1	-	-	-	3	-	-	-	-	1	-	1	1	1	-
- - -		63	8	4	2	6	3	23	4	5	-	2	4	2	3	6	8	6
- - -		119	-	-	-	-	-	-	-	1	1	1	8	13	36	26	23	9
- - -		91	41	11	5	3	3	63	4	2	6	6	1	4	2	3	-	-
- - -		362	4	8	2	3	2	19	6	12	56	55	103	61	31	12	7	-
- - -		88	15	9	8	1	3	31	6	1	-	-	-	-	-	-	-	-
- - -		628	263	34	13	5	2	317	13	10	9	10	18	27	35	51	69	55
- - -		231	-	-	-	1	-	1	5	1	2	5	15	27	31	49	65	27
- - -		448	75	48	21	8	6	160	8	3	11	8	22	23	38	58	77	61
- - -		229	19	3	3	2	2	30	5	4	6	1	17	25	45	65	89	11
- - -		31	-	1	-	2	1	4	4	1	1	-	6	4	22	34	45	1
- - -		18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -		24	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-
- - -		11	1	-	-	-	-	3	-	-	-	-	1	2	13	16	1	-
- - -		53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -		62	6	7	3	1	1	18	9	2	4	-	2	8	3	2	2	3
- - -		600	237	12	1	-	1	251	2	-	2	-	4	6	10	16	23	62

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	
526.—MALTON.																
Mean Popul ⁿ , 1861-71	11680	327	323	306	313	295	1563	1415	1294	1229	907	1437	1238	1088	786	
TOTAL DEATHS—	2315	596	103	46	33	32	800	109	62	53	77	121	126	135	267	
Small-pox	5	—	—	—	—	—	—	—	—	—	1	1	2	1	—	
Measles	21	8	9	—	1	—	28	3	—	—	—	—	—	—	—	
Scarlatina	82	2	12	8	14	11	47	29	6	—	1	1	—	—	1	
Diphtheria	43	2	3	4	3	3	15	17	6	—	3	1	—	—	—	
Whooping-cough	27	37	9	1	—	—	27	—	—	—	—	—	—	—	—	
Typhus	82	—	—	—	—	1	1	11	8	7	9	13	6	6	13	
Diarrhoea & Dysentery	125	101	6	2	—	—	112	—	—	2	1	1	1	1	3	
Cholera	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	62	14	8	1	1	2	27	6	5	—	—	4	—	—	3	
Cancer	28	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Scrophula and Tubes	33	11	3	1	1	—	16	—	4	1	3	3	2	3	8	
Phtisis	191	—	—	—	—	—	2	2	—	22	31	52	37	20	12	
Hydrocephalus	35	8	—	—	1	—	23	7	5	—	—	—	—	—	—	
Dis. of Brain	258	163	19	8	3	3	187	13	6	3	3	5	13	16	26	
Dis. of Heart & Dropsy	165	—	—	—	—	1	2	4	5	3	1	6	19	21	22	
Dis. of Lungs	294	71	23	5	8	1	108	5	—	3	5	3	17	32	47	
Dis. of Stom. and Liver	133	16	2	1	—	—	19	—	2	3	6	10	10	17	20	
Dis. of Kidneys	59	—	—	—	—	—	—	2	—	—	1	4	1	6	9	
Dis. of Genes. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	9	—	—	—	—	—	—	—	2	1	—	3	1	1	1	
Dis. of Skin	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Childbirth and Metria	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	—	—	—	—	—	—	—	—	—	—	1	2	2	1	—	
Other Violent Deaths	95	2	4	3	—	2	11	5	6	8	11	6	11	13	11	
Other Causes	441	170	38	5	—	1	184	3	1	1	4	4	4	3	12	
527.—EASINGWOLD.																
Mean Popul ⁿ , 1861-71	5203	143	135	119	141	113	651	620	588	592	405	578	512	483	398	
TOTAL DEATHS—	915	224	32	14	18	12	300	25	17	25	35	46	36	43	79	
Small-pox	3	—	—	1	—	—	1	1	1	—	—	—	—	—	—	
Measles	4	2	1	—	—	—	3	1	—	—	—	—	—	—	—	
Scarlatina	57	2	3	6	4	8	23	10	1	2	—	1	—	—	—	
Diphtheria	8	—	—	—	2	1	6	1	—	—	1	—	—	—	—	
Whooping-cough	8	5	3	—	—	—	8	—	—	—	—	—	—	—	—	
Typhus	31	2	—	1	2	—	—	3	1	1	1	3	5	1	3	
Diarrhoea & Dysentery	48	23	2	—	—	—	20	—	—	—	—	—	1	1	2	
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	28	5	1	1	5	2	14	1	1	—	—	1	1	—	—	
Cancer	15	—	—	—	—	—	—	—	—	—	—	1	—	—	5	
Scrophula and Tubes	19	3	1	1	—	1	6	3	2	2	1	3	—	1	1	
Phtisis	89	—	—	—	—	—	—	—	4	13	24	16	12	7	—	
Hydrocephalus	13	6	2	—	1	—	9	1	3	—	—	—	—	—	—	
Dis. of Brain	142	67	1	2	1	—	71	—	1	—	—	4	6	5	10	
Dis. of Heart & Dropsy	54	1	—	—	—	—	2	3	1	—	1	3	3	2	12	
Dis. of Lungs	112	35	2	—	1	—	38	1	—	—	—	1	3	6	16	
Dis. of Stom. and Liver	64	3	1	—	1	—	5	—	1	1	3	4	2	6	13	
Dis. of Kidneys	18	—	—	—	—	—	—	—	—	—	—	2	—	—	2	
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	6	—	—	—	—	—	—	—	—	—	—	1	1	1	—	
Dis. of Skin	6	2	1	—	—	—	3	—	—	—	—	—	—	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	6	—	—	—	—	—	—	—	—	1	—	—	1	2	—	
Other Violent Deaths	23	3	3	—	—	—	6	—	1	2	4	4	2	5	3	
Other Causes	176	69	8	1	1	—	70	—	—	1	—	2	1	2	3	
528.—THIRSK.																
Mean Popul ⁿ , 1861-71	5995	174	159	158	146	145	782	723	654	588	454	738	617	551	462	
TOTAL DEATHS—	1206	270	47	34	16	21	388	40	34	36	37	69	57	75	165	
Small-pox	3	1	—	—	—	—	1	—	—	—	1	1	—	—	—	
Measles	10	—	3	3	—	1	8	1	2	—	—	—	—	—	—	
Scarlatina	48	3	3	7	6	6	25	16	1	3	—	—	1	1	—	
Diphtheria	15	3	2	1	1	2	9	1	3	2	—	—	—	—	—	
Whooping-cough	18	10	4	2	1	—	17	1	—	—	—	—	—	—	—	
Typhus	42	2	—	—	—	—	3	3	—	—	—	8	5	3	4	
Diarrhoea & Dysentery	37	20	5	1	2	1	20	—	—	5	3	—	—	1	2	
Cholera	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
Other Zymotic Dis.	25	4	2	8	—	—	9	1	—	3	1	2	3	—	4	
Cancer	22	—	—	—	—	—	—	—	—	—	—	1	—	1	0	
Scrophula and Tubes	22	7	4	1	—	—	12	1	3	—	2	2	1	1	0	
Phtisis	117	1	—	2	1	—	4	2	3	14	18	32	18	13	9	
Hydrocephalus	19	9	4	1	1	—	15	3	1	—	—	—	—	—	—	
Dis. of Brain	182	65	5	4	—	2	79	—	2	3	—	3	6	13	17	
Dis. of Heart & Dropsy	103	2	—	—	—	—	2	2	3	2	—	2	5	14	24	
Dis. of Lungs	144	37	9	6	2	4	68	2	1	1	4	6	6	5	13	
Dis. of Stom. and Liver	70	8	—	—	1	—	9	2	3	1	3	2	4	14	7	
Dis. of Kidneys	37	—	—	—	—	—	1	—	1	—	—	—	—	2	7	
Dis. of Genes. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	8	1	—	—	—	—	—	1	—	—	—	—	—	—	—	
Dis. of Skin	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Deaths	51	4	—	—	—	—	9	—	—	—	—	—	—	—	—	
Other Causes	214	89	15	2	—	3	90	2	—	—	—	—	—	—	—	

IX.] Causes of Death in the Ten Years 1861-70.—Females.

377-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES F DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
526.—MALTON.																		
Population, 1861-71	11502	328	298	303	311	277	1517	1369	1254	1084	971	1466	1236	1053	777	517	225	33
ALL DEATHS—	2245	402	101	75	44	32	714	96	77	80	90	157	109	140	174	251	260	97
pox	8	2	-	1	-	-	3	-	-	1	1	1	1	-	1	-	-	-
diphtheria	22	5	7	5	1	2	20	2	-	-	-	-	-	-	-	-	-	-
scarlatina	90	3	6	15	12	9	45	25	15	2	-	2	-	-	1	-	-	-
measles	40	-	2	6	6	3	17	11	8	-	1	-	-	-	2	1	-	-
croup	38	20	11	3	2	1	37	1	-	-	-	-	-	-	-	-	-	-
whooping cough	101	1	1	1	3	3	9	14	14	11	6	11	10	11	10	8	2	2
cholera & Dysentery	105	63	8	3	1	-	75	2	-	1	2	5	2	1	5	6	1	7
Zymotic Dis.	52	6	1	5	2	4	18	6	1	1	1	-	-	2	6	4	2	8
Smallpox	66	-	-	-	-	-	2	-	-	-	-	-	1	6	18	18	14	7
Scalds and Burns	44	12	4	4	2	1	23	2	4	3	4	5	6	1	2	1	2	1
Consumption	255	1	3	-	-	1	23	5	14	34	46	76	40	22	12	2	-	-
Phthisis	33	8	9	3	5	1	26	4	1	-	1	1	-	-	-	-	-	-
Brain	322	124	9	4	2	2	141	10	8	11	1	12	10	18	26	43	29	13
Heart & Dropsy	174	1	3	-	-	-	5	4	5	2	7	9	13	22	32	49	25	8
Lungs	276	49	25	17	3	1	95	4	4	5	3	9	7	14	27	45	53	10
Stomach and Liver	112	10	1	-	-	-	11	1	-	2	4	10	9	15	18	28	14	-
Kidneys	16	1	-	-	1	-	2	1	1	-	2	-	1	5	2	1	1	2
Genital Organs	10	-	-	-	-	-	-	-	-	-	2	-	1	2	1	1	-	-
Joints	9	1	-	-	-	-	1	1	-	1	1	-	1	1	1	1	1	1
Skin	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Birth and Metris	22	-	-	-	-	-	-	-	-	3	3	8	7	-	-	-	-	-
Violent Deaths	36	3	-	3	2	1	9	2	1	1	3	4	-	2	2	4	6	2
Causes	409	151	10	5	-	4	170	1	1	-	1	1	-	4	6	47	105	64
527.—EASINGWOLD.																		
Population, 1861-71	4884	124	143	127	126	127	647	570	559	454	375	599	506	464	344	249	103	14
ALL DEATHS—	869	150	45	21	15	7	238	34	32	22	24	63	56	53	88	95	121	43
pox	3	1	1	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-
diphtheria	11	3	4	-	1	-	8	1	1	-	-	-	1	-	-	-	-	-
scarlatina	24	-	3	2	3	1	9	10	2	-	-	1	2	-	-	-	-	-
measles	11	2	-	2	1	1	6	5	-	-	-	-	-	-	-	-	-	-
croup	16	4	4	6	2	-	16	5	4	1	-	2	3	-	1	2	1	-
whooping cough	24	1	2	1	1	-	5	-	-	-	-	-	-	-	2	1	3	2
cholera & Dysentery	18	4	2	-	-	-	6	-	-	-	-	-	2	-	1	2	3	2
Zymotic Dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox	29	2	2	3	-	3	10	2	1	-	-	3	2	2	1	3	5	-
Scalds and Burns	44	-	-	-	-	-	-	-	-	-	-	1	1	4	11	15	8	5
Consumption	10	4	-	1	-	-	5	-	-	3	-	-	-	11	15	8	5	-
Phthisis	114	1	1	-	-	-	1	1	9	11	19	28	21	13	9	2	-	-
Brain	9	4	2	1	1	-	8	1	-	-	-	-	-	-	-	-	-	-
Heart & Dropsy	123	52	4	1	1	-	58	3	2	1	1	7	3	3	10	15	19	4
Lungs	70	1	-	-	-	-	1	4	3	-	2	2	3	2	13	13	19	8
Stomach and Liver	102	17	10	1	4	1	33	1	1	1	-	4	3	5	10	13	9	1
Kidneys	36	3	3	1	-	-	7	-	-	-	-	1	1	1	3	3	1	-
Genital Organs	14	-	-	-	-	-	-	-	2	-	-	2	2	1	3	3	1	-
Joints	8	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-
Skin	4	2	-	-	-	-	2	-	1	2	-	-	-	-	-	2	-	-
Birth and Metris	6	-	-	-	-	-	-	-	2	1	1	6	6	1	-	-	-	-
Violent Deaths	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes	149	45	6	2	1	1	55	1	1	-	-	1	-	-	1	16	45	20
528.—THIRSK.																		
Population, 1861-71	6238	180	143	163	154	154	794	751	652	586	533	800	640	570	453	297	138	24
ALL DEATHS—	1272	232	55	24	19	19	349	47	28	35	53	84	75	72	116	146	189	78
pox	4	2	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
diphtheria	5	2	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-
scarlatina	53	3	-	5	5	9	30	11	2	3	3	4	-	-	-	-	-	-
measles	19	-	-	2	4	-	8	8	-	-	1	-	-	-	-	-	-	-
croup	14	8	-	-	-	2	12	2	-	-	-	-	-	-	-	-	-	-
whooping cough	48	-	-	1	-	-	4	5	7	2	5	6	3	2	1	3	8	2
cholera & Dysentery	43	25	2	-	-	1	28	-	1	-	-	2	2	-	1	4	4	-
Zymotic Dis.	40	5	1	1	-	-	13	2	-	1	2	1	1	-	8	7	8	2
Smallpox	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds and Burns	24	8	1	4	-	-	14	1	3	2	2	1	5	10	19	8	5	-
Consumption	146	1	-	-	-	-	15	-	5	18	24	40	25	1	9	1	-	-
Phthisis	21	7	3	3	-	-	13	4	3	-	-	-	1	-	-	-	-	-
Brain	182	75	10	2	-	-	89	2	3	-	2	2	5	7	20	27	25	2
Heart & Dropsy	115	-	-	-	-	-	4	-	1	-	2	4	7	11	26	28	19	3
Lungs	339	26	-	2	3	-	42	1	-	-	2	2	6	6	16	24	24	12
Stomach and Liver	67	4	-	-	-	-	1	4	-	3	1	3	3	6	13	14	11	-
Kidneys	12	-	-	-	-	-	-	1	-	-	-	1	2	1	3	3	2	-
Genital Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joints	10	7	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Birth and Metris	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths	15	1	1	-	-	1	3	1	-	-	-	-	-	-	-	2	4	23
Causes	243	69	11	4	-	1	76	1	1	1	2	1	1	1	-	2	4	23

Causes of Death in the Ten Years 1861-70.—Males.

ation, 1861-71, and Deaths in Districts during the 10 Years 1861-

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-		
529.—HELMSLEY.																	
Mean Popul ⁿ , 1861-71		6112	107	143	164	148	153	775	709	681	665	503	756	625	556	440	
TOTAL DEATHS-		1150	288	39	25	19	16	387	32	18	39	30	58	39	79	104	
Small-pox		6	4	-	-	-	2	4	-	-	-	-	-	-	1	1	
Measles		7	-	1	-	-	-	5	-	1	-	-	-	-	-	-	
Scarlatina		24	-	2	4	7	8	18	6	-	-	-	-	1	-	-	
Diphtheria		11	1	-	1	1	-	3	5	1	1	-	-	-	-	-	
Whooping-cough		17	12	3	-	1	1	17	-	-	-	-	-	-	-	-	
Typhus		40	-	1	2	1	1	4	2	2	10	6	2	-	4	3	
Diarrhoea & Dysentery		37	24	3	-	-	-	27	-	-	-	-	-	1	-	2	
Cholera		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.		44	11	4	1	2	1	10	3	-	2	-	-	5	2	1	
Cancer		17	-	-	-	-	-	-	-	-	1	-	1	-	3	1	
Scrofula and Tuberc.		12	7	-	1	-	1	9	-	-	-	-	-	-	1	1	
Phthisis		119	4	2	1	-	1	8	2	1	16	18	20	10	12	12	
Hydrocephalus		11	5	1	-	1	2	9	1	-	-	-	-	-	-	-	
Dis. of Brain		173	81	2	1	1	1	63	5	4	3	-	-	4	9	15	
Dis. of Heart & Dropsy		80	1	-	-	-	-	1	1	-	-	-	5	2	8	18	
Dis. of Lungs		185	41	15	6	2	-	64	3	3	2	3	6	5	11	15	
Dis. of Stom. and Liver		87	6	1	2	-	1	10	1	1	-	1	2	5	13	17	
Dis. of Kidneys		39	-	-	-	-	-	-	-	-	-	2	2	2	6	7	
Dis. of Gener. Organs		2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	
Dis. of Joints		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin		3	2	-	-	-	-	2	-	-	-	-	-	-	1	-	
Childbirth and Metria		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
Other Violent Deaths		41	4	2	5	1	2	14	2	3	3	-	6	-	4	3	
Other Causes		193	83	2	1	2	-	88	-	-	1	2	2	2	3	2	
530.—PICKERING.																	
Mean Popul ⁿ , 1861-71		6042	172	153	170	168	142	805	730	595	550	519	861	675	556	403	
TOTAL DEATHS-		1239	352	52	32	26	11	473	47	23	32	44	75	69	54	113	
Small-pox		12	3	-	1	1	1	6	-	1	-	1	2	-	1	-	
Measles		13	4	4	3	1	-	12	1	-	-	-	-	-	-	-	
Scarlatina		31	1	4	6	7	2	29	8	1	-	-	1	-	-	-	
Diphtheria		44	2	2	3	7	2	16	14	3	4	-	2	4	1	-	
Whooping-cough		23	19	3	1	1	1	25	-	-	-	-	-	-	-	-	
Typhus		44	-	1	1	-	1	3	4	6	5	11	9	1	2	2	
Diarrhoea & Dysentery		31	17	1	-	-	-	13	-	1	1	-	-	-	1	-	
Cholera		4	-	-	1	-	1	2	1	-	-	-	-	-	-	1	
Other Zymotic Dis.		28	8	-	1	1	2	12	4	1	-	-	1	2	1	3	
Cancer		23	-	-	-	-	-	-	-	-	-	-	-	3	4	7	
Scrofula and Tuberc.		28	13	3	1	2	-	19	2	-	2	-	-	3	2	-	
Phthisis		70	4	1	-	-	-	6	2	8	8	8	19	13	4	3	
Hydrocephalus		22	13	4	2	2	-	21	-	1	-	-	-	-	-	-	
Dis. of Brain		170	82	8	1	-	1	92	3	2	3	1	5	6	10	11	
Dis. of Heart & Dropsy		75	2	-	-	-	-	2	-	-	-	-	-	5	12	21	
Dis. of Lungs		197	40	8	7	2	-	67	1	-	2	9	12	11	18	29	
Dis. of Stom. and Liver		68	6	1	1	-	-	8	-	-	-	2	2	5	9	15	
Dis. of Kidneys		37	1	-	-	-	-	1	1	1	-	1	1	-	5	19	
Dis. of Gener. Organs		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints		3	2	-	-	-	-	2	-	-	1	1	-	1	1	-	
Dis. of Skin		3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide		4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Other Violent Deaths		84	6	-	2	1	-	9	2	3	5	8	17	10	13	10	
Other Causes		218	129	11	1	-	-	141	-	1	-	2	4	4	-	2	
531.—WHITBY.																	
Mean Popul ⁿ , 1861-71		11708	397	361	345	363	339	1805	1509	1343	1109	878	1454	1261	1006	699	
TOTAL DEATHS-		2671	713	217	108	91	53	1182	142	69	69	78	136	174	179	210	
Small-pox		51	8	4	6	4	1	21	5	2	-	5	8	-	3	-	
Measles		53	15	17	7	8	1	44	2	-	1	-	1	-	-	-	
Scarlatina		178	12	26	27	31	21	117	46	9	1	2	1	-	1	-	
Diphtheria		24	3	2	4	4	1	14	7	-	1	1	-	-	-	-	
Whooping-cough		64	28	21	8	4	1	62	2	-	-	-	-	-	-	-	
Typhus		116	3	5	5	4	4	21	16	15	7	12	11	10	10	8	
Diarrhoea & Dysentery		55	28	5	1	1	-	35	-	-	-	-	-	1	1	1	
Cholera		8	-	-	-	-	-	1	1	-	-	-	2	-	1	-	
Other Zymotic Dis.		78	10	8	10	5	4	37	10	3	4	-	-	3	4	2	
Cancer		80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula and Tuberc.		63	17	8	2	4	1	32	9	-	5	1	2	2	9	7	
Phthisis		228	1	4	5	3	3	14	2	7	39	35	57	49	1	16	
Hydrocephalus		85	14	11	6	3	1	35	-	-	-	-	-	-	-	-	
Dis. of Brain		835	165	16	10	4	4	190	10	3	2	2	5	10	13	23	
Dis. of Heart & Dropsy		140	2	-	-	-	-	3	1	3	3	4	3	16	19	33	
Dis. of Lungs		579	129	51	13	5	3	301	10	3	4	4	10	19	24	41	
Dis. of Stom. and Liver		153	41	7	-	2	-	86	1	1	1	3	8	8	17	30	
Dis. of Kidneys		47	-	-	1	-	1	2	2	1	1	1	2	2	2	2	
Dis. of Gener. Organs		1	-	-	-	-	-	2	1	1	1	1	1	1	1	1	
Dis. of Joints		14	-	-	-	-	-	2	1	1	1	1	1	1	1	1	
Dis. of Skin		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
529.—HELMSLEY.																		
Population, 1861-71	5662	153	153	150	142	143	741	691	590	533	474	724	587	514	400	281	108	19
ALL DEATHS -	1085	222	33	29	14	10	398	38	14	40	46	74	75	70	96	126	134	64
Pox -	6	2	1	-	1	-	4	-	-	-	1	-	1	-	-	-	-	-
Smallpox -	23	-	1	3	4	2	10	12	-	-	-	-	1	-	-	-	-	-
Erysipelas -	7	-	-	-	2	2	4	3	-	-	-	-	-	-	-	-	-	-
Croup -	23	16	2	3	-	1	22	1	-	3	-	4	5	-	1	2	-	-
Dysentery -	32	-	1	2	-	1	4	1	2	-	6	-	-	4	1	3	-	-
Cholera & Dysentery -	45	21	1	2	-	2	26	-	-	-	-	3	1	1	2	3	1	4
Zymotic Dis. -	84	5	-	-	1	2	-	3	1	1	1	1	1	4	3	5	3	-
Consumption -	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophulous -	16	6	4	-	-	-	10	-	2	2	1	1	1	-	-	-	-	-
Brain -	129	2	-	-	-	-	3	1	2	21	21	39	23	11	7	1	-	-
Heart & Dropsy -	10	-	1	-	1	1	5	5	-	-	-	-	-	-	-	-	-	-
Lungs -	131	60	3	-	-	-	69	3	2	3	2	2	2	7	5	17	18	3
Stomach and Liver -	106	1	-	-	-	-	2	2	-	1	2	3	9	5	27	33	18	5
Kidneys -	174	83	15	-	2	-	53	5	2	2	2	6	12	12	14	25	27	13
General Organs -	74	6	-	-	-	1	8	-	1	2	3	6	5	16	17	10	5	-
Joint -	13	-	-	-	-	-	-	-	-	3	1	2	2	2	2	1	-	-
Skin -	12	-	1	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-
Birth and Metrix -	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths -	18	-	-	-	-	-	-	-	-	-	5	5	3	-	-	-	-	-
Causes -	19	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	171	63	3	2	-	-	73	1	1	1	1	2	1	3	6	16	42	27
530.—PICKERING.																		
Population, 1861-71	5601	169	156	163	163	166	817	686	613	501	455	742	591	522	346	216	97	15
ALL DEATHS -	1131	250	55	31	19	15	370	46	15	38	38	87	70	77	104	121	131	34
Pox -	10	5	-	-	-	-	5	1	-	1	-	2	-	1	-	-	-	-
Smallpox -	7	2	-	-	-	-	4	-	1	-	-	2	-	-	-	-	-	-
Erysipelas -	29	-	4	6	4	2	16	7	1	2	-	2	1	-	-	-	-	-
Croup -	35	4	3	5	1	2	18	14	2	1	1	2	-	-	-	-	-	-
Dysentery -	25	13	5	4	2	-	24	1	-	-	-	5	-	-	2	4	2	-
Cholera & Dysentery -	39	-	1	-	-	1	2	5	2	6	3	5	1	7	2	8	2	-
Zymotic Dis. -	43	18	2	1	-	1	23	2	-	2	1	1	3	-	1	1	-	-
Consumption -	23	1	-	1	2	1	5	4	1	1	-	1	-	-	6	1	-	-
Scrophulous -	47	-	-	-	-	-	-	1	-	-	-	-	7	9	13	9	-	-
Brain -	162	11	6	1	-	1	10	1	2	3	-	2	1	9	16	19	22	4
Heart & Dropsy -	15	3	5	-	3	1	15	1	3	12	11	36	22	9	5	1	-	-
Lungs -	163	63	4	4	1	-	72	1	1	2	2	6	7	11	16	19	22	4
Stomach and Liver -	85	1	-	1	2	3	3	-	-	-	7	9	5	11	15	20	23	-
Kidneys -	172	28	10	2	-	3	45	4	1	1	10	9	5	10	21	25	28	7
General Organs -	90	6	-	-	-	-	7	3	1	3	5	4	5	10	15	16	17	-
Joint -	9	-	-	-	-	-	-	-	-	-	2	2	1	2	1	2	1	-
Skin -	6	-	1	-	-	-	1	-	-	-	2	1	1	3	1	1	-	-
Birth and Metrix -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths -	15	-	-	-	-	-	-	-	-	2	3	5	5	-	-	-	-	-
Causes -	22	4	1	2	2	2	11	1	-	1	-	-	2	1	2	2	2	2
	163	50	11	1	1	1	101	-	-	1	-	-	-	1	2	10	25	20
531.—WHITBY.																		
Population, 1861-71	13011	412	338	329	344	337	1760	1558	1354	1171	1100	1777	1429	1135	855	573	248	51
ALL DEATHS -	2766	512	212	109	74	50	957	112	78	82	94	201	153	143	191	281	315	124
Pox -	24	6	3	4	-	1	14	1	-	-	1	4	1	1	1	-	1	-
Smallpox -	80	12	15	11	6	4	48	2	-	-	-	-	-	-	-	-	-	-
Erysipelas -	154	11	29	18	20	29	98	26	10	2	2	2	1	4	-	-	-	-
Croup -	27	3	2	6	4	2	17	7	1	-	-	1	-	-	-	-	-	-
Dysentery -	79	39	27	11	6	2	76	2	1	-	-	-	-	-	13	4	1	8
Cholera & Dysentery -	137	6	6	6	5	5	28	15	13	10	19	29	5	3	1	10	8	4
Zymotic Dis. -	80	43	6	5	-	1	53	-	-	-	-	4	1	1	1	7	4	-
Consumption -	68	9	9	3	6	4	31	2	5	1	-	2	2	1	2	8	4	-
Scrophulous -	62	-	-	-	-	-	-	-	-	-	-	2	8	16	21	10	2	3
Brain -	37	8	9	3	3	2	25	5	3	2	1	1	1	3	14	6	-	-
Heart & Dropsy -	207	2	3	1	-	2	8	6	20	40	40	83	54	24	-	-	-	-
Lungs -	34	13	8	3	4	1	29	4	1	-	-	-	-	-	-	-	-	-
Stomach and Liver -	310	116	13	7	4	-	140	10	11	9	3	9	12	21	29	26	35	5
Kidneys -	130	1	-	-	-	-	1	2	1	3	5	5	14	17	23	20	17	1
General Organs -	248	50	53	17	6	-	159	6	8	4	8	8	7	18	25	25	45	13
Joint -	147	18	4	2	1	1	26	6	1	4	3	12	17	15	23	23	45	13
Skin -	15	-	-	1	-	1	2	-	2	1	-	-	-	-	-	-	-	-
Birth and Metrix -	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths -	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Causes -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	64	180	19	9	4	2	20	7	3	3	3	3	6	-	-	-	-	-

Deaths in the Ten Towns
Population, 1861-71, and Deaths in Subsequent Years

CAUSES OF DEATH.	All Ages.	AGES OF MALES											
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	45--

Mean Populⁿ. }
 1861-71

TOTAL DEATHS -

Small-pox - - -
 Measles - - -
 Scarlatina - - -
 Diphtheria - - -
 Whooping-cough - - -
 Typhus - - -
 Diarrhoea & Dysentery - - -
 Cholera - - -
 Other Zymotic Dis. - - -
 Cancer - - -
 Scrophula and Tuberc. - - -
 Phthisis - - -
 Hydrocephalus - - -
 Dis. of Brain - - -
 Dis. of Heart & Dropsy - - -
 Dis. of Lungs - - -
 Dis. of Stom. and Liver - - -
 Dis. of Kidneys - - -
 Dis. of Gener. Organs - - -
 Dis. of Joints - - -
 Dis. of Skin - - -
 Childbirth and Metris - - -
 Suicide - - -
 Other Violent Deaths - - -
 Other Causes - - -

532.—GUISBROUGH.													
18610	559	471	479	455	451	2415	1971	1556	1363	1703	2894	2083	1244
3605	1100	326	147	104	67	1744	185	88	108	183	262	249	197
Small-pox -	109	23	10	5	6	4	51	7	8	10	31	8	-
Measles -	102	28	41	18	9	1	92	6	1	1	1	1	-
Scarlatina -	227	7	41	40	31	25	145	50	7	3	5	2	-
Diphtheria -	43	8	8	7	3	3	29	8	3	-	-	-	-
Whooping-cough -	27	17	9	-	-	-	94	1	-	-	-	-	-
Typhus -	224	6	3	7	4	8	27	17	16	17	40	29	12
Diarrhoea & Dysentery -	155	109	24	1	1	-	135	3	3	1	1	1	-
Cholera -	15	8	-	-	-	-	3	3	-	1	2	2	1
Other Zymotic Dis. -	60	11	14	7	7	6	45	10	2	2	5	5	6
Cancer -	20	-	-	-	-	-	-	-	-	-	2	2	6
Scrophula and Tuberc. -	79	55	18	6	4	1	64	4	2	3	4	3	6
Phthisis -	193	5	2	1	1	2	11	6	13	32	56	53	19
Hydrocephalus -	95	43	33	3	0	1	65	8	2	1	-	-	-
Dis. of Brain -	509	315	34	18	10	5	333	11	5	2	5	15	18
Dis. of Heart & Dropsy -	137	4	-	-	1	1	6	1	3	5	7	20	21
Dis. of Lungs -	425	154	39	20	12	5	224	12	5	14	27	34	38
Dis. of Stom. and Liver -	108	18	2	1	2	1	37	6	4	2	11	10	14
Dis. of Kidneys -	82	2	-	1	-	1	4	7	2	1	3	9	6
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	15	2	-	1	-	-	3	-	-	-	1	3	3
Dis. of Skin -	3	2	-	-	-	-	2	-	-	-	-	-	1
Childbirth and Metris -	9	-	-	-	-	-	-	-	-	-	-	-	2
Suicide -	342	9	2	4	4	2	21	9	21	38	51	74	80
Other Violent Deaths -	569	321	30	7	3	-	301	3	6	1	3	11	22

Mean Populⁿ. }
 1861-71

TOTAL DEATHS -

Small-pox - - -
 Measles - - -
 Scarlatina - - -
 Diphtheria - - -
 Whooping-cough - - -
 Typhus - - -
 Diarrhoea & Dysentery - - -
 Cholera - - -
 Other Zymotic Dis. - - -
 Cancer - - -
 Scrophula and Tuberc. - - -
 Phthisis - - -
 Hydrocephalus - - -
 Dis. of Brain - - -
 Dis. of Heart & Dropsy - - -
 Dis. of Lungs - - -
 Dis. of Stom. and Liver - - -
 Dis. of Kidneys - - -
 Dis. of Gener. Organs - - -
 Dis. of Joints - - -
 Dis. of Skin - - -
 Childbirth and Metris - - -
 Suicide - - -
 Other Violent Deaths - - -
 Other Causes - - -

533.—STOKESLEY.													
5346	159	148	159	141	135	741	615	616	507	425	673	577	461
1019	261	43	25	10	14	335	32	22	34	29	57	41	55
Small-pox -	1	1	-	-	-	1	5	1	-	-	-	-	-
Measles -	7	1	2	-	2	5	1	1	-	-	-	-	-
Scarlatina -	64	3	6	7	5	21	7	1	2	-	2	-	1
Diphtheria -	6	-	2	-	1	3	2	1	-	-	-	-	-
Whooping-cough -	11	8	-	-	-	8	3	-	-	-	-	-	-
Typhus -	37	1	-	-	-	1	2	-	8	5	4	2	2
Diarrhoea & Dysentery -	24	13	1	-	-	14	-	-	-	-	-	-	1
Cholera -	3	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	20	4	1	2	1	10	-	-	-	1	-	-	1
Cancer -	16	-	-	1	-	1	-	-	-	-	-	-	3
Scrophula and Tuberc. -	17	3	4	-	1	9	1	1	2	3	-	-	-
Phthisis -	92	-	-	-	-	9	4	2	13	11	50	11	13
Hydrocephalus -	14	6	1	2	-	9	2	3	-	-	-	-	-
Dis. of Brain -	175	94	8	5	4	113	5	2	2	1	5	1	6
Dis. of Heart & Dropsy -	49	-	-	-	1	2	-	-	1	1	1	7	8
Dis. of Lungs -	116	58	7	-	-	45	1	2	1	1	4	4	7
Dis. of Stom. and Liver -	52	9	1	1	1	12	1	-	2	1	3	3	5
Dis. of Kidneys -	17	-	-	1	-	1	-	-	-	1	-	2	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	8	-	-	1	-	1	-	2	-	1	-	-	2
Dis. of Skin -	2	1	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	7	-	-	-	-	-	-	-	-	-	-	-	1
Other Violent Deaths -	29	1	2	2	-	7	-	-	3	3	4	1	5
Other Causes -	282	78	10	1	-	69	3	1	-	-	4	7	-

Mean Populⁿ. }
 1861-71

TOTAL DEATHS -

Small-pox - - -
 Measles - - -
 Scarlatina - - -
 Diphtheria - - -
 Whooping-cough - - -
 Typhus - - -
 Diarrhoea & Dysentery - - -
 Cholera - - -
 Other Zymotic Dis. - - -
 Cancer - - -
 Scrophula and Tuberc. - - -
 Phthisis - - -
 Hydrocephalus - - -
 Dis. of Brain - - -
 Dis. of Heart & Dropsy - - -
 Dis. of Lungs - - -
 Dis. of Stom. and Liver - - -
 Dis. of Kidneys - - -
 Dis. of Gener. Organs - - -
 Dis. of Joints - - -
 Dis. of Skin - - -
 Childbirth and Metris - - -
 Suicide - - -
 Other Violent Deaths - - -
 Other Causes - - -

534.—NORTHALLERTON.													
5982	174	165	151	150	150	790	706	680	586	421	694	646	558
1173	249	36	27	19	13	344	43	26	31	44	64	62	73
Small-pox -	4	-	-	-	-	-	-	1	-	-	-	3	-
Measles -	7	4	1	-	1	7	-	-	-	-	-	-	-
Scarlatina -	54	2	4	7	3	19	12	2	-	-	1	-	-
Diphtheria -	8	-	2	2	-	4	2	-	2	-	-	-	-
Whooping-cough -	12	10	2	-	-	12	-	-	-	-	-	-	-
Typhus -	51	-	-	1	1	2	2	3	4	6	6	5	3
Diarrhoea & Dysentery -	29	16	-	-	-	13	-	-	-	-	-	-	-
Cholera -	1	-	-	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis. -	14	-	1	1	3	9	1	-	-	-	1	-	-
Cancer -	21	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc. -	13	4	1	1	-	7	2	2	-	-	-	1	4
Phthisis -	111	-	-	-	-	7	6	4	5	19	50	22	16
Hydrocephalus -	22	7	4	2	2	15	6	1	-	-	-	-	-
Dis. of Brain -	382	71	8	3	3	80	3	2	5	4	6	3	7
Dis. of Heart & Dropsy -	153	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Lungs -	170	51	11	6	5	55	2	1	3	3	3	5	12
Dis. of Stom. and Liver -	74	2	-	-	-	5	-	-	-	-	2	5	11
Dis. of Kidneys -	27	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	7	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	4	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	48	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	225	92	1	2	-	1	90	1	-	-	-	-	-

IX.] *Causes of Death in the Ten Years 1861-70.—Females.*

381

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

AUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																		
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and upwards.		
		532.—GUISBROUGH.																		
Popul ⁿ , 1861-71	14161	563	467	474	480	448	2432	1932	1530	1141	1198	2190	1558	1021	608	367	157	27		
DEATHS -	3040	898	307	134	84	61	1481	152	82	99	108	208	184	121	132	175	222	73		
Inf.	39	24	7	2	3	-	36	3	1	1	5	3	7	3	-	-	-	-		
Sc.	73	13	33	6	6	6	61	5	-	-	2	2	-	-	-	-	-	-		
Ja.	202	14	38	33	22	12	114	47	21	6	5	7	2	-	-	-	-	-		
Di.	34	2	2	5	1	3	13	14	2	-	1	3	-	-	-	-	-	-		
ig-cough	65	30	17	6	4	4	61	4	-	-	-	-	-	-	-	-	-	-		
a & Dysentery	188	3	10	7	5	7	32	29	18	22	26	28	15	8	5	4	1	1		
motie Dis.	152	98	23	7	3	1	132	1	-	1	-	3	1	1	2	2	9	1		
and Tubes	63	11	9	6	8	7	41	4	2	2	-	4	4	3	3	1	2	2		
phalus	107	60	28	10	3	2	93	2	2	-	3	1	2	2	2	3	-	-		
rains	237	4	-	-	-	-	5	8	15	41	39	79	51	24	4	1	-	-		
heart & Dropsy	51	17	14	6	6	5	43	2	1	-	-	-	-	-	-	-	-	-		
lungs	483	281	96	12	7	3	339	12	2	6	2	11	11	18	28	27	23	4		
om. and Liver	130	3	1	-	-	-	5	7	3	4	5	9	17	7	29	24	18	2		
idneys	314	97	40	19	8	5	169	4	3	2	3	10	18	15	18	26	41	9		
ener. Organs	106	7	3	2	1	-	13	2	3	5	13	14	12	15	21	6	-	-		
oints	27	1	2	1	-	1	5	-	2	-	1	3	5	3	4	2	2	-		
kin	11	-	-	-	-	-	-	-	-	-	-	2	4	3	2	-	-	-		
h and Metria	10	1	-	-	-	1	2	1	1	-	-	2	2	-	-	-	1	-		
olent Deaths	5	1	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-	-		
uses	54	-	-	-	-	-	-	-	-	6	9	18	18	3	-	-	-	-		
	33	2	4	1	2	3	12	4	5	1	1	1	2	-	-	3	5	-		
	557	240	41	10	4	-	295	3	2	3	1	5	2	13	9	57	113	54		
533.—STOKESLEY.																				
Popul ⁿ , 1861-71	5220	136	146	143	149	135	709	618	571	512	436	658	551	434	332	249	130	20		
DEATHS -	1026	205	30	18	20	14	287	47	22	36	34	65	62	63	74	129	139	68		
Inf.	9	3	-	-	-	-	3	1	-	3	2	-	-	1	-	-	-	-		
Sc.	27	1	3	4	7	4	19	15	2	1	-	-	-	-	-	-	-	-		
Ja.	12	-	-	-	2	2	6	2	1	-	-	2	1	-	-	-	-	-		
ig-cough	21	11	4	2	2	1	20	1	-	-	-	8	4	6	5	4	1	-		
a & Dysentery	51	3	1	-	-	1	1	5	2	7	8	8	2	1	1	2	4	6		
motie Dis.	32	11	4	-	-	1	16	-	-	1	-	2	1	1	1	6	2	-		
and Tubes	27	6	1	2	-	-	9	3	1	-	-	2	2	1	1	6	2	-		
phalus	25	-	-	-	-	-	-	-	-	-	-	1	-	5	7	10	2	-		
rains	13	2	-	2	1	-	5	1	1	-	2	1	-	1	1	1	1	-		
heart & Dropsy	109	1	-	-	-	-	1	2	7	16	14	33	23	9	3	1	-	-		
lungs	10	4	2	2	1	-	9	1	-	-	-	-	-	-	-	-	-	-		
om. and Liver	133	74	5	1	-	1	81	5	2	3	1	1	6	7	11	25	12	1		
idneys	50	19	6	1	2	2	30	2	1	-	-	2	5	7	16	14	8	-		
ener. Organs	92	3	-	-	-	-	3	-	-	-	3	5	6	7	10	6	3	-		
oints	43	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	1	-		
kin	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-		
h and Metria	8	1	-	-	-	-	1	-	-	-	-	1	-	4	1	-	-	-		
olent Deaths	7	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-		
uses	14	2	-	2	2	2	8	1	-	1	-	1	-	2	-	3	3	-		
	268	65	4	2	5	-	76	4	5	1	-	3	4	6	6	38	38	37		
534.—NORTHALLERTON.																				
Popul ⁿ , 1861-71	5918	160	141	162	153	157	773	726	626	576	443	733	619	536	418	297	142	29		
DEATHS -	1141	180	34	23	21	17	275	48	19	36	49	71	70	71	95	165	173	70		
Inf.	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
Sc.	6	2	4	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-		
Ja.	33	2	2	2	8	6	20	9	2	-	2	-	-	-	-	-	-	-		
Di.	13	-	-	1	1	2	4	9	-	-	-	-	-	-	-	-	-	-		
ig-cough	17	9	4	1	-	1	15	2	-	-	-	-	-	-	-	-	-	-		
a & Dysentery	41	-	-	-	-	-	8	3	10	5	2	6	1	1	3	2	2	1		
motie Dis.	27	10	1	2	-	1	14	1	-	-	-	-	-	-	-	-	-	-		
and Tubes	18	6	1	1	1	-	9	1	1	-	-	1	-	-	2	4	1	-		
phalus	46	-	-	-	-	-	7	-	1	-	-	2	6	4	19	11	9	-		
rains	15	5	1	-	1	-	7	2	8	16	27	30	21	1	1	1	1	-		
heart & Dropsy	139	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-		
lungs	8	2	1	3	2	-	8	-	-	-	-	3	4	12	12	22	22	5		
om. and Liver	155	80	4	3	-	3	80	5	1	3	2	4	9	9	18	22	22	1		
idneys	96	-	-	-	-	-	1	-	-	-	3	5	6	4	10	18	23	1		
ener. Organs	144	22	6	7	3	2	40	4	2	1	3	1	4	6	12	12	23	1		
oints	76	-	1	1	-	1	3	1	1	-	-	1	-	-	-	-	-	-		
kin	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
h and Metria	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
olent Deaths	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-		
uses	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	15	4	1	-	3	1	8	-	-	-	-	-	-	-	-	-	-	-		
	263	65	7	2	2	1	77	2	-	-	-	1	1	1	-	-	-	-		

Nicar

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—
535.—BEDALE.*															
Mean Popul ⁿ , 1861-71	4035	126	109	107	109	107	558	479	455	364	290	471	444	368	300
TOTAL DEATHS	783	164	31	16	8	9	228	26	22	19	25	37	41	47	74
Small-pox	8	-	1	4	-	-	8	-	-	-	-	-	-	-	-
Measles	16	3	1	3	1	2	16	2	3	1	-	-	-	-	-
Scarlatina	12	-	1	-	1	-	12	-	3	-	1	-	-	-	-
Diphtheria	17	9	7	-	1	-	17	-	-	-	-	-	-	-	-
Whooping-cough	35	-	-	-	-	-	35	-	-	-	-	-	-	-	-
Typhus	17	6	3	-	1	1	11	1	4	2	1	-	4	-	5
Diarrhoea & Dysentery	5	1	-	-	-	-	5	-	-	-	-	1	-	-	1
Cholera	13	3	-	1	-	-	13	3	-	-	-	-	1	-	2
Other Zymotic Dis.	21	-	-	-	-	-	21	-	-	-	-	-	1	3	1
Cancer	11	1	2	1	-	-	11	2	1	-	-	-	1	3	1
Scrofula and Tuberc.	65	-	-	-	-	-	65	-	-	-	-	-	-	-	-
Phthisis	19	3	3	1	-	-	19	1	2	-	-	-	-	-	-
Hydrocephalus	103	53	9	-	2	-	57	-	-	1	1	-	4	6	11
Dis. of Brain	58	-	-	-	-	1	1	1	-	2	-	1	2	7	12
Dis. of Heart & Dropsy	103	21	7	1	2	1	32	-	1	2	2	3	6	5	12
Dis. of Lungs	45	5	-	1	-	1	6	-	-	-	-	4	6	4	7
Dis. of Stom. and Liver	17	1	-	-	-	-	17	-	2	-	1	1	1	2	-
Dis. of Kidneys	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Dis. of Genes. Organs	9	-	-	-	-	-	9	-	1	1	-	1	1	2	-
Dis. of Joints	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	30	2	-	2	-	4	30	3	2	1	2	1	2	5	8
Suicide	199	34	2	1	-	-	57	3	1	-	2	1	2	5	8
Other Violent Deaths	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
536.—LEYBURN.*															
Mean Popul ⁿ , 1861-71	4819	125	122	118	116	132	613	566	576	499	372	542	504	459	341
TOTAL DEATHS	876	183	27	16	14	10	250	20	19	20	38	42	31	56	76
Small-pox	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Measles	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-
Scarlatina	26	2	3	2	3	3	13	3	3	-	-	-	-	1	-
Diphtheria	9	-	1	-	2	2	6	9	-	1	-	-	-	-	-
Whooping-cough	18	12	6	1	-	-	18	-	-	-	-	-	-	-	-
Typhus	32	1	-	-	1	1	3	2	1	2	4	6	3	6	4
Diarrhoea & Dysentery	16	4	-	3	-	-	7	-	1	-	-	-	-	-	4
Cholera	20	4	2	3	-	1	10	3	-	-	1	-	1	-	2
Other Zymotic Dis.	23	-	-	-	-	-	23	-	-	-	-	-	-	-	-
Cancer	8	-	1	-	-	-	1	1	2	-	1	-	-	1	-
Scrofula and Tuberc.	78	-	-	-	-	-	78	-	3	8	19	22	9	8	6
Phthisis	15	3	4	-	2	-	11	2	1	1	-	-	-	-	-
Hydrocephalus	113	63	3	-	-	1	69	-	1	-	-	4	-	8	9
Dis. of Brain	63	1	-	-	-	-	1	2	1	-	1	1	1	3	10
Dis. of Heart & Dropsy	136	33	6	4	3	-	46	3	2	2	3	2	3	10	15
Dis. of Lungs	49	6	-	-	1	-	7	1	1	1	3	3	6	7	8
Dis. of Stom. and Liver	23	-	-	-	-	-	23	-	-	1	3	-	1	1	3
Dis. of Kidneys	5	1	-	-	-	-	1	-	-	-	-	-	1	1	-
Dis. of Genes. Organs	4	1	-	-	-	-	1	-	1	-	1	-	1	1	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	42	5	-	1	2	2	10	1	2	4	4	2	3	2	5
Suicide	184	41	2	2	-	-	45	-	-	-	-	1	3	1	4
Other Violent Deaths	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
537.—AYSGARTH (late ASKRIGG).															
Mean Popul ⁿ , 1861-71	2788	71	76	61	71	79	358	341	304	248	198	330	316	282	206
TOTAL DEATHS	543	154	15	13	7	5	174	18	15	13	24	25	39	25	34
Small-pox	7	4	1	-	1	-	9	1	-	-	-	-	1	-	-
Measles	6	2	-	1	1	2	10	6	-	-	-	-	-	-	-
Scarlatina	9	-	-	-	-	-	9	-	-	-	-	-	-	-	-
Diphtheria	19	11	4	2	-	-	17	1	-	-	-	-	1	-	-
Whooping-cough	11	-	-	-	-	-	11	-	-	-	-	-	4	-	-
Typhus	14	5	-	-	-	-	14	-	-	-	2	-	1	-	-
Diarrhoea & Dysentery	8	1	1	1	1	-	11	-	-	1	-	-	-	-	-
Cholera	9	-	-	-	-	-	9	-	-	-	-	-	-	-	-
Other Zymotic Dis.	7	2	-	-	-	-	7	-	-	-	-	-	-	-	-
Cancer	47	-	-	-	-	-	47	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	7	2	1	-	-	-	7	-	-	-	-	-	-	-	-
Phthisis	7	2	1	-	-	-	7	-	-	-	-	-	-	-	-
Hydrocephalus	77	29	-	4	1	1	55	3	2	-	2	2	6	2	5
Dis. of Brain	36	-	-	-	-	-	36	-	-	-	-	-	-	-	-
Dis. of Heart & Dropsy	89	18	5	4	1	-	28	1	1	2	1	2	1	6	7
Dis. of Lungs	39	2	-	-	-	-	39	-	-	-	-	-	-	-	-
Dis. of Stom. and Liver	17	-	-	-	-	-	17	-	-	-	-	-	-	-	-
Dis. of Kidneys	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-
Dis. of Genes. Organs	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	13	-	-	-	-	-	13	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	80—
		535.—BEDALE.*																
Populn. 1861-71	4273	110	114	112	99	113	548	515	469	370	312	538	460	389	325	223	102	22
L DEATHS	790	132	32	13	10	5	192	23	15	24	28	50	55	43	73	112	113	62
Scurvy	2	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Typhoid	4	1	—	2	—	1	4	—	—	—	—	—	—	—	—	—	—	—
Typhus	11	—	3	—	1	—	5	3	1	1	—	3	1	—	—	—	—	—
Erysipelas	9	—	1	—	—	—	1	6	—	—	—	—	—	—	—	—	—	—
Whooping-cough	11	8	3	—	—	—	11	—	—	—	—	—	—	—	—	—	—	—
Dysentery	13	5	3	1	—	—	9	2	—	—	1	2	2	4	3	1	2	—
Typhoid Dis.	3	1	—	—	—	—	1	—	—	—	—	—	—	1	2	3	3	—
Typhoid Dis.	11	2	1	1	—	—	4	—	—	—	—	—	—	4	7	8	3	—
Consumption and Tabes	23	—	—	—	1	—	1	—	—	—	—	—	2	1	4	7	3	—
Consumption and Tabes	9	1	—	—	1	—	2	—	2	—	—	2	2	—	—	—	—	—
Erysipelas	83	—	1	—	—	—	1	—	4	17	13	22	17	7	1	—	1	—
Erysipelas	12	4	4	—	1	—	9	3	—	—	—	—	—	—	—	—	—	—
Brain	105	51	4	—	1	—	56	2	1	1	2	2	4	4	7	10	11	5
Heart & Dropsy	83	—	—	2	—	—	2	2	3	—	2	6	1	4	4	25	11	1
Lungs	76	14	4	4	—	—	22	1	1	—	3	2	4	6	4	15	10	2
Stom. and Liver	54	—	1	—	1	1	3	1	1	—	1	2	6	8	11	15	6	—
Kidneys	6	—	—	—	—	—	1	—	—	—	—	—	1	—	2	2	—	—
Gen. Organs	7	—	—	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—
Joints	4	—	—	—	—	1	1	—	—	—	1	—	—	1	1	1	—	—
Skin	3	1	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—
Furth and Metria	16	—	—	—	—	—	—	—	—	—	1	6	9	—	—	—	—	—
Violent Deaths	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Violent Deaths	12	1	—	2	2	—	5	1	2	—	—	—	—	—	1	1	1	2
Violent Deaths	210	45	6	—	2	—	51	3	—	3	—	—	2	3	4	24	38	22
536.—LEYBURN.*																		
Populn. 1861-71	4818	128	119	119	116	114	596	559	502	480	387	597	517	469	354	229	106	22
L DEATHS	842	147	32	17	14	6	216	28	14	28	40	52	50	56	70	106	127	55
Scurvy	4	1	2	—	—	—	3	—	—	—	—	—	—	1	—	—	—	—
Typhoid	26	2	1	3	4	3	13	7	1	8	1	1	—	—	—	—	—	—
Typhus	13	—	2	—	1	1	4	2	2	1	3	1	—	—	—	—	—	—
Erysipelas	19	7	8	2	1	—	15	1	—	—	—	—	—	—	—	—	—	—
Whooping-cough	29	1	—	2	—	—	3	1	2	1	3	5	4	—	5	2	2	—
Dysentery	16	7	2	1	—	—	10	1	—	—	—	—	1	—	2	1	—	—
Typhoid Dis.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhoid Dis.	17	5	1	1	1	—	8	3	—	—	1	—	—	2	2	1	—	—
Consumption and Tabes	21	—	—	—	—	—	—	—	—	—	—	—	—	6	6	4	6	—
Consumption and Tabes	4	—	—	1	—	—	1	1	1	—	—	—	—	1	1	—	—	—
Erysipelas	111	—	—	—	—	—	7	2	4	19	27	26	14	15	6	1	—	—
Erysipelas	9	1	2	1	2	1	7	2	—	—	—	—	—	—	—	—	—	—
Brain	128	61	5	1	1	—	68	2	—	3	—	3	6	10	6	17	11	2
Heart & Dropsy	65	1	—	—	—	—	1	—	—	—	2	4	7	8	13	20	9	1
Lungs	92	18	5	4	1	1	29	2	1	1	2	2	4	5	7	22	14	3
Stom. and Liver	44	4	—	1	—	—	5	1	1	—	—	2	4	8	12	8	4	1
Kidneys	7	—	—	—	—	—	—	—	1	—	—	2	1	1	1	1	—	—
Gen. Organs	4	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—
Joints	4	—	—	—	—	—	—	1	—	—	—	1	—	—	2	—	—	—
Skin	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Furth and Metria	10	—	—	—	—	—	—	—	—	—	1	3	6	1	—	—	—	—
Violent Deaths	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	16	7	1	1	1	—	10	1	1	—	—	—	—	—	1	2	—	—
Violent Deaths	128	33	2	1	—	—	34	2	—	—	—	—	1	1	4	29	75	48
537.—AYSGARTH (late ASKRIGG).																		
Populn. 1861-71	2773	71	76	72	72	68	359	343	291	259	214	355	317	257	187	122	62	7
L DEATHS	573	95	25	14	8	4	146	16	13	25	25	42	41	40	54	78	65	28
Scurvy	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Typhoid	8	2	1	3	1	—	7	1	1	—	—	—	—	—	—	—	—	—
Typhus	10	—	1	3	2	1	7	1	2	—	—	—	—	—	—	—	—	—
Erysipelas	5	—	—	—	—	—	—	1	2	—	—	—	—	—	1	—	—	—
Whooping-cough	9	5	4	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—
Dysentery	14	—	—	—	—	—	—	1	—	8	2	3	3	1	1	—	—	—
Typhoid Dis.	8	3	1	1	—	—	5	—	—	—	—	1	—	—	1	—	—	—
Typhoid Dis.	19	4	1	2	1	—	9	—	1	1	1	1	2	—	—	—	—	—
Consumption and Tabes	12	—	—	—	—	—	—	—	—	—	—	—	—	2	3	3	2	—
Consumption and Tabes	16	4	1	1	—	—	6	3	1	2	1	1	1	1	1	1	—	—
Erysipelas	54	—	3	—	—	2	5	1	1	1	14	16	9	—	—	—	—	—
Erysipelas	9	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Brain	60	20	3	1	—	—	24	1	—	1	2	2	4	4	6	10	6	—
Heart & Dropsy	63	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lungs	97	16	7	3	3	—	29	3	1	1	2	2	4	4	6	15	14	4
Stom. and Liver	52	3	—	—	—	—	3	3	1	—	—	2	7	10	12	14	9	—
Kidneys	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gen. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Joints	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Furth and Metria	13	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Violent Deaths	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	121	37	2	—	—	—	30	1	—	—	1	—	—	—	—	—	—	16

Annual Report to the Public Health Commission Showing Population, 1865-71, and Deaths by Diseases during 1872

CAUSES OF DEATH.	AGE Acme.	AGES OF MALES.														
		Total under 1 Year.				Total under 5 Years.										
		1	2	3	4	5--	10--	15--	20--	25--	30--	40--	50--			
538.—REETH.																
Mean Popul ⁿ , 1861-71		2912	84	79	74	79	72	388	369	336	332	261	390	309	254	178
TOTAL DEATHS		622	124	37	17	9	5	192	22	15	27	28	39	45	71	20
Small-pox		1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Measles		1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Scarlatina		63	4	7	5	3	2	21	13	-	1	-	-	-	-	-
Diphtheria		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough		2	1	-	1	-	-	2	-	-	-	-	-	-	-	-
Typhus		15	-	1	1	-	1	3	1	1	1	2	-	4	3	-
Diarrhea & Dysentery		6	2	1	-	-	1	4	1	-	-	-	1	-	-	-
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.		14	4	1	2	-	1	8	1	-	-	-	-	-	-	-
Cancer		11	-	-	-	-	-	-	-	-	-	-	-	3	2	1
Scrofula and Tubes		22	2	6	2	1	-	12	-	1	2	2	-	1	1	1
Phthisis		106	-	-	-	-	-	-	-	5	13	13	16	16	25	1
Hydrocephalus		9	4	1	-	1	-	6	-	-	-	-	-	-	-	-
Dis. of Brain		74	33	4	1	3	-	41	3	-	1	-	1	6	4	4
Dis. of Heart & Dropsy		28	-	-	-	-	-	-	-	-	1	-	3	1	2	3
Dis. of Lungs		133	16	6	2	1	-	27	2	1	2	3	6	8	17	3
Dis. of Stom. and Liver		24	2	-	1	-	-	3	-	-	1	1	3	3	6	1
Dis. of Kidneys		13	-	-	-	-	-	-	-	-	-	-	8	-	3	1
Dis. of Gener. Organs		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		2	-	-	1	-	-	1	-	-	-	-	1	-	-	-
Dis. of Skin		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Other Violent Deaths		24	2	1	1	-	-	4	-	2	3	1	4	4	2	3
Other Causes		98	62	7	-	-	-	39	1	-	5	-	-	-	2	4
539.—RICHMOND.																
Mean Popul ⁿ , 1861-71		6623	192	166	173	165	171	867	779	882	666	496	754	645	596	454
TOTAL DEATHS		1181	223	43	31	24	21	342	51	25	35	48	79	65	59	25
Small-pox		6	1	-	-	-	-	1	-	-	-	1	-	1	-	1
Measles		13	3	4	3	-	1	11	-	-	-	1	-	-	-	-
Scarlatina		51	3	5	6	8	8	39	16	4	-	1	-	-	-	-
Diphtheria		11	1	2	-	2	1	6	2	2	-	-	-	-	-	-
Whooping-cough		13	5	5	-	3	1	14	1	-	-	-	-	-	-	-
Typhus		31	-	-	-	-	-	2	1	5	6	4	3	2	1	4
Diarrhea & Dysentery		34	22	1	-	-	-	23	1	-	1	1	1	2	1	4
Cholera		1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other Zymotic Dis.		37	2	1	4	2	2	11	4	-	3	1	1	-	-	1
Cancer		23	-	-	-	-	-	-	-	-	-	-	-	2	4	5
Scrofula and Tubes		9	-	1	1	-	-	2	2	1	-	1	1	-	2	-
Phthisis		131	3	-	1	-	-	4	4	3	15	1	20	38	24	9
Hydrocephalus		20	7	2	4	1	1	15	3	1	1	-	-	-	-	8
Dis. of Brain		151	20	5	5	3	1	64	3	4	8	4	2	6	7	15
Dis. of Heart & Dropsy		98	-	-	-	-	1	1	-	2	-	1	5	6	11	17
Dis. of Lungs		163	43	10	3	2	2	69	1	1	-	3	7	8	5	13
Dis. of Stom. and Liver		66	4	1	1	1	2	9	2	-	2	-	3	2	9	13
Dis. of Kidneys		33	-	1	2	-	-	3	2	-	-	2	2	3	1	3
Dis. of Gener. Organs		11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		2	-	-	1	-	1	2	3	-	-	2	3	-	-	-
Dis. of Skin		-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		44	3	1	-	1	-	5	1	5	3	3	6	5	4	1
Other Causes		223	76	4	-	1	-	31	3	-	1	1	3	8	3	4

IX.] Causes of Death in the Ten Years 1861-70.—Females.

.385

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

AUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																			Total under 5 Years.	Total 5 Years.		
		Total under 1 Year.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			19	20
538.—REETH.																								
Popul ⁿ , 1861-71	2871	94	66	78	74	74	386	371	341	268	249	367	292	242	192	115	38	10						
DEATHS	577	84	19	13	9	12	137	14	26	27	41	40	46	27	54	70	73	23						
Cancer	3	—	2	1	—	—	8	—	—	—	—	—	—	—	—	—	—	—						
Typhoid	23	—	1	4	5	4	14	6	6	1	1	—	—	—	—	—	—	—						
Typhus	8	5	2	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—						
Whooping-cough	21	—	2	—	—	1	3	—	6	3	2	3	3	1	—	—	—	—						
Cholera & Dysentery	9	1	—	1	—	—	2	—	—	—	—	1	—	—	—	2	2	2						
Typhoid	18	4	2	2	2	1	11	—	—	1	1	—	—	1	2	1	2	2						
Typhoid	12	—	—	—	—	1	1	—	—	2	1	—	1	1	1	6	1	1						
And Tubercles	18	2	—	1	1	2	6	3	9	15	24	18	19	4	1	2	1	1						
Pharyngitis	5	1	2	1	—	—	4	—	—	—	—	—	—	—	—	6	—	—						
Brain	68	19	—	1	—	—	20	1	1	—	2	3	2	4	9	10	13	8						
Heart & Dropsy	52	—	1	—	—	1	2	—	—	—	—	4	9	6	13	10	8	3						
Lungs	62	15	5	1	1	—	22	2	2	—	4	3	2	3	7	11	6	—						
Stomach and Liver	28	2	—	—	—	—	2	1	1	2	1	—	2	4	4	10	1	—						
Kidneys	3	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—						
Other Organs	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—						
Joint	9	—	—	—	—	1	1	—	—	2	1	—	2	—	1	1	—	—						
Skin	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—						
Birth and Metria	13	—	—	—	—	—	—	—	—	—	4	5	4	—	—	—	—	—						
Violent Deaths	2	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—						
Causes	115	23	2	—	—	—	35	—	—	—	—	—	—	—	7	17	39	17						
539.—RICHMOND.																								
Popul ⁿ , 1861-71	6883	187	162	174	150	181	854	780	746	690	586	857	726	642	473	340	158	31						
DEATHS	1288	198	61	24	13	16	312	46	26	31	58	92	101	74	109	172	190	77						
Cancer	4	3	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—						
Typhoid	38	2	6	1	3	5	22	19	4	—	—	—	2	—	—	—	—	—						
Typhus	11	—	—	1	—	2	8	4	1	2	—	—	1	—	—	—	—	—						
Whooping-cough	22	10	7	—	2	1	20	2	—	—	—	—	—	—	—	—	—	—						
Cholera & Dysentery	23	—	—	—	—	1	1	2	3	4	—	4	4	—	2	2	1	—						
Typhoid	36	16	4	1	—	—	21	—	—	—	1	1	1	1	—	5	6	—						
Typhoid	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
Typhoid	35	2	3	1	2	—	8	4	1	1	—	2	2	1	2	9	3	2						
Typhoid	35	—	—	—	—	—	—	—	—	—	—	2	2	2	7	6	10	6						
And Tubercles	13	2	—	—	—	—	2	1	1	—	2	3	2	1	1	1	—	—						
Pharyngitis	155	1	1	—	—	—	2	2	7	17	30	44	25	17	4	6	1	—						
Brain	18	3	6	1	—	1	11	8	2	1	—	—	1	—	—	—	—	—						
Heart & Dropsy	146	38	9	3	2	—	52	3	1	2	7	4	4	6	20	18	24	5						
Lungs	114	—	—	—	—	1	2	2	3	1	—	2	3	11	13	26	24	27						
Stomach and Liver	191	46	11	6	1	2	65	3	—	—	4	4	14	9	20	36	34	11						
Kidneys	95	5	3	—	—	—	8	4	2	—	7	8	12	10	14	20	10	1						
Other Organs	7	—	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—						
Joint	9	—	—	—	—	—	—	—	—	—	1	1	—	—	1	2	1	—						
Skin	6	—	—	—	—	—	1	—	—	—	—	1	—	1	—	2	1	—						
Birth and Metria	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
Violent Deaths	20	—	—	—	—	—	—	—	—	—	2	8	9	1	—	—	—	—						
Causes	24	1	—	2	2	2	7	5	—	1	—	2	1	1	1	4	2	—						
	274	67	11	1	1	—	80	—	1	1	—	—	6	—	11	35	84	55						

Causes of Death in the Ten Years 1861-70.—Males.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-		
540.—DARLINGTON.																	
Mean Popul ⁿ , 1861-71	16653	531	465	457	467	464	2384	2032	1707	1533	1506	2678	1821	1345	88		
TOTAL DEATHS	3525	1030	233	123	96	58	1549	179	71	100	132	204	205	201	25		
Small-pox	37	11	2	5	2	3	23	2	1	-	6	2	2	-	-	-	-
Measles	46	15	11	6	5	4	41	4	1	1	-	-	-	-	-	-	-
Scarlatina	167	16	19	26	27	12	160	21	10	3	1	1	-	-	-	-	-
Diphtheria	55	10	11	6	5	5	57	13	2	2	-	-	-	-	-	-	-
Whooping-cough	60	35	11	5	5	2	58	1	-	-	-	-	-	-	-	-	-
Typhus	141	2	-	2	7	7	18	25	13	18	18	16	11	16	4	-	-
Diarrhoea & Dysentery	149	28	19	6	1	1	139	5	-	2	-	5	1	2	2	-	-
Cholera	18	7	2	-	1	1	11	2	-	-	-	15	3	4	-	-	-
Other Zymotic Dis.	71	8	5	9	11	3	38	7	4	2	1	2	2	4	-	-	-
Cancer	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	104	42	29	5	2	-	78	9	3	1	1	5	3	1	-	-	-
Phthisis	247	6	4	2	-	1	18	7	12	41	54	21	68	23	8	-	-
Hydrocephalus	62	21	17	5	5	3	51	11	-	-	-	-	-	-	-	-	-
Dis. of Brain	559	301	27	10	7	3	548	5	2	5	14	18	13	22	4	-	-
Dis. of Heart & Droopy	243	15	4	1	2	2	22	5	1	5	5	18	25	33	2	-	-
Dis. of Lungs	496	150	55	18	8	3	294	15	1	2	5	15	17	27	3	-	-
Dis. of Stom. and Liver	139	22	1	1	1	2	27	1	2	8	8	9	21	21	3	-	-
Dis. of Kidneys	61	-	1	1	1	1	4	-	2	1	2	1	4	7	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	16	-	1	-	-	-	1	3	-	1	-	-	-	-	-	-	-
Dis. of Skin	9	4	-	1	-	-	5	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Other Violent Deaths	178	11	5	7	5	2	38	17	15	8	20	28	17	15	13	-	-
Other Causes	889	272	11	7	3	3	294	-	2	3	2	4	12	10	2	-	-
541 a.—STOCKTON.																	
Mean Popul ⁿ , 1861-71	41468	1387	1184	1270	1149	1122	6112	4920	3980	3803	4392	7533	4949	3085	168		
TOTAL DEATHS	9753	3091	1029	481	291	206	5098	486	234	240	353	632	568	565	57		
Small-pox	154	33	14	15	10	4	77	10	5	7	11	15	3	4	-	-	-
Measles	206	81	58	32	25	14	190	14	1	1	-	-	-	-	-	-	-
Scarlatina	605	69	89	108	87	71	594	167	94	10	4	4	1	-	-	-	-
Diphtheria	48	7	5	8	3	4	37	10	2	1	-	5	1	1	-	-	-
Whooping-cough	151	58	48	22	8	6	142	11	-	-	-	-	-	-	-	-	-
Typhus	493	16	25	32	30	14	97	38	40	20	62	79	54	36	2	-	-
Diarrhoea & Dysentery	414	263	99	11	5	1	349	1	1	-	2	4	7	8	1	-	-
Cholera	44	7	2	2	-	-	12	1	3	2	2	1	8	5	-	-	-
Other Zymotic Dis.	201	29	43	22	14	15	123	21	1	2	6	3	9	8	1	-	-
Cancer	81	-	-	-	-	-	-	1	1	1	-	5	14	18	1	-	-
Scrophula and Tuberc.	359	143	123	27	9	6	308	15	9	7	3	10	1	2	-	-	-
Phthisis	745	20	8	8	5	6	47	18	22	73	118	201	121	83	6	-	-
Hydrocephalus	263	107	67	40	16	7	237	23	3	-	-	-	-	-	-	-	-
Dis. of Brain	1506	807	87	31	19	17	941	22	15	19	21	52	87	97	8	-	-
Dis. of Heart & Droopy	463	4	1	3	1	3	12	18	16	14	7	41	54	71	8	-	-
Dis. of Lungs	1292	429	289	69	46	18	793	28	7	9	14	43	68	72	104	-	-
Dis. of Stom. and Liver	385	67	12	10	2	5	96	10	9	13	12	18	42	36	24	-	-
Dis. of Kidneys	101	3	3	1	-	1	8	6	1	-	4	11	8	4	11	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	31	1	-	-	-	1	2	5	4	1	3	3	3	5	1	-	-
Dis. of Skin	17	6	-	1	-	-	7	1	1	-	3	2	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	53	-	-	-	-	-	-	-	-	1	2	8	5	10	3	-	-
Other Violent Deaths	610	59	18	15	16	9	97	89	66	54	76	104	71	52	41	-	-
Other Causes	1692	582	116	21	5	3	1127	7	3	2	6	23	30	51	46	-	-
541 b.—HARTLEPOOL.																	
Mean Popul ⁿ , 1861-71	18001	615	555	528	518	516	2732	2182	1718	1761	1929	3165	2112	1322	700		
TOTAL DEATHS	3960	1288	412	199	132	79	2110	225	82	104	130	279	233	201	225		
Small-pox	91	29	7	4	7	7	48	9	2	3	6	13	7	2	1	-	-
Measles	139	25	22	26	12	7	122	8	-	-	-	-	-	-	-	-	-
Scarlatina	202	24	33	54	40	24	175	76	8	2	-	1	-	-	-	-	-
Diphtheria	20	1	4	3	2	5	15	4	1	-	-	-	-	-	-	-	-
Whooping-cough	72	36	18	11	6	1	72	-	-	-	-	-	-	-	-	-	-
Typhus	161	5	11	10	8	6	40	21	12	14	12	22	13	11	7	-	-
Diarrhoea & Dysentery	253	169	44	11	4	1	229	3	-	3	-	1	1	1	5	-	-
Cholera	17	2	1	-	-	-	4	2	1	-	2	2	3	2	1	-	-
Other Zymotic Dis.	73	17	9	8	5	3	42	6	1	1	1	1	6	5	4	-	-
Cancer	39	-	-	-	-	-	-	-	-	-	-	3	4	7	14	-	-
Scrophula and Tuberc.	98	28	24	7	7	-	66	12	9	3	-	3	2	2	1	-	-
Phthisis	339	17	8	8	4	2	39	12	13	54	44	93	54	28	16	-	-
Hydrocephalus	109	31	20	9	9	4	83	14	3	-	-	-	-	-	-	-	-
Dis. of Brain	401	167	14	20	7	4	212	12	8	4	6	11	19	23	27	-	-
Dis. of Heart & Droopy	171	5	7	2	-	1	13	5	2	1	2	20	27	29	33	-	-
Dis. of Lungs	497	195	87	14	9	8	313	8	2	4	7	12	25	33	35	-	-
Dis. of Stom. and Liver	151	48	10	2	-	-	69	2	2	3	3	10	15	15	21	-	-
Dis. of Kidneys	89	1	1	1	-	1	4	3	-	-	-	4	3	5	8	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	12	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-
Dis. of Skin	13	6	2	1	-	-	9	-	-	-	1	4	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	283	16	11	3	8	3	41	18	10	-	2	20	14	22	21	-	-
Other Causes	725	474	29	5	4	1	523	7	-	-	2	9	1	17	24	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX CATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.	
		540.—DARLINGTON.																	
popul ⁿ . -71-	16814	547	495	461	472	446	2421	2013	1732	1643	1509	2562	1827	1319	939	582	223	44	
EATHS -	3452	826	281	140	85	64	1396	178	88	107	129	249	198	150	242	332	280	103	
- - -	35	10	4	7	1	2	24	-	3	3	-	2	1	-	2	-	-	-	
- - -	46	7	22	7	3	2	41	3	-	-	1	-	-	1	-	-	-	-	
- - -	206	13	30	32	31	29	136	64	7	4	2	3	-	-	-	-	-	-	
- - -	55	6	7	2	10	2	27	22	4	1	-	1	-	-	-	-	-	-	
ough -	66	28	23	9	1	2	63	3	-	-	-	-	-	-	-	-	-	-	
- - -	107	4	3	5	4	5	21	12	18	11	7	16	3	5	8	3	8	1	
Dysentery	143	95	17	2	1	-	115	-	1	-	1	2	3	2	4	11	3	1	
- - -	12	3	2	1	-	-	6	-	-	-	-	2	2	1	1	2	1	1	
tic Dis.	63	11	13	6	4	2	36	4	2	-	2	2	3	2	3	4	3	2	
- - -	91	-	-	-	-	-	-	-	-	-	-	2	3	2	23	25	6	2	
Tabes -	109	47	26	6	3	4	86	5	8	2	1	3	10	21	23	25	6	2	
- - -	437	7	4	-	1	1	17	14	7	16	58	76	120	78	34	20	4	-	
lus -	53	12	11	10	3	5	41	10	2	-	-	-	-	-	-	-	-	-	
- - -	467	226	31	17	7	3	284	17	3	7	8	9	11	16	28	51	58	5	
t & Dropsy	254	12	5	-	2	1	20	4	3	3	5	22	25	27	56	59	23	-	
- - -	403	115	55	24	8	10	212	6	5	3	5	12	16	17	30	54	27	10	
and Liver	146	17	1	2	1	3	24	4	6	3	6	8	9	14	20	20	20	3	
- - -	26	-	1	-	1	-	2	1	1	-	1	3	3	4	3	6	2	-	
r. Organs -	14	-	-	-	-	-	-	-	1	-	1	3	3	1	-	1	-	-	
- - -	14	1	-	2	-	-	3	1	3	1	1	-	1	1	-	1	2	-	
- - -	11	2	1	-	-	-	3	-	-	1	1	1	-	-	1	2	2	-	
nd Metria	64	-	-	-	-	-	-	-	-	4	8	30	22	-	-	-	-	-	
- - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Deaths -	34	1	3	3	2	2	11	7	1	-	1	1	-	1	4	5	3	1	
- - -	595	209	21	1	3	-	234	1	2	1	1	6	5	5	29	75	168	78	

541 a.—STOCKTON.

popul ⁿ . -71-		36935	1387	1198	1191	1141	1133	6050	4872	3906	3335	3339	5848	4000	2717	1609	851	344	64
EATHS -		8737	2485	934	451	279	194	4343	432	167	233	286	649	536	492	500	528	435	196
- - -		114	38	15	13	8	6	80	12	6	5	6	2	1	1	-	1	-	-
- - -		203	39	83	31	15	12	189	29	2	-	-	1	2	-	-	-	-	-
- - -		540	30	75	104	82	61	350	143	24	5	3	10	1	-	-	-	-	-
- - -		48	5	6	4	6	8	29	10	3	3	-	-	2	1	-	-	-	-
ough -		187	79	51	25	14	9	178	8	-	1	-	-	-	-	-	-	-	-
- - -		567	9	29	26	23	17	104	71	38	41	51	64	43	38	32	18	3	1
Dysentery		408	237	68	10	4	3	322	1	-	-	3	8	7	9	18	17	17	6
- - -		49	3	1	-	1	3	8	5	2	4	-	12	4	3	8	1	2	-
tic Dis.		162	23	21	24	21	10	99	29	2	1	1	2	4	6	4	12	9	2
- - -		119	-	-	-	-	1	1	-	-	1	-	6	30	22	28	16	12	3
Tabes -		336	165	93	33	12	3	306	8	5	3	2	6	1	4	1	-	-	-
- - -		850	7	12	6	3	2	30	20	43	95	118	270	140	79	40	13	2	-
lus -		182	74	63	18	6	7	168	14	-	-	-	-	-	-	-	-	-	-
- - -		1131	581	76	29	15	12	713	23	11	17	17	37	29	54	66	85	39	10
t & Dropsy		469	6	5	3	4	7	25	11	10	12	14	43	37	52	105	96	40	4
- - -		1157	355	293	89	47	20	712	27	4	8	12	31	53	48	76	109	74	32
and Liver		373	40	17	7	3	3	70	7	5	10	14	43	47	54	63	48	10	3
- - -		71	2	2	4	1	1	10	5	2	1	4	7	14	8	6	10	3	1
r. Organs -		53	-	-	-	-	-	-	-	1	1	1	6	8	8	7	1	-	-
- - -		28	1	1	1	-	1	4	2	1	2	2	5	3	3	5	1	-	-
- - -		17	7	2	-	-	-	11	1	-	-	-	1	1	-	-	2	-	-
nd Metria		151	-	-	-	-	-	-	-	-	3	34	66	47	1	-	-	-	-
- - -		9	-	-	-	-	-	-	-	-	3	-	3	1	-	-	-	-	-
Deaths -		121	24	12	10	16	6	62	13	3	2	1	8	5	12	3	7	2	1
- - -		1465	762	98	15	4	2	881	11	2	5	3	18	26	27	47	102	219	138

541 b.—HARTLEPOOL.

popul ⁿ . -71-		16560	606	538	536	505	469	2654	2176	1718	1507	1573	2689	1900	1188	692	338	106	19
EATHS -		3575	1052	406	206	107	76	1847	208	68	83	114	241	253	169	183	204	142	63
- - -		63	14	8	8	7	1	38	11	2	3	2	3	-	-	1	-	-	-
- - -		122	24	46	21	13	5	109	11	1	-	1	-	-	-	-	-	-	-
- - -		225	12	37	45	28	24	146	65	0	2	1	2	-	-	-	-	-	-
- - -		19	4	6	2	1	3	16	2	-	-	-	1	-	-	-	-	-	-
ough -		83	38	31	7	4	6	85	2	-	-	-	-	-	-	-	-	-	-
- - -		161	4	10	9	11	5	39	31	7	11	11	20	14	16	2	7	2	-
Dysentery		231	156	53	8	3	1	221	4	1	-	1	2	5	2	2	10	2	3
- - -		29	1	-	-	-	-	2	3	-	1	3	4	3	3	1	1	-	-
tic Dis.		58	6	9	6	8	4	33	7	-	-	1	3	5	5	5	1	-	-
- - -		72	-	-	-	1	-	-	-	-	-	1	3	16	17	18	15	1	-
Tabes -		81	27	22	9	4	3	65	6	5	-	-	2	2	2	2	-	-	-
- - -		374	4	6	9	3	2	24	9	24	41	58	96	71	93	11	7	-	-
lus -		67	18	22	10	3	5	58	7	2	-	-	-	-	-	-	-	-	-
- - -		349	128	17	16	8	5	174	19	4	6	1	13	23	13	39	34	21	3
t & Dropsy		154	4	6	-	-	1	11	2	5	3	4	16	20	20	23	25	15	3
- - -		455	168	82	27	7	7	291	11	3	2	5	11	22	12	39	39	20	9
and Liver		167	38	4	4	1	1	48	2	1	2	5	13	24	24	23	20	4	1
- - -		25	-	-	-	-	-	1	2	-	-	-	3	5	4	1	-	-	-
r. Organs -		23	-	-	-	-	-	-	-	-	-	-	4	6	8	3	-	-	-
- - -		12	-	-	-	-	-	-	5	1	-	1	-	2	1	1	-	-	-
- - -		6	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
nd Metria		68	-	-	-	-	-	-	-	-	2	16	31	19	-	-	-	-	-
- - -		4	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-
Deaths -		43	11	1	4	2	1	19	7	1	2	2	3	2	1	2	3	3	1
- - -		665	397	48	13	3	2	463	2	4	7	4	29	8	2	2	8	55	78

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	
542.—AUCKLAND.															
Mean Popul ⁿ , 1861-71		31640	1155	976	1043	903	900	4977	4111	3452	3118	2922	4983	3597	2335
TOTAL DEATHS		7573	2628	864	409	207	161	4269	405	196	245	279	391	362	326
Small-pox		101	23	9	11	6	6	23	9	3	4	11	12	4	—
Measles		223	28	69	60	16	7	210	13	—	—	—	—	—	—
Scarlatina		289	53	94	100	72	62	331	167	30	4	2	5	—	—
Diphtheria		29	13	9	5	5	8	40	13	4	1	1	—	—	—
Whooping-cough		137	63	39	22	6	2	132	5	—	—	—	—	—	—
Typhus		297	10	16	18	15	19	78	51	34	47	46	62	27	23
Diarrhoea & Dysentery		309	173	68	15	5	—	261	1	—	—	1	4	5	6
Cholera		17	7	4	1	2	1	15	—	—	—	—	1	—	—
Other Zymotic Dis.		148	25	29	14	15	11	91	13	2	6	3	2	5	8
Cancer		38	—	—	—	—	—	—	1	—	—	—	5	3	2
Scrofula and Tuberc.		240	144	110	85	5	6	300	13	10	10	—	3	—	—
Phthisis		277	4	5	—	3	5	17	9	25	73	102	125	100	72
Hydrocephalus		145	61	40	20	9	4	134	10	1	—	—	—	—	—
Dis. of Brain		1126	746	69	36	15	11	877	23	13	7	13	18	34	31
Dis. of Heart & Dropsy		203	2	10	2	1	4	19	10	13	7	12	28	26	44
Dis. of Lungs		767	268	110	37	18	3	468	16	4	9	16	29	34	34
Dis. of Stom. and Liver		245	52	22	5	2	3	64	10	6	7	10	14	24	23
Dis. of Kidneys		61	—	1	1	—	—	2	2	2	2	5	6	2	7
Dis. of Gener. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		25	—	—	—	—	—	2	2	—	4	2	7	5	—
Dis. of Skin		5	2	—	—	—	—	2	—	—	—	—	—	1	1
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		10	—	—	—	—	—	—	—	—	—	—	2	1	1
Other Violent Deaths		487	13	13	12	9	7	53	23	44	62	55	73	71	49
Other Causes		1429	208	98	13	8	—	1022	7	—	1	—	4	10	17
543.—TEESDALE.															
Mean Popul ⁿ , 1861-71		10313	323	281	303	274	281	1462	1344	1217	1000	775	1281	1102	899
TOTAL DEATHS		1936	416	107	55	33	21	632	78	43	60	76	125	110	133
Small-pox		1	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles		19	5	5	6	—	1	17	1	1	—	1	—	—	—
Scarlatina		98	5	11	8	9	5	38	19	5	5	1	—	—	—
Diphtheria		12	—	—	—	5	—	3	6	—	—	—	1	—	—
Whooping-cough		28	20	7	1	—	—	28	—	—	—	—	—	—	—
Typhus		51	2	1	1	1	2	7	3	2	8	9	6	5	2
Diarrhoea & Dysentery		39	18	3	—	—	—	21	—	—	—	—	4	2	1
Cholera		2	—	—	1	—	—	1	—	—	—	—	—	1	—
Other Zymotic Dis.		45	5	4	1	2	1	13	6	—	3	1	3	3	1
Cancer		24	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.		49	12	7	2	2	1	24	6	5	1	2	5	1	6
Phthisis		201	—	1	3	—	1	5	4	4	27	29	50	37	27
Hydrocephalus		34	7	12	4	1	—	24	6	3	1	—	—	—	—
Dis. of Brain		253	90	9	9	2	4	114	8	5	5	4	11	9	13
Dis. of Heart & Dropsy		147	1	—	1	1	—	3	4	1	4	8	5	13	13
Dis. of Lungs		323	28	33	7	4	3	105	5	2	7	6	12	20	34
Dis. of Stom. and Liver		126	27	2	3	2	—	34	3	3	—	3	8	8	12
Dis. of Kidneys		45	1	—	—	—	—	1	—	—	—	2	3	1	6
Dis. of Gener. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		17	—	—	—	—	—	—	1	—	—	5	1	—	2
Dis. of Skin		5	3	1	1	—	—	5	—	—	—	—	—	—	—
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		12	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		69	4	3	5	2	—	14	2	9	8	4	10	3	6
Other Causes		355	138	8	2	3	3	173	2	3	—	1	1	6	7
544.—WEARDALE.															
Mean Popul ⁿ , 1861-71		9213	290	267	266	268	250	1341	1167	1068	948	884	1317	1021	759
TOTAL DEATHS		1882	519	127	52	31	25	745	63	46	69	85	125	122	166
Small-pox		13	4	3	1	—	—	7	1	—	—	1	—	—	—
Measles		18	4	11	1	—	1	17	—	1	—	—	—	—	1
Scarlatina		80	8	8	16	8	11	51	21	4	3	1	—	—	—
Diphtheria		16	5	2	2	—	1	10	2	—	2	1	—	—	—
Whooping-cough		17	5	9	3	—	—	17	—	—	—	—	—	—	—
Typhus		100	1	4	2	1	3	11	7	2	15	11	16	10	9
Diarrhoea & Dysentery		51	28	10	1	—	1	40	—	2	—	—	—	2	—
Cholera		6	2	—	—	—	—	3	—	—	—	—	—	—	—
Other Zymotic Dis.		54	7	8	7	5	3	30	1	3	—	1	—	5	3
Cancer		22	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula and Tuberc.		40	14	4	1	—	1	29	3	3	1	4	2	1	4
Phthisis		229	1	1	1	—	—	3	2	7	20	32	39	36	42
Hydrocephalus		20	8	6	—	1	—	15	2	2	1	—	—	—	—
Dis. of Brain		180	72	12	4	0	—	94	9	4	4	2	5	11	8
Dis. of Heart & Dropsy		101	6	1	1	—	—	6	1	2	2	4	6	7	18
Dis. of Lungs		351	103	27	8	4	1	143	5	2	4	7	8	19	34
Dis. of Stom. and Liver		100	25	1	—	—	—	26	1	4	4	2	6	11	17
Dis. of Kidneys		37	1	1	—	1	—	3	1	1	3	3	1	1	6
Dis. of Gener. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		14	1	2	—	—	—	3	—	—	1	—	—	—	—
Dis. of Skin		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide		4	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		96	2	6	3	3	3	17	4	8	6	1	11	13	12
Other Causes		323	213	12	1	1	—	223	1	—	—	—	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																						
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	30--	35--	40--	45--	50--	55--	60--	65--	70--	75--	80--	
		542.—AUCKLAND.																						
Popul ⁿ , 61-71	28185	1104	984	970	921	888	4867	4010	3281	2539	2438	4080	2952	1976	1198	602	209	33						
DEATHS -	6764	2056	815	371	231	182	3655	396	164	201	238	462	369	277	303	325	276	98						
- - -	68	19	10	5	6	1	41	8	2	5	1	6	4	1	-	-	-	-	-	-	-	-	-	-
- - -	213	87	78	42	17	14	188	21	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
- - -	505	37	89	94	84	76	380	157	40	10	1	4	3	-	-	-	-	-	-	-	-	-	-	
- - -	62	5	3	12	10	9	39	16	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
- - -	179	77	69	14	13	8	171	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
- - -	342	7	18	18	13	14	70	51	35	34	38	52	20	21	10	9	1	-	-	-	-	-	-	
- - -	296	126	62	12	3	4	207	2	1	1	3	9	7	6	10	12	8	-	-	-	-	-	-	
- - -	15	8	2	-	1	-	11	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	
- - -	129	30	22	14	17	5	78	11	4	-	2	3	6	6	7	5	4	-	-	-	-	-	-	
- - -	74	-	-	-	-	-	-	-	-	-	-	4	10	28	17	11	3	1	-	-	-	-	-	
- - -	343	130	118	42	7	9	398	18	3	3	6	5	1	4	31	6	-	-	-	-	-	-	-	
- - -	654	4	6	2	4	2	18	14	3	87	118	182	116	50	1	-	-	-	-	-	-	-	-	
- - -	123	48	40	7	11	4	110	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
- - -	889	533	61	26	18	9	667	33	7	7	7	15	28	19	46	45	16	1	-	-	-	-	-	
- - -	237	2	4	3	2	6	17	4	12	11	7	34	44	35	55	50	17	2	-	-	-	-	-	
- - -	606	197	104	42	12	11	366	23	8	10	4	19	23	37	43	41	23	2	-	-	-	-	-	
- - -	254	44	15	7	6	3	75	2	4	2	7	30	32	29	42	23	6	-	-	-	-	-	-	
- - -	26	-	2	3	-	-	5	1	-	1	1	6	4	-	4	3	1	-	-	-	-	-	-	
- - -	18	-	-	-	-	-	-	-	-	-	-	5	5	-	4	-	-	-	-	-	-	-	-	
- - -	22	-	-	-	-	1	1	1	1	1	3	3	6	4	1	-	1	-	-	-	-	-	-	
- - -	7	2	1	1	-	-	4	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	
- - -	162	-	-	-	-	-	-	-	17	33	70	40	-	-	-	-	-	-	-	-	-	-	-	
- - -	8	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	
- - -	79	10	7	11	3	3	34	11	3	5	2	2	6	7	2	1	5	1	-	-	-	-	-	
- - -	1339	739	114	16	4	3	867	9	2	1	2	10	7	15	30	118	190	18	-	-	-	-	-	

543.—TEESDALE.

Popul ⁿ , 61-71	10326	280	287	250	258	269	1344	1304	1103	1053	879	1343	1097	897	648	443	179
DEATHS -	1938	327	99	42	32	25	525	77	61	70	95	137	127	137	169	222	239
- - -	3	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
- - -	17	-	9	4	3	-	16	-	-	-	-	-	-	-	-	-	-
- - -	56	2	5	2	5	7	19	22	10	1	1	2	-	-	1	-	-
- - -	20	1	1	1	3	1	7	5	1	-	2	4	-	-	1	-	-
- - -	28	13	8	4	3	-	28	-	2	8	3	4	8	2	2	2	-
- - -	44	3	3	1	1	-	7	6	-	-	-	-	3	2	-	6	3
- - -	53	18	7	1	-	-	28	1	-	-	-	-	2	1	-	8	6
- - -	6	-	-	-	1	1	2	1	1	-	-	-	1	-	-	2	-
- - -	48	8	5	-	2	1	16	4	2	1	-	1	1	4	5	6	3
- - -	37	-	-	-	-	-	-	1	-	-	-	3	1	9	12	9	1
- - -	41	13	7	3	1	1	23	3	5	2	-	2	2	2	2	1	-
- - -	287	-	2	-	-	2	4	7	20	42	58	66	43	30	14	2	-
- - -	16	5	2	1	-	3	11	2	2	1	-	-	-	-	-	-	-
- - -	229	99	11	8	3	2	83	12	6	4	5	8	12	15	24	33	17
- - -	185	2	2	1	-	-	5	-	1	1	3	11	19	29	41	38	5
- - -	251	47	26	8	5	3	89	6	4	2	5	6	13	19	24	35	10
- - -	140	20	2	1	3	3	29	4	5	4	4	11	6	14	20	33	9
- - -	25	-	-	1	-	-	1	-	-	1	6	3	2	2	3	4	3
- - -	10	-	-	-	-	-	-	-	-	-	2	1	2	2	1	-	-
- - -	6	-	-	-	1	-	1	1	-	-	-	1	-	1	1	-	-
- - -	8	2	-	-	-	-	2	-	-	-	-	-	1	4	-	-	1
- - -	23	-	-	-	-	-	-	-	1	4	9	9	-	-	-	-	-
- - -	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
- - -	24	2	1	3	-	1	7	-	1	1	-	-	1	1	6	5	1
- - -	387	131	10	2	-	-	145	1	-	1	2	3	6	3	11	42	121

544.—WEARDALE.

Popul ⁿ , 61-71	8575	288	265	269	244	250	1316	1161	1034	862	756	1183	867	655	431	226	78
DEATHS -	1773	401	105	62	33	26	627	81	51	69	116	178	126	92	147	149	88
- - -	13	1	2	1	-	-	5	1	1	1	3	-	-	1	1	-	-
- - -	14	1	1	4	3	-	9	3	-	1	-	-	1	-	-	-	-
- - -	75	3	9	15	5	15	47	16	5	1	3	3	-	-	-	-	-
- - -	12	3	2	-	1	-	6	5	-	-	-	-	-	1	-	-	-
- - -	25	15	6	2	1	-	24	1	-	-	-	-	-	-	-	-	-
- - -	92	2	4	1	5	2	14	9	10	13	6	15	6	6	7	5	1
- - -	42	19	7	1	1	-	28	2	-	-	-	1	-	-	1	6	8
- - -	8	3	1	1	1	-	6	1	-	-	-	1	-	-	3	3	2
- - -	41	10	3	6	3	1	23	3	1	3	-	1	1	1	3	3	-
- - -	24	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
- - -	50	18	10	2	1	-	31	4	1	3	3	3	4	4	5	7	3
- - -	208	1	3	1	1	3	9	5	22	26	48	84	51	19	21	7	1
- - -	22	8	4	3	-	-	15	6	-	-	-	-	-	-	-	-	-
- - -	141	44	10	7	2	-	63	5	2	7	3	4	5	4	16	21	3
- - -	142	4	1	-	1	-	6	5	2	4	7	12	14	18	34	28	11
- - -	239	68	28	11	7	3	117	8	4	2	11	9	10	13	22	27	14
- - -	111	18	2	1	-	-	21	3	2	1	8	12	8	16	21	12	5
- - -	18	-	-	-	-	-	-	1	1	2	4	3	5	1	1	1	-
- - -	12	-	-	-	-	-	-	-	-	-	1	2	2	1	3	-	-
- - -	6	4	-	-	-	-	4	-	-	-	2	2	1	-	-	-	-
- - -	54	-	-	-	-	-	-	-	3	-	14	23	13	-	-	-	-
- - -	16	6	3	2	-	1	12	1	-	-	-	1	-	-	2	-	-
- - -	311	173	2	4	1	-	187	3	-	-	-	-	2	3	9	28	47

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-		
545.—DURHAM.																	
Mean Popul ⁿ , 1861-71	42564	1398	1242	1293	1200	1170	6303	5198	4688	4274	4102	6638	4792	3318	20		
TOTAL DEATHS -	8924	2662	916	421	274	197	4470	473	277	296	280	491	445	324	3		
Small-pox -	89	30	3	8	5	2	56	11	5	5	9	7	7	6			
Measles -	156	28	69	31	18	7	144	9	1	1	-	-	-	-			
Scarlatina -	647	33	81	114	104	85	415	181	85	8	2	3	-	-			
Diphtheria -	30	4	5	3	3	2	20	5	3	1	-	-	-	-			
Whooping-cough -	104	53	26	15	7	3	103	1	-	-	-	-	-	-			
Typhus -	469	14	28	28	22	18	110	13	38	46	43	57	36	26			
Diarrhoea & Dysentery -	293	131	76	16	4	3	290	4	4	2	2	4	4	4			
Cholera -	52	7	3	3	4	3	29	3	1	1	1	1	1	1			
Other Zymotic Dis. -	137	29	33	17	15	8	99	21	9	8	1	4	4	4			
Cancer -	37	-	-	-	-	-	-	-	-	-	-	3	3	3			
Scrophula and Tubercles -	430	174	142	39	12	8	375	13	14	10	5	8	5	5			
Phthisis -	670	4	3	2	2	2	13	14	10	81	2	163	111	100			
Hydrocephalus -	254	111	79	27	10	6	233	15	5	2	-	-	-	-			
Dis. of Brain -	1177	639	75	23	15	17	769	21	12	18	17	26	45	59			
Dis. of Heart & Dropsy -	445	8	6	3	3	2	39	8	11	21	13	30	34	31			
Dis. of Lungs -	1035	595	186	46	22	23	639	31	11	13	17	37	36	36			
Dis. of Stom. and Liver -	608	73	10	4	2	1	55	8	11	10	7	23	24	32			
Dis. of Kidneys -	93	3	2	1	2	-	8	3	4	4	4	4	6	10			
Dis. of Genes. Organs -	4	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Joints -	21	-	3	-	-	1	4	1	3	1	-	-	-	-			
Dis. of Skin -	13	4	-	-	-	-	4	1	1	1	-	-	-	-			
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Suicide -	27	-	-	-	-	-	-	-	-	2	4	2	7	6			
Other Violent Deaths -	279	14	13	11	18	6	61	43	19	61	53	92	50	61			
Other Causes -	1735	1018	127	39	5	4	1184	10	4	3	5	14	18	22			
546.—EASINGTON.																	
Mean Popul ⁿ , 1861-71	15887	566	504	503	483	457	2512	2114	1829	1682	1436	2298	1684	1152	7		
TOTAL DEATHS -	3678	1107	382	171	110	90	1920	219	127	121	108	146	166	175	3		
Small-pox -	33	6	6	8	1	-	10	5	2	4	4	2	-	-			
Measles -	60	5	23	14	8	5	55	5	-	-	-	-	-	-			
Scarlatina -	522	23	44	51	43	45	267	99	11	4	-	1	-	-			
Diphtheria -	8	1	-	-	3	-	4	3	-	-	-	-	1	-			
Whooping-cough -	135	16	12	3	3	1	35	-	-	-	-	-	-	-			
Typhus -	123	6	9	11	3	9	38	27	12	11	11	8	11	8			
Diarrhoea & Dysentery -	106	66	22	5	2	-	93	2	-	2	1	2	2	2			
Cholera -	14	-	1	-	-	-	1	-	-	-	-	1	3	4			
Other Zymotic Dis. -	57	9	10	9	11	3	42	3	1	1	1	1	1	1			
Cancer -	23	-	-	-	-	-	-	-	-	-	-	1	2	4			
Scrophula and Tubercles -	131	46	55	7	5	1	114	3	3	5	1	1	3	4			
Phthisis -	198	3	3	1	-	-	7	7	8	29	43	35	28	23			
Hydrocephalus -	63	23	22	3	4	4	50	6	1	-	-	-	-	-			
Dis. of Brain -	518	315	20	16	11	8	379	14	1	5	3	9	11	19			
Dis. of Heart & Dropsy -	178	2	3	3	2	1	11	4	5	3	1	10	21	24			
Dis. of Lungs -	372	111	56	19	3	5	194	5	5	4	6	13	20	20			
Dis. of Stom. and Liver -	185	37	10	7	2	1	57	7	2	1	5	5	11	19			
Dis. of Kidneys -	86	1	1	1	-	1	4	4	1	2	-	1	5	3			
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Joints -	16	-	-	-	1	-	1	4	1	-	-	2	1	1			
Dis. of Skin -	4	1	1	-	-	1	3	-	-	-	-	-	-	-			
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Suicide -	12	-	-	-	-	-	-	-	-	1	-	1	3	4			
Other Violent Deaths -	390	6	8	8	7	3	32	18	72	45	25	48	37	36			
Other Causes -	743	490	67	10	1	1	669	2	2	4	2	2	4	11			
547.—HOUGHTON-LE-SPRING.																	
Mean Popul ⁿ , 1861-71	12238	446	359	372	363	374	1914	1565	1441	1216	1110	1739	1272	939	59		
TOTAL DEATHS -	2952	952	327	188	84	70	1571	150	89	100	76	134	116	119	16		
Small-pox -	31	7	4	5	3	1	18	8	-	1	-	8	1	-			
Measles -	73	10	29	16	8	3	66	7	-	-	-	-	-	-			
Scarlatina -	212	17	27	34	26	30	144	29	8	1	-	-	-	-			
Diphtheria -	3	-	1	1	-	-	2	-	-	-	-	1	-	-			
Whooping-cough -	42	20	14	4	1	2	41	1	-	-	-	-	-	-			
Typhus -	113	3	4	9	4	7	27	17	15	13	9	6	12	5			
Diarrhoea & Dysentery -	182	101	47	7	-	2	137	3	1	2	-	-	-	-			
Cholera -	23	1	3	-	1	-	5	1	3	-	-	2	3	6			
Other Zymotic Dis. -	57	8	12	6	5	3	34	6	3	1	1	1	2	2			
Cancer -	21	-	-	-	-	-	-	-	-	-	-	2	-	3			
Scrophula and Tubercles -	106	34	32	8	2	-	70	5	2	4	2	3	4	1			
Phthisis -	177	-	-	1	-	-	1	6	9	29	28	39	20	21			
Hydrocephalus -	46	17	13	3	4	4	41	4	1	-	-	-	-	-			
Dis. of Brain -	336	195	17	13	5	4	234	11	2	5	4	12	5	13			
Dis. of Heart & Dropsy -	111	1	2	-	1	1	4	3	4	2	4	8	10	11			
Dis. of Lungs -	323	134	41	12	6	5	198	9	1	1	1	6	8	16			
Dis. of Stom. and Liver -	101	9	6	1	2	-	18	3	2	8	5	12	4	10			
Dis. of Kidneys -	27	1	1	1	-	-	3	1	-	-	1	1	4	2			
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Joints -	6	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dis. of Skin -	8	-	3	1	-	-	-	-	-	-	-	-	-	-			
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Suicide -	4	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Violent Deaths -	243	10	3	5	5	1	7	30	17	37	22	17	27	22			
Other Causes -	685	381	79	15	3	1	1	469	2	1	4	4	6	11			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--
		548.—CHESTER-LE-STREET.														
Mean Popul ⁿ , 1861-71	15803	553	464	506	458	410	2391	2053	1838	1682	1459	2235	1667	1202	791	390
TOTAL DEATHS	3807	1159	413	167	120	89	1948	219	151	142	144	178	183	194	256	300
Small-pox	50	10	8	2	4	2	33	1	1	5	7	6	3	3	1	1
Measles	58	4	20	13	8	5	56	2	1	1	1	1	1	1	1	1
Scarlatina	305	17	53	42	41	37	190	95	10	2	4	1	4	2	1	1
Diphtheria	16	3	3	1	1	1	8	2	1	1	1	1	1	1	1	1
Whooping-cough	32	19	12	4	1	2	51	1	1	1	1	1	1	1	1	1
Typhus	169	9	8	8	11	4	40	26	12	20	14	17	9	8	7	5
Diarrhoea & Dysentery	154	65	32	9	1	1	127	9	2	1	1	1	1	1	1	1
Cholera	37	5	2	2	2	4	15	2	2	1	1	1	1	1	1	1
Other Zymotic Dis.	51	6	10	11	7	1	35	6	1	1	1	1	1	1	1	1
Cancer	18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrofula and Tuberc.	206	80	70	17	5	2	174	12	8	6	2	2	4	1	1	1
Phthisis	282	4	3	5	1	2	12	18	17	26	46	54	43	28	27	1
Hydrocephalus	62	23	21	5	3	2	56	6	1	1	1	1	1	1	1	1
Dis. of Brain	473	258	26	10	5	5	504	11	6	10	6	11	17	17	20	20
Dis. of Heart & Dropsy	194	10	7	4	9	1	31	9	5	5	5	10	6	17	29	30
Dis. of Lungs	436	120	54	24	14	8	236	13	4	3	4	14	11	11	25	45
Dis. of Stom. and Liver	154	33	13	1	1	5	82	7	8	2	2	4	5	13	23	21
Dis. of Kidneys	32	1	1	1	1	1	9	1	1	1	1	4	2	1	4	1
Dis. of Genes. Organs	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	6	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	256	6	5	6	3	4	23	8	15	44	30	45	50	56	29	2
Other Causes	699	460	30	7	3	3	512	3	2	2	2	2	5	5	7	3
549.—SUNDERLAND.																
Mean Popul ⁿ , 1861-71	49758	1719	1441	1545	1433	1490	7628	6563	5414	4834	4601	7585	5552	3873	2309	1058
TOTAL DEATHS	12315	3648	1395	606	336	267	6252	609	278	295	364	645	724	789	521	390
Small-pox	75	15	10	7	11	4	47	8	1	3	5	5	2	1	1	1
Measles	230	45	97	43	22	9	216	13	1	1	1	1	1	1	1	1
Scarlatina	809	66	134	131	116	99	546	217	32	6	3	2	3	1	1	1
Diphtheria	72	13	22	7	3	8	55	13	1	1	1	1	1	1	1	1
Whooping-cough	290	102	109	40	19	16	285	4	1	1	1	1	1	1	1	1
Typhus	485	14	23	21	17	18	65	67	27	28	36	48	57	49	41	1
Diarrhoea & Dysentery	670	376	171	27	6	6	586	4	8	2	3	7	7	5	14	1
Cholera	66	17	3	3	1	1	25	3	2	2	2	6	9	8	5	1
Other Zymotic Dis.	290	52	43	40	32	16	183	11	8	5	5	8	10	22	16	1
Cancer	100	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrofula and Tuberc.	840	130	100	33	12	7	382	23	11	9	3	5	3	2	1	1
Phthisis	1001	4	5	13	6	1	29	41	42	97	160	242	191	119	65	1
Hydrocephalus	234	95	65	30	12	8	211	18	3	1	1	1	1	1	1	1
Dis. of Brain	1664	767	126	43	30	19	985	44	20	23	21	49	65	116	101	10
Dis. of Heart & Dropsy	760	7	6	10	6	6	35	20	19	16	21	74	104	114	128	10
Dis. of Lungs	1599	324	235	93	25	16	803	37	12	11	17	45	76	107	167	10
Dis. of Stom. and Liver	461	92	16	7	6	2	123	7	10	7	13	25	50	73	65	4
Dis. of Kidneys	126	1	1	3	2	3	9	4	1	4	8	14	16	20	19	1
Dis. of Genes. Organs	45	1	1	2	1	1	7	12	2	2	2	2	5	6	1	1
Dis. of Joints	21	8	2	1	1	1	12	1	1	1	1	1	1	1	1	1
Dis. of Skin	21	8	2	1	1	1	12	1	1	1	1	1	1	1	1	1
Childbirth and Metris	32	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	32	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	689	44	26	10	8	14	102	50	71	68	56	91	75	79	58	1
Other Causes	2296	1271	193	50	8	5	1227	13	6	7	5	10	31	43	62	1
550.—SOUTH SHIELDS.																
Mean Popul ⁿ , 1861-71	30769	1058	904	938	865	873	4638	3723	3148	2897	3214	5311	3547	2246	1277	581
TOTAL DEATHS	7407	2214	800	400	243	186	3933	417	163	199	200	436	398	412	442	401
Small-pox	78	16	8	8	9	4	42	7	1	2	14	5	6	1	1	1
Measles	172	29	78	30	12	10	159	11	1	1	1	1	1	1	1	1
Scarlatina	549	96	67	108	67	65	363	136	18	5	3	1	3	1	1	1
Diphtheria	51	6	10	7	3	5	33	9	3	1	2	1	1	1	1	1
Whooping-cough	132	78	37	19	9	9	172	10	1	1	1	1	1	1	1	1
Typhus	398	28	31	21	20	14	114	54	23	29	24	41	21	31	20	1
Diarrhoea & Dysentery	426	257	90	9	6	2	379	3	3	1	1	4	8	3	6	1
Cholera	41	8	5	1	1	1	13	3	2	1	6	4	4	4	4	1
Other Zymotic Dis.	233	38	54	29	19	14	134	14	6	3	1	7	10	13	13	1
Cancer	49	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrofula and Tuberc.	377	131	123	44	17	5	310	22	14	5	5	4	5	7	15	1
Phthisis	477	3	7	4	2	3	19	26	20	52	58	128	90	58	18	1
Hydrocephalus	172	74	32	16	8	10	160	9	3	1	1	1	1	1	1	1
Dis. of Brain	791	355	41	25	8	5	434	18	9	12	11	20	27	42	57	10
Dis. of Heart & Dropsy	370	5	8	4	1	1	19	9	2	8	8	42	57	64	50	10
Dis. of Lungs	1053	285	190	42	25	20	552	22	4	6	10	34	60	65	106	10
Dis. of Stom. and Liver	323	89	11	3	3	3	169	2	8	10	8	19	30	44	49	10
Dis. of Kidneys	90	2	2	3	2	2	9	2	2	2	2	2	2	2	2	1
Dis. of Genes. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	29	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	15	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	513	35	12	14	9	10	78	27	28	1	1	1	1	1	1	1
Other Causes	1013	740	61	13	2	4	630	6	1	1	1	1	1	1	1	1

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.												
		Total under 5 Years.												
		1	2	3	4	5	6	7	8	9	10	11	12	13

551.—GATESHEAD.

Mean Popul ⁿ , 1861-71.	30479	1294	1092	1098	1049	1037	5520	4455	3820	3421	3298	5581	3979	3787	105
TOTAL DEATHS.	8907	2767	1092	884	296	212	4781	405	174	214	247	429	406	221	28
Small-pox	71	24	5	3	5	3	39	8	1	-	5	7	4	2	-
Measles	201	33	102	32	13	10	180	12	-	-	-	-	-	-	-
Scarlatina	679	46	120	94	39	30	449	173	21	10	3	3	-	1	-
Diphtheria	21	8	2	3	1	3	20	6	4	-	-	-	-	-	-
Whooping-cough	214	83	66	35	7	6	197	18	1	-	-	-	-	-	-
Typhus	509	19	35	17	12	15	80	48	20	27	30	49	38	20	-
Diarrhoea & Dysentery	805	216	89	14	6	1	283	4	1	1	-	3	4	5	-
Cholera	25	8	2	1	1	-	13	1	1	-	-	-	1	5	-
Other Zymotic Dis.	229	27	56	51	30	12	154	37	4	4	7	6	9	6	-
Cancer	65	-	1	1	-	-	2	-	-	-	1	1	6	14	-
Scrophula and Tuberc.	406	190	151	64	12	9	413	21	6	11	2	6	4	1	-
Phthisis	765	11	7	8	5	2	31	22	20	20	116	188	153	109	-
Hydrocephalus	167	77	47	20	7	9	160	21	3	5	-	-	-	1	-
Dis. of Brain	1165	200	99	17	19	15	709	26	6	8	11	26	20	60	-
Dis. of Heart & Dropsy	449	6	6	3	1	2	18	8	9	12	10	27	24	69	-
Dis. of Lungs	1146	245	180	15	23	18	621	18	6	7	12	26	60	60	-
Dis. of Stom. and Liver	327	71	11	6	3	3	94	11	4	9	14	22	26	21	-
Dis. of Kidneys	98	2	-	-	1	-	5	3	2	1	1	5	4	12	-
Dis. of Genes. Organs	8	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Dis. of Joints	22	1	-	-	3	2	6	3	4	4	-	2	3	3	-
Dis. of Skin	12	4	2	-	-	-	6	1	1	-	-	-	-	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Murders	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	276	22	11	14	14	9	73	69	29	27	24	42	43	30	-
Other Causes	1542	1018	102	24	5	4	1153	18	1	1	2	6	16	24	-

552.—NEWCASTLE-ON-TYNE.

Mean Popul ⁿ , 1861-71.	60000	1974	1686	1734	1601	1528	8473	6910	6051	5949	6157	10030	7094	6029	27
TOTAL DEATHS.	17907	5611	3701	810	492	391	8435	817	327	508	622	1275	1390	1382	13
Small-pox	162	44	19	12	10	7	92	13	4	4	12	23	4	5	-
Measles	201	63	97	63	34	26	262	18	-	1	-	1	-	-	-
Scarlatina	1089	94	171	180	150	125	745	277	27	8	5	5	1	1	-
Diphtheria	82	15	20	11	8	4	58	11	1	8	1	5	1	2	-
Whooping-cough	490	167	150	61	24	20	426	13	1	-	-	-	-	-	-
Typhus	777	29	24	20	21	29	129	73	24	58	54	119	102	104	-
Diarrhoea & Dysentery	484	167	147	27	10	7	678	10	3	2	3	12	23	25	-
Cholera	67	25	7	1	8	1	37	5	2	-	2	3	7	5	-
Other Zymotic Dis.	314	54	51	49	22	10	177	22	7	2	5	7	21	16	-
Cancer	144	-	-	-	-	-	-	3	1	-	1	11	24	45	-
Scrophula and Tuberc.	773	340	209	69	59	19	618	38	21	18	15	12	11	4	-
Phthisis	1914	23	14	13	10	11	71	40	57	190	274	500	373	279	-
Hydrocephalus	320	137	83	37	14	16	280	31	4	1	1	-	-	-	-
Dis. of Brain	2351	1055	191	68	56	16	1396	71	18	27	39	65	91	147	-
Dis. of Heart & Dropsy	1076	15	7	10	4	10	44	19	25	35	28	111	173	197	-
Dis. of Lungs	2110	623	202	122	61	37	1147	49	12	21	22	74	144	205	-
Dis. of Stom. and Liver	713	136	18	11	7	7	181	21	17	12	22	69	81	119	-
Dis. of Kidneys	251	-	2	-	-	-	3	12	10	15	15	28	35	33	-
Dis. of Genes. Organs	5	2	-	-	-	-	2	18	15	15	6	-	-	2	-
Dis. of Joints	104	3	1	2	6	3	16	18	1	15	2	11	9	7	-
Dis. of Skin	47	11	4	-	-	-	15	1	1	2	2	4	2	6	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Murders	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	979	42	32	20	9	23	126	50	61	91	107	164	124	12	-
Other Causes	2751	1699	161	53	21	10	1905	20	6	13	6	20	60	64	-

553.—TYNEMOUTH.

Mean Popul ⁿ , 1861-71.	43743	1497	1240	1289	1233	1109	6448	5430	4579	4282	4259	6063	4000	3430	20
TOTAL DEATHS.	10778	3108	1170	406	296	229	5307	510	321	345	356	665	582	618	7
Small-pox	180	25	10	13	7	6	61	12	6	5	10	18	8	3	-
Measles	198	40	73	40	14	9	176	18	-	-	-	-	1	-	-
Scarlatina	720	61	127	117	114	87	564	178	28	8	1	3	1	-	-
Diphtheria	50	8	10	7	8	3	42	7	-	-	-	1	-	-	-
Whooping-cough	163	60	70	27	14	3	174	9	-	-	-	-	-	-	-
Typhus	412	10	20	24	20	17	97	50	47	32	46	34	33	16	-
Diarrhoea & Dysentery	444	283	199	14	3	2	402	10	6	2	2	6	4	6	-
Cholera	186	9	7	6	1	2	36	6	5	2	5	8	10	19	-
Other Zymotic Dis.	205	28	28	27	22	9	121	15	5	8	3	6	6	10	-
Cancer	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tuberc.	450	193	146	41	10	8	401	13	12	6	8	2	7	14	-
Phthisis	1681	31	35	7	8	8	89	22	28	64	105	211	142	106	-
Hydrocephalus	230	92	72	21	6	12	205	20	4	-	-	-	-	-	-
Dis. of Brain	1300	504	84	34	15	20	656	26	16	18	18	26	26	75	-
Dis. of Heart & Dropsy	588	1	11	5	4	5	26	15	10	14	9	25	21	58	-
Dis. of Lungs	1224	447	163	61	24	17	712	20	11	16	20	32	26	70	-
Dis. of Stom. and Liver	558	173	37	7	5	2	224	12	10	10	15	20	21	67	-
Dis. of Kidneys	161	4	7	4	2	1	11	6	-	-	-	16	25	17	-
Dis. of Genes. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	13	1	2	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin	23	0	2	-	-	-	12	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Murders	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	955	21	20	5	11	12	73	6	10	12	16	16	17	12	-
Other Causes	1754	1104	181	52	8	4	1279	1	-	-	-	1	1	2	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

AUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	10	15	20	25	35	45	55	65	75	85 & upwards.				
		551.—GATESHEAD.																		
Population, 1861-71	34361	1248	1082	1120	1044	980	5474	4515	3743	3033	2934	5127	3764	2724	1775	903	315	54		
DEATHS	8285	2250	946	419	272	171	4007	476	100	224	220	486	478	425	505	591	502	151		
Cancer	48	16	7	-	1	-	21	10	1	2	1	4	3	-	-	-	-	-		
Consumption	161	26	65	26	23	5	145	16	-	-	-	-	-	-	-	-	-	-		
Scarlatina	631	32	96	110	93	53	368	201	29	11	3	1	-	-	-	-	-	-		
Rheumatism	24	3	1	4	3	13	7	1	-	-	-	-	-	-	-	-	-	-		
Cough	220	91	61	31	17	10	210	10	-	-	-	-	-	-	-	-	-	-		
Dysentery	363	10	20	15	20	20	85	50	37	29	23	44	31	26	31	13	4	-		
Diarrhoea	305	204	71	19	1	2	207	7	2	1	2	7	2	5	13	25	29	7		
Erysipelas	28	2	-	2	-	-	9	4	-	-	-	1	4	3	1	3	1	-		
Fever	181	34	37	23	20	16	180	13	1	6	2	4	3	4	7	6	3	-		
Smallpox	169	-	-	-	1	1	2	-	-	-	-	11	30	46	28	23	8	-		
Measles	499	61	163	33	12	4	373	13	6	5	2	4	2	1	2	1	2	-		
Whooping Cough	831	7	3	2	6	5	22	53	2	107	100	227	155	76	45	13	2	-		
Diphtheria	117	63	31	18	8	5	123	19	2	-	-	1	-	-	-	-	-	-		
Brain	987	424	80	30	16	9	550	24	10	8	9	23	40	60	76	108	62	8		
Heart & Dropsy	441	3	7	2	1	4	17	10	8	18	10	46	57	64	76	85	49	6		
Lungs	1064	267	167	84	25	17	583	31	2	6	10	24	37	57	62	99	67	16		
Stomach & Liver	329	37	9	2	1	3	52	8	5	10	11	24	39	40	57	63	19	1		
Kidneys	50	1	1	-	3	1	6	1	1	2	2	9	3	9	9	5	2	1		
Womb, Organs	27	-	-	-	-	-	-	-	-	-	-	2	4	2	8	1	2	-		
Blind	29	3	-	2	1	-	6	9	2	-	2	1	1	-	2	3	-	-		
Kin	12	3	1	-	1	1	6	-	-	-	-	-	-	1	2	2	-	-		
Throat & Metria	137	-	-	-	-	-	-	-	1	9	29	49	49	-	-	-	-	-		
Old People	14	-	-	-	-	-	-	-	-	1	-	1	4	3	3	2	-	-		
Violent Deaths	132	26	15	9	8	8	61	15	9	4	3	3	5	4	9	10	7	2		
Unlabeled	1527	822	103	11	9	6	931	14	-	3	2	3	11	15	45	130	245	106		

552.—NEWCASTLE-ON-TYNE.

Popul ⁿ , 1861-71	61083	1939	1685	1728	1584	1516	8454	6765	6013	6060	6153	9732	7054	5219	3264	1718	573	78
DEATHS	16231	3086	1731	823	550	360	7450	708	280	413	501	1107	1074	1053	1199	1244	903	241
xx - - -	138	38	25	14	15	12	104	19	8	6	4	8	9	2	1	2	-	-
xx - - -	305	43	135	58	26	19	281	21	1	1	-	-	-	-	-	-	-	-
xx - - -	1054	63	171	153	184	107	700	263	49	7	5	2	-	-	-	-	-	-
xx - - -	78	11	9	9	12	7	48	18	3	-	2	3	1	1	1	-	-	-
xx - - -	516	172	137	91	45	27	494	22	-	-	-	-	-	-	-	-	-	-
xx - - -	772	9	36	30	32	21	128	64	43	58	50	57	85	68	86	39	13	1
xx - - -	845	448	154	27	6	5	610	8	-	3	2	20	16	21	25	34	40	6
xx - - -	54	16	7	1	2	-	26	4	1	1	3	5	2	4	6	2	-	-
xx - - -	321	42	53	46	26	21	188	15	8	5	8	14	6	11	25	25	13	5
xx - - -	335	-	1	-	-	-	1	1	-	1	2	23	54	99	90	43	18	8
xx - - -	674	266	193	82	30	15	586	32	9	9	6	13	7	9	2	1	-	-
xx - - -	1638	20	11	12	7	10	60	47	70	174	238	440	333	179	86	19	2	-
xx - - -	298	119	75	34	19	17	261	25	5	2	1	-	-	-	-	-	-	-
xx - - -	1955	794	182	41	33	26	1075	47	15	30	28	65	80	121	154	218	107	15
xx - - -	894	16	8	10	8	3	45	17	22	28	18	78	111	137	163	155	81	9
xx - - -	2162	520	295	125	68	38	1046	55	14	20	20	70	84	147	209	234	100	32
xx - - -	623	87	16	6	3	3	115	8	8	13	15	67	80	87	105	85	29	4
xx - - -	121	1	5	1	1	-	8	3	3	6	6	17	23	20	19	10	6	-
xx - - -	92	-	-	-	1	-	1	-	-	-	3	13	36	22	20	5	2	-
xx - - -	50	4	1	-	2	2	9	10	7	4	4	4	5	3	2	2	-	-
xx - - -	46	14	5	2	-	-	21	1	1	-	-	5	5	5	5	1	1	-
xx - - -	239	-	-	-	-	-	-	-	-	13	46	100	74	6	-	-	-	-
xx - - -	24	-	-	-	-	-	-	-	-	2	4	5	5	4	6	-	-	-
xx - - -	289	85	14	17	14	12	92	27	11	29	11	21	18	22	21	16	4	-
xx - - -	2688	1269	178	40	16	15	1516	20	7	8	23	37	45	69	111	275	413	163

553.—TYNEMOUTH.

Popul ⁿ , 1861-71	42529	1441	1254	1296	1196	1186	6373	5295	4536	3741	3766	6425	4799	3510	2305	1280	446	63
DEATHS	10105	2430	1132	529	320	215	4035	550	213	245	353	641	561	510	681	786	604	200
xx - - -	115	26	14	10	9	5	61	13	4	7	7	11	3	2	3	1	-	-
xx - - -	168	22	74	35	14	11	156	12	-	-	-	-	-	-	-	-	-	-
xx - - -	789	44	117	140	125	90	518	214	40	11	4	2	2	-	-	-	-	-
xx - - -	63	5	9	9	9	5	37	18	4	-	1	2	-	1	-	-	-	-
xx - cough	249	95	80	33	21	10	230	9	-	-	-	-	-	-	-	-	-	-
xx - Dysentery	457	11	21	21	25	21	107	89	87	41	44	30	25	27	16	12	8	1
xx -	508	253	117	25	3	2	400	8	3	2	2	8	9	8	10	16	25	13
xx -	109	6	7	3	4	-	20	6	4	5	4	16	12	20	13	7	2	-
xx - Motive Dis.	227	27	30	37	29	19	119	14	4	6	3	8	8	6	12	14	6	2
xx -	192	-	-	-	-	-	1	1	-	-	-	1	5	23	50	63	40	18
xx - And Tabes	383	139	130	43	14	2	331	11	12	7	4	6	2	3	2	2	1	-
xx -	1052	25	25	17	1	7	75	40	46	92	150	200	184	93	57	16	9	-
xx - phalus	173	62	53	19	11	7	152	13	6	-	-	1	-	-	-	-	-	-
xx - train	1163	377	77	28	15	11	508	29	14	13	16	42	33	72	132	150	125	29
xx - part & Dropsy	616	9	4	-	-	-	24	14	11	16	20	39	59	103	120	138	64	13
xx - lungs	1174	319	180	-	26	15	587	20	3	5	13	24	42	51	115	149	139	19
xx - corn. and Liver	548	102	28	-	-	-	147	7	11	12	19	32	62	56	82	86	55	-
xx - kidneys	71	4	3	-	-	-	16	4	1	-	-	5	2	9	12	13	12	-
xx - ener. Organs	37	-	-	-	-	-	-	-	2	4	-	2	4	2	-	-	-	-
xx - state	37	-	3	-	-	-	3	5	4	-	-	1	2	1	-	-	-	-
xx - in	21	7	-	1	-	-	8	1	-	4	1	2	4	1	-	-	-	-
xx - and Metria	167	-	-	-	-	-	-	-	-	9	-	20	65	2	-	-	-	-
xx -	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
xx - nt Deaths	168	17	18	13	-	5	55	17	9	6	9	8	12	17	22	36	126	-
xx -	1614	873	122	28	-	2	1026	19	2	2	4	6	12	17	22	36	126	-

Causes of Death in the Ten Years 1861-70.—Males.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL Ages.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	40-	50-
		554.—CASTLE WARD.													
Mean Popul ⁿ . 1861-71	8112	229	217	229	194	201	1070	939	955	856	726	1083	831	716	51
TOTAL DEATHS -	1547	361	79	55	29	21	536	53	44	64	52	101	72	100	11
Small-pox -	3	1	-	-	-	-	1	-	-	1	1	-	-	-	-
Measles -	12	3	4	2	-	1	10	2	-	-	-	-	-	-	-
Scarlatina -	70	5	9	12	7	5	12	24	4	5	1	-	-	-	-
Diphtheria -	29	5	-	5	4	2	38	8	2	-	-	-	1	1	-
Whooping-cough -	10	6	-	5	-	1	10	-	-	-	-	-	-	-	-
Typhus -	27	1	4	1	1	1	8	5	8	7	9	9	8	1	1
Diarrhoea & Dysentery -	64	28	9	5	-	1	51	-	-	-	-	-	1	1	1
Cholera -	9	1	-	-	1	-	2	-	-	-	-	-	4	1	1
Other Zymotic Dis. -	45	10	7	5	5	1	24	7	-	1	1	1	5	2	2
Cancer -	24	-	-	-	-	-	-	-	-	-	-	1	1	3	2
Scrophula and Tubercles -	27	16	8	5	-	-	22	1	-	5	1	1	1	3	2
Phthisis -	147	2	-	-	2	-	4	5	5	17	26	45	15	18	-
Hydrocephalus -	15	9	3	1	-	-	13	10	-	-	-	-	-	-	-
Dis. of Brain -	205	65	8	7	2	5	83	4	5	5	5	10	14	5	12
Dis. of Heart & Dropsy -	109	2	-	2	-	-	4	5	2	2	2	4	5	1	1
Dis. of Lungs -	100	50	12	9	5	1	78	2	5	1	1	5	4	9	9
Dis. of Stom. and Liver -	99	18	2	1	-	2	23	1	5	2	-	-	-	-	-
Dis. of Kidneys -	84	1	1	-	-	-	2	1	2	2	-	-	2	5	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	5	-	-	-	-	1	1	-	1	-	1	-	-	-	-
Dis. of Skin -	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	106	-	3	3	1	1	8	1	14	18	10	17	10	11	4
Other Causes -	208	122	5	2	2	1	142	-	-	-	1	2	4	4	-
555.—HEXHAM.															
Mean Popul ⁿ . 1861-71	16018	466	421	450	433	413	2183	2011	1834	1609	1365	2108	1691	1382	9
TOTAL DEATHS -	3225	748	172	91	60	60	1151	144	70	89	113	181	158	231	2
Small-pox -	10	2	-	-	-	1	3	1	1	1	2	2	1	-	-
Measles -	29	8	10	5	-	4	22	5	-	-	1	-	-	-	-
Scarlatina -	131	10	13	24	10	10	79	42	4	1	1	2	2	-	-
Diphtheria -	48	3	9	4	5	4	25	14	5	3	-	1	-	-	-
Whooping-cough -	46	18	18	6	2	-	44	9	-	-	-	-	-	-	-
Typhus -	113	2	4	2	4	5	14	14	13	10	15	11	6	11	1
Diarrhoea & Dysentery -	84	40	4	2	3	2	51	2	-	1	-	-	2	1	-
Cholera -	4	2	1	-	-	-	3	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	92	14	12	10	7	4	47	13	2	-	2	4	4	4	-
Cancer -	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tubercles -	90	22	17	5	2	-	51	7	4	8	7	4	2	1	10
Phthisis -	572	6	1	1	1	4	13	5	11	29	37	89	63	58	-
Hydrocephalus -	73	39	21	5	5	5	62	8	2	1	-	-	-	-	-
Dis. of Brain -	535	93	12	8	2	4	119	8	6	6	6	9	16	25	-
Dis. of Heart & Dropsy -	235	1	1	-	-	1	4	2	-	8	2	5	17	31	-
Dis. of Lungs -	467	155	31	14	8	7	104	5	3	3	7	12	23	29	-
Dis. of Stom. and Liver -	102	20	4	1	-	-	41	6	1	5	3	19	16	30	-
Dis. of Kidneys -	71	-	-	-	-	1	1	1	2	2	2	3	5	5	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	9	-	-	1	1	-	2	-	-	-	-	4	1	-	-
Dis. of Skin -	14	8	-	-	-	-	8	-	-	-	1	1	-	-	-
Childbirth and Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	14	-	-	-	-	-	-	-	-	1	1	4	3	1	-
Other Violent Deaths -	128	3	2	3	4	3	15	5	13	8	5	13	20	16	-
Other Causes -	613	313	12	-	1	1	327	4	1	1	1	6	7	9	-
556.—HALTWHISTLE.															
Mean Popul ⁿ . 1861-71	3456	98	100	81	100	80	459	424	368	331	280	452	379	297	24
TOTAL DEATHS -	599	124	30	11	15	8	188	17	15	27	22	36	29	36	5
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-
Scarlatina -	18	1	1	5	4	-	14	2	1	-	-	-	-	-	1
Diphtheria -	30	2	4	-	4	2	12	2	2	2	-	-	-	-	-
Whooping-cough -	11	7	4	-	-	-	11	-	-	-	-	-	-	-	-
Typhus -	14	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Diarrhoea & Dysentery -	13	3	1	1	1	-	6	1	-	1	2	2	4	2	-
Cholera -	2	1	-	-	-	-	1	-	-	-	-	1	1	1	-
Other Zymotic Dis. -	19	7	1	1	-	-	9	2	-	1	-	-	-	1	-
Cancer -	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tubercles -	6	-	1	1	-	-	2	1	1	1	-	-	1	1	-
Phthisis -	77	-	-	-	-	-	1	-	5	14	13	16	8	-	-
Hydrocephalus -	10	7	1	-	2	-	10	-	-	-	-	-	-	10	-
Dis. of Brain -	54	2	3	-	-	-	5	1	-	1	1	1	5	4	-
Dis. of Heart & Dropsy -	47	3	1	-	-	1	5	-	-	2	2	3	2	3	-
Dis. of Lungs -	60	9	5	4	-	-	18	4	1	2	2	2	1	4	-
Dis. of Stom. and Liver -	49	18	2	-	-	-	20	-	1	-	-	2	4	4	-
Dis. of Kidneys -	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Genes. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	26	-	1	1	-	-	2	-	2	1	-	-	-	-	-
Other Causes -	142	64	8	-	2	-	60	-	2	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES DEATH.	ALL Ages.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
		554.—CASTLE WARD.																
Popul ⁿ , 1-71	7815	220	200	207	206	197	1030	895	808	773	721	1095	834	696	524	289	131	19
DEATHS -	1438	301	93	51	38	24	507	59	44	51	55	107	70	80	109	139	156	61
-	10	3	1	-	-	-	4	1	1	-	1	1	-	1	1	-	-	-
-	9	2	1	1	3	-	7	2	-	-	-	-	-	-	-	-	-	-
-	102	7	13	15	17	11	63	25	9	4	1	-	-	-	-	-	-	-
-	13	1	3	-	1	2	7	4	1	1	-	-	-	-	-	-	-	-
-cough	14	8	4	1	-	-	13	1	-	-	-	-	-	-	-	-	-	-
& Dysentery	49	1	1	1	2	2	7	5	9	5	4	6	2	5	3	-	2	1
otie Dis.	67	34	19	3	-	-	56	-	1	-	-	-	-	1	-	5	5	-
-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nd Tubes	23	4	3	3	3	-	13	-	-	3	1	-	3	-	3	1	2	-
-	27	-	-	-	-	-	-	-	-	-	-	1	1	8	11	2	4	-
id Tubes	36	12	6	4	1	-	23	1	1	2	3	4	4	1	1	1	1	1
alus	160	1	-	1	-	1	5	1	9	22	23	46	24	18	7	2	-	-
-	15	7	2	-	3	2	14	1	-	-	-	-	-	-	-	-	-	-
in	183	29	10	5	-	4	78	4	7	3	5	5	7	14	17	22	16	5
rt & Dropsy	104	1	-	-	-	-	1	2	2	1	2	6	9	10	24	39	18	2
gs	156	41	14	15	3	-	73	5	2	2	3	10	4	7	13	14	21	2
m. and Liver	95	15	3	-	1	-	19	1	1	1	-	7	6	7	22	21	9	1
neys	6	1	-	-	-	-	1	-	-	-	-	-	1	2	-	2	-	-
er. Organs	5	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-
ts	5	-	2	-	-	-	2	1	-	-	-	1	-	-	-	1	-	-
n	3	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
and Metria	31	-	-	-	-	-	-	-	-	-	7	13	10	-	-	-	-	-
-	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-
ent Deaths	14	1	2	-	3	2	8	-	1	-	-	1	1	-	-	1	3	-
ces	298	101	9	2	1	-	113	4	-	5	-	5	-	5	7	34	76	49
555.—HEXHAM.																		
Popul ⁿ , 1-71	16178	460	419	421	414	381	2095	2013	1761	1575	1453	2269	1743	1373	980	623	256	37
DEATHS -	3089	543	162	93	76	49	923	138	90	111	145	254	210	180	237	362	201	148
-	9	2	-	-	1	3	1	1	1	1	-	2	1	-	-	-	-	-
-	32	7	6	6	6	3	25	4	2	-	-	1	-	-	-	-	-	-
-	114	4	11	22	20	12	69	32	7	3	-	2	1	-	-	-	-	-
-	51	2	9	6	11	2	30	11	6	1	2	2	2	-	-	-	-	-
-cough	52	25	9	6	3	1	41	7	1	-	-	-	-	-	-	-	-	-
& Dysentery	110	-	3	4	3	4	14	9	10	11	13	19	8	-	5	5	7	4
-	81	33	6	4	2	2	46	1	1	-	-	1	5	5	2	9	7	4
otie Dis.	6	-	-	-	-	-	-	-	1	-	-	1	1	-	2	2	1	-
-	81	9	5	10	6	8	38	9	7	-	2	2	1	7	3	6	3	3
-	79	-	-	-	-	-	-	-	-	3	6	5	2	9	17	19	16	11
nd Tubes	73	25	17	5	1	1	49	1	6	-	6	5	2	2	1	-	-	-
-	446	4	1	1	-	1	7	10	19	61	76	131	64	44	25	6	2	1
alus	48	14	11	5	1	2	33	10	2	-	-	2	1	-	-	-	-	-
in	323	59	15	5	2	2	83	13	6	6	5	13	17	33	26	57	44	20
rt & Dropsy	289	3	-	1	1	1	6	5	6	1	4	19	28	24	65	89	38	2
gs	387	109	42	16	13	4	175	10	7	9	6	11	17	14	34	53	42	9
m. and Liver	209	31	4	1	1	1	38	6	3	7	8	12	30	17	29	47	16	6
neys	32	-	1	-	1	-	2	1	1	2	1	8	9	1	4	3	-	-
er. Organs	18	-	-	-	-	-	-	-	-	-	-	3	5	1	4	3	2	-
ts	11	-	-	-	-	1	1	-	2	-	2	1	-	2	1	1	-	-
in	8	4	-	-	-	-	4	1	-	-	-	-	-	-	-	2	1	-
and Metria	46	-	-	-	-	-	-	-	-	2	12	15	17	-	-	-	-	-
-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
ent Deaths	31	2	3	3	4	-	12	2	1	2	1	1	-	-	3	6	1	3
ces	546	229	19	1	1	3	244	5	1	-	2	-	2	5	16	53	125	25
556.—HALTWHISTLE.																		
Popul ⁿ , 1-71	3385	94	91	105	91	94	475	425	369	329	303	453	361	263	213	132	48	14
DEATHS -	590	82	26	10	19	6	143	22	21	24	29	49	53	42	40	59	71	28
-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
-	3	1	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
-	21	-	7	1	3	2	13	6	1	-	-	-	1	-	-	-	-	-
-	15	-	2	-	2	1	5	4	3	1	1	-	-	1	-	-	-	-
-cough	8	3	3	2	-	-	8	-	-	-	-	-	-	-	-	-	-	-
& Dysentery	16	-	-	1	-	-	2	3	1	4	-	1	3	-	1	1	-	-
-	12	3	1	2	-	-	6	-	-	-	-	2	-	-	-	-	1	2
otie Dis.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	22	1	1	-	2	-	5	1	-	2	-	2	1	1	1	4	5	-
-	25	-	-	-	-	-	-	-	-	-	-	1	3	10	5	5	1	-
nd Tubes	3	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-
alus	115	-	-	-	-	-	-	-	10	11	21	31	22	8	-	4	-	-
-	4	1	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-
in	45	2	1	-	-	-	3	-	-	2	-	1	4	5	5	10	13	2
rt & Dropsy	47	3	2	1	1	-	7	-	1	-	-	2	4	7	9	6	1	-
gs	41	8	3	1	2	1	15	1	-	9	1	3	5	1	8	7	6	-
m. and Liver	45	12	2	-	-	-	14	-	2	-	-	-	2	5	7	6	4	-
neys	5	-	-	-	1	-	1	-	-	1	1	1	1	1	-	-	-	-
er. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ts	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
n	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
nd Metria	7	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-
Deaths	6	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-
-	141	46	3	1	2	-	52	3	2	1	1	1	-	4	-	3	-	-

Causes of Death in the Ten Years 1861-70.—Males.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-		
557.—BELLINGHAM.																	
Mean Popul ⁿ , 1861-71		3704	92	85	95	91	73	436	409	391	310	351	540	428	357	25	
TOTAL DEATHS—		606	130	37	12	10	4	193	23	15	30	30	51	40	55	5	
Small-pox		11	3	1	1	—	—	5	2	—	—	—	1	1	1	—	
Measles		4	—	2	1	—	—	3	—	—	1	—	—	—	—	—	
Scarlatina		18	—	2	3	4	—	9	4	2	—	1	—	—	—	—	
Diphtheria		9	2	1	—	—	—	3	—	—	1	—	—	—	—	—	
Whooping-cough		9	3	3	1	—	1	8	1	—	—	—	—	—	—	—	
Typhus		21	—	—	—	—	—	—	3	2	5	4	6	6	2	—	
Diarrhoea & Dysentery		8	4	—	—	—	—	4	—	—	1	—	—	—	—	—	
Cholera		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.		15	4	3	1	—	1	9	1	—	—	—	—	—	—	—	
Cancer		9	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
Scrofula and Tubercles		14	9	1	1	—	—	11	1	—	—	—	—	1	—	—	
Phthisis		21	—	1	—	—	—	11	—	1	14	12	23	10	13	—	
Hydrocephalus		6	3	2	—	—	—	5	1	—	—	—	—	—	—	—	
Dis. of Brain		66	14	3	2	2	—	21	2	1	1	3	1	2	4	—	
Dis. of Heart & Dropsy		53	—	2	—	—	—	3	—	—	—	2	—	—	—	—	
Dis. of Lungs		69	9	4	1	2	1	17	8	1	4	3	3	5	7	—	
Dis. of Stom. and Liver		65	13	3	—	1	—	17	—	2	—	2	4	1	10	—	
Dis. of Kidneys		15	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
Dis. of Gen. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints		5	—	—	—	1	—	1	—	—	1	—	—	—	—	—	
Dis. of Skin		2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	
Childbirth and Metritis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide		3	—	—	—	—	—	—	—	—	—	—	1	—	1	—	
Other Violent Deaths		34	—	—	—	—	—	—	—	—	—	—	2	—	9	4	
Other Causes		138	64	9	1	—	1	75	2	4	1	1	2	—	2	2	
558.—MORPETH.																	
Mean Popul ⁿ , 1861-71		14046	446	400	412	334	369	2011	1759	1534	1421	1238	2018	1570	1150	7	
TOTAL DEATHS—		3215	880	318	119	97	55	1409	170	80	104	105	181	192	166	1	
Small-pox		29	9	1	3	—	—	14	—	2	4	1	4	—	—	—	
Measles		57	11	22	11	6	4	54	1	—	—	1	1	—	—	—	
Scarlatina		196	8	39	32	29	29	123	56	9	3	1	2	—	—	—	
Diphtheria		49	7	17	3	5	2	34	10	3	—	1	1	—	—	—	
Whooping-cough		43	22	12	6	1	—	41	2	—	—	—	—	—	—	—	
Typhus		163	10	4	7	9	6	36	21	9	25	15	20	14	9	—	
Diarrhoea & Dysentery		167	60	53	4	3	—	126	1	—	—	4	5	2	2	—	
Cholera		10	1	—	1	—	—	2	—	1	—	—	1	1	2	—	
Other Zymotic Dis.		68	12	6	4	11	6	39	8	2	2	2	1	2	2	—	
Cancer		29	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
Scrofula and Tubercles		181	38	30	6	5	—	79	3	6	3	1	2	1	3	8	
Phthisis		295	4	3	3	—	—	10	9	10	28	43	61	53	24	—	
Hydrocephalus		74	34	10	9	5	—	64	10	—	—	—	—	—	—	—	
Dis. of Brain		455	165	22	11	9	1	208	12	4	4	7	17	37	41	—	
Dis. of Heart & Dropsy		187	2	4	2	—	—	8	5	2	4	4	9	15	13	—	
Dis. of Lungs		576	150	46	11	8	1	202	10	—	5	4	12	12	18	—	
Dis. of Stom. and Liver		164	41	13	2	4	2	62	7	3	4	2	8	20	11	—	
Dis. of Kidneys		54	—	1	2	—	—	3	2	1	1	3	4	3	10	—	
Dis. of Gen. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints		9	—	—	—	—	—	—	—	—	—	—	2	1	—	—	
Dis. of Skin		8	4	1	—	—	—	8	1	1	1	—	—	—	—	—	
Childbirth and Metritis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide		16	—	—	—	—	—	—	—	—	—	—	2	4	3	—	
Other Violent Deaths		163	6	4	1	5	2	18	11	28	15	14	22	14	15	3	
Other Causes		536	304	113	1	—	1	339	3	—	1	2	22	6	10	—	
559.—ALNWICK.																	
Mean Popul ⁿ , 1861-71		9885	274	253	254	263	248	1292	1275	1128	963	785	1214	1037	939	6	
TOTAL DEATHS—		1970	351	103	50	42	21	567	102	51	86	66	119	105	130	1	
Small-pox		27	7	2	1	—	—	10	—	—	4	—	2	—	2	—	
Measles		37	3	12	2	—	1	18	5	1	2	1	—	—	—	—	
Scarlatina		87	3	6	9	18	6	42	30	11	2	2	—	—	—	—	
Diphtheria		22	4	3	3	4	1	15	6	—	1	—	—	—	—	—	
Whooping-cough		25	17	3	2	1	—	23	2	—	—	—	—	—	—	—	
Typhus		57	1	—	3	1	1	6	4	9	4	4	9	5	6	—	
Diarrhoea & Dysentery		48	21	3	—	—	—	20	1	1	1	—	1	—	1	—	
Cholera		4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis.		54	5	5	4	4	3	21	8	3	—	1	1	2	2	—	
Cancer		29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula and Tubercles		35	5	4	2	2	1	14	4	5	5	1	2	1	3	—	
Phthisis		247	3	3	—	—	1	7	11	8	38	49	59	55	25	—	
Hydrocephalus		36	15	12	2	2	—	31	3	—	—	—	—	—	—	—	
Dis. of Brain		241	45	9	7	5	—	66	11	1	3	2	8	13	14	—	
Dis. of Heart & Dropsy		107	—	1	1	—	—	2	—	1	4	3	7	12	16	—	
Dis. of Lungs		261	58	25	7	3	6	90	3	2	4	2	4	8	11	—	
Dis. of Stom. and Liver		115	21	3	1	2	—	27	4	1	2	5	5	6	18	—	
Dis. of Kidneys		41	2	1	—	—	—	6	1	1	1	—	—	—	—	—	
Dis. of Gen. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints		7	1	—	—	—	—	1	1	—	—	—	—	—	—	—	
Dis. of Skin		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth and Metritis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide		5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Deaths		82	4	2	4	—	—	11	5	3	—	—	—	—	—	—	
Other Causes		349	134	9	2	—	—	145	2	3	—	—	—	—	—	—	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES DEATH.	ALL Ages.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upw.	
		557.—BELLINGHAM.																	
Popul ⁿ , 1871	3376	98	81	82	86	85	432	378	339	342	297	463	393	284	216	150	70	12	
DEATHS	620	94	28	26	13	12	173	26	20	21	26	60	51	31	45	57	31	29	
-	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
-	10	-	2	2	1	1	6	1	1	-	-	-	1	1	-	-	1	-	
-	28	1	3	5	2	1	12	13	1	-	1	1	-	-	-	-	-	-	
-	0	-	1	1	-	2	4	1	1	-	-	-	-	-	-	-	-	-	
-	19	7	5	2	2	2	18	1	-	-	-	-	-	-	-	-	-	-	
-	22	-	-	2	2	2	6	1	6	2	-	2	2	-	1	1	1	-	
-	14	7	2	-	1	-	10	-	-	-	-	1	1	-	-	-	-	-	
-	20	1	-	3	2	-	6	2	-	1	1	2	-	-	1	4	1	2	
-	10	-	-	-	-	-	-	-	-	-	1	2	1	-	3	1	1	-	
-	10	4	2	1	-	-	7	1	-	1	1	2	1	1	3	1	1	-	
-	91	-	-	1	-	-	4	2	4	13	14	27	19	4	5	1	1	-	
-	4	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	
-	67	10	6	1	-	1	18	1	1	1	1	1	5	7	8	10	12	2	
-	41	1	-	-	-	-	17	1	-	3	3	1	3	5	5	15	8	7	
-	67	7	5	2	2	1	17	9	2	2	1	3	4	4	5	8	8	4	
-	41	4	1	-	-	2	7	-	3	1	-	8	4	4	5	3	4	-	
-	6	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	
-	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	
-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	
-	15	-	-	-	-	-	-	-	-	-	2	8	4	1	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	4	-	1	1	1	-	3	-	-	-	-	-	1	-	-	-	-	-	
-	133	46	4	-	-	-	50	-	-	-	-	2	2	1	8	12	42	16	

558.—MORPETH.																		
Popul ⁿ , 1871	13468	434	370	421	409	374	2008	1668	1495	1196	1178	1881	1481	1109	778	464	173	37
DEATHS	3083	670	306	139	77	57	1249	173	65	97	103	236	179	182	195	269	259	76
- - -	21	2	3	1	1	-	7	5	-	1	3	2	3	1	1	-	-	-
- - -	54	7	19	11	4	-	43	8	1	-	-	-	-	-	-	-	-	-
- - -	211	18	25	31	25	24	194	63	11	8	2	3	2	-	-	-	-	-
- - -	50	6	10	10	6	5	37	6	3	3	-	1	-	-	-	-	-	-
- - -	59	28	16	7	4	2	57	2	-	-	-	-	-	-	-	-	-	-
- - -	167	6	5	12	7	5	35	29	17	9	15	23	12	10	9	6	2	-
- - -	170	67	41	11	3	-	122	1	1	1	1	1	2	1	5	13	13	2
- - -	5	-	-	-	-	-	1	-	-	-	-	2	-	-	2	2	5	1
- - -	65	8	10	6	4	1	29	7	2	2	2	3	4	3	3	4	5	1
- - -	50	-	-	-	-	-	-	-	-	-	-	3	6	14	11	8	7	1
- - -	74	20	31	7	4	1	63	6	-	1	-	1	2	-	-	1	-	-
- - -	300	2	7	2	2	1	14	9	19	49	50	99	59	42	12	6	1	-
- - -	68	23	13	9	2	2	49	6	2	1	-	-	-	-	-	-	-	-
- - -	329	98	25	8	5	4	140	10	1	3	6	23	17	23	34	40	28	4
- - -	239	3	3	-	-	1	7	1	2	5	2	14	14	28	53	66	39	8
- - -	394	89	40	14	8	3	154	5	-	4	4	11	9	13	21	45	29	9
- - -	169	35	12	3	-	1	61	6	2	3	4	8	15	21	28	22	8	1
- - -	21	-	-	1	-	-	1	-	-	2	1	4	2	4	2	5	-	-
- - -	15	-	-	-	-	-	-	-	-	-	1	2	4	6	1	1	-	-
- - -	10	-	-	-	-	-	-	1	2	1	-	2	-	1	2	1	-	-
- - -	5	1	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	-
- - -	60	-	-	-	-	-	-	-	-	3	10	25	17	2	-	-	-	-
- - -	11	-	-	-	-	-	-	-	1	1	-	1	4	-	-	3	-	-
- - -	58	2	3	2	1	4	12	4	1	-	-	2	5	4	1	5	5	5
- - -	638	253	42	4	1	1	303	6	-	-	1	5	4	9	11	33	115	48

559.—ALNWICK.																		
Popul ⁿ , 1871	10541	248	244	246	254	245	1237	1214	1081	1049	918	1435	1129	1002	770	478	198	30
DEATHS	2023	280	100	41	40	24	494	80	53	72	92	164	118	121	186	273	264	106
- - -	37	4	1	-	3	-	8	2	2	-	2	4	3	3	3	-	-	-
- - -	25	4	9	3	4	1	21	3	-	1	-	-	-	-	-	-	-	-
- - -	65	5	7	2	13	5	32	21	4	3	-	5	-	-	-	-	-	-
- - -	15	2	3	1	1	1	8	1	1	3	1	1	-	-	-	-	-	-
- - -	36	13	14	5	3	-	35	1	-	-	-	-	-	-	-	-	-	-
- - -	29	-	1	2	1	3	7	9	4	7	-	7	7	2	4	8	-	-
- - -	60	16	6	1	-	1	24	-	-	-	-	1	1	3	4	12	12	3
- - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
- - -	65	12	7	6	5	2	32	7	1	1	1	4	1	2	3	5	6	2
- - -	55	-	-	-	-	-	-	-	-	-	1	2	3	10	12	20	6	1
- - -	37	10	8	-	-	2	20	4	2	1	-	1	1	1	2	2	-	-
- - -	253	2	7	1	2	-	12	6	19	35	49	80	41	29	16	5	1	-
- - -	51	8	6	3	3	3	29	8	1	2	-	-	-	-	-	-	-	-
- - -	212	37	9	5	-	4	55	4	3	1	6	15	5	13	33	36	30	11
- - -	195	1	1	-	1	-	3	-	5	8	2	5	6	21	24	70	37	3
- - -	221	49	18	7	2	2	78	6	2	2	4	7	4	9	25	31	41	13
- - -	184	14	2	-	-	-	18	1	2	4	4	8	8	15	27	27	19	1
- - -	13	-	-	1	-	-	1	-	-	-	2	3	1	2	2	2	1	-
- - -	16	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
- - -	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
- - -	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	29	3	2	-	-	-	6	3	1	1	3	2	1	1	2	1	1	1
- - -	883	100	8	1	1	-	110	3	4	1	1	3	4	1	1	18	49	16

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.												
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	30--	40--
560.—BELFORD.														
Mean Popul ⁿ , 1861-71	2866	75	71	77	83	80	386	357	343	300	235	318	291	259
TOTAL DEATHS	530	95	27	14	11	9	158	24	19	13	19	40	24	33
Small-pox	2	-	-	-	-	-	4	1	-	-	1	-	-	1
Measles	5	-	2	2	-	-	4	7	1	-	-	-	-	-
Scarlatina	19	1	2	1	3	3	10	4	1	1	-	-	-	-
Diphtheria	13	2	1	1	2	1	8	4	-	-	-	-	-	-
Whooping-cough	7	5	2	-	-	-	7	-	-	-	-	-	-	-
Typhus	18	-	-	-	-	-	2	2	-	2	3	2	1	-
Diarrhoea & Dysentery	10	2	-	-	-	-	2	-	-	-	-	-	-	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	9	1	1	3	1	1	7	-	-	-	-	-	-	-
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	1	-
Scrofula and Tuberc.	10	4	-	-	-	-	4	-	-	-	-	-	-	2
Phthisis	50	-	-	1	-	1	2	-	3	4	5	18	2	5
Hydrocephalus	10	3	5	-	1	1	10	-	-	-	-	-	-	-
Dis. of Brain	40	5	1	-	1	2	7	1	1	-	1	1	2	1
Dis. of Heart & Dropsy	44	1	-	-	-	-	7	1	-	1	-	5	4	5
Dis. of Lungs	65	11	4	1	1	-	17	4	1	-	1	4	1	5
Dis. of Stom. and Liver	32	6	1	2	-	-	11	1	-	-	-	1	2	2
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	1	-	1	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	1	-	1	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	1	-	1	2
Other Violent Deaths	32	2	2	-	-	-	4	1	2	-	2	7	8	3
Other Causes	152	52	6	3	1	-	62	9	3	3	-	1	1	5
561.—BERWICK.														
Mean Popul ⁿ , 1861-71	10204	268	271	275	291	288	1393	1343	1252	1103	801	1166	1029	889
TOTAL DEATHS	2144	420	140	82	53	43	738	118	48	83	73	128	110	146
Small-pox	26	10	2	3	-	1	16	1	1	1	-	-	4	3
Measles	40	4	13	7	4	5	35	3	2	1	-	-	1	-
Scarlatina	101	8	11	19	13	13	64	28	4	-	3	2	-	-
Diphtheria	41	7	6	6	4	1	24	11	2	1	-	-	1	1
Whooping-cough	45	19	13	5	3	2	42	3	-	-	-	-	-	-
Typhus	103	-	6	5	3	3	17	17	5	10	8	16	7	7
Diarrhoea & Dysentery	52	21	8	2	-	-	31	1	1	1	-	-	1	1
Cholera	10	5	1	1	-	-	7	-	-	-	-	-	1	1
Other Zymotic Dis.	61	4	12	5	5	6	32	5	3	-	2	4	-	3
Cancer	43	-	-	-	-	-	-	-	-	-	-	1	3	11
Scrofula and Tuberc.	17	4	1	1	2	1	9	1	-	1	1	2	1	-
Phthisis	222	-	3	-	1	1	5	7	8	34	22	61	30	20
Hydrocephalus	27	11	6	3	1	1	23	4	-	-	-	1	-	-
Dis. of Brain	204	32	5	6	1	2	46	7	3	5	1	5	7	22
Dis. of Heart & Dropsy	150	1	2	-	3	-	6	3	5	2	2	6	9	17
Dis. of Lungs	221	65	19	6	5	1	96	3	-	3	3	9	10	17
Dis. of Stom. and Liver	187	36	6	1	1	-	44	4	1	2	1	5	14	15
Dis. of Kidneys	35	1	-	-	1	1	3	-	-	3	2	1	1	5
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Joints	13	-	-	1	-	-	1	3	3	2	1	-	-	1
Dis. of Skin	10	4	1	-	-	-	5	1	-	1	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	1	2	1	2	2
Other Violent Deaths	118	7	3	5	2	4	21	9	9	13	13	12	14	11
Other Causes	457	180	22	6	4	1	213	7	1	2	-	2	4	8
562.—GLENDALE.														
Mean Popul ⁿ , 1861-71	6087	157	170	163	162	175	827	769	756	677	512	710	606	531
TOTAL DEATHS	939	172	45	22	23	13	273	34	31	24	29	54	45	64
Small-pox	8	4	-	-	-	-	4	-	-	-	-	-	2	1
Measles	11	2	4	1	-	-	7	2	2	-	-	-	-	-
Scarlatina	27	6	2	5	4	5	22	4	1	-	-	-	-	-
Diphtheria	10	2	-	1	3	1	7	1	-	-	-	-	2	-
Whooping-cough	18	7	-	2	2	-	11	2	-	-	-	-	-	-
Typhus	40	1	2	-	1	1	5	1	9	4	4	3	6	1
Diarrhoea & Dysentery	23	8	-	-	-	-	16	-	-	-	-	-	1	-
Cholera	1	-	-	-	-	-	1	-	-	1	-	-	-	-
Other Zymotic Dis.	30	5	1	2	1	3	12	7	1	-	2	1	1	1
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	-	2
Scrofula and Tuberc.	12	4	1	1	1	-	7	1	1	-	1	-	-	1
Phthisis	74	-	1	-	-	-	1	-	1	10	8	29	11	8
Hydrocephalus	16	1	7	-	4	1	13	5	-	-	-	-	-	-
Dis. of Brain	118	15	4	-	1	-	20	4	4	-	2	3	5	9
Dis. of Heart & Dropsy	120	-	-	-	-	1	1	2	4	4	2	7	7	15
Dis. of Lungs	117	31	3	4	4	-	42	4	3	2	1	5	5	7
Dis. of Stom. and Liver	75	11	3	2	1	-	17	1	-	1	4	3	3	8
Dis. of Kidneys	17	-	-	-	-	-	-	-	-	-	1	-	3	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	8	3	-	2	-	-	5	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	23	-	2	1	1	-	3	2	-	-	-	1	2	1
Other Causes	173	72	4	1	1	-	78	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX CATH.	ALL Ages.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
560.—BELFORD.																				
popul ⁿ , -71	3183	74	77	72	67	73	363	332	370	329	293	426	325	305	223	146	65	11		
DEATHS	531	73	22	21	14	5	135	21	16	17	14	31	25	34	45	73	83	37		
	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
	8	-	2	-	-	-	4	-	1	-	-	1	-	-	-	-	-	-		
	13	-	-	3	3	1	7	4	2	-	-	-	-	-	-	-	-	-		
	22	2	2	4	3	-	11	8	2	-	-	1	-	-	-	-	-	-		
ough	4	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-		
Dysentery	15	-	-	-	-	1	1	1	3	4	1	-	2	-	-	1	-	1	1	1
tic Dis.	5	1	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	1	-	-
id Tabes	10	2	3	1	-	-	6	1	-	1	-	-	-	-	1	-	-	-	-	-
us	14	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	5	-	-	-
	5	2	-	1	-	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-
	68	-	-	-	-	-	1	2	4	9	8	12	13	10	6	3	-	-	-	-
	11	3	2	4	-	1	10	-	1	-	-	-	-	-	-	-	-	-	-	-
	48	2	1	1	3	-	7	-	1	-	1	2	1	9	3	13	10	1	1	1
t & Dropsy	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and Liver	33	4	-	1	2	1	8	-	1	-	1	4	2	2	5	8	6	-	-	-
	31	5	1	-	2	-	8	-	-	-	-	2	1	4	5	11	2	-	-	-
ays	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
r. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-
ts	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and Metris	11	-	-	-	-	-	-	-	-	1	2	5	3	-	-	-	-	-	-	-
nt Deaths	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ts	170	49	10	1	-	-	60	2	1	1	1	1	1	1	3	13	47	84		
561.—BERWICK.																				
popul ⁿ , -71	11426	308	256	284	269	274	1391	1317	1231	1133	958	1475	1236	1081	819	540	218	27		
DEATHS	2234	350	142	76	60	51	659	105	54	56	62	133	120	115	205	304	301	110		
	23	2	4	1	-	1	8	4	-	-	1	2	3	1	3	-	1	-		
	94	4	8	7	8	6	23	2	1	-	-	-	-	-	-	-	-	-		
	112	10	13	19	15	13	70	31	5	2	3	1	-	-	-	-	-	-		
	27	3	3	2	7	3	18	6	2	1	-	-	-	-	-	-	-	-		
ough	63	23	21	5	4	6	59	7	-	-	-	-	-	-	-	-	-	-		
Dysentery	103	1	2	6	6	6	21	14	19	11	8	8	4	7	7	4	8	6	1	1
tic Dis.	33	18	7	-	-	1	26	-	1	-	-	-	-	-	-	-	-	-		
	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	63	6	8	10	3	4	31	6	-	1	1	2	3	3	4	4	6	2	-	-
id Tabes	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	21	2	6	-	2	1	11	-	-	2	3	2	7	14	20	15	4	1	-	-
	219	1	2	1	4	1	9	5	12	26	26	65	34	21	16	-	-	-		
us	36	9	7	3	1	-	20	4	2	-	-	-	-	-	-	-	-	-		
	222	25	4	4	1	2	37	5	4	1	3	8	4	12	32	72	33	11	1	1
t & Dropsy	146	1	1	-	1	1	4	-	-	5	3	7	17	20	26	44	21	-		
and Liver	189	35	16	4	4	2	61	4	3	2	3	4	11	10	29	31	27	4		
	112	19	3	2	-	1	25	4	-	2	1	9	15	8	19	16	10	3		
ays	22	-	1	-	-	-	1	1	-	1	3	2	2	1	2	5	4	-		
r. Organs	15	-	-	-	-	-	-	-	-	-	1	2	4	1	2	1	-	-		
ts	7	3	-	-	-	-	3	-	1	-	1	-	-	1	2	1	-	-		
and Metris	24	-	-	-	-	-	-	-	-	1	2	12	8	1	-	-	-	-		
	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-		
nt Deaths	48	6	5	2	1	1	15	5	2	2	1	-	-	2	6	5	9	1		
ts	607	160	31	10	3	2	203	4	-	-	2	8	4	10	21	96	178	78		
562.—GLENDALE.																				
popul ⁿ , -71	6612	174	161	156	148	173	812	749	693	681	639	910	714	588	429	268	111	18		
DEATHS	977	123	29	24	21	15	212	42	26	26	37	72	62	71	91	129	156	53		
	7	1	-	-	1	-	2	-	-	1	1	1	1	1	-	-	-	-		
	31	-	2	4	6	4	16	11	1	-	-	-	-	-	-	-	-	-		
	12	-	1	1	1	2	5	-	3	-	1	-	1	-	-	-	-	-		
ough	11	5	3	1	1	1	11	-	-	-	-	-	-	-	-	-	-	-		
Dysentery	43	-	2	1	1	1	5	4	5	4	5	3	7	4	1	3	2	7	1	1
tic Dis.	25	9	-	-	-	-	9	-	-	-	-	2	-	2	2	2	7	1	1	1
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	26	1	2	5	3	-	11	3	-	1	-	-	2	2	4	4	2	1	1	1
id Tabes	22	-	-	-	-	-	-	-	-	-	-	-	2	3	7	4	4	-		
	8	2	-	-	1	1	4	1	2	-	-	-	2	1	1	-	-	-		
us	116	1	-	-	-	-	2	2	8	11	18	33	17	11	8	1	-	-		
	8	2	1	2	1	-	6	2	-	-	-	-	-	-	-	-	-	-		
	85	7	6	-	1	-	14	6	1	1	2	3	3	7	10	21	19	1		
rt & Dropsy	111	1	-	-	1	-	2	2	-	2	2	3	4	17	25	30	22	2		
gs	103	17	2	3	-	3	25	-	4	2	3	4	6	9	10	22	16	4		
and Liver	67	11	1	-	1	-	13	1	1	2	3	4	4	9	13	12	4	-		
ays	19	-	-	1	-	-	1	1	-	-	1	3	2	2	-	-	-	-		
r. Organs	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ts	6	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-		
	5	3	1	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-		
d Metris	22	-	-	-	-	-	-	-	-	-	-	2	11	9	-	-	-	-		
Deaths	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	227	62	7	3	-	2	74	1	1	1	-	-	2	1	-	-	-	-		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.											
		Total under 5 Years.				5-45							
		1	2	3	4	5-	10-	15-	20-	25-	35-	45-	

563.—ROTHBURY.														
Mean Popul ⁿ , 1861-71	3543	94	92	98	87	101	473	420	401	352	272	456	383	310
TOTAL DEATHS	530	90	80	12	7	6	135	25	20	11	14	24	33	34
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Measles	3	-	-	1	1	1	3	-	-	-	-	-	-	-
Scarlatina	7	1	-	-	2	1	3	4	-	-	-	-	-	-
Diphtheria	19	1	-	3	2	1	7	9	5	-	-	-	-	-
Whooping-cough	7	2	3	1	-	-	6	1	-	-	-	-	-	-
Typhus	12	-	-	-	-	1	1	-	1	-	-	2	1	1
Diarrhoea & Dysentery	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	6	1	1	-	-	-	2	1	-	-	-	-	1	-
Cancer	8	-	-	-	-	-	-	-	-	-	-	1	-	1
Scrofula and Tuberc.	8	1	1	-	-	-	-	2	1	1	-	1	-	1
Phthisis	67	1	-	-	-	-	2	1	1	4	8	14	15	15
Hydrocephalus	4	1	1	-	-	-	1	1	-	-	-	-	-	-
Dis. of Brain	56	19	5	1	-	1	17	1	2	1	-	-	1	1
Dis. of Heart & Dropsy	54	1	-	-	-	-	1	1	-	-	1	-	1	1
Dis. of Lungs	53	19	5	4	1	1	35	1	1	-	-	1	2	1
Dis. of Stom. and Liver	44	5	2	1	-	-	8	-	1	2	-	2	1	1
Dis. of Kidneys	11	1	-	-	-	-	1	-	-	-	-	-	3	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	1	1
Other Violent Deaths	18	-	1	1	-	-	2	1	5	1	3	1	1	2
Other Causes	142	51	3	-	2	-	56	2	2	-	-	1	2	2

564.—ALSTON.														
Mean Popul ⁿ , 1861-71	3005	94	75	92	80	81	422	408	356	316	266	419	359	245
TOTAL DEATHS	633	132	34	19	12	15	232	28	16	17	25	51	38	83
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-
Measles	8	-	1	2	-	-	3	2	-	-	-	-	-	-
Scarlatina	28	5	4	6	4	6	27	7	2	-	1	-	1	-
Diphtheria	9	1	3	-	1	2	7	1	1	-	-	-	-	-
Whooping-cough	21	15	4	2	-	-	21	-	-	-	-	-	-	-
Typhus	10	1	-	-	-	-	1	2	-	-	1	2	1	2
Diarrhoea & Dysentery	29	17	3	1	-	1	22	1	1	-	-	-	-	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	17	3	-	3	-	3	9	1	-	1	1	1	-	1
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	20	3	3	-	-	-	7	1	4	2	2	2	2	4
Phthisis	56	-	-	-	1	-	4	3	3	6	6	12	12	9
Hydrocephalus	8	1	1	2	-	-	4	3	1	-	-	-	-	-
Dis. of Brain	59	13	2	1	-	-	16	4	2	2	3	5	4	5
Dis. of Heart & Dropsy	25	-	-	-	1	-	1	1	-	1	1	1	-	4
Dis. of Lungs	186	20	6	1	3	2	22	1	3	3	3	12	11	4
Dis. of Stom. and Liver	40	6	2	-	-	-	8	2	1	1	2	8	4	6
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	1	1	1	1	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	1	-	-	-	1	1	1
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Other Violent Deaths	22	1	3	1	-	-	5	1	1	-	3	5	-	3
Other Causes	83	61	2	-	-	1	64	-	-	-	-	1	-	2

565.—PENRITH.															
Mean Popul ⁿ , 1861-71	11534	290	292	279	308	257	1426	1315	1215	1173	1004	1471	1293	1116	7
TOTAL DEATHS	2248	455	102	61	41	33	691	73	27	58	59	121	131	180	2
Small-pox	13	3	1	-	-	-	4	-	-	1	-	-	3	1	-
Measles	21	6	6	1	4	1	18	3	-	-	-	-	-	-	-
Scarlatina	61	6	5	9	8	9	37	22	1	1	-	-	-	-	-
Diphtheria	24	4	4	4	3	4	19	1	-	4	-	-	-	-	-
Whooping-cough	23	14	5	1	1	2	23	-	-	-	-	-	-	-	-
Typhus	35	2	-	1	-	1	4	-	3	4	2	4	4	6	2
Diarrhoea & Dysentery	47	22	5	4	-	-	31	-	1	1	-	-	-	-	-
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	34	12	3	5	1	-	21	3	-	-	-	2	2	2	-
Cancer	45	-	-	-	-	-	-	-	-	-	1	1	1	5	1
Scrofula and Tuberc.	30	11	4	1	1	-	17	5	2	2	1	1	1	1	1
Phthisis	239	3	1	2	-	1	7	6	2	18	42	65	40	26	-
Hydrocephalus	46	11	15	7	3	4	40	3	2	-	-	-	1	-	-
Dis. of Brain	264	67	6	3	4	4	84	19	5	4	-	7	12	25	4
Dis. of Heart & Dropsy	192	3	3	-	2	-	8	2	2	3	5	5	13	23	3
Dis. of Lungs	282	66	19	5	4	1	95	4	3	3	3	11	21	23	4
Dis. of Stom. and Liver	118	16	1	2	2	-	21	2	-	4	2	11	6	19	3
Dis. of Kidneys	51	-	1	-	-	2	4	-	-	1	-	4	3	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	11	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	103	7	4	6	3	4	23	6	6	2	-	-	-	-	-
Other Causes	579	202	19	9	4	2	231	23	6	2	-	-	-	-	-

Causes of Death in the Ten Years 1861-70.—Females.
an Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

403

ES TH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85- and upwards.	
563.—ROTHBURY.																			
puln.		3571	94	90	97	89	89	459	414	350	364	328	500	385	317	245	143	56	10
ATHS-		575	85	23	14	8	5	135	31	14	16	19	45	39	31	51	79	80	35
-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-		3	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
-		14	1	1	4	1	1	8	3	1	2	-	-	-	-	-	-	-	-
-		18	1	2	2	2	2	9	4	3	-	-	2	-	-	-	-	-	-
gh-		5	3	1	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-
ysentery		19	1	1	-	-	-	2	2	1	2	3	4	1	-	2	2	-	-
-		4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-
Dis.		14	2	2	2	-	-	6	4	-	-	-	-	-	-	-	4	-	-
-		8	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	-
abes		7	1	2	-	-	-	3	-	1	-	1	-	1	-	-	1	-	-
-		79	-	-	-	-	-	1	1	2	5	8	28	17	9	7	1	-	-
-		5	-	1	2	1	-	4	1	-	-	-	-	-	-	-	-	-	-
-		62	13	1	-	1	1	16	4	1	3	-	2	2	2	9	11	10	2
Dropsey		52	1	2	-	-	-	3	-	-	1	-	3	3	7	10	13	3	4
nd Liver		46	12	4	2	1	-	19	5	2	-	2	3	3	2	3	4	3	3
-		59	5	-	-	-	1	6	1	-	1	2	3	5	5	6	17	11	2
-		5	1	1	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Organs-		1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
-		3	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
-		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria		4	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Deaths-		6	-	-	-	1	-	1	2	-	-	-	-	-	-	1	-	1	1
-		160	43	2	1	1	-	47	2	2	2	1	-	2	4	10	23	44	23
564.—ALSTON.																			
puln.		3037	78	82	86	85	81	412	383	335	314	247	411	335	256	177	110	45	12
ATHS-		624	132	33	20	8	14	207	24	16	32	20	57	37	27	55	67	47	26
-		1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-		6	2	1	2	-	-	5	-	-	1	-	-	-	-	-	-	-	-
-		31	4	9	6	1	3	23	6	1	-	-	-	-	-	-	-	-	-
-		11	-	1	3	-	1	5	6	-	-	-	-	-	-	-	-	-	-
gh-		15	5	4	2	2	2	15	-	1	1	-	-	-	-	-	-	1	-
ysentery		9	-	1	-	-	1	2	1	-	-	-	-	1	2	-	-	-	-
-		31	17	1	-	-	-	18	1	-	-	-	3	3	-	1	1	4	-
Dis.		11	5	-	-	-	1	6	-	-	-	1	-	1	-	1	1	1	-
-		15	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-
abes		14	2	1	1	-	1	5	1	-	2	2	2	3	1	4	4	1	1
-		80	-	-	2	-	-	2	2	6	15	15	33	4	-	2	1	-	-
-		5	2	1	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-
-		61	14	-	-	-	-	14	3	4	7	2	3	1	2	5	12	5	3
k Dropsey		35	1	-	-	-	1	2	-	-	-	-	-	3	5	8	7	6	4
nd Liver		101	14	6	2	3	2	27	-	1	1	1	5	5	8	12	26	11	4
-		53	8	2	-	1	1	11	1	2	2	2	2	8	5	11	7	2	-
-		14	-	-	-	1	-	1	1	-	-	-	8	1	1	5	1	1	-
Organs		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-		4	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-
-		2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Metria		9	-	-	-	-	-	-	-	-	1	3	4	1	-	-	-	-	-
-		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Deaths-		3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1
-		111	57	6	-	1	-	64	1	-	-	1	1	3	2	5	6	14	14
565.—PENRITH.																			
puln.		11496	318	286	307	277	296	1484	1319	1208	1044	996	1574	1265	1061	782	501	228	34
ATHS-		2102	362	84	63	45	29	583	81	54	67	84	142	132	136	169	265	208	91
-		10	3	1	2	-	-	6	1	-	-	2	-	-	-	1	-	-	-
-		17	4	4	2	1	2	13	4	-	-	-	-	-	-	-	-	-	-
-		70	8	6	9	8	7	38	19	9	2	1	1	-	-	-	-	-	-
-		23	-	3	4	1	3	11	7	2	2	-	-	-	-	-	1	-	-
gh-		29	16	9	1	1	1	28	1	-	-	-	-	-	-	-	-	-	-
ysentery		37	1	-	2	1	-	4	4	6	5	2	4	1	5	2	3	2	1
-		44	20	6	1	-	-	28	-	-	-	2	-	-	-	3	2	1	4
Dis.		2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-		48	5	5	4	3	3	20	7	3	1	1	-	3	-	4	6	2	-
-		56	-	-	-	-	-	-	-	-	-	-	8	7	9	14	18	5	-
abes		25	6	2	1	-	2	11	2	3	1	3	2	1	2	19	4	1	-
-		277	1	-	1	-	-	2	2	16	37	45	80	48	50	12	-	-	-
-		47	13	7	3	6	4	33	11	2	1	-	-	-	-	-	-	-	-
-		208	48	8	5	3	2	66	4	1	6	2	12	8	19	16	27	35	2
Dropsey		181	5	-	-	2	-	5	3	4	4	-	10	9	14	42	60	25	5
nd Liver		225	49	13	8	7	4	81	7	3	-	10	7	11	14	25	39	21	1
-		134	10	5	1	-	1	17	2	1	-	5	6	13	15	20	27	12	1
-		27	1	1	-	-	-	2	2	-	-	1	1	1	-	-	-	-	-
Organs		9	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
-		5	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
-		7	3	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Metria		22	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	-	-
Deaths-		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-		29	3	1	5	1	-	10	4	3	1	2	-	1	-	-	-	-	-
-		665	187	13	13	9	-	202	4	1	-	2	3	1	2	10	17	65	65

Mean Population, 1861-71, and Deaths in Districts during the 10 Years

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	
		Year.					Years.								
566.—BRAMPTON.															
Mean Popul ⁿ , 1861-71		5403	138	131	141	127	141	678	655	656	549	436	641	548	491
TOTAL DEATHS		1052	193	46	30	22	16	307	36	22	30	39	73	68	71
Small-pox		3	1	-	-	-	-	1	1	-	-	-	-	-	-
Measles		23	5	10	6	2	2	25	-	-	-	-	-	-	-
Scarlatina		27	2	-	7	5	6	20	12	4	-	1	-	-	-
Diphtheria		17	1	2	-	3	1	7	8	-	1	-	1	-	-
Whooping-cough		13	8	5	-	-	-	13	-	-	-	-	-	-	-
Typhus		21	-	-	1	3	2	6	3	-	1	-	3	4	1
Diarrhoea & Dysentery		15	4	1	-	-	-	5	-	-	-	-	1	-	-
Cholera		1	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.		17	1	3	1	1	-	6	-	1	-	1	-	-	-
Cancer		18	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.		15	4	3	-	-	-	7	2	1	1	3	1	1	1
Phthisis		145	-	-	1	2	-	3	1	4	19	27	49	20	10
Hydrocephalus		11	4	2	2	-	1	9	1	1	-	-	-	-	-
Dis. of Brain		104	16	6	1	-	-	23	2	8	5	1	5	7	1
Dis. of Heart & Dropsy		82	3	-	-	1	-	5	-	2	-	-	1	4	1
Dis. of Lungs		93	17	6	5	2	-	30	2	-	1	1	2	4	1
Dis. of Stom. and Liver		69	15	-	-	-	-	15	2	-	3	-	2	5	1
Dis. of Kidneys		29	1	-	-	-	1	2	-	-	2	1	1	4	1
Dis. of Gen. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		11	-	-	-	-	-	-	1	3	-	1	1	-	-
Dis. of Skin		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		8	-	-	-	-	-	-	-	-	1	-	2	2	-
Other Violent Deaths		40	1	-	2	1	2	6	-	5	2	-	3	7	1
Other Causes		237	110	8	3	2	1	124	-	-	-	-	1	5	-
567.—LONGTOWN.															
Mean Popul ⁿ , 1861-71		4876	126	122	112	118	123	601	560	540	449	449	669	548	425
TOTAL DEATHS		900	202	48	23	15	8	293	37	30	26	29	51	50	46
Small-pox		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles		8	4	2	-	2	-	8	-	-	-	-	-	-	-
Scarlatina		18	-	1	1	5	2	7	6	3	1	1	-	-	-
Diphtheria		9	1	3	1	1	-	6	2	-	-	1	-	-	-
Whooping-cough		14	10	5	-	1	-	16	-	-	-	-	-	-	-
Typhus		10	-	-	1	1	-	3	2	-	1	-	-	2	1
Diarrhoea & Dysentery		24	12	-	1	1	-	14	-	-	-	-	1	-	1
Cholera		5	1	-	-	-	-	1	2	-	-	-	-	1	-
Other Zymotic Dis.		21	3	3	-	1	-	7	3	1	-	-	-	-	1
Cancer		13	-	-	-	-	1	1	-	-	-	-	1	1	-
Scrofula and Tuberc.		13	1	4	1	-	-	6	1	4	1	-	-	-	-
Phthisis		135	4	6	2	1	1	14	8	8	13	23	28	19	10
Hydrocephalus		9	3	2	-	-	2	7	2	-	-	-	-	-	-
Dis. of Brain		117	37	2	3	1	-	41	3	4	1	2	3	5	2
Dis. of Heart & Dropsy		47	1	-	-	-	-	1	-	2	1	-	1	4	2
Dis. of Lungs		83	10	6	4	-	2	23	3	1	4	1	1	5	7
Dis. of Stom. and Liver		50	6	2	1	-	-	9	-	1	2	-	3	4	5
Dis. of Kidneys		14	-	-	-	-	-	-	1	-	-	-	1	1	1
Dis. of Gen. Organs		1	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints		7	-	-	-	-	-	-	-	1	1	-	1	2	-
Dis. of Skin		8	2	-	-	-	-	2	-	-	-	-	-	-	2
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		7	-	-	-	-	-	-	-	-	-	-	2	1	3
Other Violent Deaths		37	1	1	2	-	-	4	3	5	-	1	5	3	5
Other Causes		238	105	11	5	3	-	121	1	-	1	-	2	2	3
568.—CARLISLE.															
Mean Popul ⁿ , 1861-71		21702	628	582	578	591	581	2960	2670	2337	2191	1778	3029	2386	1920
TOTAL DEATHS		5408	1328	374	188	137	85	2112	218	124	152	175	342	362	369
Small-pox		34	6	6	3	8	1	19	3	1	-	2	3	3	3
Measles		151	11	64	33	21	4	155	17	2	-	-	1	-	1
Scarlatina		191	18	22	27	26	17	110	64	12	3	-	1	-	-
Diphtheria		37	4	7	3	3	3	19	11	2	2	1	-	1	1
Whooping-cough		170	80	42	19	15	8	184	4	2	-	-	-	-	-
Typhus		178	1	1	7	8	6	23	21	15	20	8	19	21	17
Diarrhoea & Dysentery		221	116	37	6	1	2	162	2	1	1	3	6	3	7
Cholera		3	1	-	-	-	-	1	-	-	-	-	-	1	-
Other Zymotic Dis.		120	22	20	19	11	7	79	6	3	1	3	3	3	4
Cancer		77	-	-	-	-	1	1	-	-	2	-	1	7	16
Scrofula and Tuberc.		52	11	15	2	5	3	36	2	4	3	2	1	1	-
Phthisis		667	16	12	4	6	3	41	27	21	68	95	152	107	73
Hydrocephalus		85	18	11	9	7	7	52	24	7	1	1	-	1	2
Dis. of Brain		712	243	23	16	6	3	291	19	12	5	8	23	47	41
Dis. of Heart & Dropsy		384	4	2	-	-	-	6	5	9	9	11	32	41	56
Dis. of Lungs		651	162	65	22	10	8	270	18	3	9	4	21	37	39
Dis. of Stom. and Liver		203	42	5	6	1	2	56	5	8	1	3	19	20	36
Dis. of Kidneys		128	1	-	2	-	1	4	2	1	3	-	1	1	15
Dis. of Gen. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		25	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		8	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide		31	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths		234	11	6	3	11	7	38	15	10	6	1	2	2	6
Other Causes		1010	534	33	7	4	2	601	9	6	4	2	2	6	8

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
566.—BRAMPTON.																		
a Popul., 861-71	5334	131	114	142	130	125	642	611	625	510	475	702	567	468	362	242	113	17
L DEATHS	987	158	47	21	15	4	215	38	31	33	47	78	67	57	82	120	140	43
Box	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Inf	22	6	8	2	1	-	17	3	2	-	-	-	-	-	-	-	-	-
Inf	12	-	2	3	3	-	8	-	3	-	-	1	-	-	-	-	-	-
Inf	19	-	1	4	1	1	7	7	3	1	-	-	-	-	-	1	-	-
ing-cough	11	7	4	1	-	-	12	1	-	-	-	-	-	-	-	-	-	-
na & Dysentery	24	2	1	-	1	-	4	4	2	1	3	2	2	1	4	-	1	-
ymotic Dis.	18	9	-	-	1	-	10	-	-	-	-	1	3	-	-	5	8	-
and Tabes	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	6	4	-
cephalus	29	-	-	-	-	-	6	3	-	1	2	-	6	2	11	6	4	-
Brain	13	2	4	1	1	-	8	1	-	2	-	1	-	-	-	-	-	-
Heart & Dropsy	147	2	-	-	-	-	3	2	10	18	27	35	23	16	7	6	-	-
Lungs	8	3	3	-	1	-	7	1	-	-	-	-	-	-	-	-	-	-
Stom. and Liver	76	12	2	1	1	2	18	-	4	1	1	5	4	6	12	15	10	3
Kidneys	101	1	2	2	-	-	5	3	3	3	4	7	9	16	16	16	15	4
Gener. Organs	79	15	9	1	5	1	31	2	1	-	1	5	5	2	10	14	7	1
Joints	62	7	2	2	-	-	11	4	2	2	1	2	3	5	10	15	2	-
Skin	14	-	-	-	-	-	-	-	-	-	2	2	3	2	2	1	2	-
Orth and Metria	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Tolent Deaths	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes	16	-	-	-	-	-	-	-	-	-	-	7	3	-	-	-	-	-
	289	88	6	1	-	-	95	3	-	2	2	3	2	6	7	29	98	33
567.—LONGTOWN.																		
a Popul., 861-71	4492	122	112	124	131	100	589	550	485	417	360	596	475	386	307	205	103	19
L DEATHS	856	132	40	28	18	15	233	27	23	26	34	63	55	43	76	115	109	52
Box	5	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
Inf	5	1	3	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-
Inf	16	-	1	2	4	4	11	2	-	1	1	-	-	1	-	-	-	-
Inf	8	2	2	-	-	2	6	-	-	-	-	1	-	-	-	-	-	-
ing-cough	19	3	7	5	2	1	18	1	-	-	-	-	-	-	-	-	-	-
na & Dysentery	17	-	1	2	-	-	3	2	1	1	3	2	1	2	1	-	1	-
ymotic Dis.	18	5	2	1	1	1	10	-	1	-	-	-	1	2	1	4	-	-
and Tabes	5	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
cephalus	23	3	3	-	4	-	10	2	1	-	2	1	-	-	1	5	3	-
Brain	22	-	-	-	-	-	-	-	-	-	-	-	3	3	8	5	3	-
Heart & Dropsy	9	5	1	2	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Lungs	164	6	8	6	2	3	25	6	16	19	18	32	25	12	9	6	-	-
Stom. and Liver	4	-	1	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Kidneys	91	12	3	3	1	-	19	-	-	-	4	6	5	4	12	21	21	1
Gener. Organs	48	1	-	1	-	1	3	1	-	2	1	2	3	3	8	14	7	2
Joints	75	3	1	2	1	-	8	1	2	1	2	1	3	3	12	24	17	2
Skin	24	6	-	1	-	-	7	1	1	1	2	6	3	6	13	12	2	-
Orth and Metria	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Tolent Deaths	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-
Causes	5	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	228	84	6	3	-	-	93	5	-	-	-	-	-	2	9	13	55	49
568.—CARLISLE.																		
a Popul., 861-71	24021	689	524	615	569	548	2945	2668	2443	2386	2298	3493	2771	2164	1532	927	343	51
L DEATHS	5515	1141	385	239	148	94	1998	212	126	174	198	406	341	391	439	573	599	148
Box	45	8	6	3	3	4	24	7	2	2	1	3	4	1	1	-	-	-
Inf	157	28	45	49	18	10	139	15	2	-	-	-	4	1	-	-	-	-
Inf	291	19	21	26	31	21	118	61	17	2	4	-	2	-	-	-	-	-
Inf	51	4	12	6	7	2	31	10	5	-	-	2	1	1	-	1	-	-
ing-cough	210	85	59	27	18	15	294	6	-	-	-	-	-	-	-	-	-	-
na & Dysentery	198	2	4	5	8	-	24	19	22	19	16	28	13	18	15	29	4	-
ymotic Dis.	141	119	35	8	3	-	198	-	1	-	1	12	3	7	11	17	15	4
and Tabes	3	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
cephalus	116	15	29	14	11	6	69	8	2	2	-	3	6	6	7	9	6	1
Brain	165	-	-	-	-	-	-	-	1	1	1	9	21	45	34	38	14	1
Heart & Dropsy	61	9	12	8	5	3	37	5	2	3	5	4	3	1	1	-	-	-
Lungs	759	11	13	3	-	-	37	13	37	94	110	199	138	70	48	24	3	-
Stom. and Liver	83	28	19	14	6	6	71	14	4	3	-	1	-	-	-	-	-	-
Kidneys	622	211	35	13	4	2	263	16	7	6	10	19	32	52	66	79	72	11
Gener. Organs	417	2	3	1	2	1	9	4	7	11	11	40	33	74	87	110	65	10
Joints	622	128	60	29	17	8	237	11	5	7	8	13	15	43	89	106	79	16
Skin	214	23	3	2	4	1	53	2	3	5	7	13	18	23	37	36	23	-
Orth and Metria	69	2	-	1	1	-	4	2	3	-	3	13	21	13	13	13	13	-
Tolent Deaths	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1011	442	38	17	3	4	501	12	3	1	3	4	2	3	11	24	24	10

Causes of Death in the Ten Years 1861-70.—Males.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL Ages.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	
569.—WIGTON.															
Mean Popul ⁿ , 1861-71		11283	297	289	292	283	264	1425	1352	1313	1139	914	1415	1151	1016
TOTAL DEATHS		2815	463	198	67	44	47	747	101	64	66	85	158	122	143
Small-pox		4	1	-	-	1	-	2	-	-	1	-	-	-	1
Measles		17	3	5	1	1	5	15	2	-	-	-	-	-	1
Scarlatina		68	9	9	10	7	8	26	23	4	1	2	1	1	1
Diphtheria		19	2	3	2	-	2	9	3	4	1	-	-	-	-
Whooping-cough		47	20	15	5	4	1	45	2	-	-	-	-	-	-
Typhus		72	3	-	5	4	3	15	-	6	6	0	8	7	8
Diarrhoea & Dysentery		81	13	2	2	-	-	17	-	1	-	-	1	2	3
Cholera		4	2	-	1	1	-	3	-	-	-	-	-	-	-
Other Zymotic Dis.		67	10	9	7	7	5	28	7	2	1	1	2	1	4
Cancer		43	-	-	-	-	-	-	-	-	-	-	2	2	4
Scrophula and Tuberc.		27	6	4	1	3	2	16	1	1	1	1	5	1	4
Phthisis		208	6	4	1	1	5	12	6	17	42	50	76	47	24
Hydrocephalus		50	17	10	6	1	5	39	10	-	1	-	-	-	-
Dis. of Brain		122	22	3	3	3	3	34	6	3	1	1	13	7	15
Dis. of Heart & Dropsy		148	4	1	2	1	1	9	3	4	-	3	9	9	21
Dis. of Lungs		269	38	15	7	5	1	66	7	3	-	1	8	7	13
Dis. of Stom. and Liver		153	47	4	2	-	1	54	7	3	-	-	3	7	19
Dis. of Kidneys		26	-	1	-	1	-	2	-	-	-	1	3	5	4
Dis. of Genes. Organs		14	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		2	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		9	-	-	-	-	-	-	-	-	-	-	-	1	1
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Self-de		24	-	-	-	-	-	-	-	-	-	-	2	2	4
Other Violent Deaths		107	3	4	4	2	4	17	9	0	5	6	13	13	11
Other Causes		711	204	26	8	3	4	215	7	5	3	2	8	7	9
570.—COCKERMOUTH.															
Mean Popul ⁿ , 1861-71		21379	641	581	636	605	601	3064	2696	2364	2120	1838	2907	2295	1848
TOTAL DEATHS		5100	1250	302	183	145	116	2086	237	150	162	165	309	235	320
Small-pox		50	15	2	4	1	2	24	6	8	1	5	5	3	2
Measles		102	15	22	21	11	1	100	2	-	-	-	-	-	-
Scarlatina		271	15	41	38	26	28	188	73	20	6	2	1	1	1
Diphtheria		95	1	4	1	6	3	15	3	3	2	1	-	-	-
Whooping-cough		91	40	22	13	8	5	88	3	-	-	-	-	-	-
Typhus		236	6	6	8	9	11	49	25	15	24	12	37	19	18
Diarrhoea & Dysentery		270	141	50	9	4	1	205	5	1	1	-	-	-	-
Cholera		13	5	1	-	-	-	7	1	1	-	-	-	-	-
Other Zymotic Dis.		144	25	26	16	20	12	97	9	5	3	2	1	2	7
Cancer		49	-	-	-	-	-	1	-	-	-	-	2	4	8
Scrophula and Tuberc.		100	45	16	4	3	2	70	10	4	8	4	2	3	4
Phthisis		503	5	2	2	4	5	16	16	24	51	84	132	73	56
Hydrocephalus		125	44	22	9	8	7	100	23	2	-	-	-	-	-
Dis. of Brain		527	165	19	8	6	6	204	9	8	13	6	15	39	39
Dis. of Heart & Dropsy		810	7	1	1	1	1	11	5	5	9	3	13	18	37
Dis. of Lungs		645	134	45	18	4	8	204	10	6	10	5	13	31	26
Dis. of Stom. and Liver		258	36	12	4	3	-	55	7	9	5	4	13	24	37
Dis. of Kidneys		92	-	1	1	1	1	4	-	2	2	1	12	9	7
Dis. of Genes. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		27	1	-	-	-	-	1	8	2	-	2	4	2	1
Dis. of Skin		21	6	1	1	-	2	10	1	-	-	-	-	2	8
Childbirth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Self-de		21	-	-	-	-	-	-	-	-	-	-	1	9	3
Other Violent Deaths		299	13	4	7	8	5	37	12	35	22	27	48	36	31
Other Causes		1010	536	55	23	10	6	629	12	5	2	6	10	18	36
571.—WHITEHAVEN.															
Mean Popul ⁿ , 1861-71		21749	700	660	630	605	602	3197	2682	2333	2080	2143	3416	2328	1651
TOTAL DEATHS		5528	1387	491	228	142	129	2377	276	128	161	197	401	339	356
Small-pox		90	21	6	10	3	4	44	10	-	4	13	14	2	2
Measles		147	35	44	39	15	5	138	8	1	-	-	-	-	-
Scarlatina		236	12	34	35	29	29	139	71	16	4	1	3	-	-
Diphtheria		39	7	1	6	5	4	23	2	2	1	2	-	-	-
Whooping-cough		98	43	25	11	7	6	91	7	-	-	-	-	-	-
Typhus		847	5	8	8	10	15	46	35	22	28	34	60	34	37
Diarrhoea & Dysentery		185	81	52	4	3	3	145	3	3	1	2	2	2	5
Cholera		15	4	-	-	-	-	5	-	-	1	-	1	2	2
Other Zymotic Dis.		169	27	44	13	18	5	107	13	4	6	2	4	4	6
Cancer		51	-	-	-	-	-	-	-	2	-	-	-	6	14
Scrophula and Tuberc.		79	16	26	2	1	2	47	4	6	7	2	7	2	3
Phthisis		507	6	7	8	2	3	26	18	16	40	67	131	96	70
Hydrocephalus		133	45	29	16	9	7	108	20	3	-	1	-	-	-
Dis. of Brain		522	202	31	12	7	8	299	19	3	3	5	15	35	31
Dis. of Heart & Dropsy		301	9	2	3	1	3	18	12	8	8	8	17	24	36
Dis. of Lungs		786	219	104	29	15	12	379	18	5	5	7	24	35	37
Dis. of Stom. and Liver		291	35	6	1	1	3	44	1	1	2	2	19	19	37
Dis. of Kidneys		65	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Genes. Organs		1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints		23	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin		16	-	4	-	-	-	-	-	-	-	-	-	-	-
Birth and Metris		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Self-de		16	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths		395	11	7	9	6	6	8	41	16	20	25	45	36	30
Other Causes		1119	608	65	20	10	10	5	711	6	-	-	-	-	-

Causes of Death in the Ten Years 1861-70.—Females. 407

San Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX	AGE.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--

569.—WIGTON.																	
Population	11699	288	284	288	279	284	1423	1321	1237	1150	963	1551	1318	1102	822	533	241
Deaths	2351	418	92	72	39	25	646	92	85	90	110	159	123	155	223	251	312
-	6	3	-	-	1	-	4	-	1	-	-	1	-	-	1	-	-
-	16	4	2	5	-	-	11	3	1	1	-	-	-	-	-	-	-
-	72	3	7	9	10	4	33	22	9	2	1	3	2	-	-	-	-
-	23	1	2	4	4	2	13	2	3	2	-	-	1	-	-	-	-
-	56	22	8	15	5	3	53	3	-	-	-	-	-	-	-	-	-
-	61	2	-	5	1	2	10	2	9	5	9	6	4	4	5	4	3
-	26	1	2	-	-	-	9	-	-	-	1	2	2	2	2	3	4
-	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	56	8	6	7	3	3	27	9	5	-	2	1	-	1	3	2	-
-	64	-	-	-	1	-	1	-	-	-	-	2	7	16	17	12	9
-	32	9	6	-	1	-	16	4	2	1	2	2	7	16	17	12	9
-	994	3	2	2	-	-	7	9	34	58	65	86	49	45	31	10	-
-	50	16	8	7	4	2	37	8	3	2	-	-	-	-	-	-	-
-	185	27	8	2	4	2	43	9	2	2	6	10	5	11	27	34	32
-	167	-	1	-	-	-	1	1	5	4	2	8	13	36	42	35	17
-	183	31	18	6	2	-	57	4	2	1	5	10	8	11	30	24	26
-	116	34	3	1	-	3	41	2	1	4	4	4	9	7	22	12	10
-	12	-	-	-	-	-	-	-	-	1	-	5	3	-	3	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	6	-	-	-	-	-	-	1	1	-	3	-	1	-	2	1	-
-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1
-	22	-	-	-	-	-	-	-	-	1	6	8	7	-	-	-	-
-	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	31	4	1	-	2	1	8	3	-	4	1	2	1	4	3	1	3
-	756	243	18	9	1	3	274	10	8	2	1	8	9	13	33	107	203

570.—COCKERMOUTH.																	
Population	22540	674	609	637	568	541	3029	2687	2336	2100	1856	3102	2568	2030	1485	926	371
Deaths	5100	1018	382	188	125	97	1810	251	111	196	183	324	314	311	377	522	541
-	40	5	2	2	2	4	15	5	1	4	1	1	9	3	1	-	-
-	101	13	37	19	11	7	87	11	2	-	-	-	-	-	-	-	-
-	281	24	40	44	37	34	179	76	16	6	3	1	-	-	-	-	-
-	28	1	2	3	3	2	11	10	1	-	3	2	-	1	-	-	-
-	112	45	38	15	3	6	107	5	-	-	-	-	-	-	-	-	-
-	221	8	10	5	5	4	30	29	17	23	18	27	19	29	12	10	9
-	260	114	45	8	7	2	176	6	2	1	3	2	4	5	12	16	23
-	12	1	1	-	2	-	4	-	2	-	-	2	1	1	1	1	1
-	109	12	16	17	13	12	70	12	2	-	2	1	2	3	5	7	4
-	101	-	-	-	-	-	-	-	-	1	-	1	12	30	25	22	9
-	85	38	13	2	4	1	68	3	3	4	1	6	4	4	4	2	1
-	640	3	9	7	1	6	26	24	34	104	107	166	92	53	28	6	-
-	107	31	21	12	11	5	80	16	7	2	-	-	1	1	-	-	-
-	478	121	22	9	6	1	159	8	5	8	8	8	26	26	55	90	67
-	383	7	1	1	-	-	9	-	4	8	6	17	39	53	77	99	74
-	592	117	50	18	9	2	196	15	4	6	2	17	31	34	57	125	90
-	281	25	11	5	1	2	44	5	5	8	5	15	32	35	52	43	33
-	47	-	2	1	1	1	5	1	-	1	2	8	8	10	6	2	4
-	20	-	-	-	-	-	-	-	-	-	-	1	3	4	5	4	-
-	15	1	-	-	-	-	1	1	1	3	1	4	1	2	-	1	-
-	11	2	1	-	-	-	3	-	-	-	-	-	-	1	2	2	-
-	76	-	-	-	-	-	-	-	-	4	14	35	23	-	-	-	-
-	6	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-
-	74	12	7	5	1	3	28	10	2	3	2	1	2	5	5	4	11
-	1010	438	54	17	8	5	522	14	2	7	3	5	15	8	31	86	215

571.—WHITEHAVEN.																	
Population	22012	714	590	634	631	570	3139	2586	2183	2089	1975	3290	2423	1848	1329	789	316
Deaths	5401	1072	519	250	156	130	2127	275	140	167	218	385	301	302	419	516	432
-	72	18	11	4	6	6	45	7	2	1	5	8	3	-	1	-	-
-	136	23	46	27	14	11	123	11	1	-	-	1	-	-	-	-	-
-	235	14	39	35	35	36	169	70	14	2	5	4	1	-	-	-	-
-	40	2	5	3	7	3	20	12	4	1	-	1	-	2	-	-	-
-	128	57	35	20	6	5	138	5	-	-	-	-	-	-	-	-	-
-	306	3	9	13	15	17	57	42	30	25	32	50	31	37	30	21	10
-	180	80	41	4	3	1	129	3	1	1	2	3	9	3	7	15	7
-	14	-	-	-	-	-	-	3	2	-	-	1	-	3	4	1	1
-	134	11	32	23	11	9	85	11	2	2	4	5	3	4	5	10	2
-	67	-	-	-	-	-	-	-	-	-	-	4	11	18	19	9	6
-	80	20	29	7	5	4	65	5	2	-	2	1	1	2	1	1	2
-	638	8	16	8	4	3	39	17	42	87	103	176	95	49	25	3	2
-	118	40	22	19	6	7	94	16	6	1	-	-	1	-	-	-	-
-	478	157	23	9	5	1	175	10	5	5	7	17	15	40	64	85	45
-	520	7	1	2	3	6	19	7	7	12	9	15	31	57	71	82	43
-	734	133	104	57	15	8	302	21	5	3	7	29	27	45	91	169	87
-	215	18	9	7	5	1	40	10	5	7	9	15	15	23	35	23	15
-	50	3	-	2	2	1	8	-	2	-	2	2	1	2	4	2	2
-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	15	-	1	-	-	1	2	-	2	-	-	-	-	-	-	-	-
-	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	105	19	5	2	4	4	34	15	8	4	6	23	13	5	17	12	13
-	1122	469	91	29	9	6	604	8	6	4	7	4	13	17	12	48	118

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	
		572.—BOOTLE.														
Mean Popul ⁿ , 1861-71	3775	106	103	105	94	90	498	423	396	398	338	513	421	336	248	
TOTAL DEATHS -	709	129	37	14	9	9	198	24	15	20	37	49	44	40	59	
Small-pox -	4	-	-	-	-	2	2	-	-	-	1	-	-	1	-	
Measles -	21	4	7	2	2	1	16	1	1	1	-	-	1	-	-	
Scarlatina -	26	2	3	1	-	2	6	6	2	2	1	-	-	-	-	
Diphtheria -	10	-	1	3	-	-	4	2	1	-	2	1	-	-	-	
Whooping-cough -	13	6	5	1	1	-	13	-	-	-	-	-	-	-	-	
Typhus -	15	-	2	-	-	-	2	2	-	2	3	-	1	-	3	
Diarrhoea & Dysentery -	6	3	-	-	-	-	3	1	-	-	-	-	-	-	-	
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Other Zymotic Dis. -	23	5	2	2	-	1	10	2	-	1	1	1	-	-	-	
Cancer -	9	-	-	-	-	-	-	-	-	-	-	1	1	-	3	
Scrofula and Tubercles -	12	2	1	2	-	1	6	3	-	-	-	2	-	1	-	
Phthisis -	69	1	2	1	1	-	5	2	2	6	13	16	6	-	5	
Hydrocephalus -	13	7	2	1	-	-	10	2	1	-	-	-	-	-	-	
Dis. of Brain -	46	13	4	-	2	-	19	-	-	1	1	1	2	4	2	
Dis. of Heart & Dropsy -	40	-	-	-	-	-	-	-	-	-	-	1	2	6	9	
Dis. of Lungs -	70	10	5	-	1	-	16	1	-	1	2	2	4	5	8	
Dis. of Stom. and Liver -	34	5	1	1	-	-	7	1	-	3	1	3	3	5	4	
Dis. of Kidneys -	19	-	-	-	-	-	-	-	-	1	-	-	-	1	4	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints -	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	
Dis. of Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths -	81	1	2	-	1	1	5	-	7	7	11	17	19	6	8	
Other Causes -	193	70	2	-	1	1	74	2	-	7	3	1	2	5	2	

573.—EAST WARD.																
Mean Popul ⁿ , 1861-71	8690	214	186	194	193	188	975	902	785	753	819	1379	1097	892	591	
TOTAL DEATHS -	1344	235	38	23	34	10	340	47	27	43	43	88	80	101	117	
Small-pox - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
Measles - - -	14	2	1	5	1	1	10	2	-	1	1	1	-	-	1	
Scarlatina - -	17	-	2	1	3	2	8	7	2	-	-	-	-	-	-	
Diphtheria - -	14	1	-	1	3	-	5	7	-	-	1	1	-	-	-	
Whooping-cough -	10	7	2	1	-	-	10	-	-	-	-	-	-	-	-	
Typhus - - -	35	1	-	-	2	1	4	1	2	2	5	5	4	6	4	
Diarrhoea & Dysentery	22	8	4	1	-	-	13	-	-	-	-	-	-	-	2	
Cholera - - -	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-	
Other Zymotic Dis.	37	6	5	2	4	1	18	4	1	3	-	1	-	2	5	
Cancer - - -	20	-	-	-	-	-	-	-	-	-	-	1	2	5	6	
Scrofula and Tuberc	15	-	-	-	2	-	2	5	1	2	-	2	1	-	2	
Phthisis - - -	178	-	2	5	5	2	5	4	8	21	25	42	31	21	15	
Hydrocephalus - -	20	2	3	1	5	2	11	7	1	-	-	1	-	-	-	
Dis. of Brain - -	126	56	5	2	5	1	69	2	2	3	2	4	5	9	12	
Dis. of Heart & Dropsy	101	2	-	1	-	-	3	-	1	-	2	2	6	16	16	
Dis. of Lungs - -	164	39	8	4	6	1	54	3	3	4	4	8	10	9	18	
Dis. of Stom. and Liver	73	4	-	-	-	-	4	-	-	-	2	5	4	23	11	
Dis. of Kidneys - -	18	1	-	-	-	-	1	-	-	-	1	1	2	-	2	
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - -	5	-	-	-	-	-	-	-	2	-	-	2	1	-	-	
Dis. of Skin - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	9	-	-	-	-	-	-	-	-	-	-	-	1	4	2	
Other Violent Deaths -	61	1	1	2	2	1	7	3	4	7	5	10	10	6	5	
Other Causes - - -	563	103	5	-	-	-	110	2	-	-	-	1	2	3	20	

574.—WEST WARD.																
Mean Popul ⁿ , 1861-71	4175	131	103	113	101	106	554	487	443	389	347	511	444	393	318	
TOTAL DEATHS -	764	150	31	11	15	8	215	20	21	16	25	38	40	62	86	
Small-pox	4	-	-	-	-	1	1	-	-	-	-	-	1	2	-	
Measles	6	3	2	1	-	-	6	-	-	-	-	-	-	-	-	
Scarlatina	14	1	2	-	4	2	9	5	-	-	-	-	-	-	-	
Diphtheria	10	1	1	1	3	-	6	3	1	-	-	-	-	-	-	
Whooping-cough	12	8	2	1	-	-	11	1	-	-	-	-	-	-	-	
Typhus	11	-	-	-	-	-	-	-	2	1	3	-	1	1	2	
Diarrhoea & Dysentery	8	4	1	-	-	-	5	-	-	-	-	-	-	-	3	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	15	5	3	3	-	1	12	-	-	1	-	-	-	-	2	
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	1	-	5	
Scrofula and Tuberc	8	3	1	1	-	-	5	-	1	1	-	-	1	-	-	
Phthisis	89	-	3	-	-	-	8	2	4	8	13	20	12	14	11	
Hydrocephalus	7	1	3	-	2	-	6	-	1	-	-	-	-	-	-	
Dis. of Brain	76	21	-	1	3	-	28	2	2	-	-	4	5	7	7	
Dis. of Heart & Dropsy	64	1	-	-	-	-	1	1	2	1	1	-	2	7	18	
Dis. of Lungs	91	17	6	1	1	4	29	2	1	-	2	2	6	9	9	
Dis. of Stom. and Liver	26	7	1	-	1	-	9	-	1	1	4	4	4	8	11	
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	-	-	1	1	5	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	
and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Deaths -	42	2	3	-	1	-	6	3	2	2	-	1	-	-	-	
-	211	72	3	-	2	-	77	1	-	2	-	-	-	-	-	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80-
572.—BOOTLE.																		
Popul ⁿ . } 51-71	3427	1107	103	97	90	87	484	431	373	335	291	458	350	288	219	132	56	10
DEATHS -	598	106	39	10	13	7	166	26	13	31	29	50	40	37	37	65	78	20
x - - -	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
a - - -	6	-	4	1	-	-	5	-	-	1	-	-	-	-	-	-	-	-
la - - -	13	2	1	-	4	-	7	2	1	-	-	1	-	1	-	-	-	-
g-cough	10	-	1	1	1	2	5	2	3	-	-	-	-	-	-	-	-	-
d & Dysentery	14	8	1	2	2	-	13	1	-	-	-	-	-	-	-	-	-	-
motie Dis.	18	-	-	1	1	-	2	3	2	2	1	5	2	1	-	-	-	-
and Tabes	4	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-
halus -	17	5	2	1	2	-	10	1	-	-	-	-	-	-	1	-	3	2
and Tabes	11	-	-	-	-	-	-	-	-	-	-	1	2	2	4	2	-	-
halus -	11	5	1	-	1	-	7	-	1	-	-	1	1	1	1	2	-	-
rain	123	23	2	1	-	-	26	9	5	22	16	29	22	9	6	2	-	-
art & Dropsy	8	3	4	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-
ings -	42	6	-	-	-	-	6	2	-	-	1	1	5	6	5	4	11	1
om. and Liver	47	1	-	-	1	1	3	-	-	2	4	6	6	10	6	10	6	-
idneys -	45	11	6	1	1	1	20	3	-	-	1	-	1	2	4	6	8	-
ner. Organs	16	1	-	1	-	1	3	-	-	2	-	1	2	3	3	1	1	-
inta -	4	-	1	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-
in -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
h and Metria	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 -	8	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	-	-
ent Deaths	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
ases -	5	1	-	1	-	-	2	-	-	-	-	-	-	-	1	1	3	-
	187	62	7	-	-	-	69	1	-	2	2	-	2	-	5	33	54	19

573.—EAST WARD.																							
Popul ⁿ . } 51-71	7483	217	201	190	203	191	1002	858	766	661	627	1076	839	642	523	325	146	28					
DEATHS -	1279	218	48	18	21	19	324	41	27	48	54	89	92	70	114	170	105	53					
x - - -	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-					
a - - -	10	3	2	1	-	1	7	2	-	1	-	-	-	-	-	-	-	-					
la - - -	21	3	1	4	-	3	11	8	1	-	-	-	1	-	-	-	-	-					
g-cough -	19	1	2	1	-	3	7	4	6	1	-	-	1	-	-	-	-	-					
d & Dysentery -	17	12	2	1	2	-	17	-	2	3	5	7	5	3	-	-	-	-					
motie Dis. -	29	-	-	-	1	1	2	-	2	-	-	-	-	-	-	-	-	-					
and Tabes -	9	3	-	-	-	-	3	1	-	1	-	1	1	-	-	-	-	-					
halus -	40	5	1	1	5	2	14	5	2	1	1	1	4	-	3	7	3	-					
halus -	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
and Tabes -	16	-	-	-	-	-	-	-	2	3	2	4	4	4	10	6	3	1					
halus -	167	1	1	1	-	1	4	4	8	19	26	46	32	13	10	4	-	-					
halus -	11	1	-	2	-	1	4	4	1	1	1	-	-	1	-	-	-	-					
halus -	135	42	5	1	2	2	52	1	1	6	3	2	8	8	15	21	16	2					
art & Dropsy -	145	4	1	-	1	1	6	2	2	5	2	8	11	14	32	39	25	-					
ings -	133	32	16	4	3	1	56	3	1	-	3	3	8	6	16	23	13	1					
om. and Liver -	58	5	1	1	2	1	10	-	-	6	3	3	5	8	9	9	5	-					
idneys -	5	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-	-					
ner. Organs -	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-					
inta -	4	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-					
in -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
and Metria -	15	-	-	-	-	-	-	-	-	1	3	5	6	-	-	-	-	-					
2 -	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-					
ent Deaths -	22	3	2	-	3	1	9	4	1	-	-	1	1	-	-	4	3	-					
ases -	786	163	13	1	3	1	121	-	-	2	4	4	4	6	17	54	123	49					

574.—WEST WARD.																							
Popul ⁿ . } 51-71	3985	114	94	98	108	105	519	468	433	382	302	529	453	358	279	177	76	9					
DEATHS -	729	131	25	12	9	17	194	15	9	21	41	50	61	38	62	97	104	37					
x - - -	6	-	2	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-					
a - - -	13	2	2	1	3	-	10	3	-	-	1	-	1	-	-	-	-	-					
la - - -	16	-	3	4	1	6	14	1	-	1	-	-	-	-	-	-	-	-					
g-cough -	19	10	4	2	2	-	18	1	-	-	-	-	-	-	-	-	-	-					
d & Dysentery -	15	-	-	-	-	-	4	-	2	-	4	3	1	-	-	-	-	-					
motie Dis. -	7	4	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-					
and Tabes -	18	-	1	-	-	2	-	-	3	-	1	-	2	2	3	3	-	-					
halus -	18	-	-	-	-	-	-	1	-	1	1	1	1	1	4	8	1	1					
halus -	6	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-					
halus -	86	-	-	-	1	-	1	1	1	10	18	20	16	7	1	1	-	-					
halus -	11	3	6	-	-	-	9	1	-	-	1	-	-	-	-	-	-	-					
halus -	57	17	1	1	-	2	21	1	-	-	1	2	5	2	6	5	12	2					
art & Dropsy -	64	1	1	-	-	-	2	-	-	-	3	2	8	5	8	22	12	2					
ings -	42	19	1	-	3	2	21	2	-	4	2	2	4	6	12	15	17	3					
om. and Liver -	44	4	3	2	-	-	9	1	1	1	-	-	-	-	5	10	1	-					
idneys -	13	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-					
ner. Organs -	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-					
inta -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
in -	4	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-					
and Metria -	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
3 -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
ent Deaths -	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
ases -	201	63	1	1	-	1	60	1	1	1	1	2	1	1	3	15	25	10					

Mean Population, 1861-71, and Deaths in Districts during the 20 Years 1871-90

CAUSES OF DEATH.	ALL Ages.	Total under 1 Year.	AGES OF MALES.														
			1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-
575.—KENDAL.																	
Mean Popul ⁿ , 1861-71	19046	569	506	535	503	514	2627	2357	2238	1916	1533	2432	2013	1675	1334		
TOTAL DEATHS -	3588	794	205	95	80	60	1194	136	89	111	128	215	211	202	245		
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	69	10	24	7	3	2	43	9	1	-	-	1	-	-	-	-	-
Scarlatina -	129	10	15	17	25	15	81	26	2	1	3	2	-	1	-	-	-
Diphtheria -	12	4	2	-	-	2	10	1	-	-	1	-	-	-	-	-	-
Whooping-cough -	44	29	8	5	1	-	45	1	-	-	-	-	-	-	-	-	-
Typhus -	65	1	2	4	2	2	13	5	7	15	8	7	1	6	5	2	2
Diarrhoea & Dysentery -	69	26	6	1	-	-	43	2	-	1	-	1	1	2	2	2	2
Cholera -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	90	12	15	7	16	8	58	11	2	2	1	2	1	4	3	3	3
Cancer -	29	-	-	-	-	-	28	9	3	-	1	2	2	4	6	29	29
Scrofula and Tubes -	65	17	11	2	3	3	58	9	2	2	2	2	3	3	1	4	4
Phthisis -	464	9	4	2	1	-	16	7	17	50	16	16	16	21	47	2	2
Hydrocephalus -	169	25	22	11	5	11	65	16	5	1	1	-	-	-	-	-	-
Dis. of Brain -	329	227	23	12	6	2	279	7	5	4	6	14	10	22	41	3	3
Dis. of Heart & Dropsy -	229	1	1	1	1	1	4	4	4	3	5	14	14	21	31	1	1
Dis. of Lungs -	225	95	42	11	6	4	169	9	9	6	5	15	15	26	26	26	26
Dis. of Stom. and Liver -	194	12	2	1	-	1	16	3	3	7	5	13	29	49	34	3	3
Dis. of Kidneys -	97	-	-	-	-	-	5	3	1	2	2	3	9	6	14	1	1
Dis. of Genes. Organs -	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	27	1	-	-	1	-	4	-	-	1	-	4	1	2	2	2	2
Dis. of Skin -	6	3	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	21	-	-	-	-	-	-	-	-	-	-	1	-	5	9	9	9
Other Violent Deaths -	141	7	3	6	4	4	24	6	6	13	12	13	12	17	14	14	14
Other Causes -	649	244	25	6	3	4	281	19	3	5	5	6	12	20	36	36	36
576.—CHEPSTOW.																	
Mean Popul ⁿ , 1861-71	9111	242	216	270	237	238	1203	1098	980	849	693	1143	1022	890	648		
TOTAL DEATHS -	1785	364	103	53	52	21	594	86	35	45	62	95	102	129	165		
Small-pox -	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
Measles -	11	1	7	3	-	-	11	-	-	-	-	-	-	-	-	-	-
Scarlatina -	65	6	5	9	14	2	38	22	2	-	1	1	-	-	-	-	-
Diphtheria -	15	-	5	1	1	2	7	5	2	1	-	-	-	-	-	-	-
Whooping-cough -	35	18	10	4	3	-	25	-	-	-	-	-	-	-	-	-	-
Typhus -	72	1	2	1	4	4	12	11	3	4	5	1	1	2	5	7	7
Diarrhoea & Dysentery -	16	9	-	-	-	-	9	-	-	-	-	1	1	1	2	1	1
Cholera -	3	1	-	-	-	-	1	-	-	-	-	1	1	1	3	3	3
Other Zymotic Dis. -	41	6	7	7	4	1	23	6	1	4	-	-	-	1	5	2	2
Cancer -	25	-	-	-	2	-	2	2	-	-	-	-	-	2	5	3	3
Scrofula and Tubes -	25	3	-	3	-	2	8	4	4	2	5	5	1	2	5	1	1
Phthisis -	171	3	-	-	-	2	8	2	9	16	25	34	31	27	29	-	-
Hydrocephalus -	53	8	11	7	2	1	29	3	1	-	-	-	-	-	-	-	-
Dis. of Brain -	354	107	14	2	7	1	131	10	3	1	4	10	6	9	18	3	3
Dis. of Heart & Dropsy -	142	5	1	1	-	1	5	1	1	2	3	9	13	11	29	1	1
Dis. of Lungs -	223	48	18	6	4	2	68	7	1	1	3	9	9	17	28	2	2
Dis. of Stom. and Liver -	86	12	2	1	-	1	16	1	1	1	3	3	9	14	14	1	1
Dis. of Kidneys -	40	-	-	-	-	-	-	-	1	1	-	3	5	6	6	6	6
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints -	5	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	1
Dis. of Skin -	7	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	6	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	3
Other Violent Deaths -	123	8	8	4	6	2	23	8	9	10	10	14	16	11	12	12	12
Other Causes -	896	136	19	4	4	5	166	3	2	1	1	2	7	8	16	16	16
577.—MONMOUTH.																	
Mean Popul ⁿ , 1861-71	15619	460	411	453	393	421	2138	1907	1747	1529	1249	2002	1716	1456	990		
TOTAL DEATHS -	3081	687	205	104	40	63	1108	146	74	71	92	140	193	207	260		
Small-pox -	25	5	-	1	3	1	9	3	1	-	-	3	1	2	-	-	-
Measles -	76	15	21	15	5	5	80	12	2	-	4	1	3	1	-	-	-
Scarlatina -	125	11	21	15	8	22	77	38	9	1	1	-	-	-	-	-	-
Diphtheria -	23	-	4	2	-	-	8	7	4	1	2	-	-	-	-	-	-
Whooping-cough -	45	26	8	5	1	1	41	1	1	-	-	-	-	-	-	-	-
Typhus -	78	2	3	2	2	6	15	10	9	6	6	6	11	9	-	-	-
Diarrhoea & Dysentery -	59	28	6	-	1	-	29	-	1	-	-	2	1	-	-	-	-
Cholera -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	81	9	7	6	8	4	34	9	1	3	4	2	6	6	-	-	-
Cancer -	41	-	-	1	-	-	1	1	-	-	-	-	4	8	-	-	-
Scrofula and Tubes -	45	17	8	3	1	-	29	1	4	-	2	4	3	3	-	-	-
Phthisis -	264	8	6	2	-	1	19	6	8	23	40	51	51	40	-	-	-
Hydrocephalus -	33	13	10	6	-	-	29	3	3	-	-	-	-	-	-	-	-
Dis. of Brain -	426	215	23	14	1	2	255	15	1	8	6	10	12	21	3	3	3
Dis. of Heart & Dropsy -	191	6	-	-	-	-	7	1	-	6	3	13	18	19	4	4	4
Dis. of Lungs -	277	142	69	15	10	8	254	13	6	9	6	7	32	43	6	6	6
Dis. of Stom. and Liver -	152	10	3	3	2	-	28	3	3	2	4	9	17	24	5	5	5
Dis. of Kidneys -	37	-	-	-	-	-	-	-	2	2	-	4	4	2	-	-	-
Dis. of Genes. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	8	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-
Dis. of Skin -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	163	3	5	10	2	3	28	16	5	1	-	2	2	17	11	11	11
Other Causes -	690	178	18	4	6	4	210	20	3	1	-	3	6	11	11	11	11

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX CAUSE.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--
575.—KENDAL.																		
popul ⁿ , -71	19659	555	522	504	496	463	2539	2338	2211	1982	1714	2686	2087	1688	1256	784	316	58
EATHS -	8585	596	292	101	53	52	1006	140	104	133	130	239	283	243	301	435	433	138
-	1	-	-	-	-	-	39	4	-	1	-	-	-	-	-	-	-	-
-	44	13	13	7	4	2	71	31	11	5	4	2	2	-	-	-	-	-
-	125	13	17	16	15	10	71	31	11	5	4	2	2	-	-	-	-	-
-	29	1	2	1	3	2	9	10	8	1	-	1	-	-	-	-	-	-
ough -	49	25	11	8	-	1	45	4	-	-	-	-	-	-	-	-	-	-
Dysentery -	82	-	2	4	-	1	7	9	10	16	8	7	15	3	5	2	-	-
-	69	24	6	1	2	1	34	-	1	-	3	2	2	-	4	4	8	2
tic Dis. -	107	13	7	8	3	7	38	13	-	3	-	4	3	4	4	17	15	6
-	74	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
l Tabes -	66	20	10	4	1	1	35	4	-	6	1	2	7	20	11	21	10	1
us -	502	3	4	5	1	1	19	11	28	70	71	144	110	64	32	12	1	-
-	85	25	26	9	6	6	72	9	4	-	-	-	-	-	-	-	-	-
l -	493	152	30	10	8	6	208	14	3	4	6	16	22	31	47	83	52	9
t & Dropsy -	264	4	-	-	-	2	6	2	8	5	2	12	27	31	65	79	82	4
and Liver -	441	82	36	18	4	2	142	13	6	8	2	8	15	31	39	78	82	17
-	204	11	2	1	-	1	15	3	4	8	10	15	22	29	40	59	18	1
neys -	44	-	-	1	1	-	2	-	2	-	3	-	13	7	10	4	3	-
r. Organs -	17	-	-	-	-	-	-	-	1	1	2	1	2	3	5	2	-	-
ls -	25	1	1	-	1	-	3	-	3	3	1	4	2	2	3	4	-	-
-	6	1	-	-	-	-	1	-	-	-	-	2	-	1	-	1	1	-
nd Metria -	44	-	-	-	-	-	-	-	-	-	10	14	20	-	-	-	-	-
-	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-
st Deaths -	53	4	7	3	3	3	20	6	2	2	1	2	2	6	2	3	5	1
-	705	198	23	5	3	6	240	7	7	5	2	1	9	9	39	84	206	97

576.—CHEPSTOW.																		
popul ⁿ , -71	9029	263	232	252	228	219	1194	1053	975	831	739	1170	1025	838	614	391	170	29
EATHS -	1660	287	90	47	34	27	485	71	39	50	64	106	100	91	123	200	249	82
-	4	1	-	-	-	1	3	-	-	-	1	-	-	1	-	-	-	-
-	17	2	4	6	1	1	13	3	-	-	-	-	-	-	-	-	-	-
-	42	3	3	6	5	9	23	14	1	-	-	1	-	-	-	-	-	-
-	19	5	1	1	3	2	12	4	1	-	-	2	-	-	-	-	-	-
ough -	33	14	11	3	4	-	32	1	-	-	-	-	-	-	-	-	-	-
Dysentery -	67	3	4	2	1	1	19	9	7	7	2	5	4	4	1	3	2	-
-	16	7	1	1	1	-	10	-	-	1	1	1	-	1	2	-	-	-
tie Dis. -	48	11	6	6	4	4	31	4	-	1	1	-	1	3	-	3	4	-
-	41	1	-	-	-	-	1	-	-	-	-	-	4	7	8	13	7	1
l Tabes -	17	3	3	2	2	1	11	1	2	-	2	-	-	1	1	-	-	-
us -	209	-	3	1	-	1	5	5	8	23	40	56	33	13	14	8	1	-
-	7	2	1	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-
a -	218	77	11	4	-	3	95	5	3	3	2	7	4	10	12	31	32	8
t & Dropsy -	137	5	2	-	2	-	9	3	4	4	2	8	8	14	22	33	29	1
and Liver -	150	25	18	7	2	-	52	5	1	-	2	4	7	8	20	31	19	1
-	85	4	1	1	2	-	8	2	1	1	4	3	12	9	22	6	16	1
neys -	20	1	-	-	-	-	1	-	2	2	1	1	5	1	3	3	1	-
r. Organs -	7	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-
ls -	6	3	-	-	-	-	3	-	1	1	1	1	1	1	1	2	1	-
-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nd Metria -	58	-	-	-	-	-	-	-	-	1	3	13	10	1	-	-	-	-
-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
st Deaths -	49	2	4	2	4	2	14	8	5	2	-	1	1	3	1	6	1	1
-	448	121	18	3	2	3	147	5	2	-	1	3	8	7	15	53	137	68

577.—MONMOUTH.																		
popul ⁿ , -71	15302	451	429	422	411	403	2116	1902	1715	1371	1214	1993	1698	1381	953	611	275	73
EATHS -	3035	622	187	91	87	58	1045	154	74	98	85	195	186	173	232	297	333	163
-	16	7	1	1	1	-	10	1	1	1	1	1	-	1	-	-	-	-
-	64	10	20	8	6	7	51	9	4	-	-	-	-	-	-	-	-	-
-	137	6	14	23	19	18	80	40	11	3	2	1	-	-	-	-	-	-
-	33	1	3	2	6	2	14	15	2	1	-	-	-	-	1	-	-	-
ough -	55	28	15	5	4	-	52	3	-	-	-	-	-	-	-	-	-	-
Dysentery -	103	3	6	4	5	7	23	16	17	6	6	6	6	6	6	9	3	-
-	66	22	4	2	2	1	51	-	-	-	1	1	2	4	4	6	12	5
tie Dis. -	64	6	5	6	6	7	30	3	4	2	-	-	5	3	4	7	3	3
-	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
l Tabes -	46	13	7	-	2	4	26	5	2	-	2	8	8	24	26	5	7	-
us -	559	6	8	1	1	-	16	9	10	52	43	19	61	32	27	9	-	-
-	21	7	5	2	1	3	18	5	-	-	-	1	-	-	-	-	-	-
a -	373	170	25	6	7	2	210	7	2	5	4	9	10	16	23	35	41	11
t & Dropsy -	228	5	-	-	1	2	8	4	5	3	2	14	21	21	46	62	37	3
and Liver -	405	120	56	29	13	6	215	18	6	6	4	15	16	25	42	67	41	11
-	123	21	4	2	2	1	30	3	2	3	2	11	19	16	17	16	6	-
neys -	27	-	-	-	-	-	-	-	1	1	1	-	-	4	5	4	2	-
r. Organs -	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-
-	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	10	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
d Metria -	56	-	-	-	-	-	-	-	-	-	-	-	25	1	2	-	-	-
-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths -	50	4	8	2	5	1	15	7	4	7	5	1	2	-	4	1	6	5
-	637	193	11	5	4	1	213	7	2	2	5	3	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 5 Years.														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15

578 a.—ABERGAVENTNY.																
Mean Popul ⁿ , 1861-71	10846	304	252	261	266	275	1358	1194	1092	1025	1010	1578	1243	1019	71	
TOTAL DEATHS -	2601	550	185	97	58	41	940	81	58	60	80	158	213	212	21	
Small-pox	6	1	-	-	-	-	1	-	-	1	-	2	-	-	-	
Measles	98	18	40	18	8	6	87	7	8	-	1	-	-	-	-	
Scarlatina	100	8	21	22	15	10	71	25	5	-	-	1	-	-	-	
Diphtheria	11	-	2	1	-	2	5	9	1	8	1	-	-	-	-	
Whooping-cough	37	22	4	7	2	-	83	9	-	-	-	-	-	-	-	
Typhus	80	5	4	6	2	8	23	11	6	7	8	3	6	6	1	
Diarrhoea & Dysentery	20	11	1	3	1	-	19	1	-	-	-	-	-	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	71	9	2	5	1	2	19	1	8	1	4	4	7	7	1	
Cancer	25	-	-	-	-	-	-	-	-	-	-	1	2	2	3	
Scrophula and Tuberc.	25	5	6	2	2	-	15	1	8	1	2	1	2	2	1	
Phtisis	213	8	5	1	-	1	8	8	9	21	28	48	51	26	3	
Hydrocephalus	37	17	10	1	1	5	32	5	-	-	-	-	-	-	-	
Dis. of Brain	427	125	14	4	1	-	144	28	2	4	7	30	37	36	4	
Dis. of Heart & Dropsy	124	1	-	-	-	-	2	1	2	1	4	9	9	23	1	
Dis. of Lungs	425	121	25	17	17	9	213	69	4	3	7	14	26	32	3	
Dis. of Stom. and Liver	308	7	1	3	2	2	15	4	3	3	2	5	16	17	1	
Dis. of Kidneys	29	-	1	-	-	-	1	-	-	-	-	1	5	6	1	
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	6	-	-	-	-	-	-	-	-	-	1	-	3	1	-	
Dis. of Skin	9	3	2	-	-	-	5	-	1	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	
Violent Deaths	143	3	1	2	2	2	10	8	14	13	13	27	13	16	1	
Other Causes	471	202	18	7	4	3	233	3	1	-	1	5	17	18	1	

578 b.—BEDWELTY.																
Mean Popul ⁿ , 1861-71	26796	840	687	734	668	716	3645	2981	2642	2804	2874	4295	3130	2273	14	
TOTAL DEATHS -	6476	1503	605	318	208	132	2040	343	234	251	281	408	372	408	4	
Small-pox	67	14	5	3	5	2	33	6	1	3	5	12	7	-	-	
Measles	158	24	50	22	18	14	144	11	-	-	-	1	-	-	-	
Scarlatina	269	24	69	53	69	43	248	10	20	3	1	-	-	-	-	
Diphtheria	16	2	3	1	1	-	7	4	1	1	2	2	1	-	-	
Whooping-cough	163	65	47	20	11	5	162	10	-	-	-	-	-	-	-	
Typhus	294	9	18	18	18	13	74	27	28	34	41	37	37	28	7	
Diarrhoea & Dysentery	177	73	34	12	5	1	125	2	1	1	1	4	-	-	-	
Cholera	76	2	1	-	-	3	6	5	3	3	10	19	3	13	-	
Other Zymotic Dis.	110	8	20	12	12	6	64	13	2	3	4	3	5	5	-	
Cancer	40	-	-	-	1	-	1	-	-	1	-	3	2	15	-	
Scrophula and Tuberc.	277	81	81	24	13	2	293	18	11	14	9	10	4	-	-	
Phtisis	256	10	13	11	3	3	40	15	35	74	90	100	64	25	-	
Hydrocephalus	110	45	34	17	6	-	102	6	1	1	-	-	-	-	-	
Dis. of Brain	298	408	67	23	9	10	379	18	9	6	9	24	17	28	-	
Dis. of Heart & Dropsy	221	7	5	-	3	1	16	4	1	6	7	18	34	36	-	
Dis. of Lungs	1215	271	153	65	29	16	524	33	10	8	11	38	69	83	-	
Dis. of Stom. and Liver	207	21	3	3	4	1	32	12	6	7	4	18	24	26	-	
Dis. of Kidneys	74	-	2	1	-	-	3	3	3	1	2	6	7	16	-	
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	22	-	1	-	-	-	1	1	2	5	3	-	-	3	-	
Dis. of Skin	13	7	-	-	-	-	7	-	-	-	-	-	1	1	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	670	14	9	8	9	10	52	26	94	79	73	97	84	73	-	
Other Causes	766	442	68	13	2	2	527	3	2	2	5	6	9	7	-	

579.—PONTYPOOL.																
Mean Popul ⁿ , 1861-71	16585	488	426	463	440	451	2268	2025	1843	1642	1496	2314	1891	1456		
TOTAL DEATHS -	3903	927	364	210	112	71	1684	176	116	111	164	225	231	239		
Small-pox	69	8	5	4	1	2	29	6	1	6	9	10	4	3		
Measles	83	8	20	13	10	5	72	4	2	-	1	1	-	-		
Scarlatina	205	16	22	40	27	20	134	60	8	1	1	1	-	-		
Diphtheria	13	-	4	2	2	1	9	4	-	-	-	-	-	-		
Whooping-cough	91	38	10	4	3	-	90	1	-	-	-	-	-	-		
Typhus	194	4	9	12	4	-	45	24	18	18	23	18	15	13		
Diarrhoea & Dysentery	82	22	16	2	3	1	67	1	1	1	-	3	2	1		
Cholera	17	2	1	-	-	-	3	5	2	1	1	-	1	2		
Other Zymotic Dis.	74	5	7	11	8	5	36	2	6	1	-	6	7	2		
Cancer	40	-	-	-	-	-	-	-	-	-	-	1	3	6		
Scrophula and Tuberc.	65	10	11	7	3	2	53	5	10	6	2	2	2	4		
Phtisis	291	3	4	3	2	1	13	4	7	32	60	69	60	29		
Hydrocephalus	32	14	14	9	3	1	41	8	3	-	-	-	-	-		
Dis. of Brain	613	341	64	37	11	1	458	9	9	3	8	18	17	20		
Dis. of Heart & Dropsy	174	5	1	-	-	-	6	1	2	5	6	12	23	23		
Dis. of Lungs	732	145	83	21	15	6	370	14	5	4	6	24	35	61		
Dis. of Stom. and Liver	138	19	3	5	1	2	50	5	2	5	5	10	13	21		
Dis. of Kidneys	49	1	-	-	-	-	2	1	1	1	1	2	4	3		
Dis. of Gen. Organs	9	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin	9	3	-	-	-	-	8	-	-	-	-	-	-	-		
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths	277	1	7	9	3	6	26	10	3	3	23	29	24	24		
Other Causes	502	272	35	21	7	1	354	8	6	-	-	10	10	10		

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX.	AGE.	AGES OF FEMALES.																	Total under 5 Years.	Total under 1 Year.					
		1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
578 a.—ABERGAVENNY.																									
popul ⁿ , 71	10349	308	273	265	270	281	1397	1158	1047	990	914	1495	1158	933	664	396	163	34							
EATHS	2292	480	163	80	56	36	815	96	45	57	73	162	160	165	193	231	206	89							
ough	10	2	-	-	-	-	2	1	-	1	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery	93	22	31	14	0	5	81	7	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
ie Dia.	101	2	10	16	15	13	56	35	7	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Tuberc	49	23	11	7	3	1	47	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
us	81	3	5	8	4	4	24	15	8	7	4	10	6	2	4	1	-	-	-	-	-	-	-	-	-
and Liver	38	14	2	1	-	-	17	-	-	-	1	1	1	1	3	6	3	4	1	-	-	-	-	-	-
ys	42	4	3	7	-	-	14	-	2	1	1	2	1	3	8	6	3	4	1	-	-	-	-	-	-
Organs	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nd Metria	23	7	6	1	2	-	16	1	13	31	31	5	6	1	12	13	6	1	-	-	-	-	-	-	-
t Deaths	230	4	5	3	1	-	11	4	13	31	31	5	6	1	12	13	6	1	-	-	-	-	-	-	-
	479	184	22	8	1	2	27	4	1	1	1	2	9	13	31	52	84	64							
578 b.—BEDWELTY.																									
popul ⁿ , 71	22838	792	705	688	682	678	3545	2895	2519	2231	2121	3384	2542	1802	1107	518	174	30							
EATHS	5433	1296	630	356	220	117	2025	293	121	157	203	403	308	317	333	352	217	102							
ough	45	16	5	5	3	-	29	6	2	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery	163	22	50	41	25	10	148	14	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ie Dia.	496	22	45	67	79	41	254	90	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberc	13	1	3	1	2	1	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
us	191	73	66	23	17	4	183	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and Liver	378	15	17	21	15	15	83	49	33	23	12	42	26	20	18	15	4	-	-	-	-	-	-	-	-
ys	133	41	21	8	-	3	78	3	1	1	5	6	2	7	4	14	10	4	-	-	-	-	-	-	-
Organs	56	1	1	-	-	-	3	5	-	3	8	11	3	11	4	6	2	-	-	-	-	-	-	-	-
nd Metria	99	9	19	14	7	4	53	10	4	3	6	2	-	6	7	6	2	-	-	-	-	-	-	-	-
t Deaths	85	-	-	-	-	-	-	-	-	-	-	8	10	21	23	12	4	1	-	-	-	-	-	-	-
	221	64	61	33	11	7	170	6	11	5	4	13	4	1	1	-	-	-	-	-	-	-	-	-	-
	562	10	17	5	7	1	40	12	20	67	77	130	111	49	19	6	-	-	-	-	-	-	-	-	-
	74	27	27	6	4	4	68	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	689	304	75	37	14	6	494	19	6	5	8	19	12	32	33	35	10	6	-	-	-	-	-	-	-
	246	4	6	2	1	1	14	5	1	9	14	23	21	44	33	38	14	-	-	-	-	-	-	-	-
	911	212	158	68	27	11	474	29	5	11	14	16	32	45	93	127	47	14	-	-	-	-	-	-	-
	239	17	5	3	1	-	34	7	8	4	12	29	30	41	43	23	11	2	-	-	-	-	-	-	-
	29	-	2	-	1	-	3	1	-	2	-	4	7	7	3	2	-	-	-	-	-	-	-	-	-
	13	-	-	-	-	-	-	-	-	-	-	1	4	1	3	-	-	-	-	-	-	-	-	-	-
	13	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-	-	-	-	-	-	-	-	-	-
	11	5	-	-	-	-	5	2	2	1	1	-	-	1	1	3	-	-	-	-	-	-	-	-	-
	117	-	-	-	-	-	-	-	-	7	25	55	28	2	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	68	5	8	7	5	3	36	16	8	7	3	5	2	3	4	3	1	1	-	-	-	-	-	-	-
	735	386	82	15	1	3	444	4	2	-	3	8	8	9	20	61	104	72							
579.—PONTYPOOL.																									
popul ⁿ , 71	15505	488	428	446	446	477	2285	1982	1778	1428	1308	2120	1679	1322	894	484	185	40							
EATHS	3239	690	326	171	106	84	1377	193	89	93	104	210	172	170	237	270	235	86							
ough	51	12	7	7	1	2	29	6	2	2	2	3	4	2	-	-	-	-	-	-	-	-	-	-	-
Dysentery	77	13	28	9	7	5	63	11	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ie Dia.	193	8	24	31	25	27	115	65	9	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberc	25	2	3	2	3	3	13	8	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
us	112	44	26	19	6	5	110	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and Liver	201	1	7	10	10	10	38	32	24	17	15	22	12	17	12	5	4	-	-	-	-	-	-	-	-
ys	62	19	12	8	1	-	49	1	1	1	1	1	2	2	4	3	6	2	-	-	-	-	-	-	-
Organs	60	9	12	3	4	6	84	6	2	-	-	-	5	3	3	4	3	-	-	-	-	-	-	-	-
nd Metria	58	-	-	-	-	1	1	-	1	1	-	-	6	13	18	13	5	-	-	-	-	-	-	-	-
t Deaths	35	9	9	4	-	1	33	1	2	3	2	2	6	13	18	13	-	-	-	-	-	-	-	-	-
	297	1	-	3	2	4	10	4	12	30	42	94	53	27	10	5	-	-	-	-	-	-	-	-	-
	30	9	10	3	3	1	26	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	566	241	59	22	15	1	328	16	6	4	4	9	15	17	38	29	27	3	-	-	-	-	-	-	-
	191	5	2	2	-	1	10	1	7	3	9	7	15	21	31	48	24	5	-	-	-	-	-	-	-
	433	84	66	24	19	5	184	12	3	4	4	16	13	26	71	92	66	8	-	-	-	-	-	-	-
	127	11	2	1	2	-	16	6	2	3	5	8	11	15	20	28	11	2	-	-	-	-	-	-	-
	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12	5	-	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	92	7	11	9	5	6	38	11	7	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	509	209	48	12	3	4	276	9	2	-	4	2	2	2	6	14	28								

Mean Population, 1861-71, and Deaths in Districts during the 30 Years, 1841-70

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	35-	40-	
		580.—NEWPORT.														
Mean Popul., 1861-71		28479	854	759	828	749	769	3959	3425	2977	2520	2559	4270	3437	3456	1928
TOTAL DEATHS		6278	1544	471	250	174	113	2532	268	141	197	258	436	450	483	456
Small-pox		79	16	8	5	5	3	35	17	2	7	7	6	2	2	—
Measles		80	13	25	16	10	5	69	39	—	—	—	—	—	—	—
Scarlatina		217	13	40	32	27	22	123	40	8	4	—	1	1	1	1
Diphtheria		40	4	4	7	2	3	23	8	5	1	—	—	1	—	—
Whooping-cough		100	49	29	14	8	3	103	—	—	—	—	—	—	—	—
Typhus		287	5	12	8	9	15	47	29	25	27	21	21	24	25	30
Diarrhoea & Dysentery		199	122	31	7	5	3	158	3	—	—	1	—	2	4	4
Cholera		54	14	1	2	1	2	30	3	3	4	—	6	7	4	7
Other Zymotic Dis.		160	24	50	19	13	11	103	15	8	4	2	7	10	10	7
Cancer		64	—	—	—	—	—	—	1	—	—	—	1	9	10	35
Scrophula and Tuberc.		110	50	23	11	2	—	68	11	5	7	6	2	3	5	3
Phthisis		291	11	8	2	1	3	25	12	6	50	22	132	108	80	30
Hydrocephalus		103	40	28	13	7	3	91	6	3	—	—	1	1	—	—
Dis. of Brain		820	431	46	27	11	9	534	26	11	10	9	20	23	41	32
Dis. of Heart & Dropsy		841	2	3	4	3	3	14	3	3	16	6	27	33	27	31
Dis. of Lungs		970	222	112	65	25	10	453	16	6	7	10	29	49	27	37
Dis. of Stom. and Liver		209	80	10	3	3	1	53	5	9	11	15	22	24	27	40
Dis. of Kidneys		81	1	3	1	1	—	5	1	1	1	5	10	12	10	8
Dis. of Gen. Organs		17	1	1	—	—	—	2	1	1	—	—	3	1	2	1
Dis. of Joints		14	6	1	—	—	—	7	1	1	—	—	—	2	—	—
Dis. of Skin		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris.		14	—	—	—	—	—	—	—	—	—	—	1	1	7	—
Scalds		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		640	15	12	15	15	11	68	29	43	62	75	104	114	81	80
Other Causes		961	403	49	9	8	5	320	12	2	2	—	13	24	23	25
581 a.—CARDIFF.*																
Mean Popul., 1861-71		35068	1038	955	991	932	880	4805	4055	3340	3307	3454	6186	4534	2881	1941
TOTAL DEATHS		7810	2078	746	331	226	162	3543	346	176	255	391	692	649	823	441
Small-pox		80	20	8	9	5	5	45	9	3	3	10	12	6	1	—
Measles		161	41	65	26	13	7	133	6	3	—	—	—	—	—	—
Scarlatina		347	32	52	64	45	38	253	77	9	2	3	3	—	—	—
Diphtheria		51	7	10	11	7	5	40	8	3	1	—	—	—	—	—
Whooping-cough		173	68	58	18	17	5	165	5	1	—	1	—	—	—	—
Typhus		544	2	9	13	7	21	52	47	20	29	45	53	40	26	3
Diarrhoea & Dysentery		262	169	43	6	3	4	225	2	3	1	3	3	4	4	4
Cholera		44	6	4	—	4	—	14	1	—	2	6	4	5	4	4
Other Zymotic Dis.		183	32	31	18	11	14	106	18	4	3	5	11	10	10	10
Cancer		73	—	—	—	—	—	—	1	—	—	—	8	11	12	3
Scrophula and Tuberc.		139	43	43	15	6	8	115	8	6	3	3	7	5	3	3
Phthisis		846	5	6	5	4	4	24	12	17	22	144	231	178	109	—
Hydrocephalus		113	28	24	19	13	5	89	20	3	—	1	—	—	—	—
Dis. of Brain		915	480	91	28	14	9	622	27	13	9	16	31	47	45	—
Dis. of Heart & Dropsy		336	5	1	4	3	3	16	13	7	8	11	45	68	64	—
Dis. of Lungs		1139	876	169	56	27	16	944	28	7	14	18	49	75	69	—
Dis. of Stom. and Liver		291	41	7	5	2	1	53	8	10	8	12	29	38	45	—
Dis. of Kidneys		113	—	1	—	—	2	5	4	—	3	2	12	16	28	—
Dis. of Gen. Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		22	—	2	1	—	—	5	3	4	4	2	1	2	1	—
Dis. of Skin		11	8	—	1	—	—	9	—	—	—	1	—	—	1	—
Childbirth and Metris.		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scalds		54	—	—	—	—	—	—	—	—	—	1	4	4	8	—
Other Violent Deaths		750	16	24	13	11	10	74	57	68	103	91	165	124	63	—
Other Causes		1312	701	98	17	12	7	835	13	4	9	11	24	23	29	—
581 b.—PONTYPRIDD.*																
Mean Popul., 1861-71		22086	700	625	638	615	597	3184	2534	2257	2194	2364	3765	2524	1696	971
TOTAL DEATHS		5246	1498	462	227	151	94	2432	240	181	244	283	411	391	319	271
Small-pox		70	11	3	8	9	3	34	6	3	4	8	7	5	3	—
Measles		126	29	48	21	6	7	111	13	2	—	—	1	—	—	—
Scarlatina		229	20	30	34	26	32	152	55	12	3	—	3	1	—	—
Diphtheria		8	—	—	1	—	1	2	3	1	1	—	—	—	—	—
Whooping-cough		57	25	21	6	2	—	34	3	—	—	—	—	—	—	—
Typhus		302	10	17	12	11	11	62	35	25	53	34	51	28	18	—
Diarrhoea & Dysentery		106	44	8	8	1	2	63	3	2	—	—	4	6	4	—
Cholera		45	1	—	—	—	—	1	3	—	1	12	3	8	11	—
Other Zymotic Dis.		82	12	13	14	11	2	52	10	1	—	4	3	2	1	—
Cancer		25	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Scrophula and Tuberc.		61	6	20	12	1	2	41	4	4	3	3	2	2	9	—
Phthisis		605	4	6	9	1	—	20	10	27	88	93	124	118	77	—
Hydrocephalus		53	22	13	3	5	2	45	7	1	2	—	—	—	—	—
Dis. of Brain		1100	783	102	29	22	7	943	19	5	8	8	17	20	17	—
Dis. of Heart & Dropsy		139	1	1	1	1	—	4	3	5	3	1	12	20	23	—
Dis. of Lungs		821	203	190	55	32	14	424	30	12	14	10	23	39	61	—
Dis. of Stom. and Liver		140	15	0	1	3	2	27	8	4	0	4	8	18	21	—
Dis. of Kidneys		42	—	—	—	—	—	—	—	—	1	3	4	14	5	—
Dis. of Gen. Organs		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dis. of Joints		6	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Dis. of Skin		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth and Metris.		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scalds		13	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths		637	3	13	5	6	6	35	16	7	7	7	10	1	10	—
Other Causes		870	303	41	7	3	3	360	7	3	3	3	13	2	14	—

* Pontypridd (581 b.) was formed on 13th July 1869

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEXES CAUSE.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-

580.—NEWPORT.

Popul'n. -71	27853	862	756	789	806	757	3970	3438	2945	2740	2598	4212	3111	2301	1429	764	288	57
DEATHS -	5505	1216	430	225	169	107	2147	268	134	164	210	429	418	361	410	425	372	167
- - -	55	16	9	3	4	2	34	8	2	1	3	2	2	1	1	1	-	-
- - -	81	18	28	13	7	6	72	8	-	1	1	-	-	-	-	-	-	-
- - -	232	9	32	38	49	32	100	68	14	4	3	3	-	-	-	-	-	-
- - -	35	1	5	1	2	3	12	12	6	2	-	1	-	-	1	-	-	1
cough -	167	71	55	18	9	9	162	4	-	1	-	-	-	-	-	-	-	-
Dysentery -	288	6	8	14	9	9	46	44	28	25	16	35	39	23	21	9	3	-
Stic Dis. -	169	97	22	6	1	3	129	4	-	1	2	1	2	7	8	10	5	4
- - -	42	9	2	-	-	2	15	5	2	-	-	3	3	5	4	2	1	2
- - -	127	14	25	15	12	7	73	8	7	5	5	4	1	8	4	7	3	2
- - -	141	-	-	-	1	-	1	-	-	2	1	7	33	29	41	14	10	3
d Tuberc -	90	27	22	8	3	2	62	8	2	5	3	3	2	2	1	2	-	-
- - -	632	9	2	5	3	1	20	11	25	75	100	182	130	52	26	10	1	-
- - -	52	29	11	6	7	3	47	4	-	1	-	-	-	-	-	-	-	-
- - -	680	327	43	29	11	7	417	24	14	6	9	14	22	28	40	54	43	9
rt & Dropsy -	381	4	1	4	-	-	11	8	9	13	9	20	45	58	72	84	35	7
gs -	830	185	108	81	25	14	363	22	7	5	17	35	40	58	97	109	66	11
l. and Liver -	363	23	3	1	-	-	30	7	4	5	12	26	28	50	49	37	15	1
neys -	49	1	-	1	1	-	3	3	-	-	4	9	8	12	6	4	-	-
r. Organs -	21	-	-	-	-	-	-	-	-	-	-	5	2	4	5	-	-	-
- - -	15	-	-	-	-	-	1	-	1	-	-	-	1	1	3	1	-	-
- - -	17	5	1	1	2	-	9	-	-	-	-	2	1	-	-	-	-	-
and Metria -	122	-	-	-	-	-	-	-	-	8	19	52	42	2	-	-	-	-
- - -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nt Deaths -	106	5	14	8	12	5	44	11	7	4	2	5	6	1	2	4	8	2
- - -	884	369	39	21	6	2	437	9	6	1	3	9	7	17	21	68	181	125

581 a.—CARDIFF.*

Popul'n. -71	32425	1008	934	948	950	919	4759	3949	3292	2982	3184	5456	3940	2449	1390	704	273	47
DEATHS -	6657	1619	676	353	216	174	3038	320	123	163	292	573	501	417	397	388	317	129
- - -	68	16	8	6	7	3	40	8	1	4	2	7	3	2	1	-	-	-
- - -	154	24	54	29	15	16	138	14	2	-	-	-	-	-	-	-	-	-
- - -	336	25	49	58	61	50	243	79	16	3	5	7	3	-	-	-	-	-
- - -	48	4	10	10	9	8	41	5	2	-	-	-	-	-	-	-	-	-
cough -	195	92	51	22	15	7	187	6	1	-	-	-	1	-	-	-	-	-
Dysentery -	283	5	10	21	14	19	69	36	26	20	29	36	25	14	13	7	7	1
Stic Dis. -	254	144	48	10	4	2	308	5	1	-	2	5	4	6	6	12	5	-
- - -	30	4	3	1	3	-	14	2	1	-	-	9	5	9	3	7	2	-
- - -	157	20	20	24	18	9	101	14	4	9	2	4	2	3	4	11	2	1
- - -	132	-	-	-	-	-	-	-	-	-	2	15	22	42	30	16	5	-
d Tuberc -	150	35	44	18	5	4	106	11	7	5	6	6	6	2	1	-	-	-
- - -	802	2	9	4	2	3	90	17	27	71	130	237	177	69	27	6	2	-
- - -	81	26	17	9	6	6	64	14	3	-	-	-	-	-	-	-	-	-
- - -	716	339	62	33	10	15	490	25	9	11	14	23	25	31	47	39	18	5
rt & Dropsy -	380	1	2	3	1	-	7	6	8	10	18	41	59	74	71	57	29	1
gs -	916	293	161	65	27	16	562	27	6	8	13	44	32	53	87	74	35	5
l. and Liver -	267	27	8	3	-	1	39	10	3	4	9	32	38	49	42	29	10	2
neys -	53	-	1	1	-	1	3	1	-	2	11	6	13	2	4	8	3	-
r. Organs -	18	-	-	-	-	-	-	-	-	4	2	4	3	4	1	-	-	-
- - -	19	-	-	-	-	-	4	-	3	3	1	3	2	1	1	-	-	-
- - -	11	4	1	-	1	-	6	-	-	-	-	1	-	2	-	2	-	-
and Metria -	144	-	-	-	-	-	-	-	-	4	26	61	48	2	-	-	-	-
- - -	9	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-
nt Deaths -	130	24	13	8	10	9	64	18	5	5	3	8	5	6	9	4	3	-
- - -	1234	534	95	26	10	2	637	17	5	3	16	15	23	29	41	116	194	108

581 b.—PONTYPRIDD.*

Popul'n. -71	19068	722	614	653	605	614	3208	2534	2035	1734	1661	2969	2072	1387	843	429	168	28
DEATHS -	4258	1205	418	225	193	98	2139	233	110	140	184	352	261	189	185	207	173	85
- - -	50	14	6	3	2	3	28	10	4	1	3	-	3	-	1	-	-	-
- - -	123	19	35	26	22	5	110	8	2	1	-	2	-	-	-	-	-	-
- - -	217	15	36	39	32	15	137	64	8	1	3	1	-	-	-	-	-	-
- - -	15	1	1	1	-	3	6	3	1	1	-	1	1	-	-	-	-	-
cough -	93	42	23	12	8	5	89	2	1	-	-	-	1	-	-	-	-	-
Dysentery -	276	8	14	16	26	11	75	43	28	30	19	40	16	15	3	6	1	-
Stic Dis. -	92	28	10	8	1	-	51	3	1	-	4	6	1	8	7	7	1	3
- - -	11	-	1	-	-	-	2	-	-	1	-	1	2	-	2	1	-	-
- - -	61	15	8	8	9	5	45	7	2	1	2	2	-	3	-	2	-	-
- - -	40	-	-	-	-	-	-	-	-	-	-	2	7	8	13	6	3	1
d Tuberc -	69	11	19	8	4	-	42	4	5	3	9	2	2	1	1	-	-	-
- - -	596	6	10	8	4	3	30	19	23	70	98	166	112	49	23	6	1	-
- - -	33	11	6	8	-	5	30	6	-	-	-	-	-	-	-	-	-	-
- - -	901	626	87	23	22	15	773	17	10	8	4	11	10	13	13	25	19	3
rt & Dropsy -	153	-	1	1	1	-	3	3	7	4	8	21	18	19	31	28	10	1
gs -	633	157	106	45	44	14	366	20	7	10	9	21	29	27	49	61	30	4
l. and Liver -	133	3	4	2	1	-	10	6	4	2	4	16	18	23	24	18	6	2
neys -	24	-	-	-	-	2	4	3	-	-	1	-	-	-	-	-	-	-
r. Organs -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and Metria -	100	-	-	-	-	-	-	-	-	-	-	17	50	-	-	-	-	-
- - -	64	9	6	4	5	7	31	11	3	1	6	2	-	-	-	-	-	-
Deaths -	648	239	42	11	10	2	804	2	1	1	1	4	-	-	-	-	-	-

TOTAL: the

Mean Population, 1861-71, and Deaths in Districts during the 10 Years.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	35-	40-	45-	
582.—MERTHYR TYDFIL.*																	
Mean Popul., 1861-71	51843	1662	1378	1485	1414	1364	7303	5961	5384	5357	5439	8437	6072	4222	241		
TOTAL DEATHS -	15461	3431	1419	609	337	278	6205	717	438	512	625	952	875	851	94		
Small-pox -	146	20	12	13	4	10	59	23	7	4	21	24	6	1			
Measles -	284	60	107	50	23	12	252	29	2								
Scarlatina -	629	43	122	105	107	63	444	145	15	6	5	1					
Diphtheria -	49	9	9	8	7	4	37	6	3	1							
Whooping-cough -	206	121	95	32	23	13	280	6				1					
Typhus -	631	21	25	24	25	32	129	76	47	58	65	75	57	47			
Diarrhoea & Dysentery -	258	121	41	13	7	1	183	2	2	3	3	23	23	17			
Cholera -	122	6	3	3		3	15	12	9	9	7	21	10	15			
Other Zymotic Dis. -	297	53	50	41	50	24	178	17	10	7	9	21	10	15			
Cancer -	100			1	1		2				2	2	14	17			
Scrophula and Tuberc. -	307	70	62	51	6	5	179	49	22	13	16	15	7	9			
Phthisis -	1339	39	54	33	9	12	154	75	28	164	219	299	242	164			
Hydrocephalus -	196	69	53	28	9	10	172	19	2	1	1						
Dis. of Brain -	2235	1441	292	77	32	19	1771	52	24	20	24	31	50	41			
Dis. of Heart & Dropsy -	541	5	4	4	5	2	30	26	20	18	15	47	68	63			
Dis. of Lungs -	2191	522	303	139	56	33	1059	44	8	22	29	43	102	130			
Dis. of Stom. and Liver -	337	35	5	5	1	1	47	14	15	15	16	29	27	40			
Dis. of Kidneys -	181	9	4	1	2	2	11	8	4		4	15	21	28			
Dis. of Genar. Organs -	2																
Dis. of Joints -	64	1	2		3		6	14	3		9	8	3	1			
Dis. of Skin -	23	10	2	1	2		13	2			1	2					
Childbirth and Metris. -																	
Selficide -	19																
Other Violent Deaths -	1408	14	18	31	11	16	90	80	207	153	158	273	194	160			
Other Causes -	1034	623	247	44	18	11	1143	27	7		5	24	23	35			
583.—BRIDGEND.																	
Mean Popul., 1861-71	14749	418	398	401	394	384	1998	1748	1592	1427	1292	2068	1633	1294	90		
TOTAL DEATHS -	3103	712	220	138	63	47	1180	149	74	105	110	215	193	188	26		
Small-pox -	10	2			1		4				1		1				
Measles -	70	9	20	21	4	6	61	3	1								
Scarlatina -	100	12	14	13	13	10	62	26	2			2		1			
Diphtheria -	11		3	1	1		5	4			1	1					
Whooping-cough -	73	50	27	11	3	1	68	5									
Typhus -	145	3	7	9	3	3	25	27	11	16	15	14	15	6			
Diarrhoea & Dysentery -	46	17	5	4		1	27	1		1							
Cholera -	43	1	1	2	1	1	6	7	2	1	3	7	2	5			
Other Zymotic Dis. -	54	4	6	6	4	1	21	9		3	1	2	6	2			
Cancer -	26					1	1						1	4			
Scrophula and Tuberc. -	36	9	7	5			21	5	1	2	1	2		2			
Phthisis -	299	36		1			4	7	10	23	48	81	54	21			
Hydrocephalus -	17	4	4	3	1		12	3	2								
Dis. of Brain -	672	404	42	21	9		476	8	5	5	4	20	30	33			
Dis. of Heart & Dropsy -	163			1	1		2	2	5	8		11	10	15			
Dis. of Lungs -	456	60	30	21	15	10	131	8	7	6	5	16	24	41			
Dis. of Stom. and Liver -	104	3	2				5	1	2	4	1	9	9	17			
Dis. of Kidneys -	44							1		4		1	4	8			
Dis. of Genar. Organs -	3																
Dis. of Joints -	15			1	1		2	1	2	2	5	2					
Dis. of Skin -	6	2					2				1			1			
Childbirth and Metris. -																	
Selficide -	9									1				3			
Other Violent Deaths -	206		6	3	6	7	22	16	19	23	24	51	22	21			
Other Causes -	510	149	44	14	8	5	215	15			1	6	6	10			
584.—NEATH.																	
Mean Popul., 1861-71	31244	1025	923	970	864	926	4708	4046	3577	3259	2857	4517	3421	2461	14		
TOTAL DEATHS -	7392	1820	647	375	223	163	3234	411	254	305	346	513	475	457	54		
Small-pox -	120	29	7	12	9	8	65	13	6	4	17	7	5	3			
Measles -	141	24	51	24	18	6	127	19	2								
Scarlatina -	415	38	89	75	57	53	302	94	15	2	1	1					
Diphtheria -	21	5	6	5	3		17	6			1						
Whooping-cough -	117	48	33	15	8	5	109	8									
Typhus -	493	29	45	58	21	20	153	71	44	54	40	39	24	21			
Diarrhoea & Dysentery -	150	72	24	7	3	2	112	5	2	1	1	1	3	3			
Cholera -	211	3	6	9	4	6	28	24	20	13	14	31	50	37			
Other Zymotic Dis. -	188	25	27	35	25	13	135	23	7	3	1	6	2	4			
Cancer -	29					1	1			2	2						
Scrophula and Tuberc. -	142	37	23	13	5	1	89	10	9	11	5	8	3	3			
Phthisis -	851	10	19	6	7	6	45	22	39	55	143	185	117	98			
Hydrocephalus -	49	12	31	8	4	4	59	5		1	1	1					
Dis. of Brain -	1287	655	93	31	16	12	1022	31	5	11	8	23	37	31			
Dis. of Heart & Dropsy -	215	1	2	1	1	1	11	12	11	14	9	17	23	37			
Dis. of Lungs -	919	179	101	39	14	8	545	17	2	11	12	37	66	91			
Dis. of Stom. and Liver -	200	20	6	5	5		36	5	1	2	8	20	21	27			
Dis. of Kidneys -	96	1	1		2	1	5	2		2	2	15	16	15			
Dis. of Genar. Organs -	2																
Dis. of Joints -	18	2					2										
Dis. of Skin -	13	9	2	1			13	1									
Childbirth and Metris. -																	
Selficide -	18																
Other Violent Deaths -	627	6	21	19	11	10	67	42	30	62	62	111	115	64			
Other Causes -	966	403	77	25	10	6	591	9		3	5	12	15	19			

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEXES DEATHS	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 & upwards.
		582.—MERTHYR TYDFIL.*																
Populn, -71	46780	1657	1354	1505	1420	1413	7349	5925	4941	4383	4263	7176	5273	3663	2255	1070	411	71
DEATHS -	11310	2882	1372	657	418	298	5627	582	227	286	434	795	746	633	673	604	493	210
- - -	123	33	15	17	19	4	81	28	1	1	5	4	3	-	-	-	-	-
- - -	256	45	95	45	29	18	232	21	2	1	-	-	-	-	-	-	-	-
- - -	576	38	97	113	81	89	418	124	28	1	4	1	-	-	-	-	-	-
- - -	50	3	9	6	5	10	33	9	2	1	1	3	1	-	-	-	-	-
- - -	566	147	118	43	31	14	349	17	-	-	-	-	-	-	-	-	-	-
- - -	567	17	37	29	28	22	143	106	37	40	40	49	46	32	47	22	4	1
- - -	283	119	54	18	7	3	201	2	2	3	3	10	9	7	13	18	14	4
- - -	118	5	2	8	4	4	23	14	5	6	5	12	22	9	11	7	4	4
- - -	603	32	58	42	35	27	194	27	5	6	6	10	10	12	19	8	7	2
- - -	158	-	-	-	-	1	1	-	-	-	-	1	6	20	60	40	15	13
- - -	246	65	73	24	15	5	132	14	15	7	3	9	4	6	4	2	-	-
- - -	1458	34	50	20	18	7	129	55	33	132	200	378	315	185	72	23	10	-
- - -	180	47	39	11	10	4	111	15	4	-	-	-	-	-	-	-	-	-
- - -	1885	1115	218	76	86	32	1477	41	14	5	14	21	38	62	71	85	44	13
- - -	339	2	4	6	5	4	21	10	12	27	30	66	64	81	99	84	57	7
- - -	1513	410	269	108	66	25	873	31	13	9	27	43	46	67	122	160	74	13
- - -	344	19	7	6	-	2	34	9	4	15	36	40	63	68	68	39	25	4
- - -	93	2	2	1	1	1	7	4	2	4	5	12	19	14	15	10	1	-
- - -	36	1	-	-	-	-	1	-	-	1	5	5	10	4	5	4	1	-
- - -	33	-	-	-	1	2	8	2	-	5	5	2	7	5	2	1	1	-
- - -	23	8	3	1	-	-	12	-	-	-	-	-	1	2	3	3	2	-
- - -	233	-	-	-	-	-	-	-	-	12	54	95	69	5	-	-	-	-
- - -	16	-	-	-	-	-	-	-	-	2	2	5	2	3	2	-	-	-
- - -	182	16	18	12	18	8	72	26	12	17	3	8	5	8	9	7	10	5
- - -	1677	728	204	66	16	16	1030	26	4	5	9	15	17	13	42	113	249	154

583.—BRIDGEND.																		
Population, 1861-71	14320	440	375	399	381	394	1989	1708	1562	1367	1261	1981	1528	1202	852	555	266	49
DEATHS -	2809	618	207	104	66	40	1044	119	70	93	103	210	171	175	171	239	279	135
- - -	8	3	1	1	-	-	5	1	-	-	-	1	-	-	-	1	-	-
- - -	57	7	20	11	5	4	47	23	4	5	-	2	-	-	-	-	-	-
- - -	84	5	12	10	10	15	62	23	1	1	-	-	-	-	-	-	-	-
- - -	14	2	2	1	1	1	7	3	1	1	1	-	-	-	1	-	-	-
- - -	79	28	26	12	7	3	76	9	-	-	-	-	-	-	-	-	-	-
- - -	123	3	4	5	5	3	17	21	15	17	12	14	10	-	5	5	2	-
- - -	39	13	5	-	1	-	19	2	1	-	1	1	1	2	1	3	4	6
- - -	40	-	2	2	1	3	8	3	-	1	2	8	4	5	5	2	3	-
- - -	49	5	4	6	4	2	21	5	3	2	-	2	1	5	4	3	3	-
- - -	47	-	-	-	-	-	-	-	-	-	-	3	7	12	10	9	5	1
- - -	24	2	6	1	1	1	11	3	4	3	1	-	-	2	-	-	-	-
- - -	379	1	-	2	1	2	6	4	25	47	59	99	73	45	20	1	-	-
- - -	13	6	3	2	-	-	11	1	-	-	-	-	-	-	-	-	-	-
- - -	491	306	45	22	5	1	379	10	2	3	4	10	8	18	13	19	24	1
- - -	175	1	1	-	-	-	2	5	4	3	6	13	14	23	29	46	28	2
- - -	365	61	30	11	13	5	120	9	1	5	2	14	13	22	42	68	63	7
- - -	97	4	1	-	1	-	6	2	2	4	3	8	12	19	18	18	5	-
- - -	10	-	-	-	1	-	1	-	-	-	-	1	3	2	2	-	1	-
- - -	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
- - -	6	-	1	-	-	-	1	1	-	1	1	2	-	-	-	1	1	-
- - -	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-
- - -	50	-	-	-	-	-	-	-	-	-	8	27	15	-	-	-	-	-
- - -	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-
- - -	44	7	4	2	7	4	19	7	2	1	1	1	1	2	4	4	2	2
- - -	601	172	40	16	3	5	236	7	6	-	2	4	7	9	17	56	146	117

584.—NEATH.																		
Population, 1861-71	30331	1025	896	954	928	892	4695	4013	3505	3011	2672	4283	3112	2313	1511	819	335	62
DEATHS -	6298	1397	598	328	233	193	2749	397	205	247	253	486	424	326	331	383	347	150
- - -	107	27	21	8	7	11	74	15	2	7	5	3	1	-	-	-	-	-
- - -	139	16	48	30	16	10	120	18	1	-	-	-	-	-	-	-	-	-
- - -	434	23	67	69	77	62	298	105	26	2	2	1	-	-	-	-	-	-
- - -	28	4	1	2	1	4	12	8	3	1	1	2	-	1	-	-	-	-
- - -	143	52	48	15	13	8	156	7	-	-	-	-	-	-	-	-	-	-
- - -	429	19	25	25	26	26	121	56	54	48	29	33	28	15	22	16	6	1
- - -	116	47	14	4	-	1	66	4	2	1	2	3	2	3	10	8	11	4
- - -	284	2	11	9	6	6	34	27	16	16	22	43	45	27	22	23	9	-
- - -	151	15	30	23	17	14	98	19	1	6	1	4	4	3	4	5	6	-
- - -	81	1	-	-	-	-	1	-	1	-	1	4	12	22	17	13	10	-
- - -	111	23	32	13	3	6	77	13	7	4	4	5	1	1	1	1	-	-
- - -	823	15	9	3	3	5	35	30	44	100	114	206	159	84	47	13	2	-
- - -	29	8	4	3	1	1	25	3	1	-	-	-	-	-	-	-	-	-
- - -	1056	680	104	34	23	4	845	24	8	11	7	14	22	24	30	40	27	4
- - -	267	4	3	1	2	1	10	13	8	15	13	36	30	34	43	59	27	8
- - -	607	123	82	34	21	1	293	26	6	10	10	29	34	23	57	89	27	8
- - -	197	19	4	5	4	1	26	5	8	1	7	20	22	33	25	31	19	2
- - -	34	-	-	-	1	-	1	-	1	1	4	-	-	-	-	-	-	-
- - -	17	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
- - -	9	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
- - -	7	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
- - -	131	-	-	-	-	-	-	-	-	-	-	21	57	47	1	3	1	-
- - -	7	-	-	-	-	-	-	-	-	-	-	2	4	2	4	3	6	-
- - -	117	6	12	10	19	5	45	20	8	-	-	2	2	1	2	3	39	-
- - -	974	317	78	22	6	5	428	10	6	-	-	4	18	21	20	30	62	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	
585 a.—SWANSEA.															
Mean Popul ⁿ , 1861-71	29470	974	825	898	843	779	4319	3664	3230	3077	2843	4648	3247	2360	
TOTAL DEATHS	6830	1509	651	837	846	161	2054	456	189	233	283	476	496	456	
Small-pox	129	17	14	12	9	6	58	10	10	7	12	19	4	3	
Measles	117	21	47	30	11	4	103	14	-	-	-	4	14	3	
Scarlatina	487	35	65	92	72	37	321	140	13	3	3	5	2	-	
Diphtheria	62	4	13	10	10	5	42	18	1	2	2	1	-	1	
Whooping-cough	114	37	40	21	5	7	110	8	1	-	-	-	-	-	
Typhus	221	7	6	16	16	10	55	41	15	27	29	19	17	6	
Diarrhoea & Dysentery	170	104	27	6	2	-	189	4	-	-	-	4	14	3	
Cholera	255	15	17	12	10	8	62	32	22	5	13	24	26	29	
Other Zymotic Dis.	193	22	56	63	29	8	169	29	5	9	7	4	12	8	
Cancer	62	-	-	-	-	-	-	1	-	-	-	1	7	7	
Scrophula and Tuberc.	121	40	56	7	4	2	79	13	6	5	5	6	1	3	
Phthisis	784	4	5	7	6	1	23	54	90	80	133	182	138	96	
Hydrocephalus	75	25	18	6	8	5	60	6	6	2	-	1	-	-	
Dis. of Brain	993	529	83	44	26	13	689	27	9	7	12	21	43	40	
Dis. of Heart & Dropsy	247	3	1	1	3	1	9	9	14	8	5	20	46	39	
Dis. of Lungs	1121	228	135	73	27	29	483	23	9	17	14	58	65	109	
Dis. of Stom. and Liver	239	40	16	5	2	1	64	12	9	4	5	21	40	35	
Dis. of Kidneys	86	2	2	1	2	2	9	5	2	2	3	5	13	14	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	9	-	-	-	-	-	-	3	-	-	1	1	-	1	
Dis. of Skin	12	4	1	-	-	-	5	-	-	1	-	-	1	1	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	9	-	-	-	-	-	-	-	-	-	1	4	-	1	
Other Violent Deaths	417	7	10	9	10	8	44	89	28	22	25	64	38	40	
Other Causes	806	365	89	23	9	5	490	12	3	3	3	8	19	12	
585 b.—GOWER.															
Mean Popul ⁿ , 1861-71	4265	118	112	124	118	108	578	509	524	407	320	528	451	365	
TOTAL DEATHS	885	156	39	30	22	22	269	56	25	45	48	58	49	47	
Small-pox	8	4	-	1	-	-	5	-	2	-	-	-	-	1	
Measles	3	4	2	1	-	-	5	-	-	-	-	-	-	-	
Scarlatina	71	4	6	11	12	9	42	22	6	1	-	-	-	-	
Diphtheria	15	-	-	1	-	2	8	7	1	3	1	-	-	-	
Whooping-cough	16	8	3	2	2	1	16	-	4	3	-	3	3	1	
Typhus	34	1	-	2	-	1	4	6	-	-	4	-	-	-	
Diarrhoea & Dysentery	11	9	-	-	-	-	9	-	-	-	-	-	1	1	
Cholera	12	-	-	-	-	-	-	1	-	-	2	-	-	-	
Other Zymotic Dis.	15	2	3	-	-	2	7	-	-	1	-	2	-	-	
Cancer	14	-	-	-	-	-	-	-	-	-	1	-	-	1	
Scrophula and Tuberc.	21	3	2	2	1	1	9	2	1	3	1	-	1	1	
Phthisis	117	1	-	1	-	1	3	3	1	19	28	23	16	12	
Hydrocephalus	5	1	-	1	2	-	4	1	-	-	-	-	-	-	
Dis. of Brain	132	77	11	1	2	3	94	2	-	1	1	5	4	6	
Dis. of Heart & Dropsy	40	-	1	-	-	-	1	1	2	3	4	2	3	3	
Dis. of Lungs	65	8	1	3	-	1	13	2	2	-	2	5	3	7	
Dis. of Stom. and Liver	25	2	-	1	-	1	4	2	-	1	-	-	-	-	
Dis. of Kidneys	13	-	-	-	-	-	-	1	-	-	-	-	1	1	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	72	-	3	2	1	-	6	4	3	7	3	17	15	7	
Other Causes	194	86	7	1	2	-	46	8	2	3	1	1	2	5	
586.—LLANELLY.															
Mean Popul ⁿ , 1861-71	15461	520	466	508	472	444	2410	2103	1793	1646	1361	2093	1520	1156	
TOTAL DEATHS	3385	823	241	139	95	67	1365	215	134	158	172	280	174	174	
Small-pox	14	4	-	-	-	-	6	3	-	2	1	2	-	-	
Measles	53	10	22	8	2	5	47	4	1	-	-	1	-	-	
Scarlatina	225	50	41	29	32	19	151	37	14	2	1	-	-	-	
Diphtheria	6	1	2	1	-	-	4	2	-	-	-	-	-	-	
Whooping-cough	51	25	16	2	5	-	48	3	-	-	-	-	-	-	
Typhus	147	10	9	13	11	7	50	15	13	7	20	15	8	5	
Diarrhoea & Dysentery	47	15	2	2	1	1	20	5	1	-	-	3	1	2	
Cholera	103	4	6	5	2	2	19	12	8	3	3	14	6	14	
Other Zymotic Dis.	67	11	6	7	6	9	39	7	1	4	2	4	-	3	
Cancer	32	-	-	-	-	-	-	-	-	1	2	-	4	4	
Scrophula and Tuberc.	104	22	21	8	3	1	55	15	15	4	2	6	2	4	
Phthisis	566	12	2	5	2	1	22	13	22	63	90	119	63	30	
Hydrocephalus	30	10	8	2	1	2	23	4	3	-	-	-	-	-	
Dis. of Brain	407	231	19	17	5	6	378	19	4	1	7	6	7	17	
Dis. of Heart & Dropsy	124	-	-	1	-	-	1	1	9	11	6	10	11	14	
Dis. of Lungs	841	56	29	14	7	2	105	12	2	7	4	13	21	22	
Dis. of Stom. and Liver	110	13	5	-	-	-	18	4	8	3	2	10	15	14	
Dis. of Kidneys	40	-	-	-	-	-	-	2	2	-	2	-	4	4	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	7	-	-	-	-	1	-	1	-	2	-	-	-	-	
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	4	-	8	2	4	5	22	18	28	31	20	20	14	15	
Other Causes	227	4	8	2	4	5	7	453	18	6	11	10	14	15	
	734	365	48	23	12	7	453	128	6	11	11	10	11	12	

S EX.	ALL AGES.	AGES OF FEMALES.														
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-

		585 <i>b.</i> —GOWER.																			
m ⁿ }		4538	95	109	109	117	102	532	503	475	459	419	606	488	402	328	217	89	20		
T.H.S.		846	99	28	37	16	25	205	69	28	33	40	73	57	36	56	84	103	62		
-	-	12	1	1	1	1	1	5	1	-	3	3	-	-	-	-	-	-	-		
-	-	4	1	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-		
-	-	75	8	5	9	7	8	37	25	8	-	-	-	-	-	-	-	-	-		
-	-	20	-	-	-	2	3	5	10	4	1	1	1	-	-	-	-	-	-		
th	-	19	5	7	3	-	3	18	1	-	-	-	-	-	-	-	-	-	-		
-	-	35	-	1	3	1	2	7	2	3	8	2	5	3	1	1	3	1	-		
century	-	9	-	1	-	1	-	2	1	1	-	-	-	1	-	-	3	1	-		
-	-	17	-	-	1	1	-	2	4	-	1	1	3	1	1	3	1	1	1		
Dis.	-	10	-	-	3	1	-	4	1	-	-	-	1	-	-	1	1	1	1		
-	-	20	-	-	-	-	-	-	-	-	-	-	-	5	4	6	3	2	-		
abes	-	10	3	-	2	-	-	5	3	1	-	1	-	-	-	-	-	-	-		
-	-	103	2	1	-	-	-	3	-	2	12	20	32	18	7	8	1	-	-		
-	-	4	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-		
-	-	113	51	5	6	-	2	64	3	-	2	2	2	5	4	4	15	11	1		
Dropsy	-	59	-	-	-	-	-	12	3	2	3	2	8	5	8	10	12	6	-		
nd Liver	-	26	2	-	4	-	1	7	2	1	2	-	1	4	5	6	5	2	1		
-	-	25	-	-	1	-	-	3	2	-	-	1	6	4	-	2	5	2	-		
-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-		
Organs	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-		
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
Metria	-	19	-	-	-	-	-	-	-	-	-	4	10	4	1	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Deaths	-	6	-	-	1	-	1	2	-	1	1	-	-	-	-	1	1	-	-		
-	-	240	23	6	3	1	3	36	5	4	-	3	4	5	3	11	33	78	58		

		586.—LLANELLY.																	
1895.		15895	539	472	498	447	475	2431	2002	1776	1534	1439	2258	1581	1197	866	511	240	60
(THS -		3092	599	251	168	118	73	1209	170	87	128	134	245	169	152	194	228	244	132
-		20	4	2	2	1	1	10	2	1	1	5	1	-	-	-	-	-	-
-		54	5	22	8	10	3	48	6	-	-	-	-	-	-	-	-	-	-
-		240	18	41	52	44	25	180	44	11	3	2	-	-	-	-	-	-	-
-		8	2	1	-	-	-	3	2	-	1	-	1	-	-	1	-	-	-
gh -		71	81	17	7	9	3	67	3	1	-	-	-	-	-	-	-	-	-
representary		165	3	12	15	9	13	52	23	11	20	15	12	6	6	6	9	4	1
-		54	14	7	2	-	1	24	3	2	-	1	1	2	1	2	7	9	2
Dis.		139	1	5	6	3	6	21	18	7	4	6	25	14	20	15	8	4	2
-		66	14	4	9	12	3	42	11	3	-	-	2	2	1	1	3	-	-
-		42	-	-	-	-	-	-	-	-	-	-	-	5	13	9	8	5	2
abes -		81	17	18	8	4	3	50	7	4	3	2	6	5	-	1	2	1	-
-		497	9	9	6	3	1	28	19	26	68	67	111	60	35	36	25	10	6
-		18	2	4	2	3	2	13	5	-	-	-	-	-	-	-	-	-	-
-		298	148	28	10	5	3	194	6	4	1	5	9	G	9	19	19	20	8
Dropsy		132	-	-	5	-	-	3	2	4	4	5	13	11	13	22	29	15	2
nd Liver		207	44	23	10	5	2	84	6	2	5	12	28	7	16	32	45	36	2
-		81	6	-	1	-	-	7	-	-	4	-	11	11	12	23	39	36	2
-		21	-	1	-	-	-	1	1	-	-	1	-	1	2	3	4	4	2
rgans -		6	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	4	2
-		4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-		4	1	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
etria		55	-	-	-	-	-	-	-	-	-	-	10	25	-	-	-	-	-
ths -		49	3	11	7	1	2	24	9	-	-	5	1	-	-	-	-	-	-
-		716	277	46	20	9	4	356	8	-	10	8	3	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	
		587.—LLANDOVERY.													
Mean Popul ⁿ , 1861-71	6934	206	163	196	198	172	935	869	783	775	582	807	678	630	
TOTAL DEATHS	1437	280	55	26	31	19	411	65	40	60	93	92	60	91	
Small-pox	15	3	1	—	—	—	4	1	—	1	4	2	1	1	
Measles	4	—	—	1	—	—	3	1	—	—	—	—	—	—	
Scarlatina	49	4	8	1	7	7	27	18	2	—	—	1	—	—	
Diphtheria	11	1	1	2	1	—	5	4	1	—	—	—	1	—	
Whooping-cough	14	9	2	—	2	—	13	1	—	—	—	—	—	—	
Typhus	68	—	1	3	5	—	7	6	7	6	16	8	2	7	
Diarrhoea & Dysentery	3	2	—	—	1	—	3	—	—	—	—	—	—	—	
Cholera	2	—	—	—	—	—	—	—	—	1	—	—	—	—	
Other Zymotic Dis.	42	9	6	3	4	4	28	6	—	—	3	1	—	—	
Cancer	21	—	—	—	—	—	—	—	—	—	—	1	—	1	
Scrophula and Tuberc.	22	2	—	—	—	—	2	2	5	1	4	2	1	1	
Phthisis	264	2	1	2	—	1	6	6	7	23	51	47	23	29	
Hydrocephalus	19	1	1	—	—	—	4	4	1	—	—	1	—	—	
Dis. of Brain	272	165	15	8	5	3	196	5	5	6	2	4	3	7	
Dis. of Heart & Dropsy	54	—	—	—	—	—	1	1	—	2	2	2	5	5	
Dis. of Lungs	140	5	4	1	4	—	14	3	2	3	2	5	5	18	
Dis. of Stom. and Liver	54	3	1	—	—	—	4	—	2	1	1	7	3	6	
Dis. of Kidneys	15	—	—	—	—	—	—	—	1	1	1	—	—	—	
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	3	—	—	—	—	—	—	—	1	—	1	—	—	—	
Dis. of Skin	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	4	—	—	—	—	—	—	—	—	—	—	—	1	2	
Other Violent Deaths	37	1	3	—	1	1	6	2	1	6	3	5	3	3	
Other Causes	332	73	6	5	3	1	88	6	7	4	3	5	5	11	
588.—LLANDILOFAWR.															
Mean Popul ⁿ , 1861-71	8132	223	224	220	234	217	1118	1082	963	850	642	915	768	711	
TOTAL DEATHS	1515	236	46	38	33	21	374	60	40	61	92	111	98	87	
Small-pox	8	2	—	—	—	—	2	—	—	—	2	3	—	1	
Measles	5	1	2	1	—	—	4	—	1	—	—	—	—	—	
Scarlatina	63	6	4	13	11	11	45	13	2	2	1	—	—	—	
Diphtheria	2	1	—	—	—	—	1	—	1	—	—	—	—	—	
Whooping-cough	13	8	2	2	—	—	12	1	—	—	—	—	—	—	
Typhus	51	1	—	1	1	1	4	7	4	3	6	7	4	5	
Diarrhoea & Dysentery	15	8	1	—	—	—	9	—	—	—	1	1	—	—	
Cholera	6	—	1	—	—	—	2	1	—	—	—	—	—	—	
Other Zymotic Dis.	47	9	7	6	1	5	28	6	1	2	—	1	1	1	
Cancer	22	—	—	—	—	—	—	—	—	—	—	—	3	3	
Scrophula and Tuberc.	21	1	2	—	—	—	3	3	2	2	3	3	3	2	
Phthisis	241	2	4	1	1	—	8	3	30	41	61	65	41	31	
Hydrocephalus	9	1	1	—	—	1	3	4	1	—	—	—	1	—	
Dis. of Brain	222	121	12	5	9	—	147	12	4	5	3	6	6	6	
Dis. of Heart & Dropsy	71	1	—	—	1	—	2	1	2	—	2	4	6	4	
Dis. of Lungs	104	5	4	1	1	1	12	4	—	1	4	3	7	4	
Dis. of Stom. and Liver	61	4	—	—	—	1	5	1	2	1	—	6	5	11	
Dis. of Kidneys	25	—	—	—	—	—	—	—	—	1	1	1	3	3	
Dis. of Gener. Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	4	—	—	—	—	—	—	—	—	2	—	—	—	—	
Dis. of Skin	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	5	—	—	—	—	—	—	—	—	—	—	—	3	1	
Other Violent Deaths	158	—	—	4	6	1	11	4	5	2	6	7	5	5	
Other Causes	361	65	6	4	1	—	76	8	3	4	2	4	10	6	
589.—CARMARTHEN.															
Mean Popul ⁿ , 1861-71	16723	481	417	474	467	452	2291	2129	2023	1777	1290	1891	1600	1471	
TOTAL DEATHS	3633	619	178	112	73	59	1041	158	108	130	160	259	207	261	
Small-pox	6	1	1	—	—	—	2	2	1	—	—	1	—	—	
Measles	19	5	5	2	—	2	15	4	—	—	—	—	—	—	
Scarlatina	133	12	20	24	14	13	83	37	6	1	1	4	—	—	
Diphtheria	26	3	1	1	5	4	14	8	1	2	—	1	—	—	
Whooping-cough	52	26	13	3	2	6	39	3	—	—	—	—	—	—	
Typhus	116	2	6	5	8	4	25	13	15	5	5	8	12	13	
Diarrhoea & Dysentery	29	11	5	1	1	—	18	—	—	—	1	—	—	—	
Cholera	55	1	1	1	2	—	6	10	4	1	1	5	1	8	
Other Zymotic Dis.	82	9	17	8	9	4	47	8	1	—	1	—	3	2	
Cancer	57	—	—	—	—	—	—	—	—	1	—	3	5	12	
Scrophula and Tuberc.	85	19	10	4	—	1	34	7	8	9	5	9	4	5	
Phthisis	639	4	6	5	3	3	21	8	24	67	113	144	80	77	
Hydrocephalus	52	19	12	5	2	3	41	8	2	1	—	—	—	—	
Dis. of Brain	493	255	26	10	8	4	303	13	5	8	6	13	18	25	
Dis. of Heart & Dropsy	165	—	2	—	—	1	8	1	5	9	6	18	12	16	
Dis. of Lungs	396	34	18	10	2	4	68	5	5	7	8	13	14	32	
Dis. of Stom. and Liver	132	12	1	1	1	1	16	3	6	6	3	10	20	27	
Dis. of Kidneys	55	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Gener. Organs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Joints	7	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dis. of Skin	5	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth and Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	6	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Deaths	125	3	2	10	8	4	27	11	13	9	9	6	13	13	
Other Causes	874	200	32	21	8	5	206	17	12	12	9	7	12	13	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	80--
		587.—LLANDOVERY.																
Popul ⁿ , 11-71	7477	176	166	167	169	180	858	849	827	824	726	968	697	657	515	331	183	42
DEATHS -	1349	193	53	34	22	20	322	51	46	62	70	114	92	89	98	132	180	93
- - -	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
- - -	11	1	1	5	1	1	9	1	-	1	-	-	-	-	-	-	-	-
- - -	39	6	8	3	4	5	26	10	2	1	-	-	-	-	-	-	-	-
- - -	11	1	2	-	1	-	4	4	-	-	1	-	1	-	-	1	-	-
- - -	19	9	3	2	1	2	17	2	-	-	-	-	-	-	-	-	-	-
- - -	57	2	3	-	-	1	6	6	4	6	10	8	3	5	5	3	1	-
- - -	8	1	-	-	-	-	1	-	1	1	-	-	-	1	1	3	-	-
- - -	37	4	2	4	4	3	17	3	-	3	2	1	-	1	3	2	6	-
- - -	28	-	-	-	-	-	-	-	-	-	-	-	5	6	4	8	2	3
- - -	11	1	1	1	-	1	4	1	1	-	2	-	1	1	1	1	-	-
- - -	298	2	6	1	1	1	10	5	21	34	33	65	38	31	18	10	3	-
- - -	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
- - -	197	108	11	5	2	2	123	3	2	2	1	4	2	7	13	16	15	3
- - -	90	-	-	-	-	-	20	4	3	3	3	4	7	7	11	27	20	4
- - -	114	4	8	4	2	2	20	3	2	3	3	9	4	10	13	20	23	4
- - -	41	-	1	-	-	1	2	1	1	-	6	5	6	6	8	1	5	-
- - -	8	-	-	-	-	-	-	-	1	-	-	2	5	-	-	-	-	-
- - -	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
- - -	4	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-
- - -	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
- - -	39	-	-	-	-	-	-	-	-	-	5	5	8	2	-	-	-	-
- - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
- - -	22	2	1	4	3	1	11	1	-	2	-	1	3	1	-	-	2	1
- - -	355	52	6	4	3	1	65	8	7	2	2	9	9	11	20	39	104	78

588.—LLANDILOFAWR.																		
Popul ⁿ , 11-71	8966	217	216	210	233	211	1087	989	964	941	842	1168	868	774	599	425	243	66
DEATHS -	1660	214	50	36	41	28	309	73	57	70	62	127	114	92	118	210	206	162
- - -	5	2	5	-	-	1	3	-	2	-	-	-	-	-	-	-	-	-
- - -	11	2	3	-	-	1	11	-	-	-	-	-	-	-	-	-	-	-
- - -	61	4	6	6	17	6	39	13	3	1	2	-	1	1	-	-	-	-
- - -	6	2	-	-	-	-	2	2	-	1	-	-	1	-	-	-	-	-
- - -	12	6	3	1	-	1	11	1	-	-	-	-	-	-	-	-	-	-
- - -	58	-	1	1	1	5	8	8	-	4	6	8	5	3	5	1	-	-
- - -	5	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
- - -	7	-	-	-	1	-	1	-	-	-	1	-	1	2	1	1	1	-
- - -	50	5	3	9	10	4	31	9	-	-	2	2	2	1	-	4	1	-
- - -	41	-	-	-	-	-	-	-	-	-	-	1	6	7	19	5	5	-
- - -	14	-	1	2	2	-	5	1	1	2	-	-	-	-	1	2	2	-
- - -	374	5	2	1	2	2	12	9	30	46	39	72	51	45	80	35	3	-
- - -	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
- - -	207	104	14	5	5	1	129	10	1	1	4	6	5	6	12	18	10	5
- - -	88	-	-	-	-	-	8	-	2	3	8	10	8	11	27	18	1	-
- - -	107	11	6	2	-	4	23	4	-	4	2	3	6	3	9	37	13	4
- - -	54	2	2	-	-	-	4	1	1	2	-	2	4	7	11	12	7	3
- - -	17	-	-	-	-	-	-	-	1	-	-	4	1	1	1	6	3	-
- - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
- - -	6	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
- - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
- - -	33	-	-	-	-	-	-	-	-	1	4	12	15	1	-	-	-	-
- - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	15	-	3	2	1	-	6	3	-	-	-	3	1	1	-	-	1	-
- - -	489	66	4	3	2	3	78	7	7	2	3	5	5	5	18	38	144	148

589.—CARMARTHEN.																		
Popul ⁿ , 11-71	19428	461	437	480	431	440	2249	2123	2076	2059	1788	2591	1917	1735	1369	933	469	119
DEATHS -	3781	524	143	105	81	59	912	136	109	153	167	286	220	223	203	461	514	292
- - -	4	2	-	1	-	-	3	-	-	1	-	-	-	-	-	-	-	-
- - -	24	3	11	3	4	2	23	1	-	-	-	-	-	-	-	-	-	-
- - -	107	2	20	13	16	14	65	29	5	2	2	4	-	-	-	-	-	-
- - -	26	-	2	4	3	3	12	6	5	1	1	-	-	-	-	1	-	-
- - -	61	28	14	9	5	3	59	2	-	-	-	-	-	-	-	-	-	-
- - -	135	4	7	3	4	4	22	9	15	16	15	12	10	15	6	11	4	-
- - -	40	10	4	1	-	-	15	1	-	1	-	1	1	2	3	6	8	2
- - -	93	2	1	2	2	1	8	5	4	3	5	17	10	11	10	7	3	-
- - -	83	9	5	10	10	3	37	9	4	-	-	3	2	3	4	11	8	2
- - -	77	-	-	-	1	-	1	-	-	-	-	-	4	2	13	16	12	1
- - -	59	12	1	4	1	2	20	3	5	4	4	6	4	2	3	4	4	-
- - -	647	9	5	5	-	2	21	15	42	91	85	145	100	64	49	23	6	-
- - -	44	11	7	4	3	5	28	11	2	-	-	1	-	-	-	-	-	-
- - -	449	205	19	9	6	7	246	11	5	3	11	1	18	25	28	56	31	14
- - -	262	-	-	-	3	1	4	6	5	5	12	12	10	23	33	60	32	1
- - -	353	32	15	7	5	2	59	8	2	6	5	9	9	22	44	53	32	1
- - -	137	10	3	1	1	1	16	5	2	3	4	11	12	15	29	32	20	1
- - -	16	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	-	-
- - -	13	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
- - -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	10	2	-	-	1	-	3	-	1	-	-	-	1	-	-	-	-	-
- - -	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	47	2	4	9	7	4	26	5	-	1	-	2	4	2	-	1	45	137
- - -	1069	161	27	20	9	7	244	12	10	7	2	9	11	12	20	45	104	107

Causes of Death in the Ten Years 1861-70.—Males.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-
590.—NARBERTH.															
Mean Popul ⁿ , 1861-71	9754	279	274	286	274	257	1370	1285	1254	1053	687	1023	917	867	683
TOTAL DEATHS	1918	299	88	55	52	18	492	72	65	104	110	137	83	125	175
Small-pox	11	2	-	2	-	-	4	-	1	-	3	1	-	1	1
Measles	8	2	2	-	1	1	6	1	1	-	-	-	-	-	-
Scarlatina	94	12	12	10	8	11	25	26	11	2	-	1	-	-	-
Diphtheria	15	1	2	2	4	-	9	4	1	1	-	-	-	-	-
Whooping-cough	81	18	8	2	-	1	30	1	-	-	-	-	-	-	-
Typhus	117	5	6	1	3	1	16	17	9	22	7	7	6	14	8
Diarrhoea & Dysentery	11	5	-	-	-	-	5	1	1	1	-	1	1	1	1
Cholera	8	-	-	-	-	-	-	1	-	1	-	1	2	-	-
Other Zymotic Dis.	48	6	10	5	3	-	24	1	2	-	2	2	1	-	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	2	6	5	4
Scrofula and Tuberc.	26	3	-	-	-	-	3	8	6	8	4	2	2	4	4
Phthisis	335	1	3	2	1	1	8	1	15	46	77	83	30	22	25
Hydrocephalus	11	3	2	1	1	-	7	-	-	-	1	-	-	-	-
Dis. of Brain	182	71	12	5	2	-	88	1	1	3	-	5	7	10	10
Dis. of Heart & Dropsy	65	-	-	-	-	-	1	1	1	2	-	3	7	4	5
Dis. of Lungs	142	7	3	4	1	1	16	1	1	2	3	3	4	11	10
Dis. of Stom. and Liver	88	1	-	1	1	1	4	-	-	1	-	1	1	2	1
Dis. of Kidneys	19	-	-	-	-	-	-	1	-	-	1	1	1	2	1
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	2	2	1
Other Violent Deaths	59	1	2	7	2	-	12	2	5	6	4	6	7	6	6
Other Causes	629	161	20	14	5	-	205	12	12	7	6	7	5	10	20
591.—PEMBROKE.															
Mean Popul ⁿ , 1861-71	14434	405	364	386	372	367	1894	1667	1523	1662	1399	2088	1549	1222	700
TOTAL DEATHS	2799	705	171	90	57	48	1066	123	64	108	138	188	172	173	182
Small-pox	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-
Measles	38	6	9	10	5	2	32	6	-	-	-	-	-	-	-
Scarlatina	119	11	14	20	14	13	72	84	8	3	2	-	-	-	-
Diphtheria	4	2	1	-	1	-	4	-	-	-	-	-	-	-	-
Whooping-cough	39	19	11	5	4	-	39	-	-	-	-	-	-	-	-
Typhus	116	3	7	8	4	3	27	28	6	14	13	9	6	2	1
Diarrhoea & Dysentery	51	20	6	1	2	3	33	2	2	14	2	2	2	2	1
Cholera	22	4	1	-	-	-	5	3	2	1	-	1	2	5	3
Other Zymotic Dis.	57	12	4	6	3	1	26	2	1	1	3	2	2	7	3
Cancer	33	-	-	-	-	-	-	-	1	-	1	-	4	3	7
Scrofula and Tuberc.	51	10	4	9	3	-	19	7	5	4	4	5	1	1	1
Phthisis	374	2	4	2	-	1	9	1	13	45	64	97	62	41	27
Hydrocephalus	20	5	6	3	-	2	16	1	2	-	1	-	-	-	-
Dis. of Brain	412	202	37	5	3	3	252	8	2	5	8	12	13	21	17
Dis. of Heart & Dropsy	171	2	2	1	2	-	7	8	3	5	6	13	11	22	41
Dis. of Lungs	241	58	15	5	5	6	89	6	1	6	6	6	19	18	23
Dis. of Stom. and Liver	89	6	3	1	1	-	11	2	2	2	4	7	10	11	16
Dis. of Kidneys	51	-	-	-	-	-	-	-	-	-	2	4	7	4	8
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	1	-	-	-	1	1	-	1	-	1	1	1	2
Dis. of Skin	8	3	-	-	-	-	3	-	-	-	-	-	-	1	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	5	4	5	1	2	17	7	19	15	1	2	3	1	5
Other Violent Deaths	162	34	41	16	7	5	409	19	4	5	24	20	20	22	7
Other Causes	729	234	41	16	7	5	409	19	4	5	24	20	20	22	7
592.—HAVERFORDWEST.															
Mean Popul ⁿ , 1861-71	16743	480	450	464	450	431	2275	2165	2059	1734	1211	1876	1665	1457	1200
TOTAL DEATHS	3675	740	181	103	79	48	1151	160	102	153	171	234	187	219	287
Small-pox	16	3	2	2	1	-	8	2	1	-	2	2	1	-	-
Measles	27	6	6	4	2	2	20	5	1	-	-	1	-	-	-
Scarlatina	123	5	18	19	22	14	78	37	6	1	1	-	-	-	-
Diphtheria	50	6	7	7	6	2	28	12	5	3	1	-	-	-	-
Whooping-cough	55	23	15	5	4	1	48	6	1	-	-	-	-	-	-
Typhus	162	6	5	7	6	5	29	21	13	14	10	18	11	14	13
Diarrhoea & Dysentery	42	23	1	2	-	1	27	1	-	1	1	-	-	1	-
Cholera	19	-	-	-	-	-	1	-	-	-	1	1	1	-	1
Other Zymotic Dis.	73	18	7	8	3	5	41	12	2	1	1	1	5	1	3
Cancer	55	-	-	-	-	-	-	-	1	1	-	-	5	12	16
Scrofula and Tuberc.	59	14	5	4	2	1	28	6	4	5	6	4	1	2	2
Phthisis	530	8	2	2	2	2	19	11	24	75	106	118	66	45	39
Hydrocephalus	30	10	6	3	2	-	21	6	1	1	1	-	-	-	-
Dis. of Brain	455	292	31	9	3	-	265	5	4	9	2	18	9	25	36
Dis. of Heart & Dropsy	222	1	2	1	1	1	6	3	5	3	5	8	19	29	48
Dis. of Lungs	324	24	15	7	8	2	56	8	4	5	5	16	18	25	33
Dis. of Stom. and Liver	110	5	3	2	-	-	9	3	2	3	3	9	14	12	17
Dis. of Kidneys	67	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-

XL] Causes of Death in the Ten Years 1861-70.—Females.

423

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--

590.—NARBERTH.																	
Popul ⁿ , 51-71	11085	293	250	279	275	289	1386	1308	1210	1054	952	1360	1089	1026	801	558	275
DEATHS	1948	218	76	48	42	32	416	89	62	79	83	143	92	133	168	241	168
x - - -	9	-	4	-	-	1	1	1	1	2	2	2	-	-	-	-	-
a - - -	14	2	4	4	1	1	12	2	-	-	-	-	-	-	-	-	-
la - - -	76	9	10	6	13	10	48	22	5	1	-	-	-	-	-	-	-
r-cough	40	8	1	4	4	4	16	14	4	-	-	-	1	1	-	-	-
& Dysentery	41	25	5	5	3	2	40	1	3	11	9	12	6	6	8	5	1
motie Dis.	18	1	2	6	-	4	13	14	2	-	-	1	1	1	2	2	-
nd Tuberc	11	-	-	-	1	1	2	1	1	-	1	1	3	3	2	5	1
halus	47	10	8	2	4	1	25	5	1	-	-	-	1	8	9	2	2
ain	22	-	-	-	-	-	-	-	-	3	1	-	1	1	4	1	-
art & Dropsy	13	1	-	1	2	2	10	5	30	48	63	89	37	44	36	11	-
ngs	303	2	3	1	2	2	2	-	-	-	-	-	-	-	-	-	-
nn. and Liver	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
idneys	134	37	12	1	2	1	53	2	2	1	3	5	5	15	11	20	16
ner. Organs	141	1	-	-	-	1	3	3	3	4	4	4	14	18	33	43	14
ints	73	7	2	1	1	1	12	2	1	2	2	2	2	9	12	22	7
in	45	-	-	1	1	1	2	1	1	-	-	4	5	6	8	12	4
h and Metria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
lent Deaths	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
sses	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	22	2	3	2	2	1	10	5	-	1	1	1	7	16	39	55	2
	737	116	25	14	7	1	163	10	8	2	3	7	7	16	39	112	168

591.—PEMBROKE.																	
Popul ⁿ , 51-71	14598	394	378	356	363	372	1863	1739	1525	1497	1299	2041	1598	1285	877	557	252
DEATHS	2836	571	175	81	68	41	936	130	65	93	114	210	206	173	192	285	137
x - - -	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
a - - -	42	2	16	8	4	3	36	5	-	1	-	-	-	-	-	-	-
la - - -	138	10	29	14	16	13	82	26	9	5	3	2	1	-	-	-	-
r-cough	5	1	-	1	-	-	2	2	1	-	-	-	-	-	-	-	-
& Dysentery	30	15	8	2	3	-	28	2	-	-	-	-	-	-	-	-	-
motie Dis.	121	3	10	7	8	4	32	20	11	6	11	9	7	6	8	8	1
nd Tuberc	43	23	3	-	-	-	26	2	-	1	1	3	3	1	1	4	3
halus	25	-	1	-	-	-	1	3	4	2	2	1	7	1	3	2	1
ain	54	11	7	6	4	4	32	8	2	1	-	-	4	2	2	1	-
art & Dropsy	69	-	-	-	-	-	-	-	-	-	-	5	3	17	15	20	8
ngs	31	3	9	-	1	1	14	2	6	1	-	1	3	1	1	1	1
nn. and Liver	415	4	3	9	3	-	19	8	18	52	63	109	63	48	24	11	-
idneys	33	14	4	2	-	-	20	2	2	-	-	1	-	-	-	-	-
ner. Organs	365	160	21	5	9	4	100	6	1	3	5	10	15	15	25	36	43
ints	220	2	2	-	-	-	6	2	1	5	3	15	26	30	42	49	35
in	204	43	19	13	4	5	84	3	2	4	2	7	14	9	20	30	24
h and Metria	94	2	-	1	1	1	3	3	-	-	4	6	12	17	19	19	6
lent Deaths	34	-	-	-	-	-	-	-	2	1	1	5	6	6	2	7	4
sses	19	-	-	-	-	-	-	-	-	-	-	5	5	5	1	2	1
	7	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-
	58	-	-	-	-	-	-	-	-	2	10	25	20	1	-	-	-
	98	4	3	2	2	2	13	5	-	1	2	2	1	1	2	3	4
	788	269	41	11	10	4	355	13	4	4	6	8	15	13	25	91	111

592.—HAVERFORDWEST.																	
Popul ⁿ , 51-71	19168	491	421	442	458	420	2232	2084	1986	1926	1662	2525	2009	1755	1425	968	493
DEATHS	3931	559	159	103	83	49	953	151	107	182	172	261	243	192	364	482	287
x - - -	6	1	-	1	1	-	3	-	-	-	-	1	2	-	-	-	-
a - - -	25	4	7	3	2	2	18	7	-	-	-	-	-	-	-	-	-
la - - -	129	13	13	19	26	15	86	33	7	1	1	1	-	-	-	-	-
r-cough	42	6	2	5	6	2	24	12	4	1	-	-	1	-	-	-	-
& Dysentery	66	24	13	9	4	2	32	3	1	-	-	-	-	-	-	-	-
motie Dis.	109	4	5	12	8	2	31	29	21	24	7	17	17	9	20	12	9
nd Tuberc	50	28	4	1	1	1	35	1	-	-	-	-	2	2	5	5	3
halus	31	-	-	-	-	-	3	-	-	2	2	4	3	6	3	4	4
ain	89	10	5	7	8	4	34	3	4	3	1	1	3	4	7	10	9
art & Dropsy	95	-	-	-	-	-	-	-	-	1	-	-	9	20	27	23	8
ngs	55	12	5	3	5	2	25	1	2	8	2	5	2	2	3	3	2
nn. and Liver	682	9	4	2	2	4	21	17	41	98	113	144	104	62	55	25	2
idneys	18	3	3	4	1	-	11	5	2	-	-	-	-	-	-	-	-
ner. Organs	588	147	25	5	5	3	135	9	2	8	9	13	9	11	36	51	43
ints	302	2	4	1	2	1	10	3	4	4	4	13	15	35	39	79	54
in	273	17	9	9	2	-	37	5	2	11	5	5	19	11	28	76	53
h and Metria	115	-	-	-	-	-	3	-	-	2	-	-	11	12	25	27	10
lent Deaths	34	-	-	-	-	-	-	-	2	3	3	1	1	1	1	1	1
sses	16	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	9	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	40	3	1	3	3	4	14	6	-	-	-	-	18	13	19	65	136
	1223	276	48	22	9	8	358	14	10	14	9	9	14	18	19	65	136

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1881-90

503.—CARDIGAN.

594.—NEWCASTLE-IN-EMLYN.

595.—LAMPETER.

Small pox	4707	136	105	126	107	134	608	628	569	459	354	570	455	416	320
Measles	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	4	-	-	2	-	-	3	-	-	1	-	-	-	-	-
Diphtheria	57	2	7	6	5	-	23	10	1	-	2	-	1	-	-
Whooping cough	9	-	-	-	-	-	2	4	1	-	1	-	1	-	-
Typhus	12	9	2	1	1	-	19	-	3	3	1	2	-	2	2
Scarlet & Dysentery	2	-	-	-	-	-	3	3	-	-	-	-	-	-	-
Cholera	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Other Zymotic Dis.	28	3	2	2	2	2	15	7	1	1	-	-	-	1	-
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Scrophula and Tuberc.	13	-	-	-	-	-	1	-	3	-	-	1	-	4	-
Epilepsy	171	-	1	-	-	-	4	-	6	15	38	30	25	23	19
Hydrocephalus	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-
Dis. of Brain	71	10	9	9	1	-	23	1	-	2	2	2	2	4	6
Dis. of Heart & Propag.	47	-	-	-	-	-	1	1	2	1	1	1	5	5	9
Dis. of Lungs	70	9	1	1	-	-	17	1	1	1	3	4	3	8	10
Dis. of Stom. and Liver	27	2	-	-	-	-	3	-	-	1	2	-	2	2	6
W.	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-
R.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	5	-	-	-	-	-	-	-
	25	-	-	-	-	-	-	112	-	-	-	-	-	-	-
	264	91	10	2	2	2	2	4	2	2	2	2	2	2	2

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX ATHL.	ALL Ages.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80-
593.—CARDIGAN.																		
Population	10376	205	188	225	199	205	1022	1008	972	948	895	1444	1167	1079	872	602	300	67
Deaths	1895	159	50	42	34	23	308	63	58	60	71	118	125	115	204	264	341	168
	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	36	1	5	4	5	4	19	10	5	1	-	1	-	-	-	-	-	-
	49	-	4	4	7	9	24	14	8	1	-	1	-	-	-	1	-	-
	17	8	5	1	1	-	15	-	1	-	-	-	-	-	1	-	-	-
	56	2	-	-	-	1	5	4	3	8	8	3	7	6	4	4	4	-
	7	1	-	-	-	-	1	-	-	-	-	-	-	-	3	1	3	-
	4	-	-	-	-	-	-	-	-	-	-	1	1	1	4	9	5	-
	32	-	2	4	-	-	6	3	-	1	1	-	1	4	4	9	5	-
	136	-	-	-	-	-	-	-	-	-	-	-	2	8	17	7	2	-
	17	1	-	-	-	-	1	-	1	1	5	1	3	3	1	2	1	-
	280	1	-	1	-	1	3	2	17	37	44	62	55	36	15	10	1	-
	6	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-
	248	82	14	12	4	1	113	1	1	1	-	6	9	7	33	39	35	5
	140	-	-	-	-	-	-	4	3	3	2	9	15	17	38	36	16	-
	81	3	4	1	-	-	8	4	3	1	-	7	7	5	10	17	17	2
	35	-	-	-	-	1	1	2	-	-	1	1	5	1	7	10	5	-
	8	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-
	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	29	-	-	-	-	-	-	-	-	1	4	16	7	1	-	-	-	-
	14	-	1	1	2	-	4	1	-	-	1	-	2	-	2	2	-	1
	789	60	14	14	13	5	106	14	15	2	4	10	10	20	72	122	254	160
594.—NEWCASTLE-IN-EMLYN.																		
Population	10339	247	201	215	233	231	1127	1130	1005	998	890	1364	1105	979	826	575	280	60
Deaths	1817	181	53	33	40	27	334	99	67	71	77	127	97	102	139	247	303	154
	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	9	-	3	1	2	2	8	-	-	-	-	1	-	-	-	-	-	-
	36	2	5	4	3	3	17	12	5	-	-	1	1	-	-	-	-	-
	84	3	5	2	6	8	24	33	12	7	5	2	1	-	-	-	-	-
	28	6	6	5	5	2	24	3	1	-	-	-	-	-	-	-	-	-
	52	-	-	-	-	-	-	6	6	7	8	7	4	2	5	6	1	-
	8	-	-	-	-	-	-	-	1	1	-	-	-	-	1	4	1	-
	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-
	45	3	3	2	9	1	18	5	-	-	1	1	1	1	7	4	7	-
	38	-	-	-	-	-	-	-	-	-	-	1	2	8	8	7	9	3
	23	1	-	-	-	-	1	3	2	2	2	3	3	3	3	1	-	-
	386	1	2	3	-	2	8	10	21	39	39	71	49	39	49	52	9	-
	4	-	-	-	1	-	1	2	-	-	-	-	-	-	1	-	-	-
	126	42	9	2	2	3	58	3	1	3	-	6	5	5	9	21	13	3
	108	-	-	-	-	1	1	3	4	4	2	4	2	17	19	31	16	3
	85	1	4	2	1	-	8	3	-	1	4	3	1	8	9	34	14	-
	40	1	-	-	-	1	2	-	2	1	3	3	4	3	7	7	7	1
	5	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	29	-	-	-	-	-	-	-	-	-	3	11	13	2	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9	-	2	1	2	-	5	-	2	-	-	1	1	-	-	-	-	-
	693	121	14	11	9	4	189	16	8	6	8	10	6	12	20	78	233	145
595.—LAMPETER.																		
Population	5277	120	119	121	133	125	618	619	554	508	463	704	541	483	377	258	122	30
Deaths	889	88	32	20	16	17	173	38	27	23	35	62	60	46	80	123	127	81
	9	-	2	-	-	2	5	3	1	-	-	-	-	-	-	-	-	-
	20	-	2	2	3	-	7	6	4	1	-	1	-	-	-	-	-	-
	10	-	1	-	1	-	2	5	2	-	1	-	-	-	-	-	-	-
	9	-	2	2	-	2	6	3	-	-	-	-	-	-	-	-	-	-
	24	-	-	-	-	-	-	3	1	2	5	5	1	3	-	2	2	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	19	1	2	-	3	3	9	2	1	-	-	-	1	1	1	4	-	-
	13	-	-	-	-	1	1	-	3	1	-	-	1	3	3	4	1	-
	10	-	-	-	-	1	1	-	-	-	-	-	1	2	1	1	-	-
	201	1	4	2	1	1	4	10	16	21	49	36	18	31	15	1	-	-
	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	84	23	4	1	1	1	26	2	1	3	2	3	4	5	6	15	13	1
	64	-	-	-	-	1	1	2	1	3	2	1	8	4	12	17	12	1
	52	2	4	1	3	2	15	2	1	-	-	2	4	2	9	14	5	-
	17	-	-	-	-	-	1	-	-	1	-	-	-	3	3	4	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	18	-	-	-	-	-	-	-	-	-	-	-	8	1	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11	1	2	2	1	-	6	2	-	-	-	-	-	-	-	1	-	-
	322	60	8	6	2	3	79	4	2	-	-	1	1	4	4	10	47	-

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.										
		Total under 5 Years.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-

596.—ABERAYRON.														
Mean Popul ⁿ , } 1861-71 - }	1868	178	103	173	186	167	808	856	743	535	360	618	551	504
TOTAL DEATHS -	1249	187	48	30	19	13	299	60	31	70	69	100	53	72
Small-pox - - -	7	-	-	-	-	1	7	3	-	1	-	4	-	-
Mumps - - - -	20	35	3	6	3	3	19	6	2	-	1	-	-	-
Scurfies - - - -	24	5	15	1	1	-	9	8	6	6	2	-	-	-
Diphtheria - - -	7	2	2	2	-	-	7	-	-	-	-	-	-	-
Whooping-cough -	24	-	-	-	-	-	7	-	2	5	2	3	4	5
Erysipelas - - -	7	1	-	-	-	-	1	-	-	-	-	-	-	-
Rheumatism & Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera - - - -	23	4	-	4	3	1	12	2	-	1	-	-	2	1
Other Zymotic Dis. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - -	19	-	-	-	-	-	-	-	-	-	-	1	1	3
Scrofula and Tubercle	25	3	1	-	-	1	6	1	3	3	1	3	1	3
Fthisis - - - -	203	-	2	-	-	-	2	5	5	21	43	63	27	27
Hydrocephalus - -	2	-	2	-	-	-	2	-	-	-	-	-	-	-
Dis. of Brain - - -	102	22	5	3	-	-	40	1	5	3	-	1	2	2
Dis. of Heart & Dropsy	73	-	-	-	-	-	-	3	3	3	2	5	4	4
Dis. of Lungs - - -	84	6	3	1	-	5	15	23	12	2	-	5	4	5
Dis. of Stom. and Liver	65	6	1	1	-	-	8	1	12	1	-	3	5	2
Dis. of Kidneys - -	11	-	-	-	-	-	-	-	-	-	-	-	1	2
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - -	2	-	-	-	-	-	-	-	2	-	-	-	-	1
Other Violent Deaths	37	1	-	3	-	3	7	3	5	3	3	-	2	4
Other Causes - - -	435	121	23	9	7	3	165	21	4	4	5	11	22	6

Mean Popul ⁿ , 1861-71	12393	370	360	354	361	354	1799	1681	1440	1262	935	1524	1281	1067
--------------------------------------	-------	-----	-----	-----	-----	-----	------	------	------	------	-----	------	------	------

Mean Popul ⁿ , 1861-71	12393	370	360	354	361	354	1799	1681	1440	1262	935	1524	1281	1067
TOTAL DEATHS -	2588	433	141	84	89	45	742	111	64	112	140	212	181	176
Small-pox - - -	11	4	2	3	-	-	8	-	-	-	1	-	1	1
Measles - - - -	12	1	6	2	2	-	11	1	-	-	-	-	-	-
Hearletina - - -	44	12	5	2	4	7	30	10	3	-	-	-	-	-
Diphtheria - - -	34	2	4	3	4	5	17	11	3	-	1	1	-	-
Whooping-cough -	41	18	11	8	2	5	89	3	-	-	-	-	-	-
Typhus - - - - -	102	3	4	-	5	2	14	19	9	17	4	14	12	9
Barrhea & Dysentery	8	7	-	-	-	-	2	-	-	-	-	1	-	-
Cholera - - - - -	7	1	-	-	-	1	2	2	1	-	-	-	-	-
Other Zymotic Dis.	73	5	9	10	2	8	34	10	1	2	4	2	1	2
Cancer - - - - -	18	-	-	-	-	-	-	-	-	1	1	2	1	3
Scrofala and Tubes	16	2	-	-	-	-	2	1	-	1	2	6	1	-
Phtisia - - - - -	334	3	2	3	-	1	9	6	13	51	66	90	56	34
Hydrocephalus - -	11	8	2	2	-	-	7	3	-	1	-	-	-	-
Dis. of Brain - - -	340	193	89	16	4	2	254	8	2	2	3	6	8	12
Dis. of Heart & Dropsy	72	-	-	-	-	-	8	2	4	-	3	3	12	6
Dis. of Lungs - - -	255	25	16	8	6	4	59	9	6	2	4	5	10	20
Dis. of Stom. and Liver	67	3	1	-	-	-	4	3	5	1	2	6	6	10
Dis. of Kidneys - -	15	-	-	-	-	-	-	-	-	-	-	-	1	-
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin - - - -	3	1	-	-	-	-	1	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unleids - - - - -	3	-	-	-	-	-	-	-	-	-	-	-	2	1
Other Violent Deaths	101	-	5	5	1	2	13	6	4	6	10	21	17	8
Other Causes - - -	979	156	55	22	9	2	231	20	16	23	42	55	32	70

Mean Popula., 1801-71	5029	149	134	155	139	144	731	674	645	513	377	554	466	438
-----------------------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Mean Popula. 1861-71	5029	149	134	155	139	144	721	674	645	513	377	554	466	438
TOTAL DEATHS	922	147	33	21	19	17	237	33	29	45	66	56	49	63
Small-pox	5	-	1	-	-	1	2	-	-	-	2	-	-	-
Measles	4	-	3	1	-	-	5	-	-	-	-	-	-	-
Scarlatina	12	1	2	1	1	1	5	3	3	1	-	-	-	-
Diphtheria	14	-	2	-	2	1	5	1	4	4	-	-	-	-
Whooping-cough	16	6	-	5	1	2	14	2	-	-	-	-	-	-
Typhus	26	-	-	1	1	1	8	10	1	4	2	1	1	2
Dysentery & Dysentery	8	-	1	-	-	-	1	1	-	-	-	-	1	1
Cholera	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis.	23	4	1	1	4	1	11	1	1	-	1	1	1	3
Cancer	8	-	-	-	-	-	-	-	-	-	-	1	1	2
Scrofula and Tuberc.	29	2	-	-	1	-	3	1	3	6	2	3	4	3
Phthisis	184	-	1	-	-	2	3	1	6	19	49	27	18	23
Hydrocephalus	4	2	-	-	-	2	4	-	-	-	-	-	-	-
Dis. of Brain	65	16	4	2	-	-	22	1	1	1	2	-	3	4
Dis. of Heart & Dropsy	28	-	-	-	-	-	-	-	-	1	-	-	1	2
Dis. of Lungs	112	2	2	-	-	-	4	1	-	4	2	6	7	8
Dis. of Stom. and Liver	41	-	1	-	2	1	-	-	2	-	-	2	2	4
Dis. of Kidneys	20	-	-	-	-	1	1	1	-	-	-	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Id Metris	4	2	-	-	-	-	-	2	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX ATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
		596.—ABERAYRON.																	
popul ⁿ , }	7560	166	136	175	169	187	833	802	773	698	642	1075	839	739	562	387	173	37	
EATHS -	1261	140	40	24	26	16	246	47	38	52	49	88	85	79	109	174	211	83	
-	6	2	-	2	-	-	4	1	-	-	1	-	-	-	-	-	-	-	
-	8	2	3	1	-	-	7	-	1	-	-	-	-	-	-	-	-	-	
-	24	-	3	2	4	4	13	8	2	1	-	-	-	-	-	-	-	-	
-	21	1	1	-	2	4	8	7	4	1	1	-	-	-	-	-	-	-	
ough	9	3	4	1	1	-	9	-	-	-	-	-	-	-	-	-	-	-	
Dysentery	31	-	-	-	3	-	4	3	4	5	6	3	-	2	3	1	-	-	
ile Dis.	21	-	2	1	2	1	6	1	-	-	-	-	-	3	3	4	3	1	
-	14	-	-	-	-	-	-	-	-	1	-	2	1	2	3	2	3	-	
Tabes	13	2	-	-	-	-	2	-	1	-	1	1	1	1	1	2	2	3	
us	362	1	1	-	2	2	6	6	14	27	27	42	87	84	90	35	2	2	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
t & Dropsy	75	17	6	1	3	1	28	9	1	-	-	4	2	3	6	14	14	1	
and Liver	96	-	-	-	-	1	1	1	1	2	-	4	4	11	22	25	23	1	
-	78	6	3	1	2	-	12	3	2	3	5	4	3	3	9	15	18	1	
-	53	6	-	-	-	1	7	2	1	2	-	4	4	8	10	5	9	1	
eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
r. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
nd Metria	39	-	-	-	-	-	-	-	-	-	3	12	24	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
st Deaths	10	-	2	2	2	-	6	1	-	1	1	-	-	-	-	1	-	-	
-	408	100	15	12	4	2	133	10	7	8	4	12	9	11	21	69	138	76	

597.—ABERYSTWICH.																			
popul ⁿ . } -71	14059	355	341	344	375	378	1793	1650	1491	1403	1219	1962	1514	1229	925	582	243	48	
EATHS -	2589	369	135	70	43	40	657	104	76	94	125	193	172	176	246	325	310	111	
- - -	17	4	4	1	1	-	10	2	-	-	1	3	1	-	-	-	-	-	
- - -	11	2	7	1	1	-	11	-	-	-	-	-	-	-	-	-	-	-	
- - -	67	9	7	7	6	6	35	16	9	4	1	-	1	1	-	-	-	-	
- - -	49	4	6	2	1	2	13	18	8	6	1	-	-	1	-	-	-	-	
ough	80	24	19	16	5	5	69	7	4	-	17	18	8	4	7	5	1	-	
Dysentery	109	4	5	2	3	4	15	7	5	10	17	1	1	-	1	1	-	-	
- - -	4	-	1	-	-	-	1	-	-	-	-	3	2	1	1	1	-	-	
ile Dis.	8	-	-	-	-	-	-	1	-	-	-	1	2	1	1	1	-	-	
- - -	65	9	10	6	9	3	37	3	1	2	2	3	1	4	6	4	2	-	
- - -	32	-	-	-	-	-	-	-	-	1	-	-	4	9	6	7	5	-	
Tabes	17	-	1	-	-	-	1	-	5	1	1	2	1	2	1	3	-	-	
- - -	328	-	2	2	2	1	7	19	17	43	53	66	54	42	21	6	-	-	
us	8	-	2	1	1	1	5	3	-	-	-	-	-	-	-	-	-	-	
- - -	318	164	27	8	3	6	208	4	1	-	3	7	5	9	22	38	23	-	
t & Dropsy	128	-	-	-	-	-	1	1	1	3	1	7	15	18	39	31	15	-	
- - -	231	15	11	6	1	-	33	2	4	3	5	8	8	9	48	74	37	-	
and Liver	63	5	1	1	-	-	7	1	2	2	1	4	7	8	16	12	3	-	
- - -	5	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-	
ir. Organs	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
is	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
nd Metria	30	-	-	-	-	-	-	-	-	-	4	14	10	2	-	-	-	-	
- - -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
it Deaths	16	-	3	1	2	1	7	-	2	-	1	-	1	-	-	-	2	1	
- - -	1008	129	29	10	8	11	193	20	17	18	34	55	52	65	80	142	272	110	

598.—TREGARON.																			
popul ⁿ , } -71		5677	150	126	138	149	128	691	656	632	554	470	770	603	510	385	254	125	27
EATHS -		843	115	25	16	6	11	173	39	19	30	43	66	49	58	69	87	135	75
-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
-	-	4	-	1	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-
-	-	11	1	-	1	-	1	3	4	2	-	-	1	-	1	-	-	-	-
ough		25	13	5	3	-	2	23	2	-	-	-	-	-	-	-	-	-	-
Dysentery		23	-	1	-	1	-	2	3	1	5	2	6	-	-	2	1	1	5
ile Dis.		6	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	25	1	1	3	2	1	8	4	1	2	-	2	1	-	1	4	1	1
-	-	8	-	-	-	-	-	-	1	-	-	-	-	-	3	3	-	1	-
l Tabes		19	1	1	-	-	3	5	1	-	1	2	1	2	2	2	3	-	-
us		151	-	2	-	1	-	3	7	9	11	27	36	20	15	11	11	1	-
-	-	4	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
a		64	12	-	-	1	1	14	1	-	2	2	1	3	4	5	13	7	6
t & Dropsy		51	-	1	-	-	-	1	-	1	-	-	4	4	9	10	7	12	2
-	-	75	-	1	-	-	-	1	-	-	2	1	4	4	7	13	23	15	10
and Liver		39	1	-	-	-	-	1	-	-	-	-	3	3	6	1	1	1	1
-	-	7	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-
Organs		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria		15	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-
-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths		312	83	10	7	1	2	103	8	4	-	7	4	4	2	-	7	19	20

AGES OF MALES.	
Under 15 years	1,000
15 to 20 years	1,000
20 to 25 years	1,000
25 to 30 years	1,000
30 to 35 years	1,000
35 to 40 years	1,000
40 to 45 years	1,000
45 to 50 years	1,000
50 to 55 years	1,000
55 to 60 years	1,000
60 to 65 years	1,000
65 to 70 years	1,000
70 to 75 years	1,000
75 to 80 years	1,000
80 to 85 years	1,000
85 to 90 years	1,000
90 to 95 years	1,000
95 to 100 years	1,000
100 years and over	1,000

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	50-
599.—BUILTH.															
Mean Popul ⁿ , 1861-71 -	4138	101	102	119	97	112	531	499	479	433	339	523	416	355	281
TOTAL DEATHS -	825	170	32	27	8	2	239	37	24	26	25	51	54	63	58
Small-pox -	8	-	2	-	1	-	3	1	-	-	-	2	1	-	-
Measles -	8	1	2	1	-	1	5	1	1	-	-	-	-	-	-
Scarlatina -	8	2	-	4	-	-	6	1	1	-	-	-	-	-	-
Diphtheria -	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Whooping-cough -	14	6	2	5	-	-	13	1	-	-	-	-	-	-	-
Typhus -	25	3	1	-	-	-	3	5	1	1	3	2	3	3	3
Diarrhoea & Dysentery -	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-
Cholera -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	11	-	-	1	-	-	1	-	1	-	-	2	-	2	2
Cancer -	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tubes -	4	1	-	-	-	-	1	-	2	-	-	-	1	1	1
Phthisis -	99	2	-	1	-	-	3	1	5	4	13	23	15	10	-
Hydrocephalus -	3	-	1	-	-	-	1	2	-	-	-	-	-	-	-
Dis. of Brain -	75	24	5	-	2	-	31	2	-	-	-	1	6	7	6
Dis. of Heart & Dropsy -	41	-	-	-	-	-	3	3	2	-	1	3	1	6	6
Dis. of Lungs -	90	7	6	2	3	-	18	2	2	3	1	6	6	12	9
Dis. of Stom. and Liver -	55	2	2	1	-	-	5	1	1	1	3	1	4	9	9
Dis. of Kidneys -	10	-	-	-	-	-	-	1	-	-	1	-	-	2	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	34	-	1	3	-	-	4	4	5	1	3	3	8	1	1
Other Causes -	332	119	10	9	2	1	141	8	3	6	-	5	7	7	7
600.—BRECKNOCK.															
Mean Popul ⁿ , 1861-71 -	8696	234	199	249	209	218	1109	997	912	867	746	1191	919	784	784
TOTAL DEATHS -	1797	335	79	52	35	25	526	81	26	41	71	118	113	143	143
Small-pox -	7	1	-	2	-	-	3	-	-	1	1	1	-	-	1
Measles -	11	4	6	-	1	-	11	-	-	-	-	-	-	-	-
Scarlatina -	63	2	8	9	9	5	33	27	1	-	2	-	-	-	-
Diphtheria -	17	1	1	1	3	2	8	6	1	-	-	1	1	-	-
Whooping-cough -	28	8	7	6	5	1	25	3	-	-	-	-	-	-	-
Typhus -	60	3	1	4	1	1	10	7	4	2	5	6	4	4	4
Diarrhoea & Dysentery -	22	10	1	-	-	-	11	-	-	-	-	-	1	1	-
Cholera -	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. -	35	5	-	3	1	-	9	6	-	2	2	1	4	1	-
Cancer -	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tubes -	19	1	1	2	-	-	4	2	1	2	2	2	2	6	1
Phthisis -	197	1	-	2	1	-	4	2	3	22	35	44	30	29	-
Hydrocephalus -	11	2	1	-	3	2	8	2	1	-	-	-	-	-	-
Dis. of Brain -	277	124	13	5	4	2	148	6	1	2	6	8	13	15	-
Dis. of Heart & Dropsy -	122	-	1	-	-	3	4	-	1	1	2	13	7	21	7
Dis. of Lungs -	232	29	16	5	-	1	81	2	3	2	6	11	19	29	29
Dis. of Stom. and Liver -	77	3	-	1	2	2	8	1	1	2	2	5	10	12	12
Dis. of Kidneys -	42	-	-	-	-	-	-	-	-	-	1	2	3	5	-
Dis. of Gener. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	6	-	-	-	-	-	-	1	1	1	-	1	-	-	-
Dis. of Skin -	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	80	3	5	3	3	3	17	5	6	4	5	13	9	9	4
Other Causes -	445	136	18	9	4	3	170	9	3	1	1	5	7	6	6
601.—CRICKHOWELL.															
Mean Popul ⁿ , 1861-71 -	10894	317	261	281	267	258	1384	1263	1149	1029	944	1544	1309	1041	784
TOTAL DEATHS -	2604	647	204	113	68	64	1096	127	65	60	93	143	139	185	143
Small-pox -	12	1	1	-	1	-	3	1	1	1	2	2	-	-	-
Measles -	31	7	12	5	3	3	30	1	-	-	-	-	-	-	-
Scarlatina -	164	16	16	28	22	21	103	51	6	2	1	1	-	-	-
Diphtheria -	19	3	4	2	1	3	13	2	-	1	-	1	-	-	-
Whooping-cough -	56	33	11	7	1	3	55	1	-	-	-	-	-	-	-
Typhus -	104	2	4	8	5	6	25	14	8	4	13	11	8	13	5
Diarrhoea & Dysentery -	29	26	10	3	-	-	39	1	1	-	-	1	2	5	1
Cholera -	11	2	1	-	-	-	3	1	1	-	-	-	-	1	1
Other Zymotic Dis. -	44	3	6	6	5	4	24	4	-	3	2	1	2	1	1
Cancer -	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Serofula and Tubes -	65	10	20	7	-	-	37	6	3	4	4	1	3	6	6
Phthisis -	282	16	6	1	1	1	21	8	18	-	16	2	2	2	2
Hydrocephalus -	21	4	6	3	3	-	17	4	-	-	40	51	43	33	-
Dis. of Brain -	392	244	22	9	7	4	286	10	3	4	-	6	16	13	13
Dis. of Heart & Dropsy -	120	1	3	2	-	1	7	1	3	3	3	12	11	13	13
Dis. of Lungs -	492	98	65	23	13	10	209	10	3	5	4	13	24	47	47
Dis. of Stom. and Liver -	98	10	3	1	1	-	15	4	4	2	-	9	10	12	12
Dis. of Kidneys -	38	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Gener. Organs -	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

USES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	
		599.—BUILT H.																	
Popul ⁿ , 1-71	4147	122	105	118	118	99	562	499	466	434	341	530	415	343	261	184	96	16	
DEATHS -	758	132	46	14	10	5	207	38	25	33	33	51	50	39	61	71	112	38	
-	8	2	-	-	-	-	2	1	1	1	2	1	-	-	-	-	-	-	
-	8	2	2	1	-	-	5	2	-	1	-	-	-	-	-	-	-	-	
-	16	1	-	3	3	-	7	4	3	1	1	-	-	-	-	-	-	-	
-	3	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	
-cough -	29	11	10	2	1	3	27	2	-	-	-	-	-	-	-	-	-	-	
& Dysentery	27	-	1	1	1	-	3	3	5	2	6	2	1	2	3	-	-	-	
-	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	
otic Dis.	9	-	1	-	2	-	3	1	1	-	-	-	-	-	-	2	1	1	
ad Tuberc.	14	-	-	-	-	-	-	-	-	-	-	-	1	5	2	2	3	1	
-	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
ialus -	120	1	-	-	-	-	1	1	6	30	15	29	90	8	12	2	-	-	
-	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
sin	47	15	1	-	-	-	16	1	1	-	1	1	3	3	6	9	5	1	
art & Dropsy	39	-	-	-	-	-	-	-	1	1	-	2	6	5	9	6	7	1	
ngs	63	10	11	-	1	2	24	3	2	2	2	1	3	4	6	7	7	2	
m. and Liver	24	-	-	1	-	-	1	-	-	1	-	4	5	2	4	3	4	-	
lneys -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
er. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
nts	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
in	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
and Metria	11	-	-	-	-	-	-	-	-	-	2	4	4	1	-	-	-	-	
ent Deaths	9	-	1	1	-	-	2	2	-	-	-	-	-	1	-	2	-	1	
ses	319	86	18	5	2	-	111	8	5	4	3	5	7	7	17	38	82	32	

600.—BRECKNOCK.																			
Popul ⁿ , 1-71		8805	239	193	213	195	211	1051	937	869	885	805	1255	972	785	576	415	209	47
DEATHS -		1776	286	64	50	32	21	453	71	53	51	53	124	129	131	149	203	235	117
-		5	1	1	1	-	-	5	-	-	1	-	1	-	-	-	-	-	-
-		18	3	4	2	2	1	12	4	-	-	-	-	-	-	-	-	-	-
-		91	2	7	10	14	10	43	23	10	5	1	2	1	-	-	1	-	-
-		14	-	1	-	-	1	2	4	3	-	1	2	-	-	2	-	-	-
-cough -		50	17	6	3	1	1	28	2	-	3	5	6	-	7	6	2	3	1
& Dysentery		47	2	4	-	-	2	8	2	-	-	-	4	7	6	2	3	1	-
otie Dis.		28	8	1	1	1	-	11	11	-	-	-	1	3	1	4	3	2	-
-		7	1	-	-	-	-	1	-	-	-	-	1	-	-	3	2	-	-
nd Tuberc.		45	4	6	5	1	1	17	6	2	-	-	2	3	1	5	5	3	1
-		49	-	-	-	-	-	-	-	-	-	-	2	10	12	14	8	3	-
ialus -		15	3	2	1	1	-	7	-	2	1	1	1	-	2	1	-	-	-
-		197	-	-	-	-	-	3	3	18	16	83	53	37	17	13	5	2	-
sin		7	1	2	2	1	-	6	1	-	-	-	-	-	-	-	-	-	-
art & Dropsy		192	77	8	7	2	3	97	5	5	3	2	7	7	12	16	26	9	3
ngs		137	-	-	-	-	-	-	-	3	6	1	9	12	23	32	39	30	2
m. and Liver		178	32	11	3	2	1	49	3	3	4	-	5	9	14	21	29	35	6
-		78	2	1	-	-	-	3	3	2	2	1	3	9	13	18	16	6	2
lneys -		11	-	-	-	-	-	-	1	-	-	-	4	1	2	2	1	-	-
er. Organs		3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
nts		8	-	-	-	-	-	-	-	-	1	-	-	4	2	-	-	-	-
in		5	1	-	-	-	-	1	-	-	-	-	-	-	2	2	-	-	-
and Metria		46	-	-	-	-	-	-	-	-	1	7	20	17	1	-	-	-	-
ent Deaths		4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
ses		26	2	-	6	1	-	9	3	1	3	-	1	-	1	1	2	5	3
		513	130	11	8	6	1	156	6	6	2	1	3	10	18	16	61	138	98

601.—CRICKHOWELL.																			
Popul ⁿ , 1-71		10408	326	253	299	268	263	1409	1283	1149	963	898	1407	1167	925	639	376	158	34
DEATHS -		2276	469	195	100	64	59	887	117	58	74	83	176	151	111	134	194	206	85
-		9	4	1	-	-	2	7	-	-	1	-	1	-	-	-	-	-	-
-		81	7	12	4	3	1	27	4	-	-	-	-	-	-	-	-	-	-
-		138	11	23	23	22	20	99	42	14	2	1	-	-	-	-	-	-	-
-		21	1	2	4	2	5	14	6	2	-	-	1	1	-	-	-	-	-
-cough -		56	10	24	12	4	4	54	2	-	-	-	-	-	-	-	-	-	-
& Dysentery		95	3	2	5	4	4	18	19	9	11	5	8	4	6	3	10	2	-
otie Dis.		65	27	9	2	-	1	39	2	-	-	2	3	5	2	3	5	5	1
-		13	1	1	-	-	-	3	1	1	1	1	1	1	1	2	1	3	-
nd Tuberc.		40	5	5	5	1	4	20	3	4	1	1	3	1	1	2	4	-	-
-		48	-	-	-	-	-	-	1	-	-	-	2	5	7	13	6	-	-
ialus -		46	9	14	5	2	2	32	4	1	5	-	2	1	-	-	-	-	-
-		325	9	7	2	3	3	23	8	17	31	45	88	67	26	20	10	-	-
sin		14	5	3	2	1	-	11	1	2	-	-	-	-	-	-	-	-	-
art & Dropsy		332	101	20	12	3	2	238	4	2	3	2	8	7	9	15	24	23	7
ngs		165	4	-	-	1	1	6	3	2	-	6	1	15	18	26	43	31	2
m. and Liver		332	71	50	16	10	4	153	9	-	4	5	12	29	29	22	32	6	-
-		82	6	-	1	1	-	8	1	-	4	4	12	9	11	10	10	11	2
lneys -		13	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
er. Organs		4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
nts		6	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
in		5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
and Metria		47	-	-	-	-	-	-	-	-	-	-	6	18	-	-	-	-	-
ent Deaths		40	4	4	1	8	5	22	2	-	2	1	-	2	-	-	-	-	-
ses		324	100	18	2	-	1	121	4	-	2	1	4	8	-	-	-	-	-

Mean Population, 1861-71, and Deaths in Districts during the 10 Years

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	
		602.—HAY.													
Mean Popul ⁿ , 1861-71		5339	139	124	132	122	136	653	610	581	528	423	682	578	521
TOTAL DEATHS -		1073	217	54	23	21	15	330	27	18	23	23	60	61	78
Small-pox -		9	2	-	1	-	-	3	-	-	-	-	3	3	-
Measles -		5	1	1	1	-	-	3	2	-	-	-	-	-	-
Scarlatina -		25	1	5	2	3	4	15	7	2	-	1	-	-	-
Diphtheria -		11	4	-	-	2	1	7	2	-	-	-	-	-	-
Whooping-cough -		14	5	6	2	-	1	14	-	-	-	-	-	-	-
Typhus -		37	2	-	-	-	-	3	6	2	1	5	4	2	1
Diarrhoea & Dysentery -		20	9	3	2	-	-	14	-	-	-	-	-	-	-
Cholera -		1	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis. -		27	2	1	5	3	1	12	2	-	-	1	-	1	3
Cancer -		18	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tubercles -		12	5	3	-	-	-	8	1	-	-	-	-	-	-
Phthisis -		99	-	2	-	-	-	2	-	6	12	9	23	14	15
Hydrocephalus -		6	-	8	1	1	1	6	-	-	-	-	-	-	-
Dis. of Brain -		151	29	11	-	1	-	71	-	2	-	1	3	3	4
Dis. of Heart & Dropsy -		64	1	1	-	-	1	3	-	-	1	3	4	8	15
Dis. of Lungs -		137	21	4	4	7	-	36	2	-	1	2	3	11	17
Dis. of Stom. and Liver -		54	7	-	-	-	1	8	-	-	1	-	4	6	6
Dis. of Kidneys -		26	-	-	-	-	-	-	-	1	-	-	1	3	2
Dis. of Gen. Organs -		1	-	1	-	-	-	1	-	-	-	-	-	-	-
Dis. of Joints -		3	-	-	-	-	-	-	-	2	-	-	1	-	-
Dis. of Skin -		1	1	-	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metria -		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		2	-	-	-	-	-	-	-	-	-	-	-	1	1
Other Violent Deaths -		49	2	1	2	-	1	7	2	1	8	-	8	3	3
Other Causes -		273	94	13	3	4	3	116	2	-	2	1	3	4	8
603 a.—KINGTON* AND 603 b.—PRESTEIGNE.*															
Mean Popul ⁿ , 1861-71		8062	220	199	205	210	220	1054	963	867	786	613	1036	932	738
TOTAL DEATHS -		1570	337	88	34	25	22	504	56	33	44	30	93	103	113
Small-pox -		10	-	-	-	-	-	-	-	-	-	1	4	1	2
Measles -		13	-	8	3	1	-	12	-	-	-	-	-	1	-
Scarlatina -		41	6	4	6	4	6	26	12	1	1	-	-	1	-
Diphtheria -		59	1	3	2	7	3	16	12	7	1	2	1	-	-
Whooping-cough -		14	8	3	2	-	1	14	-	-	-	-	-	-	-
Typhus -		77	3	5	4	1	3	16	5	10	9	-	6	8	7
Diarrhoea & Dysentery -		16	10	-	-	-	-	10	-	-	-	-	-	-	1
Cholera -		3	-	-	-	-	1	1	-	-	-	-	1	-	-
Other Zymotic Dis. -		29	5	1	2	3	2	13	3	2	-	1	1	2	1
Cancer -		19	-	-	1	-	-	1	-	-	-	-	2	-	4
Scrophula and Tubercles -		25	9	2	-	-	-	11	1	2	3	2	2	-	1
Phthisis -		140	3	4	1	-	-	8	2	4	21	13	29	30	23
Hydrocephalus -		18	5	8	1	1	-	15	1	1	-	-	1	-	-
Dis. of Brain -		191	82	11	2	-	1	93	6	4	-	8	3	11	8
Dis. of Heart & Dropsy -		144	-	-	-	1	1	3	-	-	-	3	11	12	13
Dis. of Lungs -		178	40	15	4	3	2	64	6	1	2	6	10	8	14
Dis. of Stom. and Liver -		76	8	3	1	-	-	12	1	1	1	-	7	9	13
Dis. of Kidneys -		25	-	-	-	-	-	-	1	-	1	1	-	2	1
Dis. of Gen. Organs -		7	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		6	2	-	-	1	-	3	1	-	-	1	2	1	1
Dis. of Skin -		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		8	-	-	-	-	-	-	-	-	-	-	3	2	2
Other Violent Deaths -		49	3	3	2	-	1	9	1	-	5	1	6	9	6
Other Causes -		433	152	16	2	3	1	174	3	-	-	-	4	5	12
604.—KNIGHTON.															
Mean Popul ⁿ , 1861-71		5462	148	144	153	155	142	742	652	615	541	471	721	618	460
TOTAL DEATHS -		1039	261	50	21	23	12	376	37	26	22	44	56	66	60
Small-pox -		8	3	-	-	1	-	4	-	-	-	1	-	2	-
Measles -		12	2	1	2	1	1	7	3	-	-	-	2	-	-
Scarlatina -		12	-	1	1	-	-	2	4	3	-	1	-	1	-
Diphtheria -		13	1	4	1	1	1	8	2	3	-	-	-	-	-
Whooping-cough -		34	10	10	5	2	-	33	1	-	-	-	-	-	-
Typhus -		33	1	1	1	1	1	3	5	4	-	2	6	6	1
Diarrhoea & Dysentery -		12	4	1	-	-	-	6	-	-	-	-	-	-	-
Cholera -		1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis. -		31	6	3	2	3	4	18	3	-	1	-	2	1	1
Cancer -		13	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophula and Tubercles -		15	6	2	-	-	-	8	1	-	1	-	1	2	1
Phthisis -		116	2	3	1	-	1	7	2	3	13	21	25	25	4
Hydrocephalus -		4	3	-	-	-	-	3	1	-	-	-	-	-	-
Dis. of Brain -		90	43	6	1	-	-	50	-	4	1	6	1	2	7
Dis. of Heart & Dropsy -		37	2	-	-	-	-	2	1	-	-	1	2	4	4
Dis. of Lungs -		101	24	7	-	2	-	33	3	2	3	5	6	10	5
Dis. of Stom. and Liver -		47	4	2	1	-	-	7	3	-	-	3	2	5	7
Dis. of Kidneys -		14	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Gen. Organs -		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints -		4	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin -		1	1	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria -		-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -		4	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths -		40	1	-	-	1	4	7	3	-	2	-	3	3	2
Other Causes -		391	142	18	4	8	2	174	5	-	4	-	1	4	6

* District of Presteigne was formed on 1st April 1891.

1.] *Causes of Death in the Ten Years 1861-70.—Females.* 731
Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX CATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and above.	
		602.—HAY.																	
popul ⁿ , 71	5468	138	131	135	137	141	682	652	578	524	419	714	570	535	373	257	141	23	
EATHS	1090	191	55	23	16	11	293	32	22	36	44	75	69	75	87	122	148	84	
-	6	1	-	1	-	-	2	-	-	-	1	2	-	1	-	-	-	-	
-	11	3	2	1	3	1	10	1	-	-	-	-	-	-	-	-	-	-	
-	20	-	3	2	2	3	10	6	3	-	1	-	-	-	-	-	-	-	
-	8	-	2	-	-	1	3	3	1	-	-	-	1	-	-	-	-	-	
ough	26	13	6	3	1	1	24	1	-	1	-	-	-	-	-	-	-	-	
Dysentery	38	1	-	-	-	1	3	4	8	2	3	6	3	2	2	5	-	-	
tic Dis.	21	9	1	2	-	-	12	-	-	-	3	-	1	-	1	1	3	-	
-	20	3	-	8	-	-	6	2	1	1	2	1	-	3	2	1	1	-	
-	33	-	-	-	-	-	-	-	-	-	-	2	6	5	9	8	3	-	
Tabes	13	2	1	-	1	-	4	1	-	1	-	5	1	1	-	-	-	-	
us	119	2	1	1	1	1	6	3	5	18	19	20	23	11	7	5	2	-	
-	3	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
-	154	57	11	3	-	-	71	1	1	3	4	4	4	9	12	20	20	5	
& Dropsy	79	-	-	-	-	-	-	-	-	-	1	7	5	9	10	22	15	2	
and Liver	125	12	9	2	3	-	26	4	-	1	2	4	1	9	11	24	22	6	
-	44	4	-	-	-	-	4	-	1	1	-	-	-	-	-	5	6	-	
ys	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	
r. Organs	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
-	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	-	
nd Metria	20	-	-	-	-	-	-	-	-	-	2	9	8	1	-	-	-	-	
-	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	
t Deaths	21	2	3	1	-	2	8	3	1	-	1	-	1	1	2	1	2	1	
-	310	81	14	5	5	1	104	3	-	5	-	7	3	12	7	20	74	69	

603 a.—KINGTON * AND 603 b.—PRESTEIGNE.*

populn, } 71 - }	7742	202	214	218	217	185	1036	954	820	723	608	991	891	685	509	351	150	24
EATHS -	1558	291	73	47	39	23	473	72	52	53	57	116	87	80	103	177	219	69
-	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
-	14	2	1	1	3	1	9	2	-	1	-	1	-	1	-	-	-	-
-	60	2	9	6	12	9	38	15	7	-	1	1	1	-	-	-	-	-
-	37	4	3	3	5	3	18	9	5	1	2	-	-	-	-	-	-	-
ough -	28	15	4	-	4	2	25	3	-	-	-	-	-	-	9	2	5	-
Dysentery	84	1	1	2	1	-	5	8	12	9	3	14	9	9	1	1	2	4
-	15	6	-	-	-	-	6	-	-	-	-	-	-	-	1	-	-	1
le Dis.	21	-	3	1	2	-	6	3	-	1	1	2	-	-	3	4	1	-
-	32	-	-	-	-	-	-	-	-	-	-	-	3	6	7	11	5	-
Tabes	20	10	3	-	-	-	13	-	1	1	1	1	1	1	-	1	-	-
-	185	8	1	1	2	1	8	2	13	29	30	52	30	13	8	-	-	-
us -	12	4	4	1	-	-	9	1	2	-	-	-	-	-	-	-	-	-
-	182	76	8	8	2	1	95	3	4	4	2	6	6	8	14	20	14	6
& Dropsy	151	-	1	-	-	1	2	8	2	2	3	8	9	18	26	39	32	2
-	127	24	17	9	3	3	56	3	1	3	3	5	3	3	9	20	17	2
and Liver	71	4	-	1	1	1	7	3	2	-	1	5	7	8	14	13	11	-
ys -	4	1	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-
r. Organs	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-
-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
nd Metria	28	-	-	-	-	-	-	-	-	-	6	12	9	1	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
t Deaths	23	2	2	3	2	-	9	4	-	-	1	1	1	1	-	6	-	-
-	450	136	14	11	1	1	163	10	1	2	3	6	8	9	17	49	109	53

604.—KNIGHTON.

populn, } 71 - }	4888	161	133	167	127	133	721	672	557	460	374	620	520	379	290	201	77	17
EATHS -	891	192	36	22	26	23	299	40	30	23	38	57	52	47	63	96	106	40
-	9	2	2	2	-	2	8	1	-	-	-	-	-	-	-	-	-	-
-	26	4	1	4	2	1	12	7	2	1	3	-	1	-	-	-	-	-
-	17	1	-	2	3	3	9	3	3	-	1	-	-	-	-	-	-	-
ough -	27	6	10	2	2	3	23	4	-	-	-	-	-	-	3	2	3	-
Dysentery	36	1	-	-	2	1	4	6	4	1	2	4	-	1	1	-	-	-
-	8	4	-	1	-	-	5	-	-	-	-	1	1	-	-	-	-	-
le Dis.	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	20	5	-	-	2	2	9	2	2	1	-	1	-	-	-	4	1	-
-	15	-	-	-	-	-	-	-	-	-	-	-	2	3	6	3	1	-
Tabes	7	2	-	-	-	-	2	1	2	-	-	1	-	10	6	-	-	-
-	104	-	-	-	1	-	1	1	5	12	22	28	18	-	-	-	-	-
us -	8	5	1	-	2	-	8	-	-	-	-	-	-	-	-	-	-	-
-	55	21	2	-	-	-	23	-	2	-	2	1	2	3	6	6	9	1
& Dropsy	40	1	-	-	-	1	2	-	-	-	-	1	2	3	3	18	6	-
-	76	15	9	4	1	1	30	-	4	2	1	4	1	3	5	15	9	-
and Liver	34	4	-	-	1	2	7	2	1	-	-	6	3	2	9	1	2	-
ys -	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
r. Organs	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nd Metria	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t Deaths	15	1	3	2	1	1	8	2	-	-	-	-	-	-	14	18	-	-
-	390	119	8	5	9	6	147	9	5	3	-	1	1	6	9	24	44	-

In many districts one and several of the causes of death are not reported.

San Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	80 and upwards.

605.—RHAYADER.																		
Population.	3323	96	91	88	88	90	453	426	382	316	276	404	330	297	219	139	65	16
ATHS -	553	97	82	19	11	3	162	20	15	14	20	38	26	30	43	81	70	36
-	7	2	-	1	-	-	3	2	-	-	-	-	2	-	-	-	-	-
-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	9	-	2	2	1	-	6	2	1	1	-	-	-	-	-	-	-	-
-	6	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-
igh -	25	15	4	2	3	-	24	1	-	-	-	-	-	-	-	-	-	-
ysentery -	5	1	-	-	-	-	1	-	3	-	2	-	1	2	1	3	1	1
c Dis. -	15	2	1	2	1	2	8	1	1	-	-	-	-	1	-	3	1	-
Fabes -	16	-	-	-	-	-	-	-	-	-	-	-	2	2	2	9	1	-
-	7	2	1	1	-	-	4	-	1	-	-	1	-	-	-	1	-	-
-	64	-	-	1	1	-	2	1	5	9	9	16	7	9	4	1	1	-
-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
k Dropsy -	51	21	5	1	-	-	27	1	-	-	1	1	2	1	4	8	4	2
nd Liver -	32	-	-	-	-	-	32	1	1	-	1	1	2	3	6	7	1	1
-	68	10	5	4	2	1	22	1	-	-	2	1	1	2	4	11	13	2
-	21	-	-	-	-	-	-	1	-	1	-	3	3	3	5	4	-	-
rs -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Organs -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
d Metris -	9	-	-	-	-	-	-	-	-	-	1	5	3	-	-	-	-	-
Deaths -	9	-	1	-	1	-	2	1	1	-	-	-	1	-	3	-	1	-
-	194	43	13	3	1	-	60	6	1	-	2	5	3	5	9	32	40	31

606.—MACHYNLETH.																		
Population.	6482	181	169	154	165	150	819	730	658	613	565	884	697	565	437	312	169	33
ATHS -	1389	218	64	49	19	21	371	52	34	41	58	119	104	96	92	139	212	71
-	7	1	-	1	-	1	4	2	-	-	-	1	-	-	-	-	-	-
-	49	4	7	11	7	7	36	9	1	-	1	-	1	-	-	-	-	-
-	5	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-
igh -	46	18	9	12	2	-	41	4	1	-	-	-	-	-	-	-	-	-
ysentery -	56	-	2	4	1	2	9	9	2	3	6	4	6	3	4	6	4	-
c Dis. -	16	1	-	-	-	-	1	-	-	-	-	-	1	-	1	6	5	1
-	36	5	4	2	-	-	11	1	1	-	-	2	4	3	2	4	8	-
Fabes -	27	-	-	-	-	-	-	-	-	-	-	-	2	10	7	5	2	1
-	11	2	1	-	-	1	4	-	-	1	3	1	-	2	-	-	-	-
-	304	9	6	1	1	-	17	8	18	28	33	77	45	33	21	20	4	-
-	9	-	-	-	1	2	6	2	-	1	-	-	-	-	-	-	-	-
k Dropsy -	190	92	16	4	3	2	117	5	-	-	2	5	7	4	14	14	19	3
nd Liver -	75	-	-	-	-	-	2	1	2	1	6	6	7	8	11	21	9	1
-	116	16	2	3	-	3	24	2	1	3	9	9	3	7	11	25	28	3
-	44	-	-	-	-	-	2	-	-	1	1	1	7	7	9	9	-	-
rs -	7	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-
Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d Metris -	24	-	-	-	-	-	-	-	-	-	3	8	13	-	-	-	-	-
Deaths -	20	-	-	3	1	1	5	2	2	2	-	-	1	8	-	4	1	-
-	338	70	13	6	2	1	92	5	5	-	1	3	3	14	10	23	120	62

607.—NEWTOWN.																		
Population.	11941	321	290	314	303	302	1530	1427	1362	1139	985	1539	1192	1052	819	567	279	50
ATHS -	2447	427	127	78	45	31	708	97	65	98	101	207	150	150	167	202	316	126
-	29	11	4	3	-	-	18	3	-	1	2	2	1	2	-	-	-	-
-	23	5	5	4	2	1	17	3	-	-	2	1	-	-	-	-	-	-
-	49	6	6	5	3	4	24	11	7	3	4	-	-	-	-	-	-	-
-	34	3	3	3	4	4	17	9	3	2	-	-	1	2	-	-	-	-
igh -	65	29	21	6	3	4	68	2	-	-	-	-	-	-	-	-	-	-
ysentery -	86	2	1	2	4	3	19	11	10	13	8	7	7	4	6	6	2	-
c Dis. -	51	19	4	-	1	-	24	2	1	1	-	1	3	1	4	4	15	-
-	9	4	-	-	-	-	4	-	-	1	-	1	1	2	3	2	4	-
-	54	7	7	8	2	4	28	8	1	2	-	-	2	3	3	14	-	-
Fabes -	55	-	-	-	-	-	-	-	-	-	-	-	2	15	17	14	5	-
-	17	4	2	3	1	1	11	2	-	-	-	2	-	1	-	-	-	-
-	417	9	4	3	2	1	19	10	20	54	59	194	63	36	17	7	2	-
-	25	5	7	3	2	-	17	7	-	1	-	-	-	-	-	-	-	-
k Dropsy -	316	133	18	9	4	3	167	2	6	6	7	8	6	19	19	27	21	8
nd Liver -	129	3	-	-	-	-	3	2	1	3	1	6	12	10	20	35	22	1
-	272	32	27	13	5	-	77	5	1	2	3	8	21	19	27	60	51	7
-	118	8	3	1	1	1	14	4	1	3	2	14	4	18	21	23	13	2
rs -	26	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
Organs -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	13	-	-	2	1	-	3	1	-	2	-	-	-	-	-	-	-	-
-	13	3	-	-	1	-	4	-	2	1	-	-	-	-	-	-	-	-
d Metris -	39	-	-	-	-	-	-	-	-	-	-	-	11	16	-	-	-	-
Deaths -	59	4	3	3	2	5	17	3	-	-	-	1	6	3	-	12	26	67
-	369	146	12	10	7	4	169	6	9	-	2	8	6	3	-	-	-	-

Causes of Death in the Ten Years 1861-70.—Males.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years

CAUSES OF DEATH.	ALL AGES.	Total under 1 Year.	AGES OF MALES.													
			1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-		
608.—FORDEN (<i>late</i> MONTGOMERY).																
Mean Popul ⁿ . 1861-71	9718	269	226	259	251	255	1280	1138	1057	977	770	1314	1084	900		
TOTAL DEATHS -	1944	397	92	62	28	24	593	66	39	55	79	141	103	131		
Small-pox -	4	-	-	-	-	-	-	-	-	1	-	1	-	-		
Measles -	19	5	4	5	1	1	16	3	-	-	-	-	-	-		
Scarlatina -	56	6	11	6	7	6	35	14	2	3	1	-	-	-		
Diphtheria -	25	5	5	3	2	2	17	5	2	1	1	-	-	-		
Whooping-cough -	21	10	5	3	-	3	21	2	-	-	-	-	-	-		
Typhus -	44	2	1	3	-	3	9	7	6	4	3	7	4	1		
Diarrhea & Dysentery -	21	3	-	1	-	-	4	1	-	-	-	3	1	-		
Cholera -	3	1	-	-	-	-	1	-	-	-	-	-	-	2		
Other Zymotic Dis. -	42	11	3	5	2	-	21	3	-	-	1	2	-	1		
Cancer -	25	-	-	-	-	-	-	-	-	-	-	-	1	3		
Serofula and Tuberc. -	14	2	4	-	-	-	6	1	2	1	1	3	-	-		
Phthisis -	370	2	2	-	3	-	7	2	8	20	32	76	41	31		
Hydrocephalus -	10	5	-	-	-	-	7	-	-	-	-	-	-	-		
Dis. of Brain -	326	185	21	9	6	3	224	7	4	5	2	1	8	10		
Dis. of Heart & Dropsy -	118	3	1	1	1	3	4	2	2	1	4	6	8	12		
Dis. of Lungs -	224	37	17	5	1	3	63	7	2	3	3	9	11	26		
Dis. of Stom. and Liver -	71	8	1	-	1	1	11	3	1	2	2	5	5	9		
Dis. of Kidneys -	22	-	-	-	-	-	-	-	-	2	1	2	1	3		
Dis. of Gen. Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints -	1	1	-	-	-	-	1	-	-	-	1	-	-	1		
Dis. of Skin -	6	1	-	-	-	-	1	-	-	-	-	-	-	-		
Childbirth and Metria -	7	-	-	-	-	-	-	-	-	-	-	-	-	2		
Suicide -	112	1	8	5	3	2	19	3	7	9	5	17	15	9		
Other Violent Deaths -	494	100	10	4	2	1	120	7	3	5	1	8	7	15		
Other Causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
609.—LLANFYLLIN.																
Mean Popul ⁿ . 1861-71	10903	302	225	287	269	305	1388	1349	1213	1044	827	1380	1142	956		
TOTAL DEATHS -	2211	454	83	48	37	36	658	93	65	77	85	140	111	126		
Small-pox -	8	-	-	-	-	-	-	1	-	-	-	5	1	-		
Measles -	21	7	5	2	2	3	19	1	-	1	-	-	-	-		
Scarlatina -	61	6	5	7	8	8	34	20	6	-	-	-	-	-		
Diphtheria -	45	3	5	8	6	5	27	10	3	2	2	1	-	-		
Whooping-cough -	22	10	7	2	-	1	20	2	-	-	-	-	-	-		
Typhus -	62	3	1	-	1	3	8	5	9	9	4	5	7	3		
Diarrhea & Dysentery -	14	1	-	-	-	-	1	-	-	-	1	-	-	1		
Cholera -	31	2	6	4	2	2	16	2	3	1	-	2	-	2		
Other Zymotic Dis. -	24	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer -	22	2	4	-	1	-	7	2	4	1	1	1	1	4		
Serofula and Tuberc. -	22	6	3	2	1	1	12	5	16	41	56	84	50	46		
Phthisis -	12	3	2	1	-	1	7	4	-	-	-	-	-	-		
Hydrocephalus -	372	236	18	8	6	4	292	8	1	6	-	6	5	7		
Dis. of Brain -	80	-	-	1	2	-	3	5	2	1	5	6	5	3		
Dis. of Heart & Dropsy -	166	29	10	4	3	1	38	6	5	5	8	9	10	16		
Dis. of Lungs -	72	4	1	-	-	-	5	1	4	3	1	6	9	8		
Dis. of Stom. and Liver -	22	1	-	-	-	1	2	-	1	-	1	-	1	1		
Dis. of Kidneys -	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Gen. Organs -	4	-	-	-	-	-	-	-	1	1	-	-	-	1		
Dis. of Joints -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metria -	8	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide -	104	4	4	1	1	3	13	6	4	4	4	8	19	5		
Other Violent Deaths -	763	126	12	8	5	3	154	15	6	4	5	4	10	12		
Other Causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
610.—HOLYWELL.																
Mean Popul ⁿ . 1861-71	21058	603	523	580	553	563	2822	2613	2380	2143	1720	2842	2254	1876		
TOTAL DEATHS -	4807	1051	324	164	110	82	1731	249	121	146	179	304	327	353		
Small-pox -	22	4	2	1	1	-	8	3	1	3	4	1	2	-		
Measles -	69	11	29	19	3	7	62	3	5	1	-	-	-	-		
Scarlatina -	245	13	49	49	44	24	182	83	15	2	1	-	-	1		
Diphtheria -	45	3	4	4	3	3	17	16	8	3	1	2	1	-		
Whooping-cough -	77	37	20	7	7	6	77	-	-	-	-	-	-	-		
Typhus -	161	11	2	3	5	5	26	24	16	14	12	24	14	12		
Diarrhea & Dysentery -	21	5	4	2	1	-	12	1	9	-	-	-	-	3		
Cholera -	45	-	1	4	1	-	15	9	2	4	1	1	5	4		
Other Zymotic Dis. -	89	12	18	8	9	6	53	9	3	1	1	1	2	8		
Cancer -	54	-	-	-	-	-	-	1	-	-	-	2	9	6		
Serofula and Tuberc. -	31	11	3	4	-	2	29	-	1	2	4	3	2	-		
Phthisis -	539	3	9	-	1	2	8	11	23	26	89	124	95	68		
Hydrocephalus -	36	8	6	5	3	3	23	6	5	-	-	-	-	-		
Dis. of Brain -	1633	694	93	35	9	7	708	18	5	7	6	13	18	22		
Dis. of Heart & Dropsy -	255	-	2	1	1	2	6	7	2	3	3	14	32	35		
Dis. of Lungs -	684	60	36	12	8	8	124	20	2	11	3	26	35	79		
Dis. of Stom. and Liver -	184	7	3	3	-	-	14	5	5	2	5	11	27	28		
Dis. of Kidneys -	45	-	-	-	-	1	-	-	1	1	1	5	-	9		
Dis. of Gen. Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dis. of Joints -	9	1	-	-	-	-	1	-	2	1	-	-	-	-		
Dis. of Skin -	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Childbirth and Metria -	9	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide -	293	5	5	3	2	1	11	11	11	21	31	38	38	35		
Other Violent Deaths -	964	297	65	11	12	4	269	18	5	5	8	7	17	17		
Other Causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Lean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX ATH.	ALL Ages.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
608.—FORDEN (<i>late</i> MONTGOMERY).																		
Spinal.	9259	260	218	251	244	249	1222	1128	1009	867	738	1209	955	824	645	443	192	27
EATHS -	1771	290	88	44	28	16	466	68	50	72	70	145	123	102	137	225	220	84
-	4	1	-	1	-	-	2	-	-	1	-	1	-	-	-	-	-	-
-	12	4	6	-	1	-	11	1	-	-	-	-	-	-	-	-	-	-
-	46	6	9	9	4	4	32	8	3	2	1	-	-	-	-	-	-	-
-	26	1	4	-	2	2	9	4	7	-	1	-	2	-	1	1	-	-
ough -	24	8	8	3	3	-	22	2	-	-	-	9	3	3	4	2	-	-
Dysentery	50	1	2	3	3	-	9	10	9	6	4	9	3	3	4	-	-	-
-	16	7	1	1	-	-	9	-	1	-	-	1	3	-	1	1	1	-
le Dis.	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	31	8	3	1	2	-	14	4	-	-	2	-	-	2	4	4	1	-
-	47	-	-	-	1	-	1	-	1	1	-	3	8	13	15	4	2	1
Tubes	10	3	1	1	-	-	5	-	1	1	2	3	8	13	15	4	2	1
-	302	2	3	1	-	-	6	8	13	42	51	92	47	24	15	4	-	-
as -	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
-	274	134	19	9	4	3	169	6	4	4	-	5	11	15	13	36	14	1
& Dropsy	123	3	2	-	-	-	5	4	2	3	-	8	10	14	24	35	20	3
-	132	26	15	4	3	2	50	8	1	2	1	4	6	9	16	12	5	-
and Liver	63	6	1	-	-	-	7	1	1	3	1	4	6	9	16	12	5	-
-	6	-	1	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-
Organs -	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
-	4	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-
-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
nd Metris	30	-	-	-	-	-	-	-	-	1	3	14	12	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t Deaths	23	3	1	4	3	1	12	2	-	2	-	1	2	-	1	3	-	-
-	502	76	11	7	2	4	100	8	6	4	-	4	7	13	21	87	174	78

		609.—LLANFYLLIN.																		
SPAIN.		10782	302	268	287	290	274	1421	1343	1152	1016	820	1356	1100	956	789	531	254	44	
SATIS		2119	336	94	46	43	25	544	86	59	93	100	156	136	110	193	243	297	102	
-	-	5	1	1	-	-	-	2	-	-	1	-	1	1	-	-	-	-	-	
-	-	20	1	7	1	3	2	14	2	-	-	-	1	-	-	-	-	-	-	
-	-	51	5	4	5	6	6	26	19	3	2	1	-	-	-	-	-	-	-	
-	-	51	1	2	3	10	2	18	16	7	3	3	-	2	2	-	-	-	-	
ASH	-	31	16	6	4	1	-	27	4	-	-	-	-	-	-	-	-	-	-	
-	-	70	-	-	-	1	-	1	3	5	14	16	11	5	4	6	4	1	-	
Dysentery	-	9	2	2	-	-	1	5	-	-	-	-	1	1	1	-	-	-	-	
-	-	3	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	
le Dia.	-	27	1	3	3	2	1	10	3	1	1	-	-	-	1	6	3	2	-	
-	-	35	-	-	-	-	-	-	-	-	-	1	1	3	10	5	12	2	1	
Tubes	-	9	1	-	1	-	-	2	2	1	1	1	-	-	1	1	-	-	-	
-	-	437	5	9	1	1	1	17	7	20	53	60	96	67	47	57	13	-	-	
us	-	7	1	3	-	-	1	5	-	2	-	-	-	-	-	-	-	-	-	
-	-	304	187	18	9	6	3	23	6	1	2	-	4	7	3	13	26	15	2	
& Dropsy	-	91	-	1	1	-	-	2	-	3	-	2	7	6	8	23	24	15	1	
and Liver	-	126	9	3	7	4	-	23	5	4	5	3	4	9	8	24	23	14	4	
-	-	41	3	3	-	-	-	6	1	-	2	1	2	7	3	8	9	2	-	
ys	-	5	1	-	-	-	-	1	-	-	-	-	1	1	-	1	-	1	-	
Organs	-	8	-	-	-	-	-	-	-	-	1	-	-	-	4	3	-	-	-	
-	-	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	
-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
nd Metria	-	38	-	-	-	-	-	-	-	-	1	4	18	13	2	-	-	-	-	
-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	4	6	
Deaths	-	36	2	2	2	5	2	15	4	2	1	1	-	2	-	-	1	4	-	
-	-	709	97	29	9	4	6	145	14	6	5	7	8	7	16	45	128	240	86	

[illegible]

Causes of Death in the Ten Years 1861-70.—Males.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.												
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-
611.—WREXHAM.														
Mean Popul ⁿ , 1861-71	26118	773	689	710	711	745	3628	3186	2863	2661	2318	3750	2908	2248
TOTAL DEATHS	6400	1763	189	222	155	133	2763	288	147	183	236	410	351	471
Small-pox	70	13	4	2	1	2	22	2	3	3	10	11	7	4
Measles	12	21	5	6	1	1	45	10	2	1	2	2	2	1
Scarlatina	240	26	19	51	51	50	227	80	12	5	2	2	2	1
Diphtheria	72	10	9	3	3	3	33	21	9	4	2	2	2	1
Whooping-cough	104	47	26	11	4	9	97	6	1	1	1	1	1	1
Typhus	273	9	4	11	9	6	39	29	15	25	26	31	26	15
Diarrhoea & Dysentery	142	45	14	4	1	1	61	1	1	1	3	2	2	7
Cholera	14	1	1	1	1	1	1	1	1	1	1	1	1	4
Other Zymotic Dis.	115	14	17	10	10	5	55	9	4	10	4	4	7	7
Cancer	56	1	1	1	1	1	1	1	1	1	1	1	1	16
Scrophula and Tuberc.	91	38	18	9	2	3	70	7	2	2	3	3	2	1
Phthisis	257	6	13	9	8	1	32	13	18	39	85	144	95	76
Hydrocephalus	59	21	15	5	1	1	50	9	1	1	1	1	1	1
Dis. of Brain	1175	881	104	24	24	19	1164	28	11	14	11	22	17	45
Dis. of Heart & Dropsy	294	1	5	1	2	2	14	19	6	4	9	18	13	36
Dis. of Lungs	229	181	98	26	11	11	234	18	10	4	17	25	21	28
Dis. of Stom. and Liver	232	20	5	4	1	3	33	8	4	6	5	20	22	47
Dis. of Kidneys	86	1	4	1	1	1	5	1	3	4	3	7	8	11
Dis. of Genes. Organs	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	21	1	1	1	1	1	4	1	2	2	4	2	2	1
Dis. of Skin	18	1	1	1	1	1	4	1	2	2	4	2	2	1
Childbirth and Metris	19	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	19	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	428	1	9	6	12	13	41	19	33	37	41	83	73	32
Other Causes	96	325	62	32	3	2	414	6	0	3	3	23	25	30
612.—RUTHIN.														
Mean Popul ⁿ , 1861-71	7980	182	176	207	201	201	967	951	915	812	619	969	847	752
TOTAL DEATHS	1065	281	54	39	29	24	430	69	38	44	69	101	81	116
Small-pox	9	2	1	2	3	1	10	1	1	1	2	1	1	1
Measles	12	1	2	2	3	1	2	1	1	1	1	1	1	1
Scarlatina	27	1	2	5	3	5	16	10	1	1	1	1	1	1
Diphtheria	27	1	3	2	1	4	10	10	5	1	1	1	1	1
Whooping-cough	14	6	3	2	1	1	12	2	1	9	6	8	4	6
Typhus	5	2	1	1	1	1	4	6	1	9	6	8	4	6
Diarrhoea & Dysentery	7	2	1	1	1	1	2	1	1	1	1	1	1	1
Cholera	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	23	1	1	1	1	1	9	4	1	2	1	1	1	1
Cancer	28	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Phthisis	155	1	1	1	1	1	1	7	8	13	35	47	34	18
Hydrocephalus	11	1	1	1	1	1	6	2	2	1	1	1	1	1
Dis. of Brain	382	218	24	18	8	4	272	11	1	3	5	6	6	14
Dis. of Heart & Dropsy	116	1	1	1	1	1	1	1	1	1	1	4	4	17
Dis. of Lungs	122	6	3	2	1	2	11	4	1	1	1	9	9	15
Dis. of Stom. and Liver	76	1	1	2	1	1	5	3	2	2	5	4	6	16
Dis. of Kidneys	22	1	1	1	1	1	1	1	1	1	2	3	3	2
Dis. of Genes. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	3	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	384	1	1	1	1	1	3	1	1	1	1	10	7	5
Other Causes	384	13	5	1	5	3	57	6	4	3	4	5	5	16
613.—ST. ASAPH.														
Mean Popul ⁿ , 1861-71	13408	362	300	339	327	333	1661	1535	1511	1276	1039	1716	1509	1298
TOTAL DEATHS	3272	555	141	163	73	51	923	152	71	92	120	264	225	257
Small-pox	9	2	1	1	1	1	1	1	1	1	1	1	1	1
Measles	12	7	8	7	2	5	23	4	1	1	1	1	1	1
Scarlatina	23	7	9	11	5	41	18	1	2	1	1	1	1	1
Diphtheria	192	6	6	9	13	10	11	38	11	5	1	1	1	1
Whooping-cough	50	21	15	5	6	1	48	2	1	1	1	1	1	1
Typhus	81	3	1	1	1	4	13	5	10	11	10	9	6	5
Diarrhoea & Dysentery	61	8	6	1	1	1	19	1	1	1	1	1	1	1
Cholera	3	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Zymotic Dis.	36	6	3	7	5	2	21	10	2	1	4	1	1	1
Cancer	39	1	1	1	1	1	1	1	1	1	1	1	1	1
Scrophula and Tuberc.	24	9	2	1	2	1	18	2	1	1	1	1	1	6
Phthisis	357	11	6	5	1	3	26	11	8	1	23	32	81	65
Hydrocephalus	26	6	1	5	2	3	20	4	1	1	1	1	1	1
Dis. of Brain	775	260	40	24	7	6	367	15	5	8	8	48	63	48
Dis. of Heart & Dropsy	198	1	1	2	1	1	5	5	3	3	3	2	11	14
Dis. of Lungs	418	38	17	12	9	6	82	10	10	13	24	48	28	46
Dis. of Stom. and Liver	192	8	1	1	1	1	12	7	10	13	6	10	20	29
Dis. of Kidneys	51	2	1	1	1	1	2	1	1	1	2	1	1	1
Dis. of Genes. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Joints	3	1	1	1	1	1	1	1	1	1	1	1	1	1
Dis. of Skin	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth and Metris	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Deaths	126	130	19	3	6	4	1	163	11	11	11	10	11	11
Other Causes	672	130	19	3	6	4	1	163	11	11	11	10	11	11

San Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX. TH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.

611.—WREXHAM.

	25174	780	735	752	718	685	3670	3227	2736	2108	2065	3581	2791	2168	1514	912	344	58
ATHS -	5820	1203	519	243	171	127	2353	315	141	153	253	390	354	343	381	512	441	184
-	48	9	3	2	-	1	15	7	5	5	4	5	3	2	2	-	-	-
-	82	14	23	13	11	3	64	16	1	1	1	1	-	-	-	-	-	-
-	337	21	55	45	64	50	225	89	14	4	2	3	-	-	-	-	-	-
-	73	2	5	5	9	6	27	21	10	4	3	2	3	1	1	-	-	-
gh -	104	28	32	17	15	6	98	6	-	-	-	-	-	-	-	-	-	-
rsentery -	241	7	12	13	9	9	50	41	30	25	20	20	14	13	10	13	5	-
-	107	32	18	1	3	1	55	2	-	1	3	4	6	5	6	16	7	2
-	16	-	-	-	-	-	2	-	-	-	-	3	3	3	-	-	-	-
Dis. -	110	15	17	9	3	9	53	12	5	7	10	1	3	7	2	8	1	1
-	97	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
abes -	70	27	12	4	2	1	46	5	1	1	5	6	16	24	27	14	5	3
-	609	8	11	6	4	2	31	9	22	64	108	10	5	1	-	-	-	-
-	41	15	12	8	2	2	39	1	1	-	-	-	-	-	-	-	-	-
-	1177	716	128	55	19	9	907	25	13	13	10	13	21	26	49	59	33	8
-	308	9	5	4	1	3	15	8	7	6	10	27	36	68	71	21	6	9
nd Liver -	695	100	92	46	24	13	275	27	8	6	16	35	38	44	75	95	63	12
-	203	19	8	5	2	5	39	7	5	8	16	28	31	41	40	38	10	2
-	37	-	-	-	-	-	-	4	2	1	3	2	6	6	3	7	3	-
Organs -	25	-	-	-	-	-	-	-	-	-	1	1	6	8	7	1	1	-
-	11	1	1	-	-	-	2	1	3	-	1	1	1	-	-	1	1	-
-	13	1	-	-	-	-	2	-	-	-	2	-	3	2	1	1	2	-
Metria -	132	-	-	-	-	-	-	-	-	3	24	51	52	2	-	-	-	-
-	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-
Deaths -	111	9	10	9	6	6	40	23	7	2	9	1	5	6	5	7	11	2
-	1109	267	74	21	6	-	368	10	7	5	2	10	14	43	52	173	273	147

612.—RUTHIN.

	7761	206	181	186	181	189	943	895	852	712	594	1006	815	749	567	387	206	35
ATHS -	1583	239	67	32	27	25	390	59	40	56	61	101	90	90	134	199	251	103
-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
-	12	1	2	-	4	-	8	3	-	-	-	-	-	-	-	-	-	-
-	26	2	2	4	2	3	13	7	1	2	1	1	1	1	-	-	-	-
-	37	2	6	1	2	5	16	8	8	1	1	-	2	-	1	-	-	-
gh -	19	7	6	3	2	1	19	-	-	-	-	-	-	-	-	-	-	-
rsentery -	56	-	-	2	2	1	5	6	8	12	5	6	4	4	8	2	1	2
-	10	2	-	-	-	-	2	-	-	-	-	-	1	-	2	2	1	2
-	4	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-
Dis. -	34	5	3	1	2	1	12	6	1	2	-	2	1	1	3	2	3	1
-	42	-	-	-	-	-	-	-	1	1	-	-	3	9	14	8	6	-
abes -	6	2	1	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-
-	203	-	1	-	-	3	4	2	14	24	34	51	26	19	18	8	1	-
-	9	4	2	2	-	-	8	-	1	-	-	-	-	-	-	-	-	-
-	324	166	31	11	5	4	217	13	3	1	6	4	5	8	13	28	24	2
-	124	1	-	-	-	1	2	1	-	2	5	2	11	15	15	45	26	2
nd Liver -	104	4	3	1	2	1	11	6	1	4	2	4	7	3	15	30	18	3
-	67	2	-	1	-	2	5	-	1	2	1	8	9	6	18	9	8	-
-	7	-	-	-	-	1	1	-	-	-	-	3	-	-	2	-	1	-
Organs -	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-
-	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Metria -	21	-	-	-	-	-	-	-	-	1	1	12	7	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Deaths -	11	-	-	-	1	-	1	2	2	-	-	-	-	2	2	-	2	-
-	456	41	11	4	5	1	62	4	6	4	5	5	9	19	24	65	159	65

613.—ST. ASAPH.

	14290	343	306	330	316	347	1642	1565	1512	1362	1169	1913	1625	1426	1044	661	318	53
ATHS -	3175	442	153	98	77	63	833	150	77	102	127	231	239	224	268	372	409	143
-	5	2	1	-	1	-	4	-	-	-	-	-	1	-	-	-	-	-
-	53	10	15	10	4	2	41	7	2	1	-	2	-	-	-	-	-	-
-	70	6	7	14	12	6	45	13	9	2	-	1	-	-	-	-	-	-
-	117	6	10	9	16	10	51	44	12	5	2	2	1	-	-	-	-	-
gh -	63	29	18	8	4	2	61	2	-	-	-	-	-	-	-	-	-	-
rsentery -	96	1	3	2	2	4	12	11	8	11	10	10	14	5	4	7	1	-
-	56	8	2	1	1	-	12	-	-	-	2	1	4	4	4	8	4	2
-	5	-	-	1	-	1	2	-	-	-	-	-	1	1	1	1	-	-
Dis. -	60	5	2	7	6	5	25	5	1	1	6	3	1	8	8	4	3	-
-	64	-	-	-	-	-	-	-	-	-	-	1	4	12	25	14	6	2
abes -	27	1	3	5	-	4	13	2	-	5	1	3	-	1	1	1	-	-
-	378	9	7	5	1	1	23	7	10	59	20	98	79	46	21	7	-	-
-	13	3	-	-	1	1	9	4	-	-	-	-	-	-	-	-	-	-
-	649	219	48	20	7	1	301	20	7	11	3	26	31	53	52	79	61	5
-	212	-	1	-	-	-	5	5	4	5	11	10	13	27	38	54	40	4
nd Liver -	879	29	10	14	14	1	77	11	15	13	90	90	90	27	42	63	44	7
-	138	4	2	-	1	1	8	1	2	4	2	10	15	18	34	29	14	1
-	17	-	-	-	-	1	1	-	1	-	1	-	2	2	-	-	-	-
Organs -	49	-	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-
-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria -	69	-	-	-	-	-	-	-	-	3	-	14	-	23	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deaths -	41	-	3	1	-	1	5	3	-	4	2	1	5	4	6	15	25	7
-	662	110	17	5	5	3	140	13	1	1	1	3	7	6	15	25	7	99

Causes of Death in the Ten Years 1861-70.—Males.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	
		614.—LLANRWST.													
Mean Popul ⁿ . } 1861-71	6431	160	157	160	165	160	802	755	765	652	514	808	641	582	
TOTAL DEATHS -	1246	210	60	30	21	10	376	48	27	46	61	91	76	81	
Small-pox - - -	15	4	6	3	1	-	14	1	-	-	-	-	-	-	
Measles - - -	21	-	4	5	4	1	14	5	3	-	1	-	-	-	
Scarlatina - - -	8	-	1	1	1	2	5	3	-	-	-	-	-	-	
Diphtheria - - -	7	4	1	-	2	-	7	-	-	-	-	-	-	-	
Whooping-cough -	49	-	1	-	2	-	3	1	3	4	7	9	3	4	
Typhus - - -	8	2	-	-	-	-	2	-	-	-	1	-	-	-	
Diarrhoea & Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cholera - - -	40	2	2	3	3	-	12	5	5	1	-	2	2	-	
Other Zymotic Dis.	24	-	-	-	-	-	1	-	-	1	-	2	2	1	
Cancer - - -	16	1	-	-	-	-	1	3	1	4	2	2	3	-	
Scrophula and Tuberc.	167	-	-	-	-	-	2	2	9	24	33	24	31	23	
Phthisis - - -	14	-	4	3	2	1	10	2	-	1	-	1	-	-	
Hydrocephalus -	267	132	19	4	1	1	177	7	-	2	-	6	4	11	
Dis. of Brain - -	99	1	-	-	1	-	3	3	2	-	2	6	11	9	
Dis. of Heart & Dropsy	114	11	8	5	-	-	21	3	1	2	3	6	4	9	
Dis. of Lungs - -	42	3	-	-	-	-	3	1	1	2	1	5	6	4	
Dis. of Stom. and Liver	28	1	-	-	-	-	1	-	-	-	-	-	1	5	
Dis. of Kidneys -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	35	1	2	4	2	-	9	1	1	2	5	5	3	3	
Other Causes - -	265	67	12	6	-	4	89	11	1	3	4	8	4	12	
615.—CORWEN.															
Mean Popul ⁿ . } 1861-71	8238	226	209	217	217	216	1085	1030	896	802	640	1082	868	744	
TOTAL DEATHS -	1081	311	73	38	20	12	456	58	30	67	80	125	92	113	
Small-pox - - -	6	2	1	-	1	-	4	-	1	-	-	1	-	-	
Measles - - -	9	-	4	1	1	-	6	2	-	1	-	-	-	-	
Scarlatina - - -	57	2	6	6	5	3	22	9	1	2	-	1	-	-	
Diphtheria - - -	6	-	-	1	-	-	1	2	-	-	1	-	1	1	
Whooping-cough -	11	6	6	2	-	-	14	-	-	-	-	-	-	-	
Typhus - - -	44	1	2	1	1	-	3	9	7	7	2	8	9	5	
Diarrhoea & Dysentery	14	5	1	-	-	-	6	-	1	-	-	1	-	-	
Cholera - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	31	1	-	4	1	2	8	2	3	2	2	1	1	5	
Cancer - - -	12	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	9	1	1	-	-	1	3	1	-	1	-	3	-	1	
Phthisis - - -	265	-	1	-	-	-	1	9	6	31	51	61	36	33	
Hydrocephalus -	12	5	4	-	-	-	9	2	-	1	-	-	-	-	
Dis. of Brain - -	318	216	30	5	4	2	237	5	2	6	1	5	6	7	
Dis. of Heart & Dropsy	86	1	-	-	-	-	1	2	1	3	4	4	3	7	
Dis. of Lungs - -	115	18	4	9	1	-	32	4	5	3	5	7	7	13	
Dis. of Stom. and Liver	65	2	1	-	1	1	5	2	-	3	3	7	4	10	
Dis. of Kidneys -	24	-	-	-	1	-	1	-	-	-	-	2	1	-	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
Dis. of Skin - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	70	1	4	3	3	1	12	3	5	5	2	10	4	5	
Other Causes - -	456	50	8	6	1	2	67	6	6	8	6	11	15	23	
616.—BALA.															
Mean Popul ⁿ . } 1861-71	3287	78	75	85	77	70	385	360	362	329	299	446	327	294	
TOTAL DEATHS -	580	82	15	13	10	6	126	18	16	20	24	45	43	40	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina - - -	25	1	2	2	4	3	12	5	6	2	-	-	-	-	
Diphtheria - - -	9	1	-	1	-	-	3	2	1	-	1	-	-	-	
Whooping-cough -	3	1	1	-	-	-	2	1	-	-	-	-	-	-	
Typhus - - -	27	-	-	2	-	-	2	1	1	1	1	2	4	3	
Diarrhoea & Dysentery	10	2	-	-	-	-	2	-	1	-	-	-	-	-	
Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	8	-	-	1	1	-	2	-	-	-	-	1	-	2	
Cancer - - -	14	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	9	1	1	-	-	-	2	2	1	-	1	1	-	1	
Phthisis - - -	79	-	-	2	1	-	3	2	5	10	15	16	14	9	
Hydrocephalus -	6	1	1	-	-	1	3	2	1	-	-	-	-	-	
Dis. of Brain - -	92	11	6	1	1	1	50	1	-	1	2	4	5	6	
Dis. of Heart & Dropsy	30	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Lungs - -	65	6	1	2	1	-	10	-	1	2	-	3	2	4	
Dis. of Stom. and Liver	48	1	-	-	-	-	1	-	-	-	1	3	6	6	
Dis. of Kidneys -	29	-	-	-	-	-	-	-	-	2	-	2	4	1	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Skin - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Deaths	26	1	1	1	1	-	4	2	-	-	-	1	2	-	
Other Causes - -	301	26	2	2	1	-	20	-	-	-	-	1	3	-	

Causes of Death in the Ten Years 1861-70.—Females. 439

Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

ES ATH.	ALL AGES.	AGES OF FEMALES.																	Total under 1 Year.	Total under 5 Years.	Total Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17				18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17				18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
614.—LLANRWST.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Population	6479	158	151	166	169	154	798	762	694	639	535	871	651	593	464	290	145	37																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													</

Causes of Death in the Ten Years 1861-70.—Males.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	
		617.—DOLGELLY.													
Mean Popul ⁿ , 1861-71	6423	167	171	163	176	166	843	752	687	640	478	829	640	567	
TOTAL DEATHS	1431	245	57	30	20	24	389	63	49	61	77	112	76	111	
Small pox	2	-	-	-	-	-	-	-	-	1	-	-	-	1	
Measles	11	2	4	1	-	2	9	2	-	-	-	-	-	-	
Scarlatina	54	3	7	5	6	8	29	20	8	-	-	1	-	-	
Diphtheria	7	-	-	-	-	2	3	2	-	-	-	-	-	-	
Whooping cough	14	7	1	-	2	-	10	1	-	-	-	-	-	-	
Typhus	80	-	-	2	2	1	5	6	7	5	13	14	8	5	
Diarrhoea & Dysentery	10	2	1	2	-	-	5	6	-	-	-	-	1	2	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	42	3	3	3	3	5	17	1	2	1	-	1	5	5	
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrophula and Tuberc.	16	2	2	-	2	1	7	2	-	2	4	-	-	5	
Phthisis	218	1	2	-	2	-	4	9	13	22	37	49	24	20	
Hydrocephalus	6	1	-	1	2	1	5	-	-	-	-	-	-	-	
Dis. of Brain	189	92	17	5	3	1	114	3	2	4	1	5	3	5	
Dis. of Heart & Dropsy	80	1	-	1	-	-	2	1	2	4	6	4	7	12	
Dis. of Lungs	107	10	2	-	1	-	13	-	1	3	2	8	5	15	
Dis. of Stom. and Liver	45	-	-	-	1	-	1	-	1	2	-	3	6	13	
Dis. of Kidneys	19	-	-	-	-	-	-	-	1	-	1	-	3	4	
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	1	-	-	-	
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
Other Violent Deaths	91	-	2	4	1	1	8	5	5	12	6	21	15	19	
Other Causes	413	122	15	6	3	6	152	11	4	5	6	6	2	12	

618.—FESTINIOG.

Mean Popul ⁿ , 1861-71	10589	327	279	308	293	283	1490	1284	1117	1009	930	1554	1134	921
TOTAL DEATHS	2485	563	158	78	53	41	893	116	65	116	152	261	158	137
Small pox	14	-	-	-	-	-	-	1	-	-	5	5	2	-
Measles	27	4	11	3	4	1	23	2	1	1	-	-	-	-
Scarlatina	72	6	17	17	9	3	62	13	1	2	1	3	-	-
Diphtheria	31	2	3	3	5	4	17	9	1	1	2	1	-	-
Whooping cough	32	20	7	2	-	2	31	1	-	-	-	-	-	-
Typhus	202	3	3	3	3	5	21	22	4	28	34	40	19	11
Diarrhoea & Dysentery	19	1	-	-	1	-	2	-	-	-	-	1	2	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	108	15	10	11	9	10	58	10	7	5	1	4	1	4
Cancer	20	-	-	-	-	-	-	-	-	-	-	1	-	4
Scrophula and Tuberc.	45	3	4	1	1	-	9	3	7	8	4	2	3	3
Phthisis	563	1	2	-	-	-	3	8	9	28	55	91	42	29
Hydrocephalus	28	6	2	2	2	5	17	4	5	2	-	-	-	-
Dis. of Brain	551	20	1	20	8	2	41	7	6	3	3	11	10	6
Dis. of Heart & Dropsy	84	1	-	1	-	1	3	4	2	2	2	8	3	11
Dis. of Lungs	337	10	20	2	4	1	39	11	6	10	13	25	9	20
Dis. of Stom. and Liver	111	10	-	3	1	1	14	5	1	3	4	8	8	18
Dis. of Kidneys	43	-	2	-	-	-	2	-	1	-	-	-	1	4
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	1	2	-	5	-	-
Dis. of Skin	7	-	-	-	-	-	-	-	-	-	-	1	1	2
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	2	2
Other Violent Deaths	185	1	3	3	2	2	11	6	11	20	27	41	23	16
Other Causes	233	70	9	5	2	1	87	7	2	1	1	5	3	3

619.—PWLLHILL.

Mean Popul ⁿ , 1861-71	9875	263	241	261	251	254	1270	1236	1111	921	711	1111	1004	967
TOTAL DEATHS	1861	351	69	48	25	19	430	89	48	61	82	113	98	124
Small pox	2	-	1	-	-	-	1	-	-	1	-	-	-	-
Measles	11	3	5	-	1	1	10	2	-	-	-	1	-	-
Scarlatina	39	2	3	5	6	2	18	15	3	2	-	-	-	-
Diphtheria	24	-	1	2	-	4	7	13	1	1	1	-	1	-
Whooping cough	27	10	7	1	1	-	22	5	-	-	-	-	-	-
Typhus	61	1	-	-	-	-	1	4	-	6	-	5	6	1
Diarrhoea & Dysentery	12	2	-	-	-	-	2	-	-	-	-	-	-	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	51	3	1	5	4	1	14	6	2	3	1	-	-	-
Cancer	42	-	-	-	-	-	-	1	-	-	-	-	-	-
Scrophula and Tuberc.	10	1	1	-	-	-	2	-	3	-	1	1	1	2
Phthisis	258	1	-	-	-	1	2	9	6	22	53	61	39	33
Hydrocephalus	18	1	4	1	2	-	8	4	2	2	-	1	-	1
Dis. of Brain	477	262	19	22	6	5	334	18	6	5	3	4	11	12
Dis. of Heart & Dropsy	116	6	3	-	1	-	12	2	4	1	2	3	6	15
Dis. of Lungs	116	4	1	1	-	-	6	2	1	2	2	8	8	11
Dis. of Stom. and Liver	59	-	-	-	-	-	-	-	-	-	-	-	1	2
Dis. of Kidneys	27	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Genes. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	52	1	3	3	1	2	10	4	2	4	2	2	12	6
Other Causes	452	81	8	5	2	1	101	20	10	14	22	21	12	10

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX & RACE.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
617.—DOLGELLY.																		
POPULATION.	6973	190	158	167	182	160	857	776	694	614	553	943	738	652	521	362	212	51
DEATHS.	1337	174	55	34	28	14	305	54	29	51	49	102	77	82	105	166	209	108
" "	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
" "	7	-	4	1	1	-	6	1	-	-	-	-	-	-	-	-	-	-
" "	54	4	3	6	7	3	23	22	-	2	1	2	-	-	-	-	-	-
" "	17	-	1	3	2	1	7	4	2	1	-	-	-	1	2	-	-	-
Cough	23	10	6	5	1	-	22	1	-	-	3	10	7	-	4	3	6	3
Dysentery	65	1	2	1	1	-	5	6	4	4	-	-	-	-	-	-	-	-
" "	8	-	1	-	1	-	2	-	-	-	-	2	-	-	-	2	2	1
" "	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Acute Dis.	40	5	4	3	2	2	16	4	-	-	2	1	-	2	-	1	10	4
" "	36	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Tuberc.	15	2	2	-	-	-	4	-	1	3	2	2	3	3	12	12	4	-
" "	226	1	1	-	-	1	3	4	11	31	24	53	29	28	22	17	-	-
" "	8	-	2	-	-	2	4	2	1	1	-	-	-	-	-	-	-	-
Fever & Dropsy	153	69	7	2	2	2	75	2	-	2	2	2	1	4	13	28	22	2
" "	77	-	-	-	-	-	-	-	-	2	2	6	6	9	13	21	16	1
Stomach and Liver	74	9	2	3	-	-	15	2	-	1	5	2	5	6	6	15	13	1
" "	34	2	-	-	-	1	3	-	-	-	-	3	2	6	8	7	4	-
Pneumonia	5	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
Typhoid	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1
Other Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metritis	24	-	-	-	-	-	-	-	-	-	2	7	14	1	-	-	-	-
Deaths	14	2	1	1	1	-	5	1	-	1	-	1	1	1	-	-	3	1
Total	460	76	19	9	9	-	115	4	7	1	1	1	9	8	11	21	47	102

618.—FESTINIOG.

Population 71	10627	310	283	318	312	286	1509	1276	1107	961	920	1531	1113	905	642	410	205	48
Deaths	2206	450	144	88	56	41	779	95	65	83	113	189	118	118	145	156	232	113
Cough	26	14	12	3	2	2	33	3	—	—	—	—	—	—	—	—	—	—
Dysentery	142	4	4	7	3	4	22	8	9	22	17	24	14	9	7	6	4	—
Acute Dis.	85	—	13	21	10	8	52	10	2	2	—	2	—	2	4	4	6	1
Tuberc.	42	—	—	—	—	—	12	2	3	2	—	4	2	7	19	9	4	1
Consum.	33	4	6	1	1	—	12	—	—	—	—	—	—	—	—	—	—	—
Fever & Dropsy	324	2	1	2	—	—	5	11	33	89	73	78	43	38	27	6	1	—
Stomach and Liver	18	2	4	3	1	4	14	3	—	—	—	—	—	—	—	—	—	—
Pneumonia	529	313	48	14	8	2	385	10	4	5	3	10	4	10	10	28	46	14
Typhoid	84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Organs	245	19	20	13	5	1	58	9	2	2	1	11	4	13	29	45	59	12
Metritis	62	2	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—
Deaths	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	312	74	9	2	3	3	91	7	3	2	—	6	3	7	12	19	85	77

619.—PWLLEHILL.

Population 71	11065	219	230	228	236	252	1165	1113	1141	1038	909	1452	1241	1152	914	593	302	45
Deaths	1907	251	68	47	32	28	426	59	56	61	68	131	110	118	196	294	341	137
Cough	16	3	6	2	2	1	14	1	—	—	—	—	—	—	—	—	—	—
Dysentery	88	1	1	7	6	6	21	10	2	1	3	1	—	—	—	—	—	—
Acute Dis.	28	—	—	4	3	2	9	3	10	1	2	3	—	—	—	—	—	—
Tuberc.	44	12	10	5	5	4	36	6	2	—	—	—	—	—	—	—	—	—
Consum.	54	1	—	—	—	—	3	4	7	7	4	6	1	—	—	—	—	—
Fever & Dropsy	11	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Stomach and Liver	37	4	4	4	4	4	20	8	1	—	—	—	—	—	—	—	—	—
Pneumonia	56	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhoid	11	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Organs	293	1	—	—	—	—	5	12	39	46	70	43	34	34	9	—	—	—
Metritis	8	1	—	—	—	—	3	3	2	—	—	—	—	—	—	—	—	—
Deaths	403	195	37	16	9	6	263	17	4	2	—	8	5	11	26	40	83	6
Total	140	—	—	—	—	—	4	1	3	3	3	7	15	39	81	96	19	8
Pneumonia	122	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhoid	76	1	1	—	—	—	2	1	1	2	2	5	9	13	18	21	9	—
Other Organs	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metritis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Deaths	22	2	—	—	—	—	9	3	—	—	—	—	—	—	—	—	—	—
Total	502	28	4	—	—	—	35	3	7	4	—	2	3	—	—	—	—	—

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-71

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—
		620.—CARNARVON.													
Mean Popul ⁿ , 1861-71	17630	519	427	478	478	474	2376	2171	1903	1834	1537	2346	1841	1571	1187
TOTAL DEATHS—	4141	911	279	130	80	77	1477	200	123	180	244	351	240	240	343
Small-pox	4	-	-	-	-	-	27	9	1	-	1	2	2	-	-
Measles	38	6	9	5	4	5	70	21	6	6	1	2	2	-	-
Scarlatina	105	10	20	17	8	15	70	21	6	-	1	2	1	-	-
Diphtheria	44	2	6	3	3	5	19	10	1	-	2	2	2	-	3
Whooping-cough	58	19	21	10	3	2	55	3	-	-	-	-	-	-	-
Typhus	221	4	3	8	4	6	25	15	13	30	27	35	26	15	17
Diarrhoea & Dysentery	161	31	10	2	1	1	45	-	1	1	1	2	1	5	6
Cholera	49	1	2	1	1	1	6	1	1	1	1	6	4	11	10
Other Zymotic Dis.	104	6	18	12	9	8	53	17	3	4	-	4	5	2	5
Cancer	50	-	-	-	-	-	1	1	-	-	1	-	2	7	15
Scrofula and Tuberc.	54	3	9	1	1	1	15	4	0	-	6	8	2	5	4
Phthisis	646	5	6	2	5	5	23	21	25	76	143	161	63	52	44
Hydrocephalus	44	13	11	3	2	4	35	5	2	-	1	-	1	-	-
Dis. of Brain	903	402	77	31	20	14	634	39	22	10	6	9	20	22	26
Dis. of Heart & Dropsy	153	3	1	1	-	2	7	4	4	2	7	11	9	16	29
Dis. of Lungs	554	89	43	20	11	5	167	6	6	12	8	29	26	25	27
Dis. of Stom. and Liver	193	14	7	-	-	1	22	7	5	3	6	17	17	24	44
Dis. of Kidneys	69	1	-	-	-	-	1	1	-	2	2	7	3	10	9
Dis. of Gen. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	11	-	-	-	-	-	-	2	2	3	-	1	1	-	-
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Violent Deaths	211	3	4	3	2	-	12	13	20	20	26	46	26	34	31
Other Causes	500	207	33	11	6	4	261	13	5	6	2	10	6	10	16
621.—BANGOR.															
Mean Popul ⁿ , 1861-71	17804	437	427	444	463	439	2210	2100	2041	1830	1455	2304	2013	1694	1213
TOTAL DEATHS—	4031	840	323	121	104	67	1385	214	100	149	183	274	247	261	325
Small-pox	1	-	-	-	-	-	61	-	-	1	-	-	1	-	-
Measles	60	8	19	15	5	4	119	6	2	1	-	-	-	-	-
Scarlatina	161	16	27	19	20	27	119	49	5	6	1	-	1	-	-
Diphtheria	54	2	1	5	2	4	14	13	2	-	-	3	1	-	-
Whooping-cough	80	37	21	6	6	1	71	8	1	-	-	-	-	-	-
Typhus	120	2	2	8	2	2	11	14	11	15	17	21	10	15	11
Diarrhoea & Dysentery	48	10	4	1	-	-	15	1	-	-	3	3	5	2	5
Cholera	9	1	-	-	1	1	3	-	1	-	-	1	1	1	1
Other Zymotic Dis.	82	15	7	7	8	2	39	10	-	5	2	3	2	4	10
Cancer	41	-	-	-	-	-	-	-	-	-	-	1	2	7	9
Scrofula and Tuberc.	36	5	5	-	-	2	12	5	2	2	1	3	2	3	1
Phthisis	600	6	1	-	3	-	10	25	30	79	107	139	84	66	42
Hydrocephalus	51	15	8	3	3	2	32	15	2	1	-	-	-	1	-
Dis. of Brain	897	511	45	29	12	7	694	16	7	10	10	20	20	13	46
Dis. of Heart & Dropsy	173	-	1	-	1	1	3	6	5	10	9	15	15	26	27
Dis. of Lungs	532	72	39	15	10	6	139	18	6	6	6	24	20	40	73
Dis. of Stom. and Liver	169	5	2	1	-	-	9	3	4	3	-	8	10	31	42
Dis. of Kidneys	55	1	-	-	1	-	2	1	1	-	1	2	7	4	7
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	11	-	-	-	-	1	1	-	2	-	1	-	3	1	-
Dis. of Skin	5	-	1	-	-	-	1	1	-	-	-	-	-	1	1
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Other Violent Deaths	161	3	-	5	6	2	16	6	14	7	18	25	32	21	19
Other Causes	639	131	48	12	7	5	261	17	6	4	4	6	10	15	27
622.—CONWAY.															
Mean Popul ⁿ , 1861-71	6840	184	162	174	200	182	902	850	794	629	511	855	778	628	479
TOTAL DEATHS—	1379	243	54	43	32	18	434	34	34	31	57	83	100	77	100
Small-pox	5	1	-	-	-	1	2	-	-	-	-	2	1	-	-
Measles	20	6	3	2	3	-	14	6	-	-	-	-	-	-	-
Scarlatina	91	5	3	7	4	3	22	12	2	-	-	-	-	-	-
Diphtheria	14	-	2	1	3	1	7	6	-	-	1	-	-	-	-
Whooping-cough	14	6	4	2	1	-	13	1	-	-	-	-	-	-	-
Typhus	40	3	1	1	1	-	6	4	5	3	2	3	7	2	2
Diarrhoea & Dysentery	27	13	3	1	-	-	17	2	-	1	-	-	2	1	2
Cholera	4	2	-	-	-	-	2	2	-	-	-	-	-	-	-
Other Zymotic Dis.	27	1	4	3	3	2	13	4	1	-	-	-	2	1	2
Cancer	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula and Tuberc.	6	2	-	1	-	-	3	1	-	-	-	-	5	1	3
Phthisis	263	3	3	2	2	-	10	4	6	16	36	44	11	1	1
Hydrocephalus	26	7	1	3	-	2	13	10	3	-	-	-	34	21	15
Dis. of Brain	348	180	23	16	7	2	237	19	5	1	4	5	4	6	11
Dis. of Heart & Dropsy	86	-	-	-	-	2	2	1	3	-	1	7	11	9	14
Dis. of Lungs	153	12	5	2	4	2	25	4	2	1	1	4	6	9	15
Dis. of Stom. and Liver	72	3	1	-	1	2	7	2	1	3	3	6	10	10	14
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	-	-	-	3	1	4
Dis. of Gen. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	61	1	-	2	1	3	7	3	3	2	2	4	12	4	9
Other Causes	213	29	2	1	1	-	1	33	5	2	2	4	2	4	9

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85-- & upwards.	
620.—CARNARVON.																			
Popul ⁿ , 61-71		18151	485	426	488	453	439	2291	2115	1855	1737	1615	2655	1975	1611	1211	687	337	62
DEATHS -		3992	743	255	142	107	66	1813	169	123	168	201	357	271	214	280	364	380	152
x - - -		2	1	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-
a - - -		43	9	7	10	5	7	38	4	-	-	-	-	1	-	-	-	-	-
la - - -		100	7	13	12	16	14	61	20	9	3	1	5	-	-	-	-	-	-
g-cough -		54	1	7	6	10	7	31	13	7	1	1	-	-	-	1	-	-	-
a & Dysentery		68	26	29	11	6	3	66	2	-	-	-	-	-	-	-	-	-	-
motile Dis.		202	5	2	8	2	1	18	13	18	21	30	41	18	9	16	10	8	5
and Tabes		69	14	7	4	-	1	26	2	1	-	-	1	5	2	7	8	12	5
halus -		43	-	-	-	-	-	3	-	3	1	3	8	5	6	8	5	3	-
rain -		100	16	15	15	8	5	59	13	2	1	3	2	4	2	4	5	5	-
art & Dropsy		84	-	-	-	-	-	-	-	-	-	1	1	7	28	20	15	13	1
ungs -		40	4	4	3	9	1	14	3	6	1	4	6	2	3	-	-	-	-
om. and Liver		751	1	10	2	6	3	22	22	46	112	110	174	132	68	43	23	2	-
idneys -		41	10	13	4	2	1	30	7	3	-	-	-	-	-	-	-	-	-
ner. Organs		801	417	61	27	23	7	535	23	8	10	6	14	11	23	30	77	55	9
ints -		147	-	-	-	1	2	4	5	8	5	4	10	22	11	23	34	21	-
in -		482	53	46	18	15	4	136	11	5	1	4	13	13	24	56	101	97	21
h and Metria		382	8	5	5	1	1	20	4	3	5	7	14	17	23	40	33	9	5
lent Deaths		30	-	1	-	1	1	3	1	-	1	2	9	1	8	5	2	3	-
uses -		12	-	-	-	-	-	-	-	-	-	-	1	1	3	3	-	-	-
		7	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-
		6	1	-	-	-	-	2	1	-	-	-	-	1	2	-	-	-	-
		88	-	-	-	-	-	-	-	-	5	13	45	24	1	-	-	-	-
		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		53	5	4	5	4	4	22	8	2	-	3	2	3	1	5	1	5	1
		579	163	49	10	5	4	224	14	2	1	6	6	3	3	15	49	140	110
621.—BANGOR.																			
Popul ⁿ , 61-71		18545	450	424	459	465	422	2220	2087	1949	1713	1545	2628	2174	1756	1283	766	362	62
DEATHS -		3981	656	271	138	87	89	1241	170	137	177	188	336	248	238	284	376	419	167
x - - -		1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
a - - -		48	1	15	8	3	8	35	9	4	-	-	-	-	-	-	-	-	-
la - - -		182	12	21	37	23	26	119	29	12	5	3	4	-	-	-	-	-	-
g-cough -		26	1	-	-	4	-	5	12	4	1	1	1	1	-	1	-	-	-
a & Dysentery		99	23	28	20	8	5	87	11	1	-	-	-	-	-	-	-	-	-
motile Dis.		169	-	4	3	1	3	11	10	20	26	19	24	26	11	11	6	5	2
and Tabes		81	3	2	-	2	-	7	-	1	-	-	1	2	2	4	5	7	2
halus -		13	-	1	-	-	-	1	2	-	-	1	-	1	1	3	4	-	-
rain -		74	10	8	9	5	7	39	6	-	1	2	4	2	5	9	6	-	-
art & Dropsy		63	-	-	-	-	-	1	-	-	1	-	4	4	17	17	17	2	-
ungs -		22	5	3	2	-	-	10	3	2	-	4	1	1	1	1	-	-	-
om. and Liver		741	1	3	2	1	2	9	16	7	87	116	122	204	108	67	31	10	1
idneys -		47	14	10	5	3	4	36	7	4	-	-	-	-	-	-	-	-	-
ner. Organs		799	413	66	18	16	12	535	22	8	6	4	9	14	24	46	63	65	13
ints -		210	-	-	-	1	3	5	6	7	3	7	23	19	55	39	45	19	2
in -		446	51	49	22	10	13	145	12	2	6	6	17	15	26	56	109	87	4
h and Metria		137	7	1	1	-	-	10	1	1	3	3	16	11	25	27	28	11	1
lent Deaths		20	1	-	-	-	-	1	-	-	-	2	1	3	4	3	5	1	-
uses -		6	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-
		9	-	-	-	-	-	-	-	1	2	1	-	2	1	-	-	-	-
		6	1	-	-	-	-	1	-	-	1	-	-	3	1	3	-	-	-
		31	-	-	-	-	-	-	-	-	-	8	17	24	2	-	-	-	-
		2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		29	3	1	3	3	-	10	4	-	1	1	3	1	2	1	2	3	1
		750	107	58	8	5	6	184	9	13	3	3	7	11	20	36	73	242	144
622.—CONWAY.																			
Popul ⁿ , 61-71		7449	180	174	189	185	181	909	878	780	674	621	1027	878	677	517	307	161	20
DEATHS -		1427	252	63	43	28	19	405	65	45	59	49	108	94	88	126	165	167	56
x - - -		2	-	-	-	-	-	19	2	1	-	-	1	-	-	-	-	-	-
a - - -		23	7	3	5	3	1	20	8	7	-	-	-	-	-	-	-	-	-
la - - -		37	1	6	6	1	6	20	3	1	-	-	2	-	-	-	-	-	-
g-cough -		12	1	3	1	1	-	6	3	1	-	-	-	-	-	-	-	-	-
a & Dysentery		14	4	5	2	1	1	13	1	-	-	-	-	-	-	-	-	-	-
motile Dis.		41	-	-	-	1	1	2	2	8	2	2	6	2	4	3	6	4	-
and Tabes		15	11	2	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-
halus -		28	-	5	3	4	2	14	2	1	-	1	1	1	1	3	2	1	1
rain -		49	-	-	-	-	-	1	-	-	-	-	4	5	6	16	8	7	-
art & Dropsy		14	4	-	-	-	-	4	1	2	3	-	3	1	1	18	6	3	-
ungs -		231	4	5	-	1	1	11	9	7	34	31	45	39	25	1	-	-	-
om. and Liver		31	5	4	3	1	1	14	11	1	3	1	-	-	-	-	-	-	-
idneys -		337	176	15	15	7	1	212	14	5	3	2	5	6	15	16	33	23	3
ner. Organs		118	2	2	1	-	-	5	-	1	2	2	10	7	14	20	31	22	2
ints -		97	9	3	4	1	-	17	1	-	-	2	8	10	3	14	24	15	2
in -		61	-	2	2	-	-	5	2	1	6	5	2	4	8	15	9	7	-
h and Metria		10	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
lent Deaths		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
uses -		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		24	-	-	-	-	-	-	-	-	-	-	1	14	9	-	-	-	-
		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		263	28	7	2	3	5	45	6	7	2	1	3	6	6	6	14	65	25

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.													
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	
623.—ANGLESEY.															
Mean Popul ⁿ , 1861-71	17696	447	398	458	442	441	2186	2243	2083	1767	1251	2050	1881	1682	13
TOTAL DEATHS	3799	604	178	70	80	61	993	157	122	148	230	291	257	242	50
Small-pox	24	4	1	1	2	1	9	3	2	1	2	1	9	-	-
Measles	16	3	2	1	2	1	9	1	-	-	-	-	-	-	-
Scarlatina	129	9	12	9	16	22	79	32	15	7	3	-	2	1	-
Diphtheria	82	3	1	2	1	3	10	12	3	1	2	1	1	1	-
Whooping-cough	57	19	11	6	9	7	51	5	1	-	-	-	-	-	-
Typhus	122	2	2	1	4	1	10	7	6	18	19	11	12	17	3
Diarrhoea & Dysentery	11	1	1	-	-	-	2	-	-	-	-	-	-	-	-
Cholera	22	1	1	1	-	1	4	4	1	-	-	2	4	3	1
Other Zymotic Dis.	94	12	14	6	9	9	50	10	8	2	3	1	4	1	5
Cancer	52	-	-	-	-	-	-	-	-	1	-	-	5	4	10
Scrophula and Tuberc.	27	3	-	1	-	-	4	3	1	3	5	4	3	2	2
Phthisis	607	2	1	-	1	1	5	14	38	89	156	179	114	91	72
Hydrocephalus	62	9	8	4	7	3	31	19	7	2	-	-	1	-	-
Dis. of Brain	512	412	89	25	18	7	551	14	6	1	2	7	20	19	27
Dis. of Heart & Dropsy	161	-	-	-	-	-	-	-	2	2	3	11	12	22	22
Dis. of Lungs	280	5	6	3	2	1	17	2	2	3	3	14	13	26	27
Dis. of Stom. and Liver	117	5	-	-	1	-	6	3	3	2	-	7	13	16	20
Dis. of Kidneys	44	-	-	-	-	-	-	-	1	-	1	3	4	1	12
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	1	1	-	1	-	-	-	1
Dis. of Skin	8	-	-	-	-	-	-	-	2	1	2	-	2	-	-
Childbirth and Metris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Violent Deaths	164	-	2	1	-	1	4	9	13	9	17	37	39	25	7
Other Causes	898	114	27	16	6	3	160	19	15	6	5	15	11	18	17

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

SEX ATH.	ALL Ages.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-
623.—ANGLESEY.																		
popu ⁿ , 71	18946	404	395	410	445	432	2086	2139	2038	1792	1506	2475	2188	1828	1417	929	458	90
EATHS -	3940	500	173	103	56	57	889	179	142	183	106	292	256	251	303	462	517	240
- - -	15	3	4	2	1	-	10	2	1	-	-	1	1	-	-	-	-	-
- - -	10	6	-	-	1	2	9	-	-	-	-	-	-	-	-	-	-	-
- - -	124	8	6	22	12	12	60	40	9	8	1	4	-	2	-	-	-	-
- - -	43	1	3	5	1	3	13	11	12	3	1	1	1	1	-	-	-	-
ough -	96	34	27	15	4	7	87	6	-	-	-	-	-	-	-	-	-	-
Dysentery	111	2	-	2	1	-	5	10	13	17	12	11	15	11	11	5	1	-
- - -	13	3	1	-	-	-	4	-	-	-	-	3	1	1	1	1	-	-
tie Dis.	12	-	-	1	-	-	1	2	1	1	-	2	1	1	1	1	-	-
- - -	79	4	9	8	5	7	53	9	6	1	2	3	2	6	4	12	-	1
- - -	57	-	-	-	-	-	-	-	-	1	-	3	4	12	13	17	7	-
l Tabes -	21	-	3	-	-	-	5	5	-	2	3	2	-	2	2	2	-	-
lus - - -	913	-	1	1	4	6	12	22	56	123	131	191	150	162	72	47	1	-
- - -	51	4	3	9	5	5	26	19	5	1	-	-	-	-	-	-	-	-
a - - -	713	329	75	27	12	9	452	14	9	3	6	13	16	21	37	72	62	8
t & Dropsy	177	-	-	-	-	1	1	3	3	6	8	9	21	22	35	62	15	2
st - - -	252	14	5	2	1	1	23	4	4	4	3	6	19	20	44	89	40	3
and Liver	101	-	-	-	1	-	1	1	-	2	3	2	7	17	26	26	13	1
eyes - - -	8	-	-	-	-	-	-	-	1	-	-	2	1	1	3	-	-	-
r. Organs -	9	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	1	-
st - - -	6	-	-	-	-	-	-	1	2	-	-	1	-	1	1	-	-	-
- - -	5	2	-	-	-	-	2	-	-	-	-	1	-	1	1	-	-	-
und Metria	44	-	-	-	-	-	-	-	-	-	12	14	18	-	-	-	-	-
- - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
nt Deaths -	29	1	4	1	2	3	11	3	4	-	-	3	3	2	2	1	-	-
st - - -	1033	89	33	8	6	1	136	27	16	11	9	14	25	30	45	139	376	225



ENGLAND.

DEATHS OF MALES

AGED 5 YEARS AND UPWARDS

OF

DIFFERENT OCCUPATIONS

IN ENGLAND

AND IN EACH OF THE ELEVEN DIVISIONS

REGISTERED IN THE YEAR

1871.

ENGLAND.*—DEATHS of MALES of different Occupations registered in the Y

CLASSES, ORDERS, AND SUB-ORDERS.		AGES OF MALES.							
		TOTAL 5 Years and upwards.	5 Years and under 20.	20 Years and upwards.	5— 10—	15—	20—	25—	35—
TOTAL OF MALES AGED 5 YEARS AND UPWARDS		155,040	23,378	131,662	11,206	5,421	6,931	8,772	17,635
CLASSES.									
I. PROFESSIONAL CLASS		8,816	197	8,619	—	5	192	521	1,436
II. DOMESTIC CLASS		4,846	108	4,738	—	8	100	269	625
III. COMMERCIAL CLASS		11,288	618	10,670	—	40	378	1,132	2,612
IV. AGRICULTURAL CLASS		27,049	934	26,115	144	132	638	936	1,899
V. INDUSTRIAL CLASS		63,379	2,678	60,701	18	287	2,373	4,476	8,715
VI. INDEFINITE AND NON- PRODUCTIVE CLASS		36,462	18,043	17,419	11,044	4,929	3,070	1,476	2,344
ORDERS.									
I.	1. Persons engaged in the GENERAL or LOCAL GOVERNMENT of the Country	1709	20	1689	—	—	20	69	245
	2. Persons engaged in the DEFENCE of the Country	9084	92	8992	—	1	91	214	631
II.	3. Persons engaged in the LEARNED PROFESSIONS or in LITERATURE, ART, and SCIENCE (with their immediate Subordinates)	3773	85	3688	—	4	81	238	569
	4. Persons engaged in ENTERTAINING, and performing PERSONAL OFFICES for Man	4546	108	4438	—	8	100	269	625
III.	5. Persons who BUY or SELL, KEEP or LEND Money, Houses, or Goods of VARIOUS KINDS	4151	153	3998	—	6	147	278	791
	6. Persons engaged in the CONVEYANCE of Men, Animals, Goods, and Messages	10237	465	9772	—	34	431	874	1911
IV.	7. Persons possessing or working the LAND, and engaged in growing GRAIN, FRUITS, GRASSES, ANIMALS, and other Products	23952	878	23074	111	135	589	798	1580
	8. Persons engaged about ANIMALS	2907	56	2851	—	7	49	138	319
V.	9. Persons engaged in ART and MECHANIC Productions, in which Matter, or various kinds are used in combination	19132	614	18518	—	21	620	1352	2817
	10. Persons working and dealing in the TEXTILE FABRICS and in DRUGS	15626	638	14988	11	72	615	992	1775
VI.	11. Persons working and dealing in FOOD and DRINKS	7842	260	7582	—	6	194	460	1047
	12. Persons working and dealing in ANIMAL SUBSTANCES	900	28	872	—	2	26	51	132
VII.	13. Persons working and dealing in VEGETABLE SUBSTANCES	2205	64	2141	—	10	54	148	319
	14. Persons working and dealing in MINERALS	17691	1041	16650	7	173	861	1565	2949
VIII.	15. LABOURERS AND OTHERS, Branch of Labour undefined	18149	5112	13037	1	55	955	1434	2283
	16. Persons of RANK or PROPERTY not returned under any other Occupation	2905	14	2891	—	—	14	42	115
IX.	17. SCHOLARS AND CHILDREN not reported in any directly PRODUCTIVE OCCUPATION	15917	15917	—	11043	4874	—	—	—
	18. SCHOLARS AND CHILDREN not reported in any directly PRODUCTIVE OCCUPATION	15917	15917	—	11043	4874	—	—	—
SUB-ORDERS.									
Class	Order								
	SUB-ORDER								
I.	1. 1. Officers of National Government	871	11	860	—	—	14	52	167
	2. 2. Officers of Local Government	805	6	799	—	—	6	27	134
II.	3. 3. Officers of East India and Colonial Government	25	—	25	—	—	—	—	5
	4. 4. Army	2161	61	2100	—	—	61	147	391
III.	5. 5. Navy	1781	81	1700	—	1	29	67	154
	6. 6. Clergymen, Ministers, and Others connected with Religion	810	4	806	—	—	4	14	64
IV.	7. 7. Lawyers and Law Stationers	792	20	772	—	—	19	55	125
	8. 8. Physicians, Surgeons, and Druggists	819	14	805	—	—	14	72	154
V.	9. 9. Authors, Literary Persons, and Students	259	8	251	—	—	4	14	16
	10. 10. Artists	292	7	285	—	—	7	26	74
VI.	11. 11. Musicians	127	5	122	—	—	4	8	27
	12. 12. Actors	148	21	127	—	—	20	33	61
VII.	13. 13. Teachers	293	1	292	—	—	1	1	1
	14. 14. Scientific Persons	—	—	—	—	—	—	—	—

* Male population in 1871 aged 5 years and upwards, 2,522,470.

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

CLASSES, ORDERS, AND SUB-ORDERS.		AGES OF MALES.											
		TOTAL 5 Years and upwards.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	65— 75 and up- wards.
Order	SUB-ORDER												
15	5. 1. Engaged in Board and Lodging - - -	2823	17	2806	-	-	17	30	206	510	637	608	436
	2. Attendants (Domestic Servants, &c.) - -	2023	91	1932	-	8	83	179	359	547	278	248	233
	6. 1. Mercantile Persons - - - - -	2767	126	2641	-	4	122	231	548	454	442	392	221
	2. Other General Dealers - - - - -	1384	27	1357	-	2	25	47	133	200	193	301	163
	7. 1. Carriers on Railways - - - - -	1500	87	1213	-	4	83	205	379	232	182	129	56
	2. " on Roads - - - - -	2587	66	2521	-	4	62	178	471	537	558	495	240
	3. " on Canals and Rivers - - - - -	845	25	818	-	2	23	42	109	118	127	167	128
	4. " on Seas and Rivers - - - - -	3231	150	3371	-	8	142	333	707	646	579	439	302
	5. Engaged in Storage - - - - -	472	27	445	-	-	27	43	84	86	90	64	21
	6. Messengers and Porters - - - - -	1114	110	1004	-	16	94	68	161	177	179	194	64
	8. 1. Agriculturists - - - - -	22749	848	21901	144	142	562	739	1423	1570	2175	3347	5630
	2. Arboriculturists - - - - -	161	3	161	-	-	3	5	10	15	14	27	88
	3. Horticulturists - - - - -	2039	27	2012	-	3	24	54	147	171	237	370	514
	9. 1. Persons engaged about ANIMALS - - -	2097	50	2041	-	7	49	138	319	312	326	301	344
	10. Workers and Dealers in—												
	1. Books - - - - -	963	74	889	-	6	68	115	136	140	146	132	71
	2. Musical Instruments - - - - -	112	6	106	-	1	5	16	17	21	13	12	14
	3. Prints and Pictures - - - - -	88	8	80	-	-	8	7	16	12	18	12	6
	4. Carving and Figures - - - - -	85	-	85	-	-	-	9	24	10	10	13	6
	5. Tackle for Sports and Games - - - -	66	3	63	-	1	2	6	5	4	12	13	8
	6. Designs, Medals, and Dies - - - - -	52	3	49	-	-	3	6	10	8	7	4	6
	7. Watches and Philosophical In- struments - - - - -	463	18	445	-	-	18	37	66	58	57	83	66
	8. Surgical Instruments - - - - -	21	1	20	-	-	1	-	2	4	5	3	2
	9. Arms - - - - -	216	11	205	-	1	10	18	40	38	33	28	17
	10. Machines and Tools - - - - -	2523	124	2401	-	3	121	250	474	422	404	389	175
	11. Carriages - - - - -	9-8	15	913	-	-	15	64	108	100	170	164	137
	12. Harness - - - - -	426	18	408	-	-	18	32	86	52	67	59	74
	13. Ships - - - - -	913	31	912	-	-	31	68	121	143	165	134	140
	14. Houses and Buildings - - - - -	10633	280	10353	-	10	270	621	1462	1529	1617	1882	1780
	15. Furniture - - - - -	1032	37	1015	-	1	58	56	164	145	164	192	181
	16. Chemicals - - - - -	559	15	544	-	1	14	47	96	89	94	90	38
	11. Workers and Dealers in—												
	1. Wool and Worsted - - - - -	1948	121	1827	3	14	104	100	209	172	241	529	494
	2. Silk - - - - -	528	21	507	1	-	20	15	44	58	64	111	94
	3. Cotton and Flax - - - - -	5394	243	5261	7	45	191	249	416	546	437	553	392
	4. Mixed Materials - - - - -	1440	101	1339	-	4	97	154	229	175	185	184	208
	5. Dress - - - - -	4212	201	4011	-	9	192	396	856	984	1300	1437	1539
	6. Hemp & other Fibrous Materials - -	294	11	283	-	-	11	8	21	26	53	62	61
	12. Workers and Dealers in—												
	1. Animal Food - - - - -	2558	32	2506	-	3	49	135	300	428	419	412	463
	2. Vegetable Food - - - - -	2341	69	2272	-	1	68	129	273	338	369	421	446
	3. Drinks and Stimulants - - - - -	2943	79	2864	-	2	77	199	474	462	398	487	338
	13. Workers and Dealers in—												
	1. Grease, Gut, Bones, Horn, Ivory, and Whalebone - - - - -	205	7	198	-	1	6	12	21	29	32	37	44
	2. Skins, Feathers, and Quills - - - -	324	13	311	-	-	13	22	70	87	73	100	109
	3. Hair - - - - -	171	8	163	-	1	7	17	17	17	30	35	28
	14. Workers and Dealers in—												
	1. Gums and Resins - - - - -	302	9	293	-	-	9	30	62	55	46	48	40
	2. Wood - - - - -	1467	29	1438	-	3	26	74	167	180	222	238	275
	3. Bark - - - - -	35	2	33	-	-	2	2	4	9	4	8	4
	4. Cane, Rush, and Straw - - - - -	340	4	345	-	1	3	12	24	34	46	58	72
	5. Paper - - - - -	442	20	422	-	6	14	30	62	66	69	71	53
	15. 1. Miners - - - - -	3392	493	4899	3	114	376	566	843	721	788	853	711
	2. Workers and Dealers in—												
	1. Coal - - - - -	1490	60	1370	-	13	47	68	180	212	249	287	230
	3. Stone, Clay - - - - -	2968	103	2865	2	8	93	221	417	454	479	529	437
	4. Earthenware - - - - -	651	25	626	1	4	20	53	52	133	140	115	88
	5. Glass - - - - -	390	11	389	-	1	10	23	56	46	49	54	46
	6. Salt - - - - -	47	3	44	-	1	2	1	7	9	6	8	15
	7. Water - - - - -	93	3	90	-	1	2	3	8	18	12	19	18
	8. Gold, Silver, and Precious Stones -	562	11	551	-	-	11	37	69	43	55	45	60
	9. Copper - - - - -	126	10	116	-	-	10	6	15	17	18	21	32
	10. Tin and Quicksilver - - - - -	344	19	325	-	3	16	40	46	49	44	45	32
	11. Zinc - - - - -	16	2	14	-	-	2	-	2	4	5	1	1
	12. Lead and Antimony - - - - -	63	1	62	-	-	1	-	11	13	14	10	12
	13. Brass and other Mixed Metals - - -	676	41	635	1	2	38	70	103	100	109	103	95
	14. Iron and Steel - - - - -	5216	262	4954	-	20	236	477	831	728	806	799	761
	16. 1. General Labourers - - - - -	12187	425	11712	1	43	381	745	1600	1655	1821	2049	2079
	2. Other Persons of indefinite Occupations -	6312	2087	3625	-	12	2675	689	633	466	356	425	489
	17. 1. Persons of RANK or PROPERTY not re- turned under any Office or Occupation -	2996	14	2982	-	-	14	42	115	150	156	365	606
	18. 1. Scholars and Children not engaged in any directly Productive Occupation -	15917	15917	-	11043	4874	-	-	-	-	-	-	-

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Y.

OCCUPATIONS.	AGES OF MALES.									
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5-10-	10-15-	15-20-	20-25-	25-35-	35-45-	45-
Total of Males AGED 5 YEARS AND UPWARDS	155,040	23,578	131,462	1196	5421	6051	8772	17555	17823	1390
I.—PROFESSIONAL CLASS.										
1.—Persons engaged in the GENERAL or LOCAL GOVERNMENT of the Country.										
1. National Government.										
Civil Service	485	8	477	-	-	8	11	50	67	6
Government Messengers, Workmen, &c.	302	6	296	-	-	6	20	48	53	5
Other Government Officers	24	-	24	-	-	-	1	-	4	-
2. Local Government.										
Magistrate (so returned)	24	-	24	-	-	-	-	-	-	-
Officer of Law Court	69	1	68	-	-	1	7	8	7	1
Police	369	2	367	-	-	2	31	109	99	5
Prison Officer	46	1	45	-	-	1	-	7	12	-
Municipal, Parish, Union, Officer	281	2	279	-	-	2	3	19	35	5
Other Local Government Officers	6	-	6	-	-	-	-	-	-	-
3. East India and Colonial Government.										
East India and Colonial Service	33	-	33	-	-	-	-	-	5	-
2.—Persons engaged in the DEFENCE of the Country.										
1. Army (at Home).										
Army Officer (effective)	179	-	179	-	-	-	4	19	24	2
Army Retired and Half Pay Officer	75	-	75	-	-	-	-	3	7	1
Soldier	1044	61	983	-	-	61	129	408	262	7
Militia, Volunteers	80	-	80	-	-	-	-	14	22	5
Army Pensioner	710	-	710	-	-	-	12	61	97	11
Others	4	-	4	-	-	-	-	-	-	-
2. Navy (Ashore or in Port).										
Navy Officer (effective)	167	1	166	-	-	1	6	9	11	1
Navy Retired and Half Pay Officer	40	-	40	-	-	-	-	-	-	-
Seaman, R.N.	211	29	212	-	1	26	47	74	45	2
Royal Marine	167	1	166	-	-	1	8	31	30	1
Consignee, Royal Naval Reserve	64	-	64	-	-	-	1	3	11	1
Navy Pensioner	374	-	374	-	-	-	5	54	59	5
3. Persons engaged in the LEARNED PROFESSIONS, or in LITERATURE, ART, and SCIENCE (with their immediate Subordinates).										
1. Clergymen, Ministers, and Church Officers.										
Clergyman	457	-	457	-	-	-	2	27	37	6
Protestant Minister	180	-	180	-	-	-	6	23	15	1
Roman Catholic Priest	29	-	29	-	-	-	-	4	2	-
Missionary, Scripture Reader	20	-	20	-	-	-	1	2	2	-
Church, Chapel Officer	123	-	123	-	-	-	-	3	6	1
Others	22	4	18	-	-	4	4	5	1	-
2. Lawyers, Law Court Officers, and Law Stationers.										
Barrister	52	-	52	-	-	-	-	6	4	1
Solicitor, Attorney	318	2	316	-	-	2	9	23	42	4
Law Student	5	1	4	-	-	1	1	1	1	-
Law Clerk	301	16	285	-	1	15	43	79	49	4
Law Stationer	25	1	24	-	-	1	2	6	4	-
3. Physicians, Surgeons, and Druggists.										
Physician, Surgeon	437	1	436	-	-	1	14	56	51	5
Medical Assistant, Student	37	3	34	-	-	3	15	9	5	-
Dentist	29	1	28	-	-	1	4	7	5	-
Chemist, Druggist	240	9	231	-	-	9	59	62	65	4
Others	6	-	6	-	-	-	-	-	1	-
4. Authors and Literary Persons.										
Author, Editor, Journalist	39	-	39	-	-	-	1	6	9	4
Students and Others	65	5	60	-	1	4	13	16	9	7
5. Artists.										
Painter, Artist	104	1	103	-	-	1	5	13	17	17
Sculptor	13	-	13	-	-	-	1	3	2	1
Engraver	205	3	202	-	-	3	8	12	14	15
Photographer	45	4	41	-	-	4	2	19	13	10
Others engaged in the Fine Arts	1	-	1	-	-	-	1	-	1	-
6. Musicians, Teachers of Music.										
Musician, Music Master	285	7	278	-	-	7	2	10	67	43
Others	6	-	6	-	-	-	-	-	-	-

GLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwds.
3.—cont.													
7. Actors, &c.													
Performances, Shows—Service - - - - -	48	1	47	-	-	1	-	11	7	11	11	5	2
engaged in Theatres, &c. - - - - -	17	2	15	-	-	2	1	3	3	3	3	-	2
	62	2	60	-	1	1	7	13	17	10	5	5	1
8. Teachers.													
Master - - - - -	410	6	404	-	-	6	23	52	46	47	70	96	70
Teacher, Professor, Lecturer - - - - -	98	15	83	-	1	14	10	11	7	12	18	17	8
9. Scientific Persons.													
Engineer - - - - -	66	1	65	-	-	1	5	15	13	8	9	6	9
Scientific Persons - - - - -	23	-	23	-	-	-	-	2	3	1	5	6	6
II.—DOMESTIC CLASS.													
<i>Persons engaged in entertaining and performing PERSONAL OFFICES for Man.</i>													
1. In Board and Lodging.													
Super, Hotel Keeper, Publican - - - - -	2095	12	2083	-	-	12	10	108	383	464	459	318	242
Waiter - - - - -	443	2	441	-	-	2	2	37	80	116	103	66	37
Boarding-house, Boarding-house Keeper - - - - -	112	-	112	-	-	-	-	5	16	19	22	29	21
Eating-house, Eating-house Keeper - - - - -	78	2	76	-	-	2	4	6	14	18	12	12	10
Domestic Service - - - - -	69	-	69	-	-	-	3	18	14	11	9	7	7
	28	1	25	-	-	1	2	2	5	9	3	4	2
<i>Attendance (Domestic Servants, &c.)</i>													
Domestic Servant (General) - - - - -	690	41	649	-	4	37	64	107	97	93	88	98	100
Coachman - - - - -	288	3	285	-	-	3	9	35	61	45	42	47	46
Groom - - - - -	93	8	85	-	1	7	18	19	10	6	8	12	12
Gardener - - - - -	182	1	181	-	-	1	7	17	22	21	20	45	39
Inn, Hotel Servant - - - - -	657	37	620	-	3	34	76	167	134	86	66	65	26
Domestic Servant (not Domestic Servant) - - - - -	61	1	60	-	-	1	4	9	13	13	6	9	6
	52	-	52	-	-	-	1	5	10	12	8	12	4
III.—COMMERCIAL CLASS.													
<i>Persons who BUY or SELL, KEEP, or VEND, Money, Houses, or Goods of various Kinds.</i>													
1. Mercantile Men.													
Merchant - - - - -	230	2	228	-	-	2	3	22	36	38	41	54	34
Factor - - - - -	42	-	42	-	-	-	-	2	5	4	6	12	13
Service - - - - -	146	5	141	-	-	5	11	34	21	16	19	24	24
Agent, Benefic Society, Service - - - - -	92	6	86	-	-	6	7	17	18	17	9	16	8
Factor, Agent, Factor - - - - -	240	4	236	-	-	4	8	37	46	52	40	40	13
Man (not otherwise described) - - - - -	30	1	29	-	-	1	3	5	5	6	4	4	2
Super, Valuer, House Agent - - - - -	161	-	161	-	-	-	5	17	26	25	37	32	19
Attendant - - - - -	232	4	228	-	-	4	10	47	29	48	40	31	23
Commercial Clerk - - - - -	1217	103	1114	-	4	99	166	291	185	159	133	119	61
Commercial Traveller - - - - -	328	1	327	-	-	1	17	75	78	66	28	23	10
Mercantile Men - - - - -	49	-	49	-	-	-	1	1	5	11	3	12	14
2. Other General Dealers.													
Broker - - - - -	92	6	86	-	-	6	6	18	8	18	19	10	7
Dealer (branch undefined), General Dealer - - - - -	392	5	387	-	-	5	14	36	52	57	86	76	66
Butcher, Costermonger - - - - -	91	4	87	-	-	4	2	15	22	10	15	11	12
Druggist, Pedlar - - - - -	509	12	497	-	2	10	25	84	118	110	181	169	110
<i>Persons engaged in the CONVEYANCE of Men, Animals, Goods, and Messages.</i>													
1. Carriers on Railways.													
Locomotive Engine Driver, Stoker - - - - -	225	13	212	-	-	13	40	74	89	32	17	5	5
Station Officer, Clerk, Station-master - - - - -	284	22	262	-	-	22	47	71	49	40	41	11	3
Station Attendant, Servant - - - - -	791	52	739	-	4	48	118	234	144	110	71	40	22
2. Carriers on Roads.													
Inspector, Turnpike-gate Keeper - - - - -	82	-	82	-	-	-	3	3	8	10	12	23	23
Omnibus, Cab Owner, Livery Stable Boy - - - - -	167	-	167	-	-	-	2	20	32	44	28	28	13
Coachman (not domestic), Cabman, Flyman - - - - -	937	5	932	-	-	5	48	133	202	187	149	128	66
Coachman, Carrier, Carter, Drayman - - - - -	1773	61	1712	-	4	57	125	295	290	310	301	252	139
	28	-	28	-	-	-	-	-	5	7	5	9	2
3. Carriers on Canals and Rivers.													
Navigation Service - - - - -	101	5	96	-	-	5	2	8	11	18	13	22	23
Boatman, Waterman - - - - -	736	20	716	-	2	18	40	101	106	109	114	142	104
	6	-	6	-	-	-	-	-	-	-	-	-	-

ENGLAND.—DEATHS OF MALES OF DIFFERENT OCCUPATIONS REGISTERED IN THE YEAR

OCCUPATIONS.	AGES OF MALES.								
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—
7.—cont.									
4. Carriers on Seas and Rivers.									
Shipowner	64	—	64	—	—	—	—	1	8
Steam Navigation Service	156	1	155	—	1	—	15	26	76
Ship Steward, Cook	109	8	101	—	—	6	14	73	19
Seaman (Merchant Service)	2230	121	2118	—	6	115	257	492	396
Pilot	93	1	94	—	—	1	2	7	17
Boatman on Seas	45	2	43	—	—	3	2	5	5
Harbour, Dock Service, Labourer	708	12	696	—	1	11	36	84	140
Wharfinger	20	—	20	—	—	—	—	2	7
Others	76	5	71	—	—	5	7	13	19
5. Engaged in Storage.									
Warehouseman	408	27	430	—	—	27	48	84	63
Meter, Weigher	6	—	6	—	—	—	—	—	1
6. Messengers and Porters.									
Messenger, Porter, Errand Boy	185	90	805	—	15	75	58	143	128
Cotton Porter	70	1	69	—	—	—	3	7	15
Telegraph Company Service	50	19	81	—	1	18	12	11	4
Others engaged in Messages	9	—	9	—	—	—	—	—	—
IV.—AGRICULTURAL CLASS.									
8. Persons possessing or working the LAND, and engaged in growing GRAIN, FRUITS, GRASSES, ANIMALS, and other Products.									
1. In Fields and Pastures.									
Land Proprietor (so returned)	390	—	390	—	—	—	—	8	17
Farmer, Grazier	6246	7	6280	—	—	7	54	298	416
Farmer's Son, Brother, Grand-son, Nephew	863	300	257	99	71	150	120	90	28
Farm Bailiff	276	3	273	—	—	3	6	7	14
Agricultural Labourer	13008	450	13449	45	63	351	507	992	1041
Shepherd (out door)	276	5	271	—	—	5	6	12	19
Farm Servant (In-door)	218	63	185	—	8	55	37	28	13
Land Surveyor, Estate Agent	109	2	98	—	—	2	1	8	7
Land Drainage Service	20	1	29	—	—	1	—	3	5
Agricultural Machine Proprietor, Attendant	27	1	26	—	—	—	1	—	—
Others engaged in Agriculture	15	1	14	—	—	1	3	2	1
2. In Woods.									
Woodman	174	3	161	—	—	3	5	10	16
3. In Gardens.									
Nurseryman, Seed-man, Florist	84	5	81	—	1	4	10	7	6
Gardener	1919	22	1927	—	2	20	44	110	165
Others engaged in Horticulture	4	—	4	—	—	—	—	—	—
9. 1. Persons engaged about ANIMALS.									
Horse Proprietor, Dealer	61	—	61	—	—	—	—	12	5
Horse Breaker	50	—	50	—	—	—	2	6	12
Horsekeeper, Groom, Jockey	811	21	787	—	4	20	75	164	143
Farrier, Veterinary Surgeon	181	4	177	—	—	4	6	15	25
Cattle, Sheep, Pig, Salesman	187	2	185	—	—	2	6	12	21
Drover	125	—	125	—	—	—	4	11	18
Gamekeeper	108	3	105	—	—	3	8	17	19
Vermine Destroyer	35	—	35	—	—	—	—	—	3
Fisherman	384	22	362	—	3	19	25	53	51
Others engaged about Animals	41	1	42	—	—	1	2	4	9
V.—INDUSTRIAL CLASS.									
10. Persons engaged in ART and MECHANICAL Productions, in which matters of various kinds are employed in combination.									
1. In Books.									
Bookseller, Publisher	107	5	102	—	—	5	9	12	16
Bookbinder	133	5	128	—	1	4	11	17	28
Printer	646	61	585	—	4	37	92	114	91
Newspaper Agent, News-room Keeper	63	3	60	—	—	2	2	6	11
Others engaged in Publications	14	—	14	—	—	—	1	1	5
2. In Musical Instruments.									
Musical Instrument Maker, Dealer	102	5	97	—	1	4	15	16	20
Others	10	1	9	—	—	1	1	1	1
3. In Prints and Pictures.									
Lithographer, Lithographic Printer	42	6	36	—	—	6	7	12	7
Others	46	2	44	—	—	2	—	4	5
4. Carving and Figures.									
Wood carver	51	—	51	—	—	—	8	15	6
Others	34	—	34	—	—	—	1	9	4
5. In Tackle for Sports and Games.									
Toy Maker, Dealer	45	2	43	—	—	—	—	—	—
Others	21	—	21	—	—	—	—	—	—

ISLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.	
10.—cont.														
1. In Designs, Medals, and Dies.														
Designer - - - - -	10	2	8	-	-	2	-	2	-	4	1	1	-	
under - - - - -	8	-	8	-	-	-	1	1	-	2	-	1	-	
- - - - -	34	1	33	-	-	1	8	7	6	1	3	6	5	
2. Watches and Philosophical Instruments.														
Maker, Clock Maker - - - - -	369	12	357	-	-	12	31	53	44	41	67	59	65	
Optical Instrument Maker; Optician - - - - -	65	4	61	-	-	4	6	13	9	8	9	11	5	
Wig Machine, Scale, Measure, Maker - - - - -	29	2	27	-	-	2	-	1	5	5	10	5	1	
3. In Surgical Instruments.														
Instrument Maker - - - - -	21	1	20	-	-	1	-	2	4	3	5	3	3	
4. In Arms.														
Gun, Gun Manufacture - - - - -	178	5	173	-	-	5	16	37	33	27	35	21	15	
- - - - -	38	6	32	-	1	5	2	9	6	8	3	2	2	
5. In Machines and Tools.														
and Machine Maker - - - - -	1453	80	1373	-	1	79	172	324	279	218	182	126	73	
Woolen Weaver, Machine Maker - - - - -	179	6	173	-	-	6	21	21	23	32	35	26	15	
Mechanical Implement, Machine Maker - - - - -	54	2	52	-	-	2	4	6	8	7	10	11	6	
Wagon Maker, Dealer - - - - -	159	5	154	-	-	5	11	18	21	22	27	30	25	
Wagon Maker, Dealer - - - - -	128	6	122	-	1	6	7	23	15	20	31	13	14	
Wagon Maker, Dealer - - - - -	170	9	161	-	-	9	11	36	29	27	37	18	11	
Wagon Maker, Dealer - - - - -	39	2	37	-	-	2	3	9	5	5	6	8	1	
Wagon Maker - - - - -	253	9	244	-	1	8	15	30	25	61	51	41	21	
Wagon Maker - - - - -	25	1	24	-	-	1	2	3	4	2	5	5	3	
Wagon Manufacture - - - - -	41	3	41	-	-	3	4	3	7	4	11	4	8	
Wagon Manufacture - - - - -	7	1	6	-	-	1	-	1	2	-	1	2	-	
Wagon engaged in Tool Making, &c. - - - - -	14	-	14	-	-	-	-	-	4	4	3	2	-	
6. In Carriages.														
Wagon Maker - - - - -	287	7	280	-	-	7	23	56	47	71	84	58	41	
Wagon Maker - - - - -	501	8	493	-	-	8	36	47	44	87	75	97	107	
Wagon engaged about Carriages - - - - -	40	-	40	-	-	-	5	5	9	12	5	2	2	
7. In Harness.														
Harness, Whip Maker - - - - -	436	18	408	-	-	18	32	56	52	67	59	74	68	
8. In Ships.														
Shipwright, Boat-builder - - - - -	839	27	812	-	-	27	68	110	130	144	115	124	127	
Shipwright - - - - -	93	4	89	-	-	4	4	9	12	21	17	12	14	
Shipwright - - - - -	11	-	11	-	-	-	2	2	1	-	2	4	-	
9. In Houses and Buildings.														
Proprietor - - - - -	347	-	347	-	-	-	2	2	16	26	70	100	122	
Builder - - - - -	90	2	88	-	-	2	12	18	18	18	8	14	5	
Builder - - - - -	35	-	35	-	-	-	1	1	2	6	6	9	5	
Builder - - - - -	353	8	352	-	-	8	11	58	37	91	124	168	163	
Builder - - - - -	3413	88	3425	-	3	85	234	490	433	449	596	613	610	
Builder - - - - -	1322	45	1277	-	3	43	89	216	230	234	244	260	290	
Builder - - - - -	62	2	60	-	-	2	7	8	10	5	16	8	6	
Builder - - - - -	1999	44	1955	-	1	43	101	288	317	308	322	327	222	
Builder - - - - -	131	5	126	-	-	5	6	15	14	22	26	21	22	
Builder - - - - -	438	23	415	-	2	21	25	68	55	83	65	66	66	
Builder - - - - -	67	2	65	-	-	2	7	14	15	11	7	10	3	
Builder - - - - -	1837	64	1773	-	2	62	125	286	348	375	518	235	92	
Builder - - - - -	37	2	35	-	-	2	1	3	6	4	12	2	7	
10. In Furniture.														
Maker, Upholsterer - - - - -	789	28	761	-	1	27	42	137	108	116	144	126	88	
Maker - - - - -	51	-	51	-	-	3	2	10	10	4	17	5	5	
and Gilder - - - - -	117	7	110	-	-	7	9	20	17	19	17	20	8	
Wre Broker, Dealer - - - - -	82	1	81	-	-	1	2	2	8	16	26	16	11	
- - - - -	13	1	12	-	-	1	-	3	2	3	1	2	1	
11. In Chemicals.														
Chemist, Labourer - - - - -	299	7	293	-	-	7	29	54	47	42	32	36	13	
Woolen Manufacture - - - - -	31	2	30	-	-	2	4	6	4	5	6	6	6	
Woolen, Calenderer - - - - -	237	5	232	-	1	4	13	28	26	30	39	40	22	
- - - - -	64	1	63	-	-	1	1	8	12	17	14	8	3	
Persons Working and Dealing in the Textile Fabrics and in Dress.														
1. In Wool and Worsted.														
Woolen Manufacturer - - - - -	70	-	70	-	-	-	1	4	11	17	16	11	16	
Woolen Manufacturer - - - - -	7	-	7	-	-	-	-	1	-	2	-	-	-	
Woolen Manufacturer - - - - -	1381	81	1300	-	1	9	71	60	147	165	231	313	275	
Woolen Manufacturer - - - - -	26	3	23	-	-	1	2	2	4	7	6	3	5	
Woolen, Dyer - - - - -	34	-	34	-	-	-	-	2	5	7	8	4	5	
Woolen Manufacturer - - - - -	149	23	126	-	2	4	17	14	17	18	25	25	17	
Woolen Manufacturer - - - - -	27	1	26	-	-	-	1	5	4	4	7	4	1	
Woolen Manufacturer - - - - -	28	4	19	-	-	-	1	2	5	4	2	3	4	
Woolen Manufacturer - - - - -	48	2	46	-	-	2	3	6	1	6	7	9	14	
Woolen Manufacturer - - - - -	37	1	36	-	-	1	-	2	3	5	7	10	7	
Woolen Manufacturer - - - - -	143	6	137	-	-	6	18	18	17	24	17	27	27	
Woolen Manufacturer - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	

ENGLAND.—DEATHS OF MALES of different OCCUPATIONS registered in the Year 18

OCCUPATIONS.	AGES OF MALES.									
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5--	10--	15--	20--	25--	35--	45--
11.—cont.										
2. In Silk.										
Silk, Satin, Manufacture - - - - -	411	16	595	1	-	15	10	35	40	4
Silk Dyer, Printer - - - - -	18	1	17	-	-	1	1	-	3	-
Silk Merchant, Dealer - - - - -	21	-	21	-	-	-	2	1	-	-
Ribbon Manufacture - - - - -	70	3	67	-	-	3	1	7	11	-
Others - - - - -	8	1	7	-	-	1	1	1	4	-
3. In Cotton and Flax.										
Flax, Linen Manufacture - - - - -	191	3	188	-	-	3	13	11	16	-
Lace Manufacture - - - - -	140	7	133	-	1	6	12	17	16	-
Thread Manufacture - - - - -	8	-	3	-	-	-	1	-	-	-
Tape Manufacture, Dealer - - - - -	15	-	15	-	-	-	-	2	-	-
Cotton Manufacture - - - - -	2471	219	2252	7	40	172	297	338	277	3
Cotton, Calico Warehouseman, Dealer - - - - -	25	-	25	-	-	-	1	4	3	-
Fustian Manufacture - - - - -	71	8	71	-	-	3	1	10	10	-
Calico, Cotton, Printer - - - - -	197	8	189	-	4	4	9	23	12	-
Calico, Cotton, Dyer - - - - -	76	3	73	-	-	3	5	10	10	-
Others - - - - -	14	-	14	-	-	-	-	-	2	-
4. In Mixed Materials.										
Weaver (not otherwise described) - - - - -	434	17	417	-	3	14	17	28	29	-
Bleacher (not otherwise described) - - - - -	28	3	25	-	-	3	4	7	9	-
Manchester Warehouseman - - - - -	42	2	40	-	-	2	3	8	14	-
Draper, Linen Draper, Mercer - - - - -	812	76	736	-	1	75	108	174	117	1
Fancy Goods Manufacturer, Dealer - - - - -	63	1	62	-	1	1	2	7	5	-
Trimming Maker, Dealer - - - - -	25	2	21	-	-	2	-	5	1	-
Others - - - - -	8	-	8	-	-	-	-	-	-	-
5. In Dress.										
Hairdresser, Wig Maker - - - - -	265	8	257	-	-	8	16	33	51	-
Hatter, Hat Manufacture - - - - -	312	8	304	-	-	8	12	24	30	-
Straw Plait Manufacture - - - - -	34	1	33	-	-	1	4	5	6	-
Furrier, Skinner - - - - -	60	4	56	-	-	4	1	13	9	-
Tailor - - - - -	2304	73	2231	-	5	68	121	288	378	4
Milliner - - - - -	23	-	23	-	-	-	2	3	5	-
Stay Maker, Ladies' Outfitter - - - - -	19	1	18	-	-	1	1	2	3	-
Hosiery Manufacture - - - - -	533	8	525	-	1	7	20	26	45	-
Hosier, Haberdasher - - - - -	60	3	57	-	-	3	5	13	11	-
Glover (leather) - - - - -	45	1	42	-	-	1	3	2	3	-
Glove Maker (all except leather) - - - - -	20	-	20	-	-	-	-	1	1	-
Shoemaker, Bootmaker - - - - -	4691	85	4606	-	3	82	162	410	438	5
Patton, Close Maker - - - - -	26	-	26	-	-	-	1	6	3	-
Button Maker - - - - -	62	-	62	-	-	-	1	3	13	-
Umbrella, Parasol, Stick, Maker - - - - -	69	1	68	-	-	1	7	10	11	-
Laundry Keeper - - - - -	39	1	38	-	-	1	3	3	5	-
Others providing Dress - - - - -	54	7	47	-	-	7	3	5	11	-
6. Hemp and other Fibrous Materials.										
Mat Maker, Seller - - - - -	24	-	24	-	-	-	2	2	2	-
Hemp Manufacture - - - - -	11	1	10	-	-	1	-	1	1	-
Jute Manufacture - - - - -	6	-	6	-	-	3	-	-	-	-
Rope, Cord, Maker - - - - -	207	7	200	-	-	7	5	16	29	-
Canvas, Sailcloth, Manufacture, Dealer - - - - -	20	-	20	-	-	-	1	-	-	-
Sacking, Sack, Bag, Maker, Dealer - - - - -	18	-	18	-	-	-	-	1	2	-
Others - - - - -	8	-	8	-	-	-	-	1	1	-
12. Persons working and dealing in Food and Drinks.										
1. In Animal Food.										
Cowkeeper, Milk-seller - - - - -	376	9	367	-	2	-	12	34	50	-
Cheese-monger - - - - -	87	4	83	-	1	3	5	15	9	-
Butcher, Meat Sales-man - - - - -	1493	31	1462	-	-	31	89	140	264	2
Provision Curer, Dealer - - - - -	221	1	220	-	-	1	10	16	14	-
Poulterer, Game Dealer - - - - -	91	1	90	-	-	1	4	10	17	-
Fishmonger - - - - -	220	6	214	-	-	6	15	45	54	-
2. In Vegetable Food.										
Corn, Flour, Seed, Merchant, Dealer - - - - -	255	4	251	-	-	4	13	38	51	-
Miller - - - - -	580	14	565	-	1	13	29	52	78	-
Baker - - - - -	897	24	873	-	-	24	58	114	127	14
Confectioner, Pastry Cook - - - - -	185	10	175	-	-	10	8	25	26	-
Greengrocer, Fruit, Vegetable, Dealer - - - - -	396	17	379	-	-	17	17	45	74	6
Others - - - - -	19	-	19	-	-	-	1	1	2	-
3. In Drinks and Stimulants.										
Maltster - - - - -	237	3	234	-	-	3	-	21	18	2
Brewer - - - - -	723	7	716	-	-	7	34	128	155	10
Wine and Spirit Merchant - - - - -	257	7	250	-	-	7	15	42	48	-
Cellarman - - - - -	71	2	69	-	-	2	6	14	18	1
Ginger Beer, Soda Water, &c., Manufacture - - - - -	46	1	45	-	-	1	2	8	17	-
Sugar Refiner - - - - -	59	1	58	-	-	-	1	9	17	-
Grocer, Tea Dealer - - - - -	1723	46	1677	-	-	46	115	282	443	17
Tobacco, Cigar, Snuff, Manufacture, Tobacconist - - - - -	154	10	144	-	2	8	20	39	23	2
Others - - - - -	91	2	89	-	-	2	3	10	12	1

Deaths according to Occupations and Ages in 1871.

455

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
13.—Persons working and dealing in ANIMAL SUBSTANCES.													
1. In Grease, Gut, Bones, Horn, Ivory, Whalebone.													
Soap Boiler - - - - -	81	2	29	-	-	2	4	5	3	7	6	3	1
Tallow Chandler - - - - -	76	1	75	-	-	1	5	4	9	13	12	21	11
Comb-maker - - - - -	33	1	33	-	1	-	1	2	8	2	9	8	8
Others - - - - -	64	3	61	-	-	3	2	10	14	10	11	11	3
2. In Skins, Feathers, and Quills.													
Pellmonger - - - - -	36	1	35	-	-	1	1	5	5	9	6	4	5
Tanner - - - - -	161	3	158	-	-	3	2	18	22	22	37	58	19
Currier - - - - -	275	8	267	-	-	8	15	28	48	36	51	50	29
Leather Case, Portmanteau, Bag Maker - - - - -	34	1	33	-	-	1	3	7	10	2	3	3	5
Others - - - - -	18	-	18	-	-	1	2	2	2	4	3	5	1
3. In Hair.													
Hair, Bristle, Manufacture - - - - -	15	1	14	-	-	1	-	1	-	4	2	4	3
Brush, Broom, Maker - - - - -	156	7	149	-	1	6	17	16	17	26	53	24	16
14.—Persons working and dealing in VEGETABLE SUBSTANCES.													
1. In Gums and Resins.													
Oil-miller, Refiner - - - - -	44	5	39	-	-	5	6	8	5	7	5	7	1
Oil and Colourman - - - - -	42	1	41	-	-	1	5	12	6	7	4	6	1
French-polisher - - - - -	105	2	103	-	-	2	16	21	23	17	17	11	4
Japaner - - - - -	40	-	40	-	-	-	3	4	8	5	9	9	2
India Rubber, Gutta Percha, Manufacture, Dealer - - - - -	34	-	34	-	-	3	10	7	7	6	6	2	-
Floor Cloth Manufacture - - - - -	23	1	22	-	-	1	4	3	4	5	4	2	2
Others - - - - -	14	-	14	-	-	3	3	3	-	2	1	2	2
2. In Wood.													
Timber, Wood, Merchant, Dealer - - - - -	208	2	206	-	-	2	16	24	30	35	34	31	56
Sawyer - - - - -	583	8	575	-	3	5	21	50	54	86	110	123	131
Lath, Fence, Hurdle, Maker - - - - -	55	1	54	-	-	1	4	6	8	8	8	11	12
Wood, Turner, Worker - - - - -	119	3	116	-	-	3	7	15	19	23	14	20	18
Box, Packing Case, Maker - - - - -	71	7	64	-	-	7	6	15	10	9	7	11	6
Cooper, Hoop-maker and Bender - - - - -	426	8	418	-	-	8	20	57	59	63	64	85	70
Others - - - - -	5	-	5	-	-	-	-	-	-	1	1	1	2
3. In Bark.													
Cork Cutter, Manufacturer - - - - -	35	2	33	-	-	2	2	4	9	4	8	2	4
4. In Cane, Rush, and Straw.													
Basket Maker - - - - -	164	2	162	-	-	2	6	12	17	15	34	27	41
Hay and Straw Dealer - - - - -	59	1	58	-	1	-	2	4	6	15	8	12	11
Thatcher - - - - -	111	1	110	-	-	1	3	5	9	13	15	20	45
Others - - - - -	15	-	15	-	-	-	1	3	2	3	1	3	2
5. In Paper.													
Rag Gatherer, Dealer - - - - -	94	5	89	-	2	3	2	8	11	15	22	16	15
Paper Manufacture - - - - -	152	11	141	-	4	7	11	17	30	21	15	23	24
Stationer (not Law) - - - - -	126	3	123	-	-	3	13	28	17	16	18	19	12
Paper Stainer - - - - -	14	-	14	-	-	-	2	-	1	3	5	3	-
Other Workers in Paper - - - - -	56	1	55	-	-	1	2	9	7	14	11	10	2
15.—Persons working and dealing in MINERALS.													
1. Miners.													
Coal Miner - - - - -	3982	405	3577	1	96	308	455	655	531	523	571	522	318
Copper Miner - - - - -	184	4	180	-	-	4	14	14	19	30	50	29	15
Tin Miner - - - - -	245	26	219	-	3	23	18	21	20	51	58	29	12
Lead Miner - - - - -	265	6	259	-	-	6	20	30	38	57	64	31	19
Iron Miner - - - - -	307	16	291	-	3	13	33	56	40	55	47	38	22
Miner (branch undefined) - - - - -	201	23	178	2	7	14	17	43	38	27	21	21	11
Coal Mine Service - - - - -	126	6	120	-	-	6	6	17	14	16	35	24	8
Mine Service (Metal not stated) - - - - -	64	7	57	-	3	2	2	4	6	16	5	15	9
Others - - - - -	18	-	18	-	-	-	1	3	5	2	2	2	3
2. In Coal.													
Coal Merchant, Dealer - - - - -	317	2	315	-	-	2	11	21	33	47	77	73	53
Coal-heaver, Labourer - - - - -	638	42	596	-	10	32	28	93	80	106	126	107	56
Coke Burner, Dealer - - - - -	69	5	64	-	3	2	16	16	13	11	10	8	1
Chimney Sweeper - - - - -	137	4	133	-	-	4	3	13	32	21	23	18	16
Gas Works Service - - - - -	251	7	244	-	-	7	15	42	49	48	45	50	15
Other Workers in Coal - - - - -	18	-	18	-	-	-	1	4	5	1	3	2	2
3. In Stone, Clay.													
Stone Quarrier - - - - -	529	11	518	-	-	11	34	64	88	104	105	84	39
Stone, Merchant, Cutter, Dresser - - - - -	129	1	128	-	1	-	12	18	18	27	23	20	8
Slate Quarrier - - - - -	162	13	150	-	-	12	28	37	32	21	22	18	16
Limestone Quarrier, Lime-Burner - - - - -	104	5	99	-	-	5	2	6	15	14	24	22	16
Clay Labourer - - - - -	42	3	39	-	-	3	3	2	5	6	8	7	8
Brick, Maker, Dealer - - - - -	548	29	519	1	2	26	34	76	72	80	84	79	94
Railway Labourer, Platelayer, Navvy - - - - -	926	34	892	-	2	32	68	190	197	163	155	66	31
Road Contractor, Inspector, Surveyor - - - - -	29	-	29	-	-	-	-	1	1	4	10	8	5
Road Labourer - - - - -	322	2	320	1	1	-	11	7	18	29	69	108	28
Scavenger, Dust Collector - - - - -	86	2	84	-	-	1	-	3	4	14	15	14	11
Others - - - - -	104	3	101	-	-	3	9	23	13	15	15	14	11

ENGLAND.—DEATHS OF MALES of different OCCUPATIONS registered in the Year 18

OCCUPATIONS.	TOTAL.	AGES OF MALES.								
		5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—
15.—cont.										
4. In Earthenware.										
Earthenware Manufacture	526	24	504	1	4	19	48	44	108	11
Tobacco-pipe Maker	44	1	43	-	-	1	2	4	6	1
Earthenware and Glass Dealer	76	-	76	-	-	-	3	7	19	1
Others	3	-	3	-	-	-	-	1	-	-
5. In Glass.										
Glass Manufacture	299	11	288	-	1	10	23	36	45	4
Other Workers in Glass	1	-	1	-	-	-	-	-	1	-
6. In Salt.										
Salt Manufacture	40	3	37	-	1	2	-	5	8	-
Other Dealers in Salt	7	-	7	-	-	-	1	2	1	-
7. In Water.										
Waterworks Service	63	3	62	-	1	2	3	8	13	-
Others	26	-	26	-	-	-	-	-	5	-
8. In Gold, Silver, and Precious Stones.										
Goldsmith, Silversmith, Jeweller	297	11	286	-	-	11	32	67	85	4
Plater, Plated Ware Manufacture	16	-	16	-	-	-	1	3	2	-
Others	49	-	49	-	-	-	4	9	6	-
9. In Copper.										
Copper Manufacture	82	8	74	-	-	8	6	11	14	1
Coppersmith	42	2	40	-	-	2	-	4	2	-
Others	2	-	2	-	-	-	-	-	1	-
10. In Tin and Quicksilver.										
Tin Manufacture	60	9	60	-	3	6	11	10	7	-
Tinplate Worker, Tinman	283	10	283	-	-	10	29	36	42	-
Tinker	12	-	12	-	-	-	-	-	-	-
11. In Zinc.										
Zinc Manufacture	16	2	14	-	-	2	-	2	4	-
12. In Lead and Antimony.										
Lead Manufacture	55	1	54	-	-	1	-	11	10	-
Others	8	-	8	-	-	-	-	-	5	-
13. In Brass and other Mixed Metals.										
Brass Manufacture, Brasser	267	21	246	-	1	20	30	44	60	-
Locksmith, Bellhanger	109	6	103	-	-	6	10	9	5	-
Gas Fitter	141	10	131	-	-	10	13	26	22	-
Wire Worker, Drawer	105	4	101	1	1	2	14	17	15	-
Others	52	-	52	-	-	-	3	7	11	-
14. In Iron and Steel.										
Iron Manufacture	2377	132	2225	-	20	132	275	462	325	-
Whitesmith	164	7	157	-	-	7	17	17	21	-
Blacksmith	1980	75	1914	-	1	74	137	275	223	-
Nail Manufacture	273	7	266	-	2	5	7	11	26	-
Anchorsmith, Chainsmith	75	2	73	-	1	1	5	7	9	-
Ironmonger, Hardware Dealer	232	8	224	-	-	8	24	36	24	-
Steel Manufacture, Worker	65	7	58	-	-	7	7	13	15	-
Others	61	4	57	-	2	2	5	8	11	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.										
16.—LABOURERS AND OTHERS. Branch of Labour undefined.										
1. General Labourers.										
General Labourer, Labourer (branch undefined)	12157	425	11712	1	43	281	745	1090	1635	1821
2. Other Persons of indefinite Occupations.										
Artizan, Mechanic (branch undefined)	164	6	158	-	-	6	17	28	31	12
Engine Driver, Stoker (branch undefined)	291	24	267	-	1	23	30	61	51	17
Factory Labourer (branch undefined)	190	25	165	-	9	16	17	25	24	27
Shopman, Assistant (branch undefined)	10	2	8	-	-	2	3	3	-	-
Apprentice (branch undefined)	1	3	1	-	-	3	1	-	-	-
Vagrant, Gipsy	41	1	40	-	-	1	2	4	8	11
Others of undefined Occupation	5612	2626	2986	-	2	2624	619	500	652	252
17. 1. Persons of RANK or PROPERTY not returned under any Other Occupation.										
Gentleman, Independent, Annuitant	2886	14	2882	-	-	14	42	115	130	186
18. 1.—SCHOLARS and CHILDREN not engaged in any directly Productive Occupation.										
Scholars and Children of no stated Occupation	15917	15917	-	11043	4874	-	-	-	-	-

Deaths according to Occupations and Ages in 1871.

457

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up- wds.	
Total of Males AGED 5 YEARS AND UPWARDS	23107	3540	19567	1840	694	1006	1417	3229	3336	3411	3290	2911	1973	
I.—PROFESSIONAL CLASS.														
1. 1. Civil Service	144	5	139	—	—	5	5	20	29	24	26	17	18	
Government Messengers, Workmen, &c.	35	3	32	—	—	3	10	15	17	24	15	9	2	
Other Government Officers	11	—	11	—	—	—	—	—	1	2	6	—	2	
2. Magistrate (so returned)	1	—	1	—	—	—	—	—	—	—	—	—	1	
Officer of Law Court	7	—	7	—	—	—	—	1	—	—	2	2	2	
Police	105	—	105	—	—	—	6	37	26	10	13	8	5	
Prison Officer	10	—	10	—	—	—	—	2	3	3	1	1	—	
Municipal, Parish, Union, Officer	42	—	42	—	—	—	1	6	9	3	10	8	5	
Other Local Government Officers	2	—	2	—	—	—	—	—	—	1	1	—	—	
3. East India and Colonial Service	9	—	9	—	—	—	—	—	1	—	2	2	4	
2. 1. Army Officer (effective)	65	—	65	—	—	—	3	9	6	8	12	14	13	
Army Retired and Half Pay Officer	33	—	33	—	—	—	—	1	3	4	5	5	15	
Soldier	207	7	200	—	—	7	26	83	56	18	6	3	8	
Militia, Volunteers	15	—	15	—	—	—	—	3	2	3	3	2	2	
Army Pensioner	166	—	166	—	—	—	—	11	16	29	36	30	44	
Others	2	—	2	—	—	—	—	—	—	1	—	—	1	
2. Navy Officer (effective)	20	—	20	—	—	—	—	4	1	3	—	6	6	
Navy Retired and Half Pay Officer	9	—	9	—	—	—	—	—	—	1	1	4	3	
Seaman, R.N.	6	1	5	—	—	1	1	1	1	—	1	—	1	
Royal Marine	6	—	6	—	—	—	—	1	—	2	1	2	—	
Coastguard, Royal Naval Reserve	2	—	2	—	—	—	—	—	1	—	—	—	1	
Navy Pensioner	57	—	57	—	—	—	—	6	2	4	8	12	23	
3. 1. Clergyman	44	—	44	—	—	—	—	3	5	4	8	14	10	
Protestant Minister	17	—	17	—	—	—	—	3	1	2	4	4	3	
Roman Catholic Priest	6	—	6	—	—	—	—	2	—	—	2	2	—	
Missionary, Scripture Reader	7	—	7	—	—	—	—	—	2	1	2	2	—	
Church, Chapel Officer	25	—	25	—	—	—	—	—	3	4	5	9	4	
Others	3	—	3	—	—	—	—	1	1	—	1	—	—	
2. Barrister	26	—	26	—	—	—	—	3	2	4	8	4	5	
Solicitor, Attorney	93	—	93	—	—	—	3	10	16	10	18	21	15	
Law Student	2	—	2	—	—	—	—	1	—	—	—	—	—	
Law Clerk	123	5	118	—	—	5	12	37	19	25	11	10	4	
Law Stationer	23	1	22	—	—	1	2	5	4	5	2	3	1	
3. Physician, Surgeon	83	—	83	—	—	—	—	7	14	16	15	17	14	
Medical-Assistant, Student	12	—	12	—	—	—	3	4	1	1	1	—	—	
Dentist	2	—	2	—	—	—	1	2	2	1	1	1	1	
Chemist, Druggist	79	1	78	—	—	1	7	13	17	12	12	10	7	
Others	1	—	1	—	—	—	—	—	—	—	—	1	—	
4. Author, Editor, Journalist	15	—	15	—	—	—	—	2	4	3	—	3	3	
Students and Others	26	3	23	—	1	2	1	3	2	3	6	4	4	
5. Painter, Artist	39	—	39	—	—	—	2	9	6	8	7	3	4	
Sculptor	6	—	6	—	—	—	1	—	2	1	—	2	—	
Engraver	34	—	34	—	—	—	5	6	4	2	7	6	4	
Photographer	13	—	13	—	—	—	1	3	6	3	—	—	—	
6. Musician, Music Master	95	1	94	—	—	1	6	23	16	8	18	16	7	
Others	5	—	5	—	—	—	—	3	1	—	1	—	—	
7. Actor	25	—	25	—	—	—	—	3	2	8	8	2	2	
Exhibitions, Shows—Service	8	1	7	—	—	1	—	—	1	—	—	—	1	
Others engaged in Theatres, &c.	27	—	27	—	—	—	1	5	8	3	2	—	—	
8. Schoolmaster	40	1	39	—	—	1	1	2	11	1	9	12	3	
Teacher, Professor, Lecturer	30	—	30	—	—	—	—	2	3	5	9	6	5	
9. Civil Engineer	21	1	20	—	—	1	2	6	5	3	1	2	1	
Other Scientific Persons	9	—	9	—	—	—	—	1	—	1	3	1	3	
II.—DOMESTIC CLASS.														
5. 1. Inn Keeper, Hotel Keeper, Publican	239	—	239	—	—	—	3	33	46	70	49	37	19	
Beerseller	64	1	63	—	—	1	1	10	17	19	9	6	1	
Lodging-house, Boarding-house Keeper	29	—	29	—	—	—	—	1	9	7	4	8	—	
Coffee-house, Eating-house Keeper	51	2	49	—	—	2	4	4	9	12	5	8	7	
Institution Service	29	—	29	—	—	—	—	6	4	6	7	4	2	
Others	6	—	6	—	—	—	—	1	1	2	—	2	—	
2. Domestic Servant (General)	241	12	229	—	1	11	23	37	40	28	28	26	27	
Coachman	88	1	87	—	—	1	5	10	21	17	14	12	8	
Groom	7	—	7	—	—	—	2	2	—	1	—	—	2	
Gardener	16	—	16	—	—	—	—	2	6	1	3	2	2	
Inn, Hotel Servant	261	16	245	—	—	16	43	85	57	23	16	16	5	
Cook (not Domestic Servant)	44	1	43	—	—	1	3	7	9	9	3	7	5	
Others	10	—	10	—	—	—	1	2	1	5	—	—	—	

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year

		AGES OF MALES.								
OCCUPATIONS.		TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—
III.—COMMERCIAL CLASS.										
6. 1.	Merchant	90	1	89			1	1	7	12
	Banker	10		10					1	2
	Bank Service	63	1	62			1	5	14	4
	Insurance, Benefit Society, Service	26	2	24			2	1	6	6
	Broker, Agent, Factor	61	2	59			2	1	11	15
	Salesman (not otherwise described)	10		10					1	1
	Auctioneer, Valuer, House Agent	39		39				1	4	6
	Accountant	50		50				1	11	6
	Commercial Clerk	415	37	378		1	36	37	94	66
	Commercial Traveller	110	1	109			1	7	23	25
	Other Mercantile Men	58		58					1	5
2.	Pawnbroker	22	2	20			2	2	4	3
	Shopkeeper (branch undefined), General Dealer	125	2	123			2	4	19	25
	Huckster, Costermonger	56	4	52			4	1	8	18
	Hawker, Pedlar	157	6	151			6	6	23	29
7. 1.	Railway Engine Driver, Stoker	44	2	42			2	5	12	4
	Railway Officer, Clerk, Station-master	65	3	62			3	6	25	11
	Railway Attendant, Servant	151	8	143		2	6	25	44	36
2.	Toll Collector, Turnpike-gate Keeper	8		8				1		
	Coach, Omnibus, Cab Owner, Livery Stable Keeper	41		41				1	3	10
	Coachman (not domestic), Cabman, Flyman	421	2	419			2	17	57	88
	Carman, Carrier, Carter, Drayman	426	21	405			21	44	95	76
	Others	7		7						
3.	Inland Navigation Service	9	1	8			1	1	2	
	Barge-man, Waterman	153	7	146			7	11	24	39
4.	Shipowner	8		8						2
	Steam Navigation Service	18		18				2	7	3
	Ship Steward, Cook	26		26				3	12	1
	Seaman (Merchant Service)	335	19	316			19	41	75	69
	Pilot	13		13						2
	Harbour, Dock Service, Labourer	287	4	283			4	15	37	56
	Wharfinger	7		7					1	2
	Others	19	2	17			2	2	3	
5.	Watchman	17	10	7			10	16	32	26
6.	Messenger, Porter, Errand Boy	118	19	99		7	42	24	62	78
	Telegraph Service	15	7	8			7	5	2	1
	Others engaged in <i>Messengers</i>	9		9						
IV.—AGRICULTURAL CLASS.										
8. 1.	Land Proprietor (so returned)	14		14					1	1
	Farmer, Grazier	47		47					3	
	Farm Bailiff	2		2						
	Agricultural Labourer	39	2	37				3	6	4
	Shepherd (out door)	2		2						
	Farm servant (indoor)	1		1						1
	Land Surveyor, Estate Agent	3		3						1
	Others engaged in <i>Agriculture</i>	3	1	2			1			
2.	Woodman	9		9				1	1	2
3.	Nurseryman, Seedman, Florist	25	1	24			1	7	2	2
	Gardener	221	7	214			7	2	16	24
	Others engaged in <i>Horticulture</i>	2		2						
9. 1.	Horse Proprietor, Dealer	14		14						1
	Horse Breaker	1		1						
	Horse-keeper, Groom, Jockey	222	3	219			3	19	50	14
	Farrier, Veterinary Surgeon	64	1	63				3	19	10
	Cattle, Sheep, Pig, Salesman	9		9					1	1
	Driver	15		15				1	3	3
	Gamekeeper	1		1						1
	Fisherman	14		14				2		2
	Others engaged about <i>Animals</i>	12		12					2	4
V.—INDUSTRIAL CLASS.										
10. 1.	Bookseller, Publisher	44	2	42			2	5	6	4
	Bookbinder	78		78				9	8	13
	Printer	255	26	229		3	23	31	46	45
	Newspaper Agent, News-room Keeper	15	1	14		1		1	3	3
	Others engaged in <i>Publications</i>	3		3						

4.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

		AGES OF MALES.													
OCCUPATIONS.		TOTAL.	5 Years and under 30.	30 Years and upwards.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and up- wards.	
10.—cont.															
2. Musical Instrument Maker, Dealer	-	84	4	80	-	-	4	14	14	16	8	9	9	10	
Others	-	5	-	5	-	-	-	-	-	1	1	2	-	1	
3. Lithographer, Lithographic Printer	-	21	3	18	-	-	3	5	6	3	3	-	1	-	
Others	-	38	1	37	-	-	1	-	4	4	9	9	6	5	
4. Wood-carver	-	26	-	26	-	-	-	6	10	4	2	6	8	-	
Others	-	26	-	26	-	-	-	1	7	3	5	4	2	4	
5. Toy Maker, Dealer	-	21	1	20	-	-	1	3	1	-	6	7	2	1	
Others	-	9	1	8	-	-	-	-	-	-	1	-	1	2	
6. Pattern Designer	-	7	2	5	-	-	2	-	1	-	2	1	1	-	
Type-founder	-	7	-	7	-	-	-	1	1	2	1	-	1	2	
Others	-	10	-	10	-	-	-	3	2	3	-	-	-	1	
7. Watch Maker, Clock Maker	-	79	1	78	-	-	1	3	12	9	12	15	11	16	
Philosoph. Instrument, Mkr.; Optician	-	33	2	31	-	-	2	4	8	5	2	5	1	2	
Weighing Machine, Scale, Measure, Mkr.	-	4	-	4	-	-	-	-	-	-	-	-	-	-	
8. Surgical Instrument Maker	-	12	-	12	-	-	-	-	2	4	3	1	2	-	
9. Gunsmith, Gun Manufacture	-	33	1	32	-	-	1	2	8	4	6	5	3	-	
Others	-	1	-	1	-	-	-	-	1	-	-	-	-	-	
10. Engine and Machine Maker	-	254	11	243	-	-	11	22	40	54	42	43	23	10	
Spinning, Weaving, Machine Maker	-	2	-	2	-	-	-	-	2	-	-	-	-	-	
Millwright	-	14	-	14	-	-	-	-	1	3	4	1	2	3	
Tool Maker, Dealer	-	12	1	11	-	-	1	1	2	2	1	1	3	1	
File Maker, Dealer	-	6	-	6	-	-	-	-	-	1	1	2	1	1	
Saw Maker, Dealer	-	9	1	8	-	-	1	1	-	3	2	2	-	-	
Cutler	-	14	1	13	-	-	1	-	3	1	2	4	2	-	
Others engaged in Tool Making, &c.	-	7	-	7	-	-	-	-	2	2	2	1	-	-	
11. Coachmaker	-	132	1	131	-	-	1	4	16	16	31	34	21	19	
Wheelwright	-	58	-	58	-	-	-	4	6	7	13	13	12	3	
Others engaged about Carriages	-	8	-	8	-	-	-	-	-	1	-	1	-	-	
12. Saddler, Harness, Whip Maker	-	77	2	75	-	-	2	5	13	13	9	15	8	-	
13. Ship-builder, Shipwright, Boat-builder	-	125	3	119	-	-	3	2	9	19	30	21	18	20	
Sail Maker	-	14	1	13	-	-	1	-	2	1	2	5	2	1	
14. House Proprietor	-	55	-	55	-	-	-	-	-	5	4	8	22	16	
Architect	-	29	-	29	-	-	1	3	9	4	3	2	5	3	
Surveyor	-	9	-	9	-	-	-	1	1	1	-	-	2	8	
Builder	-	1	-	1	-	-	1	4	24	22	26	27	31	18	
Carpenter, Joiner	-	699	16	683	-	-	16	39	91	101	101	91	104	56	
Bricklayer	-	319	9	310	-	-	9	22	45	68	57	47	42	29	
Marble Mason	-	19	-	19	-	-	-	3	5	2	2	3	3	1	
Mason, Pavior	-	122	2	120	-	-	2	11	28	19	16	20	23	4	
Sister, Tiler	-	91	1	90	-	-	1	2	1	2	3	4	1	-	
Plasterer	-	91	7	91	-	-	1	6	14	23	10	12	12	7	
Paperhanger	-	30	1	29	-	-	1	3	2	7	2	5	4	3	
Plumber, Painter, Glasier	-	326	18	308	-	-	18	30	76	100	116	103	63	30	
Others	-	17	-	17	-	-	-	-	2	1	3	7	1	3	
15. Cabinet Maker, Upholsterer	-	287	11	276	-	-	1	10	16	48	44	59	35	30	
Undertaker	-	36	-	36	-	-	-	3	2	7	7	4	11	2	
Carver and Gilder	-	52	5	52	-	-	-	3	14	6	7	10	8	4	
Furniture Broker, Dealer	-	23	1	22	-	-	1	-	1	2	4	6	5	1	
Others	-	10	-	10	-	-	-	-	2	2	3	1	1	-	
16. Manufacturing Chemist, Labourer	-	18	-	18	-	-	-	1	5	-	9	2	1	-	
Dye, Colour Manufacture	-	4	-	4	-	-	-	-	-	2	1	-	-	-	
Dyer, Scourer, Calenderer	-	26	-	26	-	-	-	-	6	2	5	3	5	1	
Others	-	23	-	23	-	-	-	-	3	7	5	3	4	-	
11. 1. Woolstapler	-	10	-	10	-	-	-	-	-	4	1	3	1	1	
Woolen Cloth Manufacture	-	14	-	14	-	-	-	1	3	3	3	1	1	2	
Cloth Merchant, Dealer	-	5	-	5	-	-	-	-	-	2	-	3	-	-	
Stuff Manufacture	-	1	-	1	-	-	-	-	-	-	1	-	-	-	
Flannel Manufacture	-	1	-	1	-	-	-	-	-	-	1	-	-	-	
Carpet, Rug, Manufacture	-	14	-	14	-	-	-	2	2	5	2	2	1	1	
Others	-	3	-	3	-	-	-	-	-	-	-	1	1	1	
2. Silk, Satin, Manufacture	-	39	-	39	-	-	-	-	4	1	4	7	9	14	
Silk Dyer, Printer	-	5	-	5	-	-	-	-	-	-	1	2	1	1	
Silk Merchant, Dealer	-	11	-	11	-	-	1	-	-	-	3	2	4	1	
Ribbon Manufacture	-	1	-	1	-	-	-	-	1	-	-	-	-	-	
3. Lace Manufacture	-	6	-	6	-	-	-	-	-	-	-	1	2	1	
Cotton Manufacture	-	3	-	3	-	-	-	-	1	-	-	2	-	-	
Cotton, Calico Warehouseman, Dealer	-	1	-	1	-	-	-	-	1	-	-	-	-	-	
Calico, Cotton, Printer	-	6	-	6	-	-	1	-	-	-	1	1	2	1	
4. Weaver (not otherwise described)	-	36	-	36	-	-	-	-	1	4	4	9	19	26	
Bleacher (not otherwise described)	-	3	-	3	-	-	-	-	-	-	2	-	-	-	
Manchester Warehouseman	-	6	-	6	-	-	-	-	-	8	-	-	-	-	
Draper, Linen Draper, Mercer	-	123	10	113	-	-	10	15	21	21	-	-	-	-	
Fancy Goods Manufacturer, Dealer	-	10	1	9	-	-	-	2	-	-	-	-	-	-	
Trimming Maker, Dealer	-	15	1	14	-	-	1	-	-	-	-	-	-	-	
Others	-	1	-	1	-	-	-	-	-	-	-	-	-	-	

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1

OCCUPATIONS.	AGES OF MALES.									
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—
11. cont.										
5. Hairdresser, Wig Maker	54	4	50	-	-	4	8	8	9	1
Hatter, Hat Manufacture	73	4	69	-	-	4	2	5	10	1
Straw Platt Manufacture	7	-	7	-	-	-	-	1	2	-
Furrier, Skinner	26	2	24	-	-	2	-	6	6	-
Tailor	501	16	485	-	-	16	21	61	84	16
Milliner	17	-	17	-	-	-	2	2	5	-
Stay Maker, Ladies' Outfitter	5	1	4	-	-	1	1	-	-	-
Hosiery Manufacture	2	-	2	-	-	-	-	-	-	-
Hosier, Haberdasher	20	1	19	-	-	1	1	6	4	-
Glove Maker (all except leather)	5	-	5	-	-	-	-	1	1	-
Shoemaker, Bootmaker	636	12	624	-	2	10	35	72	79	11
Button Maker	1	-	1	-	-	-	-	4	5	-
Umbrella, Parasol, Stick, Maker	25	1	24	-	-	1	4	4	3	-
Laundry Keeper	20	1	20	-	-	-	2	3	3	-
Others providing Dress	20	5	15	-	-	5	3	1	3	-
6. Mat Maker, Seller	12	-	12	-	-	-	-	2	1	-
Hemp Manufacture	1	-	1	-	-	-	-	-	-	-
Jute Manufacture	1	-	1	-	-	-	-	-	-	-
Rope, Cord, Maker	30	-	30	-	-	-	1	5	7	-
Sacking, Sack, Bag, Maker, Dealer	5	-	5	-	-	-	-	1	1	-
Others	2	-	2	-	-	-	-	-	-	-
12. 1. Cowkeeper, Milk-seller	104	3	103	-	-	3	5	12	21	2
Cheese-monger	56	2	54	-	1	1	4	13	5	1
Butcher, Meat Salesman	255	8	247	-	-	8	22	37	57	4
Provision Curer, Dealer	22	-	22	-	-	-	2	4	6	-
Poulterer, Game Dealer	35	1	34	-	-	1	3	4	6	-
Fishmonger	87	4	83	-	-	4	9	13	18	-
2. Corn, Flour, Seed, Merchant, Dealer	49	-	49	-	-	-	2	6	8	1
Miller	21	-	21	-	-	-	1	2	4	-
Baker	204	4	200	-	-	4	16	34	22	5
Confectioner, Pastry Cook	44	2	42	-	-	2	3	5	7	1
Green-grocer, Fruit, Vegetable, Dealer	126	11	115	-	-	11	9	18	19	2
Others	1	-	1	-	-	-	-	-	-	-
3. Malster	6	-	6	-	-	-	-	-	-	-
Brewer	107	-	107	-	-	-	8	33	21	1
Wine and Spirit Merchant	60	1	59	-	-	1	4	13	11	-
Cellarman	27	-	27	-	-	-	4	6	5	-
Ginger Beer, Soda Water, &c. Manufac.	11	1	10	-	-	-	-	1	3	-
Sugar Refiner	29	1	28	-	-	1	1	5	10	-
Grocer, Tea Dealer	139	10	129	-	-	10	11	25	20	2
Tobacco, Chicor, Snuff, Manufacture,	74	6	70	-	1	5	15	17	11	-
Tobaccoist	45	1	44	-	-	1	2	8	9	-
Others	-	-	-	-	-	-	-	-	-	-
13. 1. Soap Boiler	11	-	11	-	-	-	2	1	2	-
Tallow Chandler	24	1	23	-	-	-	2	-	4	-
Candlery Maker	5	-	5	-	-	-	-	-	-	-
Others	27	-	27	-	-	-	-	3	8	-
2. Fellmonger	13	1	12	-	-	1	1	2	1	-
Tanner	53	-	53	-	-	-	1	7	4	-
Currier	89	3	86	-	-	-	3	10	17	1
Leather Case, Portmanteau, Bag, Maker	22	1	21	-	-	1	3	7	5	-
Others	8	-	8	-	-	-	-	-	1	-
3. Hair, Bristle, Manufacture	10	-	10	-	-	-	-	1	-	-
Brush, Broom, Maker	51	3	48	-	-	3	6	4	4	1
14. 1. Oil miller, Refiner	5	-	5	-	-	-	-	1	-	-
Oil and Colourman	34	-	34	-	-	-	4	9	6	-
French polisher	51	-	51	-	-	-	4	13	9	1
Japanner	12	-	12	-	-	-	1	1	-	-
India Rubber, Gutta Percha, Manufac- ture, Dealer	1	-	1	-	-	-	-	1	-	-
Flour Cloth Manufacture	8	-	8	-	-	-	-	-	1	-
Others	5	-	5	-	-	-	1	1	-	-
2. Timber, Wood, Merchant, Dealer	54	2	52	-	-	2	7	6	7	11
Sawyer	85	2	83	-	2	-	1	5	7	17
Lath, Fence, Hurdle, Maker	12	1	11	-	-	1	1	1	1	1
Wood, Turner, Worker	31	2	29	-	-	2	-	3	6	-
Box, Packing Case, Maker	22	2	20	-	-	2	1	7	2	-
Coper, Hoop maker and Bender	105	1	104	-	-	1	5	21	22	13
3. Cork Cutter, Manufacturer	14	2	12	-	-	2	-	2	4	2
4. Basket Maker	18	-	18	-	-	-	2	1	2	-
Hay and Straw Dealer	2	1	1	-	1	-	-	-	-	-
Thatcher	1	-	1	-	-	-	-	-	1	-
Others	9	-	9	-	-	-	1	2	1	1
5. Rag Gatherer, Dealer	10	2	8	-	1	1	-	1	3	2
Paper Manufacture	25	1	24	-	1	-	1	3	3	10
Stationer (not Law)	54	3	51	-	-	3	5	9	9	4
Paper Stainer	3	-	3	-	-	-	-	-	-	-
Other Workers in Paper	21	1	20	-	-	1	1	1	4	5

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
15. 1. Coal Miner - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
Mine Service (Metal not stated) - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Others - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
2. Coal Merchant, Dealer - - - - -	26	1	23	-	-	1	2	3	4	4	4	3	5
Coal-heaver, Labourer - - - - -	98	3	95	-	-	3	5	13	17	16	22	13	9
Coke Burner, Dealer - - - - -	3	1	2	-	-	1	1	-	-	-	1	-	-
Chimney Sweeper - - - - -	39	3	36	-	-	3	2	3	8	15	5	2	1
Gas Works Service - - - - -	79	2	77	-	-	2	3	16	15	20	16	5	2
3. Stone Quarrier - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Stone, Merchant, Cutter, Dresser - -	22	-	22	-	-	-	3	5	2	2	4	5	1
Slate Quarrier - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
Limestone Quarrier, Lime-Burner - -	2	-	2	-	-	-	-	-	-	-	1	-	1
Brick, Maker, Dealer - - - - -	23	1	22	-	-	1	1	4	2	5	2	4	4
Railway Labourer, Platelayer, Navy	93	3	90	-	-	3	8	21	17	22	13	7	2
Road Contractor, Inspector, Surveyor	2	-	2	-	-	-	-	-	-	-	2	-	-
Road Labourer - - - - -	28	-	28	-	-	-	1	-	2	6	7	7	5
Scavenger, Dust Collector - - - - -	28	-	28	-	-	-	-	1	-	6	10	10	1
Others - - - - -	9	1	8	-	-	1	-	3	1	2	-	1	1
4. Earthenware Manufacture - - - - -	15	2	13	-	1	1	1	1	2	4	3	-	2
Tobacco-pipe Manufacture - - - - -	10	-	10	-	-	-	-	2	2	2	2	2	-
Earthenware and Glass Dealer - - -	13	-	13	-	-	-	1	-	4	3	4	-	1
Others - - - - -	2	-	2	-	-	-	-	1	-	-	-	1	-
5. Glass Manufacture - - - - -	49	2	47	-	-	2	5	6	5	11	10	8	2
6. Other Dealers in Salt - - - - -	2	-	2	-	-	-	-	1	1	-	-	-	-
7. Waterworks Service - - - - -	9	-	9	-	-	-	-	-	3	2	1	2	1
Others - - - - -	6	-	6	-	-	-	-	-	1	-	2	2	1
8. Goldsmith, Silversmith, Jeweller -	117	3	114	-	-	3	13	21	17	20	16	14	13
Others - - - - -	22	-	22	-	-	-	1	5	3	1	4	6	2
9. Coppersmith - - - - -	17	-	17	-	-	-	-	-	-	3	6	8	-
10. Tinplate Worker, Tinman - - - -	46	1	45	-	-	1	3	5	17	2	4	10	4
Tinker - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
11. Zinc Manufacture - - - - -	11	2	9	-	-	2	-	2	3	2	1	-	1
12. Lead Manufacture - - - - -	9	-	9	-	-	-	-	2	1	3	-	2	1
Others - - - - -	8	-	8	-	-	-	-	-	3	2	1	2	-
13. Brass Manufacture, Brazier - - - -	58	4	54	-	-	4	4	8	10	15	11	3	3
Locksmith, Bellhanger - - - - -	10	-	10	-	-	-	1	1	-	1	2	2	3
Gas Fitter - - - - -	57	4	53	-	-	4	5	6	9	14	11	7	1
Wire Worker, Drawer - - - - -	20	1	19	-	-	1	1	2	3	5	4	1	3
Others - - - - -	7	-	7	-	-	-	-	1	2	-	2	2	-
14. Iron Manufacture - - - - -	68	3	65	-	-	3	5	12	10	10	11	10	7
Whitesmith - - - - -	25	1	24	-	-	1	1	5	2	4	6	4	2
Blacksmith - - - - -	176	9	167	-	-	9	8	30	23	27	40	24	15
Nail Manufacture - - - - -	2	-	2	-	-	-	1	-	1	-	-	-	-
Anchorsmith, Chainsmith - - - - -	3	-	3	-	-	-	-	-	-	1	1	1	-
Ironmonger, Hardware Dealer - - -	30	2	28	-	-	2	2	4	5	4	7	5	1
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - - -	1969	85	1884	-	6	79	109	341	331	343	335	245	120
2. Artizan, Mechanic (branch undefined)	2	-	2	-	-	-	-	-	1	1	-	-	-
Engine Driver, Stoker (branch undef.)	35	2	33	-	-	2	4	6	12	7	4	3	-
Factory Labourer (branch undefined)	23	1	22	-	1	-	1	4	4	6	2	3	2
Shopman, Assistant (branch undefined)	4	-	4	-	-	-	1	1	-	-	1	1	-
Apprentice (branch undefined) - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
Vagrant, Gipsy - - - - -	7	-	7	-	-	-	-	-	1	1	2	1	1
Others of undefined Occupation - - -	715	316	399	-	-	344	72	49	53	40	43	56	56
17. 1. Gentleman, Independent, Annuitant -	597	4	593	-	-	4	14	24	35	58	103	170	187
18. 1. Scholars and Children of no stated Occupation - - - - -	2498	2498	-	1840	658	-	-	-	-	-	-	-	-

II.—SOUTH EASTERN COUNTIES.—DEATHS OF MALES OF DIFFERENT OCCUPATIONS IN THE YEAR 1871.

OCCUPATIONS.	TOTAL.	AGES OF MALES.						
		5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—
Total of Males AGED 5 YEARS AND UPWARDS	18915	1802	12113	863	440	493	694	1387
I.—PROFESSIONAL CLASS.								
1. 1. Civil Service	71	1	70	-	-	1	2	12
Government, Messengers, Workmen, &c.	82	2	80	-	-	2	2	13
Other Government Officers	7	-	3	-	-	1	1	2
2. Magistrate (as returned)	4	-	6	-	-	-	-	-
Officer of Law Court	5	-	5	-	-	-	-	-
Police	42	-	42	-	-	-	2	10
Prison Officer	11	1	10	-	-	-	6	3
Municipal, Parish, Union, Officer	43	-	45	-	-	1	1	2
3. East India and Colonial Service	2	-	2	-	-	-	-	-
2. 1. Army Officer (effective)	49	-	49	-	-	-	1	8
Army Retired and Half Pay Officer	17	-	17	-	-	-	7	1
Soldier	416	26	390	-	-	36	38	120
Militia, Volunteers	14	-	14	-	-	-	1	13
Army Pensioner	90	-	90	-	-	-	3	16
Others	8	-	2	-	-	-	-	-
2. Navy Officer (effective)	31	1	30	-	-	1	2	6
Navy Retired and Half Pay Officer	15	-	15	-	-	-	-	1
Seaman, R.N.	111	12	99	-	-	12	27	20
Royal Marine	62	1	61	-	-	1	6	14
Constabulary, Royal Naval Reserve	25	-	27	-	-	-	2	2
Navy Pensioner	127	-	127	-	-	-	3	14
3. 1. Clergyman	82	-	82	-	-	-	-	7
Protestant Minister	21	-	21	-	-	-	-	4
Roman Catholic Priest	3	-	3	-	-	-	-	1
Missionary, Scripture Reader	4	-	4	-	-	-	-	1
Church, Chapel Officer	16	-	16	-	-	-	-	1
Others	1	-	1	-	-	-	-	-
2. Barrister	10	-	10	-	-	-	-	1
Solicitor, Attorney	26	-	26	-	-	-	1	2
Law Student	1	-	1	-	-	-	-	1
Law Clerk	23	1	22	-	-	1	5	4
Law Stationer	1	-	1	-	-	-	-	-
3. Physician, Surgeon	41	-	41	-	-	-	3	5
Medical Assistant, Student	5	1	4	-	-	1	-	-
Dentist	3	-	3	-	-	-	1	1
Chemist, Druggist	20	-	20	-	-	-	4	6
Others	2	-	2	-	-	-	-	1
4. Author, Editor, Journalist	3	-	3	-	-	-	-	1
Students and Others	3	1	2	-	-	1	-	1
5. Painter, Artist	8	-	8	-	-	-	-	-
Engraver	3	-	3	-	-	-	-	-
Photographer	7	2	5	-	-	2	-	1
Others engaged in the Fine Arts	1	-	1	-	-	-	-	1
6. Musician, Music Master	20	-	20	-	-	-	1	7
7. Actor	3	-	3	-	-	-	-	-
Exhibitions, Shows, Service	3	1	2	-	-	1	-	-
Others engaged in Theatricals, &c.	6	-	6	-	-	-	2	1
8. Schoolmaster	27	1	26	-	-	1	1	5
Teacher, Professor, Lecturer	12	1	11	-	-	1	1	2
9. Civil Engineer	5	-	5	-	-	-	1	1
Other Scientific Persons	3	-	3	-	-	-	-	-
II.—DOMESTIC CLASS.								
5. 1. Inn Keeper, Hotel Keeper, Publican	221	-	221	-	-	-	2	38
Boyseller	54	1	53	-	-	1	18	9
Lodging-house, Boarding-house Keeper	23	-	23	-	-	-	-	7
Office house, Eating-house Keeper	6	-	6	-	-	-	-	1
Institution Service	8	-	8	-	-	-	1	1
Others	3	-	3	-	-	-	-	-
2. Domestic Servant (General)	106	6	100	-	-	3	-	12
Coachman	42	-	42	-	-	-	6	12
Groom	11	1	10	-	-	1	4	12
Gardener	24	1	23	-	-	1	1	4
Inn, Hotel Servant	67	1	66	-	-	1	6	9
Cook (not Domestic Servant)	3	-	3	-	-	-	1	-
Others	7	-	7	-	-	-	-	-
III.—COMMERCIAL CLASS.								
6. 1. Merchant	20	-	20	-	-	-	-	2
Banker	7	-	7	-	-	-	-	-
Bank Service	12	-	12	-	-	-	-	-
Insurance, Benefit Society, Service	7	1	6	-	-	1	1	2
Broker, Agent, Factor	11	-	11	-	-	-	1	3
Auctioneer, Valuer, House Agent	10	-	10	-	-	-	1	1
Accountant	28	-	28	-	-	-	-	2
Commercial Clerk	15	2	13	-	-	2	1	4
Commercial Traveller	15	-	15	-	-	-	-	2
Other Mercantile Men	9	-	9	-	-	-	-	4

NOTE. The counties comprised in this Table are Surrey (extra-metropolitan), Kent (extra-metropolitan) and Ashshire.

II.—SOUTH EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS in the Year 1871—*continued.*

		AGES OF MALES.								
OCCUPATIONS.		TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-
10. cont.										
11.	Coachmaker - - - - -	38	1	37	-	-	1	2	5	4
	Wheelwright - - - - -	61	2	59	-	-	2	1	6	3
	Others engaged about Carriages - - -	1	-	1	-	-	-	-	-	-
12.	Saddler, Harness, Whip Maker - -	26	2	24	-	-	2	2	6	5
13.	Ship builder, Shipwright, Boat builder	80	5	75	-	-	5	2	6	5
	Sail Maker - - - - -	13	-	13	-	-	-	1	1	-
	Others - - - - -	3	-	3	-	-	-	1	1	-
14.	House Proprietor - - - - -	34	-	34	-	-	-	1	1	1
	Architect - - - - -	11	-	11	-	-	-	-	1	2
	Surveyor - - - - -	7	-	7	-	-	-	-	1	2
	Builder - - - - -	105	-	105	-	-	-	2	13	7
	Carpenter, Joiner - - - - -	333	7	340	-	-	7	23	49	41
	Bricklayer - - - - -	244	3	241	-	-	3	17	41	27
	Marble Mason - - - - -	3	-	3	-	-	-	-	1	-
	Mason, Pavior - - - - -	56	1	57	-	-	1	6	5	7
	Slater, Tiler - - - - -	5	-	5	-	-	-	-	-	-
	Plasterer - - - - -	24	2	22	-	-	2	1	5	4
	Paperhanger - - - - -	8	-	8	-	-	-	1	2	1
	Plumber, Painter, Glazier - - - - -	130	4	126	-	-	4	10	29	43
15.	Cabinet Maker, Upholsterer - - -	47	-	47	-	-	-	1	5	5
	Undertaker - - - - -	2	-	2	-	-	-	-	-	-
	Carver and Gilder - - - - -	3	-	3	-	-	-	-	-	1
	Furniture Broker, Dealer - - - - -	6	-	6	-	-	-	1	-	1
	Others - - - - -	1	-	1	-	-	-	-	-	-
16.	Manufacturing Chemist, Labourer -	3	-	3	-	-	-	-	-	1
	Dye, Colour Manufacture - - - - -	2	-	2	-	-	-	-	-	-
	Dyer, Seourer, Calenderer - - - - -	9	-	9	-	-	-	-	1	1
	Others - - - - -	4	-	4	-	-	-	1	1	1
11.	1. Wood-stapler - - - - -	4	-	4	-	-	-	-	-	-
	Woollen Cloth Manufacture - - - - -	1	-	1	-	-	-	-	-	1
	Carpet, Rug, Manufacture - - - - -	2	-	2	-	-	-	-	1	-
2.	Silk, Satin, Manufacture - - - - -	8	-	8	-	-	-	-	1	1
3.	Flax, Linen, Manufacture - - - - -	2	-	2	-	-	-	1	-	-
	Lace Manufacture - - - - -	1	-	1	-	-	-	-	-	-
	Cotton Manufacture - - - - -	2	-	2	-	-	-	-	-	1
	Calico, Cotton, Printer - - - - -	1	-	1	-	-	-	-	1	-
4.	Weaver (not otherwise described)	5	-	5	-	-	-	-	1	-
	Manchester Warehouseman - - - - -	1	-	1	-	-	-	-	-	1
	Draper, Linen Draper, Mercer - - -	73	8	65	-	-	8	11	14	10
	Fancy Goods Manufacturer, Dealer -	1	-	1	-	-	-	-	-	-
5.	Hairdresser, Wig Maker - - - - -	28	-	28	-	-	-	4	1	4
	Hatter, Hat Manufacture - - - - -	7	-	7	-	-	-	-	-	-
	Furrier, Skinner - - - - -	1	-	1	-	-	-	-	-	1
	Tailor - - - - -	186	5	181	-	-	5	7	18	23
	Suit Maker, Ladies' Outfitter - - -	2	-	2	-	-	-	-	-	1
	Hosiery, Hattersher - - - - -	2	-	2	-	-	-	-	-	1
	Glover (leather) - - - - -	1	-	1	-	-	-	-	-	-
	Shoemaker, Bootmaker - - - - -	222	2	220	-	-	2	5	21	22
	Umbrella, Parasol, Stick, Maker -	7	-	7	-	-	-	-	1	1
	Laundry Keeper - - - - -	3	-	3	-	-	-	1	-	-
	Others providing Dress - - - - -	4	-	4	-	-	-	-	-	1
6.	Hemp Manufacture - - - - -	2	-	2	-	-	-	-	-	-
	Rope, Cord, Maker - - - - -	7	2	5	-	-	2	-	-	-
	Sacking, Sack, Bag, Maker, Dealer -	3	-	3	-	-	-	-	-	-
	Others - - - - -	2	-	2	-	-	-	-	-	1
12.	1. Cowkeeper, Milk-her - - - - -	11	-	11	-	-	-	-	2	5
	Cheesemonger - - - - -	6	-	6	-	-	-	-	-	1
	Butcher, Meat Salesman - - - - -	135	3	132	-	-	3	5	22	21
	Provision Curer, Dealer - - - - -	3	-	3	-	-	-	-	-	2
	Poulterer, Game Dealer - - - - -	8	-	8	-	-	-	-	-	2
	Fishmonger - - - - -	41	1	40	-	-	1	1	9	5
2.	Corn, Flour, Seed, Merchant, Dealer	25	1	24	-	-	1	3	2	-
	Miller - - - - -	52	2	50	-	-	2	3	7	8
	Baker - - - - -	134	6	128	-	-	6	11	26	15
	Confectioner, Pastry Cook - - - - -	18	-	18	-	-	-	-	2	6
	Greengrocer, Fruit, Vegetable Dealer	23	2	21	-	-	2	1	4	6
	Others - - - - -	1	-	1	-	-	-	-	-	-
3.	Maltster - - - - -	18	-	18	-	-	-	-	-	1
	Brewer - - - - -	80	-	80	-	-	-	3	14	20
	Wine and Spirit Merchant - - - - -	28	1	27	-	-	1	5	5	1
	Cellarman - - - - -	5	-	5	-	-	-	1	-	1
	Ginger Beer, Soda Water, &c., Manu- facture - - - - -	3	1	2	-	-	1	-	1	1
	Sugar Refiner - - - - -	1	-	1	-	-	-	-	-	1
	Grocer, Tea Dealer - - - - -	136	8	128	-	-	8	12	21	12
	Tobacco, Cigar, Snuff, Manufacture, Tobacconist - - - - -	12	1	11	-	-	1	-	5	2
	Others - - - - -	8	-	8	-	-	-	1	-	-
13.	1. Soap Boiler - - - - -	1	-	1	-	-	-	-	-	-
	Tallow Chandler - - - - -	1	-	1	-	-	-	-	-	-
	Others - - - - -	3	-	3	-	-	-	-	-	-

II.—SOUTH EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.		AGES OF MALES.												
		TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.
13.—cont.														
2.	Fellmonger - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
	Tanner - - - - -	15	1	14	-	-	1	-	2	-	1	2	4	5
	Currier - - - - -	12	-	12	-	-	-	-	3	-	1	3	3	2
	Leather Case, Portmanteau, Bag Maker	2	-	2	-	-	-	-	-	1	-	-	1	-
	Others - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
3.	Hair, Bristle, Manufacture - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
	Brush, Broom, Maker - - -	6	-	6	-	-	-	2	-	1	1	-	-	2
4.	1. Oil-miller, Refiner - - - - -	4	1	3	-	-	1	-	-	-	1	1	1	-
	Oil and Colourman - - - - -	3	1	2	-	-	1	-	1	-	-	-	1	-
	French-polisher - - - - -	6	-	6	-	-	-	-	1	1	2	-	2	-
	Japaner - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
	Floor Cloth Manufacture - - -	1	1	-	-	1	-	-	-	-	-	-	-	-
	2. Timber, Wood, Merchant, Dealer	24	-	24	-	-	-	3	2	3	1	8	7	-
	Sawyer - - - - -	72	3	69	-	-	3	2	7	8	13	15	7	17
	Lath, Fence, Hurdle, Maker - -	8	-	8	-	-	-	-	2	1	1	-	1	3
	Wood, Turner, Worker - - -	5	-	5	-	-	-	-	-	1	-	1	-	3
	Cooper, Hoop Maker and Bender	29	-	29	-	-	-	-	1	5	5	5	7	6
	3. Cork Cutter, Manufacturer - -	2	-	2	-	-	-	2	-	-	-	-	-	-
	4. Basket Maker - - - - -	17	-	17	-	-	-	2	-	1	2	4	1	7
	Hay and Straw Dealer - - -	3	-	3	-	-	-	-	1	-	1	-	-	1
	Thatcher - - - - -	26	-	26	-	-	-	-	1	3	5	5	5	7
	Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
	5. Rag Gatherer, Dealer - - -	4	-	4	-	-	-	-	-	1	1	-	2	-
	Paper Manufacture - - - - -	23	1	22	-	1	-	1	-	5	1	2	6	7
	Stationer (not Law) - - - -	13	-	13	-	-	-	3	4	1	1	-	3	1
	Other Workers in Paper - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
5.	1. Coal Miner - - - - -	3	-	3	-	-	-	-	2	1	-	-	-	-
	Mine Service (Metal not stated)	1	-	1	-	-	-	-	-	-	-	-	-	1
	2. Coal Merchant, Dealer - - -	30	-	30	-	-	2	3	2	7	5	7	4	-
	Coal-heaver, Labourer - - -	20	1	19	-	-	1	2	3	3	2	3	4	2
	Chimney Sweeper - - - - -	21	-	21	-	-	-	1	2	1	5	5	4	3
	Gas Works Service - - - - -	13	-	13	-	-	-	-	2	2	3	3	2	1
	Other Workers in Coal - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
	3. Stone Quarrier - - - - -	6	-	6	-	-	1	-	2	-	1	1	1	-
	Stone Merchant, Cutter, Dresser	5	-	5	-	-	-	1	2	1	-	1	-	-
	Slate Quarrier - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
	Limestone Quarrier, Lime-Burner	7	-	7	-	-	-	-	-	1	3	1	-	2
	Brick, Maker, Dealer - - - -	61	3	58	-	-	3	6	10	12	12	8	5	5
	Railway Labourer, Platelayer, Navy	51	3	48	-	-	3	3	13	15	6	7	3	1
	Road Contractor, Inspector, Surveyor	3	-	3	-	-	-	-	-	-	-	1	1	1
	Road Labourer - - - - -	17	-	17	-	-	-	2	1	-	1	2	8	3
	Scavenger, Dust Collector - -	3	-	3	-	-	-	-	-	1	-	-	1	1
	Others - - - - -	19	1	18	-	-	1	-	5	3	4	4	-	2
	4. Earthenware Manufacture - -	6	1	5	-	1	-	-	-	1	-	1	2	1
	Tobacco-pipe Maker - - - -	2	-	2	-	-	-	-	-	-	1	1	-	-
	Earthenware and Glass Dealer	5	-	5	-	-	-	-	1	-	1	1	2	-
	5. Glass Manufacture - - - -	3	-	3	-	-	-	-	1	-	-	1	1	-
	Other Workers in Glass - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
	7. Waterworks Service - - - -	6	-	6	-	-	-	-	2	2	-	2	-	-
	Others - - - - -	2	-	2	-	-	-	-	-	-	1	-	1	-
	8. Goldsmith, Silversmith, Jeweller	13	1	12	-	-	1	1	4	1	-	1	3	2
	Others - - - - -	2	-	2	-	-	-	-	-	1	-	-	-	1
	9. Coppersmith - - - - -	9	-	9	-	-	-	-	-	2	2	1	4	-
	10. Tinplate Worker, Tinman - -	7	-	7	-	-	-	-	-	-	5	-	2	-
	Tinker - - - - -	2	-	2	-	-	-	-	-	-	-	1	1	-
	13. Brass Manufacture, Brazier	5	-	5	-	-	-	2	-	-	-	1	2	-
	Locksmith, Bellhanger - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
	Gas Fitter - - - - -	13	1	12	-	-	1	-	4	4	2	1	1	-
	14. Iron Manufacture - - - - -	12	1	11	-	-	1	3	3	1	1	-	2	1
	Whitesmith - - - - -	19	1	18	-	-	1	1	2	4	5	2	2	2
	Blacksmith - - - - -	176	4	172	-	-	4	9	28	19	30	23	35	38
	Ironmonger, Hardware Dealer	20	-	20	-	-	-	2	5	4	4	3	2	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.														
6.	1. General Labourer, Labourer (branch undefined)	1187	50	1137	-	5	45	70	145	153	156	192	192	229
	2. Artizan, Mechanic (branch undefined)	1	-	1	-	-	-	-	-	-	-	-	1	-
	Engine Driver, Stoker (branch undefined)	10	-	10	-	-	-	1	2	2	-	4	1	-
	Factory Labourer (branch undefined)	8	2	6	-	-	2	-	1	2	2	1	-	-
	Shopman, Assistant (branch undefined)	1	-	1	-	-	-	-	-	-	-	-	-	-
	Vagrant, Gipsy - - - - -	5	-	5	-	-	-	1	1	1	1	-	-	1
	Others of undefined Occupation	682	161	521	-	-	161	41	49	57	44	50	38	212
7.	1. Gentleman, Independent, Annuitant -	439	5	434	-	-	5	9	31	23	41	72	123	132
3.	1. Seafarers and Children of no stated Occupation - - - - -	1287	1287	-	863	424	-	-	-	-	-	-	-	-

III.—SOUTH MIDLAND COUNTIES—DEATHS OF MALES
in the Year 1971

OCCUPATIONS		Total	Deaths under 25	Deaths 25 and over	%
Total of Males aged 15 Years and Over		222	132	90	63
I.—PROFESSIONAL CLASS.					
1.	1. Clergyman, Minister of Religion, or Catholic Monastery Worker, etc.	12	-	22	-
2.	2. Magistrate, or Magistrate, Officer of Law Court, Judge, Police Officer, Member of Parliament, or Officer	12	-	12	-
3.	3. Army Officer, or Officer, Medical Officer, Army Prisoner	42	-	42	-
4.	4. Navy Officer, or Officer, Seaman, R.N., R.N. Marine, Navy Prisoner	5	-	5	-
5.	5. Clergyman, Protestant Minister, Protestant Catholic Priest, Missionary, or Private Reader, Church, Chapel, Officer, Others	56	-	56	-
6.	6. Barrister, Solicitor, Attorney, Law Clerk	15	-	15	-
7.	7. Doctor, or Practitioner, Medical Assistant, Student, Dentist, Dentist, Dentist	17	1	16	-
8.	8. Veterinary, Editor, or Editor, Editor, and Editor	12	-	12	-
9.	9. Painter, Artist, Sculptor, Engraver, Photographer	4	1	3	-
10.	10. Musician, Music Master	15	1	14	-
11.	11. Actor, Others engaged in the Theatre	4	-	4	-
12.	12. Schoolmaster, Teacher, Professor, Lecturer	20	-	20	-
13.	13. Civil Engineer, Other, or Other Person	1	-	1	-
II.—DOMESTIC CLASS.					
14.	14. 1. Inn Keeper, Hotel Keeper, Publican, Bar-keeper, Lodging house, Boarding house Keeper, Coffee house, Eating house Keeper, Institution Service, Others	151	-	151	-
15.	15. 2. Domestic Servant (General), Cookman, Groom, Gardener, Inn, Hotel Servant, Cook (not Domestic Servant), Others	19	4	15	-
III.—COMMERCIAL CLASS.					
16.	16. 1. Merchant, Banker, Bank Service, Broker, Agent, Factor, Auctioneer, Valuer, House Agent, Accountant, Commercial Clerk, Commercial Traveller	11	-	11	-

NOTE.—The Counties comprised in this Table are Middlesex (exclusive of Northamptonshire, Huntingdonshire, Bedfordshire, and Cambridgeshire).

III.—SOUTH MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwds.
6.—cont.													
2. Pawnbroker - - - - -	3	-	3	-	-	-	-	1	-	1	-	1	-
Shopkeeper (branch undefined), General Dealer - - - - -	23	-	23	-	-	-	-	4	2	2	3	5	7
Huckster, Costermonger - - - - -	6	-	6	-	-	-	1	2	1	-	-	-	2
Hawker, Pedlar - - - - -	44	1	43	-	-	1	1	4	6	6	8	8	10
1. Railway Engine Driver, Stoker - - - - -	8	1	7	-	-	1	2	3	2	-	-	-	-
Railway Officer, Clerk, Station-master - - - - -	15	3	12	-	-	3	5	-	-	4	2	1	-
Railway Attendant, Servant - - - - -	33	1	32	-	-	1	2	11	7	4	5	3	-
2. Toll Collector, Turnpike-gate Keeper - - - - -	6	-	6	-	-	-	-	1	-	-	1	-	4
Coach, Omnibus, Cab Owner, Livery Stable Keeper - - - - -	11	-	11	-	-	-	-	1	2	3	2	3	-
Coachman (not domestic), Cabman, Flyman - - - - -	38	-	38	-	-	-	1	7	9	4	7	7	3
Carman, Carrier, Cartier, Drayman - - - - -	58	1	57	-	-	1	3	7	12	7	13	13	2
3. Inland Navigation Service - - - - -	13	-	13	-	-	-	-	-	1	1	-	7	4
Barge-man, Waterman - - - - -	46	2	44	-	1	1	2	6	9	7	13	13	6
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
4. Seaman (Merchant Service) - - - - -	15	2	13	-	-	2	1	5	2	2	1	2	-
Harbour, Dock Service, Labourer - - - - -	8	-	8	-	-	-	-	1	3	4	-	-	-
Wharfinger - - - - -	4	-	4	-	-	-	-	2	-	-	-	-	-
5. Warehouseman - - - - -	7	-	7	-	-	-	-	1	1	2	-	-	3
6. Messenger, Porter, Errand Boy - - - - -	24	4	20	-	-	4	2	6	-	2	4	3	3
Telegraph Company Service - - - - -	2	-	2	-	-	-	1	-	-	1	-	-	-
IV.—AGRICULTURAL CLASS.													
1. Land Proprietor (so returned) - - - - -	19	-	19	-	-	-	-	-	2	4	3	6	4
Farmer, Grazier - - - - -	459	-	459	-	-	-	6	17	37	52	92	125	130
Farmer's Son, Brother, Grandson, Nephew - - - - -	48	30	18	8	13	9	8	5	4	1	-	-	-
Farm Bailiff - - - - -	26	-	26	-	-	-	-	1	-	7	4	10	4
Agricultural Labourer - - - - -	2057	83	2004	-	3	50	58	149	137	193	280	521	606
Shepherd (out-door) - - - - -	64	1	63	-	-	1	-	1	3	5	9	23	22
Farm Servant (in-door) - - - - -	16	6	4	-	2	4	1	-	-	1	-	2	-
Land Surveyor, Estate Agent - - - - -	8	-	8	-	-	-	-	-	-	3	-	-	2
Land Drainage Service - - - - -	2	-	2	-	-	-	-	-	-	-	-	2	-
Agricultural Machine Proprietor, Attendant - - - - -	7	-	7	-	-	-	1	1	4	-	-	1	-
Others engaged in Agriculture - - - - -	3	-	3	-	-	-	-	-	1	-	1	1	-
2. Woodman - - - - -	17	-	17	-	-	-	-	1	1	1	4	-	10
3. Nurseryman, Seedsman, Florist - - - - -	11	1	10	-	-	1	-	-	1	4	3	-	2
Gardener - - - - -	248	3	245	-	-	3	5	18	24	34	40	63	61
Others engaged in Horticulture - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
1. Horse Proprietor, Dealer - - - - -	7	-	7	-	-	-	-	1	-	2	2	1	1
Horse Breaker - - - - -	4	-	4	-	-	-	-	1	1	-	1	-	-
Horsekeeper, Groom, Jockey - - - - -	68	2	66	-	1	1	8	11	18	10	5	10	4
Farrier, Veterinary Surgeon - - - - -	15	-	15	-	-	-	-	1	3	1	2	6	2
Cattle, Sheep, Pig, Salesman - - - - -	18	-	18	-	-	-	2	-	1	4	3	6	2
Drover - - - - -	20	-	20	-	-	-	-	1	4	2	7	3	3
Gamekeeper - - - - -	19	-	19	-	-	-	1	2	2	2	3	5	4
Vermin Destroyer - - - - -	3	-	3	-	-	-	-	-	-	-	1	1	1
Fisherman - - - - -	6	-	6	-	-	-	-	1	-	-	1	1	3
Others engaged about Animals - - - - -	5	-	5	-	-	-	-	-	2	2	-	-	1
V.—INDUSTRIAL CLASS.													
1. Bookseller, Publisher - - - - -	7	-	7	-	-	-	-	2	-	2	1	1	1
Bookbinder - - - - -	7	-	7	-	-	-	-	1	1	2	1	2	-
Printer - - - - -	32	2	30	-	2	4	-	5	7	2	5	5	2
Newspaper Agent, News-room Keeper - - - - -	2	-	2	-	-	-	-	-	-	-	-	2	-
Others engaged in Publications - - - - -	2	-	2	-	-	-	-	-	-	1	-	1	-
2. Musical Instrument, Maker, Dealer - - - - -	4	-	4	-	-	-	-	1	3	-	-	-	-
3. Others engaged in Prints, &c. - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
4. Wood-carver - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
6. Others engaged in Designs, Medals, &c. - - - - -	2	-	2	-	-	-	-	1	1	-	-	-	-
7. Watch Maker, Clock Maker - - - - -	20	-	20	-	-	-	-	-	6	3	1	4	6
8. Surgical Instrument Maker - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
9. Gunsmith, Gun Manufacture - - - - -	18	1	17	-	-	1	3	3	7	3	1	-	-
Others - - - - -	3	-	3	-	-	-	-	-	1	1	-	-	-
10. Engine and Machine Maker - - - - -	24	-	24	-	-	-	7	3	1	7	3	2	1
Agricultural Implemt., Machine Mkr. - - - - -	6	-	6	-	-	-	-	-	-	1	1	3	-
Millwright - - - - -	6	-	6	-	-	-	-	1	-	-	-	4	-
Cutler - - - - -	7	-	7	-	-	-	-	-	-	-	1	-	-
Needle Manufacture - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-

III.—SOUTH MIDLAND COUNTIES.—DEATHS of M in the Year 1871—con

OCCUPATIONS.	TOTAL.	5 Years and under 30.	30 Years and upwards.	5—
10.—cont.				
11. Coachmaker - - - - -	28	-	28	-
Wheelwright - - - - -	43	1	42	-
Others engaged about Carriages - -	3	-	3	-
12. Saddler, Harness, Whip Maker - -	20	-	20	-
13. Ship-builder, Shipwright, Boat-builder	12	-	12	-
Sail Maker - - - - -	1	-	1	-
14. House Proprietor - - - - -	31	-	31	-
Architect - - - - -	4	-	4	-
Surveyor - - - - -	1	-	1	-
Builder - - - - -	46	-	46	-
Carpenter, Joiner - - - - -	218	1	217	-
Bricklayer - - - - -	131	1	130	-
Marble Mason - - - - -	3	-	3	-
Mason, Plaster - - - - -	31	-	31	-
Slater, Tiler - - - - -	5	1	4	-
Plasterer - - - - -	10	1	9	-
Paperhanger - - - - -	3	-	3	-
Plumber, Painter, Glazier - - - -	100	1	99	-
Others - - - - -	1	-	1	-
15. Cabinet Maker, Upholsterer - - -	40	1	39	-
Undertaker - - - - -	2	-	2	-
Carver and Gilder - - - - -	2	-	2	-
Furniture, Broker, Dealer - - - -	2	-	2	-
16. Manufacturing Chemist, Labourer	3	-	2	-
Dyer, Scourer, Calenderer - - - -	2	-	2	-
11. 1. Woodstapler - - - - -	3	-	3	-
Woollen Cloth Manufacture - - - -	16	-	16	-
Blanket Manufacture - - - - -	5	1	4	-
Carpet, Rug, Manufacture - - - -	1	-	1	-
2. Silk, Satin, Manufacture - - - -	3	-	3	-
3. Lace Manufacture - - - - -	2	-	2	-
Cotton Manufacture - - - - -	1	-	1	-
Others - - - - -	2	-	2	-
4. Weaver (not otherwise described)	2	-	2	-
Manchester Warehouseman - - - -	1	-	1	-
Draper, Linen Draper, Mercer - - -	23	2	21	-
Others - - - - -	1	-	1	-
5. Hairdresser, Wig Maker - - - -	20	1	19	-
Hatter, Hat Manufacture - - - - -	7	-	7	-
Straw Plait Manufacture - - - - -	25	1	24	-
Tailor - - - - -	149	3	146	-
Suit Maker, Ladies' Outfitter - - -	2	-	2	-
Hosier, Hosiery Dealer - - - - -	2	-	2	-
Glover (leather) - - - - -	5	-	5	-
Glove Maker (all except leather) - -	1	-	1	-
Shoemaker, Bootmaker - - - - -	332	8	324	-
Patton, Clog Maker - - - - -	2	-	2	-
Umbrella, Parasol, Stick, Maker - -	3	-	3	-
Laundry Keeper - - - - -	3	-	3	-
Others providing Dress - - - - -	2	-	2	-
6. Mat Maker, Seller - - - - -	3	-	3	-
Jute Manufacture - - - - -	1	-	1	-
Rope, Cord, Maker - - - - -	7	-	7	-
Canvas, Sail Cloth, Manufacture, Dealer	3	-	3	-
Others - - - - -	1	-	1	-
12. 1. Cowkeeper, Milk-seller - - - -	17	-	17	-
Cheese-monger - - - - -	2	-	2	-
Butcher, Meat Salesman - - - - -	106	-	106	-
Provision Curer, Dealer - - - - -	5	-	5	-
Poulterer, Game Dealer - - - - -	3	-	3	-
Fish-monger - - - - -	11	-	11	-
2. Corn, Flour, Seed, Merchant, Dealer	17	-	17	-
Miller - - - - -	56	-	56	-
Baker - - - - -	93	3	90	-
Confectioner, Pastry Cook - - - -	11	2	9	-
Greengrocer, Fruit, Vegetable, Dealer	16	-	16	-
3. Maltster - - - - -	30	-	30	-
Brewer - - - - -	70	2	68	-
Wine and Spirit Merchant - - - -	10	-	10	-
Ginger Beer, Soda Water, &c. Manuf.	4	-	4	-
Sugar Refiner - - - - -	3	-	3	-
Grocer, Tea Dealer - - - - -	74	-	74	-
Tobacco, Cigar, Snuff, Manufacture	2	-	2	-
Tobaccoist - - - - -	2	-	2	-
Others - - - - -	2	-	2	-

III.—SOUTH MIDLAND COUNTIES.—DEATHS OF MALES of different OCCUPATIONS registered in the Year 1871—continued.

		AGES OF MALES.													
OCCUPATIONS.		TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.	
3.	1. Tallow Chandler	3	-	3	-	-	-	-	-	-	-	-	1	2	
	2. Fellmonger	4	-	4	-	-	-	-	-	2	1	-	-	1	
	Tanner	4	-	4	-	-	-	-	2	-	-	-	1	1	
	Carrier	16	-	16	-	-	-	1	2	2	3	3	2	3	
	Leather Case, Portmanteau, Bag Mkr.	2	-	2	-	-	-	-	1	-	-	-	-	1	
	Others	3	-	3	-	-	-	-	2	-	-	1	-	-	
3.	Brush, Broom, Maker	4	-	4	-	-	-	-	1	-	1	1	1	-	
4.	1. Oil and Colourman	1	-	1	-	-	-	1	-	-	-	-	-	-	
	French Polisher	3	-	3	-	-	-	1	1	-	1	-	-	-	
	India Rubber, Gutta Percha, Manu- facture, Dealer	6	-	6	-	-	-	-	1	1	2	1	1	-	
	Floor Cloth Manufacture	2	-	2	-	-	-	-	2	-	-	-	-	-	
	2. Timber, Wood, Merchant, Dealer	10	-	10	-	-	-	-	-	1	1	2	2	4	
	Sawyer	46	-	46	-	-	-	3	1	4	3	5	11	19	
	Lath, Fence, Hurdle, Maker	6	-	6	-	-	-	-	-	1	1	1	2	2	
	Wood, Turner, Worker	5	-	5	-	-	-	-	-	1	-	1	2	1	
	Box, Packing Case, Maker	3	-	3	-	-	-	-	-	2	-	1	-	-	
	Cooper, Hoop-maker and Bender	12	-	12	-	-	-	-	1	1	3	-	2	5	
	4. Basket Maker	12	1	11	-	-	1	1	1	1	-	2	2	4	
	Hay and Straw Dealer	9	-	9	-	-	-	-	1	3	1	1	2	1	
	Thatcher	14	-	14	-	-	-	-	1	2	-	1	3	7	
	Others	1	-	1	-	-	-	-	-	-	1	-	-	-	
	5. Rag Gatherer, Dealer	12	-	12	-	-	-	1	-	1	1	2	6	1	
	Paper Manufacture	21	1	20	-	-	1	3	3	3	3	1	5	1	
	Stationer (not Law)	10	-	10	-	-	-	1	5	2	-	1	1	-	
	Paper Stainer	1	-	1	-	-	-	-	-	-	-	-	-	-	
	Other Workers in Paper	1	-	1	-	-	-	-	1	-	-	-	-	-	
5.	1. Coal Mine Service	1	-	1	-	-	-	-	-	-	-	1	-	-	
	Mine Service (Metal not stated)	1	-	1	-	-	-	-	-	-	-	-	1	-	
	Others	1	-	1	-	-	-	-	-	-	-	-	-	-	
	2. Coal Merchant, Dealer	22	-	22	-	-	-	-	1	3	2	7	7	2	
	Coal-heaver, Labourer	22	-	22	-	-	-	1	3	2	6	4	5	1	
	Chimney Sweeper	11	-	11	-	-	-	-	4	4	1	-	1	-	
	Gas Works Service	12	-	12	-	-	-	-	3	3	2	3	1	-	
	Other Workers in Coal	1	-	1	-	-	-	-	-	-	-	-	-	1	
	3. Stone Merchant, Cutter, Dresser	5	-	5	-	-	-	-	-	1	1	1	1	1	
	Limestone Quarrier, Lime Burner	2	-	2	-	-	-	-	-	1	-	-	-	-	
	Clay Labourer	2	-	2	-	-	-	-	-	-	-	1	-	1	
	Brick Maker, Dealer	38	3	35	-	-	3	2	4	3	5	7	7	7	
	Railway Labourer, Platelayer, Navy	52	1	51	-	-	1	9	9	14	7	7	5	-	
	Road Labourer	23	-	23	-	-	-	-	-	2	4	6	5	6	
	Scavenger, Dust Collector	2	1	1	-	1	-	-	-	-	-	1	-	-	
	Others	14	1	13	-	-	1	4	6	-	-	-	1	2	
	4. Earthenware Manufacture	1	-	1	-	-	-	-	-	-	1	-	-	-	
	Tobacco-pipe Maker	2	-	2	-	-	-	-	-	-	1	-	-	1	
	Earthenware and Glass Dealer	2	-	2	-	-	-	-	-	-	1	-	1	-	
	7. Waterworks Service	2	-	2	-	-	-	-	-	-	1	-	-	1	
	Others	3	-	3	-	-	-	-	-	-	-	2	1	-	
	8. Goldsmith, Silversmith, Jeweller	8	-	8	-	-	-	-	2	1	2	-	1	2	
	Others	2	-	2	-	-	-	-	-	-	1	-	-	1	
	10. Tinplate Worker, Tinman	18	-	18	-	-	-	1	3	7	1	1	1	4	
	Tinker	1	-	1	-	-	-	-	-	-	-	-	1	-	
	13. Brass Manufacture, Brazier	4	-	4	-	-	-	1	2	-	-	-	1	-	
	Locksmith, Bellhanger	3	-	3	-	-	-	1	1	-	-	-	1	-	
	Gas Fitter	1	-	1	-	-	-	-	-	1	-	-	-	-	
	Wire Worker, Drawer	2	-	2	-	-	-	-	-	-	-	-	1	-	
	14. Iron Manufacture	20	1	19	-	-	1	2	5	1	4	2	4	1	
	Whitesmith	11	-	11	-	-	-	1	1	-	1	2	2	4	
	Blacksmith	97	3	94	-	-	3	4	8	8	11	18	24	21	
	Anchorsmith, Chainsmith	1	-	1	-	-	-	-	-	-	-	1	-	-	
	Ironmonger, Hardware Dealer	16	-	16	-	-	-	2	3	1	1	5	3	1	
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.															
6.	1. General Labourer, Labourer (branch undefined)	741	20	721	1	1	18	41	74	73	92	136	171	184	
	2. Artizan, Mechanic (branch undefined)	1	-	1	-	-	-	-	-	1	-	-	-	-	
	Engine Driver, Stoker (branch undef.)	7	-	7	-	-	-	1	1	1	1	2	1	-	
	Factory Labourer (branch undefined)	2	1	1	-	1	-	-	-	-	-	-	-	-	
	Vagrant, Gipsy	2	-	2	-	-	-	-	-	-	-	-	-	1	
	Others of undefined Occupation	373	163	210	-	-	163	53	22	34	29	21	19	32	
7.	1. Gentleman, Independent, Annuitant	156	1	155	-	-	1	2	10	7	10	33	47	46	
3.	1. Scholars and Children of no stated Occupation	846	846	-	371	275	-	-	-	-	-	-	-	-	

**IV.—EASTERN COUNTIES.—DEATHS of MALES of di
Year 1871.**

OCCUPATIONS.	A				
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	1
Total of Males AGED 5 YEARS) AND UPWARDS - - - - -	8019	1108	6911	516	
I.—PROFESSIONAL CLASS.					
1. 1. Civil Service - - - - -	26	1	25	-	
Government Messengers, Workmen, &c.	6	-	6	-	
Other Government Officers - - - - -	2	-	2	-	
2. Magistrate (so returned) - - - - -	3	-	3	-	
Officer of Law Court - - - - -	6	-	6	-	
Police - - - - -	14	-	14	-	
Prison Officer - - - - -	3	-	3	-	
Municipal, Parish, Union, Officer - - - - -	15	-	15	-	
3. East India and Colonial Service - - - - -	2	-	2	-	
2. 1. Army Officer (effective) - - - - -	4	-	4	-	
Soldier - - - - -	71	5	66	-	
Militia, Volunteers - - - - -	4	-	4	-	
Army Pensioner - - - - -	61	-	61	-	
2. Navy Officer (effective) - - - - -	9	-	9	-	
Seaman, R. N. - - - - -	19	-	19	-	
Royal Marine - - - - -	5	-	5	-	
Coastguard, Royal Naval Reserve - - - - -	5	-	5	-	
Navy Pensioner - - - - -	5	-	5	-	
3. 1. Clergyman - - - - -	44	-	44	-	
Protestant Minister - - - - -	10	-	10	-	
Missionary, Scripture Reader - - - - -	2	-	2	-	
Church, Chapel Officer - - - - -	13	-	13	-	
2. Barrister - - - - -	1	-	1	-	
Solicitor, Attorney - - - - -	19	-	19	-	
Law Clerk - - - - -	10	-	10	-	
3. Physician, Surgeon - - - - -	31	-	31	-	
Dentist - - - - -	2	1	1	-	
Chemist, Druggist - - - - -	13	-	13	-	
4. Students and Others - - - - -	3	1	2	-	
5. Painter, Artist - - - - -	3	-	3	-	
Engraver - - - - -	2	-	2	-	
Photographer - - - - -	2	-	2	-	
6. Musician, Music Master - - - - -	10	-	10	-	
7. Others engaged in Theatres, &c. - - - - -	3	1	2	-	
8. Schoolmaster - - - - -	22	1	21	-	
Teacher, Professor, Lecturer - - - - -	3	1	2	-	
9. Civil Engineer - - - - -	1	-	1	-	
Other Scientific Persons - - - - -	1	-	1	-	
II.—DOMESTIC CLASS.					
5. 1. Inn Keeper, Hotel Keeper, Publican - - - - -	126	-	126	-	
Beer-seller - - - - -	24	-	24	-	
Lodging house, Boarding-house Keeper - - - - -	6	-	6	-	
Institution Service - - - - -	4	-	4	-	
Others - - - - -	2	-	2	-	
2. Domestic Servant (General) - - - - -	40	5	35	-	
Coachman - - - - -	16	-	16	-	
Groom - - - - -	13	-	13	-	
Gardener - - - - -	11	-	11	-	
Inn, Hotel Servant - - - - -	50	3	47	-	
Cook (not Domestic Servant) - - - - -	2	-	2	-	
Others - - - - -	3	-	3	-	
III.—COMMERCIAL CLASS.					
6. 1. Merchant - - - - -	10	-	10	-	
Banker - - - - -	1	-	1	-	
Bank Service - - - - -	10	1	9	-	
Insurance, Benefit Society, Service - - - - -	3	-	3	-	
Broker, Agent, Factor - - - - -	3	-	3	-	
Salesman (not otherwise described) - - - - -	2	-	2	-	
Auctioneer, Valuer, House Agent - - - - -	8	-	8	-	
Accountant - - - - -	6	-	6	-	
Commercial Clerk - - - - -	21	2	19	-	
Commercial Traveller - - - - -	9	-	9	-	

NOTE.—The Counties comprised in this Table are E.

IV.—EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the
Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.	
6.—cont.														
2. Pawnbroker - - - - -	6	1	5	-	-	1	-	1	-	1	-	1	2	
Shopkeeper (branch undef.), Gen. Deale.	27	-	27	-	-	-	-	2	5	2	5	9	1	
Huckster, Costermonger - - - -	6	-	6	-	-	-	-	1	1	1	1	1	9	
Hawker, Pedlar - - - - -	49	-	49	-	-	-	1	5	8	9	7	9	10	
7. 1. Railway Engine Driver, Stoker - -	7	-	7	-	-	2	3	-	1	1	-	-	-	
Railway Officer, Clerk, Station-master	10	1	9	-	1	1	3	2	1	2	-	-	-	
Railway Attendant, Servant - - -	17	-	17	-	-	1	9	2	2	2	-	-	1	
2. Toll Collector, Turnpike-gate Keeper -	4	-	4	-	-	-	-	2	1	-	1	-	-	
Coch, Omnibus, Cab Owner, Livery	4	-	4	-	-	-	-	2	1	-	-	-	1	
Stable Keeper - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coachman (not domestic), Cabman,	34	-	34	-	-	1	7	3	7	6	5	5	-	
Flyman - - - - -	43	-	43	-	-	3	6	5	4	8	7	10	-	
Carman, Carrier, Carter, Drayman -	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Bargeman, Waterman - - - - -	37	-	37	-	-	5	9	7	3	5	2	6	-	
Others - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-	
4. Shipowner - - - - -	4	-	4	-	-	-	-	-	-	1	2	1	-	
Steam Navigation Service - - - -	5	-	5	-	-	-	-	1	1	1	1	1	-	
Ship Steward, Cook - - - - -	3	-	3	-	-	1	1	1	1	-	-	-	-	
Seaman (Merchant Service) - - -	146	9	137	-	9	12	26	18	19	14	19	29	-	
Pilot - - - - -	2	-	2	-	-	-	-	-	-	1	1	-	-	
Harbour, Dock Service, Labourer -	53	-	53	-	-	2	8	8	7	6	2	-	-	
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1	
5. Warehouseman - - - - -	7	1	6	-	1	-	1	1	1	1	1	1	-	
6. Messenger, Porter, Errand Boy -	24	3	21	-	1	2	2	4	3	1	5	4	-	
Telegraph Company Service - - -	3	2	1	-	1	1	-	-	-	-	1	-	2	
IV.—AGRICULTURAL CLASS.														
8. 1. Land Proprietor (so returned) - -	17	-	17	-	-	-	1	3	13	19	54	57	140	171
Farmer, Grazier - - - - -	460	1	459	-	-	1	3	13	19	54	57	140	171	
Farmer's Son, Brother, Grandson,	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephew - - - - -	20	11	9	-	3	8	4	3	1	1	-	-	-	
Farm Bailiff - - - - -	50	-	50	-	-	-	1	1	3	6	9	10	20	
Agricultural Labourer - - - - -	2037	60	1977	-	5	55	94	143	166	169	308	472	675	
Shepherd (out-door) - - - - -	37	1	36	-	-	1	3	4	2	8	7	11	-	
Land Surveyor, Estate Agent - - -	3	-	3	-	-	-	1	-	1	-	-	1	-	
Agricultural Machine Proprietor,	-	-	-	-	-	-	-	-	-	-	-	-	-	
Attendant - - - - -	6	-	6	-	-	-	1	3	-	-	-	1	1	
2. Woodman - - - - -	10	-	10	-	-	-	-	-	2	1	3	4	-	
3. Nurseryman, Seedsman, Florist -	2	-	2	-	-	-	-	-	-	1	1	-	-	
Gardener - - - - -	144	2	142	-	-	2	3	8	11	16	17	40	47	
9. 1. Horse Proprietor, Dealer - - -	2	-	2	-	-	-	-	1	-	-	-	-	1	
Horse Breaker - - - - -	4	-	4	-	-	-	-	-	1	-	2	-	-	
Horsekeeper, Groom, Jockey - - -	53	5	50	-	2	1	7	5	7	7	9	7	1	
Farrier, Veterinary Surgeon - - -	7	-	7	-	-	-	3	4	1	1	1	1	3	
Cattle, Sheep, Pig, Salesman - - -	16	-	16	-	-	-	-	-	4	1	2	3	3	
Drover - - - - -	19	-	19	-	-	-	-	1	4	-	4	6	4	
Gamekeeper - - - - -	17	-	17	-	-	-	1	3	2	3	5	3	-	
Vermin Destroyer - - - - -	9	-	9	-	-	-	-	-	2	2	2	3	-	
Fisherman - - - - -	77	5	72	-	1	4	9	13	12	8	10	11	9	
Others engaged about Animals - - -	2	-	2	-	-	-	-	-	-	-	1	1	-	
V.—INDUSTRIAL CLASS.														
0. 1. Bookseller, Publisher - - - - -	7	-	7	-	-	-	1	1	2	1	1	-	1	
Bookbinder - - - - -	5	-	5	-	-	-	-	-	2	2	-	2	1	
Printer - - - - -	19	4	15	-	4	-	2	3	4	3	1	1	-	
Newspaper Agent, News-room Keeper	1	-	1	-	-	-	-	-	-	-	1	-	-	
2. Musical Instrument Maker, Dealer -	1	-	1	-	-	-	-	1	-	-	-	-	-	
3. Lithographer, Lithographic Printer -	1	-	1	-	-	-	-	-	-	1	-	-	-	
4. Wood-carver - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-	
Others - - - - -	2	-	2	-	-	-	-	-	-	-	1	-	1	
6. Type-founder - - - - -	1	-	1	-	-	-	-	-	-	1	5	3	2	
Others - - - - -	3	-	3	-	-	-	1	-	1	1	-	-	-	
7. Watch Maker, Clock Maker - - -	12	-	12	-	-	-	1	-	-	1	5	3	2	
Weighing Machine, Scale, Measure, Mkr.	1	-	1	-	-	-	-	-	-	1	-	-	-	
9. Gunsmith, Gun Manufacture - - -	2	-	2	-	-	-	-	-	1	-	1	-	-	
Others - - - - -	17	6	11	-	1	5	1	4	2	4	-	-	-	
10. Engine and Machine Maker - - -	28	4	24	-	-	4	4	7	4	6	-	2	1	
Agricultural Implement, Machine Mkr.	2	-	2	-	-	-	-	-	1	1	-	-	1	
Millwright - - - - -	3	-	3	-	-	-	-	-	1	-	1	-	1	
Tool Maker, Dealer - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Saw Maker, Dealer - - - - -	3	-	3	-	-	-	1	-	1	-	-	-	-	
Cutler - - - - -	8	-	8	-	-	-	-	-	-	2	2	1	2	

IV.—EASTERN COUNTIES.—DEATHS of Males of diff
Year 1871—continued.

OCCUPATIONS.		TOTAL.	AGE.		Males.	Females.
			5 Years and under 5.	5 Years and upwards.		
10. 1871.						
11.	Coach-maker - - - - -	25	1	24	-	-
	Wagon-wright - - - - -	50	-	50	-	-
	Others engaged about Carriages - -	1	-	1	-	-
12.	Saddler, Harness, Whip-Maker - -	31	-	31	-	-
13.	Ship-builder, shipwright, Boat-builder	24	-	24	-	-
	Sail-Maker - - - - -	5	-	5	-	-
14.	House-Proprietor - - - - -	15	-	15	-	-
	Architect - - - - -	4	-	4	-	-
	Surveyor - - - - -	1	-	1	-	-
	Builder - - - - -	24	-	24	-	-
	Carpenter, Joiner - - - - -	217	2	215	-	-
	Bricklayer - - - - -	129	4	125	-	-
	Mason, Plaster - - - - -	15	-	15	-	-
	Slater, Tiler - - - - -	1	-	1	-	-
	Plasterer - - - - -	7	1	6	-	-
	Paperhanger - - - - -	2	-	2	-	-
	Plumber, Painter, Glazier - - - -	64	-	64	-	-
	Others - - - - -	1	-	1	-	-
15.	Cabinet-Maker, Upholsterer - - -	31	-	31	-	-
	Carver and Gilder - - - - -	4	-	4	-	-
	Furniture Broker, Dealer - - - -	2	-	2	-	-
16.	Manufacturing Chemist, Labourer -	5	-	5	-	-
	Dyer, Scourer, Calenderer - - - -	4	-	4	-	-
	Others - - - - -	3	-	3	-	-
<hr/>						
11.	1. Wool-stapler - - - - -	5	-	5	-	-
	Woollen Cloth Manufacture - - - -	3	-	3	-	-
	Wool-sted Manufacture - - - - -	1	-	1	-	-
	2. Silk, Satin, Manufacture - - - -	20	1	20	-	-
	3. Lace Manufacture - - - - -	2	1	1	-	-
	Cotton, Cotton, Printer - - - - -	1	-	1	-	-
	4. Weaver (not otherwise described)	52	-	52	-	-
	Manchester Warehouseman - - - -	1	-	1	-	-
	Draper, Linen Draper, Mercer - -	23	3	20	-	-
	Fancy Goods, Manufacturer, Dealer -	1	-	1	-	-
	Trimming-Maker, Dealer - - - - -	1	-	1	-	-
	Others - - - - -	3	-	3	-	-
	5. Hatdresser, Wig-Maker - - - -	16	-	16	-	-
	Hatter, Hat Manufacture - - - - -	2	-	2	-	-
	Straw-Plant Manufacture - - - -	1	-	1	-	-
	Furrier, Skinner - - - - -	2	-	2	-	-
	Tailor - - - - -	80	3	77	-	1
	Glover (leather) - - - - -	6	-	6	-	-
	Shoemaker, Bootmaker - - - - -	248	10	238	-	1
	Pattern, Clog-Maker - - - - -	1	-	1	-	-
	Umbrella, Parasol, Stick, Maker -	2	-	2	-	-
	6. Mat-Maker, Seller - - - - -	3	-	3	-	-
	Hemp Manufacture - - - - -	1	-	1	-	-
	Jute Manufacture - - - - -	3	3	-	-	-
	Rope, Cord, Maker - - - - -	12	-	12	-	-
	Sacking, Sack, Bag, Maker, Dealer -	1	-	1	-	-
	Others - - - - -	1	-	1	-	-
<hr/>						
12.	1. Cow-keeper, Milk-seller - - - -	11	-	11	-	-
	Cheese-monger - - - - -	1	-	1	-	-
	Butcher, Meat Salesman - - - - -	74	4	70	-	-
	Provision Curer, Dealer - - - - -	3	-	3	-	-
	Poulterer, Game Dealer - - - - -	3	-	3	-	-
	Fishmonger - - - - -	20	1	19	-	-
	2. Corn, Flour, Seed, Merchant, Dealer	17	-	17	-	-
	Miller - - - - -	66	-	66	-	-
	Baker - - - - -	81	3	78	-	-
	Confectioner, Pastry Cook - - - -	4	1	3	-	-
	Green-grocer, Fruit, Vegetable, Dealer	10	-	10	-	-
	3. Malster - - - - -	25	-	25	-	-
	Brewer - - - - -	20	-	20	-	-
	Wine and Spirit Merchant - - - -	11	1	10	-	-
	Cellarman - - - - -	2	-	2	-	-
	Ginger Beer, Soda Water, &c., Manu- facture - - - - -	2	-	2	-	-
	Sugar Refiner - - - - -	2	-	2	-	-
	Grocer, Tea Dealer - - - - -	3	-	3	-	-
	Tobacco, Cigar, Snuff, Manufacture, Tobaccoist - - - - -	69	1	68	-	-
	Others - - - - -	1	-	1	-	-

IV.—EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
3. 1. Soap Boiler - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
Tallow Chandler - - - - -	9	-	9	-	-	-	-	1	-	2	-	6	-
Others - - - - -	3	1	2	-	-	1	-	1	1	-	-	-	-
2. Fellmonger - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	1
Tanner - - - - -	5	-	5	-	-	-	-	1	-	-	4	-	-
Carrier - - - - -	9	1	8	-	-	1	1	-	1	1	2	2	1
Leather Case, Portmanteau, Bag Mkr. - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
3. Hair, Bristle, Manufacture - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-
Brush, Broom, Maker - - - - -	9	1	8	-	1	-	1	1	1	1	2	1	1
14. 1. Oil-miller, Refiner - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
French-polisher - - - - -	3	1	2	-	-	1	-	-	-	1	1	-	-
India Rubber, Gutta Percha, Manufacture, Dealer - - - - -	2	-	2	-	-	-	-	1	1	-	-	-	-
Floor Cloth Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
Others - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
2. Timber, Wood, Merchant, Dealer - - - - -	8	-	8	-	-	-	-	1	1	1	-	2	3
Sawyer - - - - -	25	-	25	-	-	-	1	2	2	1	6	8	5
Lath, Fence, Hurdle, Maker - - - - -	3	-	3	-	-	-	1	-	-	-	-	-	2
Wood, Turner, Worker - - - - -	7	-	7	-	-	-	-	2	-	2	1	1	-
Box, Packing Case, Maker - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	1
Cooper, Hoop-maker and Bender - - - - -	27	1	26	-	1	2	2	1	2	4	7	8	-
3. Cork Cutter, Manufacturer - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
4. Basket Maker - - - - -	10	-	10	-	-	-	-	1	1	2	1	2	3
Hay and Straw Dealer - - - - -	10	-	10	-	-	-	-	1	2	1	3	3	-
Thatcher - - - - -	19	-	19	-	-	-	1	2	1	2	1	6	6
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
5. Paper Manufacture - - - - -	4	-	4	-	-	-	-	1	1	-	-	1	1
Stationer (not Law) - - - - -	3	-	3	-	-	-	-	2	-	-	1	-	-
Other Workers in Paper - - - - -	2	-	2	-	-	-	-	-	-	2	-	-	-
15. 2. Coal Merchant, Dealer - - - - -	8	-	8	-	-	-	-	1	1	-	2	3	1
Coal-heaver, Labourer - - - - -	37	-	37	-	-	-	1	1	7	10	5	7	6
Chimney Sweeper - - - - -	5	-	5	-	-	-	-	-	3	-	1	1	-
Gas Works Service - - - - -	9	-	9	-	-	-	1	-	3	1	2	-	2
Other Workers in Coal - - - - -	3	-	3	-	-	-	-	-	1	-	2	-	-
3. Stone Quarrier - - - - -	2	-	2	-	-	-	-	-	-	-	1	1	-
Stone, Merchant, Cutter, Dresser - - - - -	4	-	4	-	-	-	-	1	-	2	-	-	1
Limestone Quarrier, Lime-burner - - - - -	5	-	5	-	-	-	-	-	1	2	1	-	1
Clay Labourer - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
Brick, Maker, Dealer - - - - -	24	2	22	-	-	2	-	4	-	-	-	4	13
Railway Labourer, Platelayer, Navy - - - - -	18	-	18	-	-	-	1	3	4	6	3	1	-
Road Labourer - - - - -	4	-	4	-	-	-	-	-	1	2	1	2	1
Seavenger, Dust Collector - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	1
Others - - - - -	7	-	7	-	-	-	1	-	3	1	1	1	-
4. Tobacco-pipe Maker - - - - -	3	-	3	-	-	-	-	-	-	1	1	-	1
Earthenware and Glass Dealer - - - - -	3	-	3	-	-	-	-	1	1	-	-	-	1
7. Waterworks Service - - - - -	2	-	2	-	-	-	-	-	1	-	-	1	-
Others - - - - -	2	-	2	-	-	-	-	-	1	-	-	-	1
8. Goldsmith, Silversmith, Jeweller - - - - -	4	-	4	-	-	-	-	-	2	-	-	2	-
9. Coppersmith - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
10. Tinplate Worker, Tinman - - - - -	6	-	6	-	-	-	-	1	1	-	2	2	-
13. Brass Manufacture, Brazier - - - - -	3	-	3	-	-	-	1	-	-	-	-	1	1
Gas Fitter - - - - -	3	-	3	-	-	-	-	2	-	-	1	-	-
Wire Worker, Drawer - - - - -	2	-	2	-	-	-	1	-	-	-	1	-	-
14. Iron Manufacture - - - - -	23	3	20	-	1	2	1	7	1	1	5	2	3
Whitesmith - - - - -	12	1	11	-	-	1	2	-	-	-	4	2	3
Blacksmith - - - - -	98	3	95	-	-	3	7	18	7	12	9	19	23
Anchorsmith, Chainsmith - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Ironmonger, Hardware Dealer - - - - -	11	-	11	-	-	-	1	1	1	1	2	3	2
Others - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - - -	433	18	415	-	4	14	27	44	51	65	60	79	89
2. Artizan, Mechanic (branch undefined) - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
Engine Driver, Stoker (branch undef.) - - - - -	7	-	7	-	-	-	3	1	1	2	-	-	-
Factory Labourer (branch undefined) - - - - -	5	-	5	-	-	-	-	2	1	-	-	1	1
Shopman, Assistant (branch undefined) - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-
Others of undefined Occupation - - - - -	263	142	121	-	-	142	44	18	10	10	17	11	11
17. 1. Gentleman, Independent, Annuitant - - - - -	91	-	91	-	-	-	-	3	6	5	13	31	33
18. 1. Scholars and Children of no stated Occupation - - - - -	755	755	-	516	239	-	-	-	-	-	-	-	-

V.—SOUTH WESTERN COUNTIES.—DEATHS of MALE
in the Year 1871.

OCCUPATIONS.	TOTAL.	5 Years and under 20.		20 Years and upwards.	
		5-10	10-15	15-20	20+
Total of Males AGED 5 YEARS AND UPWARDS	12707	1737	10900	778	
I.—PROFESSIONAL CLASS.					
1. 1. Civil Service	41	-	41	-	-
Government Messengers, Workmen, &c.	60	-	60	-	-
Other Government Officers	1	-	1	-	-
2. Magistrate (so returned)	2	-	2	-	-
Officer of Law Court	13	1	12	-	-
Police	23	-	23	-	-
Prison Officer	9	-	9	-	-
Municipal, Parish, Union, Officer	26	-	26	-	-
3. East India and Colonial Service	5	-	5	-	-
2. 1. Army Officer (effective)	29	-	29	-	-
Army Retired and Half Pay Officer	5	-	5	-	-
Soldier	79	5	74	-	-
Militia, Volunteers	9	-	9	-	-
Army Pensioner	93	-	93	-	-
2. Navy Officer (effective)	34	-	34	-	-
Navy Retired and Half Pay Officer	13	-	13	-	-
Seaman, R.N.	91	15	76	-	-
Royal Marine	24	-	24	-	-
Coastguard, Royal Naval Reserve	18	-	18	-	-
Navy Pensioner	148	-	148	-	-
3. 1. Clergyman	66	-	66	-	-
Protestant Minister	15	-	15	-	-
Roman Catholic Priest	2	-	2	-	-
Missionary, Scripture Reader	3	-	3	-	-
Church, Chapel Officer	8	-	8	-	-
Others	1	-	1	-	-
2. Barrister	2	-	2	-	-
Solicitor, Attorney	25	-	25	-	-
Law Student	1	-	1	-	-
Law Clerk	20	2	18	-	-
3. Physician, Surgeon	59	-	59	-	-
Medical Assistant, Student	1	-	1	-	-
Dentist	3	-	3	-	-
Chemist, Druggist	21	1	20	-	-
4. Author, Editor, Journalist	1	-	1	-	-
Students and Others	2	-	2	-	-
5. Painter, Artist	4	-	4	-	-
Sculptor	2	-	2	-	-
Engraver	1	-	1	-	-
Photographer	4	-	4	-	-
6. Musician, Music Master	7	-	7	-	-
7. Exhibitions, Shows, Service	1	-	1	-	-
8. Schoolmaster	41	1	40	-	-
Teacher, Professor, Lecturer	3	-	3	-	-
9. Civil Engineer	5	-	5	-	-
Other Scientific Persons	1	-	1	-	-
II.—DOMESTIC CLASS.					
5. 1. Inn Keeper, Hotel Keeper, Publican	159	-	159	-	-
Beer-seller	17	-	17	-	-
Lodging-house, Boarding-house Keeper	11	-	11	-	-
Coffee-house, Laying-house Keeper	3	-	3	-	-
Institution Service	1	-	1	-	-
Others	1	-	1	-	-
2. Domestic Servant (General)	62	2	60	-	-
Coachman	23	-	23	-	-
Groom	12	-	12	-	-
Gardener	27	-	27	-	-
Inn, Hotel Servant	34	1	33	-	-
Cook (not Domestic Servant)	1	-	1	-	-
Others	2	-	2	-	-
III.—COMMERCIAL CLASS.					
6. 1. Merchant	12	-	12	-	-
Banker	1	-	1	-	-
Bank Service	11	-	11	-	-
Insurance, Benefit Society, Service	2	-	2	-	-
Broker, Agent, Factor	9	-	9	-	-
Salesman (not otherwise described)	1	-	1	-	-
Auctioneer, Valuer, House Agent	8	-	8	-	-
Accountant	33	-	33	-	-
Commercial Clerk	21	1	20	-	-
Commercial Traveller	14	-	14	-	-

NOTE.—The Counties comprised in this Table are Wiltshire, Dorsetshire

OCCUPATIONS.		AGES OF MALES.													
		TOTAL.	5 Years and under 20.	20 Years and upwards.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.	
6.—cont.															
2. Pawnbroker	-	2	-	2	-	-	-	1	-	1	-	-	-	-	
Shopkeeper (branch undefined), General Dealer	-	23	-	23	-	-	1	1	1	1	6	7	6	1	
Hookster, Costermonger	-	3	-	3	-	-	-	-	-	1	1	-	1	1	
Hawker, Pedlar	-	41	-	41	-	-	1	6	12	3	9	8	2	2	
7. 1. Railway Engine Driver, Stoker	-	7	-	7	-	-	1	2	2	1	1	-	-	-	
Railway Officer, Clerk, Station-master	-	6	-	6	-	-	5	1	1	10	2	3	1	-	
Railway Attendant, Servant	-	40	1	39	-	1	3	11	9	16	2	3	1	-	
2. Toll Collector, Turnpike-gate Keeper	-	11	-	11	-	-	-	-	1	2	2	3	3	-	
Coach, Omnibus, Cab Owner, Livery	-	16	-	16	-	-	-	-	2	5	2	6	1	-	
Stable Keeper	-	16	-	16	-	-	-	-	2	5	2	6	1	-	
Coachman (not domestic), Cabman, Flyman	-	35	-	35	-	-	1	2	7	3	5	8	9	9	
Carnian, Carrier, Carter, Drayman	-	61	2	59	-	2	1	7	10	9	14	9	9	9	
Others	-	7	-	7	-	-	-	-	3	-	3	-	1	-	
3. Inland Navigation Service	-	4	-	4	-	-	-	-	-	-	-	1	3	-	
Barge-man, Waterman	-	31	-	31	-	-	-	5	4	5	6	9	2	-	
Others	-	1	-	1	-	-	-	-	-	-	-	-	1	-	
4. Shipowner	-	2	-	2	-	-	-	-	-	-	1	-	1	-	
Steam Navigation Service	-	3	-	3	-	-	-	2	-	-	1	-	-	-	
Ship Steward, Cook	-	5	1	4	-	1	-	2	-	2	-	-	-	-	
Seaman (Merchant Service)	-	215	15	200	-	1	14	22	45	32	32	24	17	28	
Pilot	-	10	1	9	-	1	1	-	3	-	2	-	3	-	
Boatman on Seas	-	7	-	7	-	-	-	1	-	1	-	5	-	-	
Harbour, Dock Service, Labourer	-	11	-	11	-	-	-	-	1	3	4	1	2	-	
Wharfinger	-	1	-	1	-	-	-	-	-	-	1	-	-	-	
Others	-	1	-	1	-	-	-	-	-	-	1	-	-	-	
5. Warehouseman	-	3	-	3	-	-	-	1	-	2	-	-	-	-	
6. Messenger, Porter, Errand Boy	-	32	3	29	-	1	2	1	5	6	7	3	6	-	
Telegraph Company Service	-	3	1	2	-	-	1	1	-	-	-	-	-	-	
IV.—AGRICULTURAL CLASS.															
8. 1. Land Proprietor (so returned)	-	46	-	46	-	-	-	1	2	3	8	14	18	387	
Farmer, Grazier	-	1027	1	1026	-	-	1	12	41	67	100	175	244	357	
Farmer's Son, Brother, Grandson, Nephew	-	134	91	43	44	16	81	18	11	7	4	2	1	-	
Farm Bailiff	-	25	1	24	-	-	1	3	-	2	4	3	9	3	
Agricultural Labourer	-	2067	35	2032	-	4	51	68	145	150	206	239	403	663	
Shepherd (out-door)	-	35													

V.—SOUTH WESTERN COUNTIES.—DEATHS of MALES
in the Year 1871—*contin.*

AG 1

OCCUPATIONS.	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—
10. <i>cont.</i>					
12. Saddler, Harness, Whip Maker - - -	29	2	27	-	-
13. Ship-builder, Shipwright, Boat-builder -	60	2	58	-	-
Sail Maker - - - - -	9	1	8	-	-
11. House Proprietor - - - - -	21	-	21	-	-
Architect - - - - -	1	-	1	-	-
Surveyor - - - - -	1	-	1	-	-
Builder - - - - -	47	1	46	-	-
Carpenter, Joiner - - - - -	280	6	274	-	-
Bricklayer - - - - -	26	1	25	-	-
Marble Mason - - - - -	8	-	8	-	-
Mason, Pavlor - - - - -	209	8	201	-	-
Slater, Tiler - - - - -	1	-	1	-	-
Plasterer - - - - -	37	1	36	-	-
Paperhanger - - - - -	1	-	1	-	-
Hammer, Painter, G'asser - - - - -	103	6	97	-	1
Others - - - - -	2	1	1	-	-
15. Cabinet Maker, Upholsterer - - - - -	40	2	38	-	-
Carver and Gilder - - - - -	3	-	3	-	-
Furniture Broker, Dealer - - - - -	5	-	5	-	-
16. Manufacturing Chemist, Labourer - - -	3	-	3	-	-
Dyer, Scourer, Calenderer - - - - -	6	-	6	-	-
Others - - - - -	1	-	1	-	-
11. 1. Woolstapler - - - - -	6	-	6	-	-
Woolen Cloth Manufacture - - - - -	82	2	80	-	-
Fuller - - - - -	4	-	4	-	-
Wool, Woolen, Dyer - - - - -	1	-	1	-	-
Cloth Merchant, Dealer - - - - -	1	-	1	-	-
Blanket Manufacture - - - - -	2	-	2	-	-
Carpet, Rug, Manufacture - - - - -	1	-	1	-	-
3. Flax, Linen Manufacture - - - - -	8	-	8	-	-
Lace Manufacture - - - - -	12	-	12	-	-
4. Weaver (not otherwise described) - - -	11	-	11	-	-
Draper, Linen Draper, Mercer - - - - -	65	4	62	-	-
Trimming Maker, Dealer - - - - -	1	-	1	-	-
Others - - - - -	1	-	1	-	-
5. Hairdresser, Wig Maker - - - - -	14	1	13	-	-
Hatter, Hat Manufacture - - - - -	14	-	14	-	-
Furrier, Skinner - - - - -	1	-	1	-	-
Tailor - - - - -	147	-	147	-	-
Hosier, Haberdasher - - - - -	2	-	2	-	-
Glover (leather) - - - - -	13	1	12	-	-
Glove Maker (all except leather) - - - -	3	-	3	-	-
Shoemaker, Bootmaker - - - - -	351	7	354	-	-
Umbrella, Parasol, Stick, Maker - - -	1	-	1	-	-
Others providing Dr. - - - - -	1	-	1	-	-
6. Mat Maker, Seller - - - - -	2	-	2	-	-
Hemp Manufacture - - - - -	4	1	3	-	-
Rope, Cord, Maker - - - - -	18	2	16	-	-
Canvas, Sailcloth, Manufacture, Dealer -	7	-	7	-	-
12. 1. Cowkeeper, Milk-seller - - - - -	29	3	26	-	1
Cheese-monger - - - - -	1	-	1	-	-
Butcher, Meat Salesman - - - - -	112	2	110	-	-
Provision Curer, Dealer - - - - -	5	-	5	-	-
Poulterer, Game Dealer - - - - -	6	-	6	-	-
Fishmonger - - - - -	14	-	14	-	-
2. Corn, Flour, Seed, Merchant, Dealer -	13	-	13	-	-
Miller - - - - -	75	3	72	-	-
Baker - - - - -	80	1	85	-	-
Confectioner, Pastry Cook - - - - -	11	-	11	-	-
Green-crover, Fruit, Vegetable, Dealer -	15	-	15	-	-
Others - - - - -	1	-	1	-	-
3. Maltster - - - - -	25	-	25	-	-
Brewer - - - - -	54	1	53	-	-
Wine and Spirit Merchant - - - - -	10	-	10	-	-
Cellarman - - - - -	8	-	8	-	-
Guinze Beer, Soda Water, &c., Manu- facture - - - - -	2	-	2	-	-
Sugar Refiner - - - - -	4	-	4	-	-
Grocer, Tea Dealer - - - - -	87	3	84	-	-
Tobacco, Cigar, Snuff, Manufacture, -	-	-	-	-	-
Tobaccoist - - - - -	5	-	5	-	-
Others - - - - -	3	-	3	-	-
13. 1. Soap Boiler - - - - -	1	-	1	-	-
Tallow Chandler - - - - -	6	-	6	-	-
Comb-maker - - - - -	1	-	1	-	-
Others - - - - -	2	-	2	-	-
2. Fellmonger - - - - -	3	-	3	-	-
Tanner - - - - -	29	-	29	-	-
Currier - - - - -	11	-	11	-	-
Others - - - - -	3	-	3	-	-
3. Brush, Broom, Maker - - - - -	12	2	10	-	-

V.—SOUTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
4. 1. French-polisher - - - -	3	-	3	-	-	-	1	1	-	-	1	-	-
2. Timber, Wood, Merchant, Dealer	15	-	15	-	-	-	1	1	3	1	1	3	6
Sawyer - - - - -	63	1	64	-	-	1	1	9	4	9	6	13	22
Lath, Fence, Hurdle, Maker - -	3	-	3	-	-	-	-	1	-	-	1	-	1
Wood, Turner, Worker - - -	3	-	3	-	-	-	-	-	1	2	-	-	-
Box, Packing Case, Maker - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Cooper, Hoop maker and Bender	37	-	37	-	-	-	-	3	4	2	9	8	11
4. Basket Maker - - - - -	23	-	23	-	-	-	-	-	4	3	2	9	7
Hay and Straw Dealer - - -	7	-	7	-	-	-	2	1	1	1	-	1	1
Thatcher - - - - -	37	1	36	-	-	1	1	1	2	5	6	4	17
5. Rag Gatherer, Dealer - - -	8	-	8	-	-	-	-	-	1	2	3	2	-
Paper Manufacture - - - -	13	1	12	-	-	1	-	2	2	-	-	4	2
Stationer (not Law) - - - -	7	-	7	-	-	-	-	4	1	-	-	-	1
Other Workers in Paper - - -	4	-	4	-	-	-	-	-	-	3	1	-	-
15. 1. Coal Miner - - - - -	71	8	63	-	-	8	5	8	4	7	14	11	19
Copper Miner - - - - -	152	2	150	-	-	2	11	13	18	32	44	25	7
Tin Miner - - - - -	245	26	219	-	3	21	18	21	30	51	58	29	12
Lead Miner - - - - -	14	-	14	-	-	-	2	3	1	5	1	1	1
Iron Miner - - - - -	4	-	4	-	-	-	-	1	2	1	-	-	-
Miner (branch undefined) - -	70	10	60	2	4	4	5	7	4	14	11	13	6
Coal Mine Service - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-
Mine Service (Metal not stated)	27	4	23	-	3	1	-	2	5	3	8	4	-
Others - - - - -	2	-	2	-	-	-	-	1	1	-	-	-	-
2. Coal Merchant, Dealer - - -	24	-	24	-	-	-	1	3	2	6	7	4	5
Coal-heaver, Labourer - - -	18	-	18	-	-	-	-	1	1	2	4	7	3
Coke Burner, Dealer - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
Chimney Sweeper - - - -	9	-	9	-	-	-	-	2	2	1	3	-	-
Gas Works Service - - - -	6	-	6	-	-	-	-	2	1	2	-	1	-
Other Workers in Coal - - -	2	-	2	-	-	-	-	-	1	-	-	-	-
3. Stone Quarrier - - - - -	32	-	32	-	-	-	1	3	6	5	11	2	4
Stone, Merchant, Cutter, Dresser	17	-	17	-	-	-	2	2	-	4	3	4	2
Slate Quarrier - - - - -	13	-	13	-	-	-	1	4	-	1	3	1	3
Limestone Quarrier, Lime-Burner	15	1	14	-	-	1	1	3	1	4	3	2	5
Clay Labourer - - - - -	28	-	28	-	-	-	2	1	4	5	6	3	6
Brick, Maker, Dealer - - -	15	1	14	-	-	1	2	-	-	1	5	3	5
Railway Labourer, Platelayer, Navy	48	2	46	-	-	2	3	13	8	6	9	5	2
Road Contractor, Inspector, Surveyor	6	-	6	-	-	-	-	-	-	2	4	-	-
Road Labourer - - - - -	33	-	33	-	-	-	1	1	3	1	4	10	13
Scavenger, Dust Collector - -	2	-	2	-	-	-	-	-	1	-	-	-	-
Others - - - - -	8	-	8	-	-	-	-	-	-	3	1	1	3
4. Earthenware Manufacture - -	6	1	5	-	-	1	1	1	1	-	1	1	-
Tobacco pipe Maker - - - -	2	-	2	-	-	-	-	-	1	1	-	-	-
Earthenware and Glass Dealer -	4	-	4	-	-	-	-	-	-	-	2	1	1
5. Glass Manufacture - - - -	2	-	2	-	-	-	-	-	-	2	-	-	-
6. Other Dealers in Salt - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
7. Waterworks Service - - - -	4	-	4	-	-	-	-	-	-	1	-	1	2
Others - - - - -	2	-	2	-	-	-	-	-	1	-	-	1	-
8. Goldsmith, Silversmith, Jeweller	11	-	11	-	-	-	1	1	2	3	-	1	3
9. Coppermith - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
10. Tin Manufacture - - - - -	27	-	27	-	-	-	-	1	3	2	6	9	6
Tinplate Worker, Tinman - -	17	-	17	-	-	-	3	3	-	-	4	3	4
Tinker - - - - -	3	-	3	-	-	-	-	-	-	-	1	-	2
12. Lead Manufacture - - - -	2	-	2	-	-	-	-	-	1	1	-	-	-
13. Brass Manufacture, Brazier -	2	-	2	-	-	-	-	-	-	-	-	2	-
Locksmith, Bellhanger - - -	2	-	2	-	-	-	-	-	-	-	-	2	-
Gas Fitter - - - - -	6	1	5	-	-	1	-	2	-	1	2	-	-
Wire Worker, Drawer - - - -	3	-	3	-	-	-	-	1	-	-	1	-	1
14. Iron Manufacture - - - - -	30	3	27	-	1	2	1	3	3	5	7	5	3
White-smith - - - - -	7	1	6	-	-	1	-	-	1	1	1	1	2
Blacksmith - - - - -	173	7	166	-	-	7	7	14	15	22	28	34	46
Nail Manufacture - - - - -	2	-	2	-	-	-	-	-	-	1	1	-	-
Anchorsmith, Chain-smith - -	2	-	2	-	-	-	-	-	-	-	-	1	-
Ironmonger, Hardware Dealer -	20	2	18	-	-	2	2	1	8	2	3	5	2
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - - -	839	28	831	-	2	26	37	89	96	91	150	192	196
2. Engine Driver, Stoker (branch undefined) - - -	11	-	11	-	-	-	-	3	1	2	2	2	1
Factory Labourer (branch undefined) - - - -	23	3	22	-	2	1	3	4	2	4	4	4	1
Vagrant, Gipsy - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
Others of undefined Occupation - - - -	461	236	225	-	-	236	70	45	26	16	17	25	26
17. 1. Gentleman, Independent, Annuitant - - -	196	2	196	-	-	2	5	16	17	15	33	39	71
18. 1. Scholars and Children of no stated Occupation - - - - -	1138	1138	-	732	406	-	-	-	-	-	-	-	-

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES ^o
in the Year 1871.

OCCUPATIONS.	AGES				
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—
Total of Males AGED 5 YEARS AND UPWARDS	17457	2421	15036	1171	500
I.—PROFESSIONAL CLASS.					
1. 1. Civil Service	27	-	27	-	-
Government Messengers, Workmen, &c.	34	-	34	-	-
Other Government Officers	5	-	5	-	-
2. Magistrate (so returned)	7	-	7	-	-
Officer of Law Court	9	-	9	-	-
Police	26	-	26	-	-
Municipal, Parish, Union, Officer	47	-	47	-	-
3. East India and Colonial Service	1	-	1	-	-
2. 1. Army Officer (effective)	13	-	13	-	-
Army Retired and Half Pay Officer	11	-	11	-	-
Soldier	34	-	34	-	-
Militia, Volunteers	12	-	12	-	-
Army Pensioner	61	-	61	-	-
2. Navy Officer (effective)	2	-	2	-	-
Navy Retired and Half Pay Officer	1	-	1	-	-
Royal Marine	3	-	3	-	-
Navy Pensioner	11	-	11	-	-
3. 1. Clergyman	57	-	57	-	-
Protestant Minister	20	-	20	-	-
Roman Catholic Priest	2	-	2	-	-
Missionary, Scripture Reader	1	-	1	-	-
Church, Chapel Officer	10	-	10	-	-
Others	1	-	1	-	-
2. Barrister	1	-	1	-	-
Solicitor, Attorney	34	-	34	-	-
Law Clerk	23	1	22	-	-
3. Physician, Surgeon	39	-	39	-	-
Medical Assistant, Student	3	-	3	-	-
Dentist	2	-	2	-	-
Chemist, Druggist	20	1	19	-	-
4. Students and Others	3	-	3	-	-
5. Painter, Artist	16	-	16	-	-
Sculptor	1	-	1	-	-
Engraver	11	-	11	-	-
Photographer	4	-	4	-	-
Others engaged in Fine Arts	2	-	2	-	-
6. Musician, Music Master	23	-	23	-	-
Others	1	-	1	-	-
7. Actor	3	-	3	-	-
Others engaged in Theatres, &c.	3	-	3	-	-
8. Schoolmaster	53	1	52	-	-
Teacher, Professor, Lecturer	11	3	8	-	-
9. Civil Engineer	3	-	3	-	-
II.—DOMESTIC CLASS.					
5. 1. Inn Keeper, Hotel Keeper, Publican	261	6	255	-	-
Beer-seller	50	-	50	-	-
Lodging-house, Boarding-house Keeper	10	-	10	-	-
Coffee-house, Eating-house Keeper	5	-	5	-	-
Institution Service	3	-	3	-	-
Others	2	-	2	-	-
2. Domestic Servant (General)	68	5	63	-	-
Coachman	31	-	31	-	-
Groom	17	1	16	-	1
Gardener	17	-	17	-	-
Inn, Hotel Servant	27	2	25	-	-
Others	5	-	5	-	-
III.—COMMERCIAL CLASS.					
6. 1. Merchant	11	-	11	-	-
Banker	10	-	10	-	-
Bank Service	12	-	12	-	-
Insurance, Benefit Society, Service	5	1	4	-	-
Broker, Agent, Factor	20	1	19	-	-

NOTE.—The Counties comprised in this Table are Gloucestershire, Herefordshire, and Warwickshire.

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.
6.—cont.													
1. Salesman (not otherwise described) -	1	-	1	-	-	-	-	-	1	-	-	-	-
cont. Auctioneer, Valuer, House Agent -	20	-	20	-	-	-	-	2	2	2	4	5	5
Accountant -	42	3	39	-	-	3	-	6	3	8	10	6	3
Commercial Clerk -	100	8	92	-	1	7	12	20	15	22	4	12	7
Commercial Traveller -	23	-	23	-	-	-	1	6	4	4	4	3	1
Other Mercantile Men -	1	-	1	-	-	-	-	-	-	-	-	1	-
2. Pawnbroker -	14	1	13	-	-	1	-	2	1	4	3	3	-
Shopkeeper (branch undefined), General Dealer -	43	1	42	-	-	1	3	3	5	7	7	7	10
Huckster, Costermonger -	5	-	5	-	-	-	-	1	-	-	-	1	3
Hawker, Pedlar -	71	-	71	-	-	-	3	7	12	7	15	17	10
7. 1. Railway Engine Driver, Stoker -	35	1	34	-	-	1	5	8	4	5	7	2	3
Railway Officer, Clerk, Station-master -	34	2	32	-	-	2	10	2	11	4	5	-	-
Railway Attendant, Servant -	65	4	61	-	-	4	8	22	10	8	9	1	3
2. Toll Collector, Turnpike-gate Keeper -	8	-	8	-	-	-	-	-	-	2	-	5	1
Coach, Omnibus, Cab Owner, Livery Stable Keeper -	16	-	16	-	-	-	-	3	3	4	4	-	2
Coachman (not domestic), Cabman, Flyman -	65	1	64	-	-	1	3	12	18	17	8	5	1
Carman, Carrier, Carter, Drayman -	159	5	154	-	-	5	5	18	22	32	24	22	11
Others -	8	-	8	-	-	-	-	-	2	3	-	2	1
3. Inland Navigation Service -	25	2	23	-	-	2	-	1	2	5	5	3	7
Barge, Waterman -	74	2	72	-	1	1	4	8	8	12	15	17	8
4. Steam Navigation Service -	5	-	5	-	-	-	1	1	2	-	1	-	-
Ship Steward, Cook -	3	-	3	-	-	-	1	1	-	-	-	-	-
Seaman (Merchant Service) -	47	3	44	-	-	3	5	12	10	5	4	5	3
Pilot -	4	-	4	-	-	-	-	-	2	1	-	1	-
Boatman on Seas -	15	2	13	-	-	2	1	1	1	2	2	3	3
Harbour, Dock Service, Labourer -	56	3	53	-	1	2	3	9	13	7	6	10	5
Wharfinger -	5	-	5	-	-	-	-	-	-	1	-	3	1
Others -	1	-	1	-	-	-	-	-	-	-	1	-	-
5. Warehouseman -	25	-	25	-	-	-	1	3	3	5	5	6	2
6. Messenger, Porter, Errand Boy -	53	1	52	-	1	-	2	8	11	11	7	12	6
Telegraph Company Service -	9	4	5	-	-	4	1	2	1	-	-	1	-
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned) -	39	-	39	-	-	-	-	2	1	4	6	14	12
Farmer, Grazier -	801	2	799	-	-	2	8	30	50	80	142	220	209
Farmer's Son, Brother, Grandson, Nephew -	32	14	18	-	1	13	7	8	3	-	-	-	-
Farm Bailiff -	34	1	33	-	-	1	1	2	2	6	7	10	5
Agricultural Labourer -	1701	48	1653	-	7	41	45	105	110	178	273	423	514
Shepherd (out-door) -	6	-	6	-	-	-	-	-	-	-	2	2	2
Farm Servant (in-door) -	1	1	-	-	-	1	-	-	-	-	-	-	-
Land Surveyor, Estate Agent -	11	1	10	-	-	1	1	-	-	2	2	3	2
Land Drainage Service -	5	-	5	-	-	-	-	-	1	3	-	1	-
Agricul. Machine Proprietor, Attendant -	2	-	2	-	-	-	-	1	-	1	-	-	-
Others engaged in Agriculture -	1	-	1	-	-	-	1	-	-	-	-	-	-
2. Woodman -	19	-	19	-	-	-	-	2	2	2	6	4	3
3. Nurseryman, Seedsman, Florist -	7	-	7	-	-	-	-	-	1	1	1	2	2
Gardener -	234	-	234	-	-	-	4	12	14	25	55	60	64
Others engaged in Horticulture -	1	-	1	-	-	-	-	-	-	-	-	-	-
9. 1. Horse Proprietor, Dealer -	6	-	6	-	-	-	-	1	1	2	1	1	-
Horse Breaker -	13	-	13	-	-	-	1	2	3	2	1	3	1
Horsekeeper, Groom, Jockey -	93	2	91	-	-	2	9	20	13	20	16	11	3
Farrier, Veterinary Surgeon -	22	-	22	-	-	1	1	-	3	4	3	3	7
Cattle, Sheep, Pig, Salesman -	29	1	28	-	-	1	1	3	1	6	7	8	7
Driver -	10	-	10	-	-	-	-	2	-	1	2	2	3
Gamekeeper -	23	2	21	-	-	2	-	1	4	2	1	6	7
Vermin Destroyer -	4	-	4	-	-	-	-	-	1	1	-	1	1
Fisherman -	5	-	5	-	-	-	-	-	1	1	-	2	1
Others engaged about Animals -	4	-	4	-	-	-	1	-	-	-	2	1	-
V.—INDUSTRIAL CLASS.													
0. 1. Bookseller, Publisher -	7	-	7	-	-	-	-	-	4	1	-	-	2
Bookbinder -	4	-	4	-	-	-	-	2	1	1	-	-	-
Printer -	45	6	39	-	1	5	10	8	1	3	10	6	1
Newspaper Agent, News-room Keeper -	9	-	9	-	-	-	-	1	1	-	2	4	1
Others engaged in Publications -	1	-	1	-	-	-	-	-	-	-	-	-	1
2. Musical Instrument Maker, Dealer -	1	-	1	-	-	-	-	-	-	-	1	-	-
Others -	2	-	2	-	-	-	1	1	-	-	-	-	-

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES
in the Year 871—*continues*

OCCUPATIONS.	AGE				
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—
10.—<i>cont.</i>					
3. Lithographer, Lithographic Printer -	3	-	3	-	-
Others -	1	-	1	-	-
4. Wood-carver -	1	-	1	-	-
Others -	1	-	1	-	-
5. Toy Maker, Dealer -	16	-	16	-	-
Others -	6	-	6	-	-
6. Others engaged in <i>Designs, &c.</i> -	6	-	6	-	-
7. Watch Maker, Clock Maker	77	2	75	-	-
Philosophical Instrument Maker ;	10	2	17	-	-
Optician -	7	-	7	-	-
Weighing Mach., Scale, Measure, Mkr.	-	-	-	-	-
9. Gunsmith, Gun Manufacture -	114	2	112	-	-
Others -	4	-	4	-	-
10. Engine and Machine Maker -	173	9	164	-	-
Spinning, Weaving, Machine Maker -	2	-	2	-	-
Agricultural Implement, Machine Mkr.	17	1	16	-	-
Millwright -	13	1	12	-	-
Tool Maker, Dealer -	64	2	62	-	-
File Maker, Dealer -	12	-	12	-	-
Saw Maker, Dealer -	3	-	3	-	-
Cutler -	17	-	17	-	-
Needle Manufacture -	29	3	26	-	-
Pin Manufacture -	1	1	-	-	-
Others engaged in <i>Tool Making, &c.</i> -	3	-	3	-	-
11. Coachmaker -	28	1	27	-	-
Wheelwright -	70	-	70	-	-
Others engaged about <i>Carriages</i> -	10	-	10	-	-
12. Saddler, Harness, Whip Maker -	93	5	88	-	-
13. Ship-builder, Shipwright, Boat builder	26	-	26	-	-
Sail Maker -	2	-	2	-	-
14. House Proprietor -	51	-	51	-	-
Architect -	10	-	10	-	-
Surveyor -	6	-	6	-	-
Builder -	57	-	57	-	-
Carpenter, Joiner -	332	11	321	-	-
Bricklayer -	220	6	214	-	-
Marble Mason -	4	2	2	-	-
Mason, Pavior -	158	1	157	-	-
Slater, Tiler -	16	2	14	-	-
Plasterer -	51	2	49	-	-
Paperhanger -	1	-	1	-	-
Plumber, Painter, Glazier -	189	6	183	-	-
15. Cabinet Maker, Upholsterer -	76	3	73	-	-
Undertaker -	3	-	3	-	-
Carver and Gilder -	12	-	12	-	-
Furniture Broker, Dealer -	9	-	9	-	-
16. Manufacturing Chemist, Labourer -	11	-	11	-	-
Dye, Colour Manufacture -	1	1	-	-	-
Dyer, Scourer, Calenderer -	11	-	11	-	-
Others -	3	-	3	-	-
11. 1. Wool-stapler -	6	-	6	-	-
Felt Manufacture -	2	-	2	-	-
Woollen Cloth Manufacture -	59	3	54	-	-
Wool, Woollen, Dyer -	4	-	4	-	-
Worsted Manufacture -	1	-	1	-	-
Cloth Merchant, Dealer -	1	-	1	-	-
Stuff Manufacture -	4	-	4	-	-
Carpet, Rug, Manufacture -	47	-	47	-	-
2. Silk, Satin, Manufacture -	26	5	21	-	-
Silk Dyer, Printer -	9	1	8	-	-
Ribbon Manufacture -	63	3	62	-	-
3. Flax, Linen Manufacture -	5	-	5	-	-
Lace Manufacture -	2	-	2	-	-
Tape Manufacture, Dealer -	8	-	8	-	-
Cotton Manufacture -	8	1	7	-	-
Cotton, Calico Warehouseman, Dealer	1	-	1	-	-
Calico, Cotton, Printer -	3	1	2	-	-
4. Weaver (not otherwise described)	46	-	46	-	-
Bleacher (not otherwise described)	1	-	1	-	-
Draper, Linen Draper, Mercer -	73	5	68	-	-
Fancy Goods Manufacturer, Dealer	1	-	1	-	-
Trimming Maker, Dealer -	2	-	2	-	-
Others -	1	-	1	-	-

Deaths according to Occupations and Ages in 1871.

481

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
11.—cont.													
5. Hairdresser, Wig Maker - - -	31	-	31	-	-	-	1	5	8	3	4	5	5
Hatter, Hat Manufacture - - -	30	1	29	-	-	1	1	2	3	2	4	4	13
Furrier, Skinner - - -	2	1	1	-	-	1	-	-	-	1	-	-	-
Tailor - - -	242	2	240	-	-	2	11	18	28	42	53	48	28
Milliner - - -	2	-	2	-	-	-	-	-	-	1	-	-	-
Stay Maker, Ladies' Outfitter - -	2	-	2	-	-	-	-	-	1	-	-	-	1
Hosiery Manufacture - - -	5	1	4	-	1	-	-	-	-	-	-	1	3
Hosier, Haberdasher - - -	12	1	11	-	-	1	1	1	1	-	1	3	4
Glover (leather) - - -	16	-	16	-	-	-	-	1	2	3	2	4	4
Glove Maker (all except leather) -	1	-	1	-	-	-	-	-	-	-	1	-	-
Shoemaker, Bootmaker - - -	495	6	489	-	-	6	23	56	45	67	83	101	160
Fatten, Clog Maker - - -	6	-	6	-	-	-	-	-	-	-	-	-	-
Button Maker - - -	57	-	57	-	-	-	1	3	11	18	16	3	5
Umbrella, Parasol, Stick, Maker -	11	-	11	-	-	-	1	2	-	-	1	4	3
Laundry Keeper - - -	1	-	1	-	-	-	-	-	1	-	-	-	-
Others providing Dress - - -	5	1	4	-	-	1	-	3	1	-	-	-	-
6. Mat Maker, Seller - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Hemp Manufacture - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
Jute Manufacture - - -	1	-	1	-	-	-	-	-	-	-	-	-	1
Rope, Cord, Maker - - -	18	-	18	-	-	-	-	1	3	-	2	5	6
Sacking, Sack, Bag, Maker, Dealer -	1	-	1	-	-	-	-	-	-	1	-	-	-
12. 1. Cowkeeper, Milkseller - - -													
Cheesemonger - - -	45	-	45	-	-	-	3	1	4	9	11	7	10
Butcher, Meat Salesman - - -	3	-	3	-	-	-	-	-	1	-	1	-	-
Provision Curer, Dealer - - -	179	5	174	-	-	5	7	17	23	37	26	39	25
Poulterer, Game Dealer - - -	15	-	15	-	-	-	-	1	6	4	4	-	-
Fishmonger - - -	10	-	10	-	-	-	1	1	-	2	-	2	4
2. Corn, Flour, Seed, Merchant, Dealer -	29	-	29	-	-	-	-	3	7	8	6	3	2
Miller - - -	15	1	14	-	-	1	1	5	-	-	4	1	2
Baker - - -	74	2	72	-	-	2	2	7	7	10	11	20	15
Confectioner, Pastry Cook - - -	97	2	95	-	-	2	7	9	13	21	11	17	17
Greengrocer, Fruit, Vegetable, Dealer -	27	1	26	-	-	1	1	4	-	5	6	8	4
3. Maltster - - -	38	2	36	-	-	2	1	1	12	5	10	7	-
Brewer - - -	51	2	49	-	-	2	1	4	2	11	7	11	13
Wine and Spirit Merchant - - -	117	2	115	-	-	2	5	16	24	20	24	18	8
Cellarman - - -	25	-	25	-	-	-	-	3	6	3	4	3	6
Ginger Beer, Soda Water, &c., Manuf.	4	-	4	-	-	-	-	1	1	2	-	-	-
Sugar Refiner - - -	2	-	2	-	-	-	-	-	1	-	1	-	-
Grocer, Tea Dealer - - -	11	-	11	-	-	-	-	-	2	2	4	2	1
Tobacco, Cigar, Snuff, Manufacture, Tobaccoist - - -	162	4	158	-	-	4	13	39	16	25	18	30	17
Others - - -	9	-	9	-	-	-	1	1	-	2	2	2	1
5. Soap Boiler - - -	2	-	2	-	-	-	-	1	-	-	-	1	-
Tallow Chandler - - -	6	-	6	-	-	-	-	1	-	1	2	-	2
Comb-maker - - -	9	-	9	-	-	-	-	-	1	1	1	3	3
Others - - -	10	1	9	-	-	1	-	2	3	1	1	2	-
2. Fellmonger - - -	3	-	3	-	-	-	-	1	-	1	-	-	1
Tanner - - -	18	1	17	-	-	-	1	1	3	3	5	3	2
Currier - - -	37	-	37	-	-	-	2	1	9	5	7	10	3
Leather Case, Portmanteau, Bag Mkr.	3	-	3	-	-	-	-	-	1	-	-	1	1
3. Hair, Bristle, Manufacture - - -	2	-	2	-	-	-	-	-	-	1	-	1	-
Brush, Broom, Maker - - -	20	-	20	-	-	-	2	3	1	3	2	4	5
14. 1. Oil-miller, Refiner - - -													
Oil and Colourman - - -	1	-	1	-	-	-	-	1	-	-	-	-	-
French-polisher - - -	2	-	2	-	-	-	-	-	-	1	-	-	-
Japanner - - -	14	-	14	-	-	-	-	2	5	2	2	8	-
Floor Cloth Manufacture - - -	22	-	22	-	-	-	1	2	4	1	7	6	1
Others - - -	2	-	2	-	-	-	-	1	1	-	-	-	-
2. Timber, Wood, Merchant, Dealer -	20	-	20	-	-	-	-	2	3	6	5	1	3
Sawyer - - -	82	2	80	-	1	1	1	6	7	14	16	13	23
Lath, Fence, Hurdle, Maker - - -	6	-	6	-	-	-	-	-	2	-	3	1	-
Wood, Turner, Worker - - -	18	-	18	-	-	-	-	4	4	4	1	2	3
Box, Packing Case, Maker - - -	15	1	14	-	-	1	2	1	1	1	1	5	3
Cooper, Hoop-maker and Bender - -	49	2	47	-	-	2	2	4	5	8	5	11	12
Others - - -	2	-	2	-	-	-	-	-	-	1	-	1	-
3. Cork Cutter, Manufacturer - - -	2	-	2	-	-	-	-	1	-	-	1	-	-
4. Basket Maker - - -	22	-	22	-	-	-	-	2	2	1	3	4	10
Hay and Straw Dealer - - -	13	-	13	-	-	-	-	-	1	4	2	5	1
Thatcher - - -	7	-	7	-	-	-	-	-	-	1	2	1	4
Others - - -	2	-	2	-	-	-	-	-	1	1	-	-	-
5. Rag Gatherer, Dealer - - -	10	-	10	-	-	-	-	2	1	-	5	-	2
Paper Manufacture - - -	4	-	4	-	-	-	1	-	2	-	-	-	1
Stationer (not Law) - - -	9	-	9	-	-	-	-	2	3	2	1	1	-
Other Workers in Paper - - -	4	-	4	-	-	-	-	1	-	2	-	-	-

**VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES
in the Year 1871—continued**

OCCUPATIONS.	AGE				
	Total.	5 Years and under 20.	20 Years and upwards.	5—	10—
15. 1. Coal Miner - - - - -	774	50	724	-	6
Iron Miner - - - - -	27	2	25	-	1
Miner (branch undefined) - - - - -	26	4	22	-	-
Coal Mine Service - - - - -	41	1	40	-	-
Mine Service (Metal not stated) - - - - -	12	-	12	-	-
2. Coal Merchant, Dealer - - - - -	30	1	28	-	-
Coal-heaver, Labourer - - - - -	60	2	58	-	-
Coke Burner, Dealer - - - - -	5	1	4	-	-
Chimney Sweeper - - - - -	9	-	8	-	-
Gas Works Service - - - - -	30	1	29	-	-
Other Workers in Coal - - - - -	6	-	6	-	-
3. Stone Quarrier - - - - -	38	-	38	-	-
Stone, Merchant, Cutter, Dresser - - - - -	11	-	11	-	-
Limestone Quarrier, Lime-Burner - - - - -	20	2	18	-	-
Clay Labourer - - - - -	1	-	1	-	-
Brick Maker, Dealer - - - - -	50	5	45	-	-
Railway Labourer, Platelayer, Navvy - - - - -	90	2	88	-	-
Road Contractor, Inspector, Surveyor - - - - -	1	-	1	-	-
Road Labourer - - - - -	66	-	66	-	-
Scavenger, Dust Collector - - - - -	3	-	3	-	-
Others - - - - -	8	-	8	-	-
4. Earthenware Manufacture - - - - -	395	17	378	1	2
Tobacco-pipe Maker - - - - -	2	-	2	-	-
Earthenware and Glass Dealer - - - - -	14	-	14	-	-
Others - - - - -	1	-	1	-	-
5. Glass Manufacture - - - - -	77	3	74	-	-
6. Salt Manufacture - - - - -	6	-	6	-	-
7. Waterworks Service - - - - -	5	-	5	-	-
Others - - - - -	4	-	4	-	-
8. Goldsmith, Silversmith, Jeweller - - - - -	78	3	75	-	-
Plater, Plated Ware Manufacture - - - - -	12	-	12	-	-
Others - - - - -	19	-	19	-	-
9. Copper Manufacture - - - - -	4	1	3	-	-
Coppersmith - - - - -	5	-	5	-	-
10. Tin Manufacture - - - - -	3	1	2	-	-
Tinplate Worker, Tinsman - - - - -	36	-	36	-	-
Tinker - - - - -	2	-	2	-	-
11. Zinc Manufacture - - - - -	2	-	2	-	-
12. Lead Manufacture - - - - -	9	1	8	-	-
13. Brass Manufacture, Brazier - - - - -	115	6	109	-	1
Locksmith, Bellhanger - - - - -	86	-	86	-	-
Gas Fitter - - - - -	18	2	16	-	-
Wire Worker, Drawer - - - - -	29	-	29	-	-
Others - - - - -	38	-	38	-	-
14. Iron Manufacture - - - - -	529	21	508	-	4
Whitesmith - - - - -	18	-	18	-	-
Blacksmith - - - - -	272	9	263	-	-
Nail Manufacture - - - - -	154	4	150	-	2
Anchor-smith, Chalmersmith - - - - -	33	1	32	-	-
Ironmonger, Hardware Dealer - - - - -	30	2	28	-	-
Steel Manufacture, Worker - - - - -	1	-	1	-	-
Others - - - - -	14	-	14	-	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.					
16. 1. General Labourer, Labourer (branch undefined) - - - - -	1538	43	1515	-	6
2. Artisan, Mechanic (branch undefined) - - - - -	5	-	5	-	-
Engine Driver, Stoker (branch undef.) - - - - -	13	1	12	-	-
Factory Labourer (branch undefined) - - - - -	12	-	12	-	-
Shopman, Assistant (branch undefined) - - - - -	1	1	-	-	-
Apprentice (branch undefined) - - - - -	1	1	-	-	-
Vagrant, Gipsy - - - - -	3	1	2	-	-
Others of both parts Occupation - - - - -	479	229	241	-	-
17. 1. Gentleman, Independent, Annuitant - - - - -	162	1	161	-	-
18. 1. Scholars and Children of no stated Occupation - - - - -	1727	1727	-	1179	557

VII.—NORTH MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Total of Males AGED 5 YEARS AND UPWARDS	8099	1253	7746	402	307	454	448	828	857	929	1236	1656	1792
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	12	—	12	—	—	—	—	3	—	1	2	3	3
Government Messengers, Workmen, &c.	11	1	10	—	—	1	1	3	—	1	1	3	1
Other Government Officers	1	—	1	—	—	—	—	—	—	—	—	1	—
2. Magistrate (so returned)	2	—	2	—	—	—	—	—	—	—	1	—	1
Officer of Law Court	7	—	7	—	—	—	1	—	—	2	—	2	2
Police	15	1	14	—	—	1	1	6	3	1	1	—	2
Municipal, Parish, Union, Officer	16	1	15	—	—	1	—	—	2	5	—	4	4
2. 1. Army Officer (effective)	3	—	3	—	—	—	—	—	—	—	1	1	1
Army Retired and Half Pay Officer	1	—	1	—	—	—	—	—	—	—	—	—	1
Soldier	17	—	17	—	—	—	—	7	5	2	—	2	1
Militia, Volunteers	2	—	2	—	—	—	—	—	—	1	1	—	—
Army Pensioner	42	—	42	—	—	—	1	6	6	4	2	7	16
2. Navy Officer (effective)	1	—	1	—	—	—	—	—	—	—	—	—	1
Navy Retired and Half Pay Officer	1	—	1	—	—	—	—	—	—	—	—	—	1
Seaman, R.N.	1	—	1	—	—	—	—	—	1	—	—	—	—
Coastguard, Royal Naval Reserve	1	—	1	—	—	—	—	—	—	1	—	—	—
Navy Pensioner	5	—	5	—	—	—	—	—	1	—	1	2	1
3. 1. Clergyman	25	—	25	—	—	—	—	—	2	4	6	6	7
Protestant Minister	14	—	14	—	—	—	1	2	2	2	1	4	2
Roman Catholic Priest	3	—	3	—	—	—	—	—	—	—	3	—	—
Missionary, Scripture Reader	2	—	2	—	—	—	—	1	—	—	—	—	—
Church, Chapel Officer	11	—	11	—	—	—	—	1	—	—	1	3	6
Others	1	—	1	—	—	—	1	—	—	—	—	—	—
2. Barrister	1	—	1	—	—	—	—	1	—	—	—	—	—
Solicitor, Attorney	19	—	19	—	—	—	—	2	3	3	—	7	4
Law Student	1	1	—	—	—	1	—	—	—	—	—	—	—
Law Clerk	12	1	11	—	—	1	3	2	2	2	—	1	1
3. Physician, Surgeon	24	—	24	—	—	—	1	2	2	7	7	1	4
Dentist	2	—	2	—	—	—	—	—	—	—	—	2	—
Chemist, Druggist	19	1	18	—	—	1	2	6	4	3	3	—	—
Others	1	—	1	—	—	—	—	—	—	1	—	—	—
4. Author, Editor, Journalist	2	—	2	—	—	—	1	—	—	—	1	—	—
Students and Others	2	—	2	—	—	—	—	—	2	—	—	—	—
5. Painter, Artist	4	—	4	—	—	—	1	—	1	1	—	1	—
Sculptor	1	—	1	—	—	—	—	—	—	—	—	1	—
Engraver	1	—	1	—	—	—	—	—	—	—	1	—	—
Photographer	2	—	2	—	—	—	1	—	—	1	—	—	—
6. Musician, Music Master	12	—	12	—	—	—	—	2	4	2	2	1	1
7. Exhibitions, Shows—Service	1	—	1	—	—	—	—	—	—	—	1	—	—
Others engaged in Theatres, &c.	2	—	2	—	—	—	—	1	—	—	1	—	—
8. Schoolmaster	17	—	17	—	—	—	—	2	2	1	2	4	6
Teacher, Professor, Lecturer	2	—	2	—	—	—	—	—	—	1	1	—	—
9. Civil Engineer	1	—	1	—	—	—	—	1	—	—	—	—	—
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	138	—	138	—	—	—	—	13	23	18	37	27	21
Beer-seller	27	—	27	—	—	—	—	2	4	5	2	9	5
Lodging-house, Boarding-house Keeper	4	—	4	—	—	—	—	—	—	1	1	1	1
Coffee-house, Eating-house Keeper	1	—	1	—	—	—	—	—	—	—	—	—	1
Institution Service	2	—	2	—	—	—	—	2	—	—	—	—	—
2. Domestic Servant (General)	27	3	24	—	1	2	3	6	2	2	4	2	5
Coachman	7	—	7	—	—	—	—	3	1	1	1	2	—
Groom	10	1	9	—	—	1	2	2	—	—	1	3	1
Gardener	6	—	6	—	—	—	—	—	1	1	1	1	2
Inn, Hotel Servant	16	1	15	—	—	1	1	1	3	4	4	2	—
III.—COMMERCIAL CLASS.													
6. 1. Merchant	7	—	7	—	—	—	—	—	—	2	1	3	1
Banker	2	—	2	—	—	—	—	1	—	—	—	—	1
Bank Service	4	1	3	—	—	1	—	—	—	1	—	—	—
Insurance, Benefit Society, Service	3	—	3	—	—	—	—	—	1	1	1	—	—
Broker, Agent, Factor	4	—	4	—	—	—	—	—	—	1	—	3	—
Auctioneer, Valuer, House Agent	10	—	10	—	—	—	1	—	1	1	4	2	1
Accountant	7	—	7	—	—	—	—	1	2	2	2	—	2
Commercial Clerk	34	3	31	—	—	3	1	7	7	1	7	6	2
Commercial Traveller	15	—	15	—	—	—	2	2	7	1	1	1	—
2. Pawnbroker	3	—	3	—	—	—	—	1	—	—	—	—	2
Shopkeeper (branch undefined), General Dealer	18	—	18	—	—	—	—	—	—	5	9	1	3
Huckster, Costermonger	2	—	2	—	—	—	—	—	—	—	1	1	—
Hawker, Pedlar	77	—	77	—	—	—	1	8	7	4	12	30	15

NOTE.—The Counties comprised in this Table are Leicestershire, Rutlandshire, Lincolnshire, Nottinghamshire, and Derbyshire.

VII.—NORTH MIDLAND COUNTIES.—DEATHS of
in the Year 1871—*con*

OCCUPATIONS.		TOTAL.	5 Years and under 20.	20 Years and upwards.	5—
7. 1.	Railway Engine Driver, Stoker -	13	-	13	-
	Railway Office Clerk, Station-master	15	2	13	-
	Railway Attendant, Servant -	49	4	45	-
2.	Toll Collector, Turnpike gate Keeper -	6	-	6	-
	Coach, Omnibus, Cab Owner, Livery Stable Keeper -	9	-	9	-
	Coachman (not domestic), Cabman, Flyman -	17	-	17	-
	Carman, Carrier, Carter, Drayman -	54	1	53	-
3.	Inland Navigation Service -	2	-	2	-
	Barge-man, Waterman -	56	-	56	-
	Others -	2	-	2	-
4.	Steam Navigation Service -	3	-	3	-
	Ship Steward, Cook -	2	-	2	-
	Seaman (Merchant Service) -	55	5	52	-
	Pilot -	2	-	2	-
	Boatman on Sea -	1	-	1	-
	Harbour, Dock Service, Labourer -	13	-	13	-
5.	Warehouseman -	11	-	11	-
d.	Messenger, Porter, Errand Boy -	13	2	11	-
IV.—AGRICULTURAL CLASS.					
8. 1.	Land Proprietor (so returned) -	34	-	34	-
	Farmer, Grazier -	740	-	740	-
	Farmer's Son, Brother, Grandson, Nephew -	82	60	22	22
	Farm Bailiff -	19	-	19	-
	Agricultural Labourer -	1163	16	1147	-
	Shepherd (out-door) -	29	-	29	-
	Farm Servant (in-door) -	34	10	24	-
	Land Surveyor, Estate Agent -	5	-	5	-
	Land Drainage Service -	2	1	1	-
	Agricultural Machine Proprietor, At- tendant -	6	1	5	-
	Others engaged in Agriculture -	2	-	2	-
2.	Woodman -	13	-	13	-
3.	Nurseryman, Seedsmen, Florist, Gardener -	89	1	88	-
9. 1.	Horse Proprietor, Dealer -	2	-	2	-
	Horse Breaker -	7	-	7	-
	Horsekeeper, Groom, Jockey -	52	1	51	-
	Farrier, Veterinary Surgeon -	5	-	5	-
	Cattle, Sheep, Pig, Salesman -	22	-	22	-
	Driver -	10	-	10	-
	Gamekeeper -	14	-	14	-
	Vermine Destroyer -	2	-	2	-
	Fisherman -	37	7	30	-
	Others engaged about Animals -	1	-	1	-
V.—INDUSTRIAL CLASS.					
10. 1.	Bookseller, Publisher -	1	-	1	-
	Bookbinder -	2	1	1	-
	Printer -	29	2	27	-
	Newspaper Agent, News-room Keeper -	2	-	2	-
	Others engaged in Publications -	1	-	1	-
2.	Musical Instrument Maker, Dealer -	1	-	1	-
	Others -	1	-	1	-
3.	Lithographer, Lithographic Printer -	1	-	1	-
	Others -	1	-	1	-
6.	Others engaged in Designs, &c. -	6	-	6	-
7.	Watch Maker, Clock Maker -	8	1	7	-
	Weighing Machine, Scale, Measure, Maker -	1	-	1	-
8.	Surgical Instrument Maker -	2	-	2	-
9.	Gunsmith, Gun Manufacture -	2	-	2	-
10.	Engine and Machine Maker -	55	5	50	-
	Spinning, Weaving, Machine Maker -	24	1	23	-
	Agricultural Implement, Machine Mkr. Millwright -	6	-	6	-
	Tool Maker, Dealer -	3	-	3	-
	File Maker, Dealer -	2	-	2	-
	Cutter -	1	-	1	-
	Scissors Maker -	1	-	1	-
	Needle Manufacture -	12	-	12	-
11.	Coachmaker -	10	1	9	-
	Wheelwright -	62	1	61	-
	Others engaged about Carriages -	1	-	1	-
12.	Saddler, Harness, Whip Maker -	25	1	24	-
13.	Ship-builder, Shipwright, Boat-builder Sail Maker -	16	2	14	-
	Others -	2	-	2	-

II.—NORTH MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
10.—cont.													
14. House Proprietor	27	—	27	—	—	—	—	—	—	2	5	11	9
Architect	2	—	2	—	—	—	1	—	1	—	—	—	—
Builder	19	—	19	—	—	—	—	1	1	—	4	5	8
Carpenter, Joiner	170	4	166	—	—	4	9	21	13	8	50	30	35
Bricklayer	117	5	112	—	—	5	9	11	20	15	19	23	16
Marble Mason	3	—	3	—	—	—	—	—	—	1	1	—	1
Mason, Pavior	78	1	77	—	—	1	4	13	15	15	16	6	8
Slater, Tiler	7	—	7	—	—	—	1	1	—	—	2	1	1
Plasterer	10	—	10	—	—	—	—	—	2	3	3	—	2
Paperhanger	1	1	—	—	—	1	—	—	—	—	—	—	—
Plumber, Painter, Glazier	67	1	66	—	—	1	5	6	11	12	13	14	5
Others	1	—	1	—	—	—	—	—	1	—	—	—	—
15. Cabinet Maker, Upholsterer	26	1	25	—	—	1	2	3	2	8	5	2	5
Carver and Gilder	3	—	3	—	—	—	—	—	1	—	1	—	—
Furniture Broker, Dealer	3	—	3	—	—	—	—	1	—	—	1	—	1
Others	1	1	—	—	—	1	—	—	—	—	—	—	—
16. Manufacturing Chemist, Labourer	4	—	4	—	—	—	—	1	—	1	1	—	—
Dye, Colour Manufacturer	2	—	2	—	—	—	—	1	—	—	—	—	—
Dyer, Scourer, Calenderer	25	2	23	—	1	1	3	2	2	5	8	5	8
Others	3	—	3	—	—	—	—	—	—	2	1	—	—
1. Woolstapler	5	—	5	—	—	—	—	1	1	—	1	—	2
Felt Manufacture	1	—	1	—	—	—	—	—	—	—	—	—	1
Woollen Cloth Manufacture	14	—	14	—	—	—	—	—	—	5	2	3	4
Worsted Manufacture	6	—	6	—	—	—	—	—	1	—	—	—	2
Carpet, Rug, Manufacture	1	—	1	—	—	—	—	—	—	—	—	—	—
2. Silk, Satin, Manufacture	17	2	15	—	—	2	—	3	2	3	3	2	2
Silk Dyer, Printer	1	—	1	—	—	—	—	—	1	—	—	—	—
Ribbon Manufacture	2	—	2	—	—	—	—	—	1	—	1	—	—
3. Flax, Linen Manufacture	1	—	1	—	—	—	—	—	—	—	—	—	1
Lace Manufacture	115	6	107	—	1	5	12	14	14	9	20	19	19
Tape Manufacture, Dealer	1	—	1	—	—	—	—	—	—	—	—	—	—
Cotton Manufacture	55	2	53	—	1	1	3	9	5	8	10	9	9
Cotton, Calico Warehouseman, Dealer	1	—	1	—	—	—	—	—	—	—	—	1	—
Calico, Cotton, Printer	18	3	15	—	2	1	—	3	2	3	1	4	2
Calico, Cotton, Dyer	1	—	1	—	—	—	—	—	—	—	—	1	—
4. Weaver (not otherwise described)	6	1	5	—	1	—	—	—	—	1	1	—	3
Bleacher (not otherwise described)	4	—	4	—	—	—	—	—	1	1	—	2	—
Draper, Linen Draper, Mercer	50	3	47	—	—	3	8	9	8	6	6	5	5
Fancy Goods Manufacturer, Dealer	1	—	1	—	—	—	—	—	1	—	—	—	—
Trimming Maker, Dealer	2	—	2	—	—	—	—	—	—	2	—	—	—
5. Hairdresser, Wig Maker	13	1	12	—	—	1	—	1	2	2	3	2	2
Hatter, Hat Manufacture	7	—	7	—	—	—	—	1	1	—	—	1	1
Furrier, Skinner	1	—	1	—	—	—	—	—	—	—	—	—	—
Tailor	137	5	132	—	1	4	6	9	13	21	29	27	27
Milliner	1	—	1	—	—	—	—	—	—	—	—	1	—
Stay Maker, Ladies' Outfitter	1	—	1	—	—	—	—	—	—	—	—	—	1
Hosiery Manufacture	522	7	515	—	—	7	20	20	43	72	70	110	165
Hosiery, Haberdasher	4	1	3	—	—	1	—	—	1	—	—	—	2
Glove (leather)	1	—	1	—	—	—	—	—	—	—	—	—	—
Glove Maker (all except leather)	7	—	7	—	—	—	1	—	1	3	1	—	1
Shoemaker, Bootmaker	246	5	241	—	—	6	11	35	24	31	33	58	49
Patten, Clog Maker	3	—	3	—	—	—	—	2	—	—	—	1	—
Button Maker	1	—	1	—	—	—	—	—	—	1	—	—	—
Umbrella, Parasol, Stick, Maker	1	—	1	—	—	—	—	1	—	—	—	—	—
Others providing Dress	3	1	2	—	—	1	—	—	—	—	1	—	1
6. Rope, Cord, Maker	20	1	19	—	—	1	1	—	1	2	3	6	5
Sacking, Sack, Bag, Maker, Dealer	1	—	1	—	—	—	—	—	—	—	—	—	1
Others	1	—	1	—	—	—	—	—	—	—	—	1	—
1. Cowkeeper, Milkseller	12	1	11	—	—	1	—	1	2	—	2	5	1
Cheese-monger	4	—	4	—	—	—	—	—	—	—	1	1	2
Butcher, Meat Salesman	100	2	98	—	—	2	9	8	15	14	13	23	16
Provision Curer, Dealer	8	—	8	—	—	—	—	—	2	1	1	2	—
Poulterer, Game Dealer	3	—	3	—	—	—	—	—	—	—	—	—	—
Fishmonger	12	—	12	—	—	—	—	1	3	1	4	3	—
2. Corn, Flour, Seed, Merchant, Dealer	12	—	12	—	—	—	2	1	2	—	4	2	1
Müller	56	2	54	—	—	2	2	11	7	5	9	9	11
Baker	48	2	46	—	—	2	3	3	11	5	6	11	7
Confectioner, Pastry Cook	12	1	11	—	—	1	—	2	2	1	1	3	2
Greengrocer, Fruit, Vegetable, Dealer	14	—	14	—	—	—	1	2	3	1	—	4	3
Others	5	—	5	—	—	—	—	—	—	—	1	1	1
3. Maltster	31	—	31	—	—	—	—	3	5	4	6	5	8
Brewer	41	—	41	—	—	—	1	8	8	7	7	8	2
Wine and Spirit Merchant	14	1	13	—	—	1	—	1	4	4	—	4	—
Cellarman	1	—	1	—	—	—	—	—	—	—	—	—	—
Grocer, Tea Dealer	77	2	75	—	—	2	7	11	6	10	8	21	12
Tobacco, Cigar, Snuff, Mannf., Tobacco-st.	2	—	2	—	—	—	—	1	—	—	—	1	—
1. Tallow Chandler	2	—	2	—	—	—	—	—	—	1	1	—	—
Comb-maker	1	—	1	—	—	—	—	—	—	—	—	—	1
Others	2	—	2	—	—	—	—	—	—	1	1	—	—
2. Feltmonger	6	—	6	—	—	—	—	1	1	3	—	1	—
Tanner	3	—	3	—	—	—	—	—	—	—	1	—	—
Carrier	21	—	21	—	—	—	—	4	4	3	3	2	—
Others	1	—	1	—	—	—	—	—	—	—	—	—	—
3. Brush, Broom, Maker	6	—	6	—	—	—	—	—	—	1	2	2	—

VII.—NORTH MIDLAND COUNTIES.—Deaths of Males
in the Year 1901.—*continued*

A 6

OCCUPATIONS		TOTAL	1 Year and under 25	2 Years and over 25	100
16.	1. <i>General Labourer, Refusee</i> - - - - -	4	-	4	-
	<i>General Labourer</i> - - - - -	1	-	1	-
	<i>Factory Labourer</i> - - - - -	4	-	4	-
	<i>Jackman</i> - - - - -	1	-	1	-
	<i>India Rubber, Gutta Percha, Matts</i> - - - - -	-	-	-	-
	<i>Factory Worker</i> - - - - -	15	-	15	-
	<i>Foot Clothing Manufacture</i> - - - - -	1	-	1	-
	<i>Others</i> - - - - -	2	-	2	-
	2. <i>Timber, Wood, Merchant, Dealer</i> - - - - -	12	-	12	-
	<i>Sawyer</i> - - - - -	27	-	27	-
	<i>Wood Turner, Worker</i> - - - - -	7	-	7	-
	<i>Box, Packing Case, Maker</i> - - - - -	2	-	2	-
	<i>Casket, Hump, Maker and Binder</i> - - - - -	5	-	5	-
	<i>Others</i> - - - - -	5	-	5	-
	3. <i>Cork Cutter, Manufacturer</i> - - - - -	2	-	2	-
	4. <i>Basket Maker</i> - - - - -	15	-	15	-
	<i>Hvy and Straw Dealer</i> - - - - -	2	-	2	-
	<i>Thatcher</i> - - - - -	2	-	2	-
	5. <i>Bag Gatherer, Dealer</i> - - - - -	5	-	5	-
	<i>Paper Manufacture</i> - - - - -	4	1	3	-
	<i>Paper Stainer</i> - - - - -	1	-	1	-
	<i>Other Workers in Paper</i> - - - - -	1	-	1	-
16.	1. <i>Coal Miner</i> - - - - -	257	29	228	-
	<i>Lead Miner</i> - - - - -	57	-	57	-
	<i>Iron Miner</i> - - - - -	13	3	10	-
	<i>Miner (branch undefined)</i> - - - - -	8	-	8	-
	<i>Coal Mine Service</i> - - - - -	11	-	11	-
	<i>Mine Service (Metal not stated)</i> - - - - -	2	-	2	-
	<i>Others</i> - - - - -	1	-	1	-
	2. <i>Coal Merchant, Dealer</i> - - - - -	40	-	40	-
	<i>Coal-heaver, Labourer</i> - - - - -	56	7	49	-
	<i>Coke Burner, Dealer</i> - - - - -	3	-	3	-
	<i>Chimney Sweeper</i> - - - - -	8	-	8	-
	<i>Gas Works Service</i> - - - - -	15	-	15	-
	3. <i>Stone Quarrier</i> - - - - -	72	-	72	-
	<i>Stone Merchant, Cutter, Dresser</i> - - - - -	10	-	10	-
	<i>Chimney Sweeper, Lime Burner</i> - - - - -	5	-	5	-
	<i>Inc. Labourer</i> - - - - -	1	1	-	-
	<i>Brick Maker, Dealer</i> - - - - -	28	-	28	-
	<i>Railway Labourer, Plasterer, Navvy</i> - - - - -	70	3	67	-
	<i>Road Contractor, Inspector, Surveyor</i> - - - - -	4	-	4	-
	<i>Road Labourer</i> - - - - -	19	-	19	-
	<i>Others</i> - - - - -	6	-	6	-
	4. <i>Earthenware Manufacture</i> - - - - -	13	-	13	-
	<i>Tobacco pipe Maker</i> - - - - -	2	-	2	-
	<i>Earthenware and Glass Dealer</i> - - - - -	1	-	1	-
	5. <i>Glass Manufacture</i> - - - - -	1	-	1	-
	7. <i>Waterwork Service</i> - - - - -	2	-	2	-
	<i>Others</i> - - - - -	2	-	2	-
	8. <i>Goldsmith, Silversmith, Jeweller</i> - - - - -	1	-	1	-
	10. <i>Template Worker, Turnman</i> - - - - -	13	-	13	-
	12. <i>Lead Manufacture</i> - - - - -	2	-	2	-
	13. <i>Brass Manufacture, Brazier</i> - - - - -	6	-	6	-
	<i>Locksmith, Bellhanger</i> - - - - -	1	-	1	-
	<i>Gas Fitter</i> - - - - -	5	-	5	-
	<i>Wire Worker, Drawer</i> - - - - -	2	-	2	-
	11. <i>Iron Manufacture</i> - - - - -	81	10	71	-
	<i>Whitesmith</i> - - - - -	5	-	5	-
	<i>Blacksmith</i> - - - - -	114	3	111	-
	<i>Nail Manufacture</i> - - - - -	20	-	20	-
	<i>Ironmonger, Hardware Dealer</i> - - - - -	11	-	11	-
	<i>Others</i> - - - - -	1	-	1	-
VII.—INDEFINITE AND NON-PRODUCTIVE CLASS.					
10.	1. <i>General Labourer, Labourer (branch undefined)</i> - - - - -	670	16	654	-
	2. <i>Artisan, Mechanic (branch undefined)</i> - - - - -	8	-	8	-
	<i>Engine Driver, Stoker (branch undefined)</i> - - - - -	23	1	22	-
	<i>Factory Labourer (branch undefined)</i> - - - - -	12	5	7	-
	<i>Vagrant, Gipsy</i> - - - - -	2	-	2	-
	<i>Others of undefined Occupation</i> - - - - -	462	206	256	-
17.	1. <i>Gentleman, Independent, Annuitant</i> - - - - -	72	-	72	-
18.	1. <i>Scholars and Children of no stated occupation</i> - - - - -	730	730	-	470

VIII.—NORTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—
Total of Males AGED 5 YEARS AND UPWARDS	24852	4069	20783	1870	906	1193	1324	3255	3313	3513	3690	3315	2173
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	46	—	46	—	—	—	1	9	6	10	8	6	6
Government Messengers, Workmen, &c.	18	—	18	—	—	—	2	2	—	3	5	5	1
Other Government Officers	1	—	1	—	—	—	—	—	—	—	1	—	—
2. Magistrate (so returned)	6	—	6	—	—	—	—	—	—	—	—	5	1
Office of Law Court	7	—	7	—	—	—	—	1	3	1	—	1	1
Police	48	—	48	—	—	—	5	11	16	7	5	4	—
Prison Officer	10	—	10	—	—	—	—	1	2	1	3	1	2
Municipal, Parish, Union, Officer	36	—	36	—	—	—	—	3	5	11	12	2	5
3. East India and Colonial Service	3	—	3	—	—	—	—	—	1	1	—	1	—
2. 1. Army Officer (effective)	3	—	3	—	—	—	—	—	—	—	1	2	—
Soldier	85	4	81	—	—	4	9	31	27	9	1	2	2
Militia, Volunteers	3	—	3	—	—	—	—	1	1	1	—	—	—
Army Pensioner	84	—	84	—	—	—	2	6	11	15	13	14	23
2. Navy Officer (effective)	2	—	2	—	—	—	—	—	—	1	—	1	—
Seaman, R.N.	5	—	5	—	—	—	2	—	—	—	1	—	2
Royal Marine	1	—	1	—	—	—	—	—	—	1	—	—	—
Coastguard, Royal Naval Reserve	2	—	2	—	—	—	—	—	—	1	—	—	1
Navy Pensioner	6	—	6	—	—	—	—	—	1	1	2	1	1
3. 1. Clergyman	22	—	22	—	—	—	—	4	5	5	—	5	3
Protestant Minister	18	—	18	—	—	—	—	1	2	1	—	3	7
Roman Catholic Priest	9	—	9	—	—	—	—	—	1	1	2	4	1
Missionary, Scripture Reader	3	—	3	—	—	—	—	—	1	1	—	—	—
Church, Chapel Officer	13	—	13	—	—	—	—	—	—	3	1	3	6
Others	5	1	4	—	—	1	—	1	—	—	—	1	2
2. Barrister	2	—	2	—	—	—	—	—	—	1	1	—	—
Solicitor, Attorney	23	—	23	—	—	—	—	3	5	3	6	4	2
Law Clerk	30	—	30	—	—	—	2	12	5	3	5	2	1
Law Stationer	1	—	1	—	—	—	—	1	—	—	—	—	—
3. Physician, Surgeon	53	—	53	—	—	—	3	10	8	7	12	6	7
Medical—Assistant, Student	1	—	1	—	—	—	—	1	—	—	—	—	—
Dentist	1	—	1	—	—	—	—	1	—	—	—	—	—
Chemist, Druggist	53	2	51	—	—	2	6	10	11	6	9	5	4
Others	1	—	1	—	—	—	—	—	—	1	—	—	—
4. Author, Editor, Journalist	4	—	4	—	—	—	—	1	2	—	—	1	—
Students and Others	6	—	6	—	—	—	1	8	—	—	2	—	—
5. Painter, Artist	11	—	11	—	—	—	—	1	2	—	4	3	1
Engraver	25	3	22	—	—	3	—	3	6	3	5	2	1
Photographer	5	1	4	—	—	1	—	1	2	—	1	—	—
Others engaged in the Fine Arts	1	—	1	—	—	—	—	—	—	—	—	1	—
6. Musician, Music Master	60	1	59	—	—	1	3	17	19	11	5	2	2
7. Actor	4	—	4	—	—	—	—	3	—	—	—	1	—
Exhibitions, Shows—Service	6	—	6	—	—	—	1	1	1	2	—	—	1
Others engaged in Theatres, &c.	8	1	7	—	1	—	—	2	3	2	—	—	—
8. Schoolmaster	58	1	57	—	—	1	4	11	4	10	7	13	8
Teacher, Professor, Lecturer	11	3	8	—	—	3	2	1	1	2	1	1	—
9. Civil Engineer	14	—	14	—	—	—	2	2	3	1	2	1	3
Other Scientific Persons	6	—	6	—	—	—	—	—	3	—	1	1	1
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	279	—	279	—	—	—	4	36	70	60	49	36	24
Beerseller	130	—	130	—	—	—	—	10	22	34	39	19	5
Lodging-house, Boarding-house Keeper	13	—	13	—	—	—	—	1	1	1	3	3	5
Coffee-house, Eating-house Keeper	7	—	7	—	—	—	—	—	1	1	—	—	—
Institution Service	4	—	4	—	—	—	—	—	2	—	1	1	1
Others	5	—	5	—	—	—	1	—	1	1	1	—	—
2. Domestic Servant (General)	18	—	18	—	—	—	1	1	2	6	4	2	2
Coachman	17	1	16	—	—	1	1	4	1	1	4	5	—
Groom	4	—	4	—	—	—	—	1	1	—	—	—	—
Gardener	21	—	21	—	—	—	1	1	3	2	2	6	6
Inn, Hotel Servant	90	10	80	—	—	10	7	22	17	11	13	7	3
Cook (not Domestic Servant)	5	—	5	—	—	—	—	1	1	2	1	—	—
Others	5	—	5	—	—	—	—	—	1	—	2	—	—
III.—COMMERCIAL CLASS.													
6. 1. Merchant	45	1	44	—	—	1	—	2	9	6	11	11	5
Banker	2	—	2	—	—	—	—	—	1	—	—	—	—
Bank Service	14	1	13	—	—	1	—	3	3	2	1	1	2
Insurance, Benefit Society, Service	28	1	27	—	—	1	—	3	5	10	10	5	1
Broker, Agent, Factor	76	—	76	—	—	—	—	5	13	18	12	10	2
Salesman (not otherwise described)	15	1	14	—	—	1	—	2	4	3	1	1	—
Auctioneer, Valuer, House Agent	27	—	27	—	—	—	—	1	1	4	4	2	—
Accountant	19	—	19	—	—	—	—	1	1	4	5	4	—
Commercial Clerk	285	24	261	—	—	24	42	98	59	61	54	21	16
Commercial Traveller	60	—	60	—	—	—	3	13	15	15	10	—	—
Other Mercantile Men	1	—	1	—	—	—	—	—	—	—	—	—	—

NOTE.—The Counties comprised in this Table are Cheshire and Lancashire.

VIII.—NORTH WESTERN COUNTIES.—DEATHS of M
in the Year 1871—*cont*

OCCUPATIONS.	A			
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—
6.—<i>cont.</i>				
2. Pawnbroker - - - - -	28	-	28	-
Shopkeeper (branch undefined), Ge- neral Dealer - - - - -	36	-	36	-
Hawker, Pedlar - - - - -	147	1	146	-
7. 1. Railway Engine Driver, Stoker - -	32	3	29	-
Railway Officer, Clerk, Station-master	48	4	44	-
Railway Attendant, Servant - - -	149	16	133	-
2. Toll Collector, Turnpike-gate Keeper -	12	-	12	-
Coach, Omnibus, Cab Owner, Livery	-	-	-	-
Stable Keeper - - - - -	25	-	25	-
Coachman (not domestic), Cabman,	-	-	-	-
Flyman - - - - -	121	-	121	-
Carman, Carrier, Cartier, Drayman -	534	14	520	-
3. Inland Navigation Service - - -	20	-	20	-
Barge-man, Waterman - - - - -	140	5	135	-
Others - - - - -	1	-	1	-
4. Shipowner - - - - -	5	-	5	-
Steam Navigation Service - - - -	27	-	27	-
Ship Steward, Cook - - - - -	37	3	34	-
Seamen (Merchant Service) - - -	402	14	388	-
Pilot - - - - -	7	-	7	-
Harbour, Dock Service, Labourer -	137	2	135	-
Wharfinger - - - - -	4	-	4	-
Others - - - - -	28	3	25	-
5. Warehouseman - - - - -	216	13	203	-
Meter, Weigher - - - - -	2	-	2	-
6. Messenger, Porter, Errand Boy - -	205	20	285	-
Cotton Porter - - - - -	70	1	69	-
Telegraph Company Service - - -	3	1	2	-
IV.—AGRICULTURAL CLASS.				
8. 1. Land Proprietor (so returned) - -	29	-	29	-
Farmer, Grazer - - - - -	713	1	712	-
Farmer's son, Brother, Grandson,	-	-	-	-
Nephew - - - - -	93	69	33	25
Farrier Bailiff - - - - -	10	-	10	-
Agricultural Labourer - - - - -	677	13	664	1
Shepherd (out door) - - - - -	2	-	2	-
Farm Servant (in door) - - - - -	48	16	32	-
Land Surveyor, Estate Agent - - -	25	-	25	-
Land Drainage Service - - - - -	4	-	4	-
Others engaged in Agriculture - - -	1	-	1	-
2. Woodman - - - - -	1	-	1	-
3. Nurseryman, Seedsman, Florist	4	-	4	-
Gardener - - - - -	214	-	214	-
9. 1. Horse Proprietor, Dealer - - -	8	-	8	-
Horse Breaker - - - - -	7	-	7	-
Horse-keeper, Groom, Jockey - - -	54	5	54	-
Farrier, Veterinary Surgeon - - -	18	1	17	-
Cattle, Sheep, Pig, Sale-man - - -	29	-	29	-
Driver - - - - -	9	-	9	-
Gamekeeper - - - - -	24	-	24	-
Vermin Destroyer - - - - -	1	-	1	-
Fisherman - - - - -	13	-	13	-
Others engaged about Animals - - -	3	-	3	-
V.—INDUSTRIAL CLASS.				
10. 1. Bookseller, Publisher - - - - -	10	1	9	-
Bookbinder - - - - -	15	1	14	-
Printer - - - - -	78	4	74	-
Newspaper Agent, News-room Keeper	13	1	12	-
Others engaged in Publications - -	4	-	4	-
2. Musical Instrument Maker, Dealer	1	-	1	-
Others - - - - -	1	-	1	-
3. Lithographer, Lithographic Printer	12	2	10	-
Others - - - - -	3	-	3	-
4. Wood-carver - - - - -	6	-	6	-
Others - - - - -	1	-	1	-
5. Toy Maker, Dealer - - - - -	2	-	2	-
Others - - - - -	2	-	2	-

III.—NORTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.		AGES OF MALES.													
		TOTAL.	5 Years and under 20.	20 Years and upwards.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.	
10.—cont.															
6. Pattern Designer	- - - - -	3	-	3	-	-	-	1	-	2	-	-	-	-	
Others	- - - - -	7	1	6	-	-	1	1	2	1	-	2	-	-	
7. Watch Maker, Clock Maker	- - - - -	81	3	78	-	-	3	2	11	15	8	16	15	11	
Philosophical Instrument Maker;	- - - - -														
Optician	- - - - -	2	-	2	-	-	-	-	1	-	-	1	-	-	
Weighing Machine, Scale, Measure, Maker	- - - - -	5	-	5	-	-	-	-	-	2	-	1	2	-	
8. Others engaged in Arms	- - - - -	5	-	5	-	-	-	-	2	1	1	-	1	-	
10. Engine and Machine Maker	- - - - -	337	12	325	-	-	12	43	61	85	53	46	25	12	
Spinning, Weaving, Machine Maker	- - - - -	96	1	95	-	-	1	14	12	13	21	15	13	7	
Agricultural Implement, Machine Maker	- - - - -	3	-	3	-	-	-	-	1	-	-	2	-	-	
Millwright	- - - - -	37	4	33	-	-	1	2	4	8	3	9	8	2	
Tool Maker, Dealer	- - - - -	4	-	4	-	-	-	-	1	-	-	1	-	-	
File Maker, Dealer	- - - - -	23	2	21	-	-	2	3	6	5	1	2	2	2	
Saw Maker, Dealer	- - - - -	3	-	3	-	-	-	-	1	-	-	2	-	-	
Cutler	- - - - -	10	-	10	-	-	-	1	2	-	2	1	4	-	
Pin Manufacture	- - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-	
11. Coachmaker	- - - - -	41	-	41	-	-	-	5	10	7	7	7	4	1	
Wheelwright	- - - - -	74	2	72	-	-	2	8	11	12	11	14	9	7	
Others engaged about Carriages	- - - - -	9	-	9	-	-	-	1	-	-	3	-	1	-	
12. Saddler, Harness, Whip Maker	- - - - -	33	2	31	-	-	2	1	7	4	6	5	5	3	
13. Ship-builder, Shipwright, Boat-builder	- - - - -	151	2	149	-	-	2	15	23	26	33	18	21	13	
Sail Maker	- - - - -	21	1	20	-	-	1	2	1	7	6	2	2	-	
Others	- - - - -	4	-	4	-	-	-	-	-	1	-	2	1	-	
14. House Proprietor	- - - - -	39	-	39	-	-	-	-	-	1	4	12	10	12	
Architect	- - - - -	14	-	14	-	-	-	2	3	6	1	1	-	1	
Surveyor	- - - - -	7	-	7	-	-	-	-	-	1	1	3	2	-	
Builder	- - - - -	41	-	41	-	-	-	-	5	3	7	11	5	10	
Carpenter, Joiner	- - - - -	467	13	454	-	1	12	31	80	69	87	93	68	35	
Bricklayer	- - - - -	179	6	173	-	-	6	3	29	30	21	34	26	18	
Marble Mason	- - - - -	8	-	8	-	-	-	-	2	-	-	3	-	-	
Mason, Pavior	- - - - -	401	5	396	-	1	4	19	58	81	73	89	53	24	
Slater, Tiler	- - - - -	50	-	50	-	-	-	2	3	9	8	14	8	6	
Plasterer	- - - - -	104	5	99	-	-	5	4	18	9	24	20	15	9	
Paperhanger	- - - - -	16	-	16	-	-	-	2	4	3	5	1	1	-	
Plumber, Painter, Glazier	- - - - -	356	15	341	-	-	15	31	77	68	71	40	40	14	
Others	- - - - -	15	1	14	-	-	1	1	1	1	4	1	1	2	
15. Cabinet Maker, Upholsterer	- - - - -	114	4	110	-	-	4	3	14	20	13	25	25	10	
Undertaker	- - - - -	5	-	5	-	-	-	-	2	2	-	1	-	-	
Carver and Gilder	- - - - -	18	1	17	-	-	1	2	2	6	2	1	3	1	
Furniture Broker, Dealer	- - - - -	22	-	22	-	-	-	-	-	2	6	8	4	2	
Others	- - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-	
16. Manufacturing Chemist, Labourer	- - - - -	78	3	75	-	-	3	12	14	20	9	9	8	5	
Dye, Colour Manufacture	- - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-	
Dyer, Securer, Calenderer	- - - - -	58	-	58	-	-	-	6	8	5	9	12	12	6	
Others	- - - - -	11	1	10	-	-	1	-	2	2	4	2	-	-	
1. Woolstapler	- - - - -	9	-	9	-	-	-	-	1	1	3	2	2	-	
Felt Manufacture	- - - - -	1	-	1	-	-	-	-	10	-	-	-	-	-	
Woolen Cloth Manufacture	- - - - -	141	8	138	-	-	3	7	10	13	24	24	33	27	
Fuller	- - - - -	22	2	20	-	1	1	2	2	4	1	5	2	4	
Wool, Woolen, Dyer	- - - - -	4	-	4	-	-	-	-	-	1	2	-	-	-	
Worsted Manufacture	- - - - -	7	1	6	-	-	1	1	-	-	-	1	4	-	
Cloth Merchant, Dealer	- - - - -	3	-	3	-	-	-	-	-	1	-	1	1	-	
Flannel Manufacture	- - - - -	16	-	16	-	-	-	1	2	-	1	3	6	3	
Blanket Manufacture	- - - - -	2	-	2	-	-	-	-	-	1	-	-	-	1	
Carpet, Rug, Manufacture	- - - - -	2	-	2	-	-	-	-	-	1	-	-	-	3	
2. Silk, Satin, Manufacture	- - - - -	250	8	251	1	-	7	6	21	31	28	61	61	43	
Silk Dyer, Printer	- - - - -	3	-	3	-	-	-	-	-	-	-	-	2	1	
Silk Merchant, Dealer	- - - - -	9	-	9	-	-	1	1	-	-	3	1	2	1	
Ribbon Manufacture	- - - - -	2	-	2	-	-	-	-	-	-	-	-	2	-	
Others	- - - - -	8	1	7	-	-	1	1	1	4	1	-	-	-	
3. Flax, Linen Manufacture	- - - - -	14	-	14	-	-	-	1	2	2	2	1	4	2	
Thread Manufacture	- - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-	
Tape Manufacture, Dealer	- - - - -	6	-	6	-	-	-	-	2	-	-	3	-	-	
Cotton Manufacture	- - - - -	2122	183	1939	6	33	144	175	203	239	310	359	327	236	
Cotton, Calico Warehouseman, Dealer	- - - - -	29	-	29	-	-	-	1	3	2	3	4	2	5	
Fustian Manufacture	- - - - -	71	3	68	-	-	3	1	10	9	14	12	19	3	
Calico, Cotton, Printer	- - - - -	158	3	155	-	1	2	7	18	10	21	31	39	29	
Calico, Cotton, Dyer	- - - - -	68	3	65	-	-	3	4	8	10	9	16	13	5	
Others	- - - - -	12	-	12	-	-	-	-	-	2	4	5	3	40	
4. Weaver (not otherwise described)	- - - - -	165	7	158	-	2	5	4	16	16	24	23	55	40	
Blancher (not otherwise described)	- - - - -	41	3	38	-	-	3	4	7	5	5	2	7	8	
Manchester Warehouseman	- - - - -	35	2	31	-	-	2	3	8	10	2	3	5	-	
Draper, Linen Draper, Mercer	- - - - -	109	7	93	-	-	7	14	22	12	14	13	9	9	
Fancy Goods Manufacturer, Dealer	- - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-	
Trimming Maker, Dealer	- - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Others	- - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	

VIII.—NORTH WESTERN COUNTIES.—DEATHS of M
in the Year 1871—cont.

OCCUPATIONS,	TOTAL,	5 Years and under 20.	20 Years and upwards.	1—
11. cont.				
5. Hairdresser, Wig Maker	44	-	44	-
Hatter, Hat Manufacture	140	3	146	-
Straw Plat Manufacture	1	-	1	-
Furrier, Sainer	5	1	4	-
Tailor	411	7	404	-
Miliner	1	-	1	-
Hosiery Manufacture	3	-	3	-
Hosier, Hatterdasher	6	-	6	-
Shoemaker, Bootmaker	536	12	548	-
Patten, Clog Maker	3	-	3	-
Button Maker	1	-	1	-
Umbrella, Parasol, Stick, Maker	13	-	13	-
Laundry Keeper	2	-	2	-
Others providing Dress	18	-	18	-
6. Mat Maker, Seller	2	-	2	-
Hemp Manufacture	1	-	1	-
Rope, Cord, Maker	54	1	55	-
Canvas, Sailcloth, Manufacture, Dealer	2	-	2	-
Sacking, Sack, Bag, Maker, Dealer	2	-	2	-
12. 1. Cowkeeper, Milk-seller	41	1	40	-
Cheese-monger	4	2	2	-
Butcher, Meat Salesman	214	2	212	-
Provision Curer, Dealer	115	1	115	-
Poulterer, Game Dealer	11	-	11	-
Fish-monger	39	-	38	-
2. Corn, Flour, Seed, Merchant, Dealer	53	1	52	-
Miller	45	1	44	-
Baker	104	2	102	-
Confectioner, Pastry Cook	28	2	26	-
Grocer, Fruit, Vegetable, Dealer	58	1	57	-
Others	8	-	8	-
3. Maltster	6	-	6	-
Brewer	109	-	109	-
Wine and Spirit Merchant	25	-	25	-
Cellarman	14	2	12	-
Ginger Beer, Soda Water, &c., Mann- facture	11	-	11	-
Sugar Refiner	8	-	8	-
Grocer, Tea Dealer	207	8	199	-
Tobacco, Cigar, Snuff, Manufacture, Tobacconist	23	1	22	-
Others	10	-	10	-
13. 1. Soap Boiler	5	-	5	-
Tallow Chandler	10	-	10	-
Comb-maker	1	-	1	-
Others	8	1	7	-
2. Tanner	17	1	16	-
Currier	22	-	22	-
Leather Case, Portmanteau, Bag Maker	3	-	3	-
Others	2	-	2	-
3. Hair, Bristle, Manufacture	1	-	1	-
Brush, Broom, Maker	26	-	26	-
14. 1. Oil-miller, Refiner	2	-	2	-
Oil and Colourman	1	-	1	-
French polisher	11	-	11	-
Japanner	3	-	3	-
India Rubber, Gutta Percha, Mann- facture, Dealer	9	-	9	-
Flour Cloth Manufacture	7	-	7	-
Others	3	-	3	-
2. Timber, Wood, Merchant, Dealer	26	-	26	-
Sawyer	76	-	76	-
Lath, Fence, Hurdle, Maker	9	-	9	-
Wood, Turner, Worker	21	1	20	-
Box, Packing Case, Maker	19	-	17	-
Copper, Hoop-maker and Bender	87	1	86	-
3. Cork Cutter, Manufacturer	7	-	7	-
4. Basket Maker	15	-	15	-
Hay and Straw Dealer	7	-	7	-
Thatcher	2	-	2	-
Others	1	-	1	-
5. Rag Gatherer, Dealer	15	1	14	-
Paper Manufacture	50	-	50	-
Stationer (not Law)	16	-	16	-
Paper Stainer	6	-	6	-
Other Workers in Paper	13	-	13	-

VIII.—NORTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—
15. 1. Coal Miner - - - - -	578	70	506	-	17	53	78	89	74	65	90	55	37
Copper Miner - - - - -	7	-	7	-	-	-	2	-	-	3	2	-	-
Lead Miner - - - - -	2	-	2	-	-	-	-	-	1	-	-	1	-
Iron Miner - - - - -	31	2	29	-	-	2	1	9	4	7	2	5	1
Miner (branch undefined) - - -	25	2	23	-	1	1	1	6	6	6	1	2	1
Coal Mine Service - - - - -	14	1	13	-	-	1	-	3	-	3	3	2	2
Mine Service (Metal not stated) -	10	3	7	-	2	1	2	5	1	1	-	-	-
Others - - - - -	3	-	3	-	-	-	-	-	-	-	1	-	2
2. Coal Merchant, Dealer - - -	70	-	70	-	-	-	1	5	7	16	17	13	11
Coal-heaver, Labourer - - - -	126	7	119	-	1	6	21	17	12	34	23	6	-
Chimney Sweeper - - - - -	18	-	18	-	-	-	-	1	8	5	2	2	-
Gas Works Service - - - - -	45	2	43	-	-	2	1	6	7	8	8	5	-
3. Stone Quarrier - - - - -	114	-	114	-	-	-	7	8	17	39	32	23	7
Stone, Merchant, Cutter, Dresser -	5	-	5	-	-	-	-	1	1	-	2	1	-
Slate Quarrier - - - - -	3	-	3	-	-	-	-	-	1	-	1	-	1
Limestone Quarrier, Lime Burner -	5	-	5	-	-	-	-	1	1	1	-	-	2
Brick Maker, Dealer - - - - -	133	5	128	-	2	3	3	22	19	19	24	27	14
Railway Labourer, Platelayer, Navy	151	4	147	-	1	3	11	22	31	25	37	14	7
Road Contractor, Inspector, Surveyor	2	-	2	-	-	-	-	-	-	1	1	-	-
Road Labourer - - - - -	33	1	32	1	-	-	-	1	1	6	6	10	8
Scavenger, Dust Collector - - -	21	-	21	-	-	-	-	1	2	7	5	4	2
Others - - - - -	12	-	12	-	-	-	-	-	2	2	5	3	-
4. Earthenware Manufacture - - -	13	-	13	-	-	-	1	-	3	1	4	3	1
Tobacco-pipe Maker - - - - -	11	1	10	-	-	1	1	-	2	2	2	2	1
Earthenware and Glass Dealer - -	14	-	14	-	-	-	-	-	4	3	3	3	1
5. Glass Manufacture - - - - -	56	5	51	-	1	4	4	11	11	7	13	4	1
6. Salt Manufacture - - - - -	31	3	28	-	1	2	-	4	6	4	1	10	3
Other Dealers in Salt - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-
7. Waterworks Service - - - - -	10	-	10	-	-	-	-	1	2	-	4	1	2
Others - - - - -	2	-	2	-	-	-	-	-	1	-	1	-	-
8. Goldsmith, Silversmith, Jeweller	11	2	9	-	-	2	1	1	-	3	1	2	1
Others - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
9. Copper Manufacture - - - - -	14	4	10	-	-	4	1	2	2	3	1	1	-
Coppersmith - - - - -	2	1	1	-	-	1	-	-	-	-	-	1	-
10. Tin Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
Tinplate Worker, Tinman - - -	54	4	50	-	-	4	6	6	7	11	10	10	-
Tinker - - - - -	2	-	2	-	-	-	-	-	-	1	-	1	-
11. Zinc Manufacture - - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
12. Lead Manufacture - - - - -	3	-	3	-	-	-	-	2	-	-	-	1	-
13. Brass Manufacture, Brasier - -	33	5	28	-	-	5	2	11	5	5	5	-	-
Locksmith, Bellhanger - - - -	2	-	2	-	-	-	-	-	-	-	2	-	-
Gas Fitter - - - - -	20	1	19	-	-	1	5	4	6	3	5	2	-
Wire Worker, Drawer - - - - -	26	-	26	-	-	-	5	7	-	2	4	8	-
Others - - - - -	5	-	5	-	-	-	-	1	1	1	1	-	1
14. Iron Manufacture - - - - -	539	23	516	-	2	21	57	129	104	89	80	45	12
Whitesmith - - - - -	22	1	21	-	-	1	2	4	4	2	3	4	2
Blacksmith - - - - -	274	11	263	-	-	11	19	38	53	48	47	36	22
Nail Manufacture - - - - -	31	-	31	-	-	-	1	1	4	7	6	11	1
Anchor-smith, Chainsmith - - -	7	-	7	-	-	-	-	-	1	-	2	4	-
Ironmonger, Hardware Dealer - -	17	1	16	-	-	1	-	4	5	2	5	2	-
Steel Manufacture, Worker - - -	3	-	3	-	-	-	-	1	1	-	-	1	-
Others - - - - -	15	4	11	-	2	2	2	2	3	1	2	1	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined) - - - - -	2212	61	2151	-	2	39	147	395	559	401	377	304	108
2. Artizan, Mechanic (branch undefined)	85	2	83	-	-	2	6	19	16	8	13	15	6
Engine Driver, Stoker (branch undef.)	109	3	106	-	-	3	7	29	19	24	15	10	2
Factory Labourer (branch undefined)	79	5	74	-	2	3	7	9	10	11	18	11	8
Shopman, Assistant (branch undefined)	2	-	2	-	-	-	-	2	-	-	-	-	-
Apprentice (branch undefined) - -	1	1	-	-	-	1	-	-	-	-	-	-	-
Vagrant, Gipsy - - - - -	9	-	9	-	-	-	-	-	8	3	8	-	-
Others of undefined Occupation - -	840	467	373	-	-	467	133	70	35	40	21	45	29
17. 1. Gentleman, Independent, Annuitant	219	-	219	-	-	-	4	11	10	15	49	60	70
18. 1. Scholars and Children of no stated Occupation - - - - -	2744	2744	-	1936	808	-	-	-	-	-	-	-	-

TABLE XXXIII.—Deaths of Males of Different Sex

Occupation	Total	Year and under 20	20 years and over	%
Total of Males (all 12 years and over)	508	156	352	100
I. PROFESSIONAL CLASS.				
1. 1. <i>Lawyer</i> - - - - -	25	-	25	-
2. <i>Magistrate, Registrar, Officer of Law Court</i> - - - - -	1	-	1	-
3. <i>Police Officer</i> - - - - -	27	1	26	-
4. <i>Surveyor, Public Health Officer, Local Government Officer</i> - - - - -	3	-	3	-
2. 1. <i>Army Officer (General)</i> - - - - -	2	-	2	-
2. <i>Army Officer and Staff Pay Officer</i> - - - - -	4	-	4	-
3. <i>Medical Officers</i> - - - - -	42	1	41	-
4. <i>Army Paymaster</i> - - - - -	34	-	34	-
3. <i>Seaman, R.N.</i> - - - - -	4	-	4	-
4. <i>Royal Air Force</i> - - - - -	4	-	4	-
5. <i>Comptroller, Royal Naval Reserve</i> - - - - -	1	-	1	-
6. <i>Army Paymaster</i> - - - - -	3	-	3	-
2. 1. <i>Clergyman</i> - - - - -	26	-	26	-
2. <i>Protestant Minister</i> - - - - -	13	-	13	-
3. <i>Parish Officer, Priest</i> - - - - -	1	-	1	-
4. <i>Ministry, Clergy on Board</i> - - - - -	2	-	2	-
5. <i>Church, Chapel Officer</i> - - - - -	7	-	7	-
6. <i>Others</i> - - - - -	2	1	1	-
3. <i>Barrister</i> - - - - -	1	-	1	-
4. <i>Secretary, Attorney</i> - - - - -	24	1	23	-
5. <i>Law Clerk</i> - - - - -	26	3	23	-
6. <i>Law Student</i> - - - - -	1	-	1	-
3. <i>Physician, Surgeon</i> - - - - -	30	-	30	-
4. <i>Medical Assistant, Student</i> - - - - -	8	1	7	-
5. <i>Dentist</i> - - - - -	4	-	4	-
6. <i>Chemist, Druggist</i> - - - - -	40	-	40	-
7. <i>Others</i> - - - - -	1	-	1	-
4. <i>Author, Editor, Journalist</i> - - - - -	2	-	2	-
5. <i>Students and others</i> - - - - -	2	-	2	-
5. <i>Painter, Artist</i> - - - - -	8	-	8	-
6. <i>Sculptor</i> - - - - -	1	-	1	-
7. <i>Engraver</i> - - - - -	11	-	11	-
8. <i>Photographer</i> - - - - -	2	-	2	-
6. <i>Musician, Music Master</i> - - - - -	35	3	32	-
7. <i>Actor</i> - - - - -	4	1	3	-
8. <i>Exhibitions, Shows, Services</i> - - - - -	3	-	3	-
9. <i>Others engaged in Theatricals</i> - - - - -	4	-	4	-
8. <i>Schoolmaster</i> - - - - -	37	-	37	-
9. <i>Teacher, Professor, Lecturer</i> - - - - -	5	3	2	-
9. <i>Civil Engineer</i> - - - - -	4	-	4	-
10. <i>Other Scientific Person</i> - - - - -	2	-	2	-
II. DOMESTIC CLASS.				
1. 1. <i>Inn Keeper, Hotel Keeper, Publican</i> - - - - -	219	5	214	-
2. <i>Beer-seller</i> - - - - -	37	-	37	-
3. <i>Lodging house, Boarding house, Kpr.</i> - - - - -	7	-	7	-
4. <i>Coffee house, Eating house, Keeper</i> - - - - -	2	-	2	-
5. <i>Institution Service</i> - - - - -	7	-	7	-
6. <i>Others</i> - - - - -	1	-	1	-
2. <i>Domestic Servant (General)</i> - - - - -	38	1	37	-
3. <i>Cookhouse</i> - - - - -	12	1	11	-
4. <i>Groom</i> - - - - -	2	-	2	-
5. <i>Gardener</i> - - - - -	2	-	2	-
6. <i>Inn, Hotel Servant</i> - - - - -	35	1	34	-
7. <i>Others</i> - - - - -	1	-	1	-

NOTE.—This Table comprises the West Riding, East Rid.

Deaths according to Occupations and Ages in 1871.

493

IX.—YORKSHIRE.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—
continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up- wds.
III.—COMMERCIAL CLASS.													
6. 1. Merchant - - - - -	9	-	9	-	-	-	-	2	2	2	-	2	1
Banker - - - - -	1	-	1	-	-	-	-	1	1	-	-	1	-
Bank Service - - - - -	9	-	9	-	-	-	1	1	3	-	-	-	4
Insurance, Benefit Society, Service -	11	-	11	-	-	-	1	2	1	3	2	-	2
Broker, Agent, Factor - - - - -	13	-	13	-	-	-	-	1	3	4	4	1	-
Salesman (not otherwise described) -	1	-	1	-	-	-	-	-	-	-	1	-	-
Auctioneer, Valuer, House Agent -	8	-	8	-	-	-	1	1	4	-	1	1	1
Accountant - - - - -	13	-	13	-	-	-	-	1	2	4	2	2	2
Commercial Clerk - - - - -	99	15	84	-	1	14	19	20	12	11	6	12	4
Commercial Traveller - - - - -	39	-	39	-	-	-	2	13	6	9	5	3	1
2. Pawnbroker - - - - -	7	1	6	-	-	1	-	2	-	1	1	2	-
Shopkeeper (branch undef.), General Dealer -	23	1	22	-	-	1	1	1	3	2	6	3	6
Huckster, Costermonger - - - - -	4	-	4	-	-	-	-	-	-	2	1	1	-
Hawker, Pedlar - - - - -	69	1	68	-	1	-	-	5	7	11	21	11	10
7. 1. Railway Engine Driver, Stoker -	42	1	41	-	-	1	11	11	9	6	2	2	-
Railway Officer, Clerk, Station-master -	30	4	26	-	-	4	5	6	4	3	7	1	-
Railway Attendant, Servant - - - -	98	7	91	-	-	7	23	20	17	11	11	7	2
2. Toll Collector, Turnpike-gate Keeper -	11	-	11	-	-	-	-	-	-	1	2	3	5
Coach, Omnibus, Cab, Owner, Livery Stable Keeper - - - - -	10	-	10	-	-	-	-	-	2	1	-	5	2
Coachman (not domestic), Cabman, Flyman - - - - -	44	-	44	-	-	-	2	10	10	5	8	4	5
Carman, Carrier, Carter, Drayman -	207	6	201	-	1	5	14	25	37	53	49	24	19
3. Inland Navigation Service - - - -	17	2	15	-	-	2	1	-	3	3	2	3	3
Bargeman, Waterman - - - - -	79	2	77	-	-	2	5	9	10	21	10	12	10
4. Shipowner - - - - -	11	-	11	-	-	-	-	-	1	4	3	2	1
Steam Navigation Service - - - - -	7	-	7	-	-	-	-	2	2	2	1	-	-
Ship Steward, Cook - - - - -	4	1	3	-	-	1	-	1	2	2	-	-	-
Seaman (Merchant Service) - - - -	173	10	163	-	1	9	22	35	37	25	16	21	16
Pilot - - - - -	3	-	3	-	-	-	-	1	-	-	1	1	-
Harbour, Dock Service, Labourer -	50	1	49	-	-	1	14	9	11	10	2	2	2
Others - - - - -	3	-	3	-	-	-	-	3	-	-	-	-	-
5. Warehouseman - - - - -	39	2	37	-	-	2	2	6	6	6	8	7	2
6. Messenger, Porter, Errand Boy -	35	1	34	-	-	1	2	3	3	8	8	10	-
Telegraph Company Service - - - -	7	-	6	-	-	1	3	3	-	-	-	-	-
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned) - -	45	-	45	-	-	-	-	-	-	5	7	12	21
Farmer, Grazier - - - - -	853	1	852	-	-	1	9	33	44	91	150	249	296
Farmer's Son, Brother, Grandson, Nephew - - - - -	48	22	26	-	4	18	16	7	5	-	-	-	-
Farmer Bailiff - - - - -	14	-	14	-	-	-	-	-	1	1	2	4	6
Agricultural Labourer - - - - -	1002	29	973	-	5	24	44	78	82	97	146	254	372
Shepherd (out-door) - - - - -	15	1	14	-	-	1	-	2	1	4	3	4	-
Farm Servant (in-door) - - - - -	2	1	1	-	-	1	-	-	-	-	-	1	-
Land Surveyor, Estate Agent - - - -	10	-	10	-	-	-	-	-	-	1	2	6	1
Land Drainage Service - - - - -	3	-	3	-	-	-	-	-	-	-	-	2	-
Agricultural Machine Proprietor, Attendant - - - - -	2	-	2	-	-	-	-	-	-	1	-	1	-
Others engaged in Agriculture - - -	4	-	4	-	-	-	1	1	-	-	1	1	-
2. Woodman - - - - -	18	-	18	-	-	-	1	1	1	2	1	7	5
3. Nurseryman, Seedsman, Florist -	4	-	4	-	-	-	-	-	-	-	-	1	-
Gardener - - - - -	148	4	144	-	1	3	3	6	21	14	31	37	52
9. 1. Horse Proprietor, Dealer - - - -	7	-	7	-	-	-	-	2	1	2	-	2	-
Horse Breaker - - - - -	11	-	11	-	-	-	-	2	2	3	-	2	2
Horsekeeper, Groom, Jockey - - - -	78	4	74	-	1	3	7	14	14	15	11	6	7
Farrier, Veterinary Surgeon - - - -	17	1	16	-	-	1	-	-	5	2	3	4	2
Cattle, Sheep, Pig, Salesman - - - -	21	1	20	-	-	1	1	3	3	2	-	7	4
Drover - - - - -	17	-	17	-	-	-	2	-	2	1	4	4	4
Gamekeeper - - - - -	23	-	23	-	-	-	2	1	2	-	4	8	6
Vermin Destroyer - - - - -	4	-	4	-	-	-	-	-	-	-	1	2	1
Fisherman - - - - -	45	6	39	-	1	5	5	7	7	6	1	5	8
Others engaged about Animals - - -	3	-	3	-	-	-	1	1	-	-	-	-	1

IX.—YORKSHIRE.—DEATHS of MALES of different Occupations
continued.

OCCUPATIONS.		AGE			
		TOTAL.	5 Years and under 20.	20 Years and upwards.	5-10.
V.—INDUSTRIAL CLASS.					
10. 1. Bookseller, Publisher - - - -	6	1	5	-	-
Bookbinder - - - - -	5	-	5	-	-
Printer - - - - -	45	4	41	-	-
Newspaper Agent, News-room Keeper	11	1	10	-	-
Others engaged in Publications - -	1	-	1	-	-
2. Musical Instrument Maker, Dealer -	4	1	3	-	-
3. Lithographer, Lithographic Printer -	4	1	3	-	-
Others - - - - -	1	-	1	-	-
4. Wood-carver - - - - -	2	-	2	-	-
5. Toy Maker, Dealer - - - - -	4	1	3	-	-
7. Watch Maker, Clock Maker - - - -	21	3	18	-	-
Philosophical Instrument Maker ;	5	-	5	-	-
Optician - - - - -	8	2	6	-	-
Weighing Machine, Scale, Measure, Mkr.	-	-	-	-	-
8. Surgical Instrument Maker - - - -	5	1	4	-	-
9. Gunsmith, Gun Manufacture - - - -	4	1	3	-	-
10. Engine and Machine Maker - - - -	244	11	233	-	-
Spinning, Weaving, Machine Maker -	46	4	42	-	-
Agricultural Implement, Machine Mkr.	10	-	10	-	-
Millwright - - - - -	29	1	28	-	-
Tool Maker, Dealer - - - - -	41	3	38	-	-
File Maker, Dealer - - - - -	121	7	114	-	-
Saw Maker, Dealer - - - - -	21	1	20	-	-
Cutler - - - - -	173	8	165	-	-
Scissors Maker - - - - -	23	1	22	-	-
Pin Manufacture - - - - -	3	-	3	-	-
Others engaged in Tool-making, &c. -	2	-	2	-	-
11. Coachmaker - - - - -	24	1	23	-	-
Wheelwright - - - - -	58	-	58	-	-
Others engaged about Carriages - -	7	-	7	-	-
12. Saddler, Harness, Whip Maker - -	33	-	33	-	-
13. Ship-builder, Shipwright, Boat-builder	55	-	55	-	-
Sail Maker - - - - -	7	-	7	-	-
Others - - - - -	1	-	1	-	-
14. House Proprietor - - - - -	28	-	28	-	-
Architect - - - - -	7	-	7	-	-
Builder - - - - -	25	-	25	-	-
Carpenter, Joiner - - - - -	307	7	300	-	-
Bricklayer - - - - -	92	7	85	-	2
Marble Mason - - - - -	8	-	8	-	-
Mason, Pavior - - - - -	404	11	393	-	-
Slater, Tiler - - - - -	8	-	8	-	-
Plasterer - - - - -	56	1	55	-	-
Paperhanger - - - - -	3	-	3	-	-
Plumber, Painter, Glazier - - - -	131	5	126	-	1
15. Cabinet Maker, Upholsterer - - - -	72	4	68	-	-
Carver and Gilder - - - - -	8	-	8	-	-
Furniture Broker, Dealer - - - - -	9	-	9	-	-
16. Manufacturing Chemist, Labourer -	18	-	18	-	-
Dye, Colour Manufacture - - - - -	21	1	20	-	-
Dyer, Scourer, Calenderer - - - -	56	3	53	-	-
Others - - - - -	15	-	15	-	-
11. 1. Wool-tapler - - - - -	17	-	17	-	-
Felt Manufacture - - - - -	3	-	3	-	-
Woolen Cloth Manufacture - - - -	1046	63	983	1	9
Wool, Woolen, Dyer - - - - -	22	-	22	-	-
Worsted Manufacture - - - - -	133	22	111	2	4
Cloth Merchant, Dealer - - - - -	17	1	16	-	-
Stuff Manufacture - - - - -	14	3	11	-	-
Flannel Manufacture - - - - -	4	-	4	-	-
Blanket Manufacture - - - - -	28	-	28	-	-
Carpet, Rug, Manufacture - - - -	61	6	55	-	-
2. Silk, Satin, Manufacture - - - -	27	-	27	-	-
3. Flax, Linen Manufacture - - - -	147	3	144	-	-
Lace Manufacture - - - - -	1	-	1	-	-
Thread Manufacture - - - - -	2	-	2	-	-
Cotton Manufacture - - - - -	231	32	199	1	6
Fustian Manufacture - - - - -	3	-	3	-	-
Calico, Cotton, Printer - - - - -	4	1	3	-	1
Calico, Cotton, Dyer - - - - -	4	-	4	-	-

IX.—YORKSHIRE.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—
continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
11.—cont.													
4. Weaver (not otherwise described) -	72	6	66	-	-	6	8	6	6	11	7	9	19
Bleacher (not otherwise described) -	6	-	6	-	-	-	-	-	2	1	1	1	1
Draper, Linen Draper, Mercer -	90	11	79	-	1	10	5	17	13	10	12	12	10
Fancy Goods Manufacturer, Dealer -	48	-	48	-	-	-	-	5	5	4	13	16	7
5. Hairdresser, Wig Maker -	29	-	29	-	-	-	2	5	5	5	6	4	2
Hatter, Hat Manufacture -	9	-	9	-	-	-	-	2	-	-	1	3	3
Furrier, Skinner -	9	-	9	-	-	-	-	3	1	1	1	1	2
Tailor -	309	13	296	-	3	10	16	31	33	65	59	44	46
Stay Maker, Ladies' Outfitter -	6	-	6	-	-	-	-	2	1	1	1	2	1
Hosiery, Haberdasher -	6	-	6	-	-	-	1	1	-	1	1	2	1
Glover (leather) -	1	-	1	-	-	-	-	-	-	-	-	-	-
Shoemaker, Bootmaker -	446	12	434	-	12	14	33	50	74	94	98	71	-
Patten, Clog Maker -	3	-	3	-	-	-	1	1	1	-	-	-	-
Button Maker -	2	-	2	-	-	-	-	1	1	-	-	1	-
Umbrella, Parasol, Stick, Maker -	4	-	4	-	-	-	-	-	1	1	1	1	1
Others providing Dress -	1	-	1	-	-	-	-	-	1	-	-	-	-
6. Mat Maker, Seller -	1	-	1	-	-	-	1	-	-	-	-	-	-
Hemp Manufacture -	1	-	1	-	-	-	-	-	-	1	-	-	-
Rope, Cord, Maker -	21	1	20	-	-	1	1	2	2	7	5	-	3
Canvas, Sailcloth, Manufacture, Dealer -	5	-	5	-	-	-	-	-	-	1	2	2	-
Sacking, Sack, Bag, Maker, Dealer -	5	-	5	-	-	-	-	-	2	-	2	-	1
Others -	1	-	1	-	-	-	-	-	-	-	-	1	-
1. Cowkeeper -	32	1	31	-	1	-	1	4	3	5	7	7	4
Cheesemonger -	5	-	5	-	-	-	-	1	1	-	-	1	2
Butcher, Meat Salesman -	153	4	149	-	-	4	10	16	32	15	22	28	26
Provision Curer, Dealer -	20	-	20	-	-	-	-	1	1	3	8	4	3
Poulterer, Game Dealer -	6	-	6	-	-	-	-	-	1	1	1	2	1
Fishmonger -	25	-	25	-	-	-	-	4	7	7	4	3	-
2. Corn, Flour, Seed, Merchant, Dealer -	56	1	55	-	-	1	2	5	5	6	5	10	2
Miller -	57	1	56	-	1	-	1	5	7	8	9	13	13
Baker -	20	1	19	-	-	1	1	1	3	2	6	3	3
Confectioner, Pastry Cook -	15	-	15	-	-	-	1	4	3	1	3	3	-
Greengrocer, Fruit, Vegetable, Dealer -	52	-	52	-	-	-	2	4	11	7	15	10	3
Others -	4	-	4	-	-	-	1	1	-	-	1	-	1
3. Maltster -	28	1	27	-	-	1	-	5	2	-	8	9	3
Brewer -	64	1	63	-	-	1	2	10	18	6	14	8	5
Wine and Spirit Merchant -	14	-	14	-	-	-	2	-	2	2	3	2	3
Cellarman -	3	-	3	-	-	-	-	-	3	-	-	-	-
Ginger Beer, Soda Water, &c., Manufacture -	6	-	6	-	-	-	-	2	2	1	-	1	-
Grocer, Tea Dealer -	188	5	183	-	-	5	8	16	21	26	46	36	30
Tobacco, Cigar, Snuff, Manufacture, Tobaccoist -	11	2	9	-	1	1	1	1	1	2	2	1	1
Others -	10	1	9	-	1	1	-	1	3	1	3	1	-
1. Soap Boiler -	7	-	7	-	-	-	2	-	1	2	1	1	-
Tallow Chandler -	4	-	4	-	-	-	1	-	1	-	1	1	-
Comb-maker -	16	1	15	-	1	-	1	1	2	1	4	4	2
Others -	7	-	7	-	-	-	1	1	-	1	1	3	-
2. Fellmonger -	3	-	3	-	-	-	-	1	-	-	2	-	-
Tanner -	23	-	23	-	-	-	1	1	6	3	6	5	1
Currier -	40	4	36	-	-	4	3	9	4	5	9	4	2
3. Brush, Broom, Maker -	22	1	21	-	-	1	4	3	4	3	4	1	2
1. Oil-miller, Refiner -	23	4	19	-	-	4	2	2	3	2	4	6	-
French-polisher -	9	1	8	-	-	1	1	2	2	-	2	1	-
Floor Cloth Manufacture -	1	-	1	-	-	-	-	-	-	-	-	1	-
Others -	1	-	1	-	-	-	1	-	-	-	-	-	-
2. Timber, Wood, Merchant, Dealer -	18	-	18	-	-	-	1	2	4	4	2	3	2
Sawyer -	84	-	84	-	-	-	1	5	4	6	4	11	3
Lath, Fence, Hurdle, Maker -	4	-	4	-	-	-	-	2	-	-	-	2	-
Wood, Turner, Worker -	12	-	12	-	-	-	2	1	1	4	-	3	1
Box, Packing Case, Maker -	6	2	4	-	-	2	1	1	1	-	1	-	1
Cooper, Hoop-maker and Bender -	16	-	16	-	-	-	2	1	3	4	1	4	1
3. Cork Cutter, Manufacturer -	2	-	2	-	-	-	-	-	1	1	-	-	-
4. Basket Maker -	17	1	16	-	-	1	-	4	1	3	1	4	3
Hay and Straw Dealer -	5	-	5	-	-	-	-	1	-	1	3	-	-
5. Rag Gatherer, Dealer -	22	2	20	-	-	2	1	4	5	5	2	1	2
Paper Manufacture -	15	5	10	-	2	3	1	1	2	2	1	1	2
Stationer (not Law) -	9	-	9	-	-	-	1	2	1	1	2	1	1
Other Workers in Paper -	5	-	5	-	-	-	-	1	-	-	-	2	-

IX.—YORKSHIRE.—DEATHS of MALES of different Occ^{ns}
continued.

OCCUPATIONS	A			
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—
15. 1. Coal Miner - - - - -	456	36	420	-
Lead Miner - - - - -	18	1	17	-
Iron Miner - - - - -	74	5	69	-
Miner (branch undefined) - - -	34	4	30	-
Coal Mine Service - - - - -	16	1	15	-
Mine Service (Metal not stated) -	1	-	1	-
Others - - - - -	8	-	8	-
2. Coal Merchant, Dealer - - - -	37	-	37	-
Coal-heaver, Labourer - - - - -	50	8	42	-
Chimney Sweeper - - - - -	5	-	5	-
Gas Works Service - - - - -	26	1	25	-
3. Stone Quarrier - - - - -	169	9	160	-
Stone Merchant, Cutter, Dresser -	31	1	30	-
Limestone Quarrier, Lime-Burner -	17	1	16	-
Clay Labourer - - - - -	5	1	4	-
Brick Maker, Dealer - - - - -	55	4	51	1
Railway Labourer, Platelayer, Navyy Road Contractor, Inspector, Surveyor	155	3	152	-
Road Labourer - - - - -	40	1	39	-
Scavenger, Dust Collector - - - -	5	-	5	-
Others - - - - -	5	-	5	-
4. Earthenware Manufacture - - -	41	2	39	-
Tobacco-pipe Maker - - - - -	9	-	9	-
Earthenware and Glass Dealer - -	11	-	11	-
5. Glass Manufacture - - - - -	35	-	35	-
6. Salt Manufacture - - - - -	2	-	2	-
Other Dealers in Salt - - - - -	2	-	2	-
7. Waterworks Service - - - - -	8	-	8	-
Others - - - - -	4	-	4	-
8. Goldsmith, Silversmith, Jeweller Plater, Plated Ware Manufacture -	42	2	40	-
Plater, Plated Ware Manufacture -	4	-	4	-
9. Copper Manufacture - - - - -	2	-	2	-
Coppersmith - - - - -	3	-	3	-
Others - - - - -	1	-	1	-
10. Tin Manufacture - - - - -	2	-	2	-
Tinplate Worker, Tinman - - - -	21	-	21	-
Tinker - - - - -	1	-	1	-
12. Lead Manufacture - - - - -	10	-	10	-
13. Brass Manufacture, Brazier - - -	22	5	17	-
Locksmith, Bellhanger - - - - -	2	-	2	-
Gas Fitter - - - - -	7	-	7	-
Wire Worker, Drawer - - - - -	26	3	23	1
Others - - - - -	2	-	2	-
14. Iron Manufacture - - - - -	261	27	234	-
Whitesmith - - - - -	35	2	33	-
Blacksmith - - - - -	221	2	219	-
Nail Manufacture - - - - -	35	2	33	-
Anchorsmith, Chainsmith - - - -	3	-	3	-
Ironmonger, Hardware Dealer - -	31	1	30	-
Steel Manufacture, Worker - - - -	45	5	40	-
Others - - - - -	7	-	7	-
VI.—INDEFINITE AND NON-PRO- DUCTIVE CLASS.				
16. 1. General Labourer, Labourer (branch undefined) - - - - -	764	33	731	-
2. Artizan, Mechanic (branch undefined)	52	4	48	-
Engine Driver, Stoker (branch undef.)	9	2	7	-
Factory Labourer (branch undefined) -	21	8	13	-
Apprentice (branch undefined) - -	1	1	-	-
Vagrant, Gipsy - - - - -	2	-	2	-
Others of undefined Occupation - -	618	273	345	-
17. 1. Gentleman, Independent, Annuitant -	34	-	34	-
18. 1. Scholars and Children of no stated Occupation - - - - -	1633	1633	-	1155

X.—NORTHERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.		AGES OF MALES.															
		TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.			
Total of Males AGED 5 YEARS AND UPWARDS		10031	2180	8451	1082	491	607	827	1380	1238	1217	1290	1359	1151			
I.—PROFESSIONAL CLASS.																	
1. 1. Civil Service		23	1	22	-	-	1	-	1	1	3	5	7	5			
Government Messengers, Workmen, &c.		15	-	15	-	-	-	2	2	1	-	3	4	3			
2. Officer of Law Court		1	-	1	-	-	-	-	-	-	-	-	-	1			
Police		22	-	22	-	-	-	3	12	4	1	-	1	1			
Prison Officer		3	-	3	-	-	-	-	1	1	-	-	1	-			
Municipal, Parish, Union, Officer		10	1	9	-	-	1	-	1	5	1	2	-	-			
Other Local Government Officers		2	-	2	-	-	-	-	-	-	1	-	1	-			
2. 1. Army Officer (effective)		4	-	4	-	-	-	-	-	1	1	1	-	1			
Army Retired and Half Pay Officer		4	-	4	-	-	-	-	-	1	1	-	1	1			
Soldier		21	1	20	-	-	1	-	8	9	1	1	-	1			
Militia, Volunteers		5	-	5	-	-	-	-	1	2	2	-	-	-			
Army Pensioner		13	-	13	-	-	-	-	-	1	4	3	2	3			
2. Navy Officer (effective)		1	-	1	-	-	-	-	-	-	-	1	-	-			
Navy Retired and Half Pay Officer		1	-	1	-	-	-	-	-	1	-	-	-	-			
Seaman, R.N.		1	-	1	-	-	-	-	1	-	-	-	-	-			
Royal Marine		1	-	1	-	-	-	-	-	1	-	-	-	-			
Coastguard, Royal Naval Reserve		3	-	3	-	-	-	-	-	1	1	-	-	1			
Navy Pensioner		1	-	1	-	-	-	-	-	-	1	-	-	-			
3. 1. Clergyman		20	-	20	-	-	-	-	2	-	3	6	5	4			
Protestant Minister		6	-	6	-	-	-	-	2	-	-	2	1	1			
Roman Catholic Priest		1	-	1	-	-	-	-	1	-	-	-	-	-			
Missionary, Scripture Reader		2	-	2	-	-	-	-	-	-	-	1	-	1			
Church, Chapel Officer		5	-	5	-	-	-	-	-	-	-	1	2	2			
Others		2	2	-	-	-	2	-	-	-	-	-	-	-			
2. Barrister		1	-	1	-	-	-	-	1	-	-	-	-	-			
Solicitor, Attorney		18	1	17	-	-	1	2	1	2	1	6	3	2			
Law Clerk		9	2	7	-	-	2	2	2	1	2	-	-	-			
3. Physician, Surgeon		21	1	20	-	-	1	-	6	4	1	6	2	1			
Medical—Assistant, Student		2	-	2	-	-	-	2	-	-	-	-	-	-			
Chemist, Druggist		19	2	17	-	-	2	3	7	3	3	-	1	-			
4. Author, Editor, Journalist		2	-	2	-	-	-	-	1	-	-	-	1	-			
Students and Others		2	-	2	-	-	-	-	-	1	1	-	-	-			
5. Painter, Artist		5	-	5	-	-	-	1	-	2	1	-	-	1			
Engraver		3	-	3	-	-	-	1	-	-	-	-	2	-			
Photographer		1	1	-	-	-	1	-	-	-	-	-	-	-			
6. Musician, Music Master		7	-	7	-	-	-	-	3	2	2	-	-	-			
7. Actor		2	-	2	-	-	-	-	1	-	1	-	-	-			
Others engaged in Theatres, &c.		2	-	2	-	-	-	-	1	-	-	-	1	-			
8. Schoolmaster		29	-	29	-	-	-	2	3	4	3	2	6	9			
Teacher, Professor, Lecturer		12	4	8	-	1	3	3	1	1	-	-	3	-			
9. Civil Engineer		5	-	5	-	-	-	-	1	2	1	1	-	-			
II.—DOMESTIC CLASS.																	
5. 1. Inn Keeper, Hotel Keeper, Publican		150	1	149	-	-	1	1	17	39	24	31	21	16			
Beer-seller		5	-	5	-	-	-	-	1	2	1	1	-	-			
Lodging-house, Boarding-house Keeper		3	-	3	-	-	-	-	-	-	1	1	-	1			
Coffee-house, Eating-house Keeper		2	-	2	-	-	-	-	-	2	-	-	-	-			
Institution Service		1	-	1	-	-	-	-	-	-	-	-	-	1			
2. Domestic Servant (General)		17	1	16	-	-	1	-	4	4	1	3	2	2			
Cookman		10	-	10	-	-	-	1	2	1	-	1	2	3			
Gardener		8	-	8	-	-	-	1	1	-	-	2	4	-			
Ins, Hotel Servant		20	2	18	-	-	2	4	2	6	4	-	1	1			
III.—COMMERCIAL CLASS.																	
6. 1. Merchant		7	-	7	-	-	-	-	-	1	1	1	2	2			
Banker		1	-	1	-	-	-	-	-	1	-	-	-	-			
Bank Service		9	-	9	-	-	-	2	1	1	-	4	-	1			
Insurance, Benefit Society, Service		5	1	4	-	-	1	1	-	2	-	-	1	-			
Broker, Agent, Factor		11	1	10	-	-	1	-	3	1	3	1	1	1			
Auctioneer, Valuer, House Agent		6	-	6	-	-	-	-	1	1	1	2	2	-			
Accountant		15	-	15	-	-	-	2	5	2	1	4	1	-			
Commercial Clerk		36	2	34	-	-	2	12	11	2	4	2	3	-			
Commercial Traveller		18	-	18	-	-	-	1	4	2	5	4	2	-			
2. Pawnbroker		4	-	4	-	-	-	1	-	-	1	2	-	-			
Shopkeeper (Branch undefined), General Dealer		15	1	14	-	-	1	2	2	1	3	3	2	1			
Hawker, Pedlar		64	-	64	-	-	-	2	6	6	10	15	17	10			

NOTE.—The Counties comprised in this Table are Durham, Northumberland, Cumberland, and Westmorland.

X.—NORTHERN COUNTIES.—DEATHS of MALES of
in the Year 1871—continued

OCCUPATIONS.	AGE				
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—
7. 1. Railway Engine Driver, Stoker - - -	20	4	16	-	-
Railway Officer, Clerk, Station-master - -	27	2	25	-	-
Railway Attendant, Servant - - -	65	5	60	-	-
2. Toll Collector, Turnpike-gate Keeper	7	-	7	-	-
Coach, Omnibus, Cab Owner, Livery	-	-	-	-	-
Stable Keeper - - -	7	-	7	-	-
Coachman (not domestic), Cabman,	34	-	34	-	-
Flyman - - -	129	2	127	-	-
Carman, Carrier, Carter, Drayman - -	-	-	-	-	-
3. Inland Navigation Service - - -	4	-	4	-	-
Barge-man, Waterman - - -	43	-	43	-	-
4. Shipowner - - -	25	-	25	-	-
Steam Navigation Service - - -	27	1	26	-	1
Ship Steward, Cook - - -	8	-	8	-	-
Seaman (Merchant Service) - - -	404	24	380	-	3
Pilot - - -	21	-	21	-	-
Harbour, Dock Service, Labourer - -	80	1	79	-	-
Others - - -	13	-	13	-	-
5. Warehouseman - - -	6	-	6	-	-
6. Messenger, Porter, Errand Boy - -	9	4	5	-	1
Telegraph Company Service - - -	6	2	4	-	-
IV.—AGRICULTURAL CLASS.					
8. 1. Land Proprietor (so returned) - -	53	-	53	-	-
Farmer, Grazier - - -	432	-	432	-	-
Farmer's Son, Brother, Grandson,	-	-	-	-	-
Nephew - - -	20	4	16	-	-
Farm Bailiff - - -	19	-	19	-	-
Agricultural Labourer - - -	554	19	535	-	1
Shepherd (out-door) - - -	21	1	20	-	-
Land Surveyor, Estate Agent - - -	9	-	9	-	-
Land Drainage Service - - -	10	-	10	-	-
2. Woodman - - -	18	1	17	-	-
3. Gardener - - -	71	1	70	-	-
9. 1. Horse Proprietor, Dealer - - -	6	-	6	-	-
Horse Breaker - - -	3	-	3	-	-
Horsekeeper, Groom, Jockey - - -	31	-	31	-	-
Farrier, Veterinary Surgeon - - -	6	-	6	-	-
Cattle, Sheep, Pig, Salesman - - -	18	-	18	-	-
Drover - - -	9	-	9	-	-
Gamekeeper - - -	13	-	13	-	-
Vermin Destroyer - - -	1	-	1	-	-
Fisherman - - -	26	2	24	-	-
Others engaged about Animals - - -	2	-	2	-	-
V.—INDUSTRIAL CLASS.					
10. 1. Bookseller, Publisher - - -	6	-	6	-	-
Bookbinder - - -	4	-	4	-	-
Printer - - -	28	5	23	-	-
Newspaper Agent, News-room Keeper	1	-	1	-	-
Others engaged in Publications - - -	1	-	1	-	-
4. Wood-carver - - -	1	-	1	-	-
Others - - -	1	-	1	-	-
7. Watch Maker, Clock Maker - - -	17	-	17	-	-
Philosophical Instrument Maker ;	-	-	-	-	-
Optician - - -	2	-	2	-	-
Weighing Machine, Scale, Measure,	1	-	1	-	-
Maker - - -	-	-	-	-	-
9. Others engaged in Arms - - -	2	-	2	-	-
10. Engine and Machine Maker - - -	201	19	182	-	-
Spinning, Weaving, Machine Maker -	5	-	5	-	-
Agricultural Implement, Machine	-	-	-	-	-
Maker - - -	7	1	4	-	-
Millwright - - -	14	1	13	-	-
Tool Maker, Dealer - - -	2	-	2	-	-
File Maker, Dealer - - -	4	-	4	-	-
Cutler - - -	5	-	5	-	-
11. Coachmaker - - -	8	-	8	-	-
Wheelwright - - -	17	-	17	-	-
12. Saddler, Harness, Whip Maker - -	16	2	14	-	-
13. Shipbuilder, Shipwright, Boat-builder	241	12	229	-	-
Sail Maker - - -	14	-	14	-	-
Others - - -	1	-	1	-	-

X.—NORTHERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.
10.—cont.													
14. House Proprietor - - - - -	83	-	83	-	-	-	1	-	3	5	5	12	7
Architect - - - - -	4	-	4	-	-	-	3	-	-	1	-	-	-
Builder - - - - -	21	1	20	-	-	1	-	2	2	8	3	2	3
Carpenter, Joiner - - - - -	244	14	230	-	-	14	28	35	31	35	35	37	31
Bricklayer - - - - -	43	1	42	-	-	1	5	11	9	6	1	-	-
Marble Mason - - - - -	4	-	4	-	-	-	2	-	1	-	-	-	-
Mason, Pavior - - - - -	225	7	218	-	-	7	12	29	35	28	44	38	22
Slater, Tiler - - - - -	9	-	9	-	-	-	-	1	1	-	2	2	3
Plasterer - - - - -	15	1	14	-	-	1	2	3	-	1	2	3	3
Paperhanger - - - - -	2	-	2	-	-	-	-	-	-	1	-	-	-
Plumber, Painter, Glazier - - -	67	6	61	-	-	6	9	9	12	7	12	7	5
15. Cabinet Maker, Upholsterer -	33	2	31	-	-	2	5	11	3	5	4	3	-
Carver and Gilder - - - - -	7	1	6	-	-	1	2	-	1	1	2	-	-
Furniture Broker, Dealer - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
16. Manufacturing Chemist, Labourer	103	4	99	-	-	4	14	24	19	16	11	13	2
Dye, Colour Manufacture - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
Dyer, Scourer, Calenderer - - -	5	-	5	-	-	-	-	-	1	-	2	1	1
Others - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
1. 1. Woolstapler - - - - -	4	-	4	-	-	-	-	-	-	-	1	2	1
Woolen Cloth Manufacture - - -	23	1	22	-	-	1	1	2	1	4	3	4	7
Worsted Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Stuff Manufacture - - - - -	4	1	3	-	-	1	-	-	-	1	-	-	2
Carpet, Rug, Manufacture - - -	14	-	14	-	-	-	2	2	-	-	2	1	7
2. Silk, Satin, Manufacture - - -	2	-	2	-	-	-	-	1	-	-	1	-	-
3. Flax, Linen Manufacture - - -	13	-	13	-	-	-	1	1	1	3	-	1	6
Cotton Manufacture - - - - -	49	1	48	-	-	1	3	1	2	10	9	13	10
Calico, Cotton, Printer - - - -	5	-	5	-	-	-	1	1	-	2	-	-	1
Calico, Cotton, Dyer - - - - -	3	-	3	-	-	-	-	1	-	-	2	-	-
4. Weaver (not otherwise described)	18	3	15	-	-	3	1	-	1	1	1	2	9
Bleacher (not otherwise described)	3	-	3	-	-	-	-	-	1	-	-	1	1
Draper, Linen Draper, Mercer -	71	13	58	-	-	13	14	12	12	11	3	3	3
Trimming Maker, Dealer - - -	1	-	1	-	-	-	-	-	-	1	-	-	-
5. Hairdresser, Wig Maker - - -	10	1	9	-	-	1	-	-	3	3	2	1	-
Hatter, Hat Manufacture - - -	11	-	11	-	-	-	1	2	2	2	1	1	2
Furrier, Skinner - - - - -	4	-	4	-	-	-	-	1	-	-	-	-	1
Tailor - - - - -	170	11	159	-	-	11	11	30	16	29	23	32	18
Stay Maker, Ladies' Outfitter -	1	-	1	-	-	-	-	-	-	-	-	-	-
Hosiery, Haberdasher - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-
Shoemaker, Bootmaker - - - -	237	5	232	-	-	5	9	23	29	38	45	44	44
Fashion, Clog Maker - - - - -	4	-	4	-	-	-	1	2	-	1	-	-	-
Umbrella, Parasol, Stick, Maker	1	-	1	-	-	-	-	-	-	-	-	-	-
6. Rope, Cord Maker - - - - -	17	-	17	-	-	-	-	-	-	4	3	6	4
Canvas, Sailcloth, Manufacture, Dealer	3	-	3	-	-	-	-	-	-	-	2	1	-
12. 1. Cowkeeper, Milk-seller - -	9	-	9	-	-	-	-	1	1	2	2	3	-
Cheesemonger - - - - -	3	-	3	-	-	-	-	-	-	2	1	-	-
Butcher, Meat Salesman - - - -	88	1	87	-	-	1	10	14	17	15	13	6	12
Provision Curer, Dealer - - - -	21	-	21	-	-	-	1	1	2	1	7	2	7
Poulterer, Game Dealer - - - -	3	-	3	-	-	-	-	-	-	1	1	-	-
Fishmonger - - - - -	8	-	8	-	-	-	2	-	2	2	-	-	2
2. Corn, Flour, Seed, Merchant, Dealer	10	-	10	-	-	-	-	1	2	2	3	1	1
Miller - - - - -	40	2	38	-	-	2	2	5	7	6	7	7	6
Baker - - - - -	17	-	17	-	-	-	-	2	1	8	4	2	-
Confectioner, Pastry Cook - - -	13	1	12	-	-	1	-	3	2	-	4	3	1
Greengrocer, Fruit, Vegetable, Dealer	17	-	17	-	-	1	3	3	-	4	1	-	-
Others - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-
3. Malster - - - - -	5	-	5	-	-	-	-	-	-	1	3	-	1
Brewer - - - - -	31	-	31	-	-	-	2	5	5	4	5	8	2
Wine and Spirit Merchant - - -	25	1	24	-	-	1	-	7	7	5	2	1	2
Cellarman - - - - -	4	-	4	-	-	-	-	1	2	1	-	-	-
Ginger Beer, Soda Water, &c., Manufacture	5	-	5	-	-	1	-	2	-	-	-	2	-
Grocer, Tea Dealer - - - - -	90	1	89	-	-	1	8	21	14	13	14	12	7
Tobacco, Cigar, Snuff, Manufacture,	5	-	5	-	-	1	2	-	-	-	1	1	-
Tobacconist - - - - -	3	-	3	-	-	-	-	-	-	-	2	-	1
Others - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-
3. 1. Soap Boiler - - - - -	2	1	1	-	-	1	-	1	-	-	-	-	-
Tallow Chandler - - - - -	3	-	3	-	-	-	-	-	-	1	1	1	-
Comb-maker - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Others - - - - -	2	-	2	-	-	-	-	1	1	-	-	-	-
2. Tanner - - - - -	9	-	9	-	-	-	-	-	3	2	1	2	1
Currier - - - - -	11	-	11	-	-	-	3	2	-	-	2	3	1
Leather Case, Portmanteau, Bag Maker	1	-	1	-	-	-	-	-	1	-	-	-	-

X.—NORTHERN COUNTIES.—DEATHS of MALES
in the Year 1871—*contin*

OCCUPATIONS.	TOTAL.	A.			
		5 Years and under 20.	20 Years and upwds.	5—	1
14. 1. Oil-miller, Refiner - - - - -	2	-	2	-	-
French-polisher - - - - -	1	-	1	-	-
2. Timber, Wood, Merchant, Dealer	11	-	11	-	-
Sawyer - - - - -	32	-	32	-	-
Lath, Fence, Hurdle, Maker - - -	2	-	2	-	-
Wood, Turner, Worker - - - - -	7	-	7	-	-
Box, Packing Case, Maker - - - -	1	-	1	-	-
Cooper, Hoop Maker and Bender -	32	3	29	-	-
3. Cork Cutter, Manufacturer - - -	1	-	1	-	-
4. Basket Maker - - - - -	3	-	3	-	-
Thatcher - - - - -	1	-	1	-	-
5. Rag Gatherer, Dealer - - - - -	4	-	4	-	-
Paper Manufacture - - - - -	10	1	9	-	-
Stationer (not Law) - - - - -	3	-	3	-	-
Paper Stainer - - - - -	2	-	2	-	-
Other Workers in Paper - - - - -	3	-	3	-	-
15. 1. Coal Miner - - - - -	1040	116	924	1	1
Lead Miner - - - - -	94	2	92	-	-
Iron Miner - - - - -	48	2	46	-	-
Miner (branch undefined) - - - -	8	-	8	-	-
Coal Mine Service - - - - -	19	2	17	-	-
Mine Service (Metal not stated) -	2	-	2	-	-
2. Coal Merchant, Dealer - - - - -	7	-	7	-	-
Coal hawser, Labourer - - - - -	102	10	92	-	-
Coke Burner, Dealer - - - - -	43	3	40	-	-
Chimney Sweeper - - - - -	6	-	6	-	-
Gas Works Service - - - - -	13	1	12	-	-
Other Workers in Coal - - - - -	1	-	1	-	-
3. Stone Quarrier - - - - -	61	2	59	-	-
Stone, Merchant, Cutter, Dresser -	1	-	1	-	-
Limestone Quarrier, Lime-burner -	10	-	10	-	-
Clay Labourer - - - - -	3	1	2	-	-
Brick Maker, Dealer - - - - -	50	5	45	-	-
Railway Labourer, Platelayer, Navvy	144	10	134	-	-
Road Contractor, Inspector, Surveyor	3	-	3	-	-
Road Labourer - - - - -	24	-	24	-	-
Scavenger, Dust Collector - - - -	1	-	1	-	-
Others - - - - -	5	-	5	-	-
4. Earthenware Manufacture - - - -	30	1	29	-	-
Earthenware and Glass Dealer - -	3	-	3	-	-
5. Glass Manufacture - - - - -	75	1	74	-	-
6. Salt Manufacture - - - - -	1	-	1	-	-
7. Waterworks Service - - - - -	17	3	14	-	-
Others - - - - -	1	-	1	-	-
8. Goldsmith, Silversmith, Jeweller	6	-	6	-	-
Others - - - - -	1	-	1	-	-
9. Copper Manufacture - - - - -	5	-	5	-	-
Copper-smith - - - - -	3	1	2	-	-
10. Tinplate Worker, Tinsman - - -	15	-	15	-	-
12. Lead Manufacture - - - - -	10	-	10	-	-
13. Brass Manufacture, Brazier - - -	16	1	15	-	-
Gas Fitter - - - - -	2	-	2	-	-
Wine Worker, Drawer - - - - -	4	-	4	-	-
14. Iron Manufacture - - - - -	543	34	509	-	-
Whitesmith - - - - -	10	-	10	-	-
Blacksmith - - - - -	206	11	192	-	-
Nail Manufacture - - - - -	18	-	18	-	-
Anchor-smith, Chain-smith - - - -	21	1	20	-	-
Ironmonger, Hardware Dealer - - -	10	-	10	-	-
Steel Manufacture, Worker - - - -	5	2	3	-	-
Others - - - - -	2	-	2	-	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASSES.					
16. 1. General Labourer, Labourer (branch undefined) - - - - -	733	31	702	-	-
2. Artizan, Mechanic (branch undefined)	7	-	7	-	-
Engine Driver, Stoker (branch undef.)	20	5	15	-	-
Factory Labourer (branch undefined)	1	-	1	-	-
Vagrant, Gipsy - - - - -	3	-	3	-	-
Others of <i>undefined</i> Occupation - - -	264	180	75	-	-
17. 1. Gentleman, Independent, Annuitant -	58	-	58	-	-
18. 1. Scholars and Children of no stated Occupation - - - - -	1520	1520	-	1081	438

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Total of Males AGED 5 YEARS AND UPWARDS	10028	1686	8342	773	374	539	725	1222	961	1020	1311	1505	1698
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	31	-	31	-	-	-	-	3	2	2	5	7	12
Government Messengers, Workmen, &c.	29	-	29	-	-	-	-	3	6	3	4	5	8
2. Magistrate (so returned)	3	-	3	-	-	-	-	-	-	-	2	-	1
Officer of Law Court	6	-	6	-	-	-	1	-	-	1	2	-	1
Police	16	-	16	-	-	-	1	3	4	6	-	1	1
Prison Officer	2	-	2	-	-	-	-	1	-	-	1	-	-
Municipal, Parish, Union, Officer	11	-	11	-	-	-	-	1	1	3	2	1	3
3. East India and Colonial Service	3	-	3	-	-	-	-	-	-	1	-	-	2
2. 1. Army Officer (effective)	4	-	4	-	-	-	-	-	1	-	1	1	1
Soldier	25	1	24	-	-	1	3	9	3	3	1	-	-
Militia, Volunteers	10	-	10	-	-	-	-	2	3	4	-	1	-
Army Pensioner	23	-	23	-	-	-	-	1	6	1	2	1	12
2. Navy Officer (effective)	2	-	2	-	-	-	-	-	-	-	-	1	1
Seaman, R. N.	1	1	-	-	-	1	-	-	-	-	-	-	-
Coastguard, Royal Naval Reserve	3	-	3	-	-	-	1	-	1	-	-	-	1
Navy Pensioner	6	-	6	-	-	-	-	-	-	1	1	-	4
3. 1. Clergyman	31	-	31	-	-	-	-	1	3	6	6	9	6
Protestant Minister	29	-	29	-	-	-	-	9	1	3	6	9	1
Roman Catholic Priest	1	-	1	-	-	-	-	-	-	-	-	-	-
Missionary, Scripture Reader	1	-	1	-	-	-	-	-	-	1	-	-	-
Church, Chapel Officer	5	-	5	-	-	-	-	-	-	-	1	2	2
Others	5	-	5	-	-	-	2	1	-	2	-	-	-
2. Solicitor, Attorney	14	-	14	-	-	-	-	2	2	-	6	2	1
Law Clerk	10	1	9	-	-	1	2	1	2	1	1	-	1
3. Physician, Surgeon	28	-	28	-	-	-	1	5	7	3	3	3	6
Medical—Assistant, Student	1	-	1	-	-	-	-	1	-	-	-	-	-
Chemist, Druggist	20	-	20	-	-	-	6	5	3	2	3	-	1
4. Students and Others	4	-	4	-	-	-	3	1	-	-	-	-	-
5. Photographer	1	-	1	-	-	-	-	-	-	-	1	-	-
6. Musician, Music Master	12	1	11	-	-	1	1	3	2	1	2	2	-
7. Actor	3	-	3	-	-	-	-	1	2	-	-	1	-
Others engaged in Theatres, &c.	2	-	2	-	-	-	-	-	1	-	-	-	-
8. Schoolmaster	36	-	36	-	-	-	5	8	3	3	2	13	2
Teacher, Professor, Lecturer	2	-	2	-	-	-	1	1	-	-	-	-	-
9. Civil Engineer	5	-	5	-	-	-	-	1	-	2	-	1	1
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	112	-	112	-	-	-	1	16	11	22	29	19	14
Beer-seller	2	-	2	-	-	-	-	-	-	-	1	1	-
Lodging-house, Boarding-house Kpr.	3	-	3	-	-	-	-	-	-	-	1	1	1
Institution Service	4	-	4	-	-	-	1	2	-	-	-	1	-
Others	3	-	3	-	-	-	-	1	-	1	-	-	1
2. Domestic Servant (General)	18	2	16	-	1	1	3	1	1	-	3	3	3
Cookman	7	-	7	-	-	-	-	3	1	-	1	-	1
Broom	3	-	3	-	-	-	2	1	-	-	-	-	-
Gardener	6	-	6	-	-	-	-	1	-	-	3	1	1
Inn, Hotel Servant	19	-	19	-	-	-	2	2	3	3	4	3	2
Others	2	-	2	-	-	-	-	-	1	-	1	-	-
III.—COMMERCIAL CLASS.													
6. 1. Merchant	11	-	11	-	-	-	-	2	3	3	-	2	1
Bank Service	6	-	6	-	-	-	-	3	1	1	1	-	-
Insurance, Benefit Society, Service	2	-	2	-	-	-	-	1	-	-	-	1	-
Broker, Agent, Factor	6	-	6	-	-	-	-	2	-	1	-	3	-
Auctioneer, Valuer, House Agent	9	-	9	-	-	-	-	2	-	-	-	4	-
Accountant	20	1	19	-	-	1	2	6	3	3	2	2	1
Commercial Clerk	29	6	23	-	-	6	3	8	3	-	2	3	2
Commercial Traveller	11	-	11	-	-	-	-	4	3	1	2	-	1
2. Shopkeeper (branch undefined), General Dealer	19	-	19	-	-	-	1	2	1	1	6	6	2
Racketer, Costermonger	2	-	2	-	-	-	-	-	-	1	1	-	-
Hawker, Pedlar	24	-	24	-	-	-	-	2	3	1	5	6	5

NOTE.—This Table comprises Monmouthshire and South and North Wales.

**XI.—MONMOUTHSHIRE AND WALES.—DEATHS OF MALES
in the Year 1871—*continue***

OCCUPATIONS.	AGE				
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—
7. 1. Railway Engine Driver, Stoker - -	8	1	7	-	-
Railway Officer, Clerk, Station-master	13	1	12	-	-
Railway Attendant, Servant - -	65	6	59	-	1
2. Toll Collector, Turnpike-gate Keeper -	4	-	4	-	-
Coach, Omnibus, Cab Owner, Livery	4	-	4	-	-
Stable Keeper - -	4	-	4	-	-
Coachman (not domestic), Cabman,	23	2	21	-	-
Flyman - -	40	1	39	-	-
Carman, Carrier, Carter, Drayman -	-	-	-	-	-
3. Inland Navigation Service - -	6	-	6	-	-
Bargeman, Waterman - -	17	1	16	-	-
4. Shipowner - -	2	-	2	-	-
Steam Navigation Service - -	14	-	14	-	-
Ship Steward, Cook - -	4	1	3	-	-
Seaman (Merchant Service) - -	255	14	241	-	-
Pilot - -	19	-	19	-	-
Boatman on Seas - -	4	-	4	-	-
Harbour, Dock Service, Labourer -	20	-	20	-	-
Wharfinger - -	5	-	5	-	-
Others - -	3	-	3	-	-
5. Warehouseman - -	3	1	2	-	-
Meter, Weigher - -	4	-	4	-	-
6. Messenger, Porter, Errand Boy -	6	1	5	-	-
Telegraph Company Service - -	1	-	1	-	-
IV.—AGRICULTURAL CLASS.					
8. 1. Land Proprietor (so returned) - -	33	-	33	-	-
Farmer, Grazier - -	958	1	957	-	-
Farmer's Son, Brother, Grandson,	26	-	26	-	-
Nephew - -	18	-	18	-	-
Farmer Bailiff - -	762	122	640	44	30
Agricultural Labourer - -	14	-	14	-	-
Shepherd (out door) - -	60	12	48	-	1
Farin Servant (in door) - -	6	-	6	-	-
Land Surveyor, Estate Agent - -	1	-	1	-	-
Land Drainage Service - -	-	-	-	-	-
2. Woodman - -	15	1	14	-	-
3. Nurseryman, Seedsman, Florist	2	-	2	-	-
Gardener - -	65	-	65	-	-
9. 1. Horse Proprietor, Dealer - -	2	-	2	-	-
Horse Breaker - -	3	-	3	-	-
Horsekeeper, Groom, Jockey - -	31	-	31	-	-
Farrier, Veterinary Surgeon - -	4	-	4	-	-
Cattle, Sheep, Pig, Salesman - -	10	-	10	-	-
Driver - -	1	-	1	-	-
Gamekeeper - -	16	-	16	-	-
Vermine Destroyer - -	3	-	3	-	-
Fisherman - -	8	1	7	-	-
Others engaged about Animals - -	3	-	3	-	-
V.—INDUSTRIAL CLASS.					
10. 1. Bookseller, Publisher - -	3	-	3	-	-
Bookbinder - -	6	-	6	-	-
Printer - -	19	2	17	-	-
Newspaper Agent, News-room Keeper	1	-	1	-	-
5. Toy Maker, Dealer - -	1	-	1	-	-
7. Watch Maker, Clock Maker - -	14	1	13	-	-
Weighing Machine, Scale, Measure,	1	-	1	-	-
Maker - -	-	-	-	-	-
9. Gunsmith, Gun Manufacture - -	1	-	1	-	-
10. Engine and Machine Maker - -	53	3	50	-	1
Agricultural Implement, Machine Mkr.	1	-	1	-	-
Millwright - -	2	1	1	-	-
File Maker, Dealer - -	1	-	1	-	-
Cutler - -	1	-	1	-	-
11. Coachmaker - -	2	-	2	-	-
Wheelwright - -	25	-	25	-	-
Others engaged about Carriages -	2	-	2	-	-

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5--	10--	15--	20--	25--	30--	35--	40--	45--	50--	75 and upwards.
10.—cont.														
12. Saddler, Harness, Whip Maker - -	31	2	29	-	-	2	2	4	3	2	7	3	8	
13. Ship builder, Shipwright, Boat-builder	52	1	51	-	-	1	3	7	12	7	7	5	10	
Sail Maker - - - - -	5	-	5	-	-	-	-	1	1	-	-	-	1	
Others - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-	
14. House Proprietor - - - - -	7	-	7	-	-	-	-	-	1	-	1	2	3	
Architect - - - - -	4	1	3	-	-	1	-	-	1	-	-	1	1	
Surveyor - - - - -	5	-	5	-	-	-	-	-	-	-	-	-	-	
Builder - - - - -	15	-	15	-	-	-	-	-	2	5	2	4	2	
Carpenter, Joiner - - - - -	226	7	219	-	-	7	19	44	24	28	25	35	44	
Bricklayer - - - - -	11	2	9	-	-	2	2	1	1	-	1	1	3	
Mason, Pavlor - - - - -	188	8	180	-	-	8	8	20	17	28	31	25	45	
Slater, Tiler - - - - -	18	1	17	-	-	1	-	4	-	2	1	2	8	
Plasterer - - - - -	26	2	24	-	-	2	4	1	-	5	2	5	7	
Plumber, Painter, Glazier - -	44	2	42	-	-	2	5	10	9	7	2	7	2	
15. Cabinet Maker, Upholsterer	23	-	23	-	-	-	3	4	1	2	5	6	2	
Undertaker - - - - -	3	-	3	-	-	-	-	-	-	1	-	1	1	
16. Manufacturing Chemist, Labourer	15	-	15	-	-	-	-	5	3	2	2	2	1	
Dyer, Scourer, Calenderer - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
1. 1. Woolstapler - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	1	
Woollen Cloth Manufacture - -	22	2	20	-	-	2	1	2	-	-	4	5	8	
Fuller - - - - -	3	1	2	-	-	1	1	-	-	-	1	1	1	
Flannel Manufacture - - - - -	27	2	25	-	-	2	2	4	1	2	4	2	10	
2. Silk Merchant, Dealer - - -	1	-	1	-	-	-	-	-	-	-	1	-	-	
3. Flax, Linen Manufacture - -	1	-	1	-	-	-	-	-	-	-	-	-	1	
Lace Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-	
Calico, Cotton, Printer - - -	1	-	1	-	-	-	-	-	-	-	-	-	1	
4. Weaver (not otherwise described)	21	-	21	-	-	-	-	1	1	2	2	5	10	
Draper, Linen Draper, Mercer -	83	10	73	-	-	10	17	25	14	2	6	6	3	
5. Hairdresser, Wig Maker - -	6	-	6	-	-	-	-	2	1	1	1	-	1	
Hatter, Hat Manufacture - - -	3	-	3	-	-	-	-	-	-	-	1	-	2	
Furrier - - - - -	9	-	9	-	-	-	-	-	-	2	3	2	1	
Tailor - - - - -	172	8	164	-	-	8	13	21	25	26	21	19	39	
Hosiery Manufacture - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-	
Hosiery, Haberdasher - - - -	3	-	3	-	-	-	-	1	1	1	1	1	-	
Glove Maker (all except leather)	3	-	3	-	-	-	-	-	-	-	1	1	-	
Shoemaker, Bootmaker - - - -	190	6	184	-	-	6	12	17	14	22	40	30	49	
Patten, Clog Maker - - - - -	4	-	4	-	-	-	1	-	-	-	1	2	-	
Umbrella, Parasol, Stick Maker	1	-	1	-	-	-	-	-	-	1	-	-	-	
6. Rope, Cord Maker - - - - -	8	-	8	-	-	-	-	-	1	-	1	1	-	
12. 1. Cowkeeper, Milk seller - -	3	-	3	-	-	-	-	1	-	-	1	1	-	
Cheese monger - - - - -	2	-	2	-	-	-	-	1	-	-	1	-	-	
Butcher, Meat Salesman - - -	77	-	77	-	-	-	6	10	11	8	9	15	18	
Provision Curer, Dealer - - -	3	-	3	-	-	-	-	-	-	2	1	1	1	
Poulterer, Game Dealer - - -	3	-	3	-	-	-	-	-	-	1	-	-	-	
Fishmonger - - - - -	5	-	5	-	-	-	-	1	1	1	-	-	2	
2. Corn, Flour, Seed, Merchant, Dealer	8	-	8	-	-	-	-	1	-	1	-	4	2	
Miller - - - - -	47	1	46	-	-	1	3	3	5	8	5	12	10	
Baker - - - - -	13	-	13	-	-	-	2	1	1	3	1	4	1	
Confectioner, Pastry Cook - -	2	-	2	-	-	-	-	-	-	2	-	-	-	
Greengrocer, Fruit, Vegetable, Dealer	14	1	13	-	-	1	2	3	1	1	2	4	-	
5. Maltster - - - - -	20	-	20	-	-	-	-	3	2	2	1	4	8	
Brewer - - - - -	22	1	21	-	-	1	3	2	7	1	1	5	2	
Wine and Spirit Merchant - -	9	2	7	-	-	2	1	2	2	1	-	1	-	
Cellarman - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-	
Grocer, Tea Dealer - - - - -	82	4	78	-	-	4	13	17	6	7	13	13	9	
Tobacco, Cigar, Snuff, Manufacture,	2	-	2	-	-	-	1	-	-	-	-	-	1	
Tobaccoist - - - - -	1	-	1	-	-	-	-	-	1	-	-	-	-	
Others - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
13. 1. Soap Boiler - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	
Tallow Chandler - - - - -	4	-	4	-	-	-	1	-	-	-	1	1	1	
2. Tanner - - - - -	5	-	5	-	-	-	-	-	1	2	1	3	-	
Currier - - - - -	7	-	7	-	-	-	-	-	-	1	1	1	1	
14. 1. Japanner - - - - -	1	-	1	-	-	-	1	-	-	-	-	-	-	
2. Timber, Wood, Merchant, Dealer	10	-	10	-	-	-	2	1	2	-	2	1	2	
Sawyer - - - - -	39	-	39	-	-	-	-	3	3	7	9	8	9	
Lath, Fence, Hurdle, Maker - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Wood, Turner, Worker - - - -	3	-	3	-	-	-	-	-	-	-	1	-	-	
Box, Packing Case, Maker - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Cooper, Hoop-maker and Bender	23	-	23	-	-	-	2	1	-	2	4	4	1	

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES
in the Year 1871—*continued*

OCCUPATIONS.	AGES				
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—
14.—cont.					
4. Basket Maker - - - - -	7	-	7	-	-
Hay and Straw Dealer - - - - -	1	-	1	-	-
Thatcher - - - - -	2	-	2	-	-
5. Rag Gatherer - - - - -	4	-	4	-	-
Paper Manufacture - - - - -	3	-	3	-	-
Stationer (not Law) - - - - -	2	-	2	-	-
Paper Stainer - - - - -	1	-	1	-	-
Other Workers in Paper - - - - -	1	-	1	-	-
15. 1. Coal Miner - - - - -	804	96	708	-	30
Copper Miner - - - - -	25	2	23	-	-
Lead Miner - - - - -	100	3	97	-	-
Iron Miner - - - - -	110	2	108	-	-
Miner (branch undefined) - - - - -	20	3	17	-	1
Coal Mine Service - - - - -	21	1	20	-	-
Mine Service (Metal not stated) - - - - -	7	-	7	-	-
Others - - - - -	2	-	2	-	-
2. Coal Merchant, Dealer - - - - -	14	-	14	-	-
Coal-heaver, Labourer - - - - -	49	4	45	-	1
Coke Burner, Dealer - - - - -	13	1	12	-	-
Chimney Sweeper - - - - -	6	-	6	-	-
Gas Works Service - - - - -	5	-	5	-	-
Other Workers in Coal - - - - -	4	-	4	-	-
3. Stone Quarrier - - - - -	74	-	74	-	-
Stone, Merchant, Cutter, Dresser - - - - -	18	-	18	-	-
Slate Quarrier - - - - -	131	13	118	-	1
Limestone Quarrier, Lime-Burner - - - - -	16	1	15	-	-
Clay Labourer - - - - -	1	-	1	-	-
Brick Maker, Dealer - - - - -	17	-	17	-	-
Railway Labourer, Platelayer, Navy - - - - -	54	3	51	-	-
Road Labourer - - - - -	23	-	23	-	-
Others - - - - -	11	-	11	-	-
4. Earthenware Manufacture - - - - -	8	-	8	-	-
Tobacco-pipe Maker - - - - -	1	-	1	-	-
Earthenware and Glass Dealer - - - - -	6	-	6	-	-
5. Glass Manufacture - - - - -	1	-	1	-	-
6. Other Dealers in Salt - - - - -	1	-	1	-	-
8. Goldsmith, Silversmith, Jeweller - - - - -	6	-	6	-	-
Others - - - - -	2	-	2	-	-
9. Copper Manufacture - - - - -	57	3	54	-	-
Coppersmith - - - - -	1	-	1	-	-
10. Tin Manufacture - - - - -	26	8	18	-	3
Tinplate Worker, Tinman - - - - -	30	5	25	-	-
11. Zinc Manufacture - - - - -	2	-	2	-	-
12. Lead Manufacture - - - - -	10	-	10	-	-
13. Brass Manufacture, Brazier - - - - -	3	-	3	-	-
Locksmith, Bellhanger - - - - -	2	-	2	-	-
Gas Fitter - - - - -	3	1	2	-	-
Wire Worker, Drawer - - - - -	2	-	2	-	-
14. Iron Manufacture - - - - -	261	26	235	-	4
Blacksmith - - - - -	132	10	122	-	-
Nail Manufacture - - - - -	11	1	10	-	-
Anchor-smith, Chainsmith - - - - -	4	-	4	-	-
Ironmonger, Hardware Dealer - - - - -	10	-	10	-	-
Steel Manufacture, Worker - - - - -	11	-	11	-	-
Others - - - - -	1	-	1	-	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.					
16. 1. General Labourer, Labourer (branch undefined) - - - - -	1011	49	971	-	7
2. Artizan, Mechanic (branch undefined) - - - - -	2	-	2	-	-
Engine Driver, Stoker (branch undef.) - - - - -	44	8	36	-	1
Factory Labourer (branch undefined) - - - - -	2	-	2	-	-
Vagrant, Gipsy - - - - -	6	-	6	-	-
Others of undefined Occupation - - - - -	464	184	280	-	2
17. 1. Gentleman, Independent, Annuitant - - - - -	70	1	69	-	-
18. 1. Scholars and Children of no stated Occupation - - - - -	1019	1019	-	729	290

ENGLAND.

DEATHS OF MALES

AGED 5 YEARS AND UPWARDS

OF

DIFFERENT OCCUPATIONS

IN

EIGHTY TOWN DISTRICTS

REGISTERED IN THE YEAR

1871.

ENGLAND.—DEATHS of MALES of different OCCUPATIONS
in the Year 1871.

CLASSES, ORDERS, AND SUB-ORDERS.		TOTAL 5 Years and upwards.	5 Years and under 20.	20 Years and upwards.
TOTAL OF MALES AGED 5 YEARS AND UPWARDS - - - - -		66,000	10,337	28,003
CLASSES.				
I. PROFESSIONAL CLASS - - -		4,890	102	4,594
II. DOMESTIC CLASS - - -		2,414	50	2,335
III. COMMERCIAL CLASS - - -		9,412	422	8,990
IV. AGRICULTURAL CLASS - - -		3,400	115	3,494
V. INDUSTRIAL CLASS - - -		31,075	1,180	29,895
VI. INDEFINITE AND NON- PRODUCTIVE CLASS - - -		17,383	9,050	8,563
ORDERS.				
Class	Order			
I.	1. Persons engaged in the GENERAL or LOCAL GOVERNMENT of the Country - - -	969	11	988
	2. Persons engaged in the DEFENCE of the Country - - - - -	1728	47	1681
	3. Persons engaged in the LEARNED PROFESSIONS or in LITERATURE, ART, and SCIENCE (with their immediate Sub- ordinates) - - - - -	1909	44	1925
II.	5. Persons engaged in ENTERTAINING, and performing PERSONAL OFFICES for Men - - -	2414	59	2355
III.	6. Persons who BUY or SELL, KEEP or LEND Money, Houses, or Goods of VARIOUS KINDS - - - - -	2759	115	2644
	7. Persons engaged in the CONVEYANCE of Men, Animals, Goods, and Messages - - -	6553	307	6746
IV.	8. Persons possessing or working the LAND, and engaged in growing GRAIN, FRUITS, GRASSES, ANIMALS, and other Products - - -	2387	91	2496
	9. Persons engaged about ANIMALS - - -	822	24	798
V.	10. Persons engaged in ART and MECHANIC Productions, in which Matters of various kinds are used in combination - - -	10857	390	10507
	11. Persons working and dealing in the TEXTILE FABRICS and in DYES - - - - -	6717	214	6503
	12. Persons working and dealing in FOOD and DRINKS - - - - -	4901	113	5009
	13. Persons working and dealing in ANIMAL SUBSTANCES - - - - -	563	17	566
	14. Persons working and dealing in VEGETABLE SUBSTANCES - - - - -	1336	42	1354
VI.	15. Persons working and dealing in MINERALS - - -	7461	413	7098
	16. LABOURERS AND OTHERS—Branch of labour and kind - - - - -	8575	1393	7482
	17. Persons of RANK or PROPERTY not re- turned under any Other or Occupation - - -	1056	5	1051
	18. SCHOLARS AND CHILDREN not engaged in any directly PRODUCTIVE OCCUPATION - - -	7652	7652	-
SUB-ORDERS.				
Class	Order			
I.	1. Officers of National Government - - -	547	9	538
	2. Officers of Local Government - - -	456	2	434
	3. Officers of East India and Colonial Go- vernment - - - - -	16	-	16
II.	2. 1. Army - - - - -	1105	22	1083
	2. Navy - - - - -	623	25	598

* The following are the Eighty Town Districts comprised in this Table (Male pop.

London.	Cambridge.	East Stonehouse.	Wolstanton.	Lincoln.
Medway.	West Ham.	Stoke Newington.	Stoke-upon-Trent.	Radcliffe.
Maidstone.	Colchester.	Truro.	Wolverhampton.	Nottingham.
Canterbury.	Bury St. Edmunds.	Bath.	Dudley.	Derby.
Brighton.	Ipswich.	Bedminster.	Worcester.	Stockport.
Portsea Island.	Yarmouth.	Bristol.	Kings Norton.	Macclesfield.
Alverstoke.	Norwich.	Clifton.	Birmingham.	Cheltenham.
Southampton.	King's Lynn.	Gloucester.	Aston.	Leicester.
Reading.	Salisbury.	Cheltenham.	Fossehill.	Sheffield.
Oldham.	St. Thomas.	Hereford.	Coventry.	Sheffield.
Northampton.	Exeter.	Shrewsbury.	Warwick.	Sheffield.
Plymouth.	Plymouth.	Sturford.	Leicester.	Sheffield.

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—continued.

SEXES, ORDERS, AND SUB-ORDERS.	AGES OF MALES.												
	TOTAL 5 Years and upwards.	5 Years and under 20.	20 Years and upwards.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up- wards.
Order													
SUB-ORDER													
3. 1. Clergymen, Ministers, and Others con- nected with Religion - - -	276	3	273	-	-	3	5	17	30	34	54	74	59
2. Lawyers and Law Stationers - - -	411	8	403	-	1	7	31	78	61	71	56	61	45
3. Physicians, Surgeons, and Druggists -	437	6	431	-	-	6	33	69	64	74	69	72	50
4. Authors, Literary Persons, and Students	68	5	63	-	1	4	11	11	6	8	9	7	7
5. Artists - - - - -	306	6	290	-	-	6	16	31	39	34	31	33	16
6. Musicians - - - - -	219	4	208	-	-	4	14	53	50	27	26	23	15
7. Actors - - - - -	91	2	89	-	-	2	5	20	20	20	15	5	4
8. Teachers - - - - -	215	9	206	-	1	8	13	26	26	34	40	50	27
9. Scientific Persons - - - - -	53	1	52	-	-	1	5	10	11	5	8	6	9
5. 1. Engaged in Board and Lodging - -	1294	8	1286	-	-	8	16	131	964	318	271	182	104
2. Attendants (Domestic Servants, &c.) -	1120	51	1069	-	3	48	109	218	207	163	129	137	106
6. 1. Mercantile Persons - - - - -	1904	95	1871	-	2	93	161	390	322	380	256	256	136
2. Other General Dealers - - - - -	793	20	773	-	-	20	29	105	158	121	174	124	82
7. 1. Carriers on Railways - - - - -	711	42	669	-	3	39	103	212	149	100	70	24	11
2. " on Roads - - - - -	1911	44	1867	-	1	43	126	332	306	397	297	238	111
3. " on Canals and Rivers - - -	416	13	403	-	2	11	20	65	61	65	64	75	53
4. " on Seas and Rivers - - -	2265	94	2171	-	4	90	213	449	438	397	281	254	159
5. Engaged in Storage - - - - -	388	24	362	-	-	24	37	73	73	76	49	41	13
6. Messengers and Porters - - - -	964	90	874	-	11	79	69	142	163	154	171	153	49
8. 1. Agriculturists - - - - -	2237	79	2158	8	9	62	59	149	163	246	306	552	623
2. Arboriculturists - - - - -	30	1	29	-	-	1	1	4	4	3	9	7	7
3. Horticulturists - - - - -	720	11	709	-	-	11	19	55	64	105	139	176	151
9. 1. Persons engaged about ANIMALS -	822	24	798	-	2	22	51	139	136	150	127	115	60
10. 1. Workers and Dealers in—													
Books - - - - -	749	60	689	-	6	54	82	114	129	124	163	95	51
2. Musical Instruments - - - -	98	5	93	-	-	5	15	15	17	12	12	11	11
3. Prints and Pictures - - - -	81	6	75	-	-	6	6	16	11	16	11	9	6
4. Carving and Figures - - - -	76	3	73	-	-	7	8	23	9	9	12	12	5
5. Tackle for Sports and Games -	53	3	49	-	1	2	4	4	2	10	13	10	6
6. Designs, Medals, and Dies - -	43	2	41	-	-	2	6	7	7	6	3	6	6
7. Watches and Philosophical In- struments - - - - -	317	11	306	-	-	11	28	52	39	41	66	46	34
8. Surgical Instruments - - - -	21	1	20	-	-	1	2	4	3	3	5	6	3
9. Arms - - - - -	145	3	140	-	-	3	13	32	21	24	22	16	12
10. Machines and Tools - - - - -	1581	79	1502	-	3	76	153	297	263	277	245	165	82
11. Carriages - - - - -	466	7	459	-	-	7	30	58	29	97	93	73	49
12. Harness - - - - -	193	5	190	-	-	5	15	28	32	33	26	31	25
13. Ships - - - - -	663	17	646	-	-	17	50	86	111	118	95	103	83
14. Houses and Buildings - - - -	5229	146	5083	-	6	140	326	765	861	877	925	841	485
15. Furniture - - - - -	791	33	758	-	1	32	47	117	116	128	147	122	81
16. Chemicals - - - - -	390	12	378	-	1	11	32	62	59	74	67	60	24
11. 1. Workers and Dealers in—													
Wool and Worsted - - - - -	330	8	322	-	1	7	11	39	43	54	60	62	53
2. Silk - - - - -	329	13	316	-	1	12	7	26	41	36	64	81	61
3. Cotton and Flax - - - - -	995	49	947	1	3	45	84	123	106	135	193	149	107
4. Mixed Materials - - - - -	670	37	633	-	37	60	105	86	103	81	105	93	93
5. Dress - - - - -	4265	104	4162	-	5	99	209	491	582	777	780	775	550
6. Hemp & other Fibrous Materials	156	3	153	-	-	3	2	16	15	32	38	32	18
12. 1. Workers and Dealers in—													
Animal Food - - - - -	1389	31	1358	-	1	30	82	179	264	245	236	212	140
2. Vegetable Food - - - - -	1165	42	1123	-	-	42	68	150	185	202	210	201	107
3. Drinks and Stimulants - - - -	1447	40	1407	-	1	39	104	270	250	209	253	219	122
13. 1. Workers and Dealers in—													
Grease, Gut, Bones, Horn, Ivory, and Whalebone - - - - -	148	5	143	-	1	4	7	16	28	24	23	33	17
2. Skins, Feathers, and Quills - -	514	6	508	-	-	6	19	41	59	51	69	51	27
3. Hair - - - - -	121	6	115	-	-	6	10	10	14	23	26	20	12
14. 1. Workers and Dealers in—													
Gums and Resins - - - - -	242	6	236	-	-	6	23	49	45	36	41	33	9
2. Wood - - - - -	782	30	752	-	3	17	48	116	113	131	133	138	88
3. Bark - - - - -	31	2	29	-	-	2	1	3	9	4	7	2	3
4. Cane, Rush, and Straw - - - -	101	1	100	-	1	-	5	9	9	17	27	21	12
5. Paper - - - - -	240	13	227	-	4	9	15	34	37	43	38	32	28
15. 1. Miners - - - - -	1543	140	1394	1	40	108	151	220	224	235	232	205	127
2. Workers and Dealers in—													
Coal - - - - -	700	26	674	-	4	22	32	99	94	143	134	112	60
3. Stone, Clay - - - - -	988	38	950	2	1	35	65	140	157	165	167	138	103
4. Earthenware - - - - -	439	20	419	1	3	16	21	36	102	103	81	52	24
5. Glass - - - - -	219	7	212	-	-	7	14	37	32	38	40	39	12
6. Salt - - - - -	14	-	14	-	-	-	-	2	4	4	-	-	-
7. Water - - - - -	55	3	52	-	1	2	3	4	10	6	10	11	8
8. Gold, Silver, and Precious Stones	306	10	296	-	10	34	51	36	46	42	54	33	33
9. Copper - - - - -	46	3	43	-	-	3	1	4	4	6	9	16	3
10. Tin and Quicksilver - - - - -	150	2	148	-	-	2	13	19	32	23	18	31	12
11. Zinc - - - - -	15	2	13	-	-	2	-	5	4	1	1	1	1
12. Lead and Antimony - - - - -	38	1	37	-	-	1	27	56	76	96	79	70	38
13. Brass and other Mixed Metals -	619	28	591	-	11	113	211	420	382	399	386	303	224
14. Iron and Steel - - - - -	2449	124	2325	-	-	-	-	-	-	-	-	-	-
16. 1. General Labourers - - - - -	6008	212	5791	-	14	198	444	934	990	1026	1050	860	507
2. Other Persons of indefinite Occupations	2872	1181	1691	-	4	1177	296	515	524	190	228	268	172
17. 1. Persons of RANK or PROPERTY not re- turned under any Office or Occupation	1056	5	1051	-	-	5	26	43	68	100	185	322	702
18. 1. Scholars and Children not engaged in any directly Productive Occupation -	7632	7652	-	5440	2212	-	-	-	-	-	-	-	-

ENGLAND.—DEATHS of MALES of different OCCUPATIONS in the Year 1871.

OCCUPATIONS.	AGE				
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—
Total of Males AGED 5 YEARS AND UPWARDS	68989	10907	58052	5454	2370
I.—PROFESSIONAL CLASS.					
1.—Persons engaged in the GENERAL or LOCAL GOVERNMENT of the Country.					
1. National Government.					
Civil Service	273	5	268	—	—
Government Messengers, Workmen, &c.	201	4	257	—	—
Other Government Officers	13	—	13	—	—
2. Local Government.					
Magistrates (so returned)	9	—	9	—	—
Officer of Law Court	32	1	32	—	—
Police	234	1	233	—	—
Prison Officer	28	—	28	—	—
Municipal, Parish, Union, Officer	130	—	130	—	—
Other Local Government Officers	2	—	2	—	—
3. East India and Colonial Government.					
East India and Colonial Service	16	—	16	—	—
2.—Persons engaged in the DEFENCE of the Country.					
1. Army—(at Home).					
Army Officer (effective)	108	—	108	—	—
Army Retired and Half Pay Officer	49	—	49	—	—
Soldier	304	22	482	—	—
Militia, Volunteers	44	—	44	—	—
Army Pensioner	396	—	396	—	—
Others	4	—	4	—	—
2. Navy—(Ashore or in Port).					
Navy Officer (effective)	55	1	54	—	—
Navy Retired and Half Pay Officer	23	—	23	—	—
Seaman, R. N.	291	23	178	—	1
Royal Marine	73	1	72	—	—
Coastguard, Royal Naval Reserve	16	—	16	—	—
Navy Pensioner	255	—	255	—	—
3.—Persons engaged in the LEARNED PROFESSIONS, or in LITERATURE, ART, and SCIENCE (with their immediate Subordinates).					
1. Clergymen, Ministers, and Church Officers.					
Clergyman	128	—	128	—	—
Protestant Minister	58	—	58	—	—
Roman Catholic Priest	10	—	10	—	—
Missionary, Scripture Reader	16	—	16	—	—
Church, Chapel Officer	33	—	33	—	—
Others	11	3	8	—	—
2. Lawyers, Law Court Officers, and Law Stationers.					
Barrister	72	—	82	—	—
Solicitor, Attorney	162	—	162	—	—
Law Student	2	—	2	—	—
Law Clerk	192	7	185	—	1
Law Stationer	23	1	22	—	—
3. Physicians, Surgeons, and Druggists.					
Physician, Surgeon	197	1	196	—	—
Medical Assistant, Student	20	—	19	—	—
Dentist	18	1	17	—	—
Chemist, Druggist	159	3	196	—	—
Others	3	—	3	—	—
4. Authors and Literary Persons.					
Author, Editor, Journalist	22	—	22	—	—
Students and Others	46	5	41	—	1
5. Artists.					
Painter, Artist	82	—	82	—	—
Sculptor	7	—	7	—	—
Engraver	84	3	81	—	—
Photographer	31	3	28	—	—
Others engaged in the Fine Arts	2	—	2	—	—
6. Musicians, Teachers of Music.					
Musician, Music Master	306	4	302	—	—
Others	6	—	6	—	—

LAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS
in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.	
3.—cont.														
7. Actors, &c.														
ions, Shows—Service	31	-	31	-	-	-	-	6	3	9	9	2	2	
ngaged in Theatres, &c.	9	1	8	-	-	1	-	1	3	1	1	-	2	
	31	1	50	-	-	1	5	13	14	19	5	3	-	
8. Teachers.														
aster	159	4	155	-	-	4	8	22	23	16	27	38	21	
, Professor, Lecturer	56	5	51	-	1	4	5	4	3	8	13	12	6	
9. Scientific Persons.														
ngineer	56	1	55	-	-	1	3	8	8	4	4	3	5	
Scientific Persons	17	-	17	-	-	-	-	2	3	1	4	3	4	
II.—DOMESTIC CLASS.														
<i>Persons engaged in entertaining and performing PERSONAL OFFICES for Man.</i>														
1. In Board and Lodging.														
uper, Hotel Keeper, Publican	880	4	876	-	-	4	10	90	185	219	184	121	67	
ler	214	2	212	-	-	2	1	23	40	58	53	26	11	
ouse, Boarding-house Keeper	74	-	74	-	-	-	-	5	14	15	16	17	9	
ouse, Eating-house Keeper	68	2	66	-	-	2	4	5	13	13	10	11	10	
ion Service	45	-	45	-	-	-	-	9	9	8	8	5	6	
	13	-	13	-	-	-	1	1	3	5	-	2	1	
<i>Attendance (Domestic Servants, &c.)</i>														
ig Servant (General)	358	17	341	-	2	15	29	50	54	55	52	54	47	
Cookman	149	1	148	-	-	1	7	19	30	26	22	21	23	
Groom	22	2	20	-	-	2	4	4	3	2	3	1	3	
Gardener	56	-	56	-	-	-	3	7	9	4	7	14	12	
Inn, Hotel Servant	455	30	425	-	1	29	61	127	94	56	39	34	14	
ot Domestic Servant)	53	1	52	-	-	1	4	8	12	11	4	8	5	
	27	-	27	-	-	-	1	3	5	9	2	5	2	
III.—COMMERCIAL CLASS.														
<i>Persons who BUY or SELL, KEEP, or END, Money, Houses, or Goods of various Kinds.</i>														
1. Mercantile Men.														
nt	159	2	157	-	-	2	1	15	23	23	29	40	24	
ervice	17	-	17	-	-	-	-	1	3	2	2	4	5	
se, Benefit Society, Service	94	1	93	-	-	1	8	23	10	9	11	10	12	
Agent, Factor	96	4	92	-	-	4	6	13	11	13	6	8	5	
in (not otherwise described)	169	4	165	-	-	4	4	28	31	41	22	29	10	
eer, Valuer, House Agent	25	1	24	-	-	1	2	5	5	5	3	3	1	
tant	101	-	101	-	-	-	4	9	18	11	24	20	15	
rel Clerk	188	3	185	-	-	3	4	22	16	32	21	24	16	
rel Traveller	931	79	852	-	2	77	118	219	151	150	99	92	50	
mercantile Men	234	1	233	-	-	1	15	54	47	53	41	17	8	
	42	-	42	-	-	-	1	1	5	11	5	9	10	
2. Other General Dealers.														
oker	71	5	66	-	-	5	6	14	6	14	15	5	6	
uper (branch undefined), General Dealer	223	4	219	-	-	4	7	25	39	34	54	36	24	
er, Costermonger	66	4	62	-	-	4	1	11	18	5	10	10	7	
; Pedlar	438	7	431	-	-	7	15	55	75	68	95	73	45	
<i>Persons engaged in the CONVEYANCE of Persons, Animals, Goods, and Messages.</i>														
1. Carriers on Railways.														
Engine Driver, Stoker	133	6	127	-	-	6	22	44	23	22	11	2	8	
Officer, Clerk, Station-master	147	8	139	-	-	8	19	47	84	19	16	3	1	
Attendant, Servant	431	28	403	-	3	25	62	121	92	59	43	19	7	
2. Carriers on Roads.														
lector, Turnpike-gate Keeper	34	-	34	-	-	-	1	1	4	6	7	8	7	
mnibus, Cab Owner, Livery Stable	-	-	-	-	-	-	-	-	-	-	-	-	-	
r	116	-	116	-	-	-	2	16	24	32	15	18	9	
an (not domestic), Cabman, Flyman	633	3	630	-	-	3	30	98	141	147	111	88	35	
Carrier, Carter, Drayman	1082	41	1041	-	1	40	93	217	192	296	159	116	58	
	26	-	26	-	-	-	-	-	5	6	5	8	2	
Carriers on Canals and Rivers.														
Navigation Service	35	2	33	-	-	2	1	5	2	8	4	7	6	
an, Waterman	380	11	369	-	2	9	19	66	66	101	69	66	40	
	1	-	-	-	-	-	-	-	1	-	-	-	-	

**ENGLAND.—DEATHS of MALES of different OCCUPATION
in the Year 1871—contd**

OCCUPATIONS.	TOTAL.	5 Years and under 20.	20 Years and upwards.	5 -	1
7.—cont.					
4. Carriers on Seas and Rivers.					
Shipowner - - - - -	41	-	41	-	-
Steam Navigation Service - - - - -	109	1	108	-	-
Ship Steward, Cook - - - - -	93	7	86	-	-
Seaman (Merchant Service) - - - - -	1285	69	1216	-	-
Pilot - - - - -	51	1	50	-	-
Boatman on Seas - - - - -	18	2	16	-	-
Harbour, Dock Service, Labourer - - - - -	589	10	579	-	-
Wharfinger - - - - -	16	-	16	-	-
Others - - - - -	63	4	59	-	-
5. Engaged in Storage.					
Warehouseman - - - - -	381	24	357	-	-
Meter, Weigher - - - - -	5	-	5	-	-
6. Messengers and Porters.					
Messenger, Porter, Errand Boy - - - - -	855	75	780	-	-
Cotton Porter - - - - -	67	1	66	-	-
Telegraph Company Service - - - - -	33	14	19	-	-
Others engaged in Messages - - - - -	9	-	9	-	-
IV.—AGRICULTURAL CLASS.					
8.—Persons possessing or working the LAND, and engaged in growing GRAIN, FRUITS, GRASSES, ANIMALS, and other Products.					
1. In Fields and Pastures.					
Land Proprietor (so returned) - - - - -	83	-	83	-	-
Farmer, Grazier - - - - -	753	2	751	-	-
Farmer's Son, Brother, Grandson, Nephew - - - - -	42	25	17	-	8
Farm Bailiff - - - - -	28	-	28	-	-
Agricultural Labourer - - - - -	1248	43	1205	-	-
Shepherd (out door) - - - - -	20	-	20	-	-
Farm Servant (in-door) - - - - -	17	8	9	-	-
Land Surveyor, Estate Agent - - - - -	30	-	30	-	-
Land Drainage Service - - - - -	4	-	4	-	-
Agricultural Machine Proprietor, Attendant - - - - -	3	-	3	-	-
Others engaged in Agriculture - - - - -	9	1	8	-	-
2. In Woods.					
Woodman - - - - -	20	1	19	-	-
3. In Gardens.					
Nurseryman, Seedsmen, Florist - - - - -	44	2	42	-	-
Gardener - - - - -	639	9	630	-	-
Others engaged in Horticulture - - - - -	3	-	3	-	-
9. 1. Persons engaged about Animals.					
Horse Proprietor, Dealer - - - - -	32	-	32	-	-
Horse Breaker - - - - -	18	-	18	-	-
Horsekeeper, Groom, Jockey - - - - -	402	11	391	-	-
Farrier, Veterinary Surgeon - - - - -	99	3	96	-	-
Cattle, Sheep, Pig, Salesman - - - - -	57	1	56	-	-
Driver - - - - -	24	-	24	-	-
Gamekeeper - - - - -	2	-	2	-	-
Vermin Destroyer - - - - -	117	9	108	-	-
Fisherman - - - - -	17	-	17	-	-
Others engaged about Animals - - - - -	-	-	-	-	-
V.—INDUSTRIAL CLASS.					
10.—Persons engaged in ART and MECHANIC Productions, in which matters of various kinds are employed in combination.					
1. In Books.					
Bookseller, Publisher - - - - -	74	4	70	-	-
Bookbinder - - - - -	111	5	106	-	1
Printer - - - - -	509	59	450	-	4
Newspaper Agent, News room Keeper - - - - -	44	1	43	-	1
Others engaged in Publications - - - - -	11	-	11	-	-
2. In Musical Instruments.					
Musical Instrument Maker, Dealer - - - - -	90	4	86	-	-
Others - - - - -	8	1	7	-	-
3. In Prints and Pictures.					
Lithographer, Lithographic Printer - - - - -	56	4	52	-	-
Others - - - - -	43	2	41	-	-
4. Carving and Figures.					
Wood carver - - - - -	48	-	48	-	-
Others - - - - -	20	-	20	-	-
5. In Tackle for Sports and Games.					
Toy Maker, Dealer - - - - -	20	2	18	-	1
Others - - - - -	13	1	12	-	-

Deaths according to Occupations and Ages in 1871.

511

LAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS
in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.													
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.	
10.-cont.														
<i>In Designs, Medals, and Dice.</i>														
Designer	10	2	8	-	-	2	-	2	-	4	1	1	-	
under	8	-	8	-	-	-	1	1	2	2	-	1	1	
	25	-	25	-	-	-	5	4	5	-	2	4	5	
<i>atches and Philosophical Instruments.</i>														
aker, Clock Maker	296	7	229	-	-	7	23	40	25	30	49	33	29	
hical Instrument Maker : Optician	58	4	54	-	-	4	5	11	9	7	9	9	4	
g Machine, Scale, Measure, Maker	23	-	23	-	-	-	-	1	5	4	8	4	1	
<i>8. In Surgical Instruments.</i>														
Instrument Maker	21	1	20	-	-	1	-	2	4	3	5	3	3	
<i>9. In Arms.</i>														
h, Gun Manufacture	134	3	131	-	-	3	18	29	20	23	21	14	11	
	9	-	9	-	-	-	-	3	1	1	1	2	1	
<i>10. In Machines and Tools.</i>														
nd Machine Maker	920	51	869	-	1	50	106	189	196	159	118	78	35	
g Weaving, Machine Maker	70	3	67	-	-	3	9	9	6	14	12	12	5	
eral Implement, Machine Maker	17	1	16	-	-	1	1	2	3	4	3	3	3	
ker, Dealer	67	2	65	-	-	2	7	6	10	10	10	13	9	
er, Dealer	99	6	93	-	1	5	6	15	12	19	23	8	10	
er, Dealer	132	5	127	-	-	5	6	20	22	26	23	14	6	
er, Dealer	33	2	31	-	-	2	3	8	5	5	5	5	-	
Maker	195	7	188	-	1	6	13	24	21	53	41	26	10	
Manufacture	22	1	21	-	-	1	2	3	3	2	5	4	2	
Manufacture	9	-	9	-	-	-	-	-	1	1	2	-	5	
Manufacture	4	1	3	-	-	1	-	1	1	-	1	1	-	
Manufacture in Tool Making, &c.	13	-	13	-	-	-	-	1	3	4	3	3	-	
<i>11. In Carriages.</i>														
aker	275	5	270	-	-	5	14	40	33	50	63	40	30	
ight	168	2	166	-	-	2	14	15	20	40	27	32	18	
Manufacture about Carriages	23	-	23	-	-	-	2	3	6	7	3	1	1	
<i>12. In Harness.</i>														
Harness, Whip Maker	195	5	190	-	-	5	15	28	32	33	26	31	25	
<i>13. In Ships.</i>														
ider, Shipwright, Boat-builder	594	15	579	-	-	15	46	79	98	106	83	91	76	
er	60	2	58	-	-	2	3	6	12	12	10	8	7	
	9	-	9	-	-	-	1	1	1	-	2	4	-	
<i>14. In Houses and Buildings.</i>														
roprietor	163	-	163	-	-	-	1	-	11	15	33	52	51	
	59	1	58	-	-	1	10	13	10	7	7	8	3	
	17	-	17	-	-	-	-	2	2	2	2	5	4	
	302	1	301	-	-	1	9	27	35	51	65	29	45	
er, Joiner	1570	40	1530	-	1	39	104	225	226	241	276	278	182	
er	750	21	729	-	2	19	49	113	134	131	116	124	72	
ason	42	2	40	-	-	2	5	6	7	4	9	6	3	
avior	739	15	714	-	-	15	44	122	141	113	146	110	38	
ler	61	3	58	-	-	3	4	11	9	9	15	4	6	
er	267	17	250	-	2	15	16	44	41	52	38	36	23	
Painter, Glazier	69	5	64	-	-	5	13	13	10	7	7	3	3	
	1170	44	1126	-	1	43	76	183	228	229	260	150	29	
	30	1	29	-	-	1	1	3	4	3	11	2	5	
<i>15. In Furniture.</i>														
aker, Upholsterer	570	24	546	-	1	23	33	90	83	87	112	78	63	
er	44	-	44	-	-	-	3	2	10	9	4	14	2	
nd Gilder	104	7	97	-	-	7	9	20	15	16	13	17	7	
Broker, Dealer	61	1	60	-	-	1	2	2	6	13	17	12	8	
	12	1	11	-	-	1	-	3	2	3	1	1	1	
<i>16. In Chemicals.</i>														
aring Chemist, Labourer	167	4	163	-	-	4	18	36	29	29	22	25	6	
ur Manufacture	24	2	22	-	-	2	2	4	4	3	4	5	-	
arer, Calenderer	145	5	138	-	1	4	11	16	17	28	28	25	15	
	56	1	55	-	-	1	1	6	9	16	13	7	3	
<i>Persons Working and Dealing in the Textile Fabrics, and in Dress.</i>														
<i>1. In Wool and Worsted.</i>														
ler	32	-	32	-	-	-	-	2	8	4	8	3	7	
Manufacture	3	-	3	-	-	-	-	1	1	1	1	1	1	
Cloth Manufacture	221	7	214	-	1	6	5	28	21	38	36	49	37	
	10	-	10	-	-	-	1	2	1	1	3	1	1	
ollen, Dyer	13	1	12	-	-	1	-	-	2	1	3	5	3	
Merchant, Dealer	12	-	12	-	-	-	-	2	3	3	4	-	-	
Manufacture	4	-	4	-	-	-	1	-	-	1	1	1	-	
Manufacture	4	-	4	-	-	-	-	-	-	2	-	-	1	
Manufacture	2	-	2	-	-	-	-	-	1	-	-	1	-	
ug, Manufacture	25	-	25	-	-	-	4	4	7	-	-	2	-	
	3	-	3	-	-	-	-	-	-	-	-	1	-	

ENGLAND.—DEATHS of MALES of different OCCUPATIONS in the Year 1871—*contd*

OCCUPATIONS.	A				
	TOTAL.	5 Years and under 20.	20 Years and upwards.	5—	1
11.—<i>cont.</i>					
2. In Silk.					
Silk, Satin, Manufacture - - - - -	224	9	215	1	-
Silk Dyer, Printer - - - - -	14	-	14	-	-
Silk Merchant, Dealer - - - - -	16	-	16	-	-
Ribbon Manufacture - - - - -	67	3	64	-	-
Others - - - - -	8	1	7	-	-
3. In Cotton and Flax.					
Flax, Linen Manufacture - - - - -	41	1	40	-	-
Lace Manufacture - - - - -	106	7	99	-	-
Thread Manufacture - - - - -	1	-	1	-	-
Tape Manufacture, Dealer - - - - -	1	-	1	-	-
Cotton Manufacture - - - - -	634	37	597	1	-
Cotton, Calico Warehouseman, Dealer - - - - -	15	-	15	-	-
Fustian Manufacture - - - - -	46	-	46	-	-
Calico, Cotton, Printer - - - - -	71	1	71	-	-
Calico, Cotton, Dyer - - - - -	47	3	44	-	-
Others - - - - -	4	-	4	-	-
4. In Mixed Materials.					
Weaver (not otherwise described) - - - - -	297	3	294	-	-
Bleacher (not otherwise described) - - - - -	19	-	19	-	-
Manchester Warehouseman - - - - -	38	2	36	-	-
Draper, Linen Draper, Mercer - - - - -	368	30	338	-	-
Fancy Goods Manufacturer, Dealer - - - - -	13	1	12	-	-
Trimming Maker, Dealer - - - - -	22	1	21	-	-
Others - - - - -	3	-	3	-	-
5. In Dress.					
Hairdresser, Wig Maker - - - - -	164	5	159	-	-
Hatter, Hat Manufacture - - - - -	225	7	218	-	-
Straw Hat Manufacture - - - - -	8	-	8	-	-
Furrier, Skinner - - - - -	41	3	38	-	-
Tailor - - - - -	1311	34	1277	-	-
Milliner - - - - -	19	-	19	-	-
Stay Maker, Ladies' Outfitter - - - - -	14	1	13	-	-
Hosiery Manufacture - - - - -	210	2	208	-	-
Hosiery, Haberdasher - - - - -	43	2	41	-	-
Glover (leather) - - - - -	15	-	15	-	-
Glove Maker (all except leather) - - - - -	8	-	8	-	-
Shoemaker, Bootmaker - - - - -	2862	41	1961	-	-
Patton, Clog Maker - - - - -	11	-	11	-	-
Button Maker - - - - -	59	-	59	-	-
Umbrella, Parasol, Stick Maker - - - - -	33	1	32	-	-
Laundry Keeper - - - - -	35	1	34	-	-
Others providing Dress - - - - -	48	7	41	-	-
6. Hemp and other Fibrous Materials.					
Mat Maker, Seller - - - - -	17	-	17	-	-
Hemp Manufacture - - - - -	2	-	2	-	-
Jute Manufacture - - - - -	4	2	2	-	-
Rope, Cord, Maker - - - - -	111	1	110	-	-
Canvas, Sailcloth, Manufacture, Dealer - - - - -	6	-	6	-	-
Sacking, Sack, Bag, Maker, Dealer - - - - -	12	-	12	-	-
Others - - - - -	4	-	4	-	-
12.—Persons working and dealing in FOOD and DRINKS.					
1. In Animal Food.					
Cowkeeper, Milkseller - - - - -	211	4	227	-	-
Cheese-monger - - - - -	71	2	69	-	-
Butcher, Meat Salesman - - - - -	628	19	679	-	-
Provision Curer, Dealer - - - - -	141	1	140	-	-
Poulterer, Game Dealer - - - - -	63	1	62	-	-
Fishmonger - - - - -	185	4	181	-	-
2. In Vegetable Food.					
Corn, Flour, Seed, Merchant, Dealer - - - - -	142	2	140	-	-
Miller - - - - -	189	4	183	-	-
Baker - - - - -	489	13	476	-	-
Confectioner, Pastry Cook - - - - -	122	8	114	-	-
Greengrocer, Fruit, Vegetable, Dealer - - - - -	261	15	246	-	-
Others - - - - -	12	-	12	-	-
3. In Drinks and Stimulants.					
Maltster - - - - -	64	2	62	-	-
Brewer - - - - -	343	-	343	-	-
Wine and Spirit Merchant - - - - -	148	4	144	-	-
Cellarman - - - - -	58	2	56	-	-
Ginger Beer, Soda Water, &c., Manufacture - - - - -	27	1	26	-	-
Sugar Refiner - - - - -	54	1	53	-	-
Grocer, Tea Dealer - - - - -	532	20	532	-	-
Tobacco, Cigar, Snuff, Manufacture, Tobacco-conist - - - - -	130	9	121	-	-
Others - - - - -	77	1	76	-	-

LAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—continued.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
<i>Persons working and dealing in ANIMAL SUBSTANCES.</i>													
<i>Grease, Gut, Bones, Horn, Ivory, Whalebone.</i>													
Slayer	25	1	24	—	—	1	3	4	3	6	5	2	1
Handler	39	1	38	—	—	1	2	2	5	9	3	11	6
Maker	31	1	30	—	1	—	1	2	2	2	7	9	7
—	23	2	21	—	—	2	1	8	13	7	8	11	3
<i>In Skins, Feathers, and Quills.</i>													
Per	22	1	21	—	—	1	1	2	4	5	6	1	2
—	72	—	72	—	—	—	2	10	13	12	18	14	3
—	180	4	176	—	—	4	13	21	34	29	32	30	17
Case, Portmanteau, Bag Maker	30	1	29	—	—	1	3	7	7	2	3	3	4
—	10	—	10	—	—	—	—	1	1	6	1	3	1
<i>3. In Hair.</i>													
Hat, Manufacture	14	1	13	—	—	1	—	1	—	4	2	4	2
Room, Maker	107	5	102	—	—	5	10	9	14	19	24	16	10
<i>Persons working and dealing in VEGETABLE SUBSTANCES.</i>													
<i>1. In Gums and Resins.</i>													
Refiner	31	4	27	—	—	4	3	4	3	6	3	7	1
Colourman	37	—	37	—	—	—	4	10	6	7	4	5	1
Polisher	86	2	84	—	—	2	8	19	18	14	13	8	4
—	36	—	36	—	—	—	2	4	7	4	9	9	1
Gutta Percha, Manufacture,	25	—	25	—	—	—	3	9	6	1	5	1	—
With Manufacture	17	—	17	—	—	—	1	3	4	—	5	3	—
—	10	—	10	—	—	—	3	2	2	—	2	—	1
<i>2. In Wood.</i>													
Wood, Merchant, Dealer	111	2	109	—	—	2	8	17	17	23	20	12	12
—	246	5	241	—	3	2	10	27	26	42	51	50	35
Hurdle, Maker	33	1	32	—	—	1	3	4	8	2	3	5	7
Turner, Worker	79	2	77	—	—	2	5	10	12	16	11	14	9
King Case, Maker	61	6	55	—	—	6	5	15	10	8	5	8	4
Hoop-maker and Bender	252	4	248	—	—	4	17	43	40	40	43	44	21
<i>3. In Bark.</i>													
Water, Manufacturer	31	2	29	—	—	2	1	3	9	4	7	2	3
<i>4. In Cane, Rush, and Straw.</i>													
Maker	54	—	54	—	—	—	3	5	6	6	18	11	5
Straw Dealer	27	1	26	—	1	—	1	1	—	8	6	7	3
—	9	—	9	—	—	—	—	1	1	1	2	1	3
—	11	—	11	—	—	—	1	2	2	2	1	2	1
<i>5. In Paper.</i>													
Printer, Dealer	33	3	30	—	1	2	—	4	5	5	7	2	7
Manufacture	66	6	60	—	3	3	4	5	13	14	8	6	10
(not Law)	87	3	84	—	—	3	9	19	11	10	14	12	9
Printer	8	—	8	—	—	—	—	—	1	3	1	3	—
Workers in Paper	46	1	45	—	—	1	2	6	7	11	8	9	2
<i>Persons working and dealing in MINERALS.</i>													
<i>1. Miners.</i>													
Miner	1308	139	1169	1	40	98	131	195	196	197	179	168	103
—	19	—	19	—	—	—	3	1	2	2	5	5	1
—	23	6	17	—	—	6	4	1	1	6	1	3	1
—	34	1	33	—	—	1	3	2	4	6	8	7	3
—	36	1	35	—	—	1	3	7	5	10	14	9	7
Range undefined)	32	—	32	—	—	—	3	7	8	3	6	3	2
Service	53	2	51	—	—	2	4	6	6	5	17	8	5
Service (Metal not stated)	15	—	15	—	—	—	—	—	1	1	—	—	—
—	3	—	3	—	—	—	—	—	1	1	—	—	—
<i>2. In Coal.</i>													
Merchant, Dealer	148	2	146	—	—	2	5	10	13	25	29	40	24
—	207	12	255	—	3	9	9	40	35	47	52	49	23
—	36	3	33	—	1	2	6	11	3	6	6	1	—
Sweeper	79	4	64	—	—	4	2	6	12	28	10	6	2
—	174	5	169	—	—	5	10	30	31	36	35	16	11
Workers in Coal	5	—	5	—	—	—	—	2	—	1	2	—	—
<i>3. In Stone, Clay.</i>													
Carrier	155	5	150	—	—	5	7	19	30	24	31	26	13
Merchant, Cutter, Dresser	62	—	62	—	—	—	8	10	8	11	12	9	4
Carrier	1	—	1	—	—	—	—	1	—	—	—	—	—
—	24	—	24	—	—	2	—	3	5	2	3	5	4
Quarrier, Lime-Burner	4	—	4	—	—	—	—	—	—	—	—	—	—
—	206	12	194	1	—	11	14	31	25	29	34	27	34
Labourer, Platelayer, Navy	335	16	319	—	1	15	27	58	68	63	60	27	14
Inspector, Surveyor	7	—	7	—	—	—	—	—	—	—	—	—	—
—	96	1	95	—	1	—	5	4	7	14	23	23	—
—	54	1	53	—	—	1	—	2	3	3	13	13	—
—	44	1	43	—	—	1	—	4	12	3	3	3	—

ENGLAND.—DEATHS OF MALES of different OCCUPATIONS in the Year 1871—*contd*

OCCUPATIONS.	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—
15. cont.				
<i>4. In Earthenware.</i>				
Earthenware Manufacture - - - -	362	19	343	1
Tobacco-pipe Maker - - - -	30	1	29	-
Earthenware and Glass Dealer - - -	44	-	44	-
Others - - - -	3	-	3	-
<i>5. In Glass.</i>				
Glass Manufacture - - - -	218	7	211	-
Other Workers in Glass - - - -	1	-	1	-
<i>6. In Salt.</i>				
Salt Manufacture - - - -	11	-	11	-
Other Dealers in Salt - - - -	3	-	3	-
<i>7. In Water.</i>				
Waterworks Service - - - -	41	3	38	-
Others - - - -	14	-	14	-
<i>8. In Gold, Silver, and Precious Stones.</i>				
Goldsmith, Silversmith, Jeweller - -	253	10	243	-
Plater, Plated Ware Manufacture - -	8	-	8	-
Others - - - -	45	-	45	-
<i>9. In Copper.</i>				
Copper Manufacture - - - -	10	1	9	-
Coppersmith - - - -	35	2	33	-
Others - - - -	1	-	1	-
<i>10. In Tin and Quicksilver.</i>				
Tin Manufacture - - - -	5	1	4	-
Tinplate Worker, Tinman - - - -	142	1	141	-
Tinker - - - -	3	-	3	-
<i>11. In Zinc.</i>				
Zinc Manufacture - - - -	13	2	11	-
<i>12. In Lead and Antimony.</i>				
Lead Manufacture - - - -	30	1	29	-
Others - - - -	8	-	8	-
<i>13. In Brass and other Mixed Metals.</i>				
Brass Manufacture, Brazier - - - -	212	13	199	-
Locksmith, Bellhanger - - - -	91	6	85	-
Gas Fitter - - - -	109	8	101	-
Wire Worker, Drawer - - - -	62	1	61	-
Others - - - -	45	-	45	-
<i>14. In Iron and Steel.</i>				
Iron Manufacture - - - -	1175	67	1108	-
Whitesmith - - - -	99	4	95	-
Blacksmith - - - -	806	39	767	-
Nail Manufacture - - - -	115	3	112	-
Anchor-smith, Chainsmith - - - -	51	-	51	-
Ironmonger, Hardware Dealer - - -	129	6	123	-
Steel Manufacture, Worker - - - -	46	5	41	-
Others - - - -	18	-	18	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.				
16.—LABOURERS AND OTHERS.—Branch of Labour undefined.				
<i>1. General Labourers.</i>				
General Labourer, Labourer (branch undefined)	6003	212	5791	-
<i>2. Other Persons of indefinite Occupations.</i>				
Artizan, Mechanic (branch undefined)	97	5	92	-
Engine Driver, Stoker (branch undefined)	130	10	120	-
Factory Labourer (branch undefined)	102	13	89	-
Shopman, Assistant (branch undefined)	9	2	7	-
Apprentice (branch undefined)	3	2	1	-
Vagrant, Gipsy - - - -	16	1	15	-
Others of undefined Occupation - - -	2465	1148	1317	-
<i>17. 1.—Persons of RANK or PROPERTY not returned under any Office or Occupation.</i>				
Gentleman, Independent, Annuitant -	1056	5	1051	-
<i>18. 1.—SCHOLARS and CHILDREN not engaged in any directly Productive Occupation.</i>				
Scholars and Children of no stated Occupation	7652	7652	-	5440 2

INDEX OF DISTRICTS.

The following Index furnishes a reference to the *Number* of each DISTRICT in the topographical arrangement adopted in the preceding Tables, the numbers running consecutively from 1 to 623.

In addition to other uses, this Index will enable the reader to refer to Tables, showing—

- (1.) The comparative Density of Population, and the Annual Mortality of every *District*, during the Three Decennials beginning with 1841, 1851, and 1861, pp. cxc–ccix.
- (2.) The Mortality of Males and Females at each of Twelve Ages in every *District*, during the ten years 1861–70, pp. ccxvi–ccxli.
- (3.) The mean Male and Female Population living at Sixteen Ages in every *District*, and the Deaths at each of those Ages from Twenty-five Groups of Causes, pp. 1–445.

A

Aberayron, 596.
 Abergavenny, 578 *a*.
 Aberystwith, 597.
 Abingdon, 123.
 Alcester, 405.
 Alderbury, 263.
 Alnwick, 559.
 Alresford, 113.
 Alston, 564.
 Alton, 114.
 Altrincham, 454.
 Alverstoke, 97.
 Amersham, 148.
 Amesbury, 262.
 Ampthill, 181.
 Andover, 118.
 Anglesey, 623.
 Ashborne, 447.
 Aashby-de-la-Zouch, 414.
 Ashton-under-Lyne, 474.
 Askrigg, 537.
 Aston, 395.
 Atcham, 359.
 Atherstone, 397.
 Auckland, 542.
 Axbridge, 324.
 Axminster, 279.
 Aylesbury, 151.
 Aylsham, 232.
 Aysgarth, 537.

B

Bakewell, 449.
 Bala, 616.
 Banbury, 163.
 Bangor, 621.
 Barnett, 136.
 Barnsley, 505.
 Barnstaple, 295.
 Barrow-on-Soar, 416.
 Barton-upon-Irwell, 470.
 Basford, 438.

Basingstoke, 116.
 Bath, 326.
 Battle, 77.
 Beaminster, 277.
 Bedale, 535.
 Bedford, 179.
 Bedminster, 328.
 Bedwelty, 578 *b*.
 Belford, 560.
 Bellingham, 557.
 Belper, 446.
 Berkhamstead, 147.
 Bermondsey, 28.
 Berwick, 561.
 Bethnal Green, 21.
 Beverley, 518.
 Bicester, 159.
 Bideford, 297.
 Biggleswade, 180.
 Billericay, 199.
 Billeadon, 410.
 Bingham, 443.
 Birkenhead, 460 *b*.
 Birmingham, 394.
 Bishop Stortford, 139.
 Blaby, 411.
 Blackburn, 480.
 Blandford, 270.
 Blean, 66.
 Blofield, 237.
 Blything, 225.
 Bodmin, 304.
 Bolton, 468.
 Bootle, 572.
 Bosmere, 220.
 Boston, 425.
 Bourn, 442.
 Brackley, 164.
 Bradfield, 126.
 Bradford-on-Avon, 258.
 Bradford (Yorkshire), 499.
 Braintree, 208.
 Bramley, 500 *d*.
 Brampton, 566.
 Brecknock, 600.
 Brentford, 134.
 Bridge, 64.
 Bridgend, 533.

Bridgnorth, 356.
 Bridgwater, 316.
 Bridlington, 524.
 Bridport, 278.
 Brighton, 85.
 Bristol, 329.
 Brixworth, 170.
 Bromley, 49.
 Bromsgrove, 392.
 Bromyard, 350.
 Buckingham, 154.
 Builth, 599.
 Burnley, 478.
 Burton-upon-Trent, 375.
 Bury, 469.
 Bury St. Edmunds, 215.

C

Caistor, 432.
 Calne, 254.
 Camberwell, 33.
 Cambridge, 187.
 Camelford, 300.
 Canterbury, 65.
 Cardiff, 581 *a*.
 Cardigan, 593.
 Carlisle, 563.
 Carmarthen, 589.
 Carnarvon, 620.
 Castle Ward, 554.
 Catherington, 111.
 Caxton, 185.
 Chapel-en-le-Frith, 450.
 Chard, 318.
 Cheadle, 373.
 Chelmsford, 200.
 Chelsea, 2.
 Cheltenham, 344.
 Chepstow, 576.
 Chertsey, 38.
 Chester, 459.
 Chesterfield, 448.
 Chester-le-Street, 548.
 Chesterton, 186.
 Chichester, 92.
 Chippenham, 253.

Chipping Norton, 162.
 Chipping Sodbury, 331.
 Chorley, 481.
 Chorlton, 471.
 Christchurch, 101.
 Church Stretton, 354.
 Cirencester, 340.
 Cleobury Mortimer, 355.
 Clifton, 330.
 Clitheroe, 479.
 Clun, 353.
 Clutton, 325.
 Cockermouth, 570.
 Colchester, 204.
 Congleton, 457.
 Conway, 622.
 Cookham, 129.
 Corwen, 615.
 Cosford, 213.
 Coventry, 400.
 Cranbrook, 69.
 Crediton, 292.
 Crickhowell, 601.
 Cricklade, 251.
 Croydon, 46.
 Cuckfield, 83.

D

Darlington, 540.
 Dartford, 50.
 Daventry, 169.
 Depwade, 239.
 Derby, 445.
 Devizes, 256.
 Dewsbury, 502.
 Docking, 244.
 Dolgelly, 617.
 Doncaster, 510.
 Dorchester, 275.
 Dorking, 43.
 Dover, 72.
 Downham, 247.
 Driffield, 523.
 Droitwich, 391.
 Droxford, 110.
 Dudley, 382.
 Dulverton, 313 *b*.
 Dunmow, 209.
 Durham, 545.
 Dursley, 333.

E

Easington, 546.
 Easingwold, 527.
 East Ashford, 63.
 Eastbourne, 78.
 East Grinstead, 82.
 Easthampstead, 130.
 East London, 17.
 East Preston, 90.
 East Retford, 435.
 Eastry, 71.
 East Stonehouse, 288.

East Ward, 573.
 Ecclesall Bierlow, 507.
 Edmonton, 137.
 Elham, 73.
 Ellesmere, 362.
 Ely, 190.
 Epping, 195.
 Epsom, 37.
 Erpingham, 231.
 Eton, 149.
 Evesham, 389.
 Exeter, 282.

F

Falmouth, 308.
 Fareham, 98.
 Faringdon, 122.
 Farnborough, 41.
 Farnham, 40.
 Faversham, 67.
 Festiniog, 618.
 Flegg, 229.
 Foleshill, 399.
 Forden, 608.
 Fordingbridge, 103.
 Forehoe, 235.
 Freebridge Lynn, 245.
 Frome, 321.
 Fylde, 483.

G

Gainsborough, 434.
 Garstang, 484.
 Gateshead, 551.
 Glanford Brigg, 433.
 Glendale, 562.
 Gloucester, 336.
 Godstone, 45.
 Goole, 512.
 Gower, 585 *b*.
 Grantham, 427.
 Gravesend, 51.
 Great Ouseburn, 492 *a*.
 Greenwich, 35.
 Guildford, 39.
 Guiltcross, 240.
 Guisbrough, 532.

H

Hackney, 11.
 Hailsham, 79.
 Halifax, 498.
 Halstead, 207.
 Haltwhistle, 556.
 Hambledon, 42.
 Hampstead, 8.
 Hardingstone, 167.
 Hartismere, 218.
 Hartlepool, 541 *b*.

L

Lambeth, 31.
 Lampeter, 595.
 Lancaster, 485.
 Langport, 317.
 Launceston, 301.
 Ledbury, 346.
 Leeds, 501.
 Leek, 372.
 Leicester, 417.
 Leigh, 467.
 Leighton Buzzard, 183.
 Leominster, 351.
 Lewes, 84.
 Lewisham, 36.
 Lexden, 205.
 Leyburn, 536.
 Lichfield, 377.
 Lincoln, 428.
 Linton, 188.
 Liskeard, 303.
 Liverpool, 461.
 Llandilofawr, 588.
 Llandovery, 587.
 Llanelly, 586.
 Llanfyllin, 609.
 Llanrwst, 614.
 Loddon, 238.
 London City, 19.
 Longtown, 567.
 Loughborough, 415.
 Louth, 431.
 Ludlow, 352.
 Luton, 184.
 Lutterworth, 408.
 Lymington, 100.

M

Macclesfield, 453.
 Machynlleth, 606.
 Madeley, 358.
 Maidstone, 58.
 Maldon, 202.
 Malling, 55.
 Malmesbury, 252.
 Malton, 526.
 Manchester, 473.
 Mansfield, 437.
 Market Bosworth, 413.
 Market Drayton, 364.
 Market Harborough, 409.
 Marlborough, 255.
 Martley, 386.
 Marylebone, 7.
 Medway, 54.
 Melkham, 257.
 Melton Mowbray, 418.
 Mere, 267.
 Meriden, 396.
 Merthyr Tydfil, 582.
 Midhurst, 98.
 Mildenhall, 216.
 Mile End Old Town, 24 *b*.
 Milton, 68.
 Mitford, 242.

Monmouth, 577.
 Montgomery, 608.
 Morpeth, 558.
 Mutford, 227.

N

Nantwich, 458.
 Narberth, 590.
 Neath, 584.
 Newark, 442.
 Newbury, 120.
 Newcastle-in-Emlyn, 594.
 Newcastle-under-Lyme, 369.
 Newcastle-upon-Tyne, 552.
 Newent, 335.
 New Forest, 104.
 Newmarket, 189.
 Newport (Monmouth), 580.
 Newport (Salop), 366.
 Newport Pagnell, 153.
 Newton Abbot, 283.
 Newtown, 607.
 Northallerton, 534.
 Northampton, 168.
 North Aylesford, 52.
 Northleach, 341.
 Northwich, 456.
 North Witchford, 191.
 Norwich, 234.
 Nottingham, 440.
 Nuneaton, 398.

O

Oakham, 419.
 Okehampton, 291.
 Oldham, 475.
 Ongar, 196.
 Ormskirk, 464.
 Orsett, 198.
 Oswestry, 361.
 Oundle, 174.
 Oxford, 158.

P

Pancras, 9.
 Pateley Bridge, 490.
 Pattingham, 521.
 Pembroke, 591.
 Penkridge, 378.
 Penrith, 565.
 Penzance, 311.
 Pershore, 390.
 Peterborough, 175.
 Petersfield, 112.
 Petworth, 88.
 Pewsey, 261.
 Pickering, 530.
 Plomesgate, 224.
 Plymouth, 287.
 Plympton St. Mary, 286.

Pocklington, 516.
 Pontefract, 504 *a*.
 Pontypool, 579.
 Pontypridd, 581 *b*.
 Poole, 272.
 Poplar, 25.
 Portsea Island, 96.
 Potterspury, 166.
 Prescott, 463.
 Presteigne, 603 *b*.
 Preston, 482.
 Pwllheli, 619.

R

Radford, 439.
 Reading, 127.
 Redruth, 310.
 Reeth, 538.
 Reigate, 44.
 Rhayader, 605.
 Richmond (Surrey), 48.
 Richmond (Yorkshire), 539.
 Ringwood, 102.
 Ripon, 491.
 Risbridge, 211.
 Rochdale, 476.
 Rochford, 201.
 Romford, 197.
 Romney Marsh, 74.
 Romsey, 107.
 Ross, 347.
 Rothbury, 563.
 Rotherham, 509.
 Royston, 140.
 Rugby, 401.
 Runcorn, 455.
 Ruthin, 612.
 Rye, 75.

S

Saddleworth, 496.
 Saffron Walden, 210.
 St. Albans, 144.
 St. Asaph, 613.
 St. Austell, 306.
 St. Columb, 305.
 St. Faiths, 238.
 St. George Hanover Sq., 3.
 St. George-in-the-East, 23.
 St. Germans, 302.
 St. Giles, 12.
 St. Ives, 177.
 St. James Westminster, 6.
 St. Neots, 178.
 St. Olave, 27.
 St. Saviour, 26.
 St. Thomas, 281.
 Salford, 472.
 Salisbury, 264.
 Samford, 221.
 Scarborough, 525.
 Scilly Islands, 312.
 Seelcoates, 519.
 Sedburgh, 487.

Selby, 513.
 Settle, 483.
 Sevenoaks, 56.
 Shaftesbury, 363.
 Shardlow, 444.
 Sheffield, 508.
 Sheppey, 69.
 Shepton Mallet, 322.
 Sherborne, 276.
 Shifnal, 357.
 Shipston-on-Stour, 406.
 Shoreditch, 20.
 Shrewsbury, 360.
 Skipton, 489.
 Skirlingagh, 522.
 Sleaford, 426.
 Smallburgh, 230.
 Solihull, 402.
 Southam, 407.
 Southampton, 105.
 South Molton, 294.
 South Shields, 550.
 South Stoneham, 106.
 Southwell, 441.
 Spalding, 423.
 Spilsby, 430.
 Stafford, 367.
 Staines, 132.
 Stamford, 421.
 Stepney, 24 a.
 Steyning, 86.
 Stockbridge, 108.
 Stockport, 452.
 Stockton, 541 a.
 Stoke Damerel, 289.
 Stokesley, 533.
 Stoke-upon-Trent, 371.
 Stone, 368.
 Stourbridge, 383.
 Stow, 217.
 Stow-on-the-Wold, 342.
 Stratford-on-Avon, 404.
 Stratton, 299.
 Stroud, 338.
 Sturminster, 269.
 Sudbury, 212.
 Sunderland, 549.
 Swaffham, 248.
 Swansea, 585 a.

T

Tadcaster, 614.
 Tamworth, 376.
 Taunton, 315.
 Tavistock, 290.
 Teesdale, 543.

Tenbury, 385.
 Tendring, 203.
 Tenterden, 61.
 Tetbury, 339.
 Tewkesbury, 345.
 Thakeham, 89.
 Thame, 156.
 Thanet, 70.
 Thetford, 249.
 Thingoe, 214.
 Thirsk, 523.
 Thornbury, 332.
 Thorne, 511.
 Thrapston, 173.
 Ticehurst, 80.
 Tisbury, 266.
 Tiverton, 293.
 Todmorden, 495.
 Torrington, 296.
 Totnes, 284.
 Towcester, 165.
 Tregaron, 598.
 Truro, 207.
 Tumble, 57.
 Tynemouth, 583.

U

Uckfield, 81.
 Ulverston, 486.
 Uppingham, 430.
 Upton-on-Severn, 388.
 Utttoxeter, 374.
 Uxbridge, 133.


W

Wakefield, 503.
 Wallingford, 125.
 Walsall, 380.
 Walsingham, 243.
 Wandsworth, 32.
 Wangford, 226.
 Wantage, 124.
 Ware, 138.
 Wareham, 273.
 Warminster, 260.
 Warrington, 466.
 Warwick, 403.
 Watford, 145.
 Wayland, 241.
 Weardale, 544.
 Wellingborough, 171.
 Wellington (Salop), 365.
 Wellington (Somerset), 31

INDEX OF CERTAIN TOWNS.

Towns of which the Names differ from those of the Districts in which they are respectively situated.

NAME OF TOWN.	SUPERINTENDENT REGISTRAR'S DISTRICT.	Number of District.
Aberavon . . .	Neath . . .	584
Bacup . . .	{ Haslingden . . .	477
Barrow-in-Furness . . .	{ Rochdale . . .	476
Bedworth . . .	{ Ulverston . . .	486
Blackpool . . .	{ Foleshill . . .	399
Bognor . . .	{ Fylde . . .	483
Brandon . . .	{ Chichester . . .	92
Chatham . . .	{ Thetford . . .	249
Church (<i>Lanc.</i>) . . .	Medway . . .	54
Claycross . . .	Blackburn . . .	480
Crewe . . .	Chesterfield . . .	448
Dawlish . . .	Nantwich . . .	458
Dereham . . .	Newton Abbot . . .	283
Devonport . . .	Mitford . . .	242
Droylesden . . .	{ East Stonehouse . . .	288
Fleetwood . . .	{ Stoke Damerel . . .	289
Godmanchester . . .	Ashton-under-Lyne . . .	474
Gosport . . .	Fylde . . .	483
Guisley . . .	Huntingdon . . .	176
Heckmondwike . . .	Alverstone . . .	97
Hounslow . . .	Wharfedale . . .	493
Ironbridge . . .	Dewsbury . . .	502
Llanidloes . . .	Brentford . . .	134
Maidenhead . . .	Madeley . . .	358
Malvern, Great . . .	Newtown . . .	607
Melcombe Regis . . .	Cookham . . .	129
Middlesborough . . .	Upton-on-Severn . . .	388
New Brighton . . .	Weymouth . . .	274
Redditch . . .	{ Stockton . . .	541 <i>a</i>
Seaham Harbour . . .	{ Guisbrough . . .	532
Sheerness . . .	Wirral . . .	460
Sidmouth . . .	{ Bromsgrove . . .	392
Slough . . .	{ Alcester . . .	405
Southport . . .	Easington . . .	546
Southwold . . .	Sheppey . . .	69
Stalybridge . . .	Honiton . . .	280
Staveley . . .	Eton . . .	149
Tyldesley . . .	Ormskirk . . .	464
Ventnor . . .	Blything . . .	225
Welshpool . . .	Ashton-under-Lyne . . .	474
Weston-super-Mare . . .	Chesterfield . . .	448
Widnes . . .	Leigh . . .	467
	Isle of Wight . . .	99
	{ Forden . . .	608
	{ Llanfyllin . . .	609
	Axbridge . . .	324
	Prescot . . .	463



ALPHABETICAL INDEX

TO THE

SUPPLEMENT TO THE REGISTRAR GENERAL'S
THIRTY-FIFTH ANNUAL REPORT.

	PAGES
AGE AT DEATH, MEAN, from certain Causes. (Tables.)	xxxvii
of Males and Females who died from certain Diseases. (Table 79.)	clxxxv
AGES ; March of an English Generation through Life	xxviii-xxxiii
(See DEATHS, MORTALITY, and POPULATION.)	
at Death by particular Diseases	xxxvi-xxxvii
AGRICULTURAL LABOURERS ; Mortality of	lvii-lviii
AIR ; Impurities in	lviii
Zymotic and other particles in	lxv
AMERICA AND EUROPE ; Transfer of their Diseases	lxvii
(See also UNITED STATES.)	
ANCESTORS ; Blackstone on the number of	x
AREA, Population, Births, Deaths, &c., in the Districts of England (including London), classified in Groups according to Mortality. (Table 37.)	cli
Population, Births, Deaths, &c., of the Districts of England (including London), <i>at and above</i> each Rate of Mortality. (Table 39.)	clii
Population, Births, Deaths, &c., in an average District of the several Groups of Districts in England. (Table 40.)	clii
Population, Births, Deaths, &c., in the Districts of England (excluding London) classified according to Mortality. (Table 42.)	cliii
Population, Births, Deaths, &c., in Groups of Districts of England, excluding London. (Table 43.)	cliv
Population, Births, Deaths, &c., in the Districts of England, exclusive of London, <i>at and above</i> each Rate of Mortality. (Table 45.)	clv
ARMY ; Enthetic Diseases of	lxix
Medical Staff of	lxxxii
ARTISANS DWELLINGS	lxxi
ASIATIC CHOLERA ; awakened the Public in 1832 to the importance of Hygiene	lxxx
ATMOSPHERE ; Weight of, and Weight of Dead	lxxvi
ATTACKS OF, and Deaths by Fever and Small-pox. (Table 73.)	clxxxii
Ditto, according to Life Table. (Table 74.)	clxxxii
ATTACKS OF DISEASE AND MORTALITY ; Law of	xxxv-xxxvi
ATTACKS ON SICKNESS	lxxviii

BACON, ROGER, on the Prolongation of Human Life	
BAKERS; Mortality of	
BAPTISMS; annual Increase per cent., 1801-1830. (Note.	
BATHS; Public	
BROCKETT on Syphilis	
BIRTH-RATE more under control than Death-rate	
raised to compensate for rising Death-rate	
BIRTH-RATES; Instances of effects of Industrial Enterprise	
in the Districts of England (including London) g	
to Mortality (Table 38.)	
in an average District of several Groups of Dist	
(Table 41.)	
in Groups of Districts of England, exclusive of Lo	
in Groups of Districts of England, exclusive of Lo	
BIRTH-RATES AND DEATH-RATES; Relation between	
in Seven Groups of Districts. (Table.)	
BIRTH SCHEDULE; its chief Defect	
BIRTHS; Increase of, after Plague	
Excess of, over Deaths in Seven Groups of Distri	
in an average District	
in the Districts of England (including London), g	
to Mortality. (Table 37.)	
in the Districts of England (including London) c	
Rate of Mortality. (Table 39.)	
in an average District of several Groups of Dist	
(Table 40.)	
in the Districts of England (exclusive of London)	
ing to Mortality. (Table 42.)	
in Groups of Districts of England, exclusive of	
43.)	
in the Districts of England, exclusive of London,	
Rate of Mortality. (Table 45.)	
Estimated Decennial Number of, in England, sinc	
of Survivors and of those who died or emi	
Ages; and Proportion per 10,000. (Table	
Excess of, over Deaths. (See EXCESS.)	
BISHOP OF WINCHESTER	
BLACKSMITHS; Mortality of	
BLACKSTONE on the number of lineal Ancestors	
BODY; Dissolution of	
its elements	
BREED; Improvements of	
BURIAL ALIVE; groundless fears of	
in the Sea	
BURIAL INSURANCE in Liverpool	
BURIAL SYSTEM; its defects	
BUTCHERS; Mortality of in London, and in England excl	
(Table.)	

	PAGES
CANCER; Reduction in Mortality (Table 59.), and Effect on Life Table for Males (Table 60.) by exclusion of Deaths from . . .	clxix
CARPENTERS, JOINERS; Mortality of	lvi
CARVER AND GILDER; Mortality of	lvi
CATHOLIC PRIESTS; Mortality of	lv
CAUSE; of what, is a child just born most likely to die	xxxiv
CAUSES OF DEATH; direct and indirect	iv
at different Ages	xxv & xxxiv
of Children at age 0-5	xxviii-xxx
of Children in the Healthy Districts, in England, and in the District of Liverpool (Table.)	xxix
relative number of different	xxxiv
of Persons at different Ages in England, 1861-70. (Table 1.)	lxxxiv-lxxxv
(See also DEATHS.)	
CELSUS on Dietetics	vi
CEMETERIES, WELL REGULATED; not more dangerous than Railways (Mr. Holland says)	lxxiii
CHANGE of Position in Occupations	lxiii
CHEMISTS AND DRUGGISTS; Mortality of	lv
CHILDBIRTH; Mortality in	lxx
provision for instruction of Midwives	lxx
CHILDHOOD; Causes of Death in	xxviii-xxx
relative Mortality of, overstated in increasing populations	xxxvii
CHOLERA; importance of arresting the premonitory diarrhoea	lxv
in 1831-2	lxxx
number of Attacks to Deaths	xxxvi
CHURCHYARDS	lxxiii-lxxv
CITIES; Site and Salubrity of	lxxi
CLEANLINESS of Workpeople	lxiv
CLERGY; Mortality of	lv
COACHMAKERS; Mortality of	lvi
COACHMEN; Mortality of	lv
COFFINS; new kind of	lxxiv
COLD; Law of its effect at different Ages	lxii
COMMERCIAL CLERKS; Mortality of	lv
CONCLUSIONS	lviii-lxxxii
CONDORCET on Human Progress	xix
CONTAGIOUS DISEASES ACTS	lxix
CONTAGIOUS (ENTHETIC) DISEASES; Royal Commission on	lxix
CONTAGIOUS RECURRENT DISEASES less fatal under favourable sanitary conditions	xl
COPPER MANUFACTURE; Mortality of those engaged in	lvii
CORRECTIONS for Changes in Districts, and for Public Institutions	ccxix
COUNTIES; Density and Mortality, 1841-50; 1851-60; and 1861-70 .	clxxxviii-clxxxix

	PA
COVENTRY; Example of Mortality reduced by Sanitary Measures	i
CREMATION; its ceremonial, its useful Adjuncts	lxxii-lx
DANGERS; future at several Stages of Life	xxxiii-xx
DARWIN; on the application of the Malthusian Doctrine to the Vegetable and Animal Kingdom	x
DEAD; disposal of the	lxxii-lx
Weight of, and Weight of Ashes of	lx
DEATH; its relation to other important Phenomena	
by particular Diseases, Ages at	xx
by certain Causes, mean Age at	xx
Mean Age at, of Persons from certain Causes. (Tables.)	xx
the inevitable sequence of certain Causes	l
Multipliers; to determine Mortality. (Table 36.)	
Mean Age at, of Males and Females dying from certain Diseases. (Table 79.)	clx
DEATH-RATE IN ENGLAND, stationary, with large increase of Town Populations	
DEATH-RATES AND BIRTH-RATES; Relation between	
in Seven Groups of Districts. (Table.)	
Instances of effects of Industrial Enterprise on. (Table.)	xiv
(See also MORTALITY.)	
DEATH-TOLL at several Ages	
DEATHS at different Ages; Causes of	
from different Causes; relative number of	xi
in England presumably preventible	
Objections to a low Standard of Mortality	
of Children in Foreign Countries	x
at Ages, 5-10; 10-15; 15-20; 20-25	j
at Ages, 25-35; 35-45; and 45-55	x
at Ages, 55-65; 65-75; and 75 and upwards	xxxii-xx
in an average District	x
Relative Number of, from different Causes	xx
from Small-pox to Attacks	xxxv-xx
from Cholera to Attacks	xx
by certain Causes according to Life Table in Healthy Districts, in England, and in Liverpool. (Table.)	
by different Diseases, economic effect of	xli-xl
from Syphilis	lx
by several Causes of Persons at certain Ages in England, 1861-70. (Table 1.)	lxxxiv-lxxx
by several Causes of Males at certain Ages to 1,000,000 Males living in England, 1851-60 and 1861-70. (Table 2.)	lxxxvi-lxxxv
by several Causes of Females at certain Ages to 1,000,000 Females living in England, 1851-60 and 1861-70. (Table 3.)	lxxxvi-lxxxv
by several Causes of Males and Females at Sixteen Ages to 1,000,000 Deaths from All Causes, 1851-60. (Table 4.)	lxxxviii-lxxxii
by several Causes of Males and Females at Sixteen Ages to 1,000,000 Deaths from All Causes, 1861-70. (Table 5.)	xc-xci
by several Causes of Males and Females at Sixteen Ages to 1,000,000 Deaths from All Causes, 1851-70. (Table 6.)	xcii-x

DEATHS—continued.

	PAGES
by several Causes, out of 1,000,000 live-born Children, of Persons, of Males and Females, at different Ages, according to English Life Table. (Tables 7, 8, 9.)	xciv-xcix
by several Causes, out of 1,000,000 live-born Children, of Children, of Males and Females, under Five Years of Age, according to English Life Table. (Tables 10, 11.)	c-ci
by several Causes, out of 1,000,000 live-born Children, of Persons, of Males and Females, at and after certain Ages, according to English Life Table. (Tables 12, 13, 14.)	cii-cvii
by several Causes, out of 1,000,000 live-born Children, of Children, of Males and Females, at and after certain Ages, according to English Life Table. (Table 15.)	cviii-cix
by several Causes, out of 1,000,000 live-born Children, of Persons, of Males and Females, at different Ages, according to Healthy Districts Life Table. (Tables 16, 17, 18.)	cxii-cxvii
by several Causes, out of 1,000,000 live-born Children, of Children, of Males and Females, under Five Years of Age, according to Healthy Districts Life Table. (Tables 19, 20.)	cxviii-cxix
by several Causes, of Persons, of Males and Females, at and after certain Ages, according to Healthy Districts Life Table. (Tables 21, 22, 23.)	cxx-cxxv
by several Causes of Persons, of Males and Females, at different Ages, according to Liverpool Life Table. (Tables 26, 27, 28.)	cxviii-cxxxiii
by several Causes of Children, of Males and Females, under Five Years of Age, according to Liverpool Life Table. (Tables 29, 30.)	cxxxiv-cxxxv
by several Causes of Males and Females at different Ages in England, 1848-72. (Tables 33, 34.)	cxxxviii-cxlix
in the Districts of England (including London) grouped according to Mortality. (Table 37.)	cli
in the Districts of England (including London) at and above each rate of Mortality. (Table 39.)	clii
in an average District of several Groups of Districts of England. (Table 40.)	clii
in the Districts of England (exclusive of London) classified according to Mortality. (Table 42.)	cliii
in Groups of Districts of England, exclusive of London. (Table 43.)	cliv
in the Districts of England, exclusive of London, at and above each rate of Mortality. (Table 45.)	clv
of Persons, Males and Females, at certain Ages in England and in its Metropolis. (Table 46.)	clvi
in 1871 of Men at different Ages engaged in certain Occupations. (Table 61.)	clxx
in 1860, 1861, and 1871 of Men at different Ages engaged in certain Occupations. (Tables 63, 64.)	clxxii-clxxv
in 1860, 1861, and 1871 of Farmers and Farmers' Sons at different Ages. (Table 65.)	clxxv
in England at different Ages amongst an Enumerated and a Life Table Population. (Table 71.)	clxxx
at different Ages from Fever and Small-pox in England and proportional number of Attacks. (Table 73.)	clxxxii
at different Ages from Fever and Small-pox according to the Life Table and the proportional number of Attacks. (Table 74.)	clxxxii
of Males and Females at different Ages from several Causes, in the 10 Years 1861-70, in the Registration Divisions and Districts of England	1-445
of Males of various Occupations at different Ages, from 5 Years and upwards, registered in England and in each of the Eleven Divisions in the Year 1871	447-504

DEATHS—continued.	PAGES
of Males of various Occupations at different Ages, from 5 Years and upwards, registered in Eighty Town Districts in the Year 1871	505-514
DENSITY OF POPULATION, in Seven Groups of Districts. (Table.)	xiii
effect on Health	xxiii
and Mortality, relation between	xxiii-xxiv
and its effect on Mortality at various Periods of Life	xxiv
Districts grouped in order of	xxv
in the Registration Divisions of England	xliii-lii
effect of, in Lewisham	xlvi
Annual Birth and Death Rates, &c. in the Districts of England (including London), classified in Groups according to Mortality. (Table 38.)	eli
Annual Birth and Death Rates, &c. in an Average District of several Groups of Districts in England. (Table 41.)	cliii
Birth and Death Rates, &c. in Groups of Districts of England, exclusive of London. (Table 44.)	cliv
in the Districts of England, exclusive of London, classified according to Mortality. (Table 47.)	clvii
Rates of Mortality observed, and Calculated from, in Seven Groups of Districts of England, exclusive of London. (Table 48.)	clviii
Birth-rates; Mean Rates of Mortality of Males, Females, and Persons at certain Ages; in Groups of Districts of England, exclusive of London. (Table 49.)	clix
Mortality in the Districts of England, grouped in Divisions according to, and Mortality in the least populous Districts of England. (Table 55.)	clxiii
particulars relating to certain Districts in the 9th, 10th, and 11th Divisions, having nine or more acres to a person	clxiv
and Mortality of the Districts of London in three Decenniads. (Table 56.)	clxv
and Mortality in three Decenniads, of the Districts of England (exclusive of London) with less than one acre to a person. (Table 57.)	clxvi-clxvii
Density of Population and Annual Mortality in the Three Decenniads 1841-50, 1851-60, and 1861-70, in the Registration Divisions, Counties, and Districts of England	clxxxvii-ccix
DEPOPULATION; its Causes and Ill-effects	xvii-xviii
DESCARTES ON Medicine	lxxix
DIAGNOSIS; Imperfect, but makes rapid Progress	lxxx
DIPSOMANIA	lx
DISEASE; Attacks of	xxxv-xxxvi
Effect of extinction of any single, on the Duration of Life	xxxviii-xli
DISEASE LIFE TABLES; construction explained	xxvi-xxvii
DISEASES; Origin of some zymotic	xxxix
DISINFECTION	lxv
DISTRICT AVERAGE; Population, Births, and Deaths in	xxiii
of several Groups of Districts; Area, Population, Births, &c. (Table 40.)	clii
Districts; Deaths of Males and Females at different Ages from several Causes in the Ten Years 1861-70, in the Registration Divisions and Districts of England	1-445
(See also DEATHS.)	

	PAGES
DISTRICTS ; Mortality in Healthy	viii-ix
Grouped in order of Density	xxv
Changes in ; Note explaining correction for	ccxiv
Index of	515-518
(See also DEATHS and MORTALITY.)	
DIVISION I ; Elevation, Drainage, Mortality, Density	xlili-xlvi
II ; the Healthiest in the Country ; Density and Range of Mortality	xlvi
III ; Geology, Manufactures, Range of Mortality, Density	xlvi
IV ; Geology, Occupation and Education of Inhabitants, Density, and Range of Mortality	xlvi-xlvi
V ; Geology, Range of Mortality, and Density	xlvi
VI ; Geology, Occupation and Education of Inhabitants, Density and Mortality	xlvi-xlvi
VII ; Geology, Manufactures, Density, and Mortality	xlvi
VIII ; Geology, Density, Education, and Mortality	xlvi-l
IX ; Geology, Density, Education, and Mortality	li-li
X ; Geology, Density, and Mortality	li
XI ; Geology, Manufactures, Density, Education, and Mortality	li-lii
DIVISIONS ; Mortality, 1841-70, in Districts having different Densities, grouped in. (Table 55.)	clxiii
Density and Mortality, 1841-50 ; 1851-60, and 1861-70	clxxxviii
Mortality of Males and Females at different Ages, 1861-70	ccxv
Mean Population, 1861-71, of Males and Females at different Ages	4-25
Deaths of Males and Females at different Ages, from several Causes, 1861-70	4-25
Deaths in 1871 of Males at different Ages and in various Occupations	457-504
(See also DEATHS, DENSITY, and MORTALITY.)	
DRAINAGE OF LONDON	xliv
DRINKING ; excessive	lix-lx
DRINKS AND DRUNKENNESS	lix-lx
DRINKS ; Non-alcoholic	lx
DRUGS ; Power over Life	vi
DUSTS ; injury from Inhalation of	lix
DUVILLARD's Estimate of the increased Lifetime by the practice of Vaccination	xxxix
DYING, The ; at various Ages in the Healthy Districts. (Table 24.)	cxv
" " Liverpool District. (Table 25.)	cxvii
" " London. (Table 31.)	cxvii
" " Fifteen Great Towns. (Table 32.)	cxvii
ECONOMY of Cremation and Inhumation	lxxv-lxxvi
EMBALMING	lxxii
EMIGRATION	xii
ENGLISH LIFE TABLE ; Base of. (Table.)	xxvi
Deaths by several Causes of Persons, of Males and Females at different Ages. (Tables 7, 8, 9.)	xciv-xcix
Deaths by several Causes of <i>Children</i> , of Males and Females, under 5 years of Age. (Tables 10, 11.)	c-c

ENGLISH LIFE TABLE—continued.

Deaths by several Causes of <i>Persons</i> , of Males and Females, at and after certain Ages. (Tables 12, 13, 14.)	ci
Deaths by several Causes of <i>Children</i> , Males, and Females, at and after certain Ages. (Table 15.)	cvii
ENGLISH RACE ; its Prospects of Improvement	l
ENTHETIC DISEASES ; Syphilis, Gonorrhœa	lxvii
EUTHANASIA	x
EXCESS OF BIRTHS OVER DEATHS, &c. in the Districts of England (including London), grouped according to Mortality (Table 37), and Annual Rate of (Table 38)	
at and above each Rate. (Table 39.)	
in an average District of several Groups of Districts (Table 40.)	
and annual rate of. (Table 41.)	
in the Districts of England (exclusive of London), and annual rate of. (Tables 42, 43, 44.)	cliii
at and above each rate. (Table 45.)	
EXCRETA ; Importance of speedy Removal	
EXERCISE as affecting Health and Life	lxii
EXHALATIONS from decaying Animal Matter	
EXTENSION OF HUMAN LIFE ; its Possibilities and Difficulties	v
EXTINCTION OF ANY SINGLE DISEASE ; Effect of, on the Duration of Life	xxxvii
FALLACIES in use of Geometrical Progression	
FAMILY PHYSICIANS	i
FARMERS and Agricultural Labourers ; Mortality of	lvii
and Farmers' Sons ; Numbers living in 1861 and in 1871 ; Deaths in 1860, 1861, and 1871, and Mortality at different Ages. (Table 65.)	c
FEVER AND SMALL-POX ; Proportion of Attacks to Deaths at different Ages in England. (Table 73.)	cli
Deaths at different Ages in England, according to Life Table and Proportional Numbers of Attacks. (Table 74.)	cli
FISHMONGERS ; Mortality of	
FOOD ; Varieties and Use of	lx
FOREIGN COUNTRIES ; Deaths of Children in	
FORMULAS for determining the probability of dying at or after any Age of a particular Disease	es
FORMULA for determining Mortality from Density and Proximity of Population	
for Construction of a Life Table by a short Method	cl
FOUNDLING HOSPITALS ; Failure of	
FRANCE ; Increase of Population	
FRIENDLY SOCIETIES ; inadequate Premiums of, in some Societies	lx
FRIENDLY SOCIETIES ACT	lx

GAMBLEERS; Mortality of	xi
GAS SUPPLY IN LONDON	xxxv
GENERATIONS: March of in England, through Life	xxxx-xxxx
GEOGRAPHICAL DISTRIBUTION OF DISEASE	lxxi
GLASS MANUFACTURERS; Mortality of	lv
GODWIN; Inquiry concerning Population	xi
GRAVES for 100,000 bodies yearly	lxxv
GROCKERS; Mortality of	lv
GROUND RENTS; Municipalities as Ground Landlords	lxxi
GUISEBROUGH; Marriage, Birth, and Death Rates, 1860-63; 1870-73. (Table)	xv
HADEN, MR. SEYMOUR; on Inhumation	lxxiv-lxxv
HAIRDRESSERS; Mortality of	lv
HATTERS; Mortality of	lv
HAVILAND on the Geographical Distribution of Disease	lxxi
HEALTH; Progress of Mankind in	xi-x
of Men engaged in various Occupations	lii-lviii
Insurance	lxxvii-lxxviii
HEALTHY DISTRICTS; Mortality in	viii-ix
Causes of Death among Children in	xxix
Mortality at different Ages in other Groups compared with that of. (Tables 50, 52, 53, 54.)	clx-clxii
HEALTHY DISTRICTS LIFE TABLE; Deaths by several Causes of Persons, of Males and Females, at different Ages. (Tables 16, 17, 18.)	cxli-cxvii
Deaths by several Causes of Children, Males and Females, under Five Years of Age. (Tables 19, 20.)	cxviii-cxix
Deaths by several Causes of Persons, Males and Females, at and after certain Ages. (Tables 21, 22, 23.)	cxli-cxlv
Outline Life Table. (Table 24.)	cxlv
HEALTHY LIFE; Means of, afforded by increased Wages	xi
HEAT AND COLD; Effect of	xi
HEREDITARY DISEASES; to be diminished	xi
HOLLAND, MR., on Graveyards	xi
HOSPITALS; Note explaining variation for	xi
HOSPITALS, FOSBROUGHS; failure of	xi
HUMAN PROGRESS; to be wrought in Medicine	xi
HYGIENE, CIVIL, taught in the University of Paris a Review of its Progress public and private its required extension	xi
HYGIENIC PRINCIPLES	xi
HYGIENIC EXPERIMENT	xi
INDEX	

	PAGE
IMMORTALITY OF MAN. (Note.)	
INCREASE OF POPULATION. (<i>See also</i> POPULATION.)	ix-
INDEX of Districts	515-5
of certain TOWNS	5
INDUSTRIAL ENTERPRISE ; Effect on Marriage, Birth, and Death	1
INUMATION	lx
INOCULATED SMALL-POX ; Mortality from 1746-63	
INSTITUTIONS, PUBLIC, for which the Mortality of Districts is <i>not</i> corrected	cxc-c
corrections in the Mortality of Districts containing large Institu-	
tions. <i>See</i> foot-notes	cxc-c
for which corrections have been made in the Mortality of London	
Districts. (Table a.)	c
INSURANCE of Burial in Liverpool	xxi-x
Health and Sickness	lxxvii-lxx
INTEMPERANCE ; Effects of	lix
INTER-MARRIAGE of Imperfect Natures ; Evils of	x
INTERMENT ; a prime question of Public Health	lxi
IRON MANUFACTURE ; Mortality of those engaged in	1
JENNER ; Syphilis among the most fatal Diseases in this Country	1
KINGDOM, UNITED ; Population and Births	xxx
KING'S PHYSICIANS	lx
LAND FOR BUILDING PURPOSES ; acquirement of, by Municipalities	1
LANDLORDS of North and West London	1
LETHEBY on increase of Population	ix
LIFE ; possibilities and difficulties of extending	
Roger Bacon on the prolongation of	v-
annual loss of in England presumably preventible	
march of an English generation through	xxviii-xx
dangers at several Stages of	xxxiii-xx
duration of, effect of extinction of any single Disease on	xxx
prolongation of by Vaccination, as estimated by Duvillard	xx
pecuniary value of	
means of preserving	h
LIFE TABLE for certain Diseases, and for the class dying of Consumption.	
(Table.)	xxvi-xx
(outline) of the Healthy Districts of England. (Table 24.)	cx
(outline) for Liverpool District. (Table 25.)	cxx
(outline) for London. (Table 31.)	cix
(outline) for Fifteen great Towns. (Table 32.)	cxx
formulas for construction by a short Method	clx

LIFE TABLE—continued.	PAGES
for Males, constructed by a short Method, compared with the English Life Table. (Table 58.)	clxviii
for Males, showing the effect of Exclusion of Deaths from Zymotic Diseases, from Phthisis, and from Cancer. (Table 60.)	clxix
Population at different Ages, according to. (Table 70.)	clxxix
Population, Deaths at different Ages in England. (Table 71.)	clxxx
(See also ENGLISH; HEALTHY DISTRICTS; LONDON; LIVERPOOL; TOWNS.)	
LIFETIME; mean, under the most favourable conditions	iv
Mean-After; by complete and short Method compared. (Table 58.)	clxviii
LIVERPOOL DISTRICT; Burial Insurance in	xxi-xxii
excessive Mortality in	xxi-xxii
causes of Death among Children in	xxix
Mortality of, at various Ages, compared with that of Healthy and other Town Districts. (Table 50.)	clx
Mortality of, at different Ages, compared with that of various Groups of Districts. (Tables 52, 53, 54.)	clxi-clxii
Number and Proportion of Males and Females living at different Ages. (Table 77.)	clxxxiv
LIVERPOOL DISTRICT LIFE TABLE; outline Life Table. (Table 25.)	cxxvii
Deaths by several Causes of Persons, of Males and Females, at different Ages. (Tables 26, 27, 28.)	cxxviii-cxxxi
Deaths by several Causes of Children, of Males and Females, under five years of Age. (Tables 29, 30.)	cxxiv-cxxv
LIVES; value of various classes of, at certain Ages	xli-xlii
LIVING, to various Ages, in Healthy and in Town Districts	cxxvi-vii, cxxxvi-vii
LOCAL DISEASES	lxx
LONDON; Mortality of, in 17th, 18th, and 19th Centuries, and in four Plague Years	viii
mean elevation above Trinity high-water mark	xlili
effect of influx and efflux of Population on the Rates of Mortality	xliv
Gas and Water supply	xliv
Main Drainage of	xliv
Police	xliv
effect of increased Density in Lewisham District	xlvi
Mortality among Working Men	xlvi
Mortality of Males at certain Ages in Hospitals, 1851-60. (Note.)	xlvi
Range of Mortality in certain Districts	xlvi
Outline Life Table. (Table 31.)	cxxxvi
Population, Deaths, and Mortality of Persons, Males and Females, at certain Ages, 1861-70. (Table 46.)	clvi
Mortality of, at various Ages, compared with that of Healthy and of other Town Districts. (Table 50.)	clx
Mortality of, at various Ages, compared with that of other Groups of Districts. (Tables 52, 53, 54.)	clxi-clxii
Density and Mortality of the Districts of, in Three Decennials. (Table 56.)	clxv
Mortality of Males and Females at Four Groups of Ages, from several Causes. (Table 75.) From Phthisis and Lung Diseases. (Table 76.)	clxxxiii
Number and Proportion of Males and Females living at different Ages. (Table 77.)	clxxxiv
Institutions of, for which corrections have been made in the Mortality. (Table a.)	cxx

LONDON SEWAGE ; disposal of	
LUNATIC ASYLUMS for which corrections have been made Districts. (Table b.)	
for which corrections have not been made in Districts. (Table c.)	
LUNG DISEASES AND PHTHISIS ; Comparative Mortality of Females at Four Groups of Ages, in England (Table 76.)	
MALTHUS on Increase of Population	
on the relation between Population and Subsistence Merit of	
MALTHUSIAN DOCTRINE applied by Darwin to the Vegetable Kingdom	
MALTHUSIAN POLICY ; Effects of	
MANCHESTER DISTRICT ; Mortality of, at various Ages, compared of Healthy and of other Town Districts. (Table 52, 53, 54.)	
Mortality of, at different Ages, compared with Groups of Districts. (Tables 52, 53, 54.)	
Number and Proportion of Males and Females Ages. (Table 77.)	
MANUFACTURES ; Effects of Increase or Decline of, on Births Marriages	
MARRIAGE ACTS, 1753-1837	
MARRIAGES IN ENGLAND ; Annual Increase per Cent. in 1756-1870. (Table 66.)	
Annual Increase per Cent. in Decennials 1796- Increase of Population, 1801-71. (Table 67)	
MATHEMATICIANS ; on Disputes of, as to effect of Small-pox Mean Age at Death by certain Causes	
Lifetime under the most favourable conditions Population and Causes of Death at different Ages 1861-70. (Table 1.)	
Population, 1861-71, at different Ages, in the Registrar- General's Districts of England	
MEASLES ; first recorded appearance of	
MEDICAL PROFESSION ; its Importance	
its Numbers	
MEDICAL STAFF of POPULATION, insufficient	
MEDICINE ; influence of on the Health of the Community State ; instruction and examination in	
MERCERS AND DRAPERS ; Mortality of	
METROPOLIS. See LONDON.	
MIDWIVES ; Instruction of	
MINERS ; Mortality of	
MINING AND MANUFACTURING DISTRICTS ; want of Sanitary Monuments	

	PAGES
MORTALITY from inoculated Small-pox, 1746-63	vi
from Small-pox, 1771-80, 1831-5, and 1861-70	vii
in England by Small-pox and Scarlet Fever, 1851-70	vii
affected by preservation of the weakly	viii
probability of Decrease in	viii
in London in 17th, 18th, and 19th centuries	viii
in London in four plague years	viii
means of reducing	viii
in Healthy Districts	viii-ix
standard rate of	ix
in seven groups of Districts. (Table.)	xiii
and Population of Ulverston and four other Districts	xiv-xv
Law of, varies with Conditions of Existence	xxi
of Males and Females at several Periods of Life	xxi
Causes of Variation in	xxii
excessive, in Liverpool	xxi-xxii
and Density, relation between	xxiii-xxv
at various Periods of Life as affected by Density of Population .	xxiv
how calculated from Density of Population	xxiv
Causes of, checked by varying Powers of Resistance	xxv
of Persons at different Ages as a Sanitary Test	xxv
of Males and Females at different Ages in England, 1838-54, and 1838-71. (Table.)	xxvi
Stability of Rates over 34 Years	xxvi
at different Ages by different Causes	xxxiv-xxxv
and Attacks of Disease, Law of	xxxv
from Diseases of the Young, how overstated in England . . .	xxxvii
in increasing and in stationary Population	xxxvii
from Contagious Diseases lessened by favourable Sanitary Con- ditions	xl
Range of, in the Registration Divisions of England	xlili-lii
in London, as affected by influx and efflux of Population . .	xliv
among Artisans of London and other large Towns	xliv
in various Districts of London	xliv
of Males at certain Ages in the London Hospitals, 1851-60 (Note)	xliv
of Butchers and Publicans in London, and in England exclusive of London. (Table.)	liv
of Men engaged in various Occupations	lii-lviii
in Childbirth	lxx
from Puerperal Fever	lxx
in the Districts of England in Groups. (Table 38.)	cli
in an Average District of each Group of Districts in England. (Table 41.)	cliii
in Groups of Districts in England, exclusive of London. (Table 44.)	cliv
of Persons, Males and Females, at certain Ages in England and in its Metropolis, 1861-70. (Table 46.)	clvi
of Males and Females at certain Ages, and Density of Population in several Groups of Districts of England. (Table 47.) . .	clvii
Observed and Calculated in Seven Groups of Districts of England, exclusive of London. (Table 48.)	clviii
Formula for determining, from Density and Proximity	clvif
of Males and Females at certain Ages in Groups of Districts of England, exclusive of London. (Table 49.)	

MORTALITY—continued.

- of Males and Females at different Ages in various Districts. (Table 50.)
- of Males and Females at different Ages in Two Districts. (Table 51.)
- at different Ages, Per-centage of Increase in the Districts on the rates of the Healthy District at different Ages in Seven Groups of Districts compared with that in the Healthy Districts. (Table 53.)
- of Males and Females at certain Ages, in Seven Districts, compared with that in the Healthy Districts, 1841-70, in the Districts of England, grouped in relation to Density. (Table 55.)
- in the least populous Districts of England. (Table 56.)
- and Density, in Three Decennials, of the Districts (exclusive of London) with less than One Acre per Inhabitant. (Table 57.)
- of Males and Females at several Ages in England, exclusive of Phthisis, of Zymotic Diseases, and of Cancer. (Table 59.)
- in 1871, of Men at different Ages engaged in certain Occupations. (Table 62.)
- Average Annual, in the Three Years 1860, 1861, and 1871, at different Ages engaged in certain Occupations. (Table 63.)
- Average Annual, in 1860, 1861, and 1871, of Men engaged in various Groups of Occupations. (Table 64.)
- Average Annual, in 1860, 1861, and 1871, among Farmers' Sons at different Ages. (Table 65.)
- at quinquennial Ages by English Life Table. (Table 66.)
- of Males and Females, at Four Groups of Ages, from Causes in London. (Table 75.)
- of Males and Females, at Four Groups of Ages, from Lung Diseases, in England and in London. (Table 76.)
- of Males and Females at different Ages, in England, 1848-72. (Table 78.)
- Annual, and Density of Population in the Decennials 1841-50, 1851-60, and 1861-70, in the Registration Divisions, Counties, and England.**

(See also DENSITY.)

Average Annual Rate of Males and Females from Causes, at different Ages, in the Registration Divisions and Districts of England 1861-70.

(See also DEATHS.)

MULTIPLIERS; to determine Mortality from Population. (Table 67.)
to determine the proportion of Deaths by each District. (Table 68.)

NAVY; Mortality of

Occupations; Ramazzini on the Health of those engaged in various Occupations. (Table 69.)
Thackrah on the Effects of, on Health
Various; Health of Men engaged in
Benefit of Change of Position in
Number of Men at different Ages engaged, and (Table 61.)

OCCUPATIONS—continued.	PAGES
Mortality in 1871, of Men at different Ages. (Table 62.) . . .	clxxi
Mortality at certain Ages in the Years 1860, 1861, and 1871. (Table 63.)	clxxii-clxxiv
Groups of, Annual Mortality of Men at different Ages during the Years 1860, 1861, and 1871. (Table 64.)	clxxv
Deaths of Males at different Ages in England, in each of the 11 Divisions and in 80 Town Districts, in 1871	447-514
(See also DEATHS.)	
OFFICERS OF ARMY; Mortality of	clxxv
OPEN SPACES; importance of	lxxii
 PAGEET, SIR JAMES; Damage done by Syphilis	 lxix
PARKES; on Burial	lxxv
PHTHISIS; Life Table of those dying of	xxvii
reduction in Mortality by exclusion of. (Table 59.)	clxix
effect of excluding deaths from, in Life Table for Males. (Table 60.)	clxix
and Lung Diseases; comparative Mortality from, of Males and Females, at Four Groups of Ages, in England and in London. (Table 76.)	clxxxiii
PHYSICIANS AND SURGEONS; Mortality of	lv
PLAGUES; Increase of Births after	xii
PLAYFAIR on the Food of Man in relation to Useful Work	lxi
POLICE IN LONDON	xliv
POPULATION; Early English	vii
Increase and Decrease of	ix
Increase of, in geometrical progression, its effects on Health and Mortality	ix
Malthus on	ix
President of the Health Officers of London, on Increase of . . .	ix-x
Godwin on	xi
natural Increase of, in England and in France	xii
Increase of, by reserve of Reproductive Force	xii
Increase of, in Seven Groups of Districts. (Table.)	xiii
no inevitable Increase of, through Reduction of Mortality . . .	xiv
and Mortality of Ulverston and four other Districts	xiv-xv
principle of	xv
Increase of, in the United States	xv-xvi
and Subsistence, Malthus on	xvi-xviii
constituent elements of	xx
constitution of, effect on Mortality	xxvii
of the Districts of England, in groups. (Table 37.)	cli
Natural and Actual Increase of, in Districts grouped according to Mortality. (Tables 38 and 41.)	cli-cliii
of the Districts of England at and above each rate of Mortality. (Table 39.)	clii
in an Average District of several Groups of Districts of England. (Table 40.)	clii
in the Districts of England (exclusive of London) classified accord- ing to Mortality. (Table 42.)	cliii
in Groups of Districts in England (exclusive of London) (Table 43.) and Rates of Increase of. (Table 44.)	cliv

POPULATION—continued.

in the Districts of England, exclusive of London
Rate of Mortality. (Table 45.) . . .

Deaths, and Mortality of Persons, Males and Females,
Ages in England and in its Metropolis, 1861-71. (Table 46.) . . .

Annual Increase of, in England, 1801-71. (Table 47.) . . .
the, enumerated in 1871, the survivors of Childbirth,
decennials. (Table 68.) . . .

of England, at different Ages in 1871, contrasted
have been had the Births remained constant
been no Emigration. (Table 69.) . . .

of England, at different Ages, according to Census
to Life Table. (Table 70.) . . .

of the United States, and Decennial Increase per
(Table 72.) . . .

Proportion of Males and Females living at
England, London, Manchester, and Liverpool . . .

Mean of Enumerations of 1861 and 1871, of
at different Ages in the Registration Districts
of England . . .

Mean of Enumerations of 1861 and 1871 of
Ages in England, compared with the Deaths
various Causes, 1861-70. (Table 1.) . . .

Density of. (See DENSITY.)

POPULATIONS; Increasing and Decreasing; Marriage,
rates in. (Table.) . . .

POTTERS; Mortality of . . .

PRICE, Dr.; on Effects of Compound Interest . . .

PRIVATION AND POOR RELIEF . . .

PROBABILITY OF DYING at and after any Age of any
formulas for determining . . .

PROFESSIONS; Rates of Mortality in . . .

PROXIMITY OF PERSONS in certain Districts . . .

Relation of, to Mortality . . .

In Seven Groups of Districts. (Table 48.)

PUBLICANS; Mortality of, in London and in England, and
(Table.) . . .

PUBLIC BATHS . . .

PUBLIC HOUSES . . .

PUBLISHERS AND BOOKSELLERS, Mortality of . . .

PUERPERAL FEVER; Infection and Mortality of . . .

RACE; Improvement of, in Men as in Animals . . .

RAILWAY SERVICE; Mortality of those engaged in . . .

RAMAZZINI on the Health of those engaged in various Occupations
on the Duties of a Court Physician . . .

RATES FOR PUBLIC PURPOSES . . .

RECIPROCALs of Years of Life at each Age. (Table 35.)
of Deaths at each Age. (Table 36.) . . .

REDRUTH; Marriage, Birth, and Death Rate, 1860-2 . . .

	PAGES
REGISTER OF DEATH ; a new kind of Monument	lxxv
ROOKERIES	lxxi
ST. AUSTELL ; Marriage, Birth, and Death Rate, 1860-2 ; 1870-2. (Table.)	xv
SANITARY APPLIANCES ; want of, in new Mining and Manufacturing Districts	vii-viii
SCARLET FEVER AND SMALL-POX ; Comparative Mortality of, 1851-70 .	vii
First recorded Appearances of	xxxix
SEWAGE ; disposal of, in London	vii
Pollution of Rivers above Intake of Water Supply	lxiv
SEX. (See BIRTHS, DEATHS, POPULATION.)	
SHOEMAKERS ; Mortality of	lvi
SICK ; in United Kingdom, and in England and Wales	lxxvii-lxxviii
SICKNESS ; proportion of, to Deaths	lxxvii
Average, in a Friendly Society	lxxvii-lxxviii
National Returns of	lxxx
SITE of Cities and Dwellings ; influence of, on Health	lxxi
SLAUGHTER-HOUSES ; need of Public	lix
SMALL-POX, inoculated, Mortality from, 1746-63	vi
Mortality from, 1771-80, 1831-5, and 1861-70	vii
and Scarlet Fever ; comparative Mortality of, 1851-70	vii
Number of Attacks to Deaths	xxxv-xxxvi
first recorded appearances of	xxxix
exclusion of, in Glasgow, counterbalanced by increase of other Diseases	xli
and Fever, proportion of Attacks to Deaths, at different Ages, in England. (Table 73.)	clxxxii
and Fever, Deaths at different Ages, in England, according to Life Table, and proportional numbers of Attacks. (Table 74.)	clxxxii
SOLDIERS ; Mortality of	clxxv
SOLICITORS ; Mortality of	lv
SPRENGEL ; surveillance of Houses of Ill-fame	lxviii
STAFF HEALTH OFFICERS	lxxx
STANDARD RATE OF MORTALITY	ix
STATE MEDICINE ; Instruction and Examination in	lxxx
STATISTICAL DEPARTMENT	lxxxii
STERILITY ; ill effects of the Policy of	xvii
STIMULANTS	lix-lx
increased use of, a result of increased Wages	viii
STOCKTON ; Marriage, Birth, and Death Rates, 1860-2, 1870-2. (Table.)	xv
STRUGGLES for Existence	iv & xviii
SUPPRESSION of Phthisis, Cancer, and Miasmatic Diseases, effects of	xxxix-xl
SYPHILIS ; Origin of Epidemic	lxvii-lxviii
Deaths from	lxix

TAILORS; Mortality of	
TANNERS AND CURRIERS; Mortality of	
THACKRAH on the Effects of Occupation on Health	
THERAPEUTICS; promoted by Sickness Returns	
THOMPSON, SIR HENRY, on Cremation	
TOBACCO; Use of	
TOBACCONISTS; Mortality of	
TOOL, FILE, SAW MAKERS; Mortality of	
TOPOGRAPHY; Hygienic	
TOWN DISTRICTS; Drainage	
Mortality of Males and Females at different Ages (Table 51.)	
Deaths in Eighty, in 1871 of Males at different Occupations	
TOWNS, want of Sanitary Arrangements in early period IN ENGLAND; Increase of, with stationary Dec Population	
FIFTEEN GREAT; Outline Life Table. (Table Mortality of, at various Ages)	
SEVENTEEN GREAT; Mortality of, at various Index of certain	
ULVERSTON DISTRICT; Population and Mortality	
Increase of Marriage, Birth, and Death Rat (Table.)	
UNITED STATES; Increase of Population in	
Increase of Produce in	
Decennial Increase in Population of, 1790-1870	
UNITS OF LIFE	
VACCINATION; Mortality from Small-pox	
Its effect on the duration of Life	
Importance of	
Unwise Efforts for the abolition of	
VALUE of various Classes of Lives at certain Ages	
VETERINARY SURGEONS AND FARRIERS; Mortality of	
WAGES, INCREASED; affording the Means of Healthy Li WATER; Supply in London	
Hard, purified	
Supply from Rivers	
WEAKLY LIVES affect Mortality	
WHEELWRIGHTS; Mortality of	
WHOOPING COUGH; first recorded Appearances of	

	PAGES
WOOL, SILK, COTTON MANUFACTURES ; Mortality of those engaged in .	lvi
WORK AND FOOD	lxii-lxiii
YEARS OF LIFE and Causes of Death of Males at certain Ages in England, 1848-72. (Table 33.)	cxxxviii-cxliii
and Causes of Death of Females at certain Ages in England, 1848-72. (Table 34.)	cxliv-cxlix
of Men in various Occupations, at different Ages, applied to the dying, of those Occupations, in the Years 1860, 1861, 1871. (Tables 63, 64.)	clxxii-clxxv
ZYMOTIC DISEASES ; Destruction of their Germs	lxv
Reduction in Mortality by exclusion of. (Table 59.)	clxix
Life Table for Males, exclusive of Deaths from. (Table 60.) .	clxix

ERRATA.

The following corrections should be made :—

On page 157, in the District of Tendring, the mean population at All Ages should be 13,687.

On page 244, in the District of Westbury-on-Severn, the mean population at age 75 should be 142.

L O N D O N :

Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

